COLUMBIA LIBRARIES OFFSITE
HEALTH SCIENCES RESTRICTED
HR02177293

1882

THE LIBRARIES

COLUMBIA UNIVERSITY

HEALTH SCIENCES
LIBRARY

FORTY-FIFTH

ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES

IN ENGLAND.

(ABSTRACTS OF 1882.)

Presented to both Houses of Parliament by Command of Her Majesty.

LONDON:
PRINTED BY EYRE AND SPOTTISWOODE.

To be purchased, either directly or through any Bookseller, from any of the following Agents, viz.,
Messrs. Hansard and Son, 13, Great Queen Street, W.C., and 32, Abingdon Street, Westminster
Messrs. Eyre and Spottiswoode, East Harding Street, Fleet Street, and
Sale Office, House of Lords;
Messrs. Adam and Charles Black, of Edinburgh;
Messrs. Alexander Thom and Co., or Messrs. Hodges, Figgis, and Co., of Dublin.

1884.

[C.-4009.] *Price* 1*s.* 11*d.*

Digitized by the Internet Archive
in 2010 with funding from
Open Knowledge Commons

http://www.archive.org/details/annualreportofre45grea

34

CONTENTS

OF THE

REGISTRAR GENERAL'S ANNUAL REPORT FOR 1882.

REPORT:— PAGE

INCREASE of POPULATION v

MARRIAGES; Marriage-rate; Relation between Marriage Rate and commercial activity; Number of Marriages celebrated according and *not* according to the Rites of the Established Church; Previous condition of Persons married; Divorce; Ages of Persons married; Signatures in Marriage Registers; Buildings registered for the Solemnisation of Marriages; Certified Places of Worship . . vi–x

BIRTHS. Number registered and Birth-rate; Sex; Illegitimate Births and rate . . . . . x–xii

DEATHS. General death-rate; Age; Mortality at various Ages; Sex; Urban and Rural Mortality; Registered Causes of Death of different classes; Certification of Causes of Death . . . . . xiii–xxi

PROGRESS of REGISTRATION. Aggregate Number of NAMES on the REGISTERS; NUMBER of SEARCHES in the Registers and of CERTIFICATES granted at the CENTRAL OFFICE xxi

THE ARMY. STRENGTH and MORTALITY of the ARMY at HOME and ABROAD xxi

THE NAVY. STRENGTH and MORTALITY of the NAVY . . . xxii

BIRTHS and DEATHS of BRITISH SUBJECTS at SEA; MARINE REGISTER BOOK; MORTALITY of MERCANTILE MARINE . . . xxii

EUROPEAN STATES. Marriage, Birth, and Death Rates . . . xxiii

METEOROLOGY; Remarks by James Glaisher, Esq., F.R.S. . . . xxiv–xxv

PRELIMINARY TABLES . . . . . xxvii–cviii

ABSTRACTS:—

MARRIAGES Registered in England in each of the Registration Divisions, Counties, and Districts; distinguishing those according and those *not* according to the Rites of the Established Church, and the number in each quarter of the year; distinguishing also the previous Civil Condition of Persons married, Minority, and Signature of the Register by marks 1–25

AGES of Persons married, distinguishing those of Bachelors, Spinsters, Widowers, Widows 26–28

BIRTHS and DEATHS Registered, and Excess of Births over Deaths, in each of the Divisions, Counties, Districts, and Sub-districts; distinguishing the Sexes in Divisions and Counties, and Illegitimate Births throughout 22–91

Re 7956. Wt. 5861. a 2

ABSTRACTS—*continued.* PAGE

Deaths of Males and Females in Public Institutions. 93–114

Deaths of Males and Females at different Ages Registered in Divisions, Counties, and Districts 115–136

Causes of Death of Males and Females in England and Wales at different Periods of Life 137–145

Causes of Death of Males and Females in London at different Periods of Life 146–153

Causes of Death of Males and Females in England, and in each of the Divisions and Counties 154–177

Deaths from several Zymotic and other Causes, and Inquest Cases, in Divisions, Counties, and Districts . . . 178–210

Violent Deaths from Accident and Negligence, distinguishing Sex and Age 211–217

Deaths of Intoxicated Persons from Accident and other Causes; Males and Females 214, 217

Deaths returned as having occurred from Suicide, distinguishing Sex, Age, and Method 218–219

Deaths returned as having occurred from Murder, distinguishing Sex, Age, and Method 220–221

Deaths returned as having occurred from Manslaughter, distinguishing Sex, Age, and Character 222–223

Indexes of Districts, Sub-districts, and of certain Towns, referring to Numbers used in the several Tables of Abstracts 224–239

Alphabetical Index to Report and Tables 241–254

REPORT

TO

The Right Honourable Sir Charles Dilke, Bart., M.P., President of the Local Government Board, &c. &c.

General Register Office, Somerset House,
31st March, 1884.

(1882.)

Sir,

I have the honour to submit to you the detailed abstracts of the marriages, births, and deaths that were registered in England and Wales during the year 1882, together with a report on the main features of the vital statistics of that year.

Increase of Population.—The numbers of births and deaths registered in the year were 889,014 and 516,654 respectively, so that the natural increment of the population, or excess of births over deaths, was 372,360, or 1·43 per cent. of the estimated population in the middle of the immediately preceding year. In 1881 the natural increment had been considerably higher, amounting to no less than 391,707. The falling off in 1882 was not due to any diminution in the number of births, which were 5372 more than in the previous year, but to an increase in the number of deaths, which, although still much below the average of recent years, was considerably in excess of the number registered in 1881, when the death-rate reached the minimum as yet recorded.

Were the growth of the population since the last Census determined simply by the balance between registered births and deaths, the population of England and Wales in the middle of 1882 would have numbered 26,464,820 persons. But such a method of reckoning leaves out of account the effects of emigration and of immigration, which cannot be measured with any great precision. It would appear, however, from the returns made by the Board of Trade that the loss due to the excess of emigration over immigration since the date of the Census must have been considerable. For both in 1881 and in 1882 the excess of emigrants from the United Kingdom over immigrants into it was of unprecedented magnitude. The excess in 1881, according to the Board of Trade returns, amounted to 315,409, and in 1882 to 335,020 persons, whereas the average annual excess in the five preceding years has been only 115,934. How much of these losses fell respectively to England and Wales, to Scotland, and to Ireland, we have no means of stating with any precision; but that pretty nearly a full share in the increased losses in 1881 and 1882 fell to the population of England and Wales may be inferred with much probability from the fact that of those emigrants who were natives of the United Kingdom 58 per cent. in each of the two years were of English or Welsh origin, the mean proportion in the five preceding years having been 60 per cent., or only slightly higher.

The population, as enumerated in April 1881, numbered 25,974,439 persons; and, on the hypothesis that the rate of increase continued to be the same as it had been in the interval between that date and the previous Census, the population in the middle of 1882 was 26,413,861. Of these 12,853,737 were males and 13,560,124 were females. This is the population on which the rates in this report have been calculated.

Marriages.

The marriages in 1882 numbered 204,405, giving a rate of 15·5 persons married to 1000 persons living. The marriage-rate was at its maximum in 1873, and fell year after year continuously from that date till 1879, when it was at its minimum, viz. 14·4. In 1880 it began to recover from the long depression, and was 14·9; in 1881, it advanced to 15·1, and finally in 1882, a still further rise brought it, as already stated, to 15·5.

Coincidently with the rise in the marriage-rate, there was in 1882, as almost invariably is the case, an increase in the value of exports from the United Kingdom per head of the total population: there was also, as is not quite so invariably though still most commonly the case, a rise in the value of imports per head of population; and finally there was what, as was shown in my last Annual Report, is not usually a concomitant of a rise in the marriage-rate, a very slight fall in the average Gazette price of British wheat. The fluctuations in these several measures of well-being are shown in the following table. A column has also been added to the Table, giving the fluctuations in another measure of commercial activity, viz., the amount cleared each year at the London Bankers' Clearing House, per head of population. It will be seen that here also there is a very close agreement with the fluctuations in the marriage-rate; in each case the maximum was reached in 1873, and the minimum since that date in 1879.

Table A.—Marriage-rate, British Exports and Imports, Price of Wheat, and amount cleared at the Bankers' Clearing House, in each of the 23 Years 1860–82.*

Years.	Marriage-rate.	Value per Head of Population.			Average Price of Wheat per Quarter.	Amount cleared at the Bankers' Clearing House per Head of Population.
		British Exports	Imports.	Total Exports and Imports.		
Cols.	1.	2.	3.	4.	5.	6.
		£ s. d.	£ s. d.	£ s. d.	s. d.	£
1860	17·1	4 14 5	7 6 4	13 0 8	53 3	—
1861	16·3	4 6 4	7 10 1	13 0 3	55 4	—
1862	16·1	4 4 10	7 14 4	13 8 0	55 5	—
1863	16·8	4 19 6	8 8 11	15 2 7	44 8	—
1864	17·2	5 8 1	9 5 3	16 8 7	40 2	—
1865	17·5	5 10 10	9 1 2	16 7 5	41 9	—
1866	17·5	6 5 4	9 15 11	17 14 5	49 11	—
1867	16·5	5 19 0	9 1 0	16 9 6	64 5	—
1868	16·1	5 17 1	9 12 1	17 0 6	63 9	158
1869	15·9	6 2 8	9 10 9	17 3 9	48 2	162
1870	16·1	6 7 8	9 14 1	17 10 3	46 10	174
1871	16·7	7 1 5	10 9 10	19 9 6	56 10	210
1872	17·4	8 0 10	11 2 7	21 0 0	57 1	255
1873	17·6	7 18 7	11 10 10	21 4 2	58 8	264
1874	17·0	7 7 5	11 7 9	20 11 0	55 9	249
1875	16·7	6 16 2	11 7 10	19 19 4	45 2	235
1876	16·5	6 0 11	11 6 1	19 0 10	46 2	203
1877	15·7	5 18 6	11 15 0	19 5 5	56 9	203
1878	15·2	5 13 8	10 17 5	18 2 1	46 5	200
1879	14·4	5 11 9	10 11 9	17 16 10	43 10	195
1880	14·9	6 8 11	11 17 8	20 3 3	44 4	222
1881	15·1	6 14 0	11 7 4	19 17 5	45 4	243
1882	15·5	6 16 10	11 14 0	20 7 8	45 0	236

* The figures in the marriage-rate column are not strictly comparable with those in the value columns, inasmuch as the former relate only to England and Wales, while the latter relate to the whole of the United Kingdom. The figures in the value columns are derived from the Board of Trade Statistical Abstracts, but have been slightly altered in accordance with later and more accurate estimates of the population. The figures showing the amount cleared at the London Bankers' Clearing House are also derived from the Board of Trade Statistical Abstracts, calculated upon the population of England and Wales.

If the marriage-rates of 1882 are compared with those of 1879, the year of greatest depression, (*see* Table 9), it will be seen that the only counties that apparently did not share in the recovery were Kent (extra-metropolitan), Sussex, Hampshire, Berkshire, Hertfordshire, Oxfordshire, Huntingdonshire, Cambridgeshire, Dorsetshire, Gloucestershire, Herefordshire, and Rutlandshire, together with North Wales, all of which are mainly agricultural. In each of these counties the rate in 1882 was lower, or at any rate not higher, than it had been in 1879. On the other hand the counties which showed the greatest recovery were Durham, Monmouthshire, Staffordshire, Cumberland, Cornwall, the North Riding of Yorkshire, and Nottinghamshire, all of which are mainly of mining or industrial character.

Forms of Marriage.—Of the 204,405 marriages celebrated in 1882, 146,102 or 71·5 per cent. were solemnised according to the rites of the Established Church, and 58,303 or 28·5 per cent. otherwise. The proportions were precisely the same in the immediately preceding year 1881; a fact which is worthy of notice, inasmuch as there had been no similar arrest since 1871 in the almost continuous decline in the proportion of church marriages to marriages of all kinds. The subjoined Table shows what proportion of the marriages in the Established Church were by license, banns, and Superintendent Registrar's Certificate respectively; and it will be noticed that the proportion of marriages by banns, which began to rise in the quinquennium ending with 1865, rose in 1882 to the highest point attained since that period.

TABLE B. — OF the MARRIAGES CELEBRATED in the ESTABLISHED CHURCH, the PROPORTION PER CENT. by SPECIAL LICENSE, LICENSE, BANNS, and by SUPERINTENDENT REGISTRAR'S CERTIFICATE, 1841–82.

Periods of Five Years.	Proportional Numbers of Marriages according to the Rites of the Established Church.*				
	Total.	Special License.	License.	Banns.	Superintendent Registrar's Certificate.
1841–45 - -	100	·01	15·42	83·28	1·29
1846–50 - -	100	·01	15·47	82·39	2·13
1851–55 - -	100	·01	15·58	81·53	2·88
1856–60 - -	100	·01	16·01	80·88	3·10
1861–65 - -	100	·01	14·93	81·94	3·12
1866–70 - -	100	·01	13·56	83·43	3·00
1871–75 - -	100	·01	11·58	85·71	2·70
1876–80 - -	100	·02	11·17	86·34	2·47
Year 1881 - -	100	·04	9·61	87·76	2·59
„ 1882 - -	100	·05	9·12	88·42	2·41

* The Church marriages not otherwise described have been proportionally distributed over the headings "Special License," "License," &c.

In 469 of the marriages in 1882 the particulars required for the accurate construction of the above Table were not furnished, owing to the negligence of the officiating clergymen. These cases of neglect were, however, fewer in number than in any previous year.

Of the 58,303 marriages, not according to the rites of the Establishment, 9,235 were solemnised in Roman Catholic places of worship; 70 were

marriages according to Quaker Rites; 22,768 were solemnised in the chapels of other Christian communities; 513 were marriages of Jews; and 25,717 were civil marriages in the offices of Superintendent Registrars.

First Marriages; Re-marriages. Males.—Of the 204,405 men who married in 1882, 178,849, or 87·5 per cent. were bachelors,* while 25,556, or 12·5 per cent., were widowers.

Of the 178,849 bachelors, 170,720, or 95·5 per cent., married spinsters, while 8129, or 4·5 per cent., married widows.

Of the 25,556 widowers who re-married, 15,616, or 61·1 per cent., married spinsters, while 9940, or 38·9 per cent., married widows.

Females.—Of the 204,405 women who married, 186,336, or 91·2 per cent., were spinsters,* while 18,069, or 8·8 per cent., were widows.

Of the 186,336 spinsters, 170,720, or 91·6 per cent., married bachelors, while 15,616, or 8·4 per cent., married widowers.

Of the 18,069 widows who re-married, 8129, or 45·0 per cent., married bachelors, while 9940, or 55·0 per cent., married widowers.

Divorce.—The number of persons married in the year, who were described as divorced, was 124, and consisted of 69 men and 55 women. Of the 69 men, 53 married spinsters, 14 married widows and 2 married divorced women; while of the 55 women, 41 married bachelors, 12 married widowers, and 2 married divorced men.

Ages at Marriage.—In 30,236, or 14·8 per cent., of the marriages, the officiating minister or registrar neglected to insert the ages of both parties, or of one or the other of them, in the register. The mean age at marriage of the remaining 174,169 couples, whose ages were duly stated, was 27·9 for the males and 25·6 for the females. The mean age of the bachelors was 25·9 and of the spinsters was 24·4 years; while the mean ages of the widowers and widows who re-married were respectively 43·3 and 39·8 years. How very slightly the mean ages vary in successive years is seen in the following Table.

TABLE C.—MEAN AGES AT MARRIAGE.

YEAR.	Bachelors.	Widowers.	Bachelors and Widowers.	Spinsters.	Widows.	Spinsters and Widows.
1867	25·8	—	28·0	24·5	—	25·8
1868	25·8	—	27·9	24·4	—	25·7
1869	25·8	—	28·0	24·4	—	25·7
1870	25·8	42·6	27·9	24·4	38·8	25·7
1871	25·8	42·6	27·9	24·4	39·0	25·7
1872	25·7	—	27·9	24·3	—	25·7
1873	25·6	—	27·8	24·2	—	25·6
1874	25·7	43·0	27·9	24·3	39·4	25·7
1875	25·7	43·0	27·9	24·3	39·4	25·8
1876	25·7	43·1	28·0	24·4	39·5	25·8
1877	25·7	43·0	27·9	24·4	39·6	25·8
1878	25·8	43·1	27·9	24·4	39·6	25·8
1879	25·8	43·2	27·9	24·3	39·8	25·6
1880	25·8	43·3	27·9	24·4	39·6	25·7
1881	25·9	43·4	28·0	24·4	39·8	25·7
1882	25·9	43·3	27·9	24·4	39·8	25·6

* The 69 divorced men who re-married in the year are here reckoned as bachelors and the 55 divorced women who re-married are reckoned as spinsters.

Of the women who marry rather more than half, and of the men who marry rather less than one-half, are from 20 to 25 years of age (See Tables on p. 26). The annual chances of marriage are, as might be supposed, much higher for women than for men in the earlier periods of life, and much higher for men than for women in the later periods. This is shown in the following Table, which gives the number of bachelors and spinsters who married annually out of 1000 living of corresponding ages. The figures are given both for 1870–71–72, and for 1880–81–82; and it will be seen that at both periods the annual chances of marriage are considerably higher for women up to the age of 25, but that after that age the chances are higher for men. It will also be noted that the decline in the marriage-rate in 1880–81–82 as compared with 1870–71–72 affected both bachelors and spinsters, and at each stage of life without exception.

TABLE D.—ANNUAL MARRIAGES of BACHELORS and of SPINSTERS per 1000 living at successive age-periods.

Age Periods.	1870–71–72.		1880–81–82.	
	Bachelors.	Spinsters.	Bachelors.	Spinsters.
15	4·7	22·5	4·6	21·8
20	123·5	137·9	106·8	121·7
25	120·4	88·6	112·4	80·4
35	43·6	31·3	40·5	26·3
45	15·5	12·3	14·3	10·4
55	3·3	3·7	3·0	1·6

Marriages of Minors.—The numbers of men and women under 21 years of age who married in 1882 were 15,459 and 45,019 respectively; so that of every 100 men who married 7·56, and of every 100 woman who married 22·02 were minors. The proportion of these premature marriages to all marriages was at its maximum in 1874, both for males and females; from that date the proportion declined continuously year by year till 1881 inclusively, but in 1882 the continuity of the decline was broken and the proportion rose in both sexes. This change would seem to indicate that the increase that occurred in the marriage-rate was greater among the improvident, than in the provident classes.

Signature in Marriage Register.—The proportion of persons who at the time of marriage were unable to sign their names in the register was 15·2 per cent. in 1882, and was smaller than in any previous year. It is, however, to be noted that the progress in this respect has not been so rapid in the last few years as in the immediately preceding periods. In the triennial period, 1874–76, the decline in the proportion of illiterates who married, compared with the preceding three years was 11·2 per cent.; in the succeeding triennium, 1877–79 the decline was 14·9 per cent.,

whereas in the next period, 1880–82, the fall was only 8·5 per cent., and on one occasion during that period, viz., in 1880, there was, as was pointed out in the report for that year, an actual retrogression, for the first time since 1850, and the proportion of illiterates slightly increased. The probable explanation of this apparent retardation in the efforts of education, is, as has been pointed out in previous reports, that in periods of industrial depression, such as the country has been passing through in recent years, the educated and the prudent classes abstain from marriage to a greater extent than do the improvident and the uneducated. At the same time, however, it must be borne in mind that there must eventually come a time when state education will have done all of which it is practically capable; and that, as this time approaches, there must necessarily be a falling off in the rate of progress.

Certified Places of Worship.—There were on 31st December 1882 22,070 places of worship (not belonging to the Established Church), certified under Acts 15 and 16 Vict. c. 36., and 18 and 19 Vict. c. 81. There were 769 new buildings registered during the year, whereas 65 buildings were removed from the register by cancellation; the net increase during the year was therefore 704.

Buildings registered for the Solemnisation of Marriages.—The number of buildings registered for the solemnisation of marriages by other rites than those of the Established Church, standing on the register at the end of 1882, was 9005 (see Table 11), showing an increase of 178 during the year.

Births.

The births registered in 1882 numbered 889,014, and were in the proportion of 33·7 births per 1000 persons living. This was the lowest birth-rate recorded since 1853, when the rate was only 33·3. The rate was at its maximum point in 1876, when it was 36·4; but from that date fell uninterruptedly, in natural accordance with the fall in the marriage-rate.

The lowest birth-rates were in Huntingdonshire (27·6), Herefordshire (27·7), Rutlandshire (28·0), Cambridgeshire (28·5), Dorsetshire (29·1), North Wales (29·2), and Shropshire (29·3); while the highest were in Leicestershire (34·9), Monmouthshire (34·9), Essex (35·0), North Riding (35·1), Lancashire (36·0), Nottinghamshire (36·9), Staffordshire (37·6), and Durham (39·3). These differences, as has been pointed out in previous reports, are explicable in part by the greater proportion of married women of reproductive ages in the population of mining and manufacturing, as compared with agricultural districts, and in part by the comparative youthfulness of such excess of married women; but it would also appear that, when all allowance has been made for such differences, there is still an excess of fertility in the industrial as compared with the agricultural parts, which may possibly find its explanation in the greater physical vigour of the mining and industrial population, which is constantly being recruited by the immigration of the pick of the rural population.

Sex.—The male births numbered 452,752, and female births numbered 436,262, so that the former were to the latter in the proportion of 103·8 to 100; the mean proportion in the ten preceding years having been 103·9 to 100. (*See* Tables 13 and 16.)

Illegitimate births.—The illegitimate births numbered 43,155, and were in the proportion of 4·9 to every 100 births registered. The proportion had been precisely the same in 1881, but was higher than in any one of the six preceding years. This was not due to any increase in the illegitimate births, but to the diminution in the legitimate births caused by the large decline in the marriage-rate. The illegitimate births were in fact fewer in proportion to the population than in any previous year, being 1·6 to 1000 persons living, a proportion fractionally below that of the seven immediately preceding years, in each of which it was 1·7. (Table 13.)

The amount of illegitimacy, as measured by the proportion of illegitimate births to unmarried females of childbearing ages, differs very greatly in different counties. This question was discussed at some length in the Annual Report for 1879, and it was then pointed out that England and Wales could be divided, and not very roughly, into three zones, a southern zone with an illegitimate rate below the general average, a midland zone with illegitimacy somewhat above the average, and a northern zone with an excessively high illegitimate rate. The experience of the three years that have elapsed since that report confirms the conclusions then arrived at, as will be seen by comparing the first column of figures in the following table with the corresponding county figures in the report for 1879 (42nd Annual Report, page xvii.). The order of the counties in the two tables is almost identical.

A very considerable proportion of the illegitimate births, namely 163 per 1000, occur in workhouses; whereas the proportion of legitimate births that occur in those institutions is no more than 2·1 per 1000. The extent, however, to which the workhouse is resorted to by unmarried women for their confinements varies very much in different counties, and it is curious to note that, as is shown in the second column of figures in the following table, the proportion of illegitimate births that occur in workhouses is on the whole, and speaking generally, highest in those counties in which the illegitimate birth-rate is lowest; and, vice versâ, is lowest where illegitimacy is most common. It may be suggested as a not improbable explanation of this inverse relation between the figures in the two columns one and two of the table, that the counties in which there is most illegitimacy are counties where there is much systematic domestic concubinage, in which the mother of the illegitimate children enjoys the state of mistress of the house, and remains there for her confinements; whereas the counties in which there is comparatively little illegitimacy are counties in which systematic concubinage is not common, such illegitimate births as occur being rather the results of stray licentiousness; in which case the mother has no house of which she is mistress, and is consequently forced in her need to take refuge in the workhouse.

TABLE E.—ANNUAL RATE of ILLEGITIMATE BIRTHS per 1000 UNMARRIED WOMEN, aged 15–45 years, in the three years 1880–81–82; and the PROPORTION per 1000 of ILLEGITIMATE BIRTHS registered in WORKHOUSES in 1882.

Registration Counties.	Average Annual Illegitimate Births per 1000 Unmarried Women aged 15–45 (1880–81–82).	Proportion per 1000 of Illegitimate Births registered in Workhouses (1882).
Surrey (extra-metropolitan) -	9·0	277·0
Middlesex (extra-metropolitan) -	9·9	180·4
London - - - -	10·5	368·8
Devonshire - - - -	11·2	193·5
Somersetshire - - -	11·9	177·1
Sussex - - - -	12·1	209·2
Gloucestershire - - -	12·2	244·1
Hampshire - - - -	12·6	190·7
Kent (extra-metopolitan) -	12·8	199·4
Rutlandshire - - -	13·2	172·4
Essex - - - -	13·4	169·3
Dorsetshire - - - -	13·7	158·4
Warwickshire - - -	14·0	176·0
Berkshire - - - -	14·0	144·4
Worcestershire - - -	14·3	154·0
Lancashire - - - -	14·7	144·6
Huntingdonshire - - -	14·8	111·1
ENGLAND AND WALES -	15·0	162·7
Cheshire - - - -	15·0	102·7
Wiltshire - - - -	15·4	194·2
South Wales - - -	15·7	100·3
Cornwall - - - -	15·7	219·5
Hertfordshire - - -	16·1	102·0
Oxfordshire - - -	16·2	140·7
Cambridgeshire - - -	16·5	170·2
Northamptonshire - -	16·7	138·8
Leicestershire - - -	16·9	90·9
Monmouthshire - - -	17·0	158·4
W. Riding - - - -	17·1	90·8
Buckinghamshire - -	17·3	121·7
Derbyshire - - - -	18·6	89·0
Westmoreland - - -	18·6	113·2
Suffolk - - - -	18·7	87·6
North Wales - - -	18·9	97·4
Bedfordshire - - -	18·9	62·5
Northumberland - - -	19·0	74·3
Durham - - - -	19·3	85·4
Lincoln - - - -	19·4	165·3
East Riding - - -	19·4	132·4
Herefordshire - - -	19·9	152·9
Staffordshire - - -	20·5	102·1
North Riding - - -	21·3	103·4
Salop - - - -	22·7	107·1
Nottinghamshire - - -	22·8	84·0
Norfolk - - - -	23·8	125·7
Cumberland - - -	25·3	103·8

Deaths.

The deaths registered in 1882 numbered 516,654, and were in the proportion of 19·6 to 1000 persons living. In 1881 the proportion was 18·9, but with this single exception the death-rate in 1882 was the lowest as yet recorded. The annual death-rate in the decade 1871–80 was 21·39, and had the rate in 1882 remained at the same point there would have been 48,338 additional deaths in the course of the year. Some part, it is true, of this diminished mortality must be ascribed to the change in the age-distribution of the population, the proportion of aged persons, among whom the death-rate is always high, having diminished of late years. For this change, however, it is easy to make allowance, by calculating the number of deaths that would have occurred, had the conditions of health remained as in the previous decade, from the death-rates at each successive age-period, and not from the general death-rate. The general death-rate, then, in England and Wales, with the altered age-distribution, would have been 21·18, had the death ratio at each successive age-period remained as in 1871–80, and the total deaths would have been 559,532 instead of 516,654. Thus of the apparent saving of 48,338 lives only 42,878 lives were really saved, while the remaining decrease of 5460 deaths was only apparent, being in reality due to the altered age-distribution of the population.

Ages.—The fluctuations in the general death-rate, that is to say, in the proportion between deaths and population of all ages, affords a convenient measure of the varying health of a given community; but in any comparison between one community and another, or between one community and itself at any considerable interval of time, it is necessary to correct the general death-rate for differences in the sex and age distribution of the population; for it is self-evident that with equal degrees of healthiness a population that contains a larger proportion of very young children or of very aged persons will have a higher death-rate than a population in which the proportion of such persons is lower; and the same, though in a smaller degree, will be the case when the population contains an abnormal proportion of males, inasmuch as the male death-rate is always higher than the female death-rate.

As regards England and Wales, taken as a whole, tables are added to these Annual Reports (Tables 24, 25), which give the death-rate for each sex at each of twelve successive age-periods in each year since civil registration began; and it is to the fluctuations shown in these tables, rather than to the fluctuations in the general death-rate, that most importance should be attached by those who desire great accuracy. Limitations of time and space render it impossible to give similar tables for the subdivisions of the country. There is, however, a table (Table 26) which gives the death-rates in each county at each age-period for persons, without distinction of sex; and as the differences of sex-distribution between one county and another, or between one county and itself in different years, are not sufficiently great to cause more than a scarcely appreciable difference in their general death-rates, that table will be found sufficient for all practical purposes of comparison.

Disregarding, then, the insignificant differences due to any change that may have occurred in sex-distribution, and limiting ourselves to persons, we have in the following summary table the annual death-rates at each age-period in 1882, 1881, and the preceding quinquennium; and it will be noted that in the two years 1881 and 1882 not only did the general death-rate fall considerably below the previous record, but that the fall was shared in by each age-period; so that the conditions that prevailed in each of those two years must have been favourable in all stages of life. This is

a matter of considerable interest, inasmuch as there had previously been as was pointed out in the report for 1879, a tendency to increase in the death-rate at the later age-periods, the falling off in mortality being exclusively confined to the earlier part of life.

TABLE F.—ANNUAL DEATH-RATES at successive age-periods, per 1000 persons living at each period.

YEAR.	All ages.	0–	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–
1876	20·9	62·6	6·1	3·6	5·3	7·0	8·8	12·8	17·6	31·0	62·6	136·7	294·1
1877	20·3	58·8	5·8	3·6	5·0	6·7	8·6	12·5	17·3	31·0	63·0	135·9	300·9
1878	21·6	66·2	6·4	3·6	5·0	6·5	8·4	12·4	17·4	32·0	65·0	145·6	320·7
1879	20·7	58·1	6·1	3·4	4·8	6·2	8·3	12·3	17·8	33·6	69·5	156·4	330·5
1880	20·6	64·5	6·3	3·3	4·7	6·0	7·7	11·6	16·5	30·5	62·3	134·5	275·5
Mean 5 years 1876–80	20·8	62·0	6·1	3·5	5·0	6·5	8·4	12·3	17·3	31·6	64·5	141·8	304·3
1881	18·9	52·1	5·7	3·2	4·6	6·0	8·1	11·9	17·0	30·8	62·7	134·5	275·1
1882	19·6	58·0	6·1	3·3	4·7	5·9	8·1	11·7	17·0	30·3	61·3	130·7	267·9

Infant mortality.—The deaths of infants in the first year of life numbered 125,020, and were in the proportion of 141 deaths to 1000 births, the mean proportion in the immediately preceding ten years having been 146 (Table 27). The infantile death-rate, as is always the case, was highest in the manufacturing and mining counties, and lowest in the agricultural counties. Thus in Lancashire it was 166, in Durham 160, in the West Riding 158, in Nottinghamshire 157, and in the East Riding and in Leicestershire 156, while in Dorsetshire it was only 93, and in Wiltshire 99.

Centenarians.—Passing from infancy to the other extremity of life, it will be seen in Table 28, that 71 persons who died in the year, namely 17 males and 54 females, were stated each to have completed a century of life, and that one of these, a navy pensioner, was alleged to have been no less than 108 years of age at his death.

Mortality at School Ages.—Among the subjects that in the course of the year were referred to the General Register Office for statistical examination was one which is of so much general interest that it may be well to give an account of it. There is, or was, a very widespread suspicion that the present educational system is acting injuriously upon the health of the children subjected to it, and the question referred to this office by the Educational Department was whether there was any statistical proof of deterioration of health in the children of school age, that is of from 3 to 15 years of age. The answer supplied from this office was as follows:—

"We have no means of giving the death-rates of children of the precise ages 3–13, as requested, for this age-period is not one that is used by us in abstracting deaths. We can, however, give the death-rate of children of from 5 to 15 years of age, and this age-period will probably be a better one than 3–13 to test the possible effect of school-work on children's mortality; for, though the children of three and four years of age are omitted, school can scarcely be supposed to affect them in the way of injury from overwork; and, though boys and girls of 14 and 15 are included, it must be remembered that any injurious effects of overwork at

school that may exist will be carried on after the actual school-attendance is finished. The effect, if there be any, of overwork would be in the latter years of school attendance, viz., the 12th and 13th years, and the injury would cause increased mortality not only in those years but at least for some few years afterwards. The age-period, then, which we take is the decade from 5 to 15 years of age, and the periods we take for comparison are the decennia 1861–70 and 1871–80.

"The death-rate of children (5–15) in 1861–70 was 6·3 per 1000. It fell in 1871–80 to 5·1 per 1,000; a decline of 19·05 per cent. The main part in this fall was due to diminished mortality from the chief zymotic diseases namely, small-pox, measles, scarlatina, whooping-cough, diphtheria, fever, and diarrhœa. These diseases caused a mortality of 2·9 per 1000 in the first decennial period, but only of 2·1 per 1000 in the second.

"But after excluding these diseases from the account, as irrelative to the question at issue, there was still a considerable decline in mortality. In the first period 1861–70 the death-rate from all causes other than zymotic was 3·4 per 1000, in the second it was only 3·0.

"But inasmuch as school work, if it be injurious to health, would probably be so by affecting the brain and, generally, the nervous system, it would be well to split up these death-rates from causes other than zymotic, into death-rates from diseases of the nervous system, and death-rates from other causes. When this is done we find that the entire fall was due to diminished mortality from other causes. The rate from these fell from 2·9 to 2·5 per 1000, whereas the death-rate from nervous affections remained unaffected. Indeed if a second place of decimals were taken it would appear that nervous diseases had, slightly, very slightly, increased.

"It would appear, therefore, that, while the mortality of children from all causes and from zymotic causes has considerably diminished, their mortality from diseases of the nervous system has exceptionally remained stationary. The general improvement has not affected this class of diseases."

TABLE G.—ANNUAL DEATH RATE per 1000 LIVING of CHILDREN aged 5–15 in ENGLAND AND WALES in the two decades 1861–70 and 1871–80.

Years.	All Causes.	Principal Zymotic Diseases.	Diseases of Nervous System.	Other Causes.
1861–70	6·3	2·9	0·5	2·9
1871–80	5·1	2·1	0·5	2·5

To the above answer to the question addressed to this office may now be added the supplementary fact that the figures for 1881 and 1882 also showed a further and considerable decline in the deaths of children of the ages in question from all causes together, and from the chief zymotic diseases, while their death-rate from nervous diseases remained in each of the two years at exactly the same point as in the two preceding decades.

It may also be well to note that tubercular meningitis or acute hydrocephalus is not included in the foregoing table among diseases of the nervous system; and that the mortality ascribed to this cause was somewhat higher in 1881 and 1882 than in 1861–70. Both in 1881 and 1882 the death-rate among children of school age from this cause was 0·22 per 1,000, whereas in 1861–70 it averaged 0·20.

These statistics doubtlessly tend to support the view that the strain of education produces in a certain proportion of children injurious effects

upon the brain and nervous system; and, indeed, that such should be the case might be anticipated, for a certain amount of risk must almost necessarily be attached to the increased use of an organ, and such risk must be accepted as the inevitable drawback from counterbalancing advantages. At the same time it is necessary to be very guarded in drawing conclusions from these figures; for it must be admitted that the causes of death to which children succumb are far from being stated in medical certificates with such care and precision as would justify us in attaching much practical importance to slight fluctuations under one or another heading.

Sex.—Of the deaths registered in the year, 265,767 were of males, and 250,887 were of females. The male death-rate was 20·7, and the female death-rate was 18·5, the mean annual rates for the preceding decennium (1872–81) having been 22·4 and 19·8 respectively. The male death-rate has therefore declined by 7·6 per cent. and the female death-rate by 6·6 per cent. from the preceding decennial mean. Out of equal numbers living of each sex there died 1118 males to 1000 females. The average proportion for the ten preceding years was 1131 to 1000. The falling off in mortality was, therefore, shared by males in higher proportion than by females.

Urban and Rural Mortality.—The death-rate in the urban population, consisting of some fifteen and a half millions of persons, was 21·1, while that of the rural population, comprising some ten and a half millions, was 17·2 (*see* Table 47). Compared with the previous ten years (1872–81) the urban rate declined 7·0 per cent., and the rural rate 8·0 per cent. Out of equal numbers living there died 123 persons in the urban to 100 persons in the rural population.

In comparing the urban and the rural mortalities with each other, it is important to remember that the age and sex distribution differs widely in the two populations, and that the differences tell largely in favour of the urban population, which contains a much smaller proportion of aged persons and a much larger proportion of persons in the prime of life, as also a much larger proportion of females, than does the rural population; and that, though these favourable conditions are somewhat counterbalanced by there being in towns a larger proportion of young children, whose mortality is always high, yet this disadvantage is by no means an equivalent for the above-mentioned advantages.

For example if we take the death-rate in England and Wales at each age-period in the last completed decennium (1871–80) as a standard, the general annual death-rate in the aggregate urban sanitary districts, including London, should have been 20·40 per 1000, and the death-rate in the aggregate rural sanitary districts should have been 22·83 per 1000, while the death-rate in the whole of England and Wales was 21·27. In other words on the hypothesis that the urban and rural districts were equally healthy, the death-rate in the former should have been 4·09 per cent. below that of England and Wales, and the death-rate in the latter 7·33 per cent. above it.

Registered Causes of Deaths.

In my last Annual Report (p. xxi) I made an appeal to medical practitioners, asking them to use greater care and precision in stating the causes of deaths in their certificates. That appeal I must again repeat. The number of certificates in which the cause of death is inadequately stated is so large, that it is impossible to send out letters of inquiry asking for further information in each individual case. There were for instance no less than 1,852 certificates in the year, in which the cause of death was simply stated to be "dropsy," a symptom of cardiac, of renal, and of

pulmonary disease alike. So far, however, as the work of the department would permit, the practice introduced in 1881 was continued through 1882, and letters of inquiry were sent out in 1844 cases. The results of some of these inquiries were as follow, and show how necessary some such practice had become. In 413 cases the assigned cause of death was pyæmia or septicæmia without further specification; it was found by inquiry that of these 413 cases 123 were connected with parturition; 170 more were due to diseases and injuries, the nature of which was given in answer to the application; while in 120 no additional information was elicited. Again, 432 letters were sent out concerning cases of women of childbearing ages, in which the assigned cause was simply peritonitis. In 179 of these it was ascertained that the peritonitis was connected with parturition; in 51 more that it was connected with assignable injuries or diseases; while in 202 no further information was elicited. Without entering into further detail, it will be enough to state that one result of the 1,844 letters of inquiry was to add no less than 428 deaths to those assigned to puerperal fever or to other incidents of childbirth. Without this correction the mortality of women in childbirth would have been 4·61 to 1000 children born alive; with the correction the rate was 5·09; a difference, amounting to no less than 10 per cent.

The assigned causes of death were distributed in the several classes as follows:—

TABLE H.—MORTALITY FROM THE SEVERAL CLASSES OF DISEASES.

Causes of Death.	Total Deaths in 1882.	Rate per Million living.		
		1882.	1881.	1871–80.
Zymotic diseases - - -	81,560	3,088	2,660	3,727
Parasitic diseases - - -	969	37	39	57
Dietic diseases - - -	1,803	68	65	63
Constitutional diseases - -	89,684	3,395	3,328	3,597
Developmental diseases - -	41,143	1,558	1,583	1,676
Local diseases - - -	253,329	9,591	9,348	9,928
Violence - - - -	17,689	669	697	737
Ill-defined and not specified causes -	30,477	1,154	1,160	1,611
All causes - - -	516,654	19,560	18,880	21,396

Zymotic or Specific Febrile Diseases.—The deaths ascribed to this class of causes were 81,560, being in the proportion of 3088 to a million persons living. This rate, though higher than in the immediately preceding year, 1881, was very much lower than that in the preceding decade, 1871–80. The main decline of mortality was under the heading of diarrhœal disorders and of continued fevers, which killed respectively 664 and 303 persons per million living, against 943 and 488 in the preceding completed decade. These declines in mortality were, however, to some extent counterbalanced by increase under several headings, namely, measles, whooping-cough, diphtheria, and puerperal fever. The deaths from measles were 481, from whooping-cough were 577, from diphtheria were 151, and

from puerperal fever were 98 per million persons living, against 379, 513, 121, and 74 respectively in the last completed decennium.

The increase of deaths under the heading puerperal fever was to a great extent due to the sending out of letters of inquiry respecting deaths ascribed to peritonitis and the like, by which 368 deaths were added to puerperal fever, which would otherwise have been classed elsewhere. Without these 368 deaths the rate would have been only 83 in 1882, against 74 in 1871–80. As puerperal fever is confined to parturient women, it is better to base its calculated death-rate on the number of births (Table 44) rather than on the number of the population. The deaths, then, ascribed to it in 1882 were in the proportion of 288 to 100,000 live-births. If we omit, for the sake of comparison with previous years, the 368 deaths due to letters of inquiry, the rate would be 247 against 209 in the decennium 1871–80. There was thus, after all correction, a very considerable and real increase in the mortality from this disease in 1882, as also there had been in the previous year 1881, when the rate, if similarly reduced for comparison, would have been 228. This increase in 1881 and 1882 in the deaths ascribed to puerperal fever was coincident, as has been almost invariably the case whenever there has been a similar increase, with an increase in the deaths ascribed to erysipelas. This coincidence deserves careful consideration on the part of those who are engaged in midwifery practice.

The increase of mortality under the heading diphtheria may also, like that from puerperal fever, very possibly be in some degree only apparent; for, as was pointed out in the last Annual Report, the returns of mortality from this disease are very untrustworthy, there being apparently no general consensus among certifying medical men as to the precise use of this term. It is not uncommon in going through the death-registers to find all the fatal cases of throat-disease in some one medical man's practice in a small area returned as cases of diphtheria, while all those in the same area in a second man's practice are returned as ulcerated throat or simply as sore-throat. Again, what some return as diphtheria, others return as croup. Putting diphtheria and croup together, as being terms at any rate frequently used interchangeably, the mortality in 1882 was at the rate of 325 per million living, against 259 in 1881 and an annual mean of 291 in 1871–80.

The increased mortality under the two headings measles and whooping-cough was real and considerable. As these diseases are mainly fatal in the first five years of life, it will be well to limit our comparison to the mortality from them at that period of life. The death-rate, then, from measles among children under five was 2·57 per 1000 in 1871–80, but was 3·55 in 1882; the death-rate from whooping-cough at that age was 3·65 in 1871–80, but rose to 4·26 in 1882.

Parasitic Diseases.—The deaths ascribed to this class of diseases were fewer in proportion to the population than in any previous year (Table 30). The decline was under the heading thrush, and was probably due to more careful specification by medical men of the cause of death in the case of infants.

Dietic Diseases.—Among the diseases in this class, the only one that requires notice is alcoholism. The deaths ascribed to this cause were 50 per million living, and more numerous in proportion to the population than in any single year since 1864, when they were 51 per million persons living. In face of the very great diminution in the consumption of alcoholic drinks, as shown by the Customs and Excise returns, and of the fact that the purveyors of spirituous drinks, as shown in the recent Census Report, declined in the interval between 1871 and 1881 by no less than 17·7 per cent. for equal populations, it seems fair to conclude that the

apparent increase in fatal intemperance did not indicate a real increase, and was due to greater conscientiousness in stating the cause of death.

Constitutional Diseases.—The deaths classed under these diseases numbered 89,684, and were in the proportion of 3395 per million population, against a proportion of 3328 in 1881, and 3597 in 1871–80.

The decline of mortality in 1882, as compared with 1871–80, was entirely under the heading phthisis, and it is noticeable that the deaths ascribed to this cause were fewer in proportion to the population in each of the three successive years 1880, 1881, and 1882 than they had ever been before (Table 30). The decline, moreover, would appear to have been real and not only apparent: for, though doubtless the term phthisis is often used in certificates with considerable looseness, yet there was no corresponding increase of mortality under those headings which might be confounded with it. So far indeed was this from being the case, that there was, coincidently with the decline in phthisis, a decline in the deaths ascribed to other forms of tuberculosis and scrofula, in the deaths ascribed to diseases of the respiratory organs, and also in the deaths ascribed to ill-defined or not specified causes. The doubt, therefore, which was expressed in a former report (Forty-second Report, p. xxx.), as to the reality of the apparent improvement in regard to tubercular mortality, though it still cannot be entirely dismissed, yet rests on a less firm basis than was the case at that time; for there was then an increase to be noticed in the mortality assigned to respiratory diseases.

The deaths ascribed to cancer were more numerous in 1882 in proportion to population than they had ever been before; but the increase under this heading, as also under the heading diabetes, may almost certainly be ascribed to increased accuracy of diagnosis and certification.

Developmental Diseases.—The deaths ascribed to old age have for many years been diminishing in their proportion to the population, and in 1882 were fewer in proportion than in any former year. As old age is the natural termination of life, and the ailment of which all prefer eventually to die, this aggregate falling off in the mortality from this cause, if real, would not be an indisputable advantage. But doubtless much of the falling off under this heading is merely due to gradual improvement in the specification of the causes of which the old die. This, however, does not account for all the apparent decline in the mortality. For there has been in each of the three years 1880, 1881, and 1882 a sensible decline in the mortality of persons of advanced age from all causes; and in 1882 especially the death-rate of persons, 55 years of age and upwards, whether males or females, was lower than it had been for very many years, probably than it had ever been before (*see* Tables 24 and 25). The main factor that determines the death-rate of the aged is temperature, and especially the temperature of the winter months; and in 1882 the mean temperature of each of the six months of the first and fourth quarters was above the average.

Passing from old age to the other extreme of life, the deaths attributed to premature birth were 12,434, being in the proportion of 1399 such deaths to 100,000 live births. The proportion of such deaths to births has been apparently increasing. In the quinquennium 1871–75 the ratio was 1260 to 100,000 live-births; in the next quinquennium 1876–80 the rate rose to 1338; in 1881 it was 1363; and finally in 1882 it was, as before stated, 1399. Moreover, concomitantly with this increased mortality from premature birth, there was an increase in the deaths ascribed to congenital malformations. In the quinquennium 1871–75, these deaths were 185 per 100,000 live-births; in 1876–80 the rate rose to 239; in 1881 it was 249; and finally in 1882 as much as 254. As the infantile death-rate from all causes together has not been increasing, it is at any rate allowable to

suspect that the apparently increased mortality from premature birth and from congenital malformation has been only apparent, and due to transference of deaths from one alleged cause to another, the certification of causes of death in the case of infants being always extremely vague. Still it is not impossible that the apparent increase of premature births may be real, and connected with the marked increase in the employment of women in industrial occupations, as shown in the recent Census Returns.

Local Diseases.—In this group, which comprises nearly a half of all deaths, there was a considerable falling off of mortality as compared with the decade 1871–80, but a slight rise as compared with the year 1881. The decline of mortality was mainly under the headings convulsions, liver disease, and diseases of the respiratory organs. The mortality from diseases of the nervous and of the circulatory systems remained very nearly at the previous decennial average; while the mortality ascribed to diseases of the urinary system continued to increase, as it had done for many previous years, doubtlessly in consequence of more accurate diagnosis and specification of causes, by which the mortality from ill-defined and non-specified causes, has undergone progressive decrease.

Violent Deaths.—In this group there was a considerable decline of mortality, compared both with the immediately preceding year 1881, and with the preceding decade. The decline was in the deaths from accident and negligence, which were fewer in proportion to the population than in any year included in the table (Table 30), which goes back as far as 1859.

Of the deaths ascribed to accident and negligence about one quarter are of children under five years of age, and of these nearly one half are of infants in their first year of life. The form of accident to which by far the greatest part of these infantile deaths is due is suffocation in bed. As might be anticipated there is practically no difference in this first year of life between boys and girls in regard to their liability to fatal accidents. But no sooner is the first year completed, than a marked difference of such liability begins to manifest itself between the sexes. Already the boys begin to show a more venturous character and to display greater readiness to amuse themselves with fire, water, horses, and other dangerous attractions; and this difference increases with each successive year of childhood. Taking the returns for the last quinquennium, 1878–82, as a basis, it is found that the fatal accidents of males are 6 per cent. more numerous than the fatal accidents of females in the first year of life, a difference which corresponds pretty closely with the difference between the number of boys and girls living at that age. In the second year, the male accidents are 30 per cent. more numerous than the female; in the third year 51 per cent. more numerous; in the fourth year 61 per cent. more numerous; and in the fifth year of life the excess is no less than 74 per cent. After this age, the influence of occupation begins to come into operation, and the fatal male accidents are almost four times as numerous as the fatal female accidents.

It must not be supposed that this much greater liability of males to fatal accident is in any material degree the explanation of the higher death-rate of the male sex. The total mortality from violence is too small to affect the general death-rate to any great extent; and such small difference as is produced by this cause in the death-rates of the two sexes is to a very great extent counterbalanced by the mortality of females from childbirth and puerperal fever. The death-rate of males in the last completed decade (1871–80) was 22·61 per 1000, and that of females 20·00. Had there been no deaths either from violence or from childbirth and puerperal fever, the death-rates would have been 21·49 and 19·32.

Ill-defined and non-specified Causes.—It has already been stated that the number of deaths in which the cause is imperfectly stated has declined in a most satisfactory manner. I feel bound, however, to repeat the complaint made in my last report, that the class of cases in which more than in any other there is a right to expect careful and complete statement of cause of death, namely, those cases in which there is public inquiry at public expense into the circumstances attending the death, by no means fulfils that just expectation. For instance, in the year 1882, out of the inquests held in the registration district and city of Norwich, there were 55 in which the death was not due to violence but to some kind of disease. In only 13 of these 55 cases was the kind of disease stated in the verdict; in the remaining 42 cases the finding was simply worded "natural causes," which for all purposes of classification of death by their causes is, I need hardly say, quite useless.

Certification of the Causes of Death.—The causes of 469,117 or 90·8 per cent., of the 516,654 deaths were certified by registered medical practitioners; while the causes of 27,367 or 5·3 per cent. were certified by coroners. The causes of the remaining 20,170, or 3·9 per cent., of the total deaths were not certified. The proportion of uncertified deaths varied very considerably in different parts of England and Wales. Thus excluding the metropolitan counties of Middlesex and Surrey, the percentage did not exceed 1·1 in Wiltshire, 1·4 in Rutlandshire, and 1·7 in Berkshire, while it ranged upwards to 6·2 in Herefordshire, 6·7 in Cumberland, and 6·9 both in Cornwall and in Durham. In the metropolis the proportion did not exceed 1·2 per cent., whereas in Wales it was 10·4 per cent.

The proportion of uncertified deaths showed a further slight decline from the proportions in 1880 and 1881, which were 4·3 and 4·1 per cent. respectively.

Progress of Registration.

During the year 1882 the number of names added to the printed alphabetical indexes of births, deaths, and marriages recorded in the national register of England and Wales was 1,814,478. At the close of the year the aggregate number of names in these indexes, which on 31st December 1882 embraced a period of 45½ years, was 66,619,275. The total number of searches in 1882 (including those in non-parochial and other records) was 33,597, showing an increase of 1292 or 4·0 per cent. upon the number in the previous year; the number of certificates issued was 27,551, or 3·7 per cent,, more than in 1881. The amount received as fees for searches and certificates in the year 1882, and paid into Her Majesty's Exchequer, was 5,170*l.* 15*s.* 0*d.* (Table 48.)

For a list of the various public registers and records lodged in the General Register Office, Somerset House, see the Registrar-General's 34th Annual Report, pp. xxi.-xxii. and xxv.-xxvi.

Mortality of the Army.

From returns furnished by His Royal Highness the Field Marshal Commanding-in-Chief, it appears that the average strength of the Army at home and abroad was 189,229, and that the number of deaths was 2224; so that the rate of mortality was 11·8 per 1000, against 14·0 in 1881, 17·6 in 1880, and 22·2 in 1879.

The average strength of the Army at home was 94,295, and the deaths were 806; while the average strength of the Army abroad was 94,934, and the deaths were 1418. The death-rate at home was, therefore, 8·5 per 1000, and the death-rate abroad 14·9. (See Tables 54–61.)

Mortality in the Navy.*

The total force in the service afloat, corrected for time, in 1882 was 43,475. The deaths were 413, of which 299 were due to disease and 114 to injury. The death-rate from disease alone was 6·87 per 1000, and from violence 2·62 per 1000, against 5·27 and 5·67 respectively in the preceding year, 1881. The great difference in the death-rate from violence in the two years was due to the large loss of life in 1881 from the explosion on board the "Doterel."

Of the 114 deaths from violence 42 were due to wounds received in action, 36 to drowning, 13 to falls from aloft, 2 to suicide, and 21 to other forms of violent death.

The assigned causes of the 299 deaths due to disease were as follow:—

Eruptive fevers	3	Diseases of—	
Continued fevers	81	Circulatory system	24
Paroxysmal fevers	25	Absorbent system and ductless glands	1
Other febrile diseases	8	Respiratory system	45
Rheumatism	5	Digestive system	38
Tubercular diseases	40	Urinary and generative system	6
Other constitutional diseases	2	Cellular tissue, and cutaneous system	2
Diseases of nervous system and of organs of special sense	17	Debility, &c.	2

Births and Deaths of British Subjects at Sea.

Marine Register Book.—In accordance with the Births and Deaths Registration Act of 1874, commanding officers of British ships not in Her Majesty's service, and of foreign vessels trading to or from any port in the United Kingdom, are required, under a penalty, to transmit returns of all births and deaths occurring on board to the Registrar-General of Shipping and Seamen, who furnishes certified copies of such returns to the Registrars-General of England, Scotland, or Ireland. Returns of a similar character are also received from the commanding officers of Her Majesty's ships. The certified copies of births and deaths thus received by me constitute the "Marine Register Book." During the year 1882 the entries recorded in this Register were 353 births and 5040 deaths. Of these 5040 deaths, 2116 were returned as of English origin, and 388 were simply described as of "British" origin.

Among *passengers* on board merchant vessels at sea (see Table 62), 266 births and 678 deaths were reported during 1882; the deaths showed an increase 10·8 per cent. upon the number returned in the preceding year.

Mercantile Marine.—The Registrar-General of Shipping and Seamen reports (see Table 63), that the number of merchant seamen at sea in registered vessels during 1882 was 195,937, In 1874 the number was 203,606, but from this period to the year 1881 the number had steadily declined. The deaths from all causes among these merchant seamen during 1882 were 4659, equal to a rate of 23·8 per 1000 of the strength, exceeding by 2·4 the average annual rate (21·4) during the 31 years 1852–82.

---

* The facts in this paragraph are derived from Dr. Lloyd's Report to the Director General of the Medical Department of the Navy.

European States.

In Tables 73–87 will be found international vital statistics relating to thirteen of the principal European States, published in accordance with a resolution of the Statistical Congress, held at St. Petersburg in 1872. Table 73 affords the means for comparing the marriage, birth, and death rates in each State in a series of years, with the mean rate in each series; Tables 74–87 contain detailed returns for each State.

The general recovery in the *marriage-rate* observable in the different European States in 1881 continued in 1882, except in the Netherlands, Denmark, Belgium, and France. In Italy the rate, although lower than that recorded in 1881, was above the mean rate in the 18 years 1861-80. The rates in 1881 ranged from 12·7 in Sweden, 13·4 in Norway, and 13·6 in Switzerland, to 15·6 in Prussia, 15·7 in Italy, 16·4 in Austria, and 20·3 in Hungary. The rate in England and Wales was 15·5.

The *birth-rates* in the various States differed but little from those of the previous year, but varied in almost constant relation with the variations of the marriage-rate. The birth-rates ranged from 24·8 in France, 28·8 in Switzerland, and 29·4 in Sweden, to 37·1 in Italy, 37·2 in the German Empire, 37·3 in Prussia, 38·9 in Austria, and 44·6 in Hungary. The birth-rate in England and Wales was 33·7 per 1000. In France there were 1619 fewer marriages, and 1481 fewer births than in the previous year; and the marriage and birth-rates in 1882 were considerably below the mean rates during the 20 years 1861–80.

With the exception of Norway the *death-rates* in the various States in 1882 were below the respective average rates in preceding years. In Sweden, Norway, and Denmark, the death-rates in 1882 did not exceed 17·4, 18·4, and 19·5 respectively; the next lowest was 19·6 in England and Wales. The highest rates were 25·7 in the German Empire, 27·5 in Italy, 30·8 in Austria, and 36·6 in Hungary.

I have the honour to be,

Sir,

Your faithful servant,

BRYDGES P. HENNIKER,

Registrar-General.

Remarks on the Meteorology of the Year 1882.

By James Glaisher, Esq., F.R.S., &c.

The following remarks with regard to the excess or deficiency of atmospheric pressure, temperature, and rain-fall are primarily derived from observations made about London, but they may be taken as applying generally to the whole country.

Atmospheric pressure.—The readings of the barometer in the first 6 days of the year were below their average values, the mean daily deficiency being 0·23 in.; for the 49 days from January 7th to February 24th they were mostly above, the mean daily excess being 0·51 in.; from February 25th to March 6th they were below by 0·55 in.; from March 7th to the 19th the daily excess averaged 0·33 in.; from March 20th to April 2nd the readings were on the average in defect by 0·09 in.; from the 3rd to the 10th they were in excess by 0·25 in.; from April 11th to the 18th the mean readings were 0·32 in. below their averages, then slightly above for 3 days; from April 22nd to May 5th the readings were 0·34 in. below their averages; then for 14 days above by 0·33 in.; from May 20th to May 26th the readings were 0·21 in. below; they were above from May 27th to June 2nd by 0·26 in., then for 12 days they were 0·19 in. below, and for 3 days somewhat above; from June 18th to the 24th the readings were in defect by 0·12 in. daily, from June 25th to July 3rd they were about 0·11 in. in excess, from the 4th to the 18th there was a deficiency of 0·33 in. daily, then for 3 days there was a slight excess, followed by 4 days of a slight deficiency. From July 26th the readings were high for 17 days, being on the average 0·29 in. in excess, then they were low for 23 days, to September 3rd, being on the average 0·24 in. in defect; from September 4th to September 9th the readings were 0·18 in. above their averages; then for 31 days, to October 10th, there was an excess of pressure of 0·24 in. From October 11th to 13th the readings were 0·21 in. below the average, then for 5 days they were nearly of the average value; for the 24 days from October 19th to November 11th the mean daily deficiency was 0·27 in. November 12th and 13th were nearly of their average value, the 3 days November 14th to 16th were 0·33 in. below their average, then 2 days of nearly the average value were followed by 9 days of low readings, the deficiency being 0·35 in.; from November 28th to December 2nd there was a slight excess, followed by low readings on every day excepting the 19th and 20th to the end of the year, the average daily deficiency being 0·35 in.

The highest reading in the year at the height of 150 feet was 30·784 inches on January 18th, and the lowest 28·613 inches on October 24th; thus giving a range of 2·171 inches.

Temperature.—Till the 16th day of January the weather was warm; on the 17th a cold period set in and continued till the 26th, the average daily deficiency of these 10 days was 2°·6; on the 27th the weather became suddenly warm, and continued till the end of the month, the excess being 4°·4 daily; then for 10 days it was cold, the deficit being 3°·3; from February 11th to April 24th, a period of 73 days the temperature was warm, being 4°·3 above its average; from the 25th to May 1st, the average daily deficit of these 7 days was 3°·9, for 12 days the weather was rather warm, then for five days it was cold, averaging 2°·6 daily; from May 19th to the 31st, there was an excess of 2°·5; this was followed by 122 days of cold, the mean deficiency of which was 2°·2; from the 1st of October to the 15th the temperature was in excess, being 2°·3 daily; then from the 16th to the 30th, the deficit was 1°·3; from October 31st to November 10th the excess of mean temperature was 3°·9; these 11 days

were followed by another period of the same length, the deficiency being 3°·8 daily; for 5 days the temperature was warm, being 5°·5 above the average, then for 19 days it was cold, the deficiency being 5°·6 daily; and from December 16th to the end of the year the excess of mean temperature was 6°·8; the last few days were very warm, being 12°·4, 15°·7, 15°·2, 13°·9, 12°·8, and 12°·6 respectively above their averages, and the mean of these six was 13°·8.

The highest temperature of the air in the year was 81°0 on August 12th, and the lowest was 24°·0 on December 24th, thus giving a range of 57°·0.

Rainfall.—The fall of rain about London in January was 1·35 in.; in February was 1·14 ins.; in March 1·14 ins., being respectively 0·55 in., 0·44 in., and 0·41 in., below their averages. The fall in April was 2·40 ins., being 0·65 in. above its average; in May was 1·37 in., being 0·71 in. below its average; in June was 2·35 ins., being 0·35 in. above its average. In July the fall of rain was 2·45 ins.; in August was 1·16 in.; in September was 2·40 ins., being respectively 0·11 in., 1·29 in., 0·01 in. below their averages. The fall in October was 5·42 ins., being 2·62 ins. above its average. In November it was 2·19 ins., and in December was 1·78 in., being respectively, 0·15 in. and 0·22 in. below their averages. The total fall during the year was 25·2 ins. The total falls of rain ranged from 61·73 ins. at Bolton, 60·23 ins. at Stonyhurst, 54·75 ins. at Barnstaple, to 26·23 ins. at Royston, 26·45 ins. at Cambridge, and 27·14 ins. at Camden Square.

Thunderstorms occurred on 59 days during the year, of these 13 were in June, 10 in November, 8 in May, 7 in both August and September, 5 in both April and July, 3 in October, and one in March.

Thunder was heard but lightning was not seen on 57 days during the year. The greatest number of days in one month was 15 in June, and the least was one in October. Thunder was not heard at any place in January, February, March, or December.

Lightning was seen but thunder was not heard on 34 days during the year, none of which were in January, February, or March.

Solar halos were seen on 55 days during the year. On 11 in November, 8 in September, 7 in May, 6 in July, 4 in March, April, and December, 3 in February, 2 in January, June, August, and October.

Lunar halos were seen on 45 nights in the year. On 8 in both November and December, 7 in March, 6 in October, 5 in January, 4 in September, 3 in April and May, one in August, and none in February, June or July.

Auroræ Boreales were seen on 17 days during the year, on 8 in November, 4 in October, 3 in February, and 2 in December.

Snow fell on 42 days during the year, 15 in December, 14 in November, 4 in March, 3 in January, 2 in both February and October, and one in April and May.

Hail fell on 116 days during the year, 19 of which were in November, 16 in March, 13 in January and April, 11 in February, 10 in June, 9 in December, 8 in May, 6 in October, 5 in July, and 3 in both August and September.

Fog prevailed on 155 days during the year, and they were distributed as follows: January 17, February 12, March 12, April 9, May 9, June 8, July 5, August 10, September 21, October 17, November 15, and December 20.

PRELIMINARY TABLES.

(1882.)

TABLE I.—ENGLAND.—**Population, Marriages, Births,** and **Deaths** registered in the Forty-five Years **1838–82.**

YEARS.	Estimated POPULATION in the Middle of each Year.*	MARRIAGES.	PERSONS MARRIED.	BIRTHS (exclusive of Still-born).	DEATHS (exclusive of Still-born).	EXCESS OF BIRTHS OVER DEATHS.
1838	15,287,699	118,067	236,134	463,787	342,760	121,027
1839	15,514,255	123,166	246,332	492,574	338,984	153,590
1840	15,730,813	122,665	245,330	502,303	359,687	142,616
1841	15,929,492	122,496	244,992	512,158	343,847	168,311
1842	16,130,326	118,825	237,650	517,739	349,519	168,220
1843	16,332,228	123,818	247,636	527,325	346,445	180,880
1844	16,535,174	132,249	264,498	540,763	356,933	183,830
1845	16,739,136	143,743	287,486	543,521	349,366	194,155
1846	16,944,092	145,664	291,328	572,625	390,315	182,310
1847	17,150,018	135,845	271,690	539,965	423,304	116,661
1848	17,356,882	138,230	276,460	563,059	399,833	163,226
1849	17,564,656	141,883	283,766	578,159	440,839	137,320
1850	17,773,324	152,744	305,488	533,422	368,995	224,427
1851	17,982,849	154,206	308,412	615,865	395,396	220,469
1852	18,193,206	158,782	317,564	624,012	407,135	216,877
1853	18,404,368	164,520	329,040	612,391	421,097	191,294
1854	18,616,310	159,727	319,454	634,405	437,905	196,500
1855	18,829,000	152,113	304,226	635,043	425,703	209,340
1856	19,042,412	159,337	318,674	657,453	390,506	266,947
1857	19,256,516	159,097	318,194	663,071	419,815	243,256
1858	19,471,291	156,070	312,140	655,481	449,656	205,825
1859	19,686,701	167,723	335,446	689,881	440,781	249,100
1860	19,902,713	170,156	340,312	684,048	422,721	261,327
1861	20,119,314	163,706	327,412	696,406	435,114	261,292
1862	20,371,013	164,030	328,060	712,684	436,566	276,118
1863	20,625,855	173,510	347,020	727,417	473,837	253,580
1864	20,883,889	180,387	360,774	740,275	495,531	244,744
1865	21,145,151	185,474	370,948	748,069	490,909	257,160
1866	21,409,684	187,776	375,552	753,870	500,689	253,181
1867	21,677,525	179,154	358,308	768,349	471,073	297,276
1868	21,948,713	176,962	353,924	786,858	480,622	306,236
1869	22,223,299	176,970	353,940	773,381	494,828	278,553
1870	22,501,316	181,655	363,310	792,787	515,329	277,458
1871	22,783,504	190,112	380,224	797,428	514,879	282,549
1872	23,096,495	201,267	402,534	825,907	492,265	333,642
1873	23,408,556	205,615	411,230	829,778	492,520	337,258
1874	23,724,834	202,010	404,020	854,956	526,632	328,324
1875	24,045,385	201,212	402,424	850,607	546,453	304,154
1876	24,370,267	201,874	403,748	887,968	510,315	377,653
1877	24,699,539	194,352	388,704	888,200	500,496	387,704
1878	25,033,259	190,054	380,108	891,906	539,872	352,034
1879	25,371,489	182,082	364,164	880,389	526,255	354,134
1880	25,714,288	191,965	383,930	881,643	528,624	353,019
1881	26,061,736	197,290	394,580	883,642	491,935	391,707
1882	26,413,861	204,405	408,810	889,014	516,654	372,360

NOTE.—The Births and Deaths Registration Act of 1874, which rendered the registration of births compulsory, came into operation on 1st January 1875.

* These estimates are calculated from the numbers enumerated at the last five Censuses taken. For the estimated numbers of males and females in each year, and population estimates for years prior to 1838, *see* Table 71.

TABLE 2.—ENGLAND.—**Persons Married, Births, and Deaths to 1000 living in the Forty-five Years 1838-82.**

Years.	To 1000 Persons living.			The Number of Persons living		
	Persons Married.	Births.	Deaths.	To one Person Married.	To one Birth.	To one Death.
1838 - -	15·4	30·3	22·4	65	33	45
1839 - -	15·9	31·7	21·8	63	31	46
1840 - -	15·6	31·8	22·8	64	31	44
1841 - -	15·4	32·2	21·6	65	31	46
1842 - -	14·7	32·1	21·7	68	31	46
1843 - -	15·2	32·3	21·2	66	31	47
1844 - -	16·0	32·6	21·5	62	31	47
1845 - -	17·2	32·5	20·9	58	31	48
1846 - -	17·2	33·8	23·0	58	30	43
1847 - -	15·8	31·5	24·7	63	32	41
1848 - -	15·9	32·4	23·0	63	31	43
1849 - -	16·2	32·9	25·1	62	30	40
1850 - -	17·2	33·4	20·8	58	30	48
1851 - -	17·2	34·2	22·0	58	29	45
1852 - -	17·4	34·2	22·3	57	29	45
1853 - -	17·9	33·3	22·9	56	30	44
1854 - -	17·2	34·1	23·5	58	29	43
1855 - -	16·2	33·7	22·6	62	30	44
1856 - -	16·7	34·4	20·5	60	29	49
1857 - -	16·5	34·4	21·8	61	29	46
1858 - -	16·0	33·7	23·1	62	30	43
1859 - -	17·0	35·0	22·4	59	29	45
1860 - -	17·1	34·3	21·2	58	29	47
1861 - -	16·3	34·6	21·6	61	29	46
1862 - -	16·1	35·0	21·4	62	29	47
1863 - -	16·8	35·3	23·0	59	28	44
1864 - -	17·2	35·4	23·7	58	28	42
1865 - -	17·5	35·4	23·2	57	28	43
1866 - -	17·5	35·2	23·4	57	28	43
1867 - -	16·5	35·4	21·7	60	28	46
1868 - -	16·1	35·8	21·8	62	28	46
1869 - -	15·9	34·8	22·3	63	29	45
1870 - -	16·1	35·2	22·9	62	28	44
1871 - -	16·7	35·0	22·6	60	29	44
1872 - -	17·4	35·8	21·3	57	28	47
1873 - -	17·6	35·4	21·0	57	28	48
1874 - -	17·0	36·0	22·2	59	28	45
1875 - -	16·7	35·4	22·7	60	28	44
1876 - -	16·5	36·4	20·9	60	27	48
1877 - -	15·7	36·0	20·3	64	28	49
1878 - -	15·2	35·6	21·6	66	28	46
1879 - -	14·4	34·7	20·7	70	29	48
1880 - -	14·9	34·3	20·6	67	29	49
1881 - -	15·1	33·9	18·9	66	29	53
1882 - -	15·5	33·7	19·6	65	30	51
Mean in 45 years	16·3	34·1	22·0	61	29	45

TABLE 3.—ENGLAND.—**Persons Married, Births,** and **Deaths** to **1000** living in the **Decennial** and **Quinquennial Periods** since **1838.**

YEARS.	To 1000 living.			The Number living.		
	Persons Married.	Births.	Deaths.	To one Person Married.	To one Birth.	To one Death.
	FORTY-FIVE YEARS.					
Forty-five years 1838-1882	16·3	34·1	22·0	61	29	45
	PERIODS OF TEN YEARS.					
Ten years 1841-1850 -	16·1	32·6	22·4	62	31	45
Ten years 1851-1860 -	16·9	34·2	22·2	59	29	45
Ten years 1861-1870 -	16·6	35·2	22·5	60	28	45
Ten years 1871-1880 -	16·2	35·4	21·4	62	28	47
	PERIODS OF FIVE YEARS.					
Three years 1838-1840 -	15·6	31·3	22·3	64	32	45
Five years 1841-1845 -	15·7	32·3	21·4	64	31	47
Five years 1846-1850 -	16·5	32·8	23·3	61	31	43
Five years 1851-1855 -	17·2	33·9	22·7	58	29	44
Five years 1856-1860 -	16·7	34·4	21·8	60	29	46
Five years 1861-1865 -	16·8	35·1	22·6	59	28	44
Five years 1866-1870 -	16·4	35·3	22·4	61	28	45
Five years 1871-1875 -	17·1	35·5	22·0	59	28	46
Five years 1876-1880 -	15·3	35·4	20·3	65	28	48

Note.—The rates in this table are the averages of the rates prevailing in the forty-five years given in Table 2.

TABLE 4.—ENGLAND.—**Marriages** solemnised according to, and not according to, the Rites of the Established Church, in the Forty-two Years **1841–82**.

Years.	Total Marriages.	According to the Rites of the Established Church.						Not according to the Rites of the Established Church.					
		Special License.	License.	Banns.	Superintendent Registrar's Certificate.	Not stated.	Total in Established Church.	Total not in Established Church.	In Registered Places. * Roman Catholics.	In Registered Places. Other Christian Denominations.	Quakers.	Jews.	Civil Marriages in Superintendent Registrar's Office.
1841 -	122,496	13	15,792	78,015	972	19,579	114,371	8,125	5,882		66	113	2,064
1842 -	118,825	9	14,935	75,744	944	18,415	110,047	8,778	6,200		58	163	2,357
1843 -	123,818	8	14,544	79,849	1,222	18,014	113,637	10,181	7,152		61	151	2,817
1844 -	132,249	10	14,930	85,176	1,558	18,335	120,009	12,240	2,280	6,284	55	175	3,446
1845 -	143,743	10	16,013	92,867	1,706	18,919	129,515	14,228	2,816	7,181	74	180	3,977
1846 -	145,664	14	17,135	92,995	1,862	18,503	130,509	15,155	3,027	7,669	68	224	4,167
1847 -	135,845	14	17,052	84,363	1,968	16,979	120,876	14,969	2,961	7,483	83	184	4,258
1848 -	138,230	13	16,896	86,519	2,170	15,871	121,469	16,761	3,658	8,060	67	186	4,790
1849 -	141,883	18	16,697	90,644	2,593	13,230	123,182	18,701	4,199	8,662	53	229	5,558
1850 -	152,744	8	17,413	98,669	3,136	11,733	130,959	21,785	5,623	9,626	69	260	6,207
1851 -	154,206	8	17,781	99,406	3,351	10,412	130,958	23,248	6,570	9,540	65	260	6,813
1852 -	158,782	8	19,461	106,497	3,610	4,306	133,882	24,900	7,479	10,017	57	247	7,100
1853 -	164,520	8	20,624	109,166	3,814	4,430	138,042	26,478	8,375	10,149	68	238	7,598
1854 -	159,727	15	21,048	105,050	3,811	4,185	134,109	25,618	7,813	9,873	52	287	7,593
1855 -	152,113	14	20,386	99,546	3,804	4,001	127,751	24,362	7,344	9,296	57	224	7,441
1856 -	159,337	9	21,336	104,280	4,045	3,949	133,619	25,718	7,527	9,710	72	312	8,097
1857 -	159,097	9	21,250	102,062	3,748	3,962	131,031	28,066	7,360	10,686	67	311	9,642
1858 -	156,070	15	19,858	100,432	3,787	3,990	128,082	27,988	6,643	11,094	79	220	9,952
1859 -	167,723	19	20,345	107,737	4,204	3,905	136,210	31,513	7,756	12,519	70	324	10,844
1860 -	170,156	14	20,742	108,685	4,243	3,686	137,370	32,786	7,800	13,342	75	312	11,257
1861 -	163,706	16	20,090	102,955	4,048	3,588	130,697	33,009	7,782	13,182	58	262	11,725
1862 -	164,030	18	19,486	102,870	3,966	3,393	129,733	34,297	7,345	13,870	59	300	12,723
1863 -	173,510	19	19,298	109,572	4,312	3,542	136,743	36,767	8,095	14,714	51	318	13,589
1864 -	180,387	12	19,874	113,564	4,257	3,376	141,083	39,304	8,659	15,627	58	349	14,611
* 1865 -	185,474	23	20,722	116,745	4,170	3,444	145,104	40,370	8,742	16,129	54	353	14,792
1866 -	187,776	17	20,297	118,274	4,281	3,171	146,040	41,736	8,911	17,215	63	301	15,246
1867 -	179,154	17	19,395	112,533	3,981	3,004	138,930	40,224	7,918	16,865	63	315	15,058
1868 -	176,962	26	18,186	110,824	4,125	2,877	136,038	40,924	7,517	17,150	73	306	15,878
1869 -	176,970	19	17,384	110,964	3,993	2,722	135,082	41,888	7,231	17,526	50	336	16,745
1870 -	181,655	14	17,005	115,089	4,008	1,870	137,986	43,669	7,391	18,024	43	358	17,848
1871 -	190,112	14	16,960	121,962	4,196	1,531	144,663	45,449	7,647	18,975	53	396	18,378
1872 -	201,267	22	17,059	129,635	4,296	1,292	152,364	48,903	8,427	20,009	44	428	19,995
1873 -	205,615	20	17,382	132,020	4,192	967	154,581	51,034	8,222	21,071	79	484	21,178
1874 -	202,010	23	17,666	128,462	3,808	860	150,819	51,191	8,179	21,253	47	456	21,256
1875 -	201,212	28	17,416	127,762	3,632	847	149,685	51,527	8,411	21,562	60	492	21,002
1876 -	201,874	33	17,620	126,849	3,710	698	148,910	52,964	8,577	22,164	55	459	21,709
1877 -	194,352	18	16,365	121,820	3,511	682	142,396	51,956	8,277	21,905	78	427	21,269
1878 -	190,054	28	15,498	118,414	3,389	640	137,969	52,085	7,980	21,484	60	505	22,056
1879 -	182,082	31	14,286	113,581	3,205	586	131,689	50,393	7,437	20,673	54	460	21,769
1880 -	191,965	43	13,920	119,319	3,381	498	137,661	54,304	8,210	21,394	57	463	24,180
1881 -	197,290	62	13,505	123,267	3,637	524	140,995	56,295	8,784	21,922	50	484	25,055
1882 -	204,405	75	13,280	128,761	3,517	469	146,102	58,303	9,235	22,768	70	513	25,717

* Some marriages between Protestants and Roman Catholics are solemnised twice; such cases are, however, so few, that this source of error may be practically disregarded.

TABLE 5.—ENGLAND.—Of 100 **Marriages,** those solemnised according to, and not according to, the Rites of the Established Church, in the Forty-two Years **1841-82.**

Years.	Total Marriages.	According to the Rites of the Established Church.					Not according to the Rites of the Established Church.			
		License, including Special License.	Banns.	Superintendent Registrar's Certificate.	Not stated.	Total in Established Church.	Total not in Established Church.	Roman Catholics.	Other Religious Denominations, including Jews and Quakers.	Civil Marriages in Superintendent Registrar's Office.
1841 -	100	12·9	63·7	0·8	16·0	93·4	6·6	4·9		1·7
1842 -	100	12·6	63·7	0·8	15·5	92·6	7·4	5·4		2·0
1843 -	100	11·8	64·5	1·0	14·5	91·8	8·2	5·9		2·3
1844 -	100	11·3	64·3	1·2	13·9	90·7	9·3	1·7	5·0	2·6
1845 -	100	11·1	64·6	1·2	13·2	90·1	9·9	2·0	5·1	2·8
1846 -	100	11·8	63·8	1·3	12·7	89·6	10·4	2·1	5·4	2·9
1847 -	100	12·6	62·5	1·4	12·5	89·0	11·0	2·2	5·7	3·1
1848 -	100	12·2	62·6	1·6	11·5	87·9	12·1	2·6	6·0	3·5
1849 -	100	11·8	63·9	1·8	9·3	86·8	13·2	3·0	6·3	3·9
1850 -	100	11·4	64·5	2·1	7·7	85·7	14·3	3·7	6·5	4·1
1851 -	100	11·5	64·4	2·2	6·8	84·9	15·1	4·3	6·4	4·4
1852 -	100	12·3	67·0	2·3	2·7	84·3	15·7	4·7	6·5	4·5
1853 -	100	12·5	66·4	2·3	2·7	83·9	16·1	5·1	6·4	4·6
1854 -	100	13·2	65·8	2·4	2·6	84·0	16·0	4·9	6·3	4·8
1855 -	100	13·4	65·5	2·5	2·6	84·0	16·0	4·8	6·3	4·9
1856 -	100	13·4	65·5	2·5	2·5	83·9	16·1	4·7	6·3	5·1
1857 -	100	13·4	64·1	2·4	2·5	82·4	17·6	4·6	6·9	6·1
1858 -	100	12·7	64·4	2·4	2·6	82·1	17·9	4·3	7·2	6·4
1859 -	100	12·1	64·3	2·5	2·3	81·2	18·8	4·6	7·7	6·5
1860 -	100	12·2	63·8	2·5	2·2	80·7	19·3	4·6	8·1	6·6
1861 -	100	12·3	62·8	2·5	2·2	79·8	20·2	4·8	8·2	7·2
1862 -	100	11·9	62·7	2·4	2·1	79·1	20·9	4·5	8·6	7·8
1863 -	100	11·1	63·2	2·5	2·0	78·8	21·2	4·7	8·7	7·8
1864 -	100	11·0	62·9	2·4	1·9	78·2	21·8	4·8	8·9	8·1
1865 -	100	11·2	62·9	2·2	1·9	78·2	21·8	4·7	9·1	8·0
1866 -	100	10·8	63·0	2·3	1·7	77·8	22·2	4·7	9·4	8·1
1867 -	100	10·8	62·8	2·2	1·7	77·5	22·5	4·4	9·6	8·5
1868 -	100	10·3	62·7	2·3	1·6	76·9	23·1	4·2	9·9	9·0
1869 -	100	9·8	62·7	2·3	1·5	76·3	23·7	4·1	10·1	9·5
1870 -	100	9·4	63·4	2·2	1·0	76·0	24·0	4·1	10·1	9·8
1871 -	100	8·9	64·2	2·2	0·8	76·1	23·9	4·0	10·2	9·7
1872 -	100	8·5	64·5	2·1	0·6	75·7	24·3	4·2	10·2	9·9
1873 -	100	8·5	64·2	2·0	0·5	75·2	24·8	4·0	10·5	10·3
1874 -	100	8·8	63·6	1·9	0·4	74·7	25·3	4·0	10·8	10·5
1875 -	100	8·7	63·5	1·8	0·4	74·4	25·6	4·2	11·0	10·4
1876 -	100	8·7	63·0	1·8	0·3	73·8	26·2	4·2	11·2	10·8
1877 -	100	8·4	62·7	1·8	0·4	73·3	26·7	4·3	11·5	10·9
1878 -	100	8·2	62·3	1·8	0·3	72·6	27·4	4·2	11·6	11·6
1879 -	100	7·9	62·3	1·8	0·3	72·3	27·7	4·1	11·6	12·0
1880 -	100	7·3	62·3	1·8	0·3	71·7	28·3	4·3	11·4	12·6
1881 -	100	6·9	62·5	1·8	0·3	71·5	28·5	4·5	11·4	12·6
1882 -	100	6·5	63·1	1·7	0·2	71·5	28·5	4·5	11·4	12·6

TABLE 6.—ENGLAND.—**Marriages**; Civil Condition, Minors, and Persons who signed with Marks, in the Forty-two Years **1841–1882.**

Years.	Marriages contracted between				Re-married.		Under Age.		Signed the Marriage Register with Marks.			
	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Marriages in which both Signed with Marks.	Marriages in which one Signed with Mark.
1841 -	—	—	—	—	—	—	5362	16,285	39,954	59,689	—	—
1842 -	—	—	—	—	15,619	10,579	5387	16,003	38,031	56,965	—	—
1843 -	—	—	—	—	16,305	10,811	5511	16,403	40,520	60,715	—	—
1844 -	—	—	—	—	16,941	11,183	5515	17,410	42,912	65,073	—	—
1845 -	119,539	6028	11,835	6341	18,176	12,369	6287	19,376	47,665	71,229	—	—
1846 -	121,324	5997	12,212	6131	18,343	12,128	6313	20,001	47,488	70,145	—	—
1847 -	112,576	5705	11,667	5897	17,564	11,602	5556	18,118	42,429	61,877	32,622	39,062
1848 -	113,284	5820	12,702	6324	19,026	12,244	6092	19,436	43,166	62,771	32,974	39,989
1849 -	116,134	6102	13,155	6492	19,647	12,594	6650	21,105	44,027	65,135	—	—
1850 -	124,031	6575	14,558	7580	22,138	14,155	7453	23,109	47,572	70,606	—	—
1851 -	126,018	6625	14,313	7250	21,563	13,875	7737	24,286	47,439	69,812	36,186	44,879
1852 -	130,672	6696	14,044	7370	21,414	14,066	8551	26,978	48,421	70,772	36,636	45,921
1853 -	135,023	7139	14,739	7619	22,358	14,758	9131	29,219	49,983	72,204	37,345	47,497
1854 -	131,141	6826	14,189	7571	21,760	14,397	9210	28,797	47,843	68,175	35,255	45,508
1855 -	123,398	6775	14,280	7660	21,940	14,435	8836	27,207	44,846	62,672	32,139	43,240
1856 -	129,960	7163	14,462	7752	22,214	14,915	9120	29,218	45,900	64,133	32,238	45,557
1857 -	130,317	6908	14,293	7579	21,872	14,487	8885	28,798	44,013	61,765	30,518	44,742
1858 -	127,168	6711	14,547	7644	22,191	14,355	9145	28,664	42,141	58,733	28,781	43,312
1859 -	137,009	7059	15,494	8161	23,655	15,220	10,397	32,041	44,807	63,127	30,574	46,786
1860 -	139,440	7098	15,358	8260	23,618	15,358	10,797	32,927	43,401	61,677	28,904	47,270
1861 -	133,712	7034	15,067	7893	22,960	14,927	10,415	31,927	40,204	56,770	26,333	44,308
1862 -	134,727	6846	14,566	7891	22,457	14,737	10,615	32,464	38,801	54,405	25,075	43,056
1863 -	142,934	7082	15,269	8225	23,494	15,307	11,475	34,527	41,262	57,416	26,626	45,426
1864 -	147,914	7511	16,117	8845	24,962	16,356	11,934	36,235	41,998	58,402	26,582	47,236
1865 -	151,742	7887	16,590	9255	25,845	17,142	12,410	37,260	41,664	57,828	26,216	47,060
1866 -	153,658	7990	16,467	9661	26,128	17,651	12,569	37,610	40,609	56,395	25,169	46,666
1867 -	145,570	7917	16,304	9363	25,667	17,280	12,299	36,144	37,879	51,606	22,664	44,157
1868 -	144,578	7521	15,762	9101	24,863	16,622	12,658	37,245	35,628	49,244	21,009	42,854
1869 -	144,516	7724	15,722	9008	24,730	16,732	12,775	37,813	35,199	48,758	20,748	42,461
1870 -	143,848	8134	15,366	9307	24,673	17,441	13,593	39,205	35,999	49,532	21,021	43,489
1871 -	155,346	8423	16,371	9972	26,343	18,395	14,941	41,810	36,907	51,005	21,556	44,800
1872 -	164,589	9144	16,853	10,681	27,534	19,825	16,121	44,919	39,125	52,920	22,427	47,191
1873 -	167,987	9559	16,918	11,151	28,069	20,710	16,866	46,107	38,684	52,207	21,739	47,413
1874 -	165,018	9295	16,459	11,238	27,697	20,533	16,919	45,866	36,117	48,903	19,718	45,584
1875 -	163,727	9120	17,011	11,354	28,365	20,474	16,730	44,764	34,660	46,666	18,694	43,938
1876 -	164,271	9167	16,726	11,710	28,436	20,877	16,655	44,401	32,998	44,538	17,393	42,750
1877 -	158,798	8645	16,238	10,671	26,909	19,316	15,759	42,795	29,707	40,530	15,263	39,711
1878 -	156,037	8223	15,437	10,352	25,789	18,530	14,785	41,062	27,740	37,594	13,965	37,404
1879 -	149,768	7785	14,959	9570	24,529	17,355	13,400	38,942	25,037	33,604	12,210	34,221
1880 -	158,556	8187	15,196	10,026	25,222	18,213	3,999	41,212	26,871	35,678	13,093	36,363
1881 -	163,871	8251	15,230	9938	25,168	18,189	14,224	42,138	26,583	34,889	12,637	36,201
1882 -	170,720	8129	15,616	9940	25,556	18,661	5,459	45,019	27,037	34,853	12,581	36,728

NOTE.—Divorced men and women are classed in this Table as bachelors and spinsters. *See also* note to Table 4.

TABLE 7.—ENGLAND.—Of 100 **Persons married,** the **number** of **Minors,** of those who **signed with Marks,** and of **Widowers** and **Widows,** in the Forty-two Years **1841–82.**

Years.	To 100 Marriages.								
	Percentage under 21 Years of Age.			Percentage who signed the Marriage Register with Marks.			Percentage of		
	Males.	Females.	Mean.	Males.	Females.	Mean.	Widowers.	Widows.	Mean.
1841 -	4·38	13·29	8·84	32·7	48·8	40·8	* 12·90	* 8·99	* 10·95
1842 -	4·53	13·47	9·00	32·0	47·9	40·0	13·14	8·90	11·02
1843 -	4·45	13·25	8·85	32·7	49·0	40·9	13·17	8·73	10·95
1844 -	4·17	13·16	8·67	32·4	49·2	40·8	12·81	8·46	10·64
1845 -	4·37	13·48	8·93	33·2	49·6	41·4	12·64	8·60	10·62
1846 -	4·33	13·73	9·03	32·6	48·2	40·4	12·59	8·33	10·46
1847 -	4·09	13·34	8·72	31·2	45·5	38·4	12·93	8·54	10·74
1848 -	4·41	14·06	9·24	31·2	45·4	38·3	13·76	8·86	11·31
1849 -	4·69	14·88	9·79	31·0	45·9	38·5	13·85	8·88	11·37
1850 -	4·88	15·13	10·01	31·1	46·2	38·7	14·49	9·27	11·88
1851 -	5·02	15·75	10·39	30·8	45·3	38·1	13·98	9·00	11·49
1852 -	5·39	16·99	11·19	30·5	44·6	37·6	13·49	8·86	11·18
1853 -	5·55	17·76	11·66	30·4	43·9	37·2	13·59	8·97	11·28
1854 -	5·77	18·03	11·90	30·0	42·7	36·4	13·62	9·01	11·32
1855 -	5·51	17·89	11·70	29·5	41·2	35·4	14·42	9·49	11·96
1856 -	5·72	18·34	12·03	28·8	40·2	34·5	13·94	9·36	11·65
1857 -	5·58	18·10	11·84	27·7	38·8	33·3	13·75	9·11	11·43
1858 -	5·86	18·37	12·12	27·0	37·6	32·3	14·22	9·20	11·71
1859 -	6·20	19·10	12·65	26·7	37·6	32·2	14·10	9·07	11·59
1860 -	6·35	19·35	12·85	25·5	36·2	30·9	13·88	9·03	11·46
1861 -	6·36	19·50	12·93	24·6	34·7	29·7	14·03	9·12	11·58
1862 -	6·47	19·79	13·13	23·7	33·2	28·5	13·69	8·98	11·34
1863 -	6·61	19·90	13·26	23·8	33·1	28·5	13·54	8·82	11·18
1864 -	6·62	20·09	13·36	23·3	32·4	27·9	13·84	9·07	11·46
1865 -	6·69	20·08	13·39	22·5	31·2	26·9	13·93	9·24	11·59
1866 -	6·69	20·03	13·36	21·6	30·0	25·8	13·91	9·40	11·66
1867 -	6·87	20·17	13·52	21·1	28·8	25·0	14·33	9·65	11·99
1868 -	7·15	21·05	14·10	20·1	27·8	24·0	14·05	9·39	11·72
1869 -	7·22	21·37	14·30	19·9	27·6	23·8	13·97	9·45	11·71
1870 -	7·49	21·58	14·54	19·8	27·3	23·6	13·58	9·60	11·59
1871 -	7·86	21·99	14·93	19·4	26·8	23·1	13·86	9·68	11·77
1872 -	8·00	22·32	15·16	19·4	26·3	22·9	13·68	9·85	11·77
1873 -	8·21	21·82	15·02	18·8	25·4	22·1	13·65	10·07	11·86
1874 -	8·38	22·70	15·54	17·9	24·2	21·1	13·71	10·16	11·94
1875 -	8·31	22·25	15·28	17·2	23·2	20·2	14·10	10·18	12·14
1876 -	8·25	21·99	15·12	16·3	22·1	19·2	14·09	10·34	12·22
1877 -	8·11	22·02	15·07	15·3	20·9	18·1	13·85	9·94	11·90
1878 -	7·78	21·61	14·70	14·6	19·8	17·2	13·57	9·78	11·66
1879 -	7·36	21·39	14·38	13·8	18·5	16·2	13·47	9·53	11·50
1880 -	7·29	21·47	14·38	14·0	18·3	16·3	13·14	9·49	11·32
1881 -	7·24	21·31	14·28	13·5	17·7	15·6	12·76	9·22	10·99
1882 -	7·56	22·02	14·79	13·2	17·1	15·2	12·50	8·84	10·67

* The proportions of Widowers and Widows in the Year 1841 are for the September and December quarters only.

TABLE 8.—ENGLAND.—**Marriages; Persons Married** to **1000 living**, in each **Quarter** of the Forty-five Years **1838-82.**

YEARS.	MARRIAGES. In the Quarters ending the last day of				ANNUAL MARRIAGE RATE.* In the Quarters ending the last day of			
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
1838 -	23,201	29,801	27,764	37,301	12·4	15·7	14·4	19·3
1839 -	24,679	31,339	29,887	37,261	13·0	16·2	15·3	19·0
1840 -	26,395	30,786	29,221	36,263	13·5	15·7	14·7	18·2
1841 -	24,447	32,551	29,397	36,101	12·5	16·4	14·6	17·9
1842 -	25,860	30,048	27,288	35,629	13·1	15·0	13·4	17·5
1843 -	25,285	31,113	28,847	38,573	12·6	15·3	14·0	18·7
1844 -	26,387	34,268	31,675	39,919	12·9	16·7	15·2	19·1
1845 -	29,551	35,300	35,003	43,889	14·4	17·0	16·6	20·8
1846 -	31,417	37,111	35,070	42,066	15·1	17·6	16·4	19·7
1847 -	27,480	35,197	32,439	40,729	13·1	16·5	15·0	18·8
1848 -	28,398	34,721	32,995	42,116	13·2	16·1	15·1	19·2
1849 -	28,429	35,844	33,874	43,736	13·2	16·4	15·3	19·7
1850 -	30,567	39,204	37,636	45,337	14·0	17·8	16·8	20·2
1851 -	32,724	38,635	37,316	45,531	14·8	17·3	16·4	20·0
1852 -	32,977	40,092	38,400	47,313	14·6	17·7	16·7	20·5
1853 -	35,149	40,446	39,899	49,026	15·6	17·7	17·2	21·0
1854 -	33,234	40,518	38,182	47,793	14·5	17·5	16·3	20·3
1855 -	29,186	38,549	37,308	47,070	12·6	16·4	15·7	19·8
1856 -	33,427	38,820	39,089	48,001	14·1	16·4	16·3	19 9
1857 -	33,321	41,267	38,669	45,840	14·1	17·2	15·9	18·8
1858 -	29,918	39,890	38,599	47,663	12·5	16·5	15·7	19·3
1859 -	35,382	42,042	39,803	50,496	14·6	17·2	16·0	20·3
1860 -	35,150	43,777	40,541	50,688	14·2	17·7	16·1	20·1
1861 -	33,274	42,012	39,884	48,536	13·5	16·8	15·7	19·1
1862 -	33,953	40,853	40,600	48,624	13·5	16·1	15·8	19·0
1863 -	35,528	44,146	41,932	51,904	14·0	17·2	16·2	20·0
1864 -	37,988	44,599	44,675	53,125	14·6	17·2	17·0	20·2
1865 -	36,807	45,827	45,852	56,938	14·2	17·4	17·3	21·4
1866 -	37,579	48,577	46,257	55,363	14·3	18·3	17·2	20·6
1867 -	36,441	45,589	44,086	53,038	13·7	16·9	16·2	19·5
1868 -	36,696	45,364	43,509	51,393	13·5	16·6	15·8	18·6
1869 -	37,752	43,202	43,978	52,038	13·8	15·6	15·7	18·6
1870 -	36,455	46,720	43,900	54,580	13·2	16·7	15·5	19·2
1871 -	36,305	48,831	46,536	58,440	12·9	17·2	16·2	20·3
1872 -	40,539	50,380	49,818	60,530	14·1	17·5	17·1	20·8
1873 -	41,217	53,408	49,709	61,281	14·3	18·3	16·9	20·8
1874 -	41,413	52,827	49,144	58,626	14·2	17·9	16·4	19·6
1875 -	42,376	48,410	49,826	60,600	14·3	16·2	16·4	20·0
1876 -	41,559	51,327	49,160	59,828	13·7	16·9	16·0	19·5
1877 -	39,704	49,065	47,743	57,840	13·0	15·9	15·3	18·6
1878 -	39,137	48,584	46,628	55,705	12·7	15·6	14·8	17·7
1879 -	35,956	46,623	45,121	54,382	11·5	14·7	14·1	17·0
1880 -	41,238	45,844	47,703	57,180	12·9	14·3	14·7	17·6
1881 -	38,043	50,370	48,607	60,270	11·8	15·5	14·8	18·4
1882 -	39,820	52,965	51,207	60,473	12·2	16·1	15·4	18·2
Mean Annual Rate to 1000 in each quarter of the 45 years -					13·6	16·6	15·8	19·4

TABLE 9.—ENGLAND.—**Persons Married to 1000 living in Registration Counties** in the Eleven Years **1872–82.**

No.	REGISTRATION COUNTIES.	PERSONS MARRIED to 1000 LIVING. 1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	Mean of 10 Years 1872–81.	1882.
	ENGLAND - -	17·4	17·6	17·0	16·7	16·5	15·7	15·2	14·4	14·9	15·1	16·1	15·5
	I.—LONDON - -	19·9	19·8	19·4	19·6	19·2	18·7	18·5	18·0	18·1	18·1	18·9	18·5
	II.—SOUTH EASTERN COUNTIES.												
1	Surrey (*extra-metropolitan*)	12·8	12·7	12·7	13·1	12·9	12·7	12·9	12·6	13·0	13·0	12·8	13·0
2	Kent (*extra-metropolitan*)	13·7	14·5	14·0	14·2	14·8	13·9	14·2	13·7	13·6	13·9	14·1	13·7
3	Sussex - - - -	13·8	13·9	13·7	13·9	14·6	14·4	14·1	13·7	13·6	13·7	13·9	13·0
4	Hampshire - - -	15·4	15·6	15·6	15·3	15·8	14·9	15·7	15·1	14·7	14·8	15·3	14·7
5	Berkshire - - - -	13·9	14·3	14·3	13·8	14·5	13·4	13·7	13·0	12·9	12·6	13·6	12·7
	III.—SOUTH MIDLAND COUNTIES.												
6	Middlesex (*extra-metrop.*)	10·7	10·6	10·0	10·6	10·1	10·4	10·4	10·4	11·3	11·4	10·6	11·6
7	Hertfordshire - - -	12·5	12·3	12·2	11·7	12·1	11·5	11·5	10·8	10·8	10·6	11·6	10·8
8	Buckinghamshire - -	12·9	14·0	12·9	12·4	12·9	12·6	12·6	11·5	11·6	12·8	12·6	13·3
9	Oxfordshire - - -	13·8	14·6	13·6	14·0	14·0	13·0	12·4	12·7	11·7	12·6	13·2	12·2
10	Northamptonshire - -	17·4	15·8	14·6	15·3	15·4	14·3	14·5	13·5	14·0	14·3	14·9	14·3
11	Huntingdonshire - -	14·9	14·4	12·8	14·1	12·7	13·3	12·2	12·7	11·9	12·0	13·1	12·6
12	Bedfordshire - - -	16·0	15·2	14·9	13·8	13·0	13·7	13·7	12·5	12·6	14·4	14·0	14·1
13	Cambridgeshire - -	15·5	14·3	13·7	11·9	13·1	12·4	12·3	11·9	11·4	12·5	13·0	11·9
	IV.—EASTERN COUNTIES.												
14	Essex - - - - -	13·0	12·5	12·0	12·1	11·9	11·3	11·4	11·5	11·9	12·1	12·0	12·4
15	Suffolk - - - - -	14·2	14·7	13·9	12·8	14·0	13·4	13·6	13·3	13·5	13·8	13·7	13·7
16	Norfolk - - - - -	14·8	15·0	14·7	14·7	14·3	14·1	14·0	14·1	14·3	14·2	14·4	14·2
	V.—SOUTH WESTERN COUNTIES.												
17	Wiltshire - - - -	12·8	13·1	13·2	12·8	13·7	12·4	13·3	12·4	12·3	12·7	12·9	12·6
18	Dorsetshire - - -	13·7	13·5	13·6	13·5	14·2	14·2	14·4	13·2	13·1	12·9	13·6	13·1
19	Devonshire - - -	15·5	15·3	15·4	15·2	15·4	15·2	15·0	14·3	14·8	14·9	15·1	15·3
20	Cornwall - - - -	14·3	14·6	13·9	12·1	12·0	11·9	12·5	11·2	12·1	12·9	12·8	13·9
21	Somersetshire - - -	13·7	14·0	13·4	13·4	13·4	12·9	12·6	12·5	12·9	12·4	13·1	12·7
	VI.—WEST MIDLAND COUNTIES.												
22	Gloucestershire - -	17·9	18·6	17·8	17·1	17·3	16·3	16·1	15·5	15·7	15·4	16·8	15·5
23	Herefordshire - - -	11·6	11·6	11·8	11·3	12·0	10·9	11·3	10·7	11·3	11·4	11·4	10·6
24	Shropshire - - -	13·7	13·0	13·1	12·5	13·1	12·3	11·4	10·8	11·3	11·5	12·3	12·0
25	Staffordshire - - -	19·4	20·8	18·2	17·9	16·9	15·6	14·7	13·4	15·2	14·6	15·7	16·9
26	Worcestershire - - -	15·9	15·8	15·3	15·1	14·8	15·1	14·2	12·7	13·3	14·0	14·6	14·4
27	Warwickshire - - -	18·2	17·7	17·1	17·2	17·3	16·4	15·2	13·9	14·3	14·5	16·2	15·4
	VII.—NORTH MIDLAND COUNTIES.												
28	Leicestershire - - -	17·7	18·6	17·3	17·5	17·3	16·9	15·2	14·5	14·8	14·6	16·4	15·4
29	Rutlandshire - - -	13·5	13·6	11·1	12·0	15·6	13·6	14·3	11·8	11·0	11·1	12·8	11·7
30	Lincolnshire - - -	15·3	15·8	15·9	15·1	15·1	14·3	14·2	13·2	12·9	13·5	14·5	13·7
31	Nottinghamshire - -	19·5	19·9	19·4	18·2	18·1	17·1	15·3	14·9	16·4	17·7	17·7	18·2
32	Derbyshire - - -	16·8	18·1	17·6	16·2	16·3	15·0	14·3	13·2	13·7	13·7	15·5	13·9
	VIII.—NORTH WESTERN COUNTIES.												
33	Cheshire - - - -	16·9	16·4	16·0	16·0	15·8	15·2	14·3	13·0	13·8	14·0	15·1	14·2
34	Lancashire - - -	20·4	19·9	19·3	19·3	18·9	18·0	17·1	15·6	16·3	16·7	17·2	17·2
	IX.—YORKSHIRE.												
35	West Riding - - -	18·9	19·7	18·9	18·6	18·1	16·7	15·7	14·7	15·3	15·4	17·2	15·4
36	East Riding (with York) -	19·5	19·7	19·7	19·1	19·5	18·0	16·1	15·2	15·8	15·4	17·8	16·3
37	North Riding - - -	15·4	16·4	16·9	17·2	15·9	14·9	13·6	12·4	13·4	14·8	15·1	15·1
	X.—NORTHERN COUNTIES.												
38	Durham - - - -	19·7	20·6	19·7	18·3	17·1	15·5	14·1	12·6	14·9	16·6	15·9	17·1
39	Northumberland - -	20·9	21·8	21·3	20·3	18·6	16·3	15·3	15·0	15·9	16·5	18·2	16·7
40	Cumberland - - -	16·6	17·1	16·2	15·9	15·8	15·7	14·6	12·6	13·8	14·5	15·3	15·2
41	Westmorland - - -	14·5	13·2	14·3	12·4	13·1	12·7	14·6	12·5	12·8	12·9	13·3	13·2
	XI.—MONMOUTHSHIRE AND WALES.												
42	Monmouthshire - -	20·4	19·5	19·1	16·2	16·1	14·1	12·8	12·4	14·3	15·7	16·1	16·6
43	South Wales - - -	17·7	19·0	18·9	16·7	15·5	14·5	13·9	13·5	14·8	15·1	16·0	15·6
44	North Wales - - -	13·3	13·9	14·1	14·5	14·9	15·0	14·0	12·6	12·2	12·0	13·7	12·1

TABLE **10.**—ENGLAND.—Of 100 **Persons Married,** the Proportions who **signed the Marriage Register with Marks,** of **Minors,** and of **Re-marriages,** in **Registration Counties,** in **1882.**

No.	REGISTRATION COUNTIES.	Signed the Marriage Register with Marks.		Under 21 Years of Age.		Re-marriages.	
						Widowers.	Widows.
		Of 100 Men Married.	Of 100 Women Married.	In 100 Men Married.	In 100 Women Married.	In 100 Men Married.	In 100 Women Married.
	ENGLAND - - -	13·2	17·1	7·6	22·0	12·5	8·8
	I.—LONDON - - -	6·8	9·6	5·5	18·9	12·9	8·8
	II.—SOUTH EASTERN COUNTIES.						
1	Surrey (*extra-metropolitan*) - -	7·3	4·9	4·5	15·9	9·3	7·3
2	Kent (*extra-metropolitan*) - -	10·8	8·2	6·0	22·7	9·9	8·1
3	Sussex - - - - - - -	10·1	5·6	6·4	19·1	12·0	8·0
4	Hampshire - - - - - -	8·1	6·4	4·1	18·9	11·5	10·9
5	Berkshire - - - - - - -	13·4	7·8	6·8	17·4	12·5	8·8
	III.—SOUTH MIDLAND COUNTIES.						
6	Middlesex (*extra-metropolitan*) -	10·2	7·9	5·3	17·4	12·2	7·9
7	Hertfordshire - - - - -	18·3	15·5	8·9	19·5	11·8	7·4
8	Buckinghamshire - - - -	17·1	16·2	12·3	25·0	12·7	7·5
9	Oxfordshire - - - - -	12·1	9·1	6·3	16·9	11·8	8·3
10	Northamptonshire - - - -	14·3	14·7	12·7	25·8	13·4	8·5
11	Huntingdonshire - - - -	21·7	15·7	7·5	22·3	14·5	10·5
12	Bedfordshire - - - - -	21·0	24·3	15·5	24·9	12·3	6·8
13	Cambridgeshire - - - -	19·7	13·9	8·2	21·9	11·7	8·1
	IV.—EASTERN COUNTIES.						
14	Essex - - - - - - -	13·9	10·2	7·5	22·6	12·1	9·7
15	Suffolk - - - - - - -	21·3	12·9	9·1	23·3	12·3	8·0
16	Norfolk - - - - - - -	20·5	14·6	10·0	24·3	13·1	8·5
	V.—SOUTH WESTERN COUNTIES.						
17	Wiltshire - - - - - - -	11·9	8·7	7·4	16·7	13·9	9·2
18	Dorsetshire - - - - - -	13·9	8·6	6·5	17·5	13·9	6·7
19	Devonshire - - - - - -	9·7	10·8	4·4	14·1	13·1	8·6
20	Cornwall - - - - - - -	17·1	20·1	6·5	17·1	12·1	5·9
21	Somersetshire - - - - - -	16·1	14·4	7·8	16·3	13·7	8·4
	VI.—WEST MIDLAND COUNTIES.						
22	Gloucestershire - - - - -	13·5	12·5	8·9	19·8	13·7	9·1
23	Herefordshire - - - - - -	18·9	10·6	4·6	13·1	13·9	9·9
24	Shropshire - - - - - - -	15·7	15·4	4·4	16·5	11·8	6·7
25	Staffordshire - - - - - -	23·4	27·6	10·5	27·6	10·6	8·9
26	Worcestershire - - - - - -	16·0	18·9	8·3	20·5	11·3	7·1
27	Warwickshire - - - - - -	14·6	20·1	7·9	23·1	12·6	8·6
	VII.—NORTH MIDLAND COUNTIES.						
28	Leicestershire - - - - - -	13·8	17·1	13·7	27·6	12·6	8·4
29	Rutlandshire - - - - - -	9·0	2·2	3·0	15·7	11·2	7·5
30	Lincolnshire - - - - - -	12·0	11·7	6·4	22·3	11·5	8·4
31	Nottinghamshire - - - - -	14·3	17·9	12·6	29·1	12·6	8·7
32	Derbyshire - - - - - -	12·5	14·8	9·3	28·9	12·4	7·9
	VIII.—NORTH WESTERN COUNTIES.						
33	Cheshire - - - - - - -	12·7	19·1	7·7	19·4	13·4	8·5
34	Lancashire - - - - - -	13·1	24·2	9·0	23·0	13·1	9·5
	IX.—YORKSHIRE.						
35	West Riding - - - - - -	13·4	22·5	9·2	25·8	13·4	9·3
36	East Riding (with York) - - -	10·7	15·8	7·2	27·1	12·7	10·1
37	North Riding - - - - - -	15·1	17·5	6·6	25·1	12·3	8·7
	X.—NORTHERN COUNTIES.						
38	Durham - - - - - - -	18·3	25·3	7·2	31·0	11·3	9·8
39	Northumberland - - - - -	9·7	16·0	4·9	21·5	11·9	8·2
40	Cumberland - - - - - -	11·2	17·4	5·7	20·7	9·5	7·5
41	Westmorland - - - - - -	5·7	5·7	6·4	16·0	10·6	5·0
	XI.—MONMOUTHSHIRE AND WALES.						
42	Monmouthshire - - - - -	29·0	28·3	6·9	23·8	11·2	10·2
43	South Wales - - - - - -	20·1	23·5	7·0	21·0	12·3	9·4
44	North Wales - - - - - -	20·3	24·9	3·2	12·4	14·3	8·9

TABLE **11.**—ENGLAND.—**Number of Buildings registered for the Solemnisation of Marriages and on the Register on 31st December 1882.**

No.	ENGLAND, DIVISIONS AND REGISTRATION COUNTIES.	TOTAL.	PRESBYTERIANS. Church of Scotland.	United Presbyterians, including Relief and Secession Churches.	Presbyterian Church in England.	Presbyterian Church of England.	Independents.	Baptists.	United Brethren or Moravians.	Roman Catholics.	Unitarians.	WESLEYAN METHODISTS. Original Connexion.	New Connexion.	Primitive Methodists.	Bible Christians.	West. Meth. Assocn. and West. Reformers, generally forming the United Meth. Free Ch.	Other Wesleyan Methodists.	Calvinistic Methodists.	Countess of Huntingdon's Connexion.	New Jerusalem Church.	Catholic and Apostolic Church.	All others.
	ENGLAND - -	9005	17	25	99	189	2180	1705	25	867	135	1608	141	626	88	374	28	484	35	40	31	308
	DIVISIONS.																					
1	LONDON - - - - - -	573	6	4	9	20	151	122	1	66	11	75	4	16	2	17	-	7	1	5	7	49
2	SOUTH EASTERN - - -	734	1	-	9	13	214	178	-	77	11	125	-	38	12	8	-	3	10	1	3	31
3	SOUTH MIDLAND - - -	640	-	-	1	5	177	224	4	38	3	111	-	28	1	10	3	-	4	1	3	27
4	EASTERN - - - - -	448	-	-	3	4	154	110	-	31	5	68	-	38	-	12	1	-	1	2	1	18
5	SOUTH WESTERN - - -	826	-	-	13	1	219	155	5	45	10	200	1	34	53	38	-	2	3	3	2	37
6	WEST MIDLAND - - -	882	-	-	7	12	215	157	3	106	13	163	30	79	2	25	1	13	11	2	6	37
7	NORTH MIDLAND - - -	600	-	-	3	4	103	133	1	46	9	137	12	76	-	57	-	-	1	3	1	14
8	NORTH WESTERN - - -	1366	3	4	33	46	260	138	4	242	36	250	38	101	4	85	19	31	3	17	4	48
9	YORK - - - - -	1013	-	2	6	9	205	169	6	87	20	281	41	126	-	90	4	-	-	6	3	18
10	NORTHERN - - - -	514	7	15	14	72	57	28	-	84	4	97	15	68	4	30	-	-	-	-	1	18
11	WELSH - - - - -	1409	-	-	1	3	425	351	1	45	13	101	-	22	5	2	-	428	1	-	-	11
	I.—LONDON.																					
	Middlesex (*part of*) - -	377	6	3	6	14	100	65	1	49	8	50	1	11	1	11	-	6	1	3	5	36
	Surrey (*part of*) - - -	139	-	-	2	3	38	40	-	11	3	17	2	3	1	6	-	1	-	1	2	9
	Kent (*part of*) - - -	57	-	1	1	3	13	17	-	6	-	8	1	2	-	-	-	-	-	1	-	4
	II.—SOUTH EASTERN.																					
1	Surrey (*extra-metropolitan*) -	114	-	-	1	3	40	25	-	15	1	17	-	4	-	1	-	-	1	-	-	6
2	Kent (*extra-metropolitan*) -	205	1	-	2	1	57	61	-	19	2	40	-	9	2	2	-	-	3	1	1	4
3	Sussex - - - - -	155	-	-	2	4	45	38	-	18	4	21	-	4	3	1	-	3	3	-	1	8
4	Hampshire - - - -	178	-	-	2	4	54	32	-	15	3	34	-	11	7	3	-	-	1	-	1	11
5	Berkshire - - - - -	82	-	-	2	1	18	22	-	10	1	13	-	10	-	1	-	-	2	-	-	2
	III.—SOUTH MIDLAND.																					
6	Middlesex (*extra-metropol.*) -	102	-	-	-	4	33	25	-	11	-	14	-	2	1	-	-	-	1	-	1	10
7	Hertfordshire - - - -	85	-	-	-	1	39	23	-	4	1	10	-	1	-	-	-	-	2	-	1	3
8	Buckinghamshire - - -	69	-	-	-	-	19	28	-	2	-	11	-	5	-	1	-	-	-	-	-	3
9	Oxfordshire - - - -	68	-	-	1	-	16	17	-	9	-	14	-	4	-	4	-	-	-	-	1	2
10	Northamptonshire - - -	116	-	-	-	-	34	43	1	5	1	18	-	2	-	4	3	-	-	1	-	4
11	Huntingdonshire - - -	38	-	-	-	-	5	21	1	2	-	6	-	-	-	-	-	-	-	-	-	3
12	Bedfordshire - - - -	75	-	-	-	-	12	31	2	2	-	23	-	4	-	-	-	-	-	-	-	1
13	Cambridgeshire - - -	87	-	-	-	-	19	36	-	3	1	15	-	10	-	1	-	-	1	-	-	1
	IV.—EASTERN.																					
14	Essex - - - - - -	174	-	-	1	1	81	26	-	15	1	30	-	5	-	1	1	-	-	1	1	10
15	Suffolk - - - - - -	129	-	-	2	1	47	43	-	7	1	16	-	9	-	1	-	-	-	1	-	1
16	Norfolk - - - - - -	145	-	-	-	2	26	41	-	9	3	22	-	24	-	10	-	-	1	-	-	7
	V.—SOUTH WESTERN.																					
17	Wiltshire - - - - -	139	-	-	-	-	43	47	2	6	-	19	-	11	-	2	-	-	-	2	-	7
18	Dorsetshire - - - -	76	-	-	-	-	25	6	-	9	3	23	-	9	-	-	-	-	-	-	-	1
19	Devonshire - - - -	250	-	-	10	1	71	47	1	13	3	52	-	3	24	5	-	2	-	-	1	17
20	Cornwall - - - - -	131	-	-	-	-	14	8	-	6	-	51	1	4	24	21	-	-	2	-	-	-
21	Somersetshire - - - -	230	-	-	3	-	66	47	2	11	4	55	-	7	10	10	-	-	1	1	1	12
	VI.—WEST MIDLAND.																					
22	Gloucestershire - - -	192	-	-	2	3	63	51	1	10	1	27	-	4	2	9	-	3	4	-	-	12
23	Herefordshire - - - -	51	-	-	-	-	9	10	1	2	-	7	1	13	-	-	-	2	1	-	-	5
24	Shropshire - - - -	119	-	-	1	1	38	14	-	11	-	17	3	21	-	3	1	6	-	-	1	2
25	Staffordshire - - - -	260	-	-	2	4	43	26	-	41	4	72	21	30	-	8	-	-	1	-	3	5
26	Worcestershire - - - -	84	-	-	2	1	17	17	-	12	2	14	2	7	-	2	-	-	4	-	1	3
27	Warwickshire - - - -	176	-	-	-	3	45	39	1	30	6	26	3	4	-	3	-	2	1	2	1	10
	VII.—NORTH MIDLAND.																					
28	Leicestershire - - - -	135	-	-	1	1	28	48	-	14	2	23	2	10	-	2	-	-	-	-	-	4
29	Rutlandshire - - - -	13	-	-	-	-	3	5	-	1	-	2	-	1	-	-	-	-	-	-	-	1
30	Lincolnshire - - - -	185	-	-	-	1	24	34	-	12	3	51	1	36	-	21	-	-	-	-	-	2
31	Nottinghamshire - - -	116	-	-	-	1	18	28	-	8	2	23	5	12	-	12	-	-	-	1	1	5
32	Derbyshire - - - -	151	-	-	2	1	30	18	1	11	2	38	4	17	-	22	-	-	1	2	-	2
	VIII.—NORTH WESTERN.																					
33	Cheshire - - - - -	255	-	2	7	14	53	18	-	27	7	58	10	35	-	6	2	12	-	-	1	3
34	Lancashire - - - -	1111	3	2	26	32	207	120	4	215	29	192	28	66	4	79	17	19	3	17	3	45
	IX.—YORK.																					
35	West Riding - - - -	764	-	-	3	3	161	94	6	58	16	204	38	77	-	78	3	-	-	5	3	15
36	East Riding (with York) -	121	-	-	1	4	23	10	-	12	1	35	3	21	-	6	1	-	-	1	-	3
37	North Riding - - - -	128	-	2	2	2	21	5	-	17	3	42	-	28	-	6	-	-	-	-	-	-
	X.—NORTHERN.																					
38	Durham - - - - -	228	-	-	-	25	22	17	-	45	4	49	10	35	-	16	-	-	-	-	-	5
39	Northumberland - - -	173	5	12	12	38	13	7	-	26	-	17	5	16	3	10	-	-	-	-	1	8
40	Cumberland - - - -	32	2	2	1	9	15	2	-	12	-	22	-	12	1	2	-	-	-	-	-	2
41	Westmorland - - - -	31	-	1	1	-	7	2	-	1	-	9	-	5	-	2	-	-	-	-	-	3
	XI.—WELSH.																					
42	Monmouthshire - - -	163	-	-	-	-	43	71	1	12	-	12	-	8	1	1	-	12	-	-	-	2
43	South Wales - - - -	782	-	-	1	3	275	231	-	20	13	42	-	9	4	1	-	177	1	-	-	5
44	North Wales - - - -	464	-	-	-	-	107	49	-	13	-	47	-	5	-	-	-	239	-	-	-	4

TABLE 12.—ENGLAND.—**Births**, and **Annual Birth-Rate** to 1000 living in each **Quarter** of the Forty-five Years **1838–82.**

YEARS.	BIRTHS. In the Quarters ending the last day of				ANNUAL BIRTH RATE.* In the Quarters ending the last day of			
	March.	June.	September.	December.	March.	June.	Sept.	Dec.
1838	113,815	121,781	114,734	113,457	30·3	32·0	29·7	29·3
1839	123,543	128,806	120,115	120,110	32·5	33·4	30·7	30·6
1840	132,305	129,059	119,822	121,117	34·0	33·0	30·2	30·4
1841	133,729	129,884	123,868	124,686	34·2	32·8	30·8	30·9
1842	135,615	134,096	123,296	124,732	34·3	33·4	30·3	30·6
1843	136,837	131,279	128,161	131,048	34·2	32·3	31·1	31·7
1844	143,578	136,941	130,078	130,166	35·1	33·3	31·2	31·2
1845	143,080	136,853	132,369	131,219	34·9	32·9	31·4	31·0
1846	145,108	149,450	138,718	139,349	35·0	35·5	32·5	32·6
1847	146,453	139,072	127,173	127,267	34·9	32·7	29·5	29·4
1848	139,736	149,760	140,359	133,204	32·5	34·7	32·1	30·4
1849	153,772	153,693	135,223	135,471	35·8	35·2	30·6	30·5
1850	144,551	155,865	146,911	146,095	33·2	35·3	32·8	32·5
1851	157,286	159,073	150,594	148,912	35·6	35·5	33·2	32·7
1852	161,803	159,031	151,222	151,956	35·8	35·1	32·9	33·0
1853	161,729	158,697	147,602	144,363	35·8	34·6	31·8	31·0
1854	160,785	172,457	154,724	146,439	35·2	37·2	32·9	31·1
1855	166,225	165,277	154,700	148,841	36·0	35·3	32·6	31·2
1856	169,250	173,263	157,462	157,478	35·8	36·6	32·8	32·7
1857	170,430	170,444	161,181	161,016	36·0	35·6	33·2	33·0
1858	170,959	169,115	157,445	157,962	35·8	34·9	32·0	32·1
1859	175,532	175,864	168,394	170,091	36·3	35·9	33·9	34·1
1860	183,180	174,028	164,121	162,719	37·1	35·1	32·7	32·3
1861	172,933	184,820	172,033	166,620	35·0	36·9	33·9	32·7
1862	181,990	185,554	172,709	172,431	36·3	36·6	33·7	33·6
1863	186,341	189,340	173,439	178,297	36·7	36·9	33·4	34·4
1864	192,947	188,835	181,015	177,478	37·1	36·4	34·5	33·8
1865	194,130	192,988	181,941	179,010	37·3	36·7	34·2	33·7
1866	196,753	192,437	179,086	185,594	37·4	36·2	33·3	34·5
1867	194,763	199,660	190,782	183,144	36·6	37·1	35·0	33·6
1868	198,584	202,839	192,583	192,852	36·4	37·2	34·9	35·0
1869	203,775	188,618	190,394	190,594	37·3	34·1	34·1	34·1
1870	206,366	203,615	192,521	190,285	37·3	36·4	34·0	33·6
1871	209,523	201,165	193,271	193,469	37·3	35·4	33·6	33·7
1872	208,752	208,790	201,746	206,619	36·3	36·3	34·7	35·5
1873	215,744	206,516	204,167	203,351	37·4	35·4	34·6	34·5
1874	214,514	217,598	210,323	212,521	36·7	36·8	35·2	35·5
1875	214,862	214,939	211,109	209,697	36·2	35·9	34·8	34·6
1876	230,080	226,097	216,302	215,489	37·9	37·2	35·2	35·1
1877	230,241	223,249	213,195	221,515	37·8	36·3	34·2	35·6
1878	220,792	228,620	222,604	219,890	35·8	36·6	35·3	34·9
1879	226,056	220,966	218,668	214,699	36·1	34·9	34·2	33·6
1880	221,699	232,920	219,023	208,001	34·6	36·3	33·8	32·1
1881	225,451	225,303	215,966	216,922	35·1	34·7	32·9	33·0
1882	223,616	227,425	220,382	217,591	34·3	34·5	33·1	32·7
Mean Annual Rate to 1000 in each Quarter of the 45 years					35·6	35·3	33·0	32·8

* The Births and Deaths Registration Act of 1874, which rendered the registration of births compulsory, came into operation on 1st January 1875. See also note to Table 8.

TABLE **13.**—ENGLAND.—**Legitimate** and **Illegitimate Births** and **Birth-rates**; Proportion of **Males** to **Females** born in the Forty-five Years **1838–82.**

Years.	Births registered.			Annual Rate to 1000 Living.			Males born to every 100 Females born.			Percentage of Illegitimate to Total Births.
	Total Births.	Legitimate.	Illegitimate.	Births.	Legitimate.	Illegitimate.	Births.	Legitimate.	Illegitimate.	
1838	463,787	—	—	30·3	—	—	104·5	—	—	—
1839	492,574	—	—	31·7	—	—	104·8	—	—	—
1840	502,903	—	—	31·8	—	—	105·1	—	—	—
1841	512,158	—	—	32·2	—	—	105·3	—	—	—
1842	517,739	482,943	34,796	32·1	29·9	2·2	105·0	105·0	104·9	6·7
1843	527,225	—	—	32·3	—	—	105·4	—	—	—
1844	540,763	—	—	32·6	—	—	105·4	—	—	—
1845	543,521	505,280	38,241	32·5	30·2	2·3	105·0	105·2	103·1	7·0
1846	572,625	534,096	38,529	33·8	31·5	2·3	104·9	104·9	105·0	6·7
1847	539,965	503,840	36,125	31·5	29·4	2·1	104·3	104·3	104·0	6·7
1848	563,059	526,312	36,747	32·4	30·3	2·1	105·0	105·2	102·3	6·5
1849	578,159	538,825	39,334	32·9	30·7	2·2	104·3	104·3	104·0	6·8
1850	593,422	553,116	40,306	33·4	31·7	1·7	104·2	104·3	103·4	6·8
1851	615,865	573,865	42,000	34·2	31·9	2·3	104·7	104·7	103·9	6·8
1852	624,012	581,530	42,482	34·2	31·9	2·3	104·6	104·6	104·8	6·8
1853	612,291	572,628	39,763	33·3	31·1	2·2	105·1	105·1	104·6	6·5
1854	634,405	593,664	40,741	34·1	31·9	2·2	104·4	104·3	103·1	6·4
1855	635,043	594,260	40,783	33·7	31·5	2·2	104·1	104·1	104·8	6·4
1856	657,453	614,802	42,651	34·4	32·2	2·2	104·2	104·3	103·1	6·5
1857	663,071	620,069	43,002	34·4	32·2	2·2	105·2	105·3	104·1	6·5
1858	655,481	612,176	43,305	33·7	31·5	2·2	104·5	104·4	106·2	6·6
1859	689,881	645,130	44,751	35·0	32·7	2·3	104·6	104·5	105·7	6·5
1860	684,048	640,955	43,093	34·3	32·1	2·2	104·7	104·8	102·9	6·4
1861	696,406	652,249	44,157	34·6	32·4	2·2	104·6	104·5	106·1	6·3
1862	712,684	667,462	45,222	35·0	32·8	2·2	104·1	104·1	103·4	6·3
1863	727,417	680,276	47,141	35·3	33·0	2·3	104·7	104·6	106·3	6·5
1864	740,275	692,827	47,448	35·4	33·1	2·3	104·2	104·2	104·4	6·4
1865	748,069	701,484	46,585	35·4	33·2	2·2	104·0	104·0	103·9	6·2
1866	753,870	708,369	45,501	35·2	33·1	2·1	104·3	104·3	104·8	6·0
1867	768,249	723,163	45,186	35·4	33·3	2·1	104·3	104·2	105·7	5·9
1868	786,858	740,520	46,338	35·8	33·7	2·1	103·6	103·5	104·7	5·9
1869	773,281	728,690	44,691	34·8	32·8	2·0	104·2	104·1	105·0	5·8
1870	792,787	748,050	44,737	35·2	33·2	2·0	104·1	104·0	105·0	5·6
1871	797,428	752,653	44,775	35·0	33·0	2·0	103·5	103·5	103·1	5·6
1872	825,907	781,141	44,766	35·7	33·8	1·9	104·1	104·1	104·8	5·4
1873	829,778	786,617	43,161	35·4	33·6	1·8	103·9	103·9	103·3	5·2
1874	854,956	811,853	43,103	35·0	34·2	1·8	103·7	103·7	103·0	5·0
1875	850,607	809,794	40,813	35·4	33·7	1·7	104·3	104·2	106·7	4·8
1876	887,968	846,374	41,594	36·3	34·6	1·7	103·8	103·8	103·2	4·7
1877	888,200	846,045	42,155	36·0	34·3	1·7	103·6	103·6	102·5	4·7
1878	891,906	849,806	42,100	35·6	33·9	1·7	104·2	104·1	104·7	4·7
1879	880,289	838,100	42,189	34·7	33·0	1·7	103·6	103·6	102·3	4·8
1880	881,643	839,101	42,542	34·2	32·5	1·7	103·6	103·6	103·6	4·8
1881	883,642	840,522	43,120	33·9	32·2	1·7	103·9	103·8	105·4	4·9
1882	889,014	845,859	43,155	33·7	32·1	1·6	103·8	103·8	103·3	4·9

TABLE **14.**—ENGLAND.—**Per-centage of Illegitimate Children to 100 Births, in Registration Counties,** in the Eleven Years **1872–82.**

No.	REGISTRATION COUNTIES.	CHILDREN BORN *Out of Wedlock* TO 100 BIRTHS. 1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	Ten Years 1872–81.	1882.
	ENGLAND - -	5·4	5·2	5·0	4·8	4·7	4·7	4·7	4·8	4·8	4·9	4·9	4·9
	I.—LONDON -	4·1	4·0	3·9	3·8	3·6	3·7	3·9	3·9	3·9	3·9	3·9	3·9
	II.—SOUTH EASTERN COUNTIES.												
1	Surrey (*extra-metropolitan*)	3·9	4·0	3·7	3·9	4·0	3·7	3·5	3·7	3·8	4·2	3·8	3·8
2	Kent (*extra-metropolitan*)	4·9	4·9	4·6	4·6	4·2	4·2	4·3	4·3	4·0	4·4	4·4	4·5
3	Sussex - - - -	5·7	5·3	5·1	5·1	5·0	5·0	4·7	4·9	4·8	5·2	5·1	5·4
4	Hampshire - - -	4·6	4·6	4·8	4·4	4·4	4·3	4·4	4·5	4·4	4·6	4·5	4·2
5	Berkshire - - - -	5·7	5·1	5·1	5·0	4·6	5·0	4·9	5·3	4·8	4·5	5·0	4·6
	III.—SOUTH MIDLAND COUNTIES.												
6	Middlesex (*extra-metropol.*)	3·3	3·8	3·5	3·6	3·3	3·4	3·5	3·7	3·7	3·6	3·5	3·7
7	Hertfordshire - - -	6·2	6·0	5·2	6·1	5·1	6·1	5·9	4·8	5·3	5·8	5·7	5·6
8	Buckinghamshire - -	6·0	5·1	5·2	4·6	5·0	5·3	5·3	5·6	5·1	5·9	5·3	5·3
9	Oxfordshire - - -	6·3	6·3	6·4	5·8	5·5	6·1	5·9	5·1	5·1	5·5	5·8	6·1
10	Northamptonshire - -	4·8	5·2	5·0	4·7	4·3	4·7	4·2	4·4	4·8	4·7	4·7	4·6
11	Huntingdonshire - -	5·4	5·7	5·4	3·9	4·6	5·0	5·5	4·5	5·6	4·0	5·0	5·0
12	Bedfordshire - - -	7·6	7·4	7·6	6·4	6·3	6·7	6·8	7·6	7·6	6·6	7·1	7·1
13	Cambridgeshire - - -	5·8	5·9	5·5	5·9	5·2	5·8	5·7	5·4	5·3	5·7	5·6	5·2
	IV.—EASTERN COUNTIES.												
14	Essex - - - - -	4·6	4·3	3·8	4·2	3·7	4·0	3·7	3·6	3·6	3·4	3·9	3·5
15	Suffolk - - - -	6·8	6·4	6·2	5·9	5·9	6·3	5·9	5·8	5·6	6·0	6·1	5·4
16	Norfolk - - - -	9·2	8·6	8·7	8·3	8·5	7·9	7·9	7·7	7·9	7·5	8·2	7·8
	V.—SOUTH WESTERN COUNTIES.												
17	Wiltshire - - - -	5·5	5·3	5·1	4·8	4·5	4·9	5·0	4·9	4·8	4·9	5·0	5·1
18	Dorsetshire - - -	4·9	5·3	5·2	5·7	4·9	5·3	4·4	5·2	4·8	4·8	5·1	5·6
19	Devonshire - - -	5·4	5·4	5·3	5·0	5·3	4·7	4·7	4·8	4·5	4·7	5·0	4·6
20	Cornwall - - - -	6·4	7·0	6·1	6·0	6·1	6·2	5·9	6·3	6·8	6·6	6·3	6·8
21	Somersetshire - - -	5·4	4·7	4·6	4·5	4·6	4·4	4·4	4·4	4·6	4·4	4·6	4·7
	VI.—WEST MIDLAND COUNTIES.												
22	Gloucestershire - - -	5·0	4·6	4·9	4·5	4·4	4·5	4·8	4·5	4·9	4·6	4·7	4·9
23	Herefordshire - - -	7·8	6·9	7·3	6·8	7·7	6·8	7·4	6·8	7·4	7·5	7·2	7·8
24	Shropshire - - - -	9·4	8·8	8·8	8·7	8·5	7·8	7·8	7·6	8·0	8·2	8·4	7·9
25	Staffordshire - - -	5·5	5·2	5·0	4·6	4·4	4·7	4·6	4·9	4·8	4·9	4·9	5·1
26	Worcestershire - - -	5·5	5·5	5·5	5·5	5·0	5·3	4·6	4·9	5·1	5·5	5·2	4·9
27	Warwickshire - - -	4·4	4·3	4·3	4·3	3·8	4·0	4·0	4·0	4·2	4·2	4·2	4·1
	VII.—NORTH MIDLAND COUNTIES.												
28	Leicestershire - - -	5·8	5·6	5·6	4·8	4·8	5·0	4·5	5·1	5·3	4·7	5·1	4·8
29	Rutlandshire - - -	6·6	5·4	5·1	6·3	5·0	4·6	4·8	3·1	5·9	3·9	5·1	4·5
30	Lincolnshire - - -	6·9	6·2	6·5	5·8	5·8	6·1	5·6	5·5	5·9	5·6	6·0	5·9
31	Nottinghamshire - -	7·2	6·8	6·6	6·0	6·1	5·9	5·7	5·7	6·2	6·4	6·3	6·2
32	Derbyshire - - - -	5·7	5·8	5·2	5·1	5·2	4·7	4·7	4·8	5·0	4·7	5·1	5·2
	VIII.—NORTH WESTERN COUNTIES.												
33	Cheshire - - - -	6·0	5·4	5·5	5·4	5·0	5·0	4·7	5·3	5·0	5·2	5·3	5·4
34	Lancashire - - - -	4·9	4·9	4·7	4·4	4·5	4·4	4·4	4·5	4·6	4·5	4·6	4·6
	IX.—YORKSHIRE.												
35	West Riding - - -	5·5	5·2	5·1	4·8	4·7	4·9	4·9	5·0	5·0	5·5	5·1	5·1
36	East Riding (with York) -	6·8	6·3	6·4	5·6	5·7	5·5	5·5	5·8	5·6	5·7	5·9	5·7
37	North Riding - - -	8·6	8·1	7·3	6·5	5·5	5·6	5·9	5·7	5·9	6·1	6·5	6·1
	X.—NORTHERN COUNTIES.												
38	Durham - - - -	4·5	4·3	4·1	3·8	3·8	3·9	4·0	4·1	4·2	4·1	4·1	3·9
39	Northumberland - -	6·1	6·1	5·6	5·5	5·3	5·8	5·5	5·7	6·0	5·6	5·7	5·5
40	Cumberland - - -	9·8	9·3	8·7	8·6	7·8	8·1	8·1	7·7	8·1	7·9	8·4	7·6
41	Westmorland - - -	7·0	7·7	7·6	6·5	7·6	8·4	7·6	7·2	7·1	7·3	7·4	8·4
	XI.—MONMOUTHSHIRE AND WALES.												
42	Monmouthshire - - -	4·4	3·9	3·7	4·0	3·7	4·1	4·5	4·5	4·3	4·8	4·2	3·9
43	South Wales - - -	5·8	5·1	4·9	4·6	4·5	4·5	4·5	4·7	4·6	4·8	4·8	4·8
44	North Wales - - -	8·1	7·1	7·3	6·5	6·9	6·6	6·6	7·1	6·7	6·3	6·9	6·8

TABLE 15.—ENGLAND.—**Legitimate** and **Illegitimate Births**, and **Proportion** of **Males** to **Females**, in **Registration Counties** in **1882.**

No.	REGISTRATION COUNTIES.	Male Children born.	Female Children born.	Legitimate. Males.	Legitimate. Females.	Illegitimate. Males.	Illegitimate. Females.	Males born to every 100 Females born.	Legitimate Males born to every 100 Females.	Illegitimate Males born to every 100 Females.
	ENGLAND - - -	452,752	436,262	430,823	415,056	21,929	21,226	103·8	103·8	103·3
	I.—LONDON - - -	67,958	65,351	65,323	62,769	2635	2582	104·0	104·1	102·1
	II.—SOUTH EASTERN COUNTIES.									
1	Surrey (*extra-metropolitan*) - -	7509	7226	7224	6955	285	271	103·9	103·9	105·2
2	Kent (*extra-metropolitan*) - -	11785	11087	11245	10609	540	478	106·3	106·0	113·0
3	Sussex - - - - - -	7765	7278	7346	6889	419	389	106·7	106·6	107·7
4	Hampshire - - - - - -	9068	8825	8695	8443	373	382	102·8	103·0	97·6
5	Berkshire - - - - - -	4037	3767	3828	3616	209	151	107·2	105·9	138·4
	III.—SOUTH MIDLAND COUNTIES.									
6	Middlesex (*extra-metropolitan*) -	7042	6710	6776	6466	266	244	104·9	104·8	109·0
7	Hertfordshire - - - - - -	3059	3094	2898	2912	161	182	98·9	99·5	88·5
8	Buckinghamshire - - - - -	2561	2380	2423	2255	138	125	107·6	107·5	110·4
9	Oxfordshire - - - - - -	2766	2665	2603	2494	163	171	103·8	104·4	95·3
10	Northamptonshire - - - - -	4789	4441	4575	4230	214	211	107·8	108·2	101·4
11	Huntingdonshire - - - - -	754	697	712	667	42	30	108·2	106·7	140·0
12	Bedfordshire - - - - - -	2467	2479	2281	2313	186	166	99·5	98·6	112·0
13	Cambridgeshire - - - - - -	2789	2656	2635	2528	154	128	105·0	104·2	120·3
	IV.—EASTERN COUNTIES.									
14	Essex - - - - - - - -	10104	9743	9733	9411	371	332	103·7	103·4	111·7
15	Suffolk - - - - - - -	5811	5483	5508	5181	303	302	106·0	106·3	100·3
16	Norfolk - - - - - - -	6364	6695	6839	6154	525	541	104·0	104·6	97·0
	V.—SOUTH WESTERN COUNTIES.									
17	Wiltshire - - - - - - -	3791	3743	3600	3553	191	190	101·3	101·3	100·5
18	Dorsetshire - - - - - -	2686	2688	2527	2544	159	144	99·9	99·3	110·4
19	Devonshire - - - - - -	9167	8972	8744	8568	423	404	102·2	102·1	104·7
20	Cornwall - - - - - - -	4947	4633	4594	4339	353	294	106·8	105·9	120·1
21	Somersetshire - - - - - -	7633	7346	7289	6990	344	356	103·9	104·3	96·6
	VI.—WEST MIDLAND COUNTIES.									
22	Gloucestershire - - - - - -	8375	8067	7974	7661	401	406	103·8	104·1	98·8
23	Herefordshire - - - - - -	1671	1584	1546	1454	125	130	105·5	106·3	96·2
24	Shropshire - - - - - - -	3910	3864	3586	3572	324	292	101·2	100·4	111·0
25	Staffordshire - - - - - -	19578	18867	18568	17918	1010	949	103·8	103·6	106·4
26	Worcestershire - - - - - -	6265	6172	5971	5862	294	310	101·5	101·9	94·8
27	Warwickshire - - - - - -	13210	12525	12663	12004	547	521	105·5	105·5	105·0
	VII.—NORTH MIDLAND COUNTIES.									
28	Leicestershire - - - - - -	5898	5843	5591	5589	307	254	100·9	100·0	120·9
29	Rutlandshire - - - - - -	322	313	316	300	16	13	106·1	105·3	123·1
30	Lincolnshire - - - - - -	7318	7162	7060	6749	458	413	105·0	104·6	110·9
31	Nottinghamshire - - - - -	8488	8127	7966	7625	522	502	104·4	104·5	104·0
32	Derbyshire - - - - - - -	7040	6706	6677	6361	363	345	105·0	105·0	105·2
	VIII.—NORTH WESTERN COUNTIES.									
33	Cheshire - - - - - - -	10650	10424	10089	9855	561	569	102·2	102·4	98·6
34	Lancashire - - - - - - -	64970	63622	62010	60709	2960	2913	102·1	102·1	101·6
	IX.—YORKSHIRE.									
35	West Riding - - - - - -	38503	37367	36601	35369	1902	1998	103·0	103·5	95·2
36	East Riding (with York) - - -	6459	6031	6089	5691	370	340	107·1	107·0	108·8
37	North Riding - - - - - -	6104	5876	5725	5520	379	356	103·9	103·7	106·5
	X.—NORTHERN COUNTIES.									
38	Durham - - - - - - -	18052	17337	17345	16650	707	687	104·1	104·2	102·9
39	Northumberland - - - - -	7840	7462	7407	7047	433	415	105·1	105·1	104·3
40	Cumberland - - - - - -	4502	4286	4156	3967	346	319	105·0	104·8	108·5
41	Westmorland - - - - - -	981	918	901	839	80	79	106·9	107·4	101·3
	XI.—MONMOUTHSHIRE AND WALES.									
42	Monmouthshire - - - - - -	4229	4018	4078	3847	151	171	105·3	106·0	88·3
43	South Wales - - - - - -	15765	15093	15013	14379	752	714	104·5	104·4	105·3
44	North Wales - - - - - -	6960	6639	6493	6182	467	457	104·8	105·0	102·2

TABLE 16.—ENGLAND.—**Proportion of Male to Female Children** born in **Registration Counties** in the Eleven Years **1872–82.**

No.	REGISTRATION COUNTIES.	MALES BORN TO EVERY 100 FEMALES BORN. 1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	Ten Years 1872-81.	1882.
	ENGLAND - -	104·1	103·9	103·7	104·3	103·8	103·6	104·2	103·6	103·6	103·9	103·9	103·8
	I.—LONDON.	104·3	103·4	103·7	103·8	104·3	104·6	104·3	102·1	104·1	103·4	103·8	104·0
	II.—SOUTH EASTERN COUNTIES.												
1	Surrey (*extra-metropolitan*)	102·1	103·5	103·5	104·5	100·8	102·4	102·0	104·6	101·3	102·8	102·8	103·9
2	Kent (*extra-metropolitan*) -	106·3	103·0	102·9	106·9	105·1	104·9	103·8	103·3	104·6	102·2	104·3	106·3
3	Sussex - - - -	100·5	104·7	105·9	103·6	106·2	104·2	103·4	105·0	102·7	103·7	104·0	106·7
4	Hampshire - - - -	107·7	104·4	103·8	102·5	105·5	102·6	104·4	101·2	104·5	102·0	103·9	102·8
5	Berkshire - - - -	101·5	104·8	105·7	103·7	101·1	101·8	103·5	106·4	104·0	104·4	103·7	107·2
	III.—SOUTH MIDLAND COUNTIES.												
6	Middlesex (*extra-metropol.*)	101·4	104·1	103·1	100·7	107·5	100·5	101·5	103·9	104·8	104·2	103·2	104·9
7	Hertfordshire - - -	111·4	103·2	100·9	105·0	103·2	105·0	109·0	104·2	100·8	103·1	104·6	98·9
8	Buckinghamshire - -	100·8	105·8	101·2	104·6	102·8	107·9	104·2	105·1	104·2	107·4	104·4	107·6
9	Oxfordshire - - -	101·4	103·6	105·6	101·9	103·3	101·1	104·8	102·6	105·1	105·6	103·5	103·8
10	Northamptonshire - -	102·7	101·8	102·6	106·7	103·9	101·7	99·7	104·9	100·9	106·2	103·6	107·8
11	Huntingdonshire - -	98·6	104·7	102·1	104·7	103·9	111·0	104·0	105·8	109·7	101·2	104·6	108·2
12	Bedfordshire - - -	97·6	98·4	107·7	103·9	103·1	100·3	106·5	99·7	101·2	108·6	102·7	99·5
13	Cambridgeshire - - -	101·1	101·2	101·8	109·1	107·5	105·2	106·4	101·8	102·6	105·1	104·2	105·0
	IV.—EASTERN COUNTIES.												
14	Essex - - - - -	102·2	101·9	104·5	102·1	105·3	101·5	104·3	103·7	101·6	102·5	103·0	103·7
15	Suffolk - - - -	103·5	103·8	102·0	102·8	104·5	102·7	105·6	102·9	104·3	102·9	103·5	106·0
16	Norfolk - - - -	103·7	101·9	105·9	107·6	103·7	102·2	107·4	106·6	105·3	104·2	104·9	104·0
	V.—SOUTH WESTERN COUNTIES.												
17	Wiltshire - - - -	107·1	106·5	103·3	109·5	103·5	100·6	101·6	104·5	103·4	103·2	103·7	101·3
18	Dorsetshire - - - -	100·1	105·2	103·7	108·5	104·5	102·2	106·8	103·8	105·4	105·1	104·5	99·9
19	Devonshire - - - -	106·2	104·4	104·2	104·8	102·9	104·4	102·9	105·7	104·8	103·8	104·4	102·1
20	Cornwall - - - -	106·1	103·3	104·6	109·3	106·6	102·6	103·8	107·3	106·7	101·9	105·2	106·8
21	Somersetshire - - -	103·3	105·7	104·9	104·7	100·4	106·7	104·8	103·1	105·1	103·1	104·2	103·9
	VI.—WEST MIDLAND COUNTIES.												
22	Gloucestershire - - -	104·2	105·9	105·0	101·5	104·1	104·0	107·0	100·3	100·3	105·1	103·7	103·8
23	Herefordshire - - -	105·7	97·1	104·9	106·1	103·1	104·8	103·6	104·7	102·5	100·4	103·3	105·5
24	Shropshire - - - -	102·6	103·9	106·7	106·3	106·1	108·5	102·3	105·5	106·6	102·8	105·1	101·2
25	Staffordshire - - -	103·6	103·1	103·7	106·0	102·8	103·6	104·0	102·7	103·0	103·5	103·6	103·8
26	Worcestershire - - -	103·6	108·0	101·1	105·0	103·7	99·0	105·9	104·5	102·9	105·2	103·9	101·5
27	Warwickshire - - -	102·0	102·6	103·0	102·0	102·5	102·4	103·8	103·8	104·5	104·1	103·1	105·5
	VII.—NORTH MIDLAND COUNTIES.												
28	Leicestershire - - -	99·8	100·7	104·5	105·8	104·7	107·7	103·2	102·0	101·9	104·5	103·5	100·9
29	Rutlandshire - - -	105·9	95·0	109·7	102·3	117·7	97·6	105·5	97·6	111·0	111·6	105·4	106·1
30	Lincolnshire - - -	103·3	101·5	104·2	104·4	104·4	105·1	107·5	102·1	103·4	102·9	103·9	105·0
31	Nottinghamshire - -	106·4	106·1	102·6	103·5	104·9	101·3	102·9	106·2	104·8	104·2	104·3	104·5
32	Derbyshire - - -	102·8	103·6	102·3	105·5	104·7	102·6	105·5	103·5	101·4	108·4	104·0	105·0
	VIII.—NORTH WESTERN COUNTIES.												
33	Cheshire - - - -	103·2	101·0	103·4	105·9	101·1	102·1	104·8	106·0	104·2	103·5	103·6	102·2
34	Lancashire - - - -	104·6	104·1	102·9	104·1	102·7	102·9	103·8	103·2	103·2	103·3	103·5	102·1
	IX.—YORKSHIRE.												
35	West Riding - - -	104·8	102·6	103·3	103·6	102·9	104·5	103·9	104·7	103·2	103·8	103·7	103·0
36	East Riding (with York) -	101·3	101·3	101·5	103·5	103·2	106·8	102·2	105·7	103·5	103·0	103·2	107·1
37	North Riding - - -	106·1	106·2	105·0	105·8	103·1	103·7	103·6	103·4	103·7	108·0	104·9	103·9
	X.—NORTHERN COUNTIES.												
38	Durham - - - -	105·3	106·4	104·9	103·7	104·2	104·9	105·1	105·3	104·6	104·0	104·8	104·1
39	Northumberland - -	104·8	108·5	103·3	103·9	103·0	101·4	104·9	102·5	104·0	105·1	104·1	105·1
40	Cumberland - - -	107·0	109·1	102·8	108·7	101·7	102·7	102·0	102·7	105·0	104·7	104·6	105·0
41	Westmorland - - -	108·8	105·9	107·9	105·7	104·6	102·3	95·3	99·9	93·3	107·8	103·1	106·9
	XI.—MONMOUTHSHIRE AND WALES.												
42	Monmouthshire - - -	103·7	103·5	101·6	101·4	104·6	104·9	104·2	102·9	105·8	104·1	103·7	105·3
43	South Wales - - -	104·1	105·1	105·0	105·8	106·4	103·5	103·7	104·9	103·8	105·7	104·8	104·4
44	North Wales - - -	103·1	106·7	105·9	103·6	106·7	101·1	104·9	102·5	105·1	104·8	104·9	104·8

TABLE **17.**—ENGLAND.—**Birth-rate** to 1000 living in **Registration Counties** in the Eleven Years **1872–82.**

No.	REGISTRATION COUNTIES.	BIRTHS TO 1000 LIVING. 1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	Ten Years 1872–81.	1882.
	ENGLAND - -	35·7	35·4	36·0	35·4	36·3	36·0	35·6	34·7	34·2	33·9	35·3	33·7
	I.—LONDON.	35·6	35·3	35·6	35·4	35·9	35·6	35·5	35·5	35·3	34·7	35·4	34·2
	II.—SOUTH EASTERN COUNTIES.												
1	Surrey (*extra-metropolitan*)	32·4	31·3	31·0	30·6	31·6	31·0	30·9	30·6	30·6	30·6	31·1	31·1
2	Kent (*extra-metropolitan*) -	33·0	31·8	32·4	31·8	33·0	32·7	32·9	32·5	32·1	32·2	32·4	31·8
3	Sussex - - - -	31·0	29·7	30·0	28·7	29·8	29·9	30·0	30·4	30·5	30·4	30·0	29·8
4	Hampshire - - - -	31·9	31·1	30·7	30·5	31·2	31·1	31·7	31·3	31·2	31·3	31·2	30·8
5	Berkshire - - - -	32·8	31·4	32·1	31·0	31·9	31·5	31·6	32·3	31·5	31·1	31·7	31·1
	III.—SOUTH MIDLAND COUNTIES.												
6	Middlesex (*extra-metropol.*)	33·4	32·1	31·6	31·7	32·4	31·4	31·5	31·8	32·9	33·8	32·3	34·5
7	Hertfordshire - - -	33·4	32·3	31·9	31·0	32·1	32·1	31·7	32·3	30·9	30·7	31·8	30·3
8	Buckinghamshire - -	34·4	33·7	32·6	31·5	33·6	32·9	32·5	33·0	31·2	31·4	32·7	31·7
9	Oxfordshire - - -	32·0	32·0	31·9	30·4	32·0	31·8	31·6	31·6	31·5	30·9	31·6	29·9
10	Northamptonshire - -	35·7	35·6	34·8	33·0	35·3	35·1	34·9	34·5	34·0	33·8	34·7	32·9
11	Huntingdonshire - -	34·7	32·3	31·2	30·6	32·1	31·1	31·5	30·2	29·0	24·6	31·1	27·6
12	Bedfordshire - - -	35·3	34·2	34·0	32·5	33·9	33·2	33·1	31·9	32·4	30·9	33·1	32·0
13	Cambridgeshire - - -	33·8	33·7	32·5	31·3	32·6	32·8	31·4	30·9	30·5	30·7	32·0	28·5
	IV.—EASTERN COUNTIES.												
14	Essex - - - - -	34·1	33·0	33·0	32·9	33·5	33·3	33·6	33·5	34·1	34·4	33·5	35·0
15	Suffolk - - - -	33·1	31·7	31·9	31·5	31·8	32·3	32·2	32·4	32·0	32·1	32·1	31·9
16	Norfolk - - - -	30·9	30·1	30·3	29·9	30·7	30·6	31·2	30·6	31·8	31·2	30·7	31·2
	V.—SOUTH WESTERN COUNTIES.												
17	Wiltshire - - - -	31·7	31·2	30·7	30·5	31·0	31·0	31·8	31·5	30·5	30·7	31·1	30·3
18	Dorsetshire - - -	30·6	29·3	28·5	28·5	29·3	28·6	30·2	29·6	29·6	29·4	29·4	29·1
19	Devonshire - - - -	30·4	29·9	29·4	28·9	29·5	30·0	30·0	29·9	29·8	29·4	29·7	29·8
20	Cornwall - - - -	31·9	31·8	31·1	29·8	29·5	29·7	29·1	28·7	29·0	29·0	30·0	29·7
21	Somersetshire - - -	31·4	30·5	30·8	30·2	31·5	31·0	31·2	31·4	30·6	30·7	30·9	30·5
	VI.—WEST MIDLAND COUNTIES.												
22	Gloucestershire - - -	32·7	32·5	32·5	31·9	33·4	32·5	32·6	32·4	31·5	31·1	32·3	31·0
23	Herefordshire - - -	30·3	27·6	28·4	28·2	28·5	28·2	29·5	28·6	28·8	27·5	28·6	27·7
24	Shropshire - - - -	31·9	31·6	31·3	31·0	32·5	31·4	31·1	29·8	29·1	29·5	30·9	29·3
25	Staffordshire - - -	41·8	42·5	43·7	41·6	43·2	42·1	41·0	39·4	38·2	38·0	41·2	37·6
26	Worcestershire - - -	34·6	34·5	34·5	33·3	35·3	34·1	34·6	33·6	32·6	33·2	34·0	32·0
27	Warwickshire - - -	37·7	37·2	37·9	37·0	38·5	38·9	38·5	37·0	35·8	35·0	37·4	34·6
	VII.—NORTH MIDLAND COUNTIES.												
28	Leicestershire - - -	36·1	37·0	37·0	35·8	38·9	38·8	38·6	37·0	36·9	35·4	37·2	35·2
29	Rutlandshire - - -	29·7	30·3	28·7	26·6	30·7	35·1	32·2	32·4	30·0	29·4	30·5	28·0
30	Lincolnshire - - -	32·8	32·0	32·5	31·6	33·4	33·1	33·5	32·9	32·4	31·5	32·6	31·4
31	Nottinghamshire - -	35·5	36·2	37·7	36·7	39·0	38·2	37·6	36·1	36·2	36·8	37·0	36·9
32	Derbyshire - - - -	36·5	36·9	38·9	37·7	39·9	39·2	38·9	37·3	36·5	35·4	37·7	34·8
	VIII.—NORTH WESTERN COUNTIES.												
33	Cheshire - - - -	35·6	35·0	36·6	35·2	35·9	35·8	35·0	34·3	33·8	33·4	35·1	33·3
34	Lancashire - - - -	39·1	38·3	39·4	38·9	39·8	39·5	39·4	37·6	36·8	36·1	38·5	36·0
	IX.—YORKSHIRE.												
35	West Riding - - -	38·6	39·0	39·9	39·1	39·9	39·4	38·7	36·2	35·6	34·6	38·1	33·8
36	East Riding (with York) -	34·7	34·8	35·5	35·3	36·3	37·0	36·8	35·1	34·6	33·8	35·4	33·8
37	North Riding - - -	35·3	35·5	37·1	36·2	40·1	38·9	37·1	35·0	34·7	34·8	36·5	35·1
	X.—NORTHERN COUNTIES.												
38	Durham - - - -	44·2	46·3	47·4	46·4	46·4	45·1	42·7	40·0	38·5	39·5	43·7	39·3
39	Northumberland - -	37·4	39·4	39·9	39·9	40·5	39·2	37·2	36·0	35·2	35·1	38·0	34·8
40	Cumberland - - -	34·1	35·2	35·9	34·6	35·2	36·6	35·7	35·4	34·2	35·1	35·2	34·5
41	Westmorland - - -	31·6	30·5	32·6	29·8	31·6	29·8	32·1	30·0	30·9	30·0	30·9	29·5
	XI.—MONMOUTHSHIRE AND WALES.												
42	Monmouthshire - - -	37·2	38·9	40·9	40·2	39·6	39·6	37·7	34·7	33·8	34·0	37·7	34·9
43	South Wales - - -	35·4	36·6	38·6	38·4	38·5	36·8	35·3	34·8	33·7	34·4	36·8	34·4
44	North Wales - - -	31·7	29·8	31·6	30·9	32·0	32·6	32·0	31·6	30·4	30·1	31·3	29·2

TABLE 18.—ENGLAND.—**Estimated** Male and Female **Population** and **Mortality**, and relation between Male and Female **Mortality**, in the Forty-five Years **1838–82**.

Years.	Population.		Annual Death Rate to 1000 living.			Deaths of Males to 100 Deaths of Females.	Of equal Numbers living, Deaths of Males to every 1000 Deaths of Females.
	Males.	Females.	Persons.	Males.	Females.		
1838 -	7,479,021	7,808,078	22·4	23·42	21·46	105	1091
1839 -	7,586,593	7,927,662	21·8	22·77	20·97	104	1086
1840 -	7,689,301	8,041,512	22·8	23·65	21·98	103	1076
1841 -	7,784,883	8,144,609	21·6	22·38	20·83	103	1074
1842 -	7,887,620	8,242,706	21·7	22·39	20·98	102	1067
1843 -	7,990,370	8,341,858	21·2	21·99	20·47	103	1074
1844 -	8,093,100	8,442,074	21·5	22·22	20·77	103	1074
1845 -	8,195,776	8,543,360	20·9	21·66	20·11	103	1077
1846 -	8,298,360	8,645,732	23·0	23·90	22·21	103	1076
1847 -	8,400,820	8,749,193	24·7	25·52	23·88	103	1069
1848 -	8,503,116	8,853,766	23·0	23·72	22·11	103	1073
1849 -	8,605,212	8,959,444	25·1	25·78	24·45	101	1054
1850 -	8,707,074	9,066,250	20·8	21·42	20·13	102	1064
1851 -	8,808,662	9,174,187	22·0	22·76	21·24	103	1072
1852 -	8,909,938	9,283,268	22·3	23·17	21·50	103	1078
1853 -	9,010,866	9,393,502	22·9	23·83	21·97	104	1085
1854 -	9,111,410	9,504,900	23·5	24·41	22·67	103	1077
1855 -	9,211,528	9,617,472	22·6	23·51	21·74	104	1081
1856 -	9,311,182	9,731,230	20·5	21·30	19·64	104	1085
1857 -	9,410,334	9,846,182	21·8	22·57	21·07	102	1071
1858 -	9,508,949	9,962,342	23·1	23·90	22·33	102	1070
1859 -	9,606,982	10,079,719	22·4	23·27	21·55	103	1080
1860 -	9,704,394	10,198,319	21·2	22·12	20·29	104	1090
1861 -	9,801,152	10,318,162	21·6	22·68	20·63	104	1099
1862 -	9,923,272	10,447,741	21·4	22·43	20·48	104	1095
1863 -	10,046,909	10,578,946	23·0	24·11	21·90	105	1101
1864 -	10,172,089	10,711,800	23·7	24·86	22·52	105	1104
1865 -	10,298,826	10,846,325	23·2	24·49	22·01	106	1113
1866 -	10,427,146	10,982,538	23·4	24·59	22·24	105	1106
1867 -	10,557,066	11,120,459	21·7	22·93	20·55	106	1118
1868 -	10,688,600	11,260,113	21·8	23·06	20·68	106	1115
1869 -	10,821,775	11,401,524	22·3	23·55	21·05	106	1119
1870 -	10,956,608	11,544,708	22·9	24·24	21·63	106	1121
1871 -	11,092,620	11,695,974	22·6	23·94	21·32	107	1123
1872 -	11,242,495	11,854,060	21·3	22·69	20·00	108	1135
1873 -	11,394,394	12,014,162	21·0	22·38	19·77	107	1132
1874 -	11,548,346	12,176,488	22·2	23·57	20·90	107	1128
1875 -	11,704,378	12,341,607	22·7	24·11	21·41	107	1126
1876 -	11,862,519	12,507,748	20·9	22·35	19·61	108	1140
1877 -	12,022,796	12,676,743	20·3	21·67	18·93	109	1145
1878 -	12,185,288	12,848,021	21·6	22·88	20·32	107	1126
1879 -	12,349,875	13,021,614	20·7	21·98	19·56	107	1124
1880 -	12,516,737	13,197,551	20·6	21·85	19·34	107	1130
1881 -	12,682,383	13,379,353	18·9	20·00	17·81	106	1123
1882 -	12,853,737	13,560,124	19·6	20·68	18·50	106	1118
Mean Annual Rate in 45 years, 1838–82			22·0	23·04	21·01	105	1097

TABLE **19.—Deaths,** and **Annual Death-rate** to 1000 living, in each **Quarter** of the Forty-five Years **1838–82.**

YEARS.	DEATHS. In the Quarters ending the last day of				ANNUAL DEATH RATE.* In the Quarters ending the last day of			
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
1838 -	98,152	90,877	72,877	80,854	26·2	23·9	18·9	20·9
1839 -	89,740	87,969	76,280	84,995	23·6	22·8	19·5	21·6
1840 -	98,896	90,339	80,822	89,630	25·4	23·1	20·4	22·5
1841 -	99,069	86,134	75,440	83,204	25·4	21·7	18·8	20·6
1842 -	96,314	86,538	82,339	84,328	24·4	21·6	20·3	20·7
1843 -	94,926	87,234	76,792	87,493	23·7	21·5	18·7	21·2
1844 -	101,024	85,337	79,708	90,864	24·7	20·8	19·1	21·8
1845 -	104,664	89,149	74,872	80,681	25·5	21·4	17·8	19·1
1846 -	89,484	90,230	101,664	108,907	21·6	21·4	23·8	25·5
1847 -	119,672	106,718	93,435	103,479	28·5	25·1	21·6	23·9
1848 -	120,032	99,727	87,638	92,436	27·9	23·1	20·1	21·1
1849 -	105,870	102,153	135,227	97,589	24·6	23·4	30·6	22·0
1850 -	98,430	92,871	85,849	91,845	22·6	21·1	19·2	20·5
1851 -	105,259	99,458	91,499	99,080	23·9	22·2	20·2	21·8
1852 -	106,358	100,625	100,382	99,770	23·6	22·2	21·9	21·7
1853 -	118,119	107,047	92,201	103,130	26·1	23·5	19·9	22·1
1854 -	111,843	102,586	113,843	109,633	24·5	22·1	24·2	23·3
1855 -	134,542	106,493	87,646	97,022	29·1	22·7	18·4	20·4
1856 -	103,014	100,099	91,155	96,238	21·8	21·1	19·0	20·0
1857 -	108,665	100,046	100,528	110,576	23·0	20·9	20·7	22·7
1858 -	125,819	107,142	98,142	118,553	26·3	22·1	20·0	24·1
1859 -	121,580	105,631	104,216	109,354	25·2	21·6	21·0	22·0
1860 -	122,617	110,869	86,312	102,923	24·8	22·4	17·2	20·4
1861 -	121,215	107,558	101,232	105,109	24·5	21·5	19·9	20·6
1862 -	122,019	107,392	92,381	114,774	24·3	21·2	18·0	22·4
1863 -	128,996	118,121	112,504	115,116	25·2	23·0	21·7	22·2
1864 -	142,977	116,880	112,223	123,451	27·5	22·5	21·4	23·5
1865 -	140,410	115,892	113,362	121,245	27·0	22·0	21·3	22·8
1866 -	138,136	128,551	116,650	117,352	26·2	24·2	21·7	21·8
1867 -	134,008	112,355	108,513	116,197	25·2	20·9	19·9	21·3
1868 -	119,676	110,010	130,482	120,454	21·9	20·2	23·7	21·8
1869 -	133,026	118,947	114,644	128,141	24·4	21·5	20·5	22·9
1870 -	140,773	121,128	124,297	126,131	26·0	21·6	22·0	22·3
1871 -	138,336	120,793	121,332	134,361	24·6	21·3	21·1	23·4
1872 -	134,952	120,835	118,927	117,551	23·4	21·0	20·4	20·2
1873 -	132,432	118,582	114,676	126,830	22·9	20·3	19·4	21·5
1874 -	136,518	123,907	124,253	141,954	23·3	20·9	20·8	23·7
1875 -	162,256	130,599	121,747	131,651	27·4	21·9	20·1	21·7
1876 -	142,218	126,239	119,977	121,881	23·4	20·8	19·5	19·8
1877 -	134,931	131,244	109,467	124,854	22·2	21·3	17·6	20·1
1878 -	139,373	129,096	129,664	141,739	22·6	20·7	20·6	22·5
1879 -	155,916	132,003	103,919	134,417	24·9	20·9	16·3	21·0
1880 -	145,787	125,366	131,241	126,230	22·7	19·6	20·3	19·5
1881 -	138,312	120,811	110,204	122,608	21·5	18·6	16·8	18·7
1882 -	140,121	125,707	118,235	133,191	21·5	19·0	17·8	20·0
Mean Annual Rate to 1000 in the four Quarters of the 45 years					24·6	21·7	20·3	21·6

* See note to Table 8.

TABLE **20.—Death-rate** to 1000 living in **Registration Counties** in the Eleven Years **1872-82.**

No.	REGISTRATION COUNTIES.	DEATHS TO 1000 LIVING. 1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	Ten Years 1872-81.	1882.
	ENGLAND - -	21·3	21·0	22·2	22·7	20·9	20·3	21·6	20·7	20·5	18·9	21·0	19·6
	I.—LONDON - -	21·4	22·4	22·4	23·5	21·9	21·5	23·1	22·6	21·7	21·2	22·2	21·3
	II.—SOUTH EASTERN COUNTIES.												
1	Surrey (*extra-metropolitan*) -	16·5	16·1	16·8	18·3	17·0	15·7	17·2	17·3	16·6	15·4	16·7	16·1
2	Kent (*extra-metropolitan*) -	17·9	17·1	17·7	19·3	17·4	17·3	18·0	17·5	17·7	15·9	17·6	17·2
3	Sussex - - - - -	16·8	16·6	17·5	18·4	16·5	15·8	17·9	16·7	16·9	15·7	16·9	16·8
4	Hampshire - - - -	18·0	17·1	18·2	19·1	19·2	17·3	18·9	17·5	18·6	17·0	18·1	17·6
5	Berkshire - - - -	17·0	16·9	17·8	20·0	17·5	17·2	18·7	18·6	18·1	15·3	17·7	16·9
	III.—SOUTH MIDLAND COUNTIES.												
6	Middlesex (*extra-metropolitan*)	18·3	18·9	18·0	19·4	18·4	16·7	18·6	17·9	17·0	16·7	18·0	17·8
7	Hertfordshire - - -	18·7	17·8	18·0	20·8	17·4	16·5	18·5	18·4	17·6	16·6	18·0	16·3
8	Buckinghamshire - - -	18·5	17·4	18·1	20·1	18·2	17·1	18·6	19·5	17·9	16·2	18·2	17·7
9	Oxfordshire - - - -	18·1	19·4	18·5	20·5	17·9	18·2	19·4	18·3	18·0	16·9	18·5	16·7
10	Northamptonshire - -	20·8	18·7	19·6	21·2	18·6	18·8	20·0	19·0	19·2	17·7	19·4	17·2
11	Huntingdonshire - - -	17·7	17·2	18·4	22·0	17·2	16·5	16·8	18·9	19·2	15·8	18·0	15·7
12	Bedfordshire - - -	18·8	17·2	19·7	20·9	19·6	17·4	20·3	19·5	19·8	17·1	19·0	18·1
13	Cambridgeshire - - -	18·9	17·4	18·1	21·7	17·3	17·7	19·0	19·1	18·7	16·5	18·4	17·1
	IV.—EASTERN COUNTIES.												
14	Essex - - - - - -	17·6	18·1	17·9	19·0	17·2	17·2	18·1	17·7	18·7	17·2	17·9	17·8
15	Suffolk - - - - - -	18·3	17·6	18·1	20·1	17·5	18·6	19·1	19·8	18·5	16·6	18·4	17·3
16	Norfolk - - - - - -	19·6	19·5	19·6	21·4	18·5	18·5	20·1	19·4	20·2	17·9	19·5	18·3
	V.—SOUTH WESTERN COUNTIES.												
17	Wiltshire - - - -	17·3	17·0	19·3	20·3	17·8	17·9	19·1	19·4	17·7	17·2	18·3	16·8
18	Dorsetshire - - - -	16·5	16·0	17·3	20·0	16·9	16·5	17·0	18·8	16·3	16·4	17·2	15·8
19	Devonshire - - - -	19·1	18·5	18·9	20·5	19·3	18·7	20·8	19·6	19·9	17·7	19·3	17·6
20	Cornwall - - - -	20·1	19·1	20·3	21·2	21·0	20·4	20·3	19·2	21·4	18·4	20·1	18·5
21	Somersetshire - - -	18·5	18·5	1 ·0	21·1	18·7	18·2	19·4	19·6	18·2	16·9	18·8	17·1
	VI.—WEST MIDLAND COUNTIES.												
22	Gloucestershire - - -	18·6	19·4	19·9	22·4	20·1	19·2	19·9	19·7	19·0	17·4	19·6	18·2
23	Herefordshire - - -	16·2	16·8	18·6	19·5	19·1	17·5	17·5	21·5	17·5	15·8	18·0	17·6
24	Shropshire - - - -	18·6	18·3	18·6	19·9	19·2	18·2	19·2	19·2	17·3	16·9	18·5	16·9
25	Staffordshire - - - -	24·6	22·6	23·1	23·3	21·9	21·7	23·2	20·9	20·7	18·7	22·1	19·8
26	Worcestershire - - -	19·0	18·0	19·2	20·6	18·4	18·2	20·8	19·4	17·1	16·2	18·7	17·1
27	Warwickshire - - -	21·1	22·5	24·2	23·8	20·8	21·4	22·6	21·1	20·0	18·7	21·6	19·1
	VII.—NORTH MIDLAND COUNTIES.												
28	Leicestershire - - -	23·2	21·1	21·6	24·2	21·5	20·7	20·8	21·6	21·1	19·1	21·5	18·4
29	Rutlandshire - - - -	17·4	17·9	15·5	18·5	18·7	19·4	20·0	18·0	19·0	16·0	18·0	15·5
30	Lincolnshire - - - -	18·4	18·1	18·9	20·0	17·8	17·7	18·8	18·3	18·6	16·6	18·3	17·7
31	Nottinghamshire - - -	22·4	20·4	22·3	23·8	21·3	19·9	20·0	20·8	21·7	20·0	21·3	20·8
32	Derbyshire - - - -	20·4	21·0	21·5	22·0	21·0	19·3	20·4	21·4	18·9	17·4	20·3	18·3
	VIII.—NORTH WESTERN COUNTIES.												
33	Cheshire - - - -	20·8	20·4	22·1	22·9	21·6	19·8	21·2	20·8	19·9	18·0	20·8	19·4
34	Lancashire - - - -	25·1	25·1	27·7	26·2	25·2	23·9	25·6	23·9	23·8	21·7	24·8	22·8
	IX.—YORKSHIRE.												
35	West Riding - - - -	24·5	23·4	25·3	25·0	23·3	21·7	23·4	21·9	21·5	19·5	23·0	20·4
36	East Riding (with York) -	22·9	21·1	21·9	24·1	20·1	20·0	21·6	20·9	21·3	20·3	21·4	20·9
37	North Riding - - -	20·5	19·9	20·7	22·9	19·1	18·6	19·6	18·2	20·0	17·4	19·7	18·6
	X.—NORTHERN COUNTIES.												
38	Durham - - - - -	25·5	24·4	26·8	24·9	21·5	22·0	23·4	20·2	22·9	18·9	23·1	21·3
39	Northumberland - - -	22·7	24·4	25·7	24·1	21·3	20·7	21·7	21·4	20·9	18·7	22·2	20·2
40	Cumberland - - - -	22·9	23·3	23·8	23·2	20·5	19·5	19·4	20·4	20·7	18·1	21·2	19·3
41	Westmorland - - -	17·2	16·8	18·7	18·4	17·0	16·5	17·7	17·7	18·2	15·2	17·3	15·8
	XI.—MONMOUTHSHIRE AND WALES.												
42	Monmouthshire - - -	21·2	21·5	24·6	22·3	20·1	23·6	21·5	21·3	19·3	18·6	21·4	21·3
43	South Wales - - -	21·4	21·0	24·3	22·5	19·8	20·3	21·1	19·7	20·9	19·5	21·1	18·5
44	North Wales - -	19·7	20·8	20·0	22·5	21·6	20·5	20·3	20·8	20·1	18·5	20·5	17·9

TABLE **21.**—ENGLAND.—**Deaths** REGISTERED **at different Ages** in the Forty-five Years **1838-82.—Males.**

YEARS.	ALL AGES.	AGES AT DEATH.—MALES.																
		Under 1 Year.	1	2	3	4	Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
1838	175,160	41,219	13,758	7,675	4,955	3,622	71,229	8,334	4,446	5,561	6,914	12,061	11,293	11,416	12,870	14,765	12,372	4,014
1839	172,766	41,842	14,878	7,690	5,184	3,776	73,370	8,449	4,422	5,481	6,652	11,910	10,670	10,715	12,279	13,898	11,767	3,753
1840	182,421	43,583	15,294	8,707	6,001	4,544	78,129	10,217	4,730	5,771	6,675	11,553	10,922	10,891	12,316	14,714	12,426	4,077
1841	174,198	41,525	14,014	7,531	5,038	3,627	71,735	9,111	4,487	5,615	6,646	11,489	10,657	11,017	12,532	14,539	12,374	3,996
1842	176,594	44,115	14,771	7,592	4,859	3,426	74,763	8,370	4,451	5,458	6,493	11,036	10,640	10,884	12,381	15,060	12,787	3,971
1843	175,721	44,550	14,315	7,111	4,716	3,350	74,042	8,210	4,289	5,358	6,554	11,118	10,996	11,000	12,482	15,290	12,498	3,884
1844	181,126	45,238	14,076	7,638	5,157	3,761	75,870	8,814	4,289	5,239	6,653	11,438	11,218	11,379	12,902	15,940	13,141	4,249
1845	177,529	43,575	14,383	7,106	4,675	3,529	73,268	8,161	4,256	5,423	6,873	11,412	11,180	11,348	12,820	15,636	13,062	4,090
1846	198,325	52,451	17,565	8,066	4,793	3,448	86,323	8,266	4,680	6,071	7,583	12,777	12,006	12,117	13,743	16,571	13,824	4,364
1847	*212,426	49,473	16,662	8,891	5,857	4,117	85,000	9,768	5,094	6,609	8,230	13,806	13,689	14,074	16,253	19,115	15,993	4,795
1848	*202,265	48,425	15,683	9,060	6,151	4,700	84,019	10,630	4,962	6,136	7,727	13,051	12,630	12,946	14,847	17,203	14,009	4,105
1849	221,801	51,481	16,001	8,684	5,833	4,600	86,599	11,607	6,129	6,900	8,677	16,065	15,609	16,040	16,988	18,738	14,406	4,043
1850	186,491	48,456	14,410	7,904	4,607	3,617	78,094	8,494	4,476	5,490	6,459	11,500	11,672	12,384	14,116	16,606	13,448	3,842
1851	200,500	53,225	16,294	8,118	4,940	3,577	86,154	9,160	4,744	5,924	7,040	12,551	12,567	13,125	14,633	17,144	13,634	3,824
1852	207,042	55,380	17,038	8,132	5,379	3,762	89,691	9,666	5,092	6,139	7,388	12,976	12,676	13,513	15,031	17,065	13,918	3,887
1853	214,720	54,916	16,779	8,306	5,190	3,755	88,856	9,144	5,009	6,422	7,759	13,734	13,710	14,734	16,217	18,986	15,802	4,347
1854	222,422	55,380	19,367	10,111	6,305	4,279	95,442	10,222	5,520	6,567	7,907	14,074	14,234	14,947	16,160	18,533	14,901	3,915
1855	216,587	54,798	16,282	8,495	5,760	4,192	89,527	9,010	5,054	6,129	7,362	13,278	13,657	14,593	16,958	19,957	16,418	4,614
1856	198,875	52,598	16,068	7,759	5,152	3,703	85,280	8,031	4,619	5,854	7,028	12,387	12,721	13,223	15,258	17,388	13,336	3,750
1857	212,356	57,285	18,198	8,353	5,306	3,773	92,915	8,797	4,813	5,949	7,072	12,645	13,115	13,946	15,937	18,361	14,775	4,031
1858	227,220	57,816	19,204	10,471	7,231	5,105	99,827	11,962	5,192	6,350	7,300	12,833	13,625	14,471	16,743	19,433	15,232	4,252
1859	223,576	58,932	19,045	9,691	6,508	4,698	98,874	10,646	4,988	6,070	7,158	12,766	13,743	14,754	16,904	19,097	14,657	3,919
1860	215,238	56,892	17,297	7,890	4,942	3,407	90,428	7,935	4,333	5,826	7,070	12,605	13,999	14,949	17,634	20,327	15,983	4,129
1861	222,281	59,673	20,621	8,749	4,969	3,465	97,477	7,926	4,606	6,191	7,117	12,887	14,022	14,931	17,481	19,949	15,578	4,116
1862	222,622	56,960	19,492	9,611	5,976	3,990	96,029	9,154	4,760	6,037	7,170	13,078	14,299	15,571	17,939	19,609	15,067	3,909
1863	242,203	60,707	22,610	11,437	7,902	5,748	108,454	12,407	5,450	6,264	7,454	13,550	14,887	15,869	18,416	20,116	15,212	4,124
1864	253,619	62,818	21,025	10,798	7,338	5,433	107,212	12,094	5,499	6,518	8,086	15,041	16,780	17,787	20,779	22,536	16,774	4,513
1865	252,218	66,507	20,929	9,514	6,017	4,189	107,156	10,050	5,309	6,477	8,249	15,615	16,704	18,303	20,681	22,252	16,993	4,429
1866	253,402	66,851	21,532	10,115	5,921	4,005	108,424	9,903	5,214	6,626	8,354	16,328	17,463	18,940	20,894	22,711	17,068	4,447
1867	242,588	65,464	19,278	8,297	5,013	3,450	101,502	8,327	4,578	6,229	7,678	15,688	16,236	17,474	20,483	22,865	17,509	4,619
1868	247,107	67,290	20,844	9,610	6,122	4,459	108,325	10,131	4,888	6,164	7,413	14,921	15,945	17,592	19,782	21,745	16,224	3,977
1869	254,863	63,691	20,981	10,013	6,580	4,747	109,012	10,930	5,090	6,024	7,428	15,332	16,421	18,184	20,861	23,625	17,572	4,384
1870	267,586	70,465	21,547	10,099	6,871	5,117	114,099	11,903	5,470	6,791	7,612	15,894	16,940	18,622	21,500	24,407	18,147	4,601
1871	265,563	69,699	20,832	9,247	6,096	4,649	110,523	11,206	5,421	6,951	8,772	17,655	17,823	19,305	21,786	24,029	17,557	4,535
1872	255,135	68,387	20,105	8,376	5,184	3,794	105,846	9,650	5,149	6,642	8,451	16,711	17,558	18,898	21,216	23,616	17,146	4,252
1873	254,985	69,195	19,505	8,054	4,979	3,393	105,126	8,346	4,632	6,001	7,361	15,540	17,267	19,328	22,419	25,726	18,512	4,727
1874	272,178	71,794	21,714	10,254	6,658	4,810	115,230	10,503	5,028	6,031	7,515	16,012	18,390	20,622	23,831	26,163	18,149	4,704
1875	282,202	75,184	21,918	9,294	6,053	4,434	116,883	9,922	4,903	6,447	7,728	16,361	19,603	21,353	25,450	27,620	20,624	5,308
1876	265,976	72,552	20,976	8,616	5,572	4,013	111,729	9,290	4,670	6,200	7,521	15,844	18,370	19,982	23,487	25,128	18,422	4,433
1877	260,567	67,616	21,298	8,537	5,335	3,963	106,799	8,937	4,689	5,854	7,395	15,689	18,392	19,873	23,933	25,682	18,523	4,751
1878	278,772	75,659	24,342	10,033	6,210	4,421	120,665	9,918	4,817	5,932	7,205	15,400	18,562	20,241	24,573	26,412	19,337	5,180
1879	271,496	67,077	22,044	9,296	5,938	4,263	108,718	9,610	4,526	5,747	6,903	15,228	18,387	20,793	26,024	23,103	21,793	5,354
1880	273,442	75,075	27,207	9,953	6,019	4,542	120,796	9,968	4,530	5,696	6,787	14,250	17,556	19,697	24,169	26,431	19,012	4,570
1881	253,605	64,165	18,002	7,911	5,008	4,044	99,430	9,108	4,557	5,766	6,759	15,082	18,476	19,995	24,597	26,494	19,020	4,311
1882	265,767	69,341	22,838	9,214	5,821	4,464	111,678	9,992	4,541	5,928	6,645	15,270	18,100	20,035	24,513	26,229	18,497	4,259

* The totals for 1847 and 1848 differ from those given in Table 1. on account of the false entries made during those years in the Howard Street sub-district of Liverpool. The totals for that sub-district are excluded from the Table of Ages.

TABLE 22.—ENGLAND.—**Deaths** REGISTERED **at different Ages** in the Forty-five Years **1838-82.—Females.**

YEARS.	ALL AGES.	AGES AT DEATH.—FEMALES.																
		Under 1 Year.	1	2	3	4	Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
1838	167,600	32,584	13,264	7,706	4,989	3,516	62,059	7,846	4,752	6,313	7,358	12,925	11,260	10,268	12,152	14,530	13,066	5,071
1839	166,218	32,865	13,871	7,776	5,364	3,773	63,649	8,306	4,713	6,434	7,237	12,579	10,883	9,760	11,367	13,884	12,535	4,871
1840	177,266	33,940	14,790	8,309	5,896	4,462	67,397	10,018	5,049	6,810	7,284	13,040	11,262	10,050	12,016	15,020	13,799	5,521
1841	169,649	32,800	13,295	7,519	4,891	3,548	62,053	8,784	4,643	6,459	7,297	12,850	11,081	10,071	11,870	15,145	13,871	5,525
1842	172,925	34,685	13,969	7,509	4,798	3,474	64,435	8,557	4,599	6,387	7,268	12,954	11,209	10,148	12,125	15,877	13,809	5,557
1843	170,724	34,796	13,610	7,156	4,818	3,361	63,741	7,951	4,385	5,984	7,000	12,719	11,468	10,050	12,134	15,803	14,004	5,485
1844	175,807	34,933	13,136	7,569	5,099	3,544	64,281	8,571	4,573	6,240	7,268	13,246	11,407	10,512	12,748	16,574	14,751	5,636
1845	171,837	33,926	13,358	7,073	4,721	3,362	62,440	7,706	4,358	6,368	7,304	13,011	11,494	10,299	12,510	16,332	14,503	5,482
1846	191,990	41,279	16,749	8,119	4,901	3,396	74,444	7,939	4,912	6,757	7,959	14,096	12,220	11,140	13,212	17,484	15,618	6,129
1847	*207,240	39,112	15,991	8,495	5,784	4,128	73,510	9,369	5,326	7,142	8,413	15,872	14,174	12,955	15,668	20,053	18,289	6,469
1848	*196,266	38,057	14,925	9,004	6,133	4,499	72,618	9,973	5,270	6,897	8,091	14,924	13,216	11,736	14,189	17,832	15,905	5,615
1849	219,038	40,781	14,906	8,550	6,081	4,341	74,659	11,210	6,142	7,802	9,432	18,699	16,758	15,071	17,032	19,788	16,741	5,704
1850	182,504	37,942	13,678	6,808	4,681	3,615	66,724	8,355	4,647	6,298	7,187	13,857	12,326	11,313	13,593	17,465	15,406	5,333
1851	194,896	41,661	15,741	8,045	4,928	3,635	74,010	8,936	5,019	6,633	7,655	14,246	12,792	11,880	14,150	18,214	15,844	5,467
1852	200,093	43,391	16,114	8,097	5,301	3,706	76,609	9,286	5,171	7,001	7,734	14,788	13,176	11,980	14,212	17,966	16,478	5,692
1853	206,377	43,117	16,183	8,272	5,182	3,641	76,395	8,682	5,253	7,304	8,067	15,415	13,719	12,755	15,359	19,503	17,822	6,103
1854	215,483	43,919	18,384	9,765	6,363	4,312	82,743	9,980	5,513	7,216	8,291	16,144	14,725	13,443	15,568	19,226	17,023	5,611
1855	209,116	42,705	15,725	8,345	5,610	3,831	76,216	8,792	4,898	6,940	7,969	14,783	14,107	12,751	16,238	20,801	19,088	6,533
1856	191,631	41,809	15,335	7,737	5,191	3,715	73,787	8,134	4,524	6,428	7,344	13,984	13,140	11,801	14,995	17,697	15,626	5,071
1857	207,459	45,942	17,339	8,618	5,400	3,790	81,089	8,644	4,686	6,718	7,786	14,277	13,551	12,456	15,348	19,727	17,251	5,926
1858	222,436	46,021	18,250	10,447	7,180	5,204	87,102	11,851	5,430	7,018	8,199	14,978	14,151	12,761	15,747	20,702	18,248	6,249
1859	217,205	46,697	17,707	9,504	6,597	4,885	85,390	10,771	5,392	6,866	7,914	14,996	14,219	13,166	15,526	19,934	17,224	5,807
1860	207,483	44,092	16,134	7,630	4,985	3,515	76,356	8,032	4,550	6,520	7,554	14,745	14,165	13,223	16,513	21,309	18,296	6,220
1861	212,888	46,755	19,412	8,787	5,181	3,517	83,652	7,964	4,574	6,857	7,838	14,830	13,915	13,159	16,366	20,341	17,667	5,670
1862	213,944	44,413	18,167	9,763	5,972	4,169	82,484	8,838	4,859	6,740	7,612	14,914	14,364	13,473	16,593	20,787	17,537	5,743
1863	231,634	47,382	21,427	11,303	7,814	5,570	93,556	11,973	5,591	6,803	7,965	15,544	14,870	13,735	16,944	20,720	17,798	6,135
1864	241,912	50,117	19,540	10,253	7,324	5,257	92,591	11,541	5,566	7,063	8,398	16,656	15,878	15,465	18,954	23,584	19,733	6,483
1865	238,691	53,303	19,807	9,415	5,979	4,183	92,687	9,683	5,111	7,007	8,542	16,661	16,026	15,714	18,556	22,750	19,533	6,421
1866	244,287	53,448	20,805	10,197	6,034	4,111	94,595	9,126	5,074	7,123	8,682	17,454	16,940	16,258	19,176	23,426	19,958	6,475
1867	228,485	51,795	18,354	8,332	5,145	3,468	87,094	7,850	4,401	6,738	7,926	15,915	15,488	15,247	18,256	23,064	20,142	6,364
1868	233,515	54,785	19,992	9,524	6,092	4,311	94,804	9,619	4,804	6,663	7,978	15,967	15,050	14,836	17,780	21,689	18,448	5,877
1869	239,965	53,583	19,445	10,117	6,637	4,768	94,550	10,253	5,071	6,562	7,566	15,896	15,468	15,812	18,819	23,653	20,031	6,284
1870	249,743	56,173	19,748	9,958	6,791	4,925	97,595	11,148	5,369	6,997	7,956	16,492	15,893	16,163	19,912	24,561	20,997	6,660
1871	249,316	56,169	19,887	9,471	6,064	4,499	96,090	10,239	5,404	7,310	8,676	17,070	16,475	16,531	20,015	24,830	20,255	6,421
1872	237,130	55,209	18,924	8,390	5,360	3,710	91,593	9,008	4,897	6,896	8,152	16,554	16,115	15,863	19,012	23,615	19,149	6,276
1873	237,535	54,573	18,396	7,938	4,936	3,410	89,253	7,849	4,443	6,239	7,386	15,544	15,788	16,522	20,460	26,064	20,913	7,074
1874	254,454	57,064	20,350	9,973	6,637	4,545	98,569	10,133	4,957	6,513	8,077	16,771	16,999	17,026	21,431	26,287	20,923	6,768
1875	264,251	59,430	20,963	9,149	5,924	4,201	99,667	9,197	4,917	6,635	8,153	17,143	17,537	18,288	23,178	28,343	23,474	7,719
1876	245,239	57,388	19,287	8,714	5,474	3,961	94,824	8,627	4,716	6,253	7,657	15,521	16,814	16,773	21,195	25,564	20,561	6,734
1877	239,929	53,201	19,315	8,294	5,339	3,626	89,775	8,323	4,735	6,115	7,265	15,515	16,473	16,790	21,278	26,052	20,779	6,829
1878	261,100	60,268	22,808	10,043	6,208	4,343	103,670	9,259	4,851	6,313	7,380	15,306	16,677	17,128	22,745	27,612	22,829	7,330
1879	254,759	52,175	19,757	9,056	5,822	4,147	90,957	8,917	4,594	6,083	7,090	15,485	16,875	17,906	24,315	30,180	24,647	7,710
1880	255,182	59,611	23,702	9,865	6,126	4,341	103,645	9,384	4,609	6,069	7,069	14,847	16,087	16,692	22,088	26,759	21,464	6,469
1881	238,330	50,811	17,931	7,771	5,269	3,870	84,752	8,976	4,545	6,040	7,344	15,589	16,746	17,072	22,740	27,113	21,194	6,219
1882	250,887	55,679	21,204	9,021	5,899	4,268	96,071	9,548	4,763	6,140	7,340	15,835	16,951	17,453	22,656	26,888	21,110	6,132

* See Note to Table 21.

TABLE 23.—ENGLAND.—**Mortality** to 1000 **Males** living at Twelve groups of Ages in the Forty-five Years **1838–82.***

YEARS.	DEATHS TO 1000 MALES LIVING. AGES.—MALES.												
	ALL AGES.	0–	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwds.
1838	23·4	70·7	9·1	5·3	7·4	9·9	10·7	13·4	19·1	33·6	68·0	148·3	315·9
1839	22·8	71·7	9·1	5·1	7·2	9·4	9·9	12·6	17·7	31·6	63·4	139·1	291·2
1840	23·7	75·4	10·8	5·4	7·5	9·3	9·9	12·7	17·7	31·2	66·2	144·9	312·1
1841	22·4	68·4	9·5	5·1	7·2	9·2	9·8	12·2	17·7	31·4	64·6	142·5	302·1
1842	22·4	70·4	9·0	5·0	6·9	8·9	9·3	12·0	17·2	30·4	65·7	145·6	299·9
1843	22·0	68·8	8·4	4·8	6·7	8·9	9·2	12·2	17·1	30·1	65·6	140·6	293·0
1844	22·4	69·7	9·0	4·7	6·5	8·9	9·4	12·3	17·3	30·5	67·2	146·1	320·3
1845	21·7	65·5	8·2	4·6	6·6	9·1	9·2	12·1	17·0	29·7	64·7	143·6	308·1
1846	23·9	77·4	8·2	5·1	7·3	10·0	10·2	12·8	17·8	31·2	67·4	150·3	328·6
1847	25·3	75·3	9·6	5·5	7·9	10·7	10·9	14·3	20·3	36·2	76·5	172·0	360·9
1848	23·8	73·6	10·4	5·3	7·2	10·0	10·2	13·0	18·4	32·5	67·7	149·0	308·9
1849	25·8	75·0	11·2	6·4	8·0	11·1	12·4	15·9	22·4	36·4	72·5	151·6	304·3
1850	21·4	65·9	8·1	4·7	6·2	8·2	8·8	11·7	17·0	29·7	63·2	140·1	289·2
1851	22·8	73·0	8·7	4·9	6·8	8·8	9·5	12·4	17·7	30·3	64·2	140·5	288·0
1852	23·2	74·9	9·1	5·2	6·9	9·2	9·8	12·4	18·0	30·6	63·0	142·0	293·0
1853	23·8	73·1	8·5	5·1	7·2	9·6	10·3	13·2	19·3	32·4	69·1	159·7	328·1
1854	24·4	77·4	9·4	5·5	7·3	9·7	10·4	13·5	19·3	31·8	65·6	149·2	295·9
1855	23·5	71·5	8·2	5·0	6·7	8·9	9·8	12·8	18·6	32·9	70·7	162·8	349·3
Forty-five Years (1838–82).	23·1	71·0	8·2	4·5	6·3	8·5	9·7	13·1	18·9	32·7	67·4	147·8	314·2
1856	21·4	67·2	7·2	4·5	6·4	8·5	9·1	11·8	16·6	29·1	60·8	131·0	284·4
1857	22·6	72·2	7·8	4·7	6·4	8·4	9·2	12·0	17·3	29·9	63·4	143·9	306·3
1858	23·9	76·5	10·5	5·0	6·8	8·6	9·3	12·3	17·7	31·0	66·2	147·0	323·8
1859	23·3	74·8	9·2	4·8	6·4	8·4	9·2	12·3	17·9	30·8	64·2	140·2	299·1
1860	22·2	67·5	6·8	4·1	6·1	8·3	9·1	12·4	17·9	31·6	67·5	151·6	315·9
1861	22·7	71·8	6·7	4·3	6·4	8·3	9·2	12·3	17·6	30·9	65·5	146·5	315·7
1862	22·4	69·8	7·7	4·4	6·2	8·2	9·2	12·4	18·1	31·3	63·3	139·9	296·6
1863	24·1	77·8	10·3	5·0	6·4	8·5	9·4	12·8	18·2	31·7	64·0	139·4	309·5
1864	24·9	76·0	9·9	5·0	6·5	9·1	10·3	14·3	20·2	35·3	70·6	151·8	335·0
1865	24·5	75·0	8·1	4·7	6·4	9·2	10·6	14·2	20·5	34·7	68·6	151·8	325·2
1866	24·6	74·3	7·8	4·6	6·5	9·2	10·9	14·7	20·9	34·6	68·9	150·5	322·9
1867	23·0	69·3	6·5	4·0	6·0	8·4	10·0	13·6	19·1	33·5	68·3	152·4	331·8
1868	23·1	73·0	7·8	4·2	5·9	8·0	9·7	13·2	18·9	32·0	64·0	139·4	282·5
1869	23·3	72·5	8·3	4·3	5·7	7·9	9·9	13·5	19·3	33·3	68·4	149·0	308·1
1870	24·2	75·0	8·9	4·5	5·9	8·1	10·1	13·8	19·5	33·9	69·6	151·9	319·8
1871	23·9	71·7	8·2	4·4	6·3	9·1	11·1	14·4	20·7	34·1	68·9	149·0	332·2
1872	22·7	67·7	7·0	4·1	6·0	8·6	10·3	14·0	20·0	32·8	66·8	143·6	307·4
1873	22·4	66·4	5·9	3·7	5·3	7·4	9·5	13·6	20·1	34·2	71·8	153·0	337·1
1874	23·6	71·8	7·4	3·9	5·3	7·5	9·6	14·2	21·2	37·0	72·1	148·0	331·0
1875	24·1	71·8	6·9	3·8	5·5	7·6	9·7	15·0	21·7	37·8	75·1	165·9	368·5
1876	22·3	67·8	6·4	3·6	5·3	7·3	9·3	13·9	20·0	34·4	67·4	146·2	303·7
1877	21·7	63·9	6·1	3·5	4·9	7·1	9·1	13·7	19·6	34·6	67·9	145·1	321·1
1878	22·9	71·2	6·6	3·6	4·9	6·8	8·8	13·6	19·7	35·1	68·9	153·3	345·5
1879	22·0	63·3	6·3	3·3	4·7	6·4	8·6	13·3	20·0	36·6	73·1	166·2	352·3
1880	21·8	63·4	6·5	3·3	4·6	6·2	7·9	12·5	18·7	33·6	67·2	143·3	296·7
1881	20·0	56·4	5·8	3·2	4·5	6·1	8·3	13·0	19·3	33·9	67·7	144·7	293·0
1882	20·7	62·5	6·3	3·2	4·6	5·9	8·2	12·6	19·1	33·5	66·2	138·8	285·6

* See Note to Table 23.

TABLE **24.**—ENGLAND.—**Mortality** to **1000 Females** living at Twelve groups of Ages in the Forty-five Years **1838–82.***

YEARS.	DEATHS TO 1000 FEMALES LIVING. AGES.—FEMALES.												
	All Ages.	0–	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwds.
1838	21·5	61·1	8·6	5·8	8·2	9·3	10·6	13·0	16·4	29·3	58·4	131·4	278·4
1839	21·0	61·7	9·0	5·7	8·2	9·0	10·1	12·4	15·4	27·0	55·0	124·2	263·4
1840	22·0	64·5	10·6	6·0	8·6	8·9	10·4	12·6	15·6	28·1	58·7	134·7	294·3
1841	20·8	58·6	9·2	5·4	8·0	8·8	10·1	12·3	15·4	27·4	58·4	133·7	290·8
1842	21·0	60·2	8·9	5·3	7·8	8·7	10·0	12·2	15·3	27·4	60·1	130·8	290·9
1843	20·5	58·9	8·2	5·0	7·3	8·4	9·7	12·3	14·9	26·9	58·7	130·3	285·6
1844	20·8	58·8	8·7	5·2	7·5	8·6	10·0	12·1	15·3	27·7	60·4	134·9	291·9
1845	20·1	56·5	7·8	4·9	7·6	8·6	9·8	12·0	14·8	26·7	58·4	130·3	282·4
1846	22·2	66·7	8·0	5·4	8·0	9·3	10·4	12·5	15·7	27·8	61·4	137·9	314·1
1847	23·7	65·2	9·3	5·8	8·4	9·8	11·6	14·3	17·9	32·1	69·1	158·7	329·8
1848	22·2	63·7	9·8	5·7	8·0	9·4	10·8	13·1	16·0	28·5	60·4	135·6	284·8
1849	24·4	64·9	10·9	6·6	9·0	10·9	13·3	16·4	20·2	33·6	65·8	140·2	287·8
1850	20·1	57·4	8·1	4·9	7·2	8·3	9·8	11·9	14·9	26·3	57·0	126·8	267·7
1851	21·2	63·0	8·6	5·3	7·5	8·8	9·9	12·1	15·4	26·8	58·3	128·2	273·0
1852	21·6	64·3	8·8	5·4	7·8	8·8	10·2	12·3	15·3	26·6	56·8	132·2	283·4
1853	22·0	63·2	8·1	5·4	8·1	9·0	10·6	12·6	16·1	28·3	60·9	141·7	302·9
1854	22·7	67·5	9·2	5·6	7·9	9·2	11·0	13·4	16·7	28·3	59·2	134·2	277·6
1855	21·7	61·4	8·0	4·9	7·5	8·7	10·0	12·6	15·6	29·1	63·3	149·2	322·2
Forty-five Years (1838–82).	**21·0**	**61·2**	**7·9**	**4·7**	**6·9**	**8·1**	**9·7**	**12·2**	**15·6**	**28·0**	**59·8**	**134·5**	**289·0**
1856	19·7	58·6	7·3	4·5	6·9	8·0	9·3	11·6	14·2	24·9	53·1	121·1	249·4
1857	21·1	63·5	7·7	4·6	7·1	8·4	9·4	11·8	14·8	26·7	58·5	132·6	290·5
1858	22·3	67·3	10·4	5·3	7·4	8·7	9·8	12·1	14·9	27·0	60·6	139·0	305·4
1859	21·5	65·0	9·4	5·2	7·2	8·3	9·8	12·0	15·2	26·3	57·6	130·1	283·0
1860	20·3	57·4	6·9	4·4	6·7	7·9	9·5	11·8	15·0	27·6	60·8	137·1	302·2
1861	20·6	62·0	6·8	4·4	7·0	8·1	9·5	11·4	14·7	26·9	57·3	131·2	274·7
1862	20·5	60·3	7·4	4·6	6·8	7·8	9·4	11·7	14·8	26·9	57·7	128·7	274·9
1863	21·9	67·5	9·9	5·2	6·8	8·1	9·7	11·9	14·9	27·1	56·7	129·1	290·1
1864	22·6	65·9	9·4	5·1	7·0	8·4	10·3	12·6	16·5	29·9	63·6	141·4	302·9
1865	22·0	65·2	7·8	4·6	6·8	8·5	10·2	12·6	16·6	28·8	60·4	138·3	296·4
1866	22·2	65·6	7·2	4·5	6·9	8·6	10·5	13·2	16·9	29·4	61·3	139·7	295·3
1867	20·5	59·6	6·1	3·9	6·4	7·8	9·5	12·0	15·6	27·5	59·5	139·3	286·8
1868	20·7	64·1	7·4	4·2	6·3	7·7	9·4	11·5	14·9	26·4	55·1	126·1	261·7
1869	21·0	63·0	7·8	4·3	6·1	7·3	9·3	11·7	15·7	27·6	59·2	135·3	276·5
1870	21·6	64·2	8·3	4·5	6·4	7·6	9·5	11·9	15·8	28·8	60·6	140·1	289·5
1871	21·3	62·2	7·5	4·4	6·6	8·2	9·8	12·3	16·2	28·3	60·8	136·0	293·8
1872	20·0	58·5	6·5	4·0	6·1	7·6	9·4	11·9	15·4	26·5	57·1	126·8	283·3
1873	19·8	56·3	5·6	3·6	5·5	6·8	8·7	11·5	15·8	28·1	62·1	136·7	315·1
1874	20·9	61·3	7·1	3·9	5·6	7·3	9·2	12·2	16·1	29·1	61·8	134·9	297·4
1875	21·4	61·2	6·3	3·8	5·7	7·3	9·3	12·4	17·0	31·0	65·8	149·4	334·7
1876	19·6	57·4	5·9	3·6	5·3	6·7	8·3	11·7	15·4	28·0	58·5	129·1	288·1
1877	18·9	53·7	5·6	3·6	5·1	6·3	8·2	11·3	15·2	27·7	58·9	128·7	288·3
1878	20·3	61·1	6·1	3·6	5·2	6·3	8·0	11·3	15·3	29·3	61·5	139·5	305·3
1879	19·6	52·9	5·8	3·4	4·9	6·0	8·0	11·3	15·8	30·9	66·4	148·6	316·9
1880	19·3	59·5	6·1	3·4	4·8	5·9	7·6	10·6	14·5	27·7	58·1	127·7	262·3
1881	17·8	47·9	5·7	3·2	4·7	6·0	7·9	11·0	14·9	27·9	58·4	126·4	263·9
1882	18·5	53·6	5·9	3·4	4·7	5·9	7·9	10·9	15·1	27·5	57·2	124·3	256·8

* See Note to Table 23.

TABLE **25.**—ENGLAND.—**Mortality** to 1000 living at Twelve groups of Ages in Decennial and Quinquennial periods since **1838.***

YEARS.	AGES.												
	ALL AGES.	0–	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwds.
	MALES.												
Forty-five Years (1838-82). (10 Years)	23·1	71·0	8·2	4·5	6·3	8·5	9·7	13·1	18·9	32·7	67·4	147·8	314·2
1841-50	23·1	71·2	9·2	5·1	7·1	9·5	9·9	12·9	18·2	31·8	67·5	148·1	311·5
1851-60	23·1	72·8	8·5	4·9	6·7	8·8	9·6	12·5	18·0	31·0	65·6	146·8	308·4
1861-70	23·7	73·5	8·2	4·5	6·2	8·5	9·9	13·5	19·2	33·1	67·1	147·3	314·7
1871-80	22·7	68·5	6·7	3·7	5·3	7·4	9·4	13·8	21·2	34·9	69·9	151·4	329·6
(3 Years.) 1838-40	23·3	72·6	9·7	5·3	7·4	9·5	10·2	12·9	18·2	32·1	65·9	144·1	306·4
(5 Years.) 1841-45	22·2	68·8	8·8	4·8	6·8	9·0	9·4	12·2	17·3	30·4	65·6	143·7	304·7
1846-50	24·0	73·6	9·5	5·4	7·3	10·0	10·5	13·5	19·2	33·2	69·5	152·6	318·4
1851-55	23·5	74·0	8·8	5·1	7·0	9·2	10·0	12·9	18·6	31·6	66·7	150·8	310·9
1856-60	22·7	71·6	8·3	4·6	6·4	8·4	9·2	12·2	17·5	30·5	64·4	142·7	305·9
1861-65	23·7	74·1	8·5	4·7	6·4	8·7	9·7	13·2	18·9	32·8	66·4	145·9	316·4
1866-70	23·7	72·9	7·9	4·3	6·0	8·3	10·1	13·8	19·5	33·5	67·8	148·6	313·0
1871-75	23·3	69·9	7·1	4·0	5·7	8·0	10·0	14·2	20·7	35·0	70·9	151·9	335·2
1876-80	22·1	67·1	6·4	3·5	4·9	6·8	8·7	13·4	19·6	34·9	68·9	150·8	323·9
	FEMALES.												
Forty-five Years (1838-82). (10 Years)	21·0	61·2	7·9	4·7	6·9	8·1	9·7	12·2	15·6	28·0	59·8	134·5	289·0
1841-50	21·6	61·1	8·9	5·4	7·9	9·1	10·6	12·9	16·0	28·4	61·0	135·9	292·6
1851-60	21·4	63·1	8·4	5·1	7·4	8·6	10·0	12·2	15·3	27·2	58·9	134·5	289·0
1861-70	21·4	63·7	7·8	4·5	6·7	8·0	9·7	12·1	15·6	27·9	59·1	134·9	284·9
1871-80	20·1	58·4	6·3	3·7	5·5	6·8	8·7	11·7	15·7	28·7	61·1	135·7	298·5
(3 Years.) 1838-40	21·5	62·4	9·4	5·8	8·3	9·1	10·4	12·7	15·8	28·1	57·4	130·1	278·7
(5 Years.) 1841-45	20·6	58·6	8·6	5·2	7·6	8·6	9·9	12·2	15·1	27·2	59·2	132·0	288·3
1846-50	22·5	63·6	9·2	5·7	8·1	9·5	11·2	13·6	16·9	29·7	62·7	139·8	296·8
1851-55	21·8	63·9	8·5	5·3	7·8	8·9	10·3	12·6	15·8	27·8	59·7	137·1	291·8
1856-60	21·0	62·4	8·3	4·8	7·1	8·3	9·6	11·9	14·8	26·5	58·1	132·0	286·1
1861-65	21·5	64·2	8·3	4·8	6·9	8·2	9·8	12·0	15·5	27·9	59·1	133·7	287·8
1866-70	21·2	63·3	7·4	4·3	6·4	7·8	9·6	12·1	15·8	27·9	59·1	136·1	282·0
1871-75	20·7	59·9	6·6	3·9	5·9	7·4	9·3	12·1	16·1	28·6	61·5	136·8	304·9
1876-80	19·5	56·9	5·9	3·5	5·1	6·2	8·0	11·2	15·2	28·7	60·7	134·7	292·2

* The populations used in these calculations are deduced from the ascertained rates of increase observed in the 41 years 1841-81 (*see* Table 73), distributed in the several groups of ages according to the proportions found to prevail at the last five Censuses.

TABLE 26.—ENGLAND.—**Mortality to 1000 Persons living at TWELVE GROUPS of Ages in Registration Counties, in 1882.**

No.	REGISTRATION COUNTIES.	ALL AGES	0–	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
	ENGLAND.													
	Average Annual Rate in 25 Years 1848-72 - - -	22·4	67·9	8·3	4·8	6·7	8·8	9·9	12·7	17·0	30·1	62·0	139·6	294·2
	ENGLAND - -	19·6	58·0	6·1	3·3	4·7	5·9	8·1	11·7	17·0	30·3	61·3	130·7	267·9
	DIV. I.													
	London - - -	21·3	71·6	7·0	3·0	4·1	5·2	8·1	13·4	20·4	35·4	68·2	140·6	265·0
	DIV. II.													
1	Surrey (*extra-metro.*)	16·1	44·8	4·2	2·7	3·9	4·8	6·6	11·0	16·6	27·3	57·9	116·0	255·6
2	Kent (*extra-metrop.*)	17·2	45·3	5·1	3·5	4·5	5·2	7·1	10·9	14·7	24·9	54·5	118·5	278·2
3	Sussex - - -	16·8	45·0	4·8	2·9	3·7	5·2	7·2	10·8	14·1	25·2	50·1	126·0	260·9
4	Hampshire - -	17·6	45·8	4·9	2·9	4·6	6·5	8·9	11·6	15·7	25·2	53·4	120·1	284·1
5	Berkshire - - -	16·9	43·5	5·4	2·6	2·8	4·9	7·1	9·6	14·1	24·4	53·5	128·3	294·0
	DIV. III.													
6	Middlesex (*ex.-metro.*)	17·8	52·9	5·5	3·1	3·3	4·3	7·0	10·6	17·1	27·9	61·5	129·3	277·1
7	Hertfordshire - -	16·3	38·4	3·8	2·6	3·2	5·4	7·0	10·0	13·5	24·3	52·2	134·7	259·4
8	Buckinghamshire -	17·7	45·5	5·0	2·3	3·5	5·8	7·5	8·9	13·8	23·8	58·2	135·6	230·8
9	Oxfordshire - -	16·7	40·8	5·9	2·7	3·7	5·6	5·6	8·9	13·5	22·4	54·4	133·3	229·3
10	Northamptonshire -	17·2	48·5	4·2	2·8	4·6	5·8	6·3	9·1	13·0	23·9	55·4	121·8	283·5
11	Huntingdonshire -	15·7	33·0	4·6	3·5	5·2	7·0	7·1	6·3	8·4	16·2	58·4	118·2	251·7
12	Bedfordshire - -	18·1	50·5	6·0	3·1	3·7	5·8	7·0	9·5	13·0	23·9	61·9	131·3	315·8
13	Cambridgeshire -	17·1	44·9	5·8	2·9	4·7	4·3	6·2	8·6	11·8	23·0	48·5	112·0	270·5
	DIV. IV.													
14	Essex - - -	17·8	50·5	6·0	2·8	4·0	5·0	6·8	10·0	13·3	25·1	53·8	130·4	287·9
15	Suffolk - - -	17·3	39·3	4·3	2·9	4·3	6·1	7·4	9·8	13·3	22·4	50·0	120·6	290·0
16	Norfolk - - -	18·3	47·3	4·0	2·8	4·5	6·0	7·2	10·0	12·0	22·5	51·8	116·2	252·5
	DIV. V.													
17	Wiltshire - - -	16·8	34·5	3·5	2·5	3·2	6·9	7·4	9·7	13·5	26·5	53·7	137·4	299·2
18	Dorsetshire - -	15·8	34·4	3·7	2·7	4·0	5·3	6·0	8·8	12·9	24·0	50·7	119·2	280·5
19	Devonshire - -	17·6	44·3	4·0	2·9	4·2	5·8	7·7	10·5	13·5	23·9	51·8	122·4	256·6
20	Cornwall - - -	18·5	50·6	4·7	3·6	4·5	7·1	6·9	8·6	12·9	25·0	54·2	124·2	269·0
21	Somersetshire - -	17·1	38·4	4·2	3·0	3·8	5·6	7·5	10·7	14·0	24·8	56·0	115·9	239·8
	DIV. VI.													
22	Gloucestershire -	18·2	49·5	6·0	3·0	4·1	4·7	7·4	10·2	14·4	27·4	57·8	128·8	264·4
23	Herefordshire - -	17·6	43·1	5·7	3·3	3·5	6·1	7·1	9·9	12·0	24·7	52·1	129·3	249·3
24	Shropshire - -	16·9	38·8	5·3	3·2	4·1	5·5	8·2	8·7	12·4	24·4	56·0	117·7	274·1
25	Staffordshire - -	19·8	59·9	5·2	3·1	4·8	5·5	7·7	11·2	17·3	34·5	66·7	137·4	286·4
26	Worcestershire - -	17·1	49·8	5·1	2·8	3·6	5·3	7·1	9·3	13·6	24·8	56·9	125·7	215·9
27	Warwickshire - -	19·1	56·9	5·0	2·6	4·0	5·5	7·5	12·1	17·6	30·7	61·6	144·2	243·5
	DIV. VII.													
28	Leicestershire - -	18·4	56·5	5·2	2·5	3·6	4·7	6·9	8·6	12·3	25·8	56·3	132·7	301·8
29	Rutlandshire - -	15·5	37·9	2·1	3·9	3·5	4·5	6·4	8·2	13·9	23·5	42·5	104·7	280·0
30	Lincolnshire - -	17·7	46·7	6·0	3·4	5·1	5·9	7·4	9·1	12·0	22·3	49·3	118·9	279·0
31	Nottinghamshire -	20·8	65·6	8·0	3·8	4·9	6·7	8·3	10·6	14·7	27·6	58·7	124·8	282·7
32	Derbyshire - -	18·3	50·9	6·5	2·7	4·6	5·5	7·1	10·3	15·0	27·7	61·1	154·9	309·9
	DIV. VIII.													
33	Cheshire - - -	19·4	55·0	5·5	3·0	4·4	6·3	8·7	11·7	18·5	35·1	67·9	141·2	274·1
34	Lancashire - -	22·8	73·8	7·1	3·6	5·3	6·4	9·5	14·7	22·2	41·6	77·8	151·1	266·6
	DIV. IX.													
35	West Riding - -	20·4	63·8	7·0	3·7	5·4	6·4	8·0	11·6	17·7	33·9	71·1	151·4	288·3
36	East Riding (with York)	20·9	63·5	8·9	3·9	5·1	6·3	8·5	11·7	15·3	27·4	63·1	132·0	282·7
37	North Riding - -	18·6	53·7	5·2	2·9	4·5	6·4	8·0	10·3	14·3	26·8	58·8	125·7	286·0
	DIV. X.													
38	Durham - - -	21·3	67·6	7·1	4·1	6·3	7·0	8·7	12·1	17·4	32·7	66·7	146·7	300·8
39	Northumberland -	20·2	55·1	6·7	4·5	5·9	7·1	9·5	12·4	18·5	30·6	70·0	143·2	267·6
40	Cumberland - -	19·3	51·3	5·9	4·1	5·1	5·8	8·5	11·5	17·3	29·1	63·9	129·4	250·0
41	Westmorland - -	15·8	35·3	4·3	2·3	4·5	4·6	7·0	11·3	14·3	24·7	47·9	123·1	312·0
	DIV. XI.													
42	Monmouthshire -	21·3	60·6	11·1	3·7	6·5	6·9	7·5	11·5	17·6	34·8	68·2	117·8	221·4
43	South Wales - -	18·5	49·7	6·8	4·1	6·0	7·3	8·8	10·7	16·2	28·4	55·1	113·1	254·8
44	North Wales - -	17·9	40·1	5·6	4·1	5·8	7·3	8·9	11·0	14·8	24·9	53·2	116·1	263·6

TABLE 27.—ENGLAND.—**Deaths** of Children under **One Year** to **1000 Births** in **Registration Counties** in the Eleven Years **1872-82.**

No.	REGISTRATION COUNTIES.	Deaths of Children under One Year of Age to 1000 Births. 1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	Ten Years 1872-81.	1882.
	ENGLAND - -	150	149	151	158	146	136	152	135	153	130	146	141
	I.—LONDON - -	158	160	156	162	157	146	164	148	158	148	156	151
	II.—SOUTH EASTERN COUNTIES.												
1	Surrey (*extra-metropolitan*)	112	108	111	123	112	99	126	108	128	100	113	114
2	Kent (*extra-metropolitan*)	124	122	114	133	122	121	127	112	132	98	121	117
3	Sussex - - - -	114	106	112	124	116	103	126	102	122	89	112	113
4	Hampshire - - -	112	108	118	123	115	109	120	104	130	98	114	112
5	Berkshire - - - -	112	117	108	133	115	104	126	108	133	86	114	108
	III.—SOUTH MIDLAND COUNTIES.												
6	Middlesex (*extra-metropol.*)	131	139	126	138	139	110	138	124	139	121	131	125
7	Hertfordshire - - -	129	117	114	137	115	100	123	108	131	102	118	108
8	Buckinghamshire - -	126	121	120	148	128	117	133	123	143	106	127	118
9	Oxfordshire - - -	121	139	122	153	123	115	131	121	133	108	127	110
10	Northamptonshire - -	150	139	151	166	136	134	151	127	160	122	144	134
11	Huntingdonshire - -	129	110	115	140	128	119	109	117	132	107	121	103
12	Bedfordshire - - -	139	141	144	157	155	129	161	121	163	123	143	138
13	Cambridgeshire - -	140	122	134	152	129	117	147	130	153	99	132	129
	IV.—EASTERN COUNTIES.												
14	Essex - - - -	120	132	121	129	130	113	131	118	134	115	124	120
15	Suffolk - - - -	117	116	117	136	116	119	127	123	131	105	121	107
16	Norfolk - - - -	150	147	134	163	142	141	154	139	156	126	145	132
	V.—SOUTH WESTERN COUNTIES.												
17	Wiltshire - - - -	105	102	115	125	101	99	119	112	111	99	109	99
18	Dorsetshire - - -	106	97	101	127	106	95	105	117	111	96	106	93
19	Devonshire - - -	115	119	128	127	123	111	144	114	138	108	123	112
20	Cornwall - - - -	148	138	149	151	146	136	149	124	172	122	144	124
21	Somersetshire - - -	120	124	115	129	116	109	129	117	125	98	118	106
	VI.—WEST MIDLAND COUNTIES.												
22	Gloucestershire - - -	125	134	132	146	133	132	143	130	140	113	133	123
23	Herefordshire - - -	100	113	124	117	118	96	107	131	131	87	112	112
24	Shropshire - - -	122	128	124	128	135	109	128	123	125	108	123	109
25	Staffordshire - - -	165	160	159	168	158	149	161	147	160	139	157	150
26	Worcestershire - - -	134	140	140	160	136	129	141	138	134	117	137	131
27	Warwickshire - - -	154	165	162	178	151	146	157	143	161	138	156	146
	VII.—NORTH MIDLAND COUNTIES.												
28	Leicestershire - - -	186	179	174	196	176	161	171	157	180	158	174	156
29	Rutlandshire - - -	124	130	109	121	116	113	137	103	133	110	120	101
30	Lincolnshire - - -	142	135	133	153	127	127	143	127	149	118	135	128
31	Nottinghamshire - -	176	161	168	181	163	151	156	151	176	147	163	157
32	Derbyshire - - -	140	150	145	145	149	126	141	134	134	121	139	132
	VIII.—NORTH WESTERN COUNTIES.												
33	Cheshire - - - -	142	146	149	152	149	130	149	128	147	122	141	141
34	Lancashire - - -	173	173	181	175	169	157	174	152	175	150	168	166
	IX.—YORKSHIRE.												
35	West Riding - - -	178	170	173	177	164	145	166	149	163	145	163	158
36	East Riding (with York) -	178	162	162	182	151	146	170	134	177	137	160	156
37	North Riding - - -	142	140	132	167	130	124	146	121	156	121	138	145
	X.—NORTHERN COUNTIES.												
38	Durham - - - -	179	167	172	180	153	146	162	139	168	139	161	160
39	Northumberland - -	153	156	161	169	149	136	143	128	155	128	148	141
40	Cumberland - - -	138	145	143	152	143	122	132	125	133	118	135	126
41	Westmorland - - -	109	112	106	107	114	111	113	101	93	99	107	102
	XI.—MONMOUTHSHIRE AND WALES.												
42	Monmouthshire - -	120	144	149	131	121	151	136	129	128	116	133	137
43	South Wales - - -	129	128	145	144	125	122	142	120	138	126	132	122
44	North Wales - - -	121	129	117	130	133	124	125	121	128	110	124	116

TABLE 28.—ENGLAND.—**Deaths** of 71 **Persons** (17 Males and 54 Females) in **1882**, RETURNED as **Aged 100 Years and upwards.**

District Numb.	DISTRICT.	DATE OF DEATH.	PLACE OF DEATH.	SEX.	STATED AGE.	OCCUPATION.	CAUSE OF DEATH.
1	Kensington	21 Jan.	Marylebone Infirmary	F.	101	Charwoman	Dementia.
3	Chelsea	6 Jan.	78, Redesdale Street	M.	101	Butcher	Cong. of lungs.
4	St. George Hanover Square.	27 July	52, Alderney Street	F.	101	-	Age.
7	Hampstead	16 Dec.	Workhouse	F.	100	Wid. gardener	Age.
10	Hackney	22 April	Workhouse (Infirmary)	M.	100	Carman	Age.
,,	,,	28 June	48, Presburg Street	F.	100	Wid. bargeman	Age.
22	St. Saviour	4 March	3, Clegborn Cottages	F.	100	Wid. tobacconist	Age.
26	Camberwell	5 Nov.	Workhouse	M.	100	Labourer	Age.
41	Bromley	27 Nov.	St. Mary Cray	M.	104	Gentleman	Age.
50	Maidstone	11 May	131, Wheeler Street	F.	103	Wid. shoemaker	Age.
62	Thanet	8 Dec.	6, Upton Road, St. Peters	F.	101	Wid. agric. lab.	Age.
88	Portsea Island	4 April	Workhouse, Milton	F.	107	Wid. soldier	Age.
,,	,, ,,	15 Dec.	34, Union Street	F.	100	Wid. shipwright	Age.
89	Alverstoke	16 Nov.	Alverstoke Village	M.	101	Labourer	Age.
91	Isle of Wight	3 Dec.	South Street, Yarmouth	F.	100	Wid. mariner	Age.
,,	,, ,,	15 Dec.	Bembridge	M.	100	Fisherman	Senile gangrene.
97	Southampton	6 April	54, Beevor's Street	M.	108	Navy pensioner	Age.
123	Windsor	18 Oct.	Stroude, Egham	F.	104	Wid. farmer	Age.
129	Edmonton	10 Oct.	30, Queen's Road, S. Hornsey	F.	100	Widow	Age.
132	Royston	9 April	High Street, Meldreth	F.	101	Wid. farmer	Dis. of stom.
150	Oxford	4 Sept.	15, Fisher Row, St. Thomas	F.	100	Wid. boatman	Apoplexy.
179	Cambridge	21 Feb.	24, Gloucester Place	F.	102	Wid. painter	Age.
186	West Ham	27 Feb.	Walthamstow	F.	101	Spinster	Age.
,,	,,	23 August	Carlisle Road, Leighton	M.	100	Gardner	Apoplexy.
204	Cosford	31 July	Bildeston	F.	100	Wid. cooper	Age.
209	Hartismere	23 March	Mendlesham	F.	100	Wid. miller	Age.
212	Samford	19 March	Belstead	F.	100	Wid. gardener	Age.
219	Yarmouth	31 May	Royal Naval Lunatic Hosp.	M.	102	Navy pensioner	Age.
230	Depwade	23 Jan.	Pulham, St. Mary-the-Virgin	F.	100	Wid. agric. lab.	Age.
247	Devizes	11 Dec.	Patney	F.	100	Wid. farmer	Age.
294	Bodmin	1 Feb.	Higher Polscho, St. Winnow	M.	100	Farmer	Age.
319	Bedminster	9 Nov.	Workhouse	F.	100	Wid. labourer	Age.
321	Barton Regis	16 Oct.	Workhouse (Bristol)	F.	104	Domestic servant	Age.
327	Gloucester	27 August	26, Sinope Street	F.	101	Wid. labourer	Age.
337	Ledbury	1 Feb.	Workhouse	F.	100	Wid. agric. lab.	Age.
343	Kington	6 Sept.	Broad Street, New Radnor	M.	101	Agric. lab.	Age.
372	Walsall	29 July	Stafford Street	F.	105	-	Age.
375	Stourbridge	13 Jan.	Lower Swinford	F.	104	Wid. agric. lab	Heart disease.
382	Pershore	28 June	High Street, Pershore	F.	100	Wid. agric. lab.	Diarrhœa.
386	Birmingham	8 Jan.	6 Court, Barford Street	F.	101	Wife. plasterer	Age.
,,	,,	5 Sept.	13 Court, Benacre Street	F.	102	Wid. tool maker	Age.
,,	,,	7 Oct.	7, Great Colmore Street	F.	105	Wid. gravedigger	Age.
423	Louth	10 April	Harrison's Yard, Walkergate	F.	103	Housekeeper	Age.
425	Glanford Brigg	15 August	Whitecross Street, Barton	F.	100	Wid. tailor	Catarrh.
430	Basford	31 May	Church Square, Hucknall	F.	100	Stocking-maker	Age.
,,	,,	12 Dec.	Ilkeston	M.	103	Coal-miner	Age.
443	Stockport	1 Feb.	Bradbury Street, Hyde	F.	104	-	Age.
444	Macclesfield	12 March	Hawthorn Farm, Butley	F.	100	Wid. farmer	Bronchitis.
447	Northwich	14 Dec.	Marton	F.	103	Wid. agric. lab.	Age.
453	Liverpool	30 Jan.	Workhouse	F.	101	Wid. blacksmith	Age.
466	Manchester	14 April	585, Rochdale Road	F.	102	Wid. chemical mfr.	Age.
467	Prestwich	7 August	Workhouse (Manchester)	F.	101	Wid. coppersmith	Age.
497	Bradford	1 March	Workhouse (Horton)	M.	101	Woolcomber	Age.
526	Scarborough	18 April	15, Smith's Row, Falsgrave	F.	100	Wid. labourer	Age.
534	Middlesbro'	17 July	31, North Street, Normanby	M.	106	Labourer	Age.
544	Hartlepool	27 Nov.	Dalton Percy	M.	103	Farmer	Age.
556	Newcastle-upon-Tyne.	20 Nov.	Groves Entry Close	F.	102	Wid. travlng. draper	Age.
564	Belford	20 August	Beadnell	F.	100	Wid. quarryman	Age.
579	Kendal	18 Dec.	7, Serpentine Row, Kendal	F.	101	Wid. carpet weaver	Age.
589	Bridgend	11 Dec.	Pont yr-Rhyl, Garw Valley, Bettws.	F.	100	Wid. ostler	Bronchitis.
594	Llanelly	7 March	Peregrine's Terrace, Kidwelly	F.	104	Wid. blacksmith	Age.
,,	,,	11 Nov.	Mynydd-y-Garreg, Kidwelly	F.	100	Wid. agric. lab.	Age.
598	Narberth	22 Dec.	Castlefrane, Betherstone	F.	100	Wid. labourer	Age.
599	Pembroke	2 May	Cliff Villa, Tenby	F.	100	Wid. gentleman	Age.
,,	,,	16 Oct.	Jamestown, Manorbier	F.	104	Wid. stone breaker	Age.
,,	,,	26 Oct.	Albion Lane, Pembroke Dock	M.	100	Labourer	Age.
600	Haverfordwest	11 Dec.	Merlin Bridge, Harroldstone, St. Issells.	M.	103	Blacksmith	Age.
614	Newtown	27 Nov.	Canal, Llanllwchaiarn	F.	100	Wid. labourer	Age.
617	Holywell	19 August	Buarthdraw, Mostyn	F.	100	Wid. labourer	Age.
623	Bala	4 March	Aron Lane, Bala	F.	102	Wid. schoolmaster	Age.
628	Bangor	6 April	Crophton Place, Beaumaris	F.	101	Wid. mariner	Age.

TABLE 29.—ENGLAND.—**Deaths ascribed to Various Causes in the Twenty-four Years 1859–82.**

CAUSES OF DEATH.	1859.	1860.	1861.	1862.	1863.	1864.	1865.	1866.	1867.	1868.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.
ALL CAUSES	440781	422721	435111	436566	473837	495531	490909	500689	471073	480622	494828	513329	514879	492265	492520	526632	546453	510315	500496	539872	526255	528624	491935	516651
Small-pox	3798	2713	1290	1579	5891	7624	6361	2977	2467	1991	1482	2547	23062	19022	2303	2084	849	2408	4278	1856	536	648	3098	1347
Measles	9548	9557	9085	9800	11349	8323	8562	10910	6588	11630	10309	7543	9293	8659	7403	12255	6173	9974	9045	7765	9185	12328	7390	12711
Scarlet Fever	19221	9681	9077	14834	30475	29700	17700	11685	12300	21912	27641	32543	18567	11922	13144	24922	20469	16893	14456	18842	17613	17401	14275	13732
Typhus											4281	3297	2754	1864	1638	1762	1499	1192	1104	906	533	530	552	910
Enteric Fever	15877	13012	15440	18721	18017	20106	23034	21104	16862	19701	8659	8731	8464	8741	8793	8861	8913	7550	6879	7652	5860	6710	5529	6936
Simple and Ill-defined Fever											5310	5254	4248	3552	3081	3089	2599	1974	1923	1776	1472	1499	1159	1016
Whooping-cough	8976	8555	12309	12272	11275	8570	8647	15764	11873	9223	10966	11901	10560	13806	9512	10362	14280	10536	13858	17784	12752	13662	10830	15259
Diphtheria	10184	5212	4517	4903	6507	5464	4145	3000	2600	3013	2606	2699	2525	2152	2531	3590	3415	3154	2731	3498	3053	2810	3153	3992
Other Miasmatic Diseases*	1252	1253	874	1050	1086	983	746	778	741	439	1015	1393	811	481	435	429	791	437	477	461	494	423	450	471
Simple Cholera	887	327	837	511	807	934	1291	14378	922	1498	702	1065	866	801	749	586	550	598	309	629	209	797	317	351
Diarrhœa, Dysentery	19710	10858	20162	12156	15094	17432	24603	18266	20813	30929	20775	26126	24937	23634	22514	21888	24729	22417	15282	25103	11463	30185	14336	17185
Malarial Diseases†	630	517	403	434	339	314	197	258	207	163	199	265	263	166	165	193	185	143	208	209	217	167	362	345
Hydrophobia	4	3	4	1	4	12	19	36	10	7	18	32	56	39	28	61	47	53	79	50	35	29	34	28
Other Zoogenous Diseases	16	8	8	7	22	22	20	20	15	21	26	29	34	24	26	33	44	27	43	56	52	61	71	83
Venereal Diseases	1259	1244	1345	1441	1565	1774	1885	1853	1888	2085	2087	2046	1995	2081	2078	2225	2461	2421	2353	2456	2316	2441	2334	2478
Erysipelas	1426	1662	1540	1520	1909	2091	1953	1665	1446	1943	1854	2120	2216	1754	2027	3358	3018	2327	2077	1870	1821	2014	2314	2435
Puerperal Fever	1238	987	886	940	1155	1484	1333	1197	1066	1196	1181	1492	1461	1400	1740	3108	2504	1746	1444	1415	1461	1659	2287	2561
Other Septic Diseases‡	?	?	?	72	159	206	242	273	246	337	355	407	375	366	405	674	645	549	584	577	645	646	712	617
Thrush	1217	920	1035	904	961	1006	1214	966	1163	1124	1030	1203	1119	1039	1168	1231	1283	1242	1134	1429	927	1276	808	723
Other Parasitic Diseases	155	167	157	156	198	165	183	166	172	172	148	151	160	154	183	188	227	204	225	240	230	247	211	246
Intemperance	890	775	657	717	835	1059	1049	933	743	788	761	645	740	713	777	1053	1143	1120	1146	1116	928	950	1213	1323
Other Dietic Diseases	650	597	694	591	538	666	653	606	658	557	518	602	529	450	457	477	566	480	653	707	696	705	491	480
Rheumatic Fever, Rheumatism of Heart	2124	1998	1982	1943	2175	2559	2530	2338	2256	2503	2753	2791	2726	2156	2503	3203	4044	3640	3574	3429	3445	3354	2429	2590
Rheumatism																							967	930
Cancer	6641	6790	7245	7350	7442	8065	7875	8246	8487	8834	9266	9530	9650	9945	10395	10941	11236	11521	12061	12594	12722	13210	13542	14057
Phthisis	50149	51024	51931	50962	51072	53046	53734	55714	55042	51423	52270	54231	53376	52589	51355	49379	52943	51775	51353	52856	51273	48201	47541	48715
Other Tubercular and Scrofulous Dis.	14754	14232	16354	15201	16227	16247	16908	16335	16520	16496	16565	16694	16266	16256	16496	16596	19042	18096	18850	20324	18788	21427	18363	19245
Diabetes Mellitus	480	536	557	571	551	665	669	678	680	671	735	735	805	769	827	882	940	910	1066	1057	1048	1059	1237	1253
Other Constitutional Diseases	864	955	912	978	979	1093	1307	1362	1437	1401	1369	1414	1401	1329	1297	1366	1375	1736	2087	2222	2338	2493	2630	2894

* Deaths from Relapsing Fever prior to 1869 are included with "Simple and Ill-defined Fever," and deaths from Cerebro-spinal Fever prior to 1877 are included with Typhus.
† Deaths of children under 5 years of age from Remittent Fever prior to 1881 are included with Enteric Fever.
‡ Deaths from these diseases prior to 1862 are included with "Diseases of Integumentary System."

TABLE 29 (*continued*).—ENGLAND.—**Deaths** ascribed to **Various Causes** in the **Twenty-four Years 1859–82.**

CAUSES OF DEATH.	1859.	1860.	1861.	1862.	1863.	1864.	1865.	1866.	1867.	1868.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.
Premature Birth	7432	7642	7610	7706	8121	8339	8791	8943	8990	8757	8666	9195	9650	10334	10186	10527	11685	11446	11618	12002	11929	12266	12048	12434
Atelectasis*	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	628	690
Congenital Malformations	1138	1168	1255	1269	1261	1297	1298	1398	1376	1432	1454	1480	1418	1475	1491	1496	1806	1904	2091	2157	2172	2275	2196	2254
Old Age	27104	28442	27373	26780	27268	29198	28709	28546	28646	26050	27932	28889	28038	26900	29282	28604	28514	25461	26078	27483	29525	25823	26372	25765
Convulsions	25954	25205	25423	25286	26008	26382	26722	27431	26258	25897	26015	26548	25309	25376	26232	27139	26061	25408	24147	24700	23853	23503	22200	23021
Diseases of Nervous System	28671	30177	30324	30560	31607	33429	33723	33889	34303	34562	35877	37727	37476	37772	40033	41248	44589	42809	43966	45936	47028	46272	45550	46806
Diseases of Organs of Special Sense	124	145	118	130	190	201	182	188	200	180	192	178	163	153	169	155	240	208	324	377	347	414	492	582
Diseases of Circulatory System	17518	19039	18299	19028	19996	22944	22791	22665	23327	23080	25422	25903	26820	27625	29118	30578	33203	32585	34895	36163	38377	35390	35682	36238
Croup	5636	4380	4397	5667	6957	6777	5921	5168	4387	4491	4478	4302	4116	3640	4282	5010	4542	4204	3910	4061	3574	3571	3594	4609
Diseases of Respiratory System	59635	68158	64070	67281	66903	74991	69589	76905	71789	62638	79863	81589	81330	72901	85027	90084	102951	89346	87620	95865	109921	93167	89299	93876
Dentition	3730	3896	4251	3812	4116	4285	4271	4293	4300	4145	4083	4183	4108	4093	4273	4317	5212	4886	4470	4659	4256	4124	4570	4673
Diseases of Liver, Ascites	7926	7872	8162	7979	8416	8802	9598	9226	9068	9009	9323	9223	9342	9614	9645	10336	11215	10832	10717	10931	10368	10194	9958	10120
Other Diseases of Digestive System	12439	12223	12595	11864	12530	12644	12610	12209	12220	12754	12193	12773	12153	12300	12828	13784	14123	13932	14126	14156	13937	15206	14219	14825
Diseases of Lymphatic System†	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	215	225
Diseases of Spleen	62	64	86	98	84	66	66	92	93	85	91	97	99	109	78	81	89	96	127	135	126	146	118	117
Diseases of other Ductless Glands‡	22	18	24	14	38	37	69	66	67	106	96	92	91	87	83	103	150	157	166	215	203	197	196	247
Diseases of Urinary System	4256	4454	4685	4754	5027	5429	5578	5910	6210	6157	6536	6707	6769	7026	7644	7975	8861	8887	9196	9382	9910	9585	9920	10404
Diseases of Organs of Generation	1234	1148	1173	1274	1284	1359	1309	1334	1409	1357	1386	1409	1321	1366	1370	1392	1522	1385	1490	1575	1515	1377	1631	1533
Child-birth	2258	2186	2109	2137	2433	2532	2490	2485	2346	2307	2102	2383	2471	2403	2375	2819	2560	2396	1999	1885	1876	1833	1940	1960
Diseases of Organs of Locomotion	1737	1894	2093	2037	2207	2365	2285	2018	2088	2215	2230	2253	2366	2307	2329	2392	2491	2484	2709	2865	2762	2680	2410	2431
Diseases of Integumentary System	1481	1401	1479	1440	1562	1644	1492	1440	1438	1420	1458	1458	1426	1335	1455	1605	1902	1699	1980	2008	1864	1832	1587	1662
Accident and Negligence	13056	13023	13307	13192	13941	15245	15533	15094	15147	14989	14514	14651	15113	15346	15312	15901	16914	16176	15615	16694	15275	15187	15829	15350
Homicide	338	377	320	418	399	412	443	480	392	461	387	381	381	387	407	409	351	412	347	374	310	310	365	363
Suicide	1248	1365	1317	1317	1319	1340	1392	1329	1316	1508	1588	1554	1495	1514	1518	1592	1601	1770	1699	1764	2035	1979	1955	1965
Execution	7	10	11	17	21	21	6	12	11	10	8	7	4	10	9	18	23	21	23	15	15	14	11	11
Ill-defined and not-specified Causes	45322	44551	45302	42886	44617	45882	49151	48030	48490	46952	44050	44861	44058	42940	43244	44288	39578	36734	31464	35312	33080	34353	30225	30477

* Deaths from this cause prior to 1881 are included, partly with "Diseases of Respiratory System" and partly with "Ill-defined and not specified Causes."
† Deaths from these diseases prior to 1881 are included with "Other Tubercular and Scrofulous Diseases."
‡ Deaths from Addison's disease prior to 1864 are included with "Diseases of Urinary System."

TABLE 30.—ENGLAND.—**Mortality** from **Various Causes** to a Million PERSONS LIVING in the **Twenty-four Years 1859–82.**

Decimals are omitted, the nearest whole number being taken. When the Deaths from any Cause were too few to give a rate of 0·5, a cipher is inserted.)

CAUSES OF DEATH.	1859.	1860.	1861.	1862.	1863.	1864.	1865.	1866.	1867.	1868.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.
ALL CAUSES	22390	21239	21627	21431	22973	23728	23216	23386	21731	21898	22266	22902	22594	21314	21041	22199	22728	20943	20266	21570	20746	20562	18880	19560
Small-pox	193	136	64	78	286	365	301	139	114	91	67	113	1012	824	98	88	35	99	173	74	21	25	119	50
Measles	485	480	450	481	550	399	405	511	304	530	464	335	408	369	316	517	257	409	366	310	362	480	280	481
Scarlet Fever	976	486	451	728	1478	1422	837	546	567	998	1244	1446	815	516	562	1051	851	693	585	753	694	677	548	520
Typhus											193	147	121	81	70	74	62	49	45	36	21	21	21	36
Enteric Fever	806	654	767	919	874	963	1089	986	778	898	390	388	371	378	376	374	371	310	279	306	231	261	212	229
Simple and Ill-defined Fever											239	233	186	145	132	130	108	81	78	71	58	58	44	38
Whooping-cough	456	430	612	602	547	410	409	736	548	420	493	529	455	598	411	437	594	433	460	711	503	531	416	577
Diphtheria *	517	262	225	241	315	262	196	140	120	137	117	120	111	93	108	150	142	129	111	140	120	109	121	151
Other Miasmatic Diseases *	64	63	43	52	53	47	35	36	34	20	46	62	36	24	19	18	33	18	19	18	19	16	17	18
Simple Cholera	45	16	42	25	39	45	61	672	43	68	32	47	38	35	32	25	23	25	13	25	8	31	12	13
Diarrhœa, Dysentery	1001	546	1002	597	775	835	1164	853	960	1409	935	1161	1094	997	962	923	1029	920	619	1003	452	1174	558	651
Malarial Diseases *	32	26	20	21	16	15	9	12	10	7	9	12	12	7	7	8	8	6	8	8	9	6	14	13
Hydrophobia	0	0	0	0	0	1	1	2	0	0	1	1	2	2	1	3	2	2	3	2	1	1	1	1
Other Zoogenous Diseases	1	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	2	1	2	2	2	2	3	3
Venereal Diseases	64	63	67	71	76	84	89	87	87	95	94	91	88	90	89	94	102	99	95	98	91	95	90	94
Erysipelas	98	84	77	75	93	100	92	78	69	89	83	94	97	77	87	142	126	95	84	75	72	78	89	92
Puerperal Fever	63	50	44	46	56	71	63	56	49	54	53	66	64	61	74	131	104	72	58	57	58	65	88	98
Other Septic Diseases *	?	?	?	4	8	10	11	13	11	15	16	18	16	16	17	28	27	23	24	23	25	25	27	23
Thrush	62	46	52	44	47	48	59	45	54	51	46	53	49	45	50	52	53	51	46	57	37	50	31	28
Other Parasitic Diseases	8	8	8	8	10	8	9	8	8	8	7	7	7	7	8	4	9	8	9	10	9	10	8	9
Intemperance	45	39	33	35	40	51	50	44	34	36	34	29	32	31	33	44	48	46	46	45	37	37	47	50
Other Dietic Diseases	33	30	34	29	26	32	31	28	30	25	23	27	23	19	20	20	24	20	26	28	24	27	19	18
Rheumatic Fever, Rheumatism of Heart	108	100	99	95	105	123	120	109	104	114	124	124	120	106	107	135	168	149	145	137	135	130	93	98
Rheumatism																							37	35
Cancer	337	341	360	361	361	386	372	385	392	402	417	424	423	431	444	461	471	473	488	503	502	514	520	532
Phthisis	2547	2564	2581	2502	2476	2540	2541	2602	2539	2343	2352	2410	2342	2277	2194	2081	2202	2125	2079	2112	2021	1875	1825	1844
Other Tubercular and Scrofulous Dis.	749	715	813	746	787	778	800	763	762	752	745	742	714	704	705	700	792	740	763	812	741	833	705	729
Diabetes Mellitus	24	27	27	28	27	32	32	32	31	31	33	33	35	33	35	37	39	37	41	42	41	41	47	47
Other Constitutional Diseases	44	48	47	48	47	52	62	64	66	64	62	63	62	58	55	58	66	71	85	89	92	97	101	110

* See Notes to Table 29.

TABLE 30 (*continued*).—ENGLAND.—**Mortality** from **Various Causes** to a Million PERSONS LIVING in the **Twenty-four Years 1859–82.**

CAUSES OF DEATH.	1859.	1860.	1861.	1862.	1863.	1864.	1865.	1866.	1867.	1868.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.
Premature Birth	378	384	378	878	392	399	416	418	415	399	390	409	423	447	435	444	486	470	470	480	470	477	462	471
Atelectasis *	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	24	26
Congenital Malformations	58	59	62	62	61	62	61	65	63	65	65	66	62	64	64	63	75	78	85	86	86	88	84	85
Old Age	1377	1429	1360	1315	1322	1412	1358	1333	1321	1187	1257	1284	1230	1165	1251	1206	1186	1045	1056	1098	1164	1004	1012	976
Convulsions	1318	1266	1264	1241	1261	1263	1264	1281	1211	1180	1171	1180	1111	1099	1121	1144	1084	1043	978	987	940	914	852	872
Diseases of Nervous System	1456	1531	1507	1500	1532	1601	1595	1583	1582	1575	1614	1677	1645	1635	1710	1739	1855	1757	1780	1835	1856	1800	1748	1772
Diseases of Organs of Special Sense	6	7	6	6	9	10	9	9	9	8	9	8	7	7	7	7	10	9	13	15	14	16	19	22
Diseases of Circulatory System	890	957	908	934	968	1099	1078	1059	1076	1052	1144	1151	1177	1196	1244	1289	1381	1337	1413	1445	1513	1377	1369	1372
Croup	286	220	219	278	337	325	280	241	202	205	202	191	181	158	183	211	189	173	158	162	141	139	188	174
Diseases of Respiratory System	3029	3425	3185	3303	3244	3591	3291	3592	3312	2854	3594	3626	3569	3156	3632	3797	4282	3667	3548	3830	4333	3624	3427	3555
Dentition	189	196	211	187	200	205	202	201	198	189	184	186	180	177	183	182	217	201	181	186	168	160	175	177
Diseases of Liver, Ascites	403	396	406	392	408	421	454	431	418	410	420	410	410	416	412	436	466	445	434	437	409	397	382	386
Other Diseases of Digestive System	632	614	626	582	607	605	596	570	564	581	549	568	546	533	548	581	587	572	572	578	549	591	546	561
Diseases of Lymphatic System *	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	8	9
Diseases of Spleen	3	3	4	5	4	3	3	4	4	4	4	4	4	5	3	3	4	4	5	5	5	6	5	4
Diseases of other Ductless Glands *	1	1	1	1	2	2	3	3	3	5	4	4	4	4	4	4	6	6	7	9	8	8	8	9
Diseases of Urinary System	216	224	232	233	243	260	264	276	286	281	294	298	297	304	327	336	369	365	372	375	390	373	381	394
Diseases of Organs of Generation	63	58	58	63	62	65	62	62	65	62	62	63	58	59	59	59	63	57	60	63	60	54	63	58
Childbirth	115	110	105	105	118	121	118	116	108	105	95	106	108	104	101	119	106	98	81	74	74	71	74	74
Diseases of Organs of Locomotion	88	95	104	100	107	113	108	94	96	101	100	100	104	100	99	101	104	102	110	114	109	104	92	92
Diseases of Integumentary System	75	70	74	71	76	80	71	67	66	65	66	65	63	58	62	63	79	70	80	80	73	71	61	63
Accident and Negligence	663	654	661	648	676	730	735	705	699	683	653	651	663	664	654	670	703	664	632	667	602	591	608	581
Homicide	17	19	16	21	19	20	21	22	18	21	17	17	17	17	17	17	15	17	14	15	12	12	14	14
Suicide	63	69	67	65	64	64	66	62	61	69	71	69	66	66	65	67	67	73	69	70	80	77	75	74
Execution	0	1	1	1	1	1	0	1	1	0	0	0	0	0	0	1	1	1	1	1	1	1	0	0
Ill-defined and not specified Causes	2206	2237	2254	2104	2167	2196	2322	2213	2238	2139	1981	1993	1935	1858	1847	1869	1615	1505	1397	1411	1303	1338	1160	1154

TABLE 31.—ENGLAND.—**Mean Annual Mortality** from **various Causes** to a Million Persons living, in Groups of Years.

CAUSES OF DEATH.	3 Years 1858–60.	5 Years 1861–65.	5 Years 1866–70.	5 Years 1871–75.	5 Years 1876–80.	Year 1880.	Year 1881.	Year 1882.
ALL CAUSES	22249·7	22595·0	22436·6	21975·2	20817·4	20,562	18,880	19,560
Small-pox	219·3	218·8	104·8	411·4	78·4	25	119	50
Measles	480·3	457·0	428·8	373·4	385·4	480	280	481
Scarlet Fever	891·3	983·2	960·2	759·0	680·4	677	548	520
Typhus				81·6	34·4	21	21	36
Enteric Fever	792·7	922·4	850·4	374·0	277·4	261	212	229
Simple and Ill-defined Fever				140·2	69·2	58	44	38
Whooping-cough	494·7	516·0	545·2	499·0	527·6	531	416	577
Diphtheria	372·7	247·8	126·8	120·8	121·8	109	121	151
Other Miasmatic Diseases*	75·7	46·0	39·6	25·4	18·0	16	17	18
Simple Cholera	32·0	42·4	172·4	30·6	20·4	31	12	13
Diarrhœa, Dysentery	778·0	874·6	1063·6	1001·0	833·6	1174	558	651
Malarial Diseases*	32·7	16·2	10·0	8·4	7·4	6	14	13
Hydrophobia	0·0	0·4	0·8	2·0	1·8	1	1	1
Other Zoogenous Diseases	0·3	0·6	1·0	1·2	1·8	2	3	3
Venereal Diseases	62·7	77·4	90·8	92·6	95·6	95	90	94
Erysipelas	95·0	87·4	82·6	105·8	80·8	78	89	92
Puerperal Fever	56·0	56·0	55·6	86·8	62·0	65	88	98
Other Septic Diseases*	?	8·3	14·6	20·8	24·0	25	27	23
Thrush	57·0	50·0	49·8	49·8	48·2	50	31	28
Other Parasitic Diseases	8·0	8·6	7·6	7·0	9·2	10	8	9
Intemperance	40·3	41·8	35·4	37·6	42·2	37	47	50
Other Dietic Diseases	32·0	30·4	26·6	21·2	25·0	27	19	18
Rheumatic Fever, Rheumatism of Heart	102·7	108·4	115·0	127·2	139·2	130	93	98
Rheumatism							37	35
Cancer	335·7	368·0	404·0	416·0	496·0	514	520	532
Phthisis	2567·3	2528·0	2449·2	2219·2	2042·4	1875	1825	1844
Other Tubercular and Scrofulous Diseases	739·7	784·8	752·8	723·0	777·8	833	705	729
Diabetes Mellitus	25·7	29·2	32·0	35·8	40·4	41	47	47
Other Constitutional Diseases	46·0	51·	63·8	59·8	86·8	97	101	110

* See notes to Table 29.

TABLE **31** (*continued*).—ENGLAND.—**Mean Annual Death-rate** from **various Causes** to a Million Persons living, in Groups of Years.

CAUSES OF DEATH.	3 Years 1858-60.	5 Years 1861-65.	5 Years 1866-70.	5 Years 1871-75.	5 Years 1876-80.	Year 1880.	Year 1881.	Year 1882.
Premature Birth	379·0	392·6	406·2	447·0	473·4	477	462	471
Atelectasis*	?	?	?	?	?	?	24	26
Congenital Malformations	57·7	61·6	64·8	65·6	84·6	88	84	85
Old Age	1423·3	1353·4	1276·4	1207·6	1073·4	1004	1012	976
Convulsions	1297·7	1258·6	1204·6	1111·8	972·4	914	852	872
Diseases of Nervous System	1485·3	1547·0	1606·2	1716·8	1805·6	1800	1748	1772
Diseases of Organs of Special Sense	7·0	8·0	8·6	7·6	13·4	16	19	22
Diseases of Circulatory System	901·3	997·4	1096·4	1257·4	1417·0	1377	1369	1372
Croup	275·0	237·8	208·2	184·4	154·6	139	138	174
Diseases of Respiratory System	3268·0	3322·8	3395·6	3687·2	3800·4	3624	3427	3555
Dentition	197·3	201·0	191·6	187·8	179·2	160	175	177
Diseases of Liver, Ascites	394·7	416·2	417·8	428·0	424·4	397	382	383
Other Diseases of Digestive System	628·7	603·2	566·4	559·0	572·4	591	546	561
Diseases of Lymphatic System*	?	?	?	?	?	?	8	9
Diseases of Spleen	3·0	3·8	4·0	3·8	5·0	6	5	4
Diseases of other Ductless Glands*	1·0	1·8	3·8	4·4	7·6	8	8	9
Diseases of Urinary System	218·0	246·4	287·0	326·6	375·0	373	381	394
Diseases of Organs of Generation	60·7	62·0	62·8	59·6	58·8	54	63	58
Childbirth	110·3	113·4	106·0	107·6	79·6	71	74	74
Diseases of Organs of Locomotion	89·3	106·4	98·2	101·6	107·8	104	92	92
Diseases of Integumentary System	78·3	72·7	65·8	66·0	74·8	71	61	63
Accident and Negligence	653·3	690·0	678·2	670·8	681·2	591	608	581
Homicide	18·0	19·4	19·0	16·6	14·0	12	14	14
Suicide	65·7	65·2	66·4	66·2	73·8	77	75	74
Execution	0·3	0·3	0·4	0·4	1·0	1	0	0
Ill-defined and not specified Causes	2290·0	2208·6	2118·8	1830·8	1390·8	1338	1160	1154

* See notes to Table 29.

TABLE **32.**—ENGLAND.—**Mortality** from the **Principal Zymotic**

Periods and Years.	Deaths from Principal Zymotic Diseases									
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple and Ill-defined Fever.	Diarrhœa and Dysentery.	Simple Cholera.
Cols. 1	2	3	4	5	6	7	8	9	10	11
Periods. 1838–40 (3 years.)	35863	26777	35943		23404		51618		10305	1427
1841–50 (6 years.)	29522	43733	83660		49704		117791		72680	53919
1851–60	41985	78211	187066		95624		172458		173507	31665
1861–70	34212	94099	207867	39454	112800		188517		207256	2[illegible]945
1871–80	57046	91948	174232	29426	124552	13782	78420	25044	221552	6104
1838	16263	6514	5802		9107		18775		3109	331
1839	9131	10937	10325		8165		15666		3099	394
1840	10434	9326	19816		6132		17177		4097	702
1841	6368	6894	14161		8099		14846		3755	443
1842	2715	8742	12897		8091		16201		6002	1620
1843	—	—	—		—		—		—	—
1844	—	—	—		—		—		—	—
1845	—	—	—		—		—		—	—
1846	—	—	—		—		—		—	—
1847	4227	8690	14697		9260		20994		14842	788
1848	6903	6867	20501		6862		22037		13696	1908
1849	4644	5458	13123		9622		18339		20881	53273
1850	4665	7082	13371		7770		15374		13504	887
1851	6997	9370	13634		7905		17930		16913	1132
1852	7320	5846	18887		8022		18641		20373	1381
1853	3151	4895	15699		11200		18554		16083	4419
1854	2898	9277	18528		9770		18893		21995	20097
1855	2525	7354	16929	885	10185		16470		14207	837
1856	2277	7124	13557	603	9225		16182		15150	762
1857	3936	5969	12646	1583	10138		19016		22887	1150
1858	6460	9271	23711	6906	11648		17883		15331	673
1859	3798	9348	19221	10184	8976		15877		19710	887
1860	2713	9357	9681	5212	8555		13012		10858	327
1861	1290	9055	9077	4517	12309		15440		20162	837
1862	1579	9890	14834	4993	12272		18721		12156	511
1863	3891	11349	20475	6507	11275		18017		15994	807
1864	7624	8323	20700	5464	8570		20106		17432	934
1865	6301	8562	17760	4145	8647		23024		24603	1291
1866	2977	10940	11685	3000	15764		21104		18266	14378
1867	2467	6588	12390	2600	11873		16862		20813	922
1868	1994	11630	21912	3013	9223		19701		30929	1498
1869	1482	10309	27641	2603	10966	4281	8679	5310	20775	702
1870	2547	7543	32543	2699	11901	3297	8731	5254	26126	1065
1871	23062	9293	18567	2525	10330	2754	8461	4248	24937	866
1872	19022	8530	11922	2152	13806	1864	8741	3352	23034	801
1873	2203	7403	13144	2531	9612	1638	8793	3081	22514	749
1874	2084	12255	24922	3560	10362	1762	8861	3089	21888	596
1875	849	6173	20469	3415	14280	1499	8913	2599	24729	550
1876	2408	9971	16893	3151	10556	1192	7550	1974	22417	598
1877	4278	9045	14456	2781	11358	1104	6879	1923	15282	309
1878	1856	7765	18842	3498	17784	906	7652	1776	25103	629
1879	536	9185	17613	3053	12752	533	5860	1472	11463	209
1880	648	12328	17494	2810	13662	530	6710	1490	30185	797
1881	3098	7300	14275	3153	10830	552	5529	1159	14526	317
1882	1317	12711	13732	3992	15259	940	6036	1016	17185	351

Diseases, and Infant Mortality in the Forty-five Years, 1838–82.

Annual Mortality to 1000 Persons living, from the Principal Zymotic Diseases.										Annual Mortality of Infants under one year of age to 1000 Births.	Periods and Years.
Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple and Ill-defined Fever.	Diarrhœa and Dysentery.	Simple Cholera.		
12	13	14	15	16	17	18	19	20	21	22	23
											Periods.
0·77	0·58	0·77		0·50		1·11		0·22	0·03	155	1838–40 (3 years.)
0·29	0·43	0·87		0·49		1·16		0·71	0·58	153	1841–50 (6 years.)
0·22	0·41	0·99		0·50		0·91		0·92	0·17	154	1851–60
0·16	0·44	0·98	0·19	0·53		0·89		0·97	0·11	154	1861–70
0·24	0·38	0·72	0·12	0·51	0·06	0·32	0·10	0·91	0·03	149	1871–80
1·06	0·43	0·38		0·60		1·23		0·20	0·02	159	1838
0·59	0·70	0·67		0·53		1·01		0·20	0·03	152	1839
0·66	0·59	1·26		0·39		1·09		0·26	0·04	154	1840
0·40	0·43	0·89		0·51		0·93		0·24	0·03	145	1841
0·17	0·54	0·79		0·50		1·00		0·37	0·10	152	1842
—	—	—		—		—		—	—	150	1843
—	—	—		—		—		—	—	148	1844
—	—	—		—		—		—	—	143	1845
—	—	—		—		—		—	—	164	1846
0·25	0·51	0·86		0·54		1·81		0·87	0·05	164	1847
0·40	0·40	1·18		0·40		1·27		0·79	0·11	154	1848
0·26	0·31	0·75		0·55		1·04		1·19	3·03	160	1849
0·26	0·40	0·75		0·44		0·87		0·76	0·05	146	1850
0·39	0·52	0·76		0·44		1·00		0·94	0·06	154	1851
0·40	0·32	1·04		0·44		1·02		1·12	0·08	158	1852
0·17	0·27	0·85		0·61		1·01		0·87	0·24	160	1853
0·15	0·50	1·00		0·52		1·01		1·18	1·08	157	1854
0·13	0·39	0·90	0·02	0·54		0·87		0·75	0·04	154	1855
0·12	0·37	0·71	0·03	0·48		0·85		0·80	0·04	144	1856
0·20	0·31	0·66	0·08	0·53		0·99		1·19	0·06	156	1857
0·33	0·48	1·22	0·34	0·60		0·92		0·79	0·03	158	1858
0·19	0·48	0·98	0·52	0·46		0·81		1·00	0·05	153	1859
0·14	0·48	0·49	0·26	0·43		0·65		0·55	0·02	148	1860
0·06	0·45	0·45	0·22	0·61		0·77		1·00	0·04	153	1861
0·08	0·48	0·73	0·24	0·60		0·92		0·60	0·03	142	1862
0·29	0·55	1·48	0·32	0·55		0·87		0·78	0·04	149	1863
0·37	0·40	1·42	0·26	0·41		0·96		0·83	0·04	153	1864
0·30	0·40	0·84	0·20	0·41		1·09		1·16	0·06	160	1865
0·14	0·51	0·55	0·14	0·74		0·99		0·85	0·67	160	1866
0·11	0·30	0·57	0·12	0·55		0·78		0·96	0·04	153	1867
0·09	0·53	1·00	0·14	0·42		0·90		1·41	0·07	155	1868
0·07	0·46	1·24	0·12	0·49	0·19	0·39	0·24	0·93	0·03	156	1869
0·12	0·34	1·45	0·12	0·53	0·15	0·39	0·23	1·16	0·05	160	1870
1·01	0·41	0·81	0·11	0·45	0·12	0·37	0·19	1·09	0·04	158	1871
0·82	0·37	0·52	0·09	0·60	0·08	0·38	0·15	1·00	0·03	150	1872
0·10	0·32	0·56	0·11	0·41	0·07	0·38	0·13	0·96	0·03	149	1873
0·09	0·52	1·05	0·15	0·44	0·07	0·37	0·13	0·92	0·03	151	1874
0·04	0·26	0·85	0·14	0·59	0·06	0·27	0·11	1·03	0·02	158	1875
0·10	0·41	0·69	0·13	0·43	0·05	0·31	0·08	0·92	0·02	146	1876
0·17	0·37	0·59	0·11	0·46	0·05	0·28	0·08	0·62	0·01	136	1877
0·07	0·31	0·75	0·14	0·71	0·04	0·31	0·07	1·00	0·03	152	1878
0·02	0·36	0·69	0·12	0·50	0·02	0·23	0·06	0·45	0·01	135	1879
0·03	0·48	0·68	0·11	0·53	0·02	0·26	0·06	1·17	0·03	153	1880
0·12	0·28	0·55	0·12	0·42	0·02	0·21	0·04	0·56	0·01	130	1881
0·05	0·48	0·52	0·15	0·58	0·04	0·23	0·04	0·65	0·01	141	1882

TABLE **33.**—LONDON.*—**Mortality** from the **Principal Zymotic**

Periods and Years.	Deaths from Principal Zymotic Diseases.									
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple and Ill-defined Fever.	Diarrhœa and Dysentery.	Simple Cholera.
Cols. 1	2	3	4	5	6	7	8	9	10	11
Periods.										
1838-40 (3 years.)	5686	3756	5977		4313		7159		1475	111
1841-50	8416	13011	18314		18079		20890		16926	15588
1851-60	7150	13766	26317		22497		22597		26362	12886
1861-70	8347	17338	34391	5323	26550		27149		31578	7403
1871-80	15539	17947	21247	4319	28728	1887	8536	2379	33168	1328
1838	3817	588	1524		2083		4078		498	15
1839	634	2036	2499		1161		1819		455	36
1840	1235	1132	1954		1069		1262		522	60
1841	1053	973	663		2278		1151		543	23
1842	360	1293	1224		1603		1184		855	118
1843	438	1442	1867		1908		2094		1005	85
1844	1804	1182	3029		1292		1721		831	65
1845	909	2318	1085		1816		1324		940	43
1846	257	747	928		2035		1838		2308	228
1847	955	1778	1433		1600		3297		2283	117
1848	1620	1144	4767		1630		3685		2247	652
1849	521	1154	2149		2349		2564		3837	14125
1850	499	980	1169		1568		2032		2077	127
1851	1062	1297	1285		2185		2374		2755	213
1852	1159	595	2571		1569		2183		2513	162
1853	211	978	2016		2667		2617		2649	883
1854	694	1409	3477		2502		2816		3325	10738
1855	1039	878	2611		2438		2460		2190	149
1856	531	1479	1819		2092		2717		2414	152
1857	156	1341	1599		2527		2195		3298	214
1858	242	2369	4184		2708		1919		2220	181
1859	1158	1330	3481	773	1742		1840		3513	193
1860	898	2090	2017	484	2067		1476		1485	51
1861	217	1062	2381	674	3548		1848		2740	168
1862	366	2334	3492	730	2168		3673		1829	106
1863	1996	1634	4955	799	2175		2871		2492	159
1864	547	2788	3244	611	2423		3782		3013	156
1865	640	1290	2179	431	2935		3217		3721	196
1866	1391	2220	1892	462	2960		2688		3294	5596
1867	1345	1143	1451	447	2278		2184		3060	240
1868	597	1962	2916	495	2338		2468		4110	324
1869	275	1456	5841	340	3769	716	1069	615	3495	219
1870	973	1449	6040	334	1956	472	976	570	3814	239
1871	7912	1427	1902	344	2291	384	871	436	3968	221
1872	1786	1680	918	267	3259	174	807	322	3588	181
1873	113	2149	645	320	2620	277	908	325	3950	162
1874	57	1680	2648	419	1867	312	879	337	3201	123
1875	46	1408	3677	581	3204	128	817	272	3289	108
1876	736	1720	2308	387	2737	159	769	202	3585	135
1877	2551	2387	1580	316	1817	157	901	194	2421	88
1878	1417	1500	1868	566	4483	151	1033	197	3534	124
1879	450	2475	2681	575	2934	71	849	160	1894	53
1880	471	1521	3100	544	3516	74	702	134	3738	133
1881	2367	2536	2114	357	1973	92	971	134	3055	95
1882	430	2338	2006	857	4682	53	975	95	2144	79

* Wandsworth was not included in Registration London until 1844, Lewisham and Hampstead were not included

For the years 1838-50 the numbers of deaths from the various diseases are derived from summaries of 52 or 53

Diseases, and Infant Mortality in the Forty-five Years, 1838–82.

Annual Mortality to 1000 Persons Living, from the Principal Zymotic Diseases.										Annual Mortality of Infants under One Year of Age to 1000 Births.	Periods and Years.
Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple and Ill-defined Fever.	Diarrhœa and Dysentery.	Simple Cholera.		
12	13	14	15	16	17	18	19	20	21	22	23
											Periods.
1·05	0·69	1·11		0·80		1·32		0·27	0·02	—	1838-40 (3 years.)
0·40	0·62	0·86		0·87		0·98		0·80	0·68	157	1841 50
0·28	0·53	1·01		0·88		0·89		1·03	0·52	155	1851-60
0·28	0·58	1·13	0·18	0·88		0·91		1·05	0·24	162	1861-70
0·46	0·51	0·60	0·12	0·82	0·05	0·25	0·07	0·94	0·04	158	1871-80
2·16	0·33	0·86		1·18		2·31		0·28	0·01	—	1838
0·85	1·13	1·39		0·64		1·01		0·25	0·02	—	1839
0·67	0·62	1·05		0·58		0·69		0·28	0·03	—	1840
0·56	0·52	0·35		1·21		0·61		0·29	0·01	160	1841
0·19	0·67	0·64		0·84		0·62		0·45	0·03	157	1842
0·22	0·74	0·96		0·98		1·07		0·51	0·04	163	1843
0·89	0·58	1·49		0·64		0·84		0·41	0·03	152	1844
0·44	1·12	0·52		0·88		0·64		0·45	0·02	149	1845
0·12	0·35	0·44		0·96		0·87		1·09	0·11	157	1846
0·43	0·81	0·65		0·73		1·50		1·04	0·05	166	1847
0·72	0·51	2·12		0·73		1·64		1·00	0·29	158	1848
0·23	0·50	0·94		1·03		1·12		1·68	6·18	169	1849
0·21	0·42	0·50		0·67		0·87		0·89	0·05	140	1850
0·45	0·55	0·54		0·92		1·00		1·16	0·09	154	1851
0·48	0·25	1·06		0·65		0·90		1·04	0·07	151	1852
0·09	0·40	0·82		1·08		1·06		1·08	0·36	158	1853
0·28	0·56	1·39		1·00		1·12		1·33	4·29	164	1854
0·41	0·34	1·02		0·96		0·97		0·86	0·06	152	1855
0·20	0·57	0·70		0·81		1·05		0·93	0·06	150	1856
0·06	0·51	0·61		0·96		0·83		1·25	0·08	156	1857
0·09	0·88	1·56		1·01		0·72		0·83	0·05	160	1858
0·42	0·49	1·28	0·28	0·64		0·68		1·29	0·07	150	1859
0·32	0·75	0·73	0·17	0·75		0·53		0·54	0·02	153	1860
0·08	0·38	0·85	0·24	1·26		0·66		0·97	0·06	155	1861
0·13	0·82	1·22	0·26	0·76		1·28		0·64	0·04	143	1862
0·69	0·56	1·70	0·28	0·74		0·99		0·86	0·05	151	1863
0·19	0·95	1·10	0·21	0·82		1·28		1·02	0·05	169	1864
0·21	0·43	0·73	0·14	0·98		1·07		1·24	0·07	171	1865
0·46	0·73	0·62	0·15	0·97		0·88		1·08	1·84	172	1866
0·44	0·37	0·47	0·14	0·74		0·71		0·99	0·08	159	1867
0·19	0·63	0·93	0·16	0·75		0·79		1·31	0·10	163	1868
0·09	0·46	1·84	0·11	1·19	0·23	0·34	0·19	1·10	0·07	170	1869
0·30	0·45	1·87	0·10	0·61	0·15	0·30	0·18	1·18	0·07	164	1870
2·42	0·44	0·58	0·11	0·70	0·12	0·27	0·13	1·21	0·07	171	1871
0·54	0·50	0·28	0·08	0·98	0·05	0·24	0·10	1·08	0·05	153	1872
0·03	0·64	0·19	0·09	0·78	0·08	0·27	0·10	1·17	0·05	160	1873
0·02	0·49	0·77	0·12	0·54	0·09	0·26	0·10	0·93	0·04	156	1874
0·01	0·40	1·06	0·17	0·92	0·04	0·23	0·08	0·94	0·03	162	1875
0·21	0·48	0·65	0·11	0·77	0·04	0·22	0·06	1·01	0·04	157	1876
0·71	0·66	0·44	0·09	0·51	0·04	0·25	0·05	0·67	0·02	146	1877
0·39	0·41	0·50	0·16	1·23	0·04	0·28	0·05	0·97	0·03	164	1878
0·12	0·67	0·72	0·15	0·79	0·02	0·23	0·04	0·51	0·01	148	1879
0·12	0·40	0·82	0·14	0·93	0·02	0·19	0·04	0·99	0·04	158	1880
0·62	0·66	0·55	0·17	0·51	0·02	0·25	0·03	0·80	0·02	148	1881
0·11	0·60	0·52	0·22	1·20	0·01	0·25	0·02	0·55	0·02	151	1882

atil 1847; since that year the boundaries of Registration London have remained unchanged.

eeks; the numbers for the 31 years 1851–82 are derived from the Annual Reports, and relate to the calendar years.

TABLE 34.—ENGLAND.—**Mortality** from **certain Causes** to 1000 Persons living in **Registration Counties** in **1882**.

REGISTRATION COUNTIES.	Estimated Population in the middle of 1882.*	ANNUAL DEATH-RATE PER 1000 PERSONS LIVING FROM																									
		All Causes.	Small pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple and Ill-defined Fever.	Diarrhœa and Dysentery.	Simple Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Disease of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Organs of Generation.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.
ENGLAND - - -	26,413,861	19·56	0·05	0·48	0·52	0·15	0·58	0·04	0·23	0·04	0·65	0·01	0·53	0·31	1·84	0·42	2·64	1·37	3·73	1·12	0·39	0·06	0·10	0·07	0·67	3·56
I.—LONDON - - -	3,893,272	21·30	0·11	0·60	0·52	0·22	1·20	0·01	0·25	0·02	0·55	0·02	0·63	0·37	2·21	0·55	2·39	1·33	4·64	1·14	0·45	0·08	0·09	0·06	0·75	3·11
II.—SOUTH EASTERN COUNTIES.																											
Surrey (*extra-metrop.*) - -	474,431	16·11	0·09	0·40	0·15	0·18	0·50	0·00	0·13	0·03	0·37	0·00	0·59	0·19	1·69	0·38	2·56	1·32	2·64	1·00	0·42	0·05	0·09	0·05	0·47	2·81
Kent (*extra-metrop.*) - -	718,570	17·17	0·03	0·33	0·26	0·49	0·01	0·17	0·03	0·36	0·01	0·53	0·28	1·67	0·40	2·32	1·51	2·88	1·09	0·38	0·04	0·09	0·05	0·65	3·26
Sussex - - - -	503,951	16·84	0·04	0·56	0·30	0·17	0·71	0·01	0·14	0·02	0·38	0·00	0·62	0·21	1·85	0·36	2·08	1·38	2·63	1·03	0·40	0·07	0·08	0·07	0·56	3·17
Hampshire - - - -	581,770	17·65	0·00	0·51	0·16	0·35	0·48	0·01	0·31	0·05	0·46	0·01	0·59	0·24	1·98	0·34	2·40	1·50	3·05	1·11	0·39	0·03	0·10	0·06	0·57	2·95
Berkshire - - - -	250,781	16·90	0·03	0·40	0·37	0·22	0·61	0·00	0·10	0·02	0·41	0·00	0·60	0·18	1·60	0·32	2·23	1·50	2·92	0·93	0·38	0·05	0·06	0·05	0·49	3·40
III.—SOUTH MIDLAND COUNTIES.																											
Middlesex (*extra-metrop.*) -	398,298	17·76	0·04	0·53	0·45	0·27	0·65	0·01	0·20	0·01	0·46	0·01	0·53	0·30	1·51	0·39	2·46	1·32	3·43	0·92	0·38	0·05	0·09	0·07	0·55	3·13
Hertfordshire - - - -	203,564	16·35	0·03	0·36	0·19	0·22	0·29	0·00	0·11	0·01	0·37	0·01	0·67	0·09	1·55	0·20	2·49	1·30	3·05	0·85	0·40	0·04	0·07	0·07	0·46	3·20
Buckinghamshire - - -	155,898	17·68	0·03	0·15	0·47	0·11	0·64	0·01	0·17	0·01	0·37	0·00	0·49	0·21	1·45	0·32	2·42	1·19	3·05	1·06	0·42	0·08	0·08	0·09	0·52	4·33
Oxfordshire - - - -	181,752	16·70	0·01	0·18	0·84	0·13	0·28	0·00	0·12	0·03	0·32	0·00	0·61	0·17	1·38	0·29	2·33	1·41	2·50	1·05	0·40	0·03	0·06	0·06	0·54	3·96
Northamptonshire - - -	230,720	17·24	0·04	0·46	0·35	0·08	0·32	0·01	0·21	0·02	0·50	0·00	0·59	0·16	1·60	0·34	2·33	1·30	2·81	1·11	0·31	0·04	0·12	0·06	0·60	3·87
Huntingdonshire - - -	52,021	15·68	0·00	0·02	0·29	0·08	0·34	0·00	0·13	0·13	0·55	0·02	0·78	0·11	1·75	0·32	1·86	1·65	2·26	0·74	0·36	0·04	0·02	0·01	0·74	3·45
Bedfordshire - - - -	154,522	18·12	0·12	0·17	0·60	0·28	0·44	0·03	0·10	0·05	0·43	0·00	0·51	0·27	1·67	0·29	2·38	1·39	3·01	1·04	0·38	0·05	0·05	0·09	0·43	4·28
Cambridgeshire - - -	191,017	17·11	0·02	0·17	0·76	0·20	0·57	0·01	0·08	0·04	0·37	0·01	0·68	0·23	1·76	0·39	2·04	1·32	2·82	0·98	0·39	0·07	0·05	0·03	0·50	3·62
IV.—EASTERN COUNTIES.																											
Essex - - - - -	567,753	17·78	0·11	0·39	0·49	0·30	0·73	0·01	0·15	0·04	0·49	0·01	0·49	0·24	1·57	0·42	2·43	1·35	3·27	0·91	0·29	0·03	0·07	0·04	0·54	3·35
Suffolk - - - - -	354,166	17·28	0·03	0·21	0·14	0·12	0·30	0·00	0·11	0·02	0·50	0·01	0·60	0·24	1·84	0·47	2·25	1·41	2·61	1·02	0·40	0·05	0·10	0·05	0·53	4·27
Norfolk - - - - -	438,381	18·29	0·00	0·40	0·26	0·13	0·24	0·01	0·13	0·02	0·55	0·01	0·75	0·23	1·69	0·35	2·22	1·50	2·71	1·03	0·39	0·06	0·09	0·07	0·55	4·90
V.—SOUTH WESTERN COUNTIES.																											
Wiltshire - - - -	248,854	16·70	0·00	0·24	0·18	0·06	0·25	0·00	0·07	0·02	0·26	0·02	0·63	0·19	1·61	0·22	2·53	1·90	3·03	1·05	0·46	0·06	0·10	0·08	0·45	3·38
Dorsetshire - - - -	184,381	15·76	0·00	0·12	0·20	0·12	0·28	0·00	0·12	0·03	0·36	0·01	0·65	0·17	1·33	0·26	2·28	1·59	3·01	1·13	0·34	0·09	0·02	0·07	0·57	3·01
Devonshire - - - -	608,380	17·65	0·00	0·30	0·24	0·10	0·26	0·01	0·20	0·03	0·40	0·01	0·68	0·14	1·82	0·38	2·49	1·54	3·15	1·03	0·42	0·06	0·08	0·09	0·53	3·67
Cornwall - - - - -	322,420	18·53	0·00	0·38	0·22	0·17	0·20	0·01	0·16	0·04	0·34	0·00	0·66	0·24	1·96	0·25	2·35	1·39	3·06	1·11	0·39	0·05	0·05	0·08	0·53	4·89
Somersetshire - - -	491,375	17·09	0·01	0·09	0·23	0·20	0·33	0·00	0·12	0·03	0·32	0·00	0·61	0·18	1·48	0·28	2·39	1·71	3·04	1·11	0·46	0·06	0·08	0·08	0·56	3·72

* The Populations of the counties have been estimated to the middle of 1882 from the numbers enumerated at the Censuses in 1871 and 1881.

TABLE 34 (*cont.*)—ENGLAND.—**Mortality** from **certain Causes** to 1000 Persons living in **Registration Counties** in **1882.**

REGISTRATION COUNTIES.	Estimated Population in the middle of 1882.*	Annual Death-rate per 1000 Persons living from: All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Simple and Ill-defined Fever.	Diarrhœa and Dysentery.	Simple Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Organs of Generation.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.
VI.—WEST MIDLAND COUNTIES.																										
Gloucestershire	529,617	18·22	0·01	0·44	0·69	0·05	0·44	0·02	0·16	0·02	0·46	0·01	0·64	0·25	1·56	0·32	2·45	1·52	3·28	0·96	0·43	0·05	0·08	0·07	0·56	3·75
Herefordshire	117,617	17·64	0·01	0·65	0·49	0·14	0·44	0·01	0·05	0·03	0·24	0·01	0·71	0·17	1·33	0·21	2·39	1·95	2·76	0·92	0·35	0·05	0·12	0·09	0·52	4·00
Shropshire	265,756	16·85	0·00	0·13	0·41	0·29	0·34	0·02	0·17	0·02	0·36	0·00	0·62	0·19	1·42	0·27	2·23	1·71	2·90	1·11	0·43	0·05	0·07	0·09	0·61	3·41
Staffordshire	1,023,715	19·76	0·14	0·46	0·40	0·08	0·48	0·01	0·31	0·04	0·87	0·01	0·44	0·37	1·43	0·30	2·78	1·17	3·74	1·17	0·39	0·04	0·10	0·07	0·76	4·20
Worcestershire	389,120	17·15	0·00	0·61	0·42	0·12	0·32	0·01	0·26	0·05	0·60	0·01	0·44	0·29	1·43	0·35	2·33	1·28	2·90	1·12	0·41	0·05	0·07	0·09	0·52	3·47
Warwickshire	743,732	19·11	0·03	0·32	0·47	0·13	0·59	0·01	0·17	0·04	0·99	0·01	0·55	0·29	1·67	0·33	2·44	1·27	3·67	1·01	0·43	0·07	0·09	0·07	0·77	3·69
VII.—NORTH MIDLAND COUNTIES.																										
Leicestershire	333,525	18·38	0·02	0·35	0·77	0·06	0·19	0·01	0·18	0·01	1·15	0·01	0·45	0·27	1·31	0·38	2·66	1·28	3·01	0·91	0·41	0·04	0·08	0·10	0·59	4·14
Rutlandshire	22,995	15·52	0·04	0·35	0·35	0·09	0·31	0·00	0·09	0·00	0·04	0·00	0·52	0·26	1·17	0·17	1·96	1·44	2·74	1·09	0·48	0·00	0·09	0·17	0·26	3·90
Lincolnshire	467,396	17·66	0·04	0·16	0·86	0·17	0·34	0·01	0·17	0·04	0·65	0·01	0·61	0·22	1·54	0·33	2·63	1·34	2·69	1·07	0·36	0·05	0·08	0·06	0·61	3·62
Nottinghamshire	450,097	20·82	0·13	0·48	1·33	0·30	0·32	0·01	0·23	0·02	0·83	0·02	0·53	0·46	1·85	0·45	2·67	1·30	3·42	1·04	0·32	0·07	0·11	0·09	0·62	4·27
Derbyshire	394,796	18·32	0·02	0·33	0·81	0·07	0·39	0·01	0·18	0·04	0·59	0·01	0·44	0·30	1·49	0·37	2·74	1·37	3·36	1·20	0·25	0·05	0·09	0·08	0·73	3·40
VIII.—NORTH WESTERN COUNTIES.																										
Cheshire	633,219	19·40	0·00	0·47	0·45	0·12	0·47	0·06	0·23	0·04	0·65	0·01	0·45	0·31	1·78	0·36	2·70	1·33	3·54	1·34	0·39	0·07	0·10	0·09	0·64	3·80
Lancashire	3,572,992	22·82	0·05	0·93	0·47	0·10	0·62	0·16	0·29	0·05	1·01	0·03	0·41	0·41	2·05	0·46	3·07	1·35	5·03	1·32	0·41	0·06	0·13	0·09	0·76	3·56
IX.—YORKSHIRE.																										
West Riding	2,244,110	20·42	0·03	0·56	0·60	0·09	0·49	0·01	0·25	0·05	0·82	0·03	0·46	0·35	2·02	0·50	2·98	1·30	4·16	1·15	0·34	0·05	0·09	0·07	0·60	3·42
East Riding with York	369,841	20·92	0·04	0·50	1·31	0·11	0·25	0·01	0·25	0·08	1·18	0·01	0·52	0·36	1·79	0·37	3·19	1·47	3·24	1·11	0·38	0·05	0·10	0·04	0·67	3·89
North Riding	341,108	18·62	0·00	0·25	0·34	0·12	0·51	0·01	0·27	0·04	0·76	0·02	0·51	0·33	1·48	0·30	2·73	1·34	3·55	1·09	0·36	0·04	0·16	0·09	0·69	3·63
X.—NORTHERN COUNTIES.																										
Durham	900,616	21·35	0·05	0·42	0·84	0·07	0·56	0·12	0·34	0·07	1·02	0·02	0·38	0·59	1·78	0·58	2·96	1·25	3·62	1·24	0·32	0·05	0·15	0·10	0·84	3·38
Northumberland	440,189	20·21	0·21	0·20	0·48	0·08	0·54	0·07	0·25	0·07	0·83	0·03	0·52	0·47	2·02	0·42	2·96	1·56	3·02	1·11	0·38	0·08	0·12	0·10	0·87	3·82
Cumberland	254,601	19·25	0·00	0·42	0·59	0·06	0·53	0·02	0·22	0·01	0·57	0·01	0·56	0·22	1·86	0·40	2·50	1·66	3·26	1·04	0·35	0·05	0·07	0·08	0·95	3·82
Westmorland	64,282	15·77	0·00	0·09	0·26	0·05	0·12	0·00	0·17	0·02	0·30	0·02	0·61	0·19	1·70	0·45	2·30	1·52	2·44	1·17	0·42	0·03	0·19	0·02	0·56	3·14
XI.—MONMOUTHSHIRE AND WALES.																										
Monmouthshire	236,108	21·35	0·03	0·33	1·87	0·21	0·57	0·01	0·22	0·03	0·33	0·01	0·46	0·33	1·54	0·42	2·80	1·54	4·38	1·10	0·50	0·03	0·08	0·08	0·98	3·50
South Wales	896,277	18·51	0·00	0·16	0·87	0·10	0·40	0·01	0·28	0·04	0·34	0·01	0·44	0·17	2·11	0·39	2·88	1·18	3·35	0·92	0·38	0·07	0·11	0·10	0·84	3·36
North Wales	465,369	17·95	0·01	0·13	0·32	0·22	0·24	0·02	0·36	0·04	0·25	0·00	0·58	0·20	2·09	0·30	3·23	1·28	3·12	1·15	0·47	0·04	0·10	0·12	0·63	3·05

* The Populations of the counties have been estimated to the middle of 1882 from the numbers enumerated at the Censuses in 1871 and 1881.

TABLE 35.—ENGLAND.—**Mortality** of **Males** and **Females** to a Million living of **each Sex** in **1882.**

CAUSES OF DEATH.	Deaths to 1,000,000 living. Males.	Deaths to 1,000,000 living. Females.
ALL CAUSES - -	20676	18502
Small-pox - - - - -	59	41
Chicken-pox - - - -	5	4
Measles - - - - -	516	449
Epidemic Rose Rash - -	4	4
Scarlet Fever - - -	538	504
Typhus - - - - -	39	33
Relapsing Fever - - -	-	1
Influenza - - - -	3	3
Whooping-cough - - -	557	617
Mumps - - - - -	4	3
Diphtheria - - - -	145	157
Cerebro-spinal Fever - -	2	1
Simple and Ill-defined Fever	39	38
Enteric Fever - - -	247	211
Other Miasmatic Diseases -	-	-
Simple Cholera - - -	16	11
Diarrhœa, Dysentery - -	697	606
Remittent Fever - - -	9	9
Ague - - - - - -	5	3
Hydrophobia - - -	2	-
Glanders - - - -	-	-
Splenic Fever - - -	1	-
Cow-pox and other Effects of Vaccination - - -	2	3
Syphilis - - - - -	90	79
Gonorrhœa, Stricture of Urethra - - - -	19	-
Phagedæna - - - -	2	3
Erysipelas - - - -	100	85
Pyæmia, Septicæmia - -	23	19
Puerperal Fever - - -	-	189
Thrush - - - - -	31	24
Other Dis. from Vegetable parasites - - - -	1	-
Hydatid Disease - - -	3	2
Other Dis. from Animal parasites - - - -	6	7
Starvation, Want of Breast Milk - - - - - -	21	15
Scurvy - - - - -	1	-
Intemperance { Chronic Alcholism	46	30
Intemperance { Delirium Tremens	22	3
Rheumatic Fever, Rheumatism of Heart - - -	107	90
Rheumatism - - - -	32	38
Gout - - - - - -	33	7
Rickets - - - - -	20	17
Cancer - - - - -	334	692
Tabes Mesenterica - -	347	289
Tubercular Meningitis (Acute Hydrocephalus) - - -	309	220
Phthisis - - - -	1940	1755
Other Forms of Tuberculosis, Scrofula - - - -	165	141
Purpura, Hæmorrhagic Diathesis - - - - -	15	13
Anæmia, Chlorosis, Leucocythæmia - - - -	34	50
Diabetes Mellitus - - -	57	38
Other Constitutional Diseases	14	15
Premature Birth - - -	533	408
Atelectasis - - - -	31	21
Cyanosis - - - -	41	31
Spina Bifida - - - -	23	26
Imperforate Anus - - -	11	5
Cleft Palate, Harelip - -	8	6
Other Congenital Defects -	11	6
Old Age - - - - -	574	1073

CAUSES OF DEATH.	Deaths to 1,000,000 living. Males.	Deaths to 1,000,000 living. Females.
Inflammation of Brain or its Membranes - - -	328	279
Apoplexy - - - -	491	530
Softening of Brain - -	146	101
Hemiplegia, Brain Paralysis	367	392
Paralysis Agitans - - -	6	4
Insanity, General Paralysis of Insane - - - -	116	64
Chorea - - - - -	2	6
Epilepsy - - - -	107	97
Convulsions - - - -	998	750
Laryngismus Stridulus - -	35	19
Idiopathic Tetanus - -	3	1
Paraplegia and Diseases of Spinal Cord - - -	70	47
Other Diseases of Nervous System - - - -	187	141
Otitis, Otorrhœa - - -	20	15
Epistaxis and Diseases of Nose	3	2
Ophthalmia and Diseases of Eye - - - - -	3	2
Endocarditis, Valvular Disease	203	213
Pericarditis - - - -	17	15
Hypertrophy of Heart - -	13	12
Angina Pectoris - - -	25	17
Syncope - - - - -	48	50
Aneurism - - - -	47	14
Senile Gangrene - - -	34	23
Embolism, Thrombosis -	18	30
Phlebitis - - - - -	4	6
Varicose Veins - - -	3	5
Other Diseases of Circulatory System - - - -	932	1014
Laryngitis - - - -	61	49
Croup - - - - - -	190	160
Other Diseases of Larynx and Trachea - - - -	10	8
Emphysema, Asthma - -	113	73
Bronchitis - - - -	2281	2103
Pneumonia - - - -	1166	816
Pleurisy - - - - -	58	42
Other Diseases of Respiratory System - - - -	198	146
Stomatitis - - -	17	17
Dentition - -	205	151
Sore Throat, Quinsy	24	23
Dyspepsia - -	18	18
Hæmatemesis - - -	16	11
Melæna - - - - -	5	5
Diseases of Stomach - -	92	101
Enteritis - - - -	119	107
Ulceration of Intestine - -	16	15
Ileus, Obstruction of Intestine	71	66
Stricture or Strangulation of Intestine - - - -	9	9
Intussusception of Intestine -	17	14
Hernia - - - - -	48	40
Fistula - - - - -	4	1
Peritonitis - - - -	74	79
Ascites - - - - -	12	21
Gallstones - - - -	6	11
Cirrhosis of Liver - - -	134	98
Other Diseases of Liver -	237	248
Other Diseases of Digestive System - - - -	46	42
Diseases of Lymphatic System	9	9
Diseases of Spleen - -	5	4
Bronchocele - - - -	2	6
Addison's Disease - - -	5	5

CAUSES OF DEATH.	Deaths to 1,000,000 living. Males.	Deaths to 1,000,000 living. Females.
Acute Nephritis - - -	48	36
Bright's Disease - - -	238	179
Uræmia - - - - -	20	15
Suppression of Urine - -	7	4
Calculus - - - - -	16	4
Hæmaturia - - - -	10	4
Diseases of Bladder and of Prostate - - - -	123	14
Other Diseases of Urinary System - - - -	51	25
Ovarian Disease - - -	-	40
Diseases of Uterus and Vagina	-	48
Disorders of Menstruation -	-	7
Pelvic Abscess - - -	2	8
Perineal Abscess - - -	2	-
Diseases of Testes, Penis, Scrotum, &c. - -	7	-
Abortion, Miscarriage - -	-	12
Puerperal Mania - - -	-	8
Puerperal Convulsions - -	-	30
Placenta Prævia, Flooding -	-	55
Phlegmasia Dolens - -	-	6
Other Accidents of Childbirth	-	34
Caries, Necrosis - - -	46	31
Arthritis, Ostitis, Periostitis -	8	5
Other Diseases of Organs of Locomotion - - -	52	42
Carbuncle - - - -	9	4
Phlegmon, Cellulitis - -	9	7
Lupus - - - - -	2	3
Ulcer, Bedsore - - -	16	24
Eczema - - - - -	17	11
Pemphigus - - - -	4	4
Other Diseases of Integumentary System - - -	8	8
Accident. { Fractures and Contusions	441	97
Accident. { Gunshot Wounds - -	6	1
Accident. { Cut, Stab - - -	9	4
Accident. { Burn, Scald - - -	97	69
Accident. { Poison - - - -	19	9
Accident. { Drowning - - -	185	36
Accident. { Suffocation - - -	80	58
Accident. { Otherwise - - -	50	17
Murder, Manslaughter - -	17	11
Suicide. { Gunshot Wounds - -	9	-
Suicide. { Cut, Stab - - -	22	4
Suicide. { Poison - - - -	9	8
Suicide. { Drowning - - -	19	13
Suicide. { Hanging - - -	43	10
Suicide. { Otherwise - - -	10	3
Execution - - - - -	1	-
Dropsy - - - - -	59	80
Debility, Atrophy, Inanition -	271	300
Mortification - - - -	21	16
Tumour - - - -	9	17
Abscess - - - - -	24	26
Hæmorrhage - - - -	9	5
Sudden (Cause unascertained)	19	9
Other Ill-defined and not specified Causes - - -	143	105

TABLE **36.**—ENGLAND.—**Causes** of **Death** in **1882.** NUMBERS DYING from EACH CAUSE to a Million DEATHS from ALL CAUSES.

CAUSES OF DEATH.	Proportional Numbers.
ALL CAUSES	1,000,000
Small-pox	2549
Chicken pox	236
Measles	24603
Epidemic Rose Rash	217
Scarlet Fever	26379
Typhus	1819
Relapsing Fever	25
Influenza	174
Whooping-cough	29535
Mumps	174
Diphtheria	7727
Cerebro-spinal Fever	81
Simple and Ill-defined Fever	1966
Enteric Fever	11683
Other Miasmatic Diseases	4
Simple Cholera	679
Diarrhœa, Dysentery	33262
Remittent Fever	476
Ague	192
Hydrophobia	54
Glanders	6
Splenic Fever	29
Cow-pox and other Effects of Vaccination	126
Syphilis	4310
Gonorrhœa, Stricture of Urethra	486
Phagedæna	141
Erysipelas	4713
Pyæmia, Septicæmia	1053
Puerperal Fever	4963
Thrush	1400
Other Diseases from Vegetable parasites	23
Hydatid Disease	114
Other Diseases from Animal parasites	339
Starvation, Want of Breast-milk	900
Scurvy	29
Intemperance (Chronic Alcoholism, Delirium Tremens)	2561
Rheumatic Fever, Rheumatism of Heart	5013
Rheumatism	1800
Gout	1016
Rickets	954
Cancer	27208
Tabes Mesenterica	15960
Tubercular Meningitis (Acute Hydrocephalus)	13469
Phthisis	94290
Other Forms of Tuberculosis, Scrofula	7820
Purpura, Hæmorrhagic Diathesis	722
Anæmia, Chlorosis, Leucocythæmia	2154
Diabetes Mellitus	2425
Other Constitutional Diseases	761
Premature Birth	24066
Atelectasis	1336
Cyanosis	1829
Spina Bifida	1252
Imperforate Anus	397
Cleft Palate, Harelip	366
Other Congenital Defects	519
Old Age	49869

CAUSES OF DEATH.	Proportional Numbers.
Inflammation of Brain or its Membranes	15720
Apoplexy	26116
Softening of Brain	6289
Hemiplegia, Brain Paralysis	19423
Paralysis Agitans	265
Insanity, General Paralysis of Insane	4581
Chorea	211
Epilepsy	5212
Convulsions	44557
Laryngismus Stridulus	1359
Idiopathic Tetanus	91
Paraplegia, Diseases of Spinal Cord	2987
Other Diseases of Nervous System	8341
Otitis, Otorrhœa	877
Epistaxis and Diseases of Nose	135
Ophthalmia and Diseases of Eye	114
Endocarditis, Valvular Disease	10663
Pericarditis	802
Hypertrophy of Heart	635
Angina Pectoris	1080
Syncope	2501
Aneurism	1531
Senile Gangrene	1432
Embolism, Thrombosis	1248
Phlebitis	252
Varicose Veins	201
Other Diseases of Circulatory System	49795
Laryngitis	2795
Croup	8921
Other Diseases of Larynx and Trachea	453
Emphysema, Asthma	4742
Bronchitis	111977
Pneumonia	50436
Pleurisy	2539
Other Diseases of Respiratory System	8758
Stomatitis	869
Dentition	9045
Sore Throat, Quinsy	1217
Dyspepsia	937
Hæmatemesis	693
Melæna	265
Diseases of Stomach	4932
Enteritis	5756
Ulceration of Intestine	794
Ileus, Obstruction of Intestine	3507
Stricture or Strangulation of Intestine	449
Intussusception of Intestine	788
Hernia	2208
Fistula	141
Peritonitis	3900
Ascites	844
Gallstones	430
Cirrhosis of Liver	5898
Other Diseases of Liver	12417
Other Diseases of Digestive System	2237
Diseases of Lymphatic System	456
Diseases of Spleen	226
Bronchocele	221
Addison's Disease	257

CAUSES OF DEATH.	Proportional Numbers.
Acute Nephritis	2135
Bright's Disease	10624
Uræmia	896
Suppression of Urine	286
Calculus	492
Hæmaturia	352
Diseases of Bladder and of Prostate	3430
Other Diseases of Urinary System	1922
Ovarian Disease	1049
Diseases of Uterus and Vagina	1251
Disorders of Menstruation	190
Pelvic Abscess	254
Perineal Abscess	45
Diseases of Testes, Penis, Scrotum, &c.	178
Abortion, Miscarriage	327
Puerperal Mania	211
Puerperal Convulsions	788
Placenta Prævia, Flooding	1438
Phlegmasia Dolens	149
Other Accidents of Childbirth	881
Caries, Necrosis	1949
Arthritis, Ostitis, Periostitis	329
Other Diseases of Organs of Locomotion	2427
Carbuncle	312
Phlegmon, Cellulitis	426
Lupus	124
Ulcer, Bedsore	1042
Eczema	728
Pemphigus	188
Other Diseases of Integumentary System	397
Accident. Fractures and Contusions	13565
Accident. Gunshot Wounds	159
Accident. Cut, Stab	310
Accident. Burn, Scald	4221
Accident. Poison	708
Accident. Drowning	5539
Accident. Suffocation	5539
Accident. Otherwise	1678
Homicide	703
Suicide. Gunshot Wounds	238
Suicide. Cut, Stab	669
Suicide. Poison	441
Suicide. Drowning	811
Suicide. Hanging	1330
Suicide. Otherwise	314
Execution	21
Dropsy	3585
Debility, Atrophy, Inanition	45132
Mortification	939
Tumour	679
Abscess	1270
Hæmorrhage	352
Sudden (Cause unascertained)	722
Other ill-defined and not specified Causes	6310

Table 37.—ENGLAND.--**Deaths** from **Scarlet Fever** in **Registration Counties** in the Eleven **Years 1872-1882.**

No.	REGISTRATION COUNTIES.	DEATHS FROM SCARLET FEVER. 1872	1873	1874	1875	1876	1877	1878	1879	1880	1881	Ten Years 1872-81.	1882
	ENGLAND.	11,922	13,144	24,922	20,469	16,893	14,456	18,842	17,613	17,494	14,275	16,994·0	13,732
	I.—London - -	918	645	2,648	3,677	2,308	1,580	1,808	2,661	3,100	2,114	2145·9	2,006
	II.—South Eastern Counties.												
1	Surrey (*extra-metropol.*)-	81	36	57	205	142	65	60	111	148	156	106·1	70
2	Kent (*extra-metropol.*) -	141	70	158	423	259	255	77	103	192	234	191·2	234
3	Sussex - - - -	132	29	20	53	172	91	55	105	140	115	91·2	152
4	Hampshire - - -	82	28	63	162	974	170	104	81	50	110	182·9	93
5	Berkshire - - -	29	3	26	77	92	161	109	44	107	78	72·6	92
	III.—South Midland Counties.												
6	Middlesex (*extra-metro.*)-	31	24	52	145	126	136	162	108	125	159	106·8	180
7	Hertfordshire - - -	64	10	57	58	60	23	40	34	52	62	46·0	39
8	Buckinghamshire - -	78	10	57	49	43	14	21	48	47	50	41·7	74
9	Oxfordshire - - -	62	58	16	13	31	160	70	34	36	56	53·6	152
10	Northamptonshire - -	88	27	65	111	214	71	94	87	80	126	96·3	99
11	Huntingdonshire - -	13	2	35	33	12	6	12	19	57	11	20·0	15
12	Bedfordshire - - -	98	15	66	171	96	34	46	11	54	60	65·1	93
13	Cambridgeshire - -	31	10	22	59	99	33	27	23	60	60	42·4	145
	IV.—Eastern Counties.												
14	Essex - - - -	126	38	120	337	135	140	145	221	398	222	188·2	276
15	Suffolk - - - -	96	31	114	145	81	55	88	128	70	73	88·1	48
16	Norfolk - - - -	47	109	364	179	139	153	98	139	432	255	190·6	114
	V.—South Western Counties.												
17	Wiltshire - - -	143	79	19	67	119	250	58	122	111	111	107·9	45
18	Dorsetshire - - -	55	28	165	80	33	66	14	11	26	53	53·1	37
19	Devonshire - - -	108	76	72	279	199	560	174	78	122	88	175·4	147
20	Cornwall - - - -	161	45	50	164	416	413	191	100	72	26	163·8	71
21	Somersetshire - - -	172	104	173	269	569	223	31	112	222	107	198·2	114
	VI.—West Midland Counties.												
22	Gloucestershire - -	85	50	75	530	684	269	99	76	290	282	244·0	364
23	Herefordshire - - -	9	18	25	35	161	63	26	4	33	38	41·2	58
24	Shropshire - - -	237	144	119	53	72	208	135	147	108	175	139·8	109
25	Staffordshire - - -	1,039	1,106	649	432	538	1,450	1,639	818	715	572	897·8	406
26	Worcestershire - -	140	223	303	103	232	338	697	216	135	108	249·5	162
27	Warwickshire - - -	492	749	1,270	406	336	349	1,242	460	276	453	603·3	351
	VII.—North Midland Counties.												
28	Leicestershire - - -	51	69	92	395	400	95	43	271	184	308	190·8	257
29	Rutlandshire - - -	13	-	-	17	10	5	2	4	9	5	6·5	8
30	Lincolnshire - - -	157	253	529	325	176	99	173	128	118	174	213·2	403
31	Nottinghamshire - -	58	53	385	634	359	110	219	277	321	599	301·5	599
32	Derbyshire - - -	119	315	363	446	204	109	264	493	251	171	274·0	318
	VIII.—North Western Counties.												
33	Cheshire - - - -	463	261	536	664	596	430	427	591	503	196	466·7	238
34	Lancashire - - -	2,887	3,640	6,404	3,084	2,603	2,349	4,545	4,210	3,195	1,879	3479·6	1,669
	IX.—Yorkshire.												
35	West Riding - - -	1,080	1,652	3,779	2,808	1,733	1,493	2,752	2,172	1,546	1,245	2026·0	1,236
36	East Riding (with York)	72	82	263	458	113	126	88	194	142	834	237·2	483
37	North Riding - - -	54	24	256	227	298	202	235	195	272	167	193·0	115
	X.--Northern Counties.												
38	Durham - - - -	684	942	1,942	891	659	890	1,582	1,230	1,520	779	1111·9	759
39	Northumberland - -	249	893	943	251	212	206	510	833	452	126	467·5	213
40	Cumberland - - -	367	132	501	276	35	18	34	61	240	184	184·8	150
41	Westmorland - - -	8	11	45	43	6	10	10	32	93	18	27·6	17
	XI.—Monmouthshire and Wales.												
42	Monmouthshire - -	119	107	221	211	197	247	152	69	41	128	149·2	442
43	South Wales - - -	538	565	1,388	932	594	439	319	455	1022	1,214	746·6	779
44	North Wales - - -	247	387	495	492	356	292	145	297	237	294	315·2	150

TABLE **38.**—ENGLAND.—**Deaths** from **Fever**, at several groups of Ages, in the Seventeen **Years 1866–82.**

AGES.	1866.	1867.	1868.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.
ALL AGES -	21,104	16,862	19,701	18,390	17,910	15,790	14,020	13,553	13,735	13,063	10,746	9,987	10,417	7,933	8,794	7240	7,992
Under 5 Years -	3654	3224	3600	3396	3388	2991	2394	2544	2458	2411	1951	1729	1869	1404	1491	875	882
5— -	2594	2192	2348	2253	2218	1930	1837	1805	1637	1653	1304	1349	1389	1071	1129	903	913
10— -	1852	1504	1748	1625	1572	1465	1406	1362	1231	1180	1065	1020	938	830	899	787	781
15— -	3388	3095	3611	3224	3129	2911	2875	2722	2748	2561	2221	2033	2205	1674	1044	1725	1921
25— -	2382	1815	2372	2140	1997	1840	1567	1639	1720	1617	1383	1298	1372	1041	2042	1082	1314
35— -	2237	1548	1880	1731	1649	1403	1161	1120	1254	1250	965	900	909	672	793	727	903
45— -	1928	1290	1584	1539	1480	1240	1003	926	1043	928	747	684	687	508	611	514	593
55— -	1514	1075	1303	1260	1237	995	820	744	825	771	618	499	504	390	425	351	427
65— -	947	803	894	892	911	760	536	514	559	511	361	337	354	251	286	215	213
75 & upwards	408	316	361	330	329	255	221	177	200	181	131	147	130	92	74	61	45

NOTE.—The figures for some of the years previous to 1881 differ slightly from those given in Tables 29 and 32, these latter having been corrected for recent changes in classification.

TABLE **39.**—ENGLAND.—**Deaths** from **Fever** (**Typhus, Enteric** or **Typhoid, Simple** and **Ill-defined**) to a Million Persons living, and Proportional Numbers to 1000 Deaths, in the Thirty-three **Years 1850–82.**

YEARS.	Number of Deaths registered.	Deaths to 1,000,000 Persons living.	Proportional Number to 1000 Deaths.
1850	15,374	866	43
1851	17,930	1,015	46
1852	18,641	1,041	47
1853	18,554	1,025	45
1854	18,893	1,028	44
1855	16,470	889	39
1856	16,182	860	42
1857	19,016	997	46
1858	17,883	928	40
1859	15,877	814	36
1860	13,012	663	31
1861	15,440	776	36
1862	18,721	931	43
1863	18,917	886	38
1864	20,106	977	41
1865	23,034	1,109	47
1866	21,104	1,005	43
1867	16,862	795	36
1868	19,701	917	41
1869	18,390	846	37
1870	17,910	804	35
1871	15,790	699	31
1872	14,020	612	29
1873	13,553	585	28
1874	13,735	586	26
1875	13,063	548	24
1876	10,746	445	21
1877	9,987	408	20
1878	10,417	421	19
1879	7,933	317	15
1880	8,794	342	17
1881	7,240	278	15
1882	7,992	303	15
Average in 33 Years -	15,466	749	34

TABLE 40.—ENGLAND.—**Deaths** from **Fever** (**Typhus, Enteric** or **Typhoid, Simple** and **Ill-defined**) in **Registration Counties** in the Eleven **Years 1872–82.**

No.	REGISTRATION COUNTIES.	DEATHS FROM FEVER.* 1872	1873	1874	1875	1876	1877	1878	1879	1880	1881	Ten Years 1872–81.	1882
	ENGLAND.	14,020	13,553	13,735	13,063	10,746	9,987	10,417	7,933	8,794	7,240	10,948·8	7,992
	I.—LONDON - - -	1,303	1,510	1,523	1,217	1,130	1,252	1,381	1,089	910	1,197	1,250·8	1,123
	II.—SOUTH EASTERN COUNTIES.												
1	Surrey (*extra-metropolitan*)	112	80	104	157	120	123	79	110	87	66	106·8	74
2	Kent (*extra-metropolitan*) -	283	271	241	273	188	206	194	168	196	161	218·1	158
3	Sussex - - - - -	138	145	157	142	106	93	119	75	125	105	120·5	88
4	Hampshire - - - -	299	270	260	250	197	202	213	194	202	140	222·7	214
5	Berkshire - - - -	98	85	63	97	63	65	72	30	47	48	67·6	31
	III.—SOUTH MIDLAND COUNTIES.												
6	Middlesex (*extra-metropol.*)	108	120	91	106	94	88	94	97	77	99	98·4	85
7	Hertfordshire - - -	88	80	77	67	59	47	62	66	31	29	60·6	27
8	Buckinghamshire - - -	74	53	57	55	49	53	49	38	50	34	51·2	19
9	Oxfordshire - - - -	66	99	63	79	49	46	44	42	45	30	56·3	28
10	Northamptonshire - -	203	127	135	113	103	115	110	77	87	71	114·1	68
11	Huntingdonshire - - -	25	37	25	39	23	12	12	13	16	15	22·2	14
12	Bedfordshire - - - -	77	61	70	54	41	44	47	55	41	26	51·6	27
13	Cambridgeshire - - -	88	108	64	93	45	51	54	50	43	43	63·9	24
	IV.—EASTERN COUNTIES.												
14	Essex - - - - - -	202	182	209	163	149	123	151	149	155	133	161·6	111
15	Suffolk - - - - -	143	152	197	126	86	81	96	75	69	66	103·1	46
16	Norfolk - - - - -	231	225	158	191	126	134	112	103	129	89	149·3	69
	V.—SOUTH WESTERN COUNTIES.												
17	Wiltshire - - - - -	116	69	106	94	61	62	65	58	47	34	71·2	25
18	Dorsetshire - - - -	72	79	52	54	47	31	42	24	28	24	45·3	28
19	Devonshire - - - -	411	323	273	257	256	221	232	169	183	149	248·2	146
20	Cornwall - - - -	186	187	224	167	147	145	105	110	181	123	157·5	65
21	Somersetshire - - -	222	247	188	162	175	166	153	139	127	102	168·1	78
	VI.—WEST MIDLAND COUNTIES.												
22	Gloucestershire - - -	239	206	166	208	187	203	170	114	108	108	170·9	108
23	Herefordshire - - -	46	65	47	41	41	23	18	11	25	8	32·5	10
24	Shropshire - - - -	98	84	103	110	93	94	86	75	89	59	89·1	56
25	Staffordshire - - - -	632	637	552	639	426	374	395	308	334	271	456·8	366
26	Worcestershire - - -	127	147	145	117	126	120	145	83	116	81	121·2	127
27	Warwickshire - - -	361	372	336	345	272	226	242	163	161	135	261·3	164
	VII.—NORTH MIDLAND COUNTIES.												
28	Leicestershire - - -	197	141	147	150	114	70	93	60	141	94	120·7	69
29	Rutlandshire - - - -	9	15	9	21	10	9	7	1	3	7	9·1	2
30	Lincolnshire - - - -	202	198	190	202	158	155	136	132	147	93	161·3	106
31	Nottinghamshire - - -	341	270	248	290	171	133	154	127	171	149	205·4	115
32	Derbyshire - - - -	243	203	214	232	156	116	137	115	124	84	162·4	90
	VIII.—NORTH WESTERN COUNTIES.												
33	Cheshire - - - -	259	278	298	334	261	258	244	193	211	155	249·1	208
34	Lancashire - - - -	2,231	2,026	2,454	2,384	2,290	1,864	2,028	1,339	1,669	1,395	1,968·0	1,791
	IX.—YORKSHIRE.												
35	West Riding - - - -	1,939	1,581	1,281	1,483	1,237	1,092	1,045	720	990	619	1,208·7	708
36	East Riding (with York) -	323	224	277	229	152	117	192	116	183	141	195·4	125
37	North Riding - - -	184	188	139	170	140	124	177	113	148	92	152·5	110
	X.—NORTHERN COUNTIES.												
38	Durham - - - - -	745	909	1,056	816	515	543	556	394	477	331	634·2	481
39	Northumberland - - -	271	265	317	306	190	182	243	172	151	143	224·0	177
40	Cumberland - - - -	105	152	258	147	89	86	91	82	74	61	114·5	62
41	Westmorland - - -	46	29	32	27	18	15	17	14	17	13	22·8	12
	XI.—MONMOUTHSHIRE AND WALES.												
42	Monmouthshire - - -	123	190	157	118	98	134	82	67	61	83	111·8	62
43	South Wales - - - -	549	659	664	524	491	517	526	474	378	239	502·1	292
44	North Wales - - - -	200	191	203	184	189	172	147	133	140	95	165·4	193

* See note to Table 38.

TABLE 41.—ENGLAND.—**Deaths** after **Childbearing**, assigned to **other Causes** than **Childbirth** or **Puerperal Fever** in **1882.**

CAUSES OF DEATH.	ALL AGES.	AGES. 15–	20–	25–	35–	45 and upwards.
TOTAL	1438	35	256	645	487	15
SPECIFIC FEBRILE OR ZYMOTIC DISEASES.						
Small-pox	26	2	9	9	6	-
Measles	4	1	-	3	-	-
Scarlet Fever	48	-	14	24	10	-
Typhus	1	-	-	1	-	-
Influenza	1	-	-	1	-	-
Diphtheria	8	-	1	6	1	-
Simple and Ill-defined Fever	6	-	1	3	2	-
Enteric Fever	39	2	7	18	12	-
Simple Cholera	1	-	-	-	1	-
Diarrhœa, Dysentery	45	-	14	18	13	-
Remittent Fever	1	-	-	-	1	-
Ague	3	-	-	2	1	-
Syphilis	3	1	1	-	1	-
Phagedæna	1	-	1	-	-	-
Erysipelas	14	1	1	7	5	-
Pyæmia, Septicæmia	1	-	-	-	1	-
DIETIC DISEASES.						
Starvation	1	-	-	1	-	-
Chronic Alcoholism	2	-	-	1	1	-
CONSTITUTIONAL DISEASES.						
Rheumatic Fever, Rheumatism of Heart	27	1	4	14	8	-
Rheumatism	1	-	-	-	1	-
Cancer	7	-	-	2	5	-
Tabes Mesenterica	4	-	1	2	1	-
Phthisis	161	2	32	88	39	-
Other Forms of Tuberculosis, Scrofula	2	-	2	-	-	-
Anæmia, Chlorosis, Leucocythæmia	34	-	10	10	13	1
Diabetes Mellitus	1	-	-	1	-	-
LOCAL DISEASES.						
Inflammation of Brain or its Membranes	15	3	5	5	2	-
Apoplexy	13	-	3	6	4	-
Hemiplegia, Brain Paralysis	6	-	-	2	3	1
Chorea	1	-	1	-	-	-
Epilepsy	14	1	6	2	5	-
Paraplegia, Diseases of Spinal Cord	1	-	-	-	1	-
Other Diseases of Nervous System	7	-	1	5	1	-
Endocarditis, Valvular Disease	28	-	-	16	11	1
Pericarditis	6	-	-	3	3	-
Hypertrophy of Heart	1	-	-	-	1	-
Angina Pectoris	2	-	-	1	1	-
Syncope	94	-	17	36	40	1
Embolism, Thrombosis	90	-	12	42	35	1
Phlebitis	1	-	-	-	1	-
Varicose Veins	2	-	-	2	-	-
Other Diseases of Circulatory System	124	1	10	53	58	2
Laryngitis	2	-	-	2	-	-
Emphysema, Asthma	6	-	1	1	4	-
Bronchitis	88	3	10	35	36	4
Pneumonia	203	8	40	95	62	1
Pleurisy	25	1	4	11	9	-
Other Diseases of Respiratory System	16	-	3	8	5	-
Stomatitis	1	-	1	-	-	-
Sore Throat, Quinsy	1	-	-	1	-	-
Dyspepsia	1	-	-	1	-	-
Hæmatemesis	5	-	3	2	-	-
Diseases of Stomach	10	-	1	4	5	-
Enteritis	19	1	3	8	5	2
Ileus, Obstruction of Intestine	3	-	1	1	1	-
Stricture or Strangulation of Intestine	1	-	-	1	-	-
Hernia	3	-	-	1	2	-
Peritonitis	18	1	5	5	7	-
Gallstones	1	-	-	1	-	-
Cirrhosis of Liver	3	-	-	2	1	-
Other Diseases of Liver	28	1	4	11	12	-
Other Diseases of Digestive System	3	-	-	3	-	-
Diseases of Lymphatic System	1	-	-	-	1	-
Acute Nephritis	16	1	7	5	3	-
Bright's Disease	70	1	9	30	20	-
Uræmia	24	3	7	11	3	-
Suppression of Urine	1	-	-	-	1	-
Calculus	1	-	-	-	1	-
Hæmaturia	2	-	-	2	-	-
Diseases of Bladder	5	-	-	4	-	1
Other Diseases of Urinary System	5	-	-	2	3	-
Ovarian Disease	1	-	-	-	1	-
Diseases of Uterus and Vagina	7	-	-	5	2	-
Pelvic Abscess	1	-	1	-	-	-
Diseases of Organs of Locomotion	2	-	-	1	1	-
VIOLENCE.						
Accident, Fractures, Contusions	5	-	1	2	2	-
Suicide, not stated how	1	-	-	-	1	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.						
Dropsy	7	-	2	4	1	-
Tumour	2	-	-	2	-	-

TABLE 42.—ENGLAND.—**Deaths** from **various Causes**, of **Women** who were returned as **pregnant**, in **1882.**

CAUSES OF DEATH.	ALL AGES.	AGES.				
		15–	20–	25–	35–	45 and upwds.
TOTAL - - - - -	63	3	11	25	22	2
SPECIFIC FEBRILE OR ZYMOTIC DISEASES.						
Small-pox - - - - - - - -	1	-	1	-	-	-
Diarrhœa, Dysentery - - - - -	1	-	-	1	-	-
CONSTITUTIONAL DISEASES.						
Cancer - - - - - - - - -	1	-	-	1	-	-
Phthisis - - - - - - - -	8	-	1	5	2	-
Anæmia, Chlorosis, Leucocythæmia -	1	-	-	1	-	-
LOCAL DISEASES.						
Apoplexy - - - - - - - -	2	-	-	-	2	-
Epilepsy - - - - - - - -	3	-	1	1	1	-
Hypertrophy of Heart - - - - -	1	-	-	-	1	-
Syncope - - - - - - - -	1	-	-	1	-	-
Other Diseases of Circulatory System	5	-	-	2	2	1
Emphysema, Asthma - - - - -	2	1	-	1	-	-
Bronchitis - - - - - - - -	3	-	1	1	1	-
Pneumonia - - - - - - - -	3	1	-	2	-	-
Pleurisy - - - - - - - -	1	-	-	1	-	-
Other Diseases of Respiratory System	1	-	-	-	1	-
Hernia - - - - - - - - -	1	-	-	-	1	-
Peritonitis - - - - - - - -	3	-	-	1	2	
Diseases of Liver - - - - -	4	-	1	1	2	-
Acute Nephritis - - - - - -	1	-	-	1	-	-
Bright's Disease - - - - - -	9	1	2	2	4	-
Uræmia - - - - - - - -	6	-	4	1	-	1
Other Diseases of Urinary System -	1	-	-	-	1	-
Diseases of Uterus and Vagina - -	1	-	-	-	1	-
Pelvic Abscess - - - - - -	1	-	-	1	-	-
VIOLENCE.						
Accident, Fractures, Contusions -	1	-	-	-	1	-
Suicide, not stated how - - - -	1	-	-	1	-	-

TABLE 43.—ENGLAND.—**Deaths** referred to **Puerperal Fever** and **Childbirth** in the Thirty-six **Years 1847–82.**

Years.	Registered Births of Children born alive.	Number of Deaths from			Deaths of Mothers to 1,000 Children born alive, from		
		Puerperal Fever and Childbirth.	Puerperal Fever.	Accidents of Childbirth.	Puerperal Fever and Childbirth.	Puerperal Fever.	Accidents of Childbirth.
1847 - -	539,965	3226	784	2442	6·0	1·5	4·5
1848 - -	563,059	3445	1365	2080	6·1	2·4	3·7
1849 - -	578,159	3339	1165	2174	5·8	2·0	3·8
1850 - -	593,422	3252	1113	2139	5·5	1·9	3·6
1851 - -	615,865	3290	1009	2281	5·3	1·6	3·7
1852 - -	624,012	3247	972	2275	5·2	1·5	3·7
1853 - -	612,391	3063	795	2268	5·0	1·3	3·7
1854 - -	634,405	3009	954	2055	4·7	1·5	3·2
1855 - -	635,043	2979	1079	1900	4·7	1·7	3·0
1856 - -	657,453	2888	1067	1821	4·4	1·6	2·8
1857 - -	663,071	2787	836	1951	4·2	1·3	2·9
1858 - -	655,481	3131	1068	2063	4·8	1·6	3·2
1859 - -	689,881	3496	1238	2258	5·1	1·8	3·3
1860 - -	684,048	3173	987	2186	4·6	1·4	3·2
1861 - -	696,406	2995	886	2109	4·3	1·3	3·0
1862 - -	712,684	3077	940	2137	4·3	1·3	3·0
1863 - -	727,417	3588	1155	2433	4·9	1·6	3·3
1864 - -	740,275	4016	1484	2532	5·4	2·0	3·4
1865 - -	748,069	3823	1333	2490	5·1	1·8	3·3
1866 - -	753,870	3682	1197	2485	4·9	1·6	3·3
1867 - -	768,349	3412	1066	2346	4·4	1·4	3·0
1868 - -	786,858	3503	1196	2307	4·5	1·5	3·0
1869 - -	773,381	3283	1181	2102	4·2	1·5	2·7
1870 - -	792,787	3875	1492	2383	4·9	1·9	3·0
1871 - -	797,428	3935	1464	2471	4·9	1·8	3·1
1872 - -	825,907	3803	1400	2403	4·6	1·7	2·9
1873 - -	829,778	4115	1740	2375	5·0	2·1	2·9
1874 - -	854,956	5927	3108	2819	6·9	3·6	3·3
1875 - -	850,607	5064	2504	2560	6·0	2·9	3·1
1876 - -	887,968	4142	1746	2396	4·7	2·0	2·7
1877 - -	883,200	3443	1444	1999	3·9	1·6	2·3
1878 - -	891,906	3300	1415	1885	3·7	1·6	2·1
1879 - -	880,389	3340	1464	1876	3·8	1·7	2·1
1880 - -	881,643	3492	1659	1833	4·0	1·9	2·1
1881 - -	883,642	4227	2287	1940	4·8	2·6	2·2
1882 - -	889,014	4524	2564	1960	5·1	2·9	2·2
36 years 1847–82 -	26,607,789	128,891	49,157	79,734	4·9	1·8	3·1

TABLE 44.—ENGLAND.—**Births registered, Deaths** referred to **Puerperal Fever** and **Childbirth,** and **Mortality of Mothers** to **1000 Children born alive,** in **Registration Counties** in **1882.**

No.	REGISTRATION COUNTIES.	REGISTERED BIRTHS OF CHILDREN BORN ALIVE.	NUMBER OF DEATHS referred to			DEATHS OF MOTHERS, TO 1,000 CHILDREN BORN ALIVE, from			
			Puerperal Fever and Childbirth.	Puerperal Fever.	Accidents of Childbirth.	Puerperal Fever and Childbirth in Ten Years 1871-80.	Puerperal Fever and Childbirth.	Puerperal Fever.	Accidents of Childbirth.
	ENGLAND - -	889,014	4,524	2,564	1,960	4·74	5·09	2·88	2·21
	I.—LONDON - -	133,311	570	333	237	4·30	4·23	2·50	1·78
	II.—SOUTH EASTERN COUNTIES.								
1	Surrey (*extra-metropol.*) -	14,735	66	42	24	4·66	4·48	2·85	1·63
2	Kent (*extra-metropol.*) -	22,870	104	66	38	4·06	4·55	2·89	1·66
3	Sussex - - - -	15,043	76	40	36	3·98	5·05	2·66	2·39
4	Hampshire - - - -	17,894	93	61	32	4·47	5·20	3·41	1·79
5	Berkshire - - - -	7,804	27	14	13	4·38	3·46	1·79	1·67
	III.—SOUTH MIDLAND COUNTIES.								
6	Middlesex (*extra-metro.*) -	13,752	64	36	28	3·99	4·65	2·61	2·04
7	Hertfordshire - - -	6,153	29	15	14	4·55	4·71	2·44	2·28
8	Buckinghamshire - -	4,941	26	12	14	4·54	5·26	2·43	2·83
9	Oxfordshire - - -	5,431	20	10	10	4·93	3·68	1·84	1·84
10	Northamptonshire - -	9,230	50	34	16	4·28	5·42	3·68	1·74
11	Huntingdonshire - -	1,451	3	1	2	3·95	2·07	0·69	1·38
12	Bedfordshire - - -	4,946	22	8	14	4·38	4·45	1·62	2·83
13	Cambridgeshire - - -	5,445	16	10	6	4·07	2·94	1·84	1·10
	IV.—EASTERN COUNTIES.								
14	Essex - - - - -	18,847	61	37	24	3·99	3·07	1·86	1·21
15	Suffolk - - - -	11,294	52	35	17	4·04	4·61	3·10	1·51
16	Norfolk - - - -	13,559	71	39	32	4·82	5·20	2·86	2·34
	V.—SOUTH WESTERN COUNTIES.								
17	Wiltshire - - - -	7,534	46	25	21	4·95	6·11	3·32	2·79
18	Dorsetshire - - -	5,374	16	4	12	4·26	2·93	0·74	2·24
19	Devonshire - - -	18,146	101	49	52	4·34	5·57	2·70	2·87
20	Cornwall - - - -	9,580	41	15	26	4·18	4·28	1·57	2·71
21	Somersetshire - - -	14,979	75	38	37	4·32	5·01	2·54	2·47
	VI.—WEST MIDLAND COUNTIES.								
22	Gloucestershire - - -	16,442	77	42	35	4·51	4·68	2·55	2·13
23	Herefordshire - - -	3,255	25	14	11	5·16	7·68	4·30	3·38
24	Shropshire - - - -	7,774	44	19	25	5·23	5·66	2·44	3·22
25	Staffordshire - - -	38,445	176	107	69	4·56	4·58	2·78	1·80
26	Worcestershire - - -	12,437	63	29	34	4·51	5·07	2·33	2·74
27	Warwickshire - - -	25,735	120	69	51	3·98	4·66	2·68	1·98
	VII.—NORTH MIDLAND COUNTIES.								
28	Leicestershire - - -	11,741	60	28	32	4·37	5·11	2·38	2·73
29	Rutlandshire - - -	645	6	2	4	2·58	9·30	3·10	6·20
30	Lincolnshire - - -	14,680	62	36	26	4·14	4·22	2·45	1·77
31	Nottinghamshire - -	16,614	91	51	40	4·21	5·48	3·07	2·41
32	Derbyshire - - -	13,744	66	35	31	5·05	4·80	2·55	2·25
	VIII.—NORTH-WESTERN COUNTIES.								
33	Cheshire - - - -	21,074	118	61	57	5·24	5·60	2·89	2·71
34	Lancashire - - - -	128,592	791	471	320	5·24	6·15	3·66	2·49
	IX.—YORKSHIRE.								
35	West Riding - - -	75,870	375	210	165	5·17	4·94	2·77	2·17
36	East Riding (with York) -	12,490	49	36	13	4·23	3·92	2·88	1·04
37	North Riding - - -	11,920	82	53	29	4·80	6·84	4·42	2·42
	X.—NORTHERN COUNTIES.								
38	Durham - - - -	35,389	219	132	87	4·96	6·19	3·73	2·46
39	Northumberland - -	15,302	94	51	43	5·47	6·14	3·33	2·81
40	Cumberland - -	8,788	39	19	20	5·65	4·44	2·16	2·28
41	Westmorland - - -	1,899	13	12	1	4·20	6·84	6·32	0·53
	XI.—MONMOUTHSHIRE AND WALES.								
42	Monmouthshire - - -	8,247	38	19	19	5·62	4·61	2·30	2·31
43	South Wales - - -	30,828	184	96	88	6·05	5·96	3·11	2·85
44	North Wales - - -	18,598	103	48	55	6·51	7·57	3·53	4·04

Table 45.—Average Price of Consols; of Wheat, Meat, Potatoes, and Coal; and the Average Number of Paupers relieved on the *last day* of each Week, in the Thirty-one Years **1852–82,** and in each **Quarter** of the Eight Years **1875–1882.**

Years and Quarters.	Average Price of Consols (for Money).	Average Price of Wheat per Quarter in England and Wales.	Average Prices. Meat per lb. at the Metropolitan Meat Market (by the Carcase). Beef. Range of Prices.	Beef. Mean.	Mutton. Range of Prices.	Mutton. Mean.	Best Potatoes per Ton at Watersid Market, Southwark. Range of Prices.	Best Potatoes. Mean.	Best Seaborne Coal in the London Market per Ton.*	Pauperism. Average Number of Paupers relieved on the *last day* of each week. In-door.	Out-door.
	£	s. d.	d.	d.	d.	d.	s.	s. d.	s. d.		
1852 -	99 5/8	40 10	3 3/8—5	4 1/8	4 —5 6/8	4 2/8	79—103	91 0	15 5	—	—
1853 -	97 8/8	52 11	4 —5 6/8	4 7/8	4 2/8—7	5 2/8	116—145	130 6	20 1	—	—
1854 -	91 7/8	72 5	4 4/8—6 5/8	5 4/8	4 2/8—7	5 7/8	107—131	119 0	22 8	—	—
1855 -	90 3/8	74 8	4 5/8—6 5/8	5 5/8	4 2/8—6 6/8	5 6/8	94—107	100 6	20 10	—	—
1856 -	93	69 2	4 2/8—6 1/8	5 3/8	4 2/8—6 2/8	5 6/8	78— 93	85 6	17 10	—	—
1857 -	91 7/8	56 5	4 2/8—6 4/8	5 3/8	4 2/8—7	5 2/8	108—134	120 6	17 7	121,669	737,287
1858 -	97	44 3	4 2/8—6 2/8	5 2/8	4 4/8—6 5/8	5 5/8	104—136	120 0	17 4	120,140	751,031
1859 -	95	43 10	4 4/8—6 4/8	5 4/8	4 3/8—7	5 7/8	79—109	94 0	17 3	110,703	705,590
1860 -	94	53 3	4 4/8—6 2/8	5 3/8	5 —7 1/8	6 1/8	120—145	132 6	19 0	110,603	687,763
1861 -	92	55 4	4 —6 4/8	5 2/8	5 —7 2/8	6 1/8	114—134	124 0	18 5	122,600	720,366
1862 -	93 4/8	55 5	4 —6 2/8	5 1/8	5 —6 6/8	5 7/8	125—149	137 0	16 6	130,974	820,953
1863 -	92 2/8	44 8	4 2/8—6 2/8	5 2/8	4 2/8—7	5 7/8	90—111	100 6	17 1	129,934	859,751
1864 -	90 3/8	40 2	4 4/8—6 4/8	5 4/8	5 —7	6 2/8	64— 86	75 0	19 0	126,753	788,689
1865 -	89 5/8	41 9	4 4/8—7	5 5/8	5 2/8—8 2/8	7	75—101	88 0	19 1	127,589	758,199
1866 -	87 7/8	49 11	4 4/8—7	5 5/8	5 3/8—8	6 6/8	69—109	89 0	19 0	129,914	736,839
1867 -	93 1/8	64 5	4 2/8—6 6/8	5 5/8	5 —7	6	115—161	138 0	19 8	139,565	782,390
1868 -	94	63 9	4 2/8—6 5/8	5 5/8	4 4/8—6 5/8	5 5/8	111—164	137 6	17 7	148,511	809,336
1869 -	93 1/8	48 2	4 2/8—7 4/8	6 1/8	5 —7 4/8	6 2/8	75—124	99 6	17 8	149,207	815,570
1870 -	92 5/8	46 10	4 6/8—7 2/8	6	5 3/8—7 6/8	6 4/8	90—119	104 6	17 5	149,521	828,480
1871 -	93	56 10	5 3/8—7 6/8	6 4/8	5 4/8—8 3/8	7	65— 89	77 0	18 2	143,605	803,798
1872 -	92 4/8	57 1	5 3/8—7 6/8	6 4/8	6 —8 6/8	7 3/8	116—148	132 0	23 10	137,278	714,970
1873 -	92 2/8	58 8	5 3/8—8 4/8	7	6 2/8—9	7 3/8	139—179	159 0	31 3	137,775	656,843
1874 -	92 5/8	55 9	5 4/8—8 6/8	6 6/8	5 4/8—8	6 5/8	99—123	111 0	24 8	137,197	609,328
1875 -	93 2/8	45 2	5 3/8—8 2/8	6 6/8	5 4/8—9 1/8	7 3/8	85—114	99 6	22 9	135,041	579,169
1876 -	95 2/8	46 2	5 4/8—8 2/8	6 6/8	5 3/8—9 4/8	7 4/8	—	—	20 2	137,930	531,341
1877 -	95 4/8	56 9	4 3/8—8 4/8	6 2/8	4 3/8—9 2/8	7	131—162	146 0	18 5	146,851	519,506
1878 -	95 3/8	46 5	4 6/8—8 2/8	6 3/8	4 7/8—9 2/8	7 1/8	142—171	156 6	16 10	154,961	527,986
1879 -	97 3/8	43 10	4 —7 6/8	5 6/8	4 5/8—8 5/8	6 5/8	141—175	157 9	16 11	165,590	570,576
1880 -	98 4/8	44 4	4 2/8—7 4/8	6 1/8	4 4/8—8 4/8	6 7/8	134—149	141 5	14 11	172,955	558,503
1881 -	100 1/8	45 4	4 4/8—7 4/8	5 7/8	5 1/8—9	7 4/8	—	—	16 0	176,819	556,897
1882 -	101	45 0	4 2/8—8	6 2/8	5 3/8—9 5/8	7 4/8	—	—	15 10	175,814	541,739
1875:—											
March -	92 6/8	42 6	5 —8	6 4/8	4 6/8—8	6 3/8	81—111	96 0	22 5	146,708	622,652
June -	93 0/8	42 6	5 2/8—8 2/8	6 6/8	5 3/8—9 4/8	7 4/8	81—121	101 0	20 8	131,717	592,362
Sept. -	94 3/8	49 0	5 4/8—8 4/8	7	5 4/8—9 4/8	7 4/8	71— 94	82 6	20 4	125,614	555,409
Dec. -	94 3/8	46 7	5 2/8—8 2/8	6 7/8	6 —9 2/8	7 5/8	106—128	117 0	22 6	136,124	546,251
1876:—											
March -	94 1/8	43 8	5 4/8—8	6 6/8	5 4/8—9	7 2/8	122—151	136 6	19 9	145,088	558,026
June -	95 4/8	45 10	5 —8 2/8	6 6/8	5 —10	7 4/8	125—170	147 6	18 8	134,357	535,419
Sept. -	95 2/8	47 1	5 2/8—8 4/8	6 7/8	5 3/8—9 3/8	7 5/8	—	—	19 0	130,347	517,196
Dec. -	95 5/8	48 2	4 4/8—8	6 2/8	5 2/8—9	7 1/8	—	—	19 0	141,929	514,722
1877:—											
March -	95 7/8	51 4	4 4/8—7 6/8	6 1/8	5 —9 3/8	7 7/8	138—172	155 0	16 8	152,778	532,697
June -	94 7/8	61 5	4 4/8—8 6/8	6 5/8	4 6/8—9 2/8	7	136—174	155 0	18 2	143,674	523,878
Sept. -	95 4/8	62 0	4 4/8—8 4/8	6 5/8	4 6/8—9 4/8	7 3/8	97—126	111 6	17 7	139,211	509,110
Dec. -	96 3/8	52 4	3 6/8—8	5 7/8	4 2/8—8 3/8	6 4/8	152—174	163 0	18 3	151,741	512,339
1878:—											
March -	95 3/8	50 10	4 1/8—8 1/8	6 1/8	4 5/8—9 2/8	7	188—212	200 0	16 2	162,442	540,571
June -	95 5/8	50 2	4 4/8—8 5/8	6 5/8	5 —9 4/8	7 2/8	150—187	168 6	16 4	151,715	533,787
Sept. -	95 1/8	44 6	4 4/8—8 2/8	6 3/8	4 6/8—9 2/8	7	120—151	135 6	16 0	145,966	513,589
Dec. -	95	40 2	4 2/8—7 6/8	6	4 3/8—8 6/8	6 7/8	111—132	121 6	17 4	159,721	523,996
1879:—											
March -	96 2/8	39 0	3 7/8—7 2/8	5 5/8	4 4/8—8 4/8	6 4/8	118—144	131 0	16 6	172,200	599,991
June -	98 4/8	41 2	4 4/8—7 2/8	5 6/8	4 6/8—9	6 7/8	128—161	144 6	16 2	159,946	567,915
Sept. -	97 6/8	47 2	4 —7 6/8	5 7/8	4 5/8—9	6 7/8	182—233	207 6	14 10	157,113	548,755
Dec. -	98	48 1	3 6/8—7 2/8	5 4/8	4 3/8—7 7/8	6 2/8	136—160	148 0	15 10	173,099	565,644
1880:—											
March -	98	45 1	4 —7 5/8	5 7/8	4 4/8—8 2/8	6 5/8	159—182	170 6	14 10	182,836	595,908
June -	98 7/8	46 1	4 2/8—8 2/8	6 2/8	5 —9 3/8	7 3/8	153—170	161 6	14 5	168,661	555,196
Sept. -	98	43 0	4 2/8—7 6/8	6	4 6/8—8 5/8	6 6/8	124—132	128 0	14 6	162,879	539,670
Dec. -	99 2/8	43 1	4 2/8—7 6/8	6 5/8	5 3/8—8 6/8	7	99—112	105 6	16 1	177,442	543,239
1881:—											
March -	99 1/8	42 3	4 3/8—7 2/8	6	5 —9	7	—	—	16 0	191,578	591,071
June -	101 3/8	44 6	4 2/8—7	5 5/8	5 —9 2/8	7 1/8	—	—	15 1	173,074	558,941
Sept. -	100 2/8	48 10	4 4/8—7 2/8	5 7/8	5 2/8—9	7 1/8	—	—	15 8	164,567	538,057
Dec. -	99 3/8	45 10	4 3/8—7 4/8	6	5 —8 2/8	7	—	—	17 2	178,058	539,517
1882:—											
March -	100 2/8	45 5	4 4/8—7 4/8	6	5 4/8—9 4/8	7 4/8	—	—	15 0	187,202	560,513
June -	101 7/8	46 9	5 —8	6 4/8	5 2/8—9 4/8	7 4/8	—	—	14 9	170,546	542,134
Sept. -	99 7/8	47 3	5 —8 2/8	6 3/8	5 3/8—9 5/8	7 5/8	—	—	16 5	165,280	529,921
Dec. -	101 3/8	40 8	4 5/8—8 5/8	6 3/8	5 3/8—9 6/8	7 5/8	—	—	17 2	180,228	534,387

* The prices of coal in 1853–81 are derived from a Parliamentary Return (225 of 1881) furnished by the Registrar of the London Coal Market, by order of the House of Commons; the quotation for 1882 is the mean of the four quarterly averages. The quarterly averages were from time to time supplied to the Registrar-General by Mr. Richard Meade, of the Mining Record Office.

TABLE 46.—ENGLAND.—**Mortality** per **1000** in **Town** and **Country Districts** in the Thirty-two Years **1851–82.**

YEAR.	Persons to a Square Mile in England and Wales.	ANNUAL RATE OF MORTALITY per 1000 Persons living in			Deaths in Urban Districts to 100 in Rural Districts out of equal Numbers living.
		England and Wales.	Urban* Districts.	Rural Districts.	
Thirty-two years 1851–82	374	21·9	24·0	19·4	124
1851	308	22·0	24·9	19·5	128
1852	312	22·3	25·2	19·9	127
1853	316	22·9	25·7	20·3	127
1854	319	23·5	27·3	20·0	137
1855	323	22·6	24·6	20·6	119
1856	327	20·5	22·8	18·0	127
1857	330	21·8	24·2	19·2	126
1858	334	23·1	25·2	20·8	121
1859	338	22·4	23·9	20·8	115
1860	341	21·2	22·7	19·5	116
1861	345	21·6	23·5	19·4	121
1862	349	21·4	23·6	18·9	125
1863	354	23·0	25·0	20·6	121
1864	358	23·7	26·1	20·9	125
1865	363	23·2	25·5	20·4	125
1866	367	23·4	26·4	19·6	135
1867	372	21·7	23·9	19·0	126
1868	376	21·8	24·4	18·7	130
1869	381	22·3	24·6	19·4	127
1870	386	22·9	24·9	20·4	122
1871	391	22·6	25·0	19·5	128
1872	396	21·3	23·2	18·6	125
1873	401	21·0	23·0	18·4	125
1874	407	22·2	24·2	19·5	124
1875	412	22·7	24·2	20·7	117
1876	418	20·9	22·6	18·6	122
1877	424	20·3	21·8	18·2	120
1878	429	21·6	23·4	19·0	123
1879	435	20·7	22·1	19·1	116
1880	441	20·5	21·9	18·5	118
1881	447	18·9	20·3	16·8	121
1882	454	19·6	21·2	17·3	123

* For reference numbers of the Districts and Sub-districts taken to represent the Urban Districts of England and Wales, see note to Table 47.

Table 47.—ENGLAND.—Mortality per 1000 in Town and Country Districts in each Quarter of the Eleven Years 1872-1882.

—	Area in Acres.	Population enumerated. 1871.	Population enumerated. 1881.	Quarters ending	Annual Rate of Mortality per 1000 in each Quarter of the Years 1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	Mean 1872-81	1882.
In 134 Districts and 57 Sub-districts comprising the Chief Towns	3,184,419	12,910,647	15,444,808	March	25·3	24·3	24·9	28·6	25·1	23·6	24·1	26·3	23·9	22·9	24·9	23·1
				June	22·5	21·5	22·2	22·5	21·9	22·5	21·9	21·3	20·5	19·4	21·6	20·2
				Sept.	23·0	22·0	23·3	22·1	21·5	19·0	22·9	17·3	22·4	18·5	21·2	19·5
				Dec.	22·1	24·2	26·3	23·7	21·7	22·1	24·6	23·5	20·8	20·5	23·0	21·7
				Year	23·2	23·0	24·2	24·2	22·6	21·8	23·4	22·1	21·9	20·3	22·7	21·1
In the remaining Districts and Sub-districts of England and Wales, comprising chiefly Small Towns and Country Parishes	34,134,802	9,801,619	10,523,478	Year	18·6	18·4	19·5	20·7	18·6	18·2	19·0	19·1	18·5	16·8	18·7	17·2
				March	20·9	21·1	21·2	25·7	21·1	20·2	20·5	23·2	21·0	19·6	21·5	19·1
				June	18·8	18·7	19·3	20·8	19·2	19·6	18·9	20·3	18·2	17·4	19·1	17·2
				Sept.	17·0	15·9	17·4	17·2	16·7	15·6	17·2	14·7	17·2	14·2	16·3	15·2
				Dec.	17·6	17·9	20·2	18·9	17·3	17·2	19·4	18·0	17·6	15·9	18·0	17·2

Note.—Corrections have been made for the varying numbers of days in the quarters.

The names of the 134 Districts and 57 Sub-districts comprising the Chief Towns are as follow:—All the 29 Districts of London; Croydon, Kingston, Richmond, Gravesend, Medway, Tunbridge; *West and East Maidstone Sub-districts* (Maidstone); Canterbury; *Minster Sub-district* (Sheppey); Thanet, Dover, Hastings, Brighton; *Shorcham Sub-district* (Steyning); Portsea Island, Alverstoke, Southampton; *Winchester Sub-district* (Winchester); Reading, Brentford, Edmonton; *St. Clement Sub-district* (Headington); Oxford, Northampton; *Peterborough Sub-district* (Peterborough); *Bedford and Kempston, and Bedford and Cardington Sub-districts* (Bedford); *Luton Sub-district* (Luton); Cambridge, West Ham, Colchester, Bury St. Edmunds, Ipswich, Yarmouth, Norwich, King's Lynn, Melksham; *Salisbury Sub-district* (Alderbury); *Weymouth Sub-district* (Weymouth); Exeter; *Torquay Sub-district* Newton Abbot); Plymouth, East Stonehouse, Stoke Damerel, Truro, Redruth; *St. Mary Magdalen and St. James Sub-districts* (Taunton); *Bridgwater Sub-district* (Bridgwater); Bath; *Bedminster Sub-district* (Bedminster); Bristol, Barton Regis; *St. Nicholas and St. John Baptist Sub-districts* (Gloucester); Cheltenham; *Hereford City Sub-district* (Hereford); Madeley; *St. Mary and St. Chad Sub-districts* (Atcham); *Stafford Sub-district* (Stafford); *Newcastle-under-Lyme Sub-district* (Newcastle-under-Lyme); Wolstanton, Stoke-upon-Trent; *Burton-on-Trent Sub-district* (Burton-on-Trent); Wolverhampton, Walsall, West Bromwich, Dudley, Stourbridge; *Kidderminster and Lower Mitton Sub-districts* (Kidderminster); Worcester, Birmingham, Aston, Coventry, Warwick; *Loughborough Sub-district* (Loughborough); Leicester; *Boston Sub-district* (Boston); *Lincoln Home Sub-district* (Lincoln); *Great Grimsby Sub-district* (Caistor); Nottingham; *Newark Sub-district* (Newark); Derby, Hayfield, Stockport; *East and West Macclesfield and Sutton Sub-districts* (Macclesfield); *Runcorn Sub-district* (Runcorn); *Congleton Sub-district* (Congleton); *Chester Castle and Chester Cathedral Sub-districts* (Chester); Birkenhead, Liverpool, Toxteth Park, West Derby, Prescot, Wigan, Warrington, Leigh, Bolton, Bury, Barton-upon-Irwell, Chorlton, Salford, Manchester, Prestwich, Ashton-under-Lyne, Oldham, Rochdale, Haslingden, Burnley, Blackburn; *Chorley Sub-district* (Chorley); Preston; *Lancaster Sub-district* (Lancaster); Keighley, Todmorden, Huddersfield, Halifax, Bradford, Hunslet, Holbeck, Bramley, Leeds, Dewsbury, Wakefield, Barnsley, Ecclesall Bierlow, Sheffield; *Doncaster Sub-district* (Doncaster); *Bootham, Micklegate, and Walmgate Sub-districts* (York); Sculcoates, Hull; *Scarborough Sub-district* (Scarborough); Middlesbrough; *Darlington Sub-district* (Darlington); Stockton, Hartlepool, Durham; Houghton-le-Spring, Sunderland, South Shields, Gateshead, Newcastle-upon-Tyne, Tynemouth; *St. Cuthbert and St. Mary Sub-districts* (Carlisle); *Whitehaven Sub-district* (Whitehaven); *Kendal Sub-district* (Kendal); *Newport Sub-district* (Newport); *Cardiff Sub-district* (Cardiff); Merthyr Tydfil; *Llangafelach and Swansea Sub-districts* (Swansea); *Llanelly Sub-district* (Llanelly); *Pembroke Sub-district* (Pembroke).

TABLE **48.—Names on the Registers, Searches** at the **Central Office,** and **Fees received** in each of the Years **1837–82.**

Years.	Numbers on the Registers at the end of each Year.				Annual Number of Searches in the Registers at the Central Office.*	Annual Amount of Fees received, and paid into H.M. Exchequer.
	Persons married.	Births.	Deaths.	Names Registered.		£ s. d.
1837† - -	116,958	164,116	148,701	429,775	Not known.	—
1838 - -	853,092	627,903	491,461	1,472,456		6 10 0
1839 - -	599,424	1,120,477	830,445	2,550,346		18 16 6
1840 - -	844,754	1,622,780	1,190,132	3,657,666		33 5 6
1841 - -	1,089,746	2,134,938	1,533,979	4,758,663		124 7 6
1842 - -	1,327,396	2,652,677	1,883,498	5,863,571		290 15 0
1843 - -	1,575,032	3,180,002	2,229,943	6,984,977	620	311 16 6
1844 - -	1,839,530	3,720,765	2,586,876	8,147,171	705	342 16 6
1845 - -	2,127,016	4,264,286	2,936,242	9,327,544	744	329 11 6
1846 - -	2,418,344	4,836,911	3,326,557	10,581,812	881	329 7 0
1847 - -	2,690,034	5,376,876	3,749,861	11,816,771	941	339 13 0
1848 - -	2,966,494	5,939,935	4,149,694	13,056,123	1,030	365 11 6
1849 - -	3,250,260	6,518,094	4,590,533	14,358,887	1,162	357 1 6
1850 - -	3,555,748	7,111,516	4,959,528	15,626,792	1,228	366 13 0
1851 - -	3,864,160	7,727,381	5,354,924	16,946,465	1,442	419 10 6
1852 - -	4,181,724	8,351,393	5,762,059	18,295,176	1,658	467 5 0
1853 - -	4,510,764	8,963,784	6,183,156	19,657,704	1,676	505 4 0
1854 - -	4,830,218	9,598,189	6,621,061	21,049,468	2,340	563 7 6
1855 - -	5,134,444	10,233,232	7,046,764	22,414,440	2,492	592 9 0
1856 - -	5,453,118	10,890,685	7,437,270	23,781,073	2,853	653 15 0
1857 - -	5,771,312	11,553,756	7,857,985	25,182,153	2,965	620 1 6
1858 - -	6,083,452	12,209,237	8,306,741	26,599,430	4,063	815 1 6
1859 - -	6,418,898	12,899,118	8,747,522	28,065,538	5,052	949 17 6
1860 - -	6,759,210	13,583,166	9,170,243	29,512,619	5,636	1,031 18 0
1861 - -	7,086,622	14,279,572	9,605,357	30,971,551	6,133	1,099 1 6
1862 - -	7,414,682	14,992,256	10,041,923	32,448,861	7,297	1,250 12 0
1863 - -	7,761,702	15,719,673	10,515,760	33,997,135	7,715	1,280 17 6
1864 - -	8,122,476	16,459,948	11,011,291	35,593,715	8,346	1,371 18 6
1865 - -	8,493,424	17,208,017	11,502,200	37,203,641	9,016	1,487 12 0
1866 - -	8,868,976	17,961,887	12,002,889	38,833,752	10,970	1,860 15 6
1867 - -	9,227,284	18,780,236	12,473,962	40,431,482	11,306	1,906 16 6
1868 - -	9,581,208	19,517,094	12,954,584	42,052,886	11,926	2,031 11 0
1869 - -	9,935,148	20,290,475	13,449,412	43,675,035	13,326	2,247 7 6
1870 - -	10,298,458	21,083,262	13,964,741	45,346,461	15,803	2,456 19 6
1871 - -	10,678,682	21,880,690	14,479,620	47,038,992	16,817	2,705 7 0
1872 - -	11,081,216	22,706,597	14,971,885	48,759,698	17,913	2,867 5 6
1873 - -	11,492,446	23,536,375	15,464,405	50,493,226	19,907	3,142 9 6
1874 - -	11,893,466	24,391,331	15,991,067	52,278,834	21,518	3,364 7 0
1875 - -	12,298,890	25,241,968	16,537,490	54,078,318	25,407	3,879 15 6
1876 - -	12,702,638	26,129,906	17,047,805	55,880,349	26,762	4,109 15 6
1877 - -	13,091,342	27,018,106	17,548,301	57,657,749	27,030	4,211 13 6
1878 - -	13,471,450	27,910,012	18,088,173	59,469,635	27,776	4,313 8 6
1879 - -	13,835,614	28,790,401	18,614,428	61,240,443	28,973	4,517 15 0
1880 - -	14,219,544	29,672,944	19,143,052	63,034,640	30,541	4,695 3 0
1881 - -	14,614,124	30,555,686	19,634,987	64,804,797	31,600	4,976 12 6
1882 - -	15,022,934	31,444,700	20,151,641	66,619,275	32,879	5,170 15 0

* Exclusive of searches in non parochial registers relating to years prior to 1837.
† The numbers for 1837 were registered in the half-year commencing 1st July.

TABLE **49.—Area,** estimated **Population,** and **Marriages, Births,** and **Deaths** registered in the **United Kingdom,** in **1882.**

—	Area in Acres.	Area in Hectares.	Estimated Population in the middle of the Year 1882.	Marriages.	Persons Married.	Births.	Deaths.
United Kingdom	77,143,938	31,217,914	35,297,114	253,008	506,016	1,137,844	678,120
Great Britain - -	56,324,010	22,792,693	30,199,261	230,979	461,958	1,015,196	589,620
England and Wales -	37,239,351	15,069,685	26,413,861	204,405	408,810	889,014	516,654
Scotland - - -	19,084,659	7,723,008	3,785,400	26,574	53,148	126,182	72,966
Ireland - - -	20,819,928	8,425,221	5,097,853	22,029	44,058	122,648	88,500

TABLE **50.—Proportion** per **1000** of **Marriages, Births,** and **Deaths** to the Population of the **United Kingdom,** in **1882.**

—	Acres to a Person.	Hectares to a Person.	To 1000 Persons living.			
			Marriages.	Persons Married.	Births.	Deaths.
United Kingdom - -	2·19	·88	7·17	14·3	32·2	19·2
Great Britain - - -	1·87	·75	7·65	15·3	33·6	19·5
England and Wales - -	1·41	·57	7·74	15·5	33·7	19·6
Scotland - - - - - -	5·04	2·04	7·02	14·0	33·3	19·3
Ireland - - - -	4·08	1·65	4·32	8·64	24·1	17·4

TABLE 51.—ISLANDS IN THE BRITISH SEAS.—**Population, Area, Births,** and **Deaths** in the Thirty-two Years **1851–1882.**

YEARS.	ISLANDS IN THE BRITISH SEAS.		ISLE OF MAN.		ISLAND OF JERSEY.		GUERNSEY AND ADJACENT ISLANDS.	
	Births.	Deaths.	Births.	Deaths.	Births.	Deaths.	Births.*	Deaths.
1851 -	4,114	3,681	1,494	1,440	1,696	1,258	924	983
1852 -	4,301	2,906	1,530	837	1,768	1,423	1,003	646
1853 -	4,010	2,741	1,439	1,008	1,676	1,091	895	642
1854 -	4,239	3,118	1,552	1,249	1,639	1,201	1,048	668
1855 -	3,881	2,873	1,397	965	1,524	1,241	960	667
1856 -	3,949	2,534	1,431	849	1,582	1,112	936	573
1857 -	3,810	2,716	1,431	931	1,424	1,154	955	631
1858 -	4,004	2,671	1,442	965	1,566	1,110	996	596
1859 -	3,953	2,947	1,575	949	1,451	1,273	927	725
1860 -	3,812	2,667	1,409	948	1,557	985	846	734
1861 -	3,962	2,662	1,541	904	1,562	1,132	859	626
1862 -	3,857	2,552	1,492	850	1,542	1,114	823	588
1863 -	4,128	2,681	1,647	944	1,676	1,135	805	602
1864 -	3,975	3,094	1,629	1,356	1,543	1,166	803	572
1865 -	4,017	3,426	1,644	1,466	1,604	1,240	769	720
1866 -	3,897	3,341	1,559	1,203	1,611	1,486	727	652
1867 -	3,780	3,168	1,573	921	1,477	1,486	730	761
1868 -	3,941	2,962	1,557	1,007	1,603	1,265	781	690
1869 -	3,606	2,862	1,480	1,079	1,424	1,224	702	559
1870 -	4,027	3,006	1,575	1,132	1,824	1,217	628	657
1871 -	3,887	3,156	1,634	1,200	1,510	1,268	693	688
1872 -	3,619	3,023	1,511	1,039	1,421	1,301	687	683
1873 -	3,674	2,745	1,586	1,122	1,442	1,051	646	572
1874 -	3,603	2,932	1,518	1,040	1,346	1,081	739	811
1875 -	3,457	3,387	1,488	1,308	1,311	1,299	658	780
1876 -	3,297	2,691	1,434	1,058	1,110	947	753	686
1877 -	3,446	3,077	1,439	1,129	1,283	1,316	724	632
1878 -	3,455	2,845	1,437	1,174	1,235	1,062	733	609
1879 -	3,624	2,999	1,569	1,122	1,312	1,099	743	778
1880 -	3,740	3,050	1,539	1,180	1,415	1,147	786	723
1881 -	3,490	2,653	1,398	1,051	1,363	1,000	729	602
1882 -	3,581	2,748	1,474	1,017	1,418	1,110	689	621
ENUMERATED POPULATION.								
1851 -	143,126		52,387		57,020		33,719	
1861 -	143,447		52,469		55,613		35,365	
1871 -	144,638		54,042		56,627		33,969	
1881 -	141,260		53,558		52,445		35,257	
AREA IN ACRES.								
—	193,647		145,325		28,717		19,605	

Note.—The above numbers have been compiled from returns furnished to the Registrar General by Lieutenant-Colonel J. F. Murray, Government Secretary of Jersey; Colonel W. Bell, Government Secretary of Guernsey; and by Samuel Harris, Esq., Registrar General of the Isle of Man.

* The figures in this column represent the numbers of baptisms, and not of births.

Emigration from the United Kingdom.

(Derived from Reports of the Statistical Department of the Board of Trade.)

Table **52.—Numbers** and **Destination** of **Emigrants** (including Foreigners) in the Ten Years **1873–82.**

Years.	North American Colonies.	United States.	Australian Colonies and New Zealand.	All other Places.	Total.
1873 - - -	37,208	233,073	26,428	13,903	310,612
1874 - - -	25,450	148,161	53,958	13,445	241,014
1875 - - -	17,378	105,046	35,525	15,860	173,809
1876 - - -	12,327	75,533	33,191	17,171	138,222
1877 - - -	9,289	64,027	31,071	15,584	119,971
1878 - - -	13,836	81,557	37,214	15,056	147,663
1879 - - -	22,509	134,590	42,178	17,886	217,163
1880 - - -	29,340	257,274	25,438	20,242	332,294
1881 - - -	34,561	307,973	24,093	25,887	392,514
1882 - - -	53,475	295,539	38,604	25,670	413,288
Totals -	255,373	1,702,773	347,700	180,704	2,486,550
Annual Averages -	25,537	170,278	34,770	18,070	248,655

Table **53.—Numbers** and **Destination** of **Emigrants** of **English Origin** in the Ten Years **1873–82.**

Years.	North American Colonies.	United States.	Australian Colonies and New Zealand.	All other Places.	Total.
1873 - - -	19,438	78,968	18,814	6,123	123,343
1874 - - -	15,224	56,388	36,555	8,323	116,490
1875 - - -	9,044	43,867	20,749	10,880	84,540
1876 - - -	6,227	34,612	20,582	11,975	73,396
1877 - - -	6,009	28,074	19,485	10,143	63,711
1878 - - -	7,957	32,099	23,055	9,212	72,323
1879 - - -	13,965	52,402	26,366	11,542	104,275
1880 - - -	13,541	69,081	15,176	14,047	111,845
1881 - - -	17,164	90,527	15,704	16,581	139,976
1882 - - -	27,763	94,599	24,345	16,285	162,992
Totals -	136,332	580,617	220,831	115,111	1,052,891
Annual Averages -	13,633	58,062	22,083	11,511	105,289

TABLE **54.**—ARMY. **Average Strength at Home,** in **1882.**

(Furnished to the Registrar General by direction of H.R.H. the Field Marshal Commanding in Chief.)

—	United Kingdom.		England, Wales, and Channel Islands.		Scotland.		Ireland.	
	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.
Cavalry - -	532	10,626	334	6,759	25	426	173	3,441
Infantry - -	2,517	60,047	1,504	37,362	115	2,673	898	22,010
Royal Artillery	682	16,168	573	13,337	18	343	91	2,468
Royal Engineers -	489	3,234	448	2,938	6	1	35	245
TOTAL - -	4,220	90,075	2,859	58,466	164	3,445	1,197	28,164

TABLE **55.**—ARMY. **Average Strength** and **Distribution** in the Twenty Years **1863–82.**

(Regiments on passage out and home are included with the Number Abroad.)

Years.	Total Army.	Stationed in				Proportion per cent. of Total Army stationed in				Years.
		England and Wales.	Scotland.	Ireland.	Abroad.	England and Wales.	Scotland.	Ireland.	Abroad.	
1863	219,606	60,066	3,799	21,397	134,344	27·4	1·7	9·7	61·2	1863
1864	214,858	57,835	3,686	21,200	132,137	26·9	1·7	9·9	61·5	1864
1865	208,877	59,782	3,629	21,091	124,375	28·6	1·7	10·1	59·6	1865
1866	201,641	56,477	3,409	24,238	117,517	28·0	1·7	12·0	58·3	1866
1867	200,335	60,344	3,517	23,746	112,728	30·1	1·8	11·9	56·2	1867
1868	196,900	63,940	4,136	21,557	107,267	32·5	2·1	10·9	54·5	1868
1869	186,668	61,511	3,289	21,478	100,390	33·0	1·8	11·5	53·7	1869
1870	180,444	61,376	3,470	24,824	90,774	34·0	1·9	13·8	50·3	1870
1871	192,665	74,642	3,462	27,653	86,908	38·7	1·8	14·4	45·1	1871
1872	192,007	73,474	3,469	27,211	87,853	38·3	1·8	14·2	45·7	1872
1873	188,379	71,124	3,948	25,511	87,796	37·8	2·1	13·5	46·6	1873
1874	186,389	70,894	4,208	22,533	88,754	38·0	2·3	12·1	47·6	1874
1875	184,669	69,479	4,173	23,541	87,476	37·6	2·3	12·7	47·4	1875
1876	184,433	70,357	4,037	22,752	87,287	38·1	2·2	12·3	47·4	1876
1877	190,502	75,307	3,883	22,714	88,598	39·5	2·0	11·9	46·6	1877
1878	200,758	80,600	4,633	23,968	91,557	40·1	2·3	11·9	45·7	1878
1879	191,290	65,514	4,017	18,684	103,075	34·2	2·1	9·8	53·9	1879
1880	188,986	67,297	4,006	20,584	97,099	35·6	2·1	10·9	51·4	1880
1881	188,798	61,631	3,790	26,525	96,852	32·6	2·0	14·0	51·4	1881
1882	189,229	61,325	3,609	29,361	94,934	32·4	1·9	15·5	50·2	1882

TABLE **56.**—ARMY. **Average Strength, Deaths,** and **Mortality** in the **United Kingdom** in **1882.**

—	Average Strength.		Deaths.		Annual Rate of Mortality per 1000.	
	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.
UNITED KINGDOM - -	4,220	90,075	30	776	7·11	8·62
Great Britain - -	3,023	61,911	22	584	7·28	9·43
Ireland - - - -	1,197	28,164	8	192	6·68	6·82

TABLE 57.—ARMY. **Average Strength Abroad** in the Years **1879–1882.**

(Furnished to the Registrar General by direction of H.R.H. the Field Marshal Commanding in Chief.)

—	1879		1880		1881		1882	
	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.
Cavalry - -	271	5,123	245	4,692	269	5,319	269	5,351
Infantry - -	2,607	75,729	2,470	71,225	2,355	69,843	2,443	68,889
Royal Artillery -	696	16,249	685	15,849	681	16,507	643	15,504
Royal Engineers	433	1,967	373	1,560	353	1,525	372	1,463
TOTAL -	4,007	99,068	3,773	93,326	3,658	93,194	3,727	91,207

TABLE 58.—ARMY. **Deaths** in the Years **1879–1882.**

(Furnished to the Registrar General by direction of H.R.H. the Field Marshal Commanding in Chief.)

CORPS.	1879						1880						1881						1882					
	GREAT BRITAIN.		IRELAND.		ABROAD.		GREAT BRITAIN.		IRELAND.		ABROAD.		GREAT BRITAIN.		IRELAND.		ABROAD.		GREAT BRITAIN.		IRELAND.		ABROAD.	
	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.	Officers.	Non-commissioned Officers and Men.
Cavalry and Infantry -	17	479	5	100	102	2,711	28	414	4	108	70	2,087	13	428	5	162	30	1444	18	442	8	173	41	1,127
Royal Artillery -	6	150	2	15	21	553	10	154	2	13	20	374	10	177	1	15	8	304	4	119	-	15	9	202
Royal Engineers	5	16	-	1	12	44	4	15	-	4	9	17	7	23	-	3	6	14	-	23	-	4	4	35
TOTAL -	28	645	7	116	135	3,308	42	583	6	125	99	2,478	30	628	6	180	44	1762	22	584	8	192	54	1,364

TABLE 59.—ARMY. **Mortality** to 1000 living **at Home and Abroad,** in the Years **1859–82.**

YEARS.	AT HOME.		ABROAD.		YEARS.
	OFFICERS.	NON-COMMISSIONED OFFICERS and MEN.	OFFICERS.	NON-COMMISSIONED OFFICERS and MEN.	
1859	—	—	21·1	34·0	1859
1860	—	—	16·4	26·0	1860
1861	7·2	13·6	15·7	25·7	1861
1862	8·5	11·5	13·5	19·8	1862
1863	7·3	11·4	15·9	16·8	1863
1864	6·9	12·6	17·4	18·9	1864
1865	8·3	11·5	15·8	21·0	1865
1866	11·0	12·6	12·6	15·5	1866
1867	11·0	10·8	13·3	20·7	1867
1868	9·5	12·3	13·1	16·2	1868
1869	5·9	10·7	11·9	24·0	1869
1870	13·7	11·4	13·3	18·0	1870
1871	11·9	9·4	11·4	15·4	1871
1872	9·1	9·0	14·2	19·7	1872
1873	9·6	9·2	12·1	13·8	1873
1874	16·1	10·0	13·8	12·7	1874
1875	11·8	10·9	15·2	13·7	1875
1876	12·4	9·4	13·2	13·4	1876
1877	10·7	8·3	12·5	10·6	1877
1878	7·6	7·1	12·3	16·2	1878
1879	9·1	9·0	33·7	33·4	1879
1880	11·9	8·1	26·2	26·6	1880
1881	9·1	9·2	12·0	18·9	1881
1882	7·1	8·6	14·5	15·0	1882

TABLE **60.—Nationality** of the **Army at Home and Abroad** in **1861, 1871,** and **1881.**

OFFICERS AND MEN BORN IN	1861	1871	1881	Percentage of Nationality of the Army.		
				1861	1871	1881
ENGLAND AND WALES - - -	130,469	124,233	128,856	56·8	64·1	69·1
SCOTLAND - - - - - -	20,901	16,582	15,177	9·1	8·6	8·1
IRELAND - - - - - - -	71,556	48,241	39,471	31·2	24·9	21·2
FOREIGN PARTS - - - -	6,635	4,551	2,924	2·9	2·4	1·6
TOTAL - - -	229,561	193,607	186,428	100·0	100·0	100·0

TABLE **61.—Deaths** in the **Army Abroad,** and Estimated Numbers belonging to **England and Wales, Scotland, Ireland,** and **Foreign Parts,** in the Twenty-five Years **1858–1882.**

YEARS.	DEATHS of OFFICERS AND MEN in the ARMY ABROAD.	Estimated proportion of Numbers in Col. 2. belonging to			
		ENGLAND AND WALES.	SCOTLAND.	IRELAND.	FOREIGN PARTS.
1	2	3	4	5	6
1858 - -	7,363	3,490	788	2,739	346
1859 - -	4,150	1,967	444	1,544	195
1860 - -	3,293	1,561	352	1,225	155
1861 - -	3,097	1,759	282	966	90
1862 - -	2,544	1,445	231	794	74
1863 - -	2,209	1,255	201	689	64
1864 - -	2,493	1,416	227	778	72
1865 - -	2,578	1,464	235	804	75
1866 - -	1,802	1,024	164	562	52
1867 - -	2,284	1,297	208	713	66
1868 - -	1,716	975	156	535	50
1869 - -	2,347	1,333	214	732	68
1870 - -	1,609	914	146	502	47
1871 - -	1,322	847	114	329	32
1872 - -	1,709	1,095	147	426	41
1873 - -	1,208	774	104	301	29
1874 - -	1,129	724	97	281	27
1875 - -	1,208	774	104	301	29
1876 - -	1,172	751	101	292	28
1877 - -	945	606	81	235	23
1878 - -	1,471	943	127	366	35
1879 - -	3,443	2,207	296	857	83
1880 - -	2,577	1,652	221	642	62
1881 - -	1,806	1,243	146	383	29
1882 - -	1,418	979	115	301	23

NOTE.—The Deaths in the cols. 3 to 6 are estimated for each year on the assumption that the nationalities of the soldiers were in the same proportions as at the preceding Census. (*See* Table 60.)

TABLE 62.—**Births** and **Deaths** among **Passengers** (**British Subjects**), including Soldiers, Marines, and invalided Seamen from the Royal Navy on board Merchant Vessels at Sea, in the Twenty-seven Years **1856–1882**, reported by the Captains or Commanding Officers of Vessels to the Registrar General of Shipping and Seamen at the Termination of their respective Voyages in Ports of the United Kingdom.

(Furnished to the Registrar General by the Registrar General of Shipping and Seamen.)

		MALES.	FEMALES.	TOTAL.
BIRTHS at Sea	1856 (imperfect)	71	66	137
	1857	168	142	310
	1858	132	117	249
	1859	135	132	267
	1860	136	114	250
	1861	110	108	218
	1862	146	148	294
	1863	159	185	344
	1864	203	177	380
	1865	210	202	412
	1866	213	202	415
	1867	162	177	339
	1868	147	125	272
	1869	134	124	258
	1870	169	146	315
	1871	106	102	208
	1872	142	147	289
	1873	145	164	309
	1874	244	266	510
	1875	184	173	357
	1876	181	183	364
	1877	148	139	287
	1878	150	141	291
	1879	184	160	344
	1880	104	104	208
	1881	84	85	169
	1882	131	135	266
	TOTAL	4,098	3,964	8,062
DEATHS at Sea	1856 (imperfect)	154	78	232
	1857	297	140	437
	1858	409	182	591
	1859	720	303	1023
	1860	437	156	593
	1861	282	121	403
	1862	343	148	491
	1863	463	231	694
	1864	475	210	685
	1865	623	315	938
	1866	874	363	1,237
	1867	538	214	752
	1868	470	196	666
	1869	369	184	553
	1870	536	264	800
	1871	299	146	445
	1872	372	176	548
	1873	765	442	1,207
	1874	1,015	729	1,744
	1875	510	276	786
	1876	464	274	738
	1877	428	218	646
	1878	408	205	613
	1879	526	250	776
	1880	267	154	421
	1881	415	197	612
	1882	492	186	678
	TOTAL	12,951	6,358	19,309

TABLE 63.—**Mortality of Merchant Seamen at Sea,** in the Thirty-one Years **1852–82.***

YEARS.	STRENGTH.	NO. of DEATHS REPORTED.	ANNUAL RATE OF MORTALITY per 1000 of the Strength.
1852 - -	159,563	2,205	13·8
1853 - -	172,525	3,276	19·0
1854 - -	162,416	2,772	17·1
1855 - -	168,537	3,318	19·7
1856 - -	173,918	3,549	20·4
1857 - -	176,387	3,444	19·5
1858 - -	177,832	3,486	19·6
1859 - -	172,506	3,430	19·9
1860 - -	171,592	3,760	21·9
1861 - -	171,957	3,580	20·8
1862 - -	173,863	3,620	20·8
1863 - -	184,727	3,380	18·3
1864 - -	195,756	3,893	19·9
1865 - -	197,643	4,600	23·3
1866 - -	196,971	4,866	25·8
1867 - -	196,340	5,283	26·9
1868 - -	197,502	5,237	26·6
1869 - -	195,490	4,832	24·7
1870 - -	195,962	4,523	23·1
1871 - -	199,738	4,338	21·7
1872 - -	203,720	4,123	20·2
1873 - -	202,239	5,393	26·6
1874 - -	203,606	4,602	22·6
1875 - -	199,667	4,076	20·4
1876 - -	198,638	4,151	20·9
1877 - -	196,502	4,181	21·3
1878 - -	195,585	3,870	19·8
1879 - -	193,548	3,692	19·0
1880 - -	192,972	4,100	21·2
1881 - -	192,903	4,464	23·1
1882 - -	195,937	4,659	23·8
Thirty-one years 1852–82	5,816,002	124,703	21·4

* Deduced from a return of the number of accounts of wages and effects of seamen (exclusive of masters) dying before the termination of the voyage, received by the Registrar General of Shipping and Seamen, Since 1867 the return *includes seamen dying ashore in foreign parts,* whose wages and effects are delivered to the consuls, or officers of the hospitals, on their discharge from their ships.

If a *seaman* die on the passage from Sunderland to Calcutta, his death is reported at Calcutta, and his wages and effects are accounted for and transmitted home, if the vessel be not to return direct to the United Kingdom. But if a *passenger* die on board a ship which does not return to a British port immediately, but trades for a time in foreign parts, considerable delay may occur before his death is reported. In all cases, however, the date is given; in the accompanying tables the births and deaths are classed according to the years in which they were reported. In some passenger-ships women are employed as stewardesses, and are counted as part of the crew. They therefore form part of the strength in this Table, and if the death of a stewardess occur in the course of a voyage, it is included in the column of Deaths.

When a ship is lost with all persons on board, the owners return the number and names of the crew and the names of he passengers, when known, to the Registrar General of Shipping and Seamen.

TABLE **64.**—MERCHANT SERVICE. **Seamen** reported to the BOARD OF TRADE as having died in **1882.** (*Parliamentary Return, Session of* 1883.)

AGES AT DEATH.

Under 21 years	812	Over 60 years	30
21—30 years	1823	Unknown	480
31—40 years	949		
41—50 years	439	TOTAL	4659
51—60 years	126		

CAUSES OF DEATH.

Small-pox	25	Dis. of Urinary and Generative System	36
Measles	—	„ of Integumentary System (including Erysipelas, Tumour, &c.)	34
Continued Fever	107	Violence:—	
Cholera	60	Accident and Negligence	3453
Dysentery	55	Murder and Manslaughter	10
Diarrhœa	68	Suicide	34
Yellow Fever	37	Ill-defined and not specified Causes	243
Ague	19		
Scurvy	3	TOTAL	4659
Rheumatism, Gout	8		
Phthisis	125		
Dis. of Nervous System	119		
„ of Circulatory System	138		
„ of Respiratory System	85		

TABLE **65.**—ROYAL NAVY. **Mortality** in the **Service Afloat,** in the Twenty-seven Years **1856-82.** (*Statistical Report of the Health of the Navy,* 1882.)

YEAR.	MORTALITY PER 1000.		YEAR.	MORTALITY PER 1000.	
	From All Causes.	From Disease alone.		From All Causes.	From Disease alone.
1856	15·5	12·1	1870	19·6	6·7
1857	19·4	14·7	1871	8·5	6·3
1858	25·8	22·0	1872	8·2	5·6
1859	16·7	11·8	1873	8·3	6·0
1860	14·7	11·1	1874	9·4	6·7
1861	15·0	11·5	1875	8·8	6·9
1862	15·3	9·6	1876	9·2	6·0
1863	11·3	7·6	1877	7·1	4·9
1864	14·0	9·0	1878	14·4	5·3
1865	11·3	8·1	1879	8·6	6·2
1866	10·2	7·9	1880	12·6	4·6
1867	11·5	8·4	1881	10·9	5·3
1868	8·9	6·5	1882	9·5	6·9
1869	9·9	7·3			

TABLE 66.—**Mean Annual Values of Meteorological**

NAMES OF STATIONS.	Elevation in feet above the Sea Level.	Latitude.	Barometer. Mean.	Barometer. Mean Monthly Range.	Thermometer. Highest Reading in the Year.	Thermometer. Lowest Reading in the Year.	Thermometer. Difference of Extreme Readings.	Thermometer. Mean of all the highest Daily Readings.	Thermometer. Mean of all the lowest Daily Readings.	Thermometer. Mean Daily Range.	Mean Temperature Of the Air.	Mean Temperature Of the Dew-point.
	feet.	° ′	in.	in.	°	°	°	°	°	°	°	°
Guernsey - - - -	204	49 27 N.	29·636	1·196	78·0	30·0	48·0	56·2	46·7	9·4	50·7	47·1
Truro - - - - -	103	50 17	29·613	1·226	78·0	22·0	56·0	58·6	45·4	13·2	50·5	46·1
Plymouth - - - -	69	50 23	29·636	1·214	78·1	22·8	55·3	57·3	45·4	11·9	50·6	46·4
Totnes - - - -	107	50 27	29·695	1·220	80·2	16·2	64·0	57·9	43·1	14·7	50·3	44·3
Torquay - - - -	305	50 29	29·654	1·311	78·2	20·4	57·8	56·5	44·5	12·0	49·7	44·9
Ventnor - - - -	150	50 36	29·649	1·212	77·2	29·3	47·9	57·2	46·8	10·4	50·9	46·7
Eastbourne - - - -	12	50 44	..	..	75·9	21·9	54·0	..	..	..	..	..
Osborne - - - -	172	50 45	29·609	1·252	84·9	23·0	61·9	58·5	44·3	14·2	50·3	47·5
Bournemouth - - -	95	50 45	29·651	1·221	79·6	20·0	59·6	56·1	44·3	11·8	49·9	44·2
Brighton - - - -	206	50 50	29·713	1·238	77·0	24·5	52·5	56·8	44·5	12·3	50·2	44·5
Salisbury - - - -	186	51 4	29·635	1·269	82·0	16·5	65·5	59·2	39·4	19·8	49·0	43·5
Barnstaple - - - -	43	51 5	29·600	1·234	82·0	18·0	64·0	58·7	47·2	11·5	52·0	47·9
Bath - - - - -	596	51 15	29·525	1·259	72·4	13·4	59·0	54·4	42·2	12·2	47·6	43·9
Strathfield Turgiss - -	197	51 20	29·646	1·272	83·2	18·4	64·8	57·8	41·5	16·3	49·4	44·3
Marlborough - - -	474	51 25	29·627	1·288	78·7	11·8	66·9	55·4	41·4	14·0	47·8	43·6
Whitchurch (Oxon) - -	150	51 29	29·624	1·289	80·1	19·0	61·1	57·6	40·7	16·9	48·6	44·1
Blackheath - - - -	160	51 29	29·639	1·342	81·0	24·0	57·0	57·0	43·7	14·3	49·6	43·7
Camden Square - - -	123	51 32	29·638	1·287	80·8	24·5	56·3	58·2	43·1	15·2	50·0	43·8
Oxford - - - -	210	51 45	29·645	1·332	78·7	17·8	60·9	56·8	43·5	13·3	49·6	44·9
Royston - - - -	269	52 2	29·645	1·302	82·1	19·1	63·0	57·2	41·7	15·5	48·5	43·9
Cardington - - - -	105	52 7	..	..	79·0	17·0	62·0	..	..	..	..	..
Cambridge - - - -	40	52 13	29·596	1·324	86·0	19·0	67·0	59·2	42·0	17·1	49·6	44·5
Lowestoft - - - -	85	52 29	29·606	1·350	76·4	21·0	55·4	54·9	43·6	11·3	48·9	43·8
Somerleyton - - -	50	52 30	29·634	1·323	74·0	19·8	54·2	55·5	42·6	13·0	48·2	44·3
Wolverhampton - -	500	52 37	29·627	1·290	78·6	18·0	60·6	54·6	40·4	14·2	46·6	42·1
Leicester - - - -	245	52 39	29·601	1·351	79·0	16·4	62·6	56·5	42·3	14·1	48·9	42·7
Nottingham - - -	183	52 57	29·592	1·335	78·2	17·5	60·7	56·8	41·0	15·8	48·2	43·4
Holkham - - - -	39	52 58	29·589	1·415	76·5	17·3	59·2	55·4	38·9	16·5	47·4	43·6
Llandudno - - - -	100	53 20	29·663	1·394	71·2	25·5	45·7	54·6	44·6	10·0	49·4	43·9
Liverpool - - - -	197	53 24	29·585	1·370	74·1	17·2	56·9	54·2	44·3	9·9	48·5	43·9
Bolton - - - -	500	53 36	29·624	1·370	73·7	18·4	55·3	53·3	41·0	12·4	46·7	41·9
Halifax - - - -	530	53 44	..	1·357	80·3	13·0	67·3	54·5	40·5	14·0	46·6	42·4
Hull - - - - -	12	53 45	29·611	1·328	79·0	14·0	65·0	55·9	40·5	15·4	48·4	42·7
Stonyhurst - - -	363	53 45	29·588	1·367	76·5	17·0	59·5	55·5	42·8	12·7	47·7	43·2
Bradford - - - -	366	53 48	29·590	1·379	77·4	18·6	58·8	54·8	43·4	11·4	48·2	42·0
Leeds - - - - -	137	53 48	29·561	1·384	76·0	18·0	58·0	56·3	43·6	12·7	49·6	43·6
Lancaster - - - -	114	54 4	29·590	1·280	75·0	21·0	54·0	54·2	42·2	12·0	47·8	42·2
Silloth - - - -	28	54 52	29·552	1·450	75·3	17·5	57·8	54·6	42·4	12·2	47·7	42·9
Carlisle - - - -	114	54 53	29·548	1·438	77·8	15·5	62·3	55·9	40·5	15·3	47·7	42·8

Elements in 1882. By James Glaisher, Esq., F.R.S.

Mean Monthly Elastic Force of Vapour.	Mean Weight of Vapour in a Cubic Foot of Air.	Mean additional Weight of Vapour required for Saturation.	Mean Degree of Humidity of the Air (Saturation=100).	Mean Weight of a Cubic Foot of Air.	Wind. Mean estimated Strength.	Wind. Relative Proportion of N.	Wind. Relative Proportion of E.	Wind. Relative Proportion of S.	Wind. Relative Proportion of W.	Mean Amount of Cloud (0–10).	Rain. Number of Days it fell.	Rain. Amount collected.	NAMES OF STATIONS.
in.	grs.	gr.		grs.							days.	in.	
·327	3·7	0·6	87	538	1·0	6	5	8	12	6·4	242	48·06	Guernsey.
·314	3·6	0·7	86	545	2·5	6	5	7	12	7·1	221	48·16	Truro.
·321	3·6	0·7	86	542	1·5	6	6	9	10	7·0	218	41·23	Plymouth.
·296	3·4	0·8	82	543	2·5	5	5	7	13	6·3	235	53·66	Totnes.
·302	3·4	0·7	83	539	1·7	6	5	7	12	6·7	214	41·23	Torquay.
·325	3·7	0·7	86	541	1·4	5	6	6	13	6·4	185	32·67	Ventnor.
..	..	..	..	..	..	..	..	..	..	..	..	..	Eastbourne.
·336	3·8	0·5	90	540	0·2	5	5	10	11	6·0	169	30·13	Osborne.
·296	3·4	0·7	81	542	1·6	7	6	6	11	5·9	186	30·51	Bournemouth.
·297	3·4	0·9	82	540	1·1	7	5	8	11	6·9	190	32·02	Brighton.
·299	3·4	0·7	85	541	1·3	8	4	9	10	6·5	219	39·21	Salisbury.
·338	3·8	0·7	86	541	1·2	5	5	10	11	4·3	221	54·75	Barnstaple.
·292	3·3	0·5	87	534	1·5	6	5	8	12	6·8	..	52·99	Bath.
·298	4·4	0·8	83	541	1·1	5	4	8	13	6·2	179	27·52	Strathfield Turgiss.
·289	3·3	0·6	86	537	0·7	5	6	9	11	6·8	207	43·79	Marlborough.
·299	3·4	0·7	86	542	1·4	5	6	9	11	6·5	180	29·69	Whitchurch (Oxon).
·291	3·3	0·9	81	542	1·1	4	5	9	13	6·1	175	28·28	Blackheath.
·291	3·3	0·9	80	542	..	..	..	..	..	6·6	165	27·14	Camden Square.
·304	3·5	0·7	84	540	2·9	5	5	11	10	6·7	190	31·41	Oxford.
·294	3·3	0·7	84	541	..	5	5	9	12	6·6	167	26·23	Royston.
..	..	..	..	..	..	..	..	..	..	..	172	29·94	Cardington.
·301	3·5	0·7	84	543	1·1	7	5	11	8	6·2	210	26·45	Cambridge.
·290	3·4	0·8	84	543	0·9	4	5	7	14	6·6	175	30·84	Lowestoft.
·298	3·3	0·6	87	544	1·1	4	6	9	12	6·2	183	31·48	Somerleyton.
·272	3·1	0·6	85	538	..	5	6	12	8	6·8	195	40·03	Wolverhampton.
·281	3·2	0·8	80	539	0·7	5	4	10	12	6·4	..	35·24	Leicester.
·288	3·3	0·7	84	541	0·3	5	6	9	11	7·1	249	34·37	Nottingham.
·299	3·4	0·5	88	545	1·6	7	3	14	6	6·8	..	..	Holkham.
·292	3·3	0·8	83	544	1·0	3	5	9	14	7·0	209	32·84	Llandudno.
·294	3·3	0·6	85	540	..	4	7	8	12	7·0	211	34·21	Liverpool.
·271	3·1	0·6	84	537	1·7	5	6	10	10	7·4	247	61·73	Bolton.
·276	3·1	0·6	85	..	..	4	6	10	11	..	224	44·93	Halifax.
·279	3·2	0·8	80	545	1·4	3	5	9	14	6·1	203	35·50	Hull.
·287	4·2	0·6	85	538	..	4	5	6	15	7·9	226	60·23	Stonyhurst.
·271	3·1	0·9	80	537	1·1	5	5	8	13	6·7	236	39·69	Bradford.
·301	3·4	0·7	82	540	1·2	4	6	7	13	6·7	197	29·46	Leeds.
·274	3·1	0·8	81	543	..	..	..	..	..	..	213	46·15	Lancaster.
·283	3·2	0·7	84	544	1·4	4	7	7	12	6·0	208	36·35	Silloth.
·282	3·2	0·7	84	541	1·0	3	10	6	12	7·5	200	32·18	Carlisle.

Table 67.—Mean Annual Values of Meteorological

Parallels of Latitude, &c.	Mean Elevation in Feet above the Sea Level.	Barometer. Mean Pressure of Dry Air reduced to the Sea Level.	Barometer. Mean Monthly Range.	Thermometer. Mean of the highest Monthly Readings.	Thermometer. Mean of the lowest Monthly Readings.	Thermometer. Mean of the Yearly Range of Readings.	Thermometer. Mean of all the highest Daily Readings.	Thermometer. Mean of all the lowest Daily Readings.	Thermometer. Mean Daily Range.	Mean Temperature. Of the Air.	Mean Temperature. Of the Dew-point.
	feet.	in.	in.	°	°	°	°	°	°	°	°
Guernsey - - -	204	29·636	1·196	78·0	30·0	48·0	56·2	46·7	9·4	50·7	47·1
Between the latitudes,—											
50° and 51° - -	136	29·653	1·238	79·9	22·5	57·4	57·4	44·8	12·6	50·3	45·6
51° and 52° - -	238	29·620	1·236	79·9	18·2	61·7	57·2	42·5	14·8	49·3	44·4
52° and 53° - -	168	29·610	1·336	78·9	18·4	60·5	56·3	41·6	14·7	48·3	43·5
53° and 54° - -	258	29·602	1·404	75·9	18·1	57·8	54·3	42·5	12·3	48·1	42·9
54° and 55° - -	71	29·550	1·444	76·6	16·5	60·1	55·3	41·5	13·8	47·7	42·9

Table 68.—Meteorology of Greenwich

Years.	Mean Weekly Movement of the Air in Miles.*	Departure from Average of 34 Years.	Fall of Rain in Inches.	Departure from Average of 34 Years.	Mean Dryness of Atmosphere.	Departure from Average of 34 Years.	Mean Temperature of the Air.	Departure from Average of 34 Years.
	Miles.	Miles.	Inches.	Inches.	°	°	°	°
1849 - -	1808	− 19	23·9	− 0·9	6·6	+ 0·7	50·0	+ 0·7
1850 - -	1841	+ 14	19·7	− 5·1	6·1	+ 0·2	49·3	0·0
1851 - -	1730	− 97	21·6	− 3·2	6·5	+ 0·6	49·2	− 0·1
1852 - -	1781	− 46	34·2	+ 9·4	7·4	+ 1·5	50·6	+ 1·3
1853 - -	1597	−232	29·0	+ 4·2	6·2	+ 0·3	47·7	− 1·6
1854 - -	1731	− 96	18·7	− 6·1	4·7	− 1·2	48·9	− 0·6
1855 - -	1659	−168	21·1	− 3·7	4·5	− 1·4	47·1	− 2·4
1856 - -	1775	− 52	22·2	− 2·6	5·6	− 0·3	49·0	− 0·5
1857 - -	1562	−265	21·4	− 3·4	5·2	− 0·7	51·0	+ 1·7
1858 - -	1626	−201	17·8	− 7·0	6·5	+ 0·6	49·2	− 0·3
1859 - -	1598	−229	25·9	+ 1·1	6·0	+ 0·1	50·7	+ 1·4
1860 - -	1676	−151	32·0	+ 7·2	4·6	− 1·3	47·0	− 2·5
1861 - -	1666	−161	20·8	− 4·0	5·0	− 0·9	49·4	+ 0·1
1862 - -	1680	−147	26·2	+ 1·4	4·7	− 1·2	49·5	+ 0·2
1863 - -	1775	− 52	20·0	− 4·8	6·0	+ 0·1	50·3	+ 1·0
1864 - -	1597	−230	16·7	− 7·7	7·0	+ 1·1	48·5	− 0·8
1865 - -	1553	−274	29·0	+ 4·2	6·2	+ 0·3	50·3	+ 1·0
1866 - -	1917	+ 90	30·7	+ 5·9	5·6	− 0·3	49·8	+ 0·5
1867 - -	1981	+154	28·4	+ 3·6	5·6	− 0·3	48·6	− 0·7
1868 - -	2029	+222	25·2	+ 0·4	6·8	+ 0·9	51·5	+ 2·2
1869 - -	2043	+216	24·0	− 0·8	5·7	− 0·2	49·5	+ 0·2
1870 - -	1872	+ 45	18·5	− 6·3	6·7	+ 0·8	48·7	− 0·6
1871 - -	1749	− 78	22·3	− 2·5	6·0	+ 0·1	48·7	− 0·6
1872 - -	1998	+171	30·0	+ 5·2	5·5	− 0·4	50·7	+ 1·4
1873 - -	1940	+113	23·4	− 1·4	5·5	− 0·4	48·9	− 0·4
1874 - -	1915	+ 88	20·0	− 4·8	5·7	− 0·2	49·3	0·0
1875 - -	1942	+115	28·2	+ 3·4	6·0	+ 0·1	49·2	− 0·1
1876 - -	2036	+209	24·2	− 0·6	6·4	+ 0·5	50·1	+ 0·8
1877 - -	2184	+357	26·9	+ 2·1	6·7	+ 0·8	49·4	− 0·1
1878 - -	1880	+ 53	29·2	+ 4·4	5·8	− 0·1	49·6	+ 0·3
1879 - -	1873	+ 46	31·3	+ 6·5	5·4	− 0·5	46·2	− 3·1
1880 - -	1928	+101	29·8	+ 5·0	5·0	− 0·9	49·4	+ 0·1
1881 - -	2030	+203	25·2	+ 0·4	5·7	− 0·2	48·7	− 0·6
1882 - -	2151	+324	25·2	+ 0·4	5·0	− 0·9	49·7	+ 0·4
Average in 34 Years	1827	—	24·8	—	5·8	—	49·3	—

* Approximated to the results of Robinson's Anemometer by reductions from Whewell's up to 1859.

Elements in **1882** for different **Parallels** of **Latitude.**

Mean Elastic Force of Vapour.	Mean Weight of Vapour in a Cubic Foot of Air.	Mean additional Weight of Vapour required for Saturation.	Mean Degree of Humidity of the Air. (Saturation=100.)	Mean Weight of a Cubic Foot of Air.	Wind. Mean estimated Strength.	Wind. Relative Proportion of N.	Wind. Relative Proportion of E.	Wind. Relative Proportion of S.	Wind. Relative Proportion of W.	Mean Amount of Cloud (0–10).	Rain. Mean Number of Days it fell.	Rain. Mean Amount collected.	PARALLELS of LATITUDE, &c.
in.	grs.	gr.		grs.							days.	in.	
·327	3·7	0·6	87	538	1·0	6	5	8	12	6·4	242	48·06	Guernsey.
													Between the latitudes,—
·311	3·5	0·7	84	542	1·6	6	5	8	12	6·5	202	38·70	50° and 51°
·300	3·5	0·7	84	540	1·4	5	5	9	11	6·3	192	37·77	51° and 52°
·390	3·3	0·7	84	542	0·9	5	5	10	10	6·6	193	31·82	52° and 53°
·283	3·3	0·7	83	541	1·3	4	6	8	13	6·8	218	42·75	53° and 54°
·283	3·2	0·7	84	543	1·2	4	9	6	12	6·8	204	34·27	54° and 55°

in the Thirty-four Years **1849–1882.**

MEAN TEMPERATURES of the AIR in the Quarters ending the last day of March.	Departure from Average of 34 Years.	June.	Departure from Average of 34 Years.	Sept.	Departure from Average of 34 Years.	Dec.	Departure from Average of 34 Years.	YEARS.
°	°	°	°	°	°	°	°	
41·9	+ 1·9	51·7	− 1·0	61·0	+ 0·6	44·8	+ 0·7	1849
39·4	− 0·6	53·5	+ 0·8	59·6	− 0·8	44·7	+ 0·6	1850
41·9	+ 1·9	51·5	− 1·2	59·8	− 0·6	43·7	− 0·4	1851
41·4	+ 1·4	51·2	− 1·5	61·8	+ 1·4	48·1	+ 4·0	1852
38·1	− 1·9	51·8	− 0·9	58·5	− 1·9	42·3	− 1·8	1853
40·8	+ 0·8	51·7	− 1·0	59·8	− 0·6	43·7	− 0·4	1854
34·1	− 5·9	50·5	− 2·2	60·4	0·0	42·7	− 1·4	1855
40·0	0·0	52·3	− 0·4	59·9	− 0·5	44·2	+ 0·1	1856
39·2	− 0·8	53·8	+ 1·1	63·3	+ 2·9	47·9	+ 3·8	1857
37·8	− 2·2	54·3	+ 1·6	61·0	+ 0·6	43·8	− 0·3	1858
43·3	+ 3·3	53·7	+ 1·0	62·8	+ 2·4	43·3	− 0·8	1859
38·8	− 1·2	50·5	− 2·2	56·2	− 4·2	42·6	− 1·5	1860
39·9	− 0·1	51·8	− 0·9	60·4	0·0	45·5	+ 1·4	1861
41·0	+ 1·0	53·3	+ 0·6	58·8	− 1·6	45·0	+ 0·9	1862
42·6	+ 2·6	53·1	+ 0·4	58·8	− 1·6	46·8	+ 2·7	1863
37·9	+ 2·1	53·1	+ 0·4	59·4	− 1·0	43·7	− 0·4	1864
36·5	+ 3·5	56·2	+ 3·5	62·5	+ 2·1	46·0	+ 1·9	1865
41·2	+ 1·2	53·0	+ 0·3	58·9	− 1·5	46·2	+ 2·1	1866
38·9	− 1·1	53·5	+ 0·8	59·7	− 0·7	42·5	− 1·6	1867
41·4	+ 1·4	55·8	+ 3·1	63·9	+ 3·5	45·1	+ 1·0	1868
41·3	+ 1·3	52·0	− 0·7	61·4	+ 1·0	43·3	− 0·8	1869
38·0	− 2·0	54·4	+ 1·7	60·7	+ 0·3	41·6	− 2·5	1870
40·2	+ 0·2	51·5	− 1·2	61·3	+ 0·9	41·8	− 2·3	1871
43·6	+ 3·6	52·8	+ 0·1	61·1	+ 0·7	45·3	+ 1·2	1872
39·4	− 0·6	51·8	− 0·9	60·3	− 0·1	44·2	+ 0·1	1873
41·4	+ 1·4	52·8	+ 0·1	60·9	+ 0·5	42·3	− 1·8	1874
39·5	− 0·5	53·4	+ 0·7	60·7	+ 0·3	43·1	− 1·0	1875
39·5	− 0·5	51·7	− 1·0	61·8	+ 1·4	47·0	+ 2·9	1876
42·3	+ 2·3	51·9	− 0·8	58·5	− 1·9	45·0	+ 0·9	1877
41·5	+ 1·5	54·6	+ 1·9	60·8	+ 0·4	41·6	− 2·5	1878
37·1	− 2·9	49·5	− 3·2	58·1	− 3·3	39·9	− 4·2	1879
39·8	− 0·2	52·4	− 0·3	61·4	+ 1·0	44·0	− 0·1	1880
37·3	− 0·7	52·9	+ 0·2	60·0	− 0·4	44·6	− 0·5	1881
42·3	+ 2·3	53·0	+ 0·3	58·1	− 2·3	44·7	+ 0·6	1882
40·0	—	52·7	—	60·3	—	44·1	—	Average in 34 Years.

TABLE 69.—**Greenwich Monthly**

By JAMES

1882. MONTHS.	Mean Reading of the Barometer.	Temperature of the Air. Highest by Day.	Lowest by Night.	Range in Month.	Mean of all Highest.	Mean of all Lowest.	Mean Daily Range.	Mean for the Month.	Departure from Average of 112 years (1771–1882).	Mean Temperature of the Dew Point.
	in.	°	°	°	°	°	°	°	°	°
January - -	30·185	52·9	25·4	27·5	44·4	35·3	9·1	40·4	+3·9	37·2
February - -	30·051	55·4	24·8	30·6	47·7	36·2	11·5	41·8	+3·1	38·8
March - -	29·843	65·0	28·8	36·2	55·1	37·6	17·5	46·0	+4·9	40·7
April - - -	29·602	65·7	31·8	33·9	57·6	39·8	17·8	47·9	+1·8	42·4
May - - -	29·875	76·5	34·5	42·0	66·2	44·2	22·0	54·5	+2·0	46·6
June - - -	29·735	74·1	40·9	33·2	66·3	48·9	17·4	56·5	−1·7	50·4
July - - -	29·700	78·7	45·7	33·0	71·1	52·5	18·6	60·4	−1·2	53·2
August - -	29·740	81·0	44·0	37·0	70·5	51·7	18·8	59·6	−1·3	53·4
September -	29·687	71·1	36·7	34·4	64·0	46·6	17·4	54·3	−2·2	49·8
October - -	29·656	71·1	30·6	40·5	57·6	44·7	12·9	50·8	+1·3	47·5
November - -	29·532	60·1	24·4	35·7	48·7	38·4	10·3	43·5	+1·2	38·6
December - -	29·493	56·9	22·2	34·7	44·0	35·6	8·4	40·1	+1·0	37·6
Means -	29·758	67·4	32·5	34·9	57·8	42·6	15·2	49·7	+1·1	44·7

TABLE 70.—**Meteorological**

(Deduced by James Glaisher, Esq., F.R.S., from Observations, at the Royal

Winter . . Jan., Feb., March. Spring . . April, May, June. Summer . . July, Aug., Sept. Autumn . . Oct., Nov., Dec.	Temperature of Air. Mean.	Diff. from Average of 111 Years.	Diff. from Average of 41 Years.	Evaporation. Mean.	Diff. from Average of 41 Years.	Dew Point. Mean.	Diff. from Average of 41 Years.	Air—Daily Range. Mean.	Diff. from Average of 41 Years.	Elastic Force of Vapour. Mean.	Diff. from Average of 41 Years.	Weight of Vapour in a Cubic Foot of Air. Mean.	Diff. from Average of 41 Years.
1882.	°	°	°	°	°	°	°	°	°	in.	in.	grs.	grs.
YEAR -	49·7	+1·1	+0·3	47·2	+0·7	44·7	+1·0	15·2	−0·7	0·303	+0·008	3·5	0·0
First Quarter -	42·7	+4·0	+2·9	41·0	+3·1	38·9	+3·4	12·7	+0·9	0·239	+0·032	2·8	+0·4
Second do. - -	53·0	+0·7	+0·1	49·7	+0·6	46·5	+1·1	19·1	−0·9	0·318	+0·014	3·6	+0·1
Third do. - -	58·1	−1·6	−2·2	55·0	−1·5	52·1	−0·9	18·3	−1·4	0·391	−0·019	4·4	−0·3
Fourth do. - -	44·8	+1·2	+0·3	43·1	+0·5	41·2	+0·5	10·5	−1·3	0·263	+0·004	3·0	0·0

Meteorology in **1882.**

GLAISHER, Esq., F.R.S.

Mean Elastic Force of Vapour.	Weight of Vapour in a Cubic Foot of Air.	Mean additional Weight required for Saturation.	Mean Degree of Humidity. Saturation = 100.	Mean Weight of a Cubic Foot of Air.	Relative Proportion of Wind. N.	E.	S.	W.	Mean Amount of Cloud.	Rain. Number of Days it fell.	Amount collected.	1882. MONTHS.
in.	grs.	grs.		grs.							in.	
·222	2·6	0·4	89	559	0	6	13	12	8·0	10	1·35	January.
·238	2·8	0·3	90	555	3	4	10	11	7·1	8	1·14	February.
·256	3·0	0·6	83	547	3	0	9	19	4·8	11	1·14	March.
·271	3·1	0·7	83	540	4	7	9	10	5·6	13	2·40	April.
·318	3·6	1·2	75	538	7	7	10	7	4·6	11	1·37	May.
·366	4·1	1·0	80	533	3	3	9	15	5·9	19	2·36	June.
·406	4·5	1·3	78	528	2	0	14	15	5·8	19	2·45	July.
·409	4·6	1·1	80	529	6	4	6	15	6·0	15	1·16	August.
·358	4·0	0·7	85	534	8	6	9	7	6·1	14	2·40	September.
·330	3·8	0·4	88	538	4	8	9	10	7·0	23	5·42	October.
·234	2·7	0·5	83	544	4	3	3	20	6·2	19	2·20	November.
·225	2·6	0·3	91	547	4	7	9	11	7·8	17	1·77	December.
·303	3·5	0·7	84	541	48	55	110	152	6·2 Mean	179 Sum	25·16 Sum	Means.
						Sums.						

Table for **London** in **1882.**

Observatory, furnished to the Registrar-General by the Astronomer Royal.

Degree of Humidity. Mean.	Diff. from Average of 41 Years.	Reading of Barometer. Mean.	Diff. from Average of 41 Years.	Weight of a Cubic Foot of Air. Mean.	Diff. from Average of 41 Years.	Rain. Mean.	Diff. from Average of 41 Years.	Reading of Thermometer on Grass. Number of Nights it was At or below 30°.	Between 30° and 40°.	Above 40°.	Lowest Reading at Night.	Highest Reading at Night.	
		in.	in.	grs.	grs.	Sums. in.	in.	Sums.			°	°	1882.
84	+3	29·758	−0·015	541	−1	25·16	+0·07	91	136	138	16·3	55·8	YEAR.
87	+3	30·026	+0·261	554	+1	3·63	−1·41	42	40	8	16·3	46·6	First Quarter.
79	+4	29·737	−0·046	537	−2	6·13	+0·30	18	33	40	23·7	53·2	Second do.
81	+3	29·709	−0·086	530	+1	6·01	−1·41	1	29	62	29·0	55·8	Third do.
88	+1	29·560	−0·191	543	−4	9·39	+2·25	30	34	28	18·2	54·2	Fourth do.

Winter . . Jan., Feb., March.
Spring . . April, May, June.
Summer . . July, Aug., Sept.
Autumn . . Oct., Nov., Dec.

TABLE **71.—Population** of the **United Kingdom** estimated to the middle of British Seas, and of the portions of the **Army,**

YEARS.	UNITED KINGDOM.			ENGLAND AND WALES.		
	Persons.	Males.	Females.	Persons.	Males.	Females.
1801	15,902,322	7,748,246	8,154,076	9,060,993	4,404,490	4,656,503
1802	16,059,507	7,826,658	8,232,849	9,129,636	4,441,131	4,688,505
1803	16,254,224	7,921,956	8,332,268	9,234,649	4,494,127	4,740,522
1804	16,477,279	8,029,902	8,447,377	9,366,826	4,559,230	4,807,596
1805	16,715,637	8,145,199	8,570,438	9,513,111	4,631,137	4,881,974
1806	16,951,925	8,258,482	8,693,443	9,656,119	4,700,476	4,955,643
1807	17,184,902	8,370,728	8,814,174	9,794,594	4,768,221	5,026,373
1808	17,410,054	8,479,565	8,930,489	9,924,001	4,831,985	5,092,016
1809	17,639,472	8,588,409	9,051,063	10,056,421	4,895,182	5,161,239
1810	17,866,908	8,697,020	9,169,888	10,185,578	4,957,559	5,228,019
1811	18,103,492	8,811,499	9,291,993	10,322,592	5,025,212	5,297,380
1812	18,366,908	8,941,561	9,425,347	10,479,871	5,103,251	5,376,620
1813	18,644,377	9,082,277	9,562,100	10,649,743	5,191,211	5,458,532
1814	18,923,845	9,224,893	9,698,952	10,820,112	5,280,331	5,539,781
1815	19,218,341	9,374,727	9,843,614	11,004,012	5,375,916	5,628,096
1816	19,520,488	9,526,546	9,993,942	11,196,156	5,474,848	5,721,308
1817	19,814,027	9,673,857	10,140,170	11,377,841	5,568,195	5,809,646
1818	20,104,922	9,819,981	10,284,941	11,555,054	5,659,313	5,895,741
1819	20,388,744	9,964,535	10,424,209	11,723,379	5,747,842	5,975,537
1820	20,686,389	10,117,002	10,569,387	11,903,722	5,843,289	6,060,433
1821	21,007,386	10,278,540	10,728,846	12,105,614	5,946,821	6,158,793
1822	21,338,890	10,437,930	10,900,960	12,320,360	6,050,929	6,269,431
1823	21,666,344	10,596,147	11,070,197	12,529,518	6,153,157	6,376,361
1824	21,977,412	10,745,695	11,231,717	12,720,736	6,246,003	6,474,733
1825	22,281,164	10,891,074	11,390,090	12,903,059	6,333,955	6,569,104
1826	22,575,495	11,032,473	11,543,022	13,074,286	6,417,196	6,657,090
1827	22,872,049	11,173,727	11,698,322	13,247,277	6,500,546	6,746,731
1828	23,190,529	11,325,793	11,864,736	13,438,474	6,591,959	6,846,515
1829	23,504,943	11,475,573	12,029,370	13,625,045	6,681,424	6,943,621
1830	23,814,667	11,622,656	12,192,011	13,805,041	6,767,221	7,037,820
1831	24,135,422	11,776,491	12,358,931	13,994,460	6,859,085	7,135,375
1832	24,372,051	11,896,932	12,475,119	14,164,696	6,943,932	7,220,764
1833	24,602,698	12,012,203	12,590,495	14,328,471	7,023,322	7,305,149
1834	24,861,899	12,141,056	12,720,843	14,520,297	7,116,031	7,404,266
1835	25,133,468	12,275,028	12,858,440	14,724,063	7,213,625	7,510,438
1836	25,406,281	12,408,238	12,998,043	14,928,477	7,310,074	7,618,403
1837	25,650,426	12,527,350	13,123,076	15,103,778	7,392,191	7,711,587
1838	25,903,697	12,651,465	13,252,232	15,287,699	7,479,021	7,808,678
1839	26,200,106	12,796,609	13,403,497	15,514,255	7,586,593	7,927,662
1840	26,487,026	12,937,181	13,549,845	15,730,813	7,689,301	8,041,512
1841	26,751,199	13,065,536	13,685,663	15,929,492	7,784,883	8,144,609
1842	27,004,417	13,194,189	13,810,228	16,130,326	7,887,620	8,242,706
1843	27,255,699	13,321,297	13,934,402	16,332,228	7,990,370	8,341,858
1844	27,525,119	13,456,832	14,068,287	16,535,174	8,093,100	8,442,074
1845	27,776,364	13,582,614	14,193,750	16,739,136	8,195,776	8,543,360

each of the Eighty-two Years **1801–82,** exclusive of the Population in the Islands in the **Navy,** and **Merchant Service Abroad.**

Scotland.			Ireland.			Years.
Persons.	Males.	Females.	Persons.	Males.	Females.	
1,625,000	751,998	873,002	5,216,329	2,591,758	2,624,571	1801
1,643,877	760,616	883,261	5,285,994	2,624,911	2,661,083	1802
1,662,981	769,341	893,640	5,356,594	2,658,488	2,698,106	1803
1,682,318	778,178	904,140	5,428,135	2,692,494	2,735,641	1804
1,701,890	787,126	914,764	5,500,636	2,726,936	2,773,706	1805
1,721,701	796,188	925,513	5,574,105	2,761,818	2,812,287	1806
1,741,750	805,361	936,389	5,648,558	2,797,146	2,851,412	1807
1,762,045	814,653	947,392	5,724,008	2,832,927	2,891,081	1808
1,782,587	824,063	958,524	5,800,464	2,869,164	2,931,300	1809
1,803,384	833,596	969,788	5,877,946	2,905,865	2,972,081	1810
1,824,434	843,250	981,184	5,956,466	2,943,037	3,013,429	1811
1,851,003	857,627	993,376	6,036,034	2,980,683	3,055,351	1812
1,877,966	872,255	1,005,711	6,116,668	3,018,811	3,097,857	1813
1,905,352	887,136	1,018,216	6,198,381	3,057,426	3,140,955	1814
1,933,141	902,275	1,030,866	6,281,188	3,096,536	3,184,652	1815
1,959,229	915,552	1,043,677	6,365,103	3,136,146	3,228,957	1816
1,986,045	929,399	1,056,646	6,450,141	3,176,263	3,273,878	1817
2,013,552	943,776	1,069,776	6,536,316	3,216,892	3,319,424	1818
2,041,720	958,652	1,083,068	6,623,645	3,258,041	3,365,604	1819
2,070,523	973,996	1,096,527	6,712,144	3,299,717	3,412,427	1820
2,099,945	989,793	1,110,152	6,801,827	3,341,926	3,459,901	1821
2,125,822	1,002,327	1,123,495	6,892,708	3,384,674	3,508,034	1822
2,152,017	1,015,019	1,136,998	6,984,809	3,427,971	3,556,838	1823
2,178,536	1,027,872	1,150,664	7,078,140	3,471,820	3,606,320	1824
2,205,383	1,040,889	1,164,494	7,172,722	3,516,230	3,656,492	1825
2,232,639	1,054,068	1,178,571	7,268,570	3,561,209	3,707,361	1826
2,259,072	1,066,418	1,192,654	7,365,700	3,606,763	3,758,937	1827
2,287,924	1,080,935	1,206,989	7,464,131	3,652,899	3,811,232	1828
2,316,020	1,094,524	1,221,496	7,563,878	3,699,625	3,864,253	1829
2,344,662	1,108,485	1,236,177	7,664,964	3,746,950	3,918,014	1830
2,373,561	1,122,526	1,251,035	7,767,401	3,794,880	3,972,521	1831
2,397,777	1,134,485	1,263,292	7,809,578	3,818,515	3,991,063	1832
2,422,239	1,146,585	1,275,654	7,851,988	3,842,296	4,009,692	1833
2,446,968	1,158,798	1,288,170	7,894,634	3,866,227	4,028,407	1834
2,471,889	1,171,097	1,300,792	7,937,516	3,890,306	4,047,210	1835
2,497,167	1,183,629	1,313,538	7,980,637	3,914,535	4,066,102	1836
2,522,653	1,196,245	1,326,408	8,023,995	3,938,914	4,085,081	1837
2,548,402	1,208,997	1,339,405	8,067,596	3,963,447	4,104,149	1838
2,574,413	1,221,884	1,352,529	8,111,438	3,988,132	4,123,306	1839
2,600,692	1,234,910	1,365,782	8,155,521	4,012,970	4,142,551	1840
2,621,854	1,242,689	1,379,165	8,199,853	4,037,964	4,161,889	1841
2,653,165	1,258,690	1,394,475	8,220,926	4,047,879	4,173,047	1842
2,683,639	1,274,223	1,409,416	8,239,832	4,056,704	4,183,128	1843
2,713,318	1,289,265	1,424,053	8,276,627	4,074,467	4,202,160	1844
2,742,167	1,303,795	1,438,372	8,295,061	4,083,043	4,212,018	1845

TABLE **71.** (*continued*).—**Population** of the **United Kingdom** estimated to the middle British Seas, and of the portions of the **Army,**

YEARS.	UNITED KINGDOM.			ENGLAND AND WALES.		
	Persons.	Males.	Females.	Persons.	Males.	Females.
1846	28,002,094	13,694,941	14,307,153	16,944,092	8,298,360	8,645,732
1847	27,972,537	13,675,994	14,296,543	17,150,018	8,400,820	8,749,198
1848	27,820,088	13,593,648	14,226,440	17,356,882	8,503,116	8,853,766
1849	27,669,579	13,512,837	14,156,742	17,564,656	8,605,212	8,959,444
1850	27,523,694	13,436,128	14,087,566	17,773,324	8,707,074	9,066,250
1851	27,393,337	13,369,095	14,024,242	17,982,849	8,808,662	9,174,187
1852	27,448,257	13,394,542	14,053,715	18,193,206	8,909,938	9,283,268
1853	27,542,588	13,441,288	14,101,300	18,404,368	9,010,866	9,393,502
1854	27,658,704	13,496,584	14,162,120	18,616,310	9,111,410	9,504,900
1855	27,821,730	13,574,202	14,247,528	18,829,000	9,211,528	9,617,472
1856	28,011,034	13,661,616	14,349,418	19,042,412	9,311,182	9,731,230
1857	28,188,280	13,739,458	14,448,822	19,256,516	9,410,334	9,846,182
1858	28,389,770	13,828,357	14,561,413	19,471,291	9,508,949	9,962,342
1859	28,590,224	13,915,802	14,674,422	19,686,701	9,606,982	10,079,719
1860	28,778,411	13,997,137	14,781,274	19,902,713	9,704,394	10,198,319
1861	28,977,133	14,086,431	14,890,702	20,119,314	9,801,152	10,318,162
1862	29,243,610	14,218,788	15,024,822	20,371,013	9,923,272	10,447,741
1863	29,470,969	14,329,606	15,141,363	20,625,855	10,046,909	10,578,946
1864	29,680,437	14,431,943	15,248,494	20,883,889	10,172,089	10,711,800
1865	29,925,177	14,552,746	15,372,431	21,145,151	10,298,826	10,846,325
1866	30,147,755	14,656,115	15,491,640	21,409,684	10,427,146	10,982,538
1867	30,409,132	14,781,924	15,627,208	21,677,525	10,557,066	11,120,459
1868	30,689,977	14,917,163	15,772,814	21,948,713	10,688,600	11,260,113
1869	30,978,278	15,056,678	15,921,600	22,223,299	10,821,775	11,401,524
1870	31,256,535	15,189,549	16,066,986	22,501,316	10,956,608	11,544,708
1871	31,555,694	15,331,177	16,224,517	22,788,594	11,092,620	11,695,974
1872	31,874,183	15,485,219	16,388,964	23,096,495	11,242,495	11,854,000
1873	32,177,550	15,630,140	16,547,410	23,408,556	11,394,394	12,014,162
1874	32,501,517	15,788,489	16,713,028	23,724,834	11,548,346	12,176,488
1875	32,838,758	15,957,608	16,881,150	24,045,385	11,704,378	12,341,007
1876	33,199,994	16,138,194	17,061,800	24,370,267	11,862,519	12,507,748
1877	33,575,941	16,325,250	17,250,691	24,699,539	12,022,796	12,676,743
1878	33,943,773	16,508,370	17,435,403	25,033,259	12,185,238	12,848,021
1879	34,302,557	16,687,367	17,615,190	25,371,489	12,349,875	13,021,614
1880	34,622,930	16,844,178	17,778,752	25,714,288	12,516,737	13,197,551
1881	34,951,404	17,003,913	17,947,491	26,061,736	12,682,383	13,379,353
1882	35,297,114	17,173,950	18,123,164	26,413,861	12,853,737	13,560,124
1883	35,611,816	17,328,681	18,283,135	26,770,744	13,027,407	13,743,337
1884	35,951,865	17,495,415	18,456,450	27,132,449	13,203,423	13,929,026

of each of the Eighty-two Years **1801–82**, exclusive of the Population in the Islands in the **Navy**, and **Merchant Service Abroad.**

Scotland.			Ireland.			Years.
Persons.	Males.	Females.	Persons.	Males.	Females.	
2,770,154	1,317,792	1,452,362	8,287,848	4,078,789	4,209,059	1846
2,797,245	1,331,236	1,466,009	8,025,274	3,943,938	4,081,336	1847
2,823,406	1,344,105	1,479,301	7,639,800	3,746,427	3,893,373	1848
2,848,609	1,356,381	1,492,228	7,256,314	3,551,244	3,705,070	1849
2,872,821	1,368,045	1,504,776	6,877,549	3,361,009	3,516,540	1850
2,896,015	1,379,080	1,516,935	6,514,473	3,181,353	3,333,120	1851
2,918,162	1,389,469	1,528,693	6,336,889	3,095,135	3,241,754	1852
2,939,236	1,399,196	1,540,040	6,198,984	3,031,226	3,167,758	1853
2,959,211	1,408,246	1,550,965	6,083,183	2,976,928	3,106,255	1854
2,978,065	1,416,606	1,561,459	6,014,665	2,946,068	3,068,597	1855
2,995,771	1,424,261	1,571,510	5,972,851	2,926,173	3,046,678	1856
3,012,310	1,431,200	1,581,110	5,919,454	2,897,924	3,021,530	1857
3,027,665	1,437,414	1,590,251	5,890,814	2,881,994	3,008,820	1858
3,041,812	1,442,890	1,598,922	5,861,711	2,865,930	2,995,781	1859
3,054,738	1,447,622	1,607,116	5,820,960	2,845,121	2,975,839	1860
3,069,404	1,453,496	1,615,908	5,788,415	2,831,783	2,956,632	1861
3,097,009	1,468,180	1,628,829	5,775,588	2,827,336	2,948,252	1862
3,126,879	1,483,008	1,643,871	5,718,235	2,799,689	2,918,546	1863
3,156,021	1,497,988	1,658,033	5,640,527	2,761,866	2,878,661	1864
3,185,437	1,513,120	1,672,317	5,594,589	2,740,800	2,853,789	1865
3,215,129	1,528,404	1,686,725	5,522,942	2,700,565	2,822,377	1866
3,245,098	1,543,843	1,701,255	5,486,509	2,681,015	2,805,494	1867
3,275,350	1,559,438	1,715,912	5,465,914	2,669,125	2,796,789	1868
3,305,885	1,575,190	1,730,695	5,449,094	2,659,713	2,789,381	1869
3,336,707	1,591,101	1,745,606	5,418,512	2,641,840	2,776,672	1870
3,368,921	1,607,775	1,761,146	5,398,179	2,630,782	2,767,397	1871
3,404,798	1,626,461	1,778,337	5,372,890	2,616,263	2,756,627	1872
3,441,056	1,645,361	1,795,695	5,327,938	2,590,385	2,737,553	1873
3,477,704	1,664,480	1,813,224	5,298,979	2,575,663	2,723,316	1874
3,514,744	1,683,821	1,830,923	5,278,629	2,569,409	2,709,220	1875
3,552,183	1,703,388	1,848,795	5,277,544	2,572,287	2,705,257	1876
3,590,022	1,723,180	1,866,842	5,286,380	2,579,274	2,707,106	1877
3,628,268	1,743,204	1,885,064	5,282,246	2,579,928	2,702,318	1878
3,665,443	1,762,787	1,902,656	5,265,625	2,574,705	2,690,920	1879
3,705,994	1,783,950	1,922,044	5,202,648	2,543,491	2,659,157	1880
3,744,685	1,802,901	1,941,784	5,144,983	2,518,629	2,626,354	1881
3,785,400	1,825,650	1,959,750	5,097,853	2,494,563	2,603,290	1882
3,825,744	1,846,864	1,978,880	5,015,328	2,454,410	2,560,918	1883
3,866,521	1,868,325	1,998,196	4,952,895	2,423,667	2,529,228	1884

Table 72.—Changes in the Constitution of Registration Districts and Sub-districts during the Year 1882.

N.B.—(1.) The Name of the District is in Small Capitals, that of the Sub-district in *Italics*.
(2.) The Populations quoted are the Numbers enumerated at the Census of 1881.

No. of District.	Name of District.	Date of Change.	Nature of Change.
		1882.	
14	London City - -	1 January -	The sub-districts of *Castle Baynard* and *Allhallows Barking* were united under the name of *Allhallows Barking* (aggregate population 13,666).
162	Brixworth - -	1 July -	The sub-districts of *Spratton* and *Brixworth* were united under the name of *Brixworth* (aggregate population 8,847).
215	Plomesgate - -	" -	The sub-districts of *Earl-Soham* and *Framlingham* were united under the name of *Framlingham* (aggregate population 5,820).
242	Cricklade - -	" -	See Cirencester 331.
247	Devizes - -	1 January -	The sub-district of *Bromham* was abolished, and the sub-districts of *Devizes* and *Lavington* re-arranged as follows:—*Devizes* sub-district comprising St. John Devizes, St. Mary Devizes, St. James Devizes or Southbroom, All Cannings, Allington, Alton-Barnes, Bishop's Cannings, Bromham, Chittoe, Etchilhampton, Fullaway, Poulshot, Rowde, Stanton St. Bernard, and Stert (aggregate population 13,256); and *Lavington* sub-district, comprising Beeching-Stoke, Chirton, Earl Stoke, Easterton, Great Cheverell, Little Cheverell, Marden, Market Lavington, Marston, Patney, Potterne, Urchfont, West Lavington, and Worton (aggregate population 7,274).
250	Westbury - -	1 August -	The sub-district of *Edington* was abolished. The parishes of Keevil, Steeple-Ashton, and Great Hinton (aggregate population 1,414), were added to *Bradley* sub-district, and the remainder, consisting of the parishes of Edington, East Coulston, and Bratton in Westbury civil parish, (aggregate population 1,686) were added to *Westbury* sub-district.
331	Cirencester - -	1 July -	The parish of Marston-Maisey (population 185) was transferred from the sub-district of *Fairford* to that of *Cricklade* (242 : 2).
419	Grantham - -	1 April -	The sub-districts of *Colsterworth* and *Denton* were united under the name of *Grantham South*, except that the parish of Somerby (population 1,189) was transferred to *Grantham*, now *Grantham North*, and the parish of Barrowby (population 807) was transferred from *Grantham North* to *Grantham South*.
431	Nottingham - -	1 July -	The sub-districts of *Castle* and *Park* were united under the name of *Park* (aggregate population 16,237); and the sub-districts of *Hyson Green* and *Radford* were united under the name of *Radford* (aggregate population 20,954).
497	Bradford - -	1 August -	The township of Manningham (population 37,304) was transferred from the sub-district of *Horton* to that of *Bradford West End*.
518	Howden - -	" -	The sub-district of *Newport* was re-named *Wallingfen*.
589	Bridgend - -	1 November	The parishes of Llanharan, Llanilid, and Peterstone (aggregate population 880) were transferred from the sub-district of *Maesteg* to that of *Cowbridge*, and the parishes of Higher Coychurch, Lower Coychurch, and Pencoed (aggregate population 1,385) were transferred from the *Maesteg* sub-district to that of *Bridgend*.
595	Llandovery - -	1 October -	The new civil parish of Quarter Bach formed out of part of the parish of Llangadock (population 1,475) was transferred from the *Llangadock* sub-district to that of *Llandebie* (596 : 5).
596	Llandilofawr - -	" -	See Llandovery 595.
629	Conway - -	" -	The sub-districts of *Llechwedd-Isaf* and *Conway* were united under the name of *Conway* (aggregate population 6,801).

Under the provisions of "The Divided Parishes and Poor Law Amendment Act, 1876," small changes were made on the 25th March 1882 in the constitution of the following Districts:—Orsett (190), Chelmsford (192), Blandford (260), Weymouth (264), Dorchester (265), Cleobury Mortimer (347), Kidderminster (376), Droitwich (383), Bromsgrove (384), Boston (417), Horncastle (421), Spilsby (422), Runcorn (446), Northwich (447), Rotherham (510), Doncaster (511), Durham (549), Houghton-le-Spring (551), and Chester-le-Street (552).

VITAL STATISTICS OF EUROPEAN STATES.

Table 73.—Proportion of Persons Married, Births, and Deaths per 1000 of the Population in THIRTEEN EUROPEAN STATES.

(Tabulated from returns furnished by the authorities of the various States.)

Years.	England and Wales.	Denmark.	Norway.	Sweden.	Austria.	Hungary.	Switzerland.	German Empire.	Prussia.	The Netherlands.	Belgium.	France.	Spain.	Italy.
	Marriage-rate.													
Average in the 20 years 1861–80	16·4	15·3	14·5 (10yrs.)	13·4	17·1	20·6 (15 yrs)	15·1 (13 yrs)	17·4 (9 yrs.)	17·2	16·1	14·6	15·8	15·1 (10yrs.)	15·2 (18 yrs)
1861 -	16·3	14·9	—	14·5	15·9	—	—	—	15·9	16·1	14·1	16·3	16·5	—
1862 -	16·1	14·7	—	14·1	17·6	—	—	—	16·9	15·6	14·1	16·2	16·0	—
1863 -	16·8	15·0	—	14·5	16·8	—	—	—	17·3	16·5	14·6	16·0	15·3	16·3
1864 -	17·2	11·3	—	14·0	16·4	—	—	—	17·2	16·7	15·0	15·8	15·5	16·1
1865 -	17·5	17·8	—	14·1	15·5	—	—	—	18·2	16·9	15·1	15·7	15·7	18·1
1866 -	17·5	16·8	—	13·4	13·0	16·3	—	—	15·6	16·7	15·1	16·0	15·9	11·3
1867 -	16·5	15·3	—	12·2	19·3	20·8	—	—	18·6	16·7	15·6	15·7	14·2	13·5
1868 -	16·1	14·6	—	10·9	18·3	27·3	13·4	—	17·7	15·3	14·6	15·7	13·3	14·4
1869 -	15·9	14·7	—	11·3	20·7	22·0	14·4	—	17·9	15·5	14·8	16·5	16·2	16·0
1870 -	16·1	14·7	—	13·1	19·5	19·6	14·0	—	14·9	15·8	13·9	12·1	12·5	14·6
1871 -	16·7	14·6	13·3	13·0	18·9	20·8	14·6	—	15·9	15·9	14·7	14·4	—	14·9
1872 -	17·4	15·0	14·0	13·9	18·6	21·5	15·7	20·6	20·6	16·4	15·5	19·5	—	15·0
1873 -	17·6	16·2	14·5	14·6	18·8	22·6	15·2	20·0	20·2	17·0	15·5	17·7	—	15·9
1874 -	17·0	16·4	15·3	14·5	18·1	21·4	16·6	19·1	19·3	16·6	15·1	16·6	—	15·3
1875 -	16·7	17·0	15·7	14·0	17·1	21·9	17·9	18·2	18·0	16·6	14·5	16·4	—	16·8
1876 -	16·5	17·1	15·4	14·1	16·5	19·8	16·2	17·0	17·1	16·4	14·3	15·8	—	16·3
1877 -	15·7	16·1	15·1	13·7	15·0	18·2	15·7	16·0	16·3	16·0	13·7	15·1	—	15·4
1878 -	15·2	14·8	14·6	12·9	15·2	18·7	14·7	15·4	15·7	15·4	13·4	15·1	—	14·2
1879 -	14·4	14·7	13·5	12·6	15·5	20·5	13·8	15·0	15·4	15·3	13·5	15·1	—	15·0
1880 -	14·9	15·2	13·3	12·6	15·2	18·2	13·7	15·0	15·3	15·0	14·2	14·9	—	13·8
1881 -	15·1	15·6	12·8	12·4	16·0	19·8	13·6	14·9	15·3	14·6	14·3	15·0	—	16·2
1882 -	15·5	15·4	13·4	12·7	16·4	20·3	13·6	15·3	15·6	14·5	13·9	14·8	—	15·7
	Birth-rate.													
Average in the 20 years 1861–80	35·3	31·2	30·8 (10 yrs.)	30·9	39·7	42·8 (15 yrs)	30·6 (11 yrs)	39·6 (9 yrs.)	38·6	36·2	31·8	25·9	37·2 (10yrs.)	37·1 (18 yrs)
1861 -	34·6	31·8	—	32·6	38·0	—	—	—	37·5	35·2	30·8	26·9	39·3	—
1862 -	35·0	31·0	—	33·4	38·7	—	—	—	37·1	33·1	30·1	26·5	38·3	—
1863 -	35·3	31·1	—	33·6	41·2	—	—	—	39·4	36·1	31·8	26·9	37·4	39·1
1864 -	35·4	30·3	—	33·6	41·2	—	—	—	39·4	35·5	31·5	26·6	38·5	37·9
1865 -	35·4	31·4	—	32·8	38·6	—	—	—	39·4	35·9	31·4	26·5	37·9	38·5
1866 -	35·2	32·2	—	33·1	38·7	42·1	—	—	39·3	35·3	31·7	26·4	37·3	38·9
1867 -	35·4	30·5	—	30·8	37·4	38·8	—	—	36·9	35·2	32·1	26·4	37·3	36·6
1868 -	35·8	31·2	—	27·5	38·7	42·4	—	—	36·9	34·7	31·5	25·7	34·4	35·4
1869 -	34·8	29·5	—	28·2	40·2	42·6	—	—	37·9	34·5	31·6	25·7	35·7	37·2
1870 -	35·2	30·5	—	28·3	40·5	41·7	29·8	—	38·5	37·6	32·3	25·5	35·4	36·8
1871 -	35·0	30·2	29·2	30·4	39·8	43·0	29·0	—	38·8	36·9	31·0	22·6	—	37·0
1872 -	35·7	30·3	29·7	30·0	40·0	41·0	29·8	39·5	39·7	37·4	32·3	26·8	—	37·9
1873 -	35·4	30·8	29·9	30·8	40·9	42·2	29·7	39·7	39·4	37·7	32·5	26·1	—	36·4
1874 -	36·0	30·9	30·7	30·9	40·7	42·7	30·4	40·1	40·0	37·9	32·6	26·2	—	34·9
1875 -	35·4	31·9	31·2	31·0	40·9	45·2	31·8	40·6	40·5	38·1	32·5	26·0	—	37·8
1876 -	36·3	32·6	31·8	30·7	41·0	45·6	32·8	40·8	40·8	38·5	33·2	26·2	—	39·2
1877 -	36·0	31·8	31·8	30·9	39·7	43·3	32·0	40·1	39·9	36·3	32·3	25·5	—	36·9
1878 -	35·6	31·7	31·1	29·7	39·5	42·8	31·3	38·9	38·9	35·8	31·5	25·2	—	36·0
1879 -	34·7	32·0	32·0	30·5	40·3	45·3	30·5	38·9	39·2	37·4	31·5	25·0	—	37·6
1880 -	34·2	31·8	30·7	29·4	38·7	42·9	29·6	37·6	37·7	35·6	31·3	24·5	—	38·6
1881 -	33·9	32·3	30·0	29·1	38·7	43·7	29·8	37·0	36·9	34·9	31·8	24·9	—	38·0
1882 -	33·7	32·4	30·9	29·4	38·9	44·6	28·8	37·2	37·3	35·3	31·2	24·8	—	37·1
	Death-rate.													
Average in the 20 years 1861–80	21·9	19·7	16·9 (10yrs.)	19·2	31·1	38·7 (15 yrs)	23·6 (11 yrs)	26·9 (9 yrs.)	26·8	24·6	22·8	23·6	29·7 (10yrs.)	30·0 (18 yrs)
1861 -	21·6	18·4	—	18·5	29·6	—	—	—	25·3	25·2	22·2	23·2	26·3	—
1862 -	21·4	18·4	—	21·4	29·3	—	—	—	24·6	23·7	20·7	21·7	26·8	—
1863 -	23·0	18·3	—	19·3	29·7	—	—	—	26·0	23·8	22·1	22·5	28·5	30·8
1864 -	23·7	23·3	—	20·2	29·8	—	—	—	26·1	25·1	23·5	22·7	30·6	29·8
1865 -	23·2	23·2	—	19·4	30·3	—	—	—	27·4	25·8	24·5	24·3	32·8	29·9
1866 -	23·4	20·9	—	20·0	40·9	38·9	—	—	34·1	28·7	30·3	23·2	28·0	29·1
1867 -	21·7	20·0	—	19·6	29·2	33·5	—	—	25·6	23·6	21·6	22·7	29·1	34·2
1868 -	21·3	19·3	—	21·0	28·5	33·8	—	—	27·4	24·8	21·7	24·1	32·6	30·6
1869 -	22·3	19·1	—	22·3	28·9	32·0	—	—	26·1	23·0	21·8	23·5	32·6	27·9
1870 -	22·9	19·1	—	19·8	29·3	32·6	25·3	—	27·8	25·8	23·3	23·3	30·1	29·9
1871 -	22·6	19·5	16·9	17·2	29·9	39·0	27·2	—	28·8	29·5	28·5	34·8	—	30·0
1872 -	21·3	18·4	16·6	16·3	32·7	42·3	22·2	29·0	29·3	25·8	23·2	22·0	—	30·8
1873 -	21·0	18·6	16·9	17·2	39·1	65·1	22·7	28·3	27·9	24·2	21·5	23·3	—	30·1
1874 -	22·2	20·0	18·2	20·3	31·7	42·6	22·3	26·7	25·7	22·7	20·5	21·4	—	30·4
1875 -	22·7	21·0	18·8	20·2	30·0	37·2	24·6	27·6	26·4	25·6	22·7	23·1	—	30·8
1876 -	20·9	19·7	16·0	19·5	29·8	35·0	24·1	26·3	25·5	23·4	21·9	22·6	—	28·8
1877 -	20·3	18·7	16·9	18·5	31·6	36·3	23·5	26·4	25·6	22·0	21·1	21·6	—	28·2
1878 -	21·6	18·5	15·8	18·0	31·6	37·6	23·3	26·2	25·9	22·8	21·5	22·6	—	28·9
1879 -	20·7	19·8	15·0	16·9	29·9	36·4	22·6	25·6	24·8	22·4	21·9	22·5	—	29·9
1880 -	20·5	20·4	15·9	18·1	29·7	38·6	21·9	26·0	25·4	23·6	22·4	22·8	—	30·5
1881 -	18·9	18·3	16·8	17·7	30·6	35·6	22·4	25·4	24·9	21·5	21·2	22·0	—	27·6
1882 -	19·6	19·5	18·4	17·4	30·8	36·6	21·9	25·7	25·2	20·7	20·2	22·2	—	27·5

NOTE.—Explanations of the causes of excessive rates of mortality in different years will be found in the following Tables relating to the several European States.

TABLE **74.**—ENGLAND AND WALES. **Population; Number,** and **Proportion** per 1000, of **Persons Married, Births,** and **Deaths,** in each of the Years **1853** to **1882.**

Years.	Numbers.					Proportion per 1000 of the Population.		
	Estimated Population, in the middle of each Year.	Marriages.	Persons Married.	Births. Exclusive of Still-born.	Deaths. Exclusive of Still-born.	Persons Married.	Births.	Deaths.
1853	18,404,368	164,520	329,040	612,391	421,097	17·9	33·3	22·9
1854	18,616,310	159,727	319,454	634,405	437,905	17·2	34·1	23·5
1855	18,829,000	152,113	304,226	635,043	425,703	16·2	33·7	22·6
1856	19,042,412	159,337	318,674	657,453	390,506	16·7	34·4	20·5
1857	19,256,516	159,097	318,194	663,071	419,815	16·5	34·4	21·8
1858	19,471,291	156,070	312,140	655,481	449,656	16·0	33·7	23·1
1859	19,686,701	167,723	335,446	689,881	440,781	17·0	35·0	22·4
1860	19,902,713	170,156	340,312	684,048	422,721	17·1	34·3	21·2
1861*	20,119,314	163,706	327,412	696,406	435,114	16·3	34·6	21·6
1862	20,371,013	164,030	328,060	712,684	436,566	16·1	35·0	21·4
1863	20,625,855	173,510	347,020	727,417	473,837	16·8	35·3	23·0
1864	20,883,889	180,387	360,774	740,275	495,531	17·2	35·4	23·7
1865	21,145,151	185,474	370,948	748,069	490,909	17·5	35·4	23·2
1866	21,409,684	187,776	375,552	753,870	500,689	17·5	35·2	23·4
1867	21,677,525	179,154	358,308	768,349	471,073	16·5	35·4	21·7
1868	21,948,713	176,962	353,924	786,858	480,622	16·1	35·8	21·8
1869	22,223,299	176,970	353,940	773,381	494,828	15·9	34·8	22·3
1870	22,501,316	181,655	363,310	792,787	515,329	16·1	35·2	22·9
1871*	22,788,594	190,112	380,224	797,428	514,879	16·7	35·0	22·6
1872	23,096,495	201,267	402,534	825,907	492,265	17·4	35·7	21·3
1873	23,408,556	205,615	411,230	829,778	492,520	17·6	35·4	21·0
1874	23,724,834	202,010	404,020	854,956	526,632	17·0	36·0	22·2
1875	24,045,385	201,212	402,424	850,607	516,453	16·7	35·4	22·7
1876	24,370,267	201,874	403,748	887,968	510,315	16·5	36·3	20·9
1877	24,699,539	194,352	388,704	888,200	500,496	15·7	36·0	20·3
1878	25,033,259	190,054	380,108	891,906	533,872	15·2	35·6	21·6
1879	25,371,489	182,082	364,164	880,389	526,255	14·4	34·7	20·7
1880	25,714,288	191,965	383,930	881,643	528,624	14·9	34·2	20·5
1881*	26,061,736	197,290	394,580	883,642	491,935	15·1	33·9	18·9
1882	26,413,861	204,405	408,810	889,014	516,654	15·5	33·7	19·6

* Census years.

TABLE **75.**—DENMARK (the Kingdom properly so called). **Population; Number,** and **Proportion** per 1000, of **Persons Married, Births,** and **Deaths,** in each of the Years **1850** to **1882.**

(Supplied by Mons. M. Gad, Chief of the Statistical Bureau of Denmark.)

Years.	Numbers.					Proportion per 1000 of the Population.		
	Estimated Population, 1st February.	Marriages.	Persons Married.	Births. Exclusive of Still-born.	Deaths. Exclusive of Still-born.	Persons Married.	Births.	Deaths.
1850*	1,407,747	10,824	21,648	44,768	27,231†	15·4	31·8	19·3†
1851	1,425,700	14,205	28,410	43,338	26,570	19·9	30·4	18·6
1852	1,443,900	14,153	28,306	48,390	28,550	19·6	33·5	19·8
1853	1,462,300	13,521	27,042	46,614	35,592†	18·5	31·9	24·3†
1854	1,481,000	12,994	25,988	48,725	27,439	17·5	32·9	18·5
1855*	1,499,850	12,821	25,642	48,160	30,157	17·1	32·1	20·1
1856	1,519,500	13,175	26,350	49,553	28,662	17·3	32·6	18·9
1857	1,539,300	13,847	27,694	51,054	33,768	18·0	33·2	21·9
1858	1,559,500	13,626	27,252	52,115	36,388	17·5	33·4	23·3
1859	1,579,900	13,334	26,668	53,361	32,268	16·9	33·8	20·4
1860*	1,608,362	12,849	25,698	52,536	32,524	16·0	32·7	20·2
1861	1,625,200	12,097	24,194	51,616	29,947	14·9	31·8	18·4
1862	1,642,200	12,044	24,088	50,942	30,200	14·7	31·0	18·4
1863	1,659,400	12,456	24,912	51,701	30,333	15·0	31·1	18·3
1864	1,676,700	9,466	18,932	50,797	39,100†	11·3	30·3	23·3†
1865	1,694,300	15,056	30,112	53,218	39,266	17·8	31·4	23·2
1866	1,712,000	14,354	28,708	55,141	35,707	16·8	32·2	20·9
1867	1,729,900	13,225	26,450	52,700	34,553	15·3	30·5	20·0
1868	1,748,000	12,769	25,538	54,490	33,816	14·6	31·2	19·3
1869	1,766,300	12,971	25,942	52,109	33,781	14·7	29·5	19·1
1870*	1,784,741	13,134	26,268	54,420	34,091	14·7	30·5	19·1
1871	1,802,400	13,207	26,414	54,396	35,075	14·6	30·2	19·5
1872	1,820,200	13,627	27,254	55,221	33,433	15·0	30·3	18·4
1873	1,838,109	14,903	29,806	56,571	34,250	16·2	30·8	18·6
1874	1,856,300	15,260	30,520	57,278	37,046	16·4	30·9	20·0
1875	1,874,600	15,915	31,830	59,749	39,423	17·0	31·9	21·0
1876	1,893,100	16,180	32,360	61,788	37,365	17·1	32·6	19·7
1877	1,911,800	15,428	30,856	60,850	35,805	16·1	31·8	18·7
1878	1,930,700	14,295	28,590	61,290	35,792	14·8	31·7	18·5
1879	1,949,800	14,287	28,574	62,455	38,531	14·7	32·0	19·8
1880*	1,969,639	14,959	29,918	62,812	40,237	15·2	31·8	20·4
1881	1,988,500	15,529	31,058	64,145	36,471	15·6	32·3	18 3
1882	2,008,100	15,496	30,992	65,070	39,164	15·4	32·4	19·5

NOTE.—An addition of territory containing a population of about 8000 was made in 1864, and the facts relating thereto are included in this Table from 1860. Previously to 1st January 1860, children who died within 24 hours after birth were counted as still-born.

* Census years.

† Cholera was epidemic in the years 1853 and 1866 and in the years 1879 and 1881.

TABLE **76.**—NORWAY. **Population; Number** and **Proportion** per 1000, of **Persons Married, Births,** and **Deaths,** in each of the Years **1871** to **1882.**

(Supplied by the Director of the Central Statistical Bureau).

YEARS.	NUMBERS.					PROPORTION PER 1000 OF THE POPULATION.		
	ESTIMATED POPULATION, in the middle of each Year.	MARRIAGES.	PERSONS MARRIED.	BIRTHS. Exclusive of	DEATHS. Still-born.	PERSONS MARRIED.	BIRTHS.	DEATHS.
1871	1,746,800	11,610	23,220	51,080	29,567	13·3	29·2	16·9
1872	1,757,100	12,302	24,604	52,271	29,172	14·0	29·7	16·6
1873	1,770,000	12,822	25,644	52,981	29,828	14·5	29·9	16·9
1874	1,787,100	13,713	27,426	54,928	32,452	15·3	30·7	18·2
1875*	1,807,800	14,177	28,354	56,358	33,964	15·7	31·2	18·8
1876	1,829,200	14,049	28,098	58,230	34,356	15·4	31·8	18·0
1877	1,852,500	14,022	28,044	58,855	31,354	15·1	31·8	16·9
1878	1,878,200	13,681	27,362	58,408	29,582	14·6	31·1	15·8
1879	1,903,600	12,850	25,700	60,917	28,616	13·5	32·0	15·0
1880	1,921,000	12,751	25,502	58,923	30,550	13·3	30·7	15·9
1881	1,925,900	12,316	24,632	58,342	32,427	12·8	30·0	16·8
1882	1,924,500	12,870	25,740	59,388	35,355	13·4	30·9	18·4

* Census year.

TABLE **77.**—SWEDEN. **Population; Number,** and **Proportion** per 1000, of **Persons Married, Births,** and **Deaths,** in each of the Years **1850** to **1882.**

(Supplied by E. Sidenbladh, Chief of the Statistical Department of Sweden.)

YEARS.	NUMBERS.					PROPORTION PER 1000 OF THE POPULATION.		
	POPULATION, 31st Dec., from Parochial Registers.	MARRIAGES.	PERSONS MARRIED.	BIRTHS. Exclusive of	DEATHS. Still-born.	PERSONS MARRIED.	BIRTHS.	DEATHS.
1850*	3,482,541	26,267	52,534	110,399	68,514	15·2	31·9	19·8
1851	3,517,759	25,750	51,500	111,065	72,506	14·7	31·7	20·8
1852	3,540,421	24,150	48,300	108,305	80,090	13·7	30·7	22·7
1853	3,562,543	25,596	51,192	111,407	84,047†	14·4	31·4	23·7†
1854	3,605,321	27,585	55,170	120,107	70,846	15·4	33·5	19·8
1855*	3,641,011	27,253	54,506	115,072	77,734	15·0	31·8	21·5
1856	3,672,988	27,221	54,442	115,082	79,618	14·9	31·5	21·8
1857	3,687,601	28,531	57,062	119,349	101,491†	15·5	32·4	27·6†
1858	3,734,240	30,092	60,184	129,039	80,498	16·2	34·8	21·7
1859	3,787,735	31,125	62,250	131,605	75,720	16·6	35·0	20·1
1860*	3,859,728	29,339	59,678	133,162	67,502	15·6	34·8	17·6
1861	3,917,339	28,272	56,544	126,634	71,829	14·5	32·6	18·5
1862	3,965,899	27,825	55,650	131,584	84,350	14·1	33·4	21·4
1863	4,022,564	29,013	58,026	134,279	77,227	14·5	33·6	19·3
1864	4,070,061	28,248	56,496	136,004	81,937	14·0	33·6	20·2
1865	4,114,141	28,944	57,888	134,281	79,216	14·1	32·8	19·4
1866	4,160,677	27,797	55,594	136,989	82,666†	13·4	33·1	20·0†
1867	4,195,681	25,440	50,880	128,832	82,072	12·2	30·8	19·6
1868	4,173,080	22,833	45,666	114,955	87,807	10·9	27·5	21·0
1869	4,158,757	23,503	47,006	117,677	92,775	11·3	28·2	22·3
1870*	4,168,525	25,072	50,144	119,838	82,449	13·1	28·3	19·8
1871	4,204,177	27,187	54,374	127,333	72,046	13·0	30·4	17·2
1872	4,250,412	29,470	58,940	126,983	68,802	13·9	30·0	16·3
1873	4,297,972	31,257	62,514	131,643	73,525	14·6	30·8	17·2
1874	4,341,559	31,422	62,844	133,249	87,760†	14·5	30·9	20·3†
1875	4,383,291	30,762	61,524	135,958	88,439	14·0	31·0	20·2
1876	4,429,713	31,184	62,368	135,890	86,334	14·1	30·7	19·5
1877	4,484,542	30,674	61,348	138,476	83,175†	13·7	30·9	18·5†
1878	4,531,863	29,151	58,302	134,464	81,418	12·9	29·7	18·0
1879	4,578,901	28,635	57,270	139,043	77,152	12·6	30·5	16·9
1880*	4,565,668	28,919	57,838	134,262	82,753	12·6	29·4	18·1
1881	4,572,245	28,301	56,602	132,804	80,800†	12·4	29·1	17·7†
1882	4,579,115	28,967	57,934	134,300	79,406	12·7	29·4	17·4

* Census years.
† Cholera was epidemic in the years 1853, 1857, and 1866. In 1874 small-pox caused 4063 deaths, the highest number in any year since 1801. In 1877 scarlet fever caused 7426 deaths, and in 1881 diphtheria caused 3897 deaths.

TABLE 78.—AUSTRIA. **Population; Number,** and **Proportion** per 1000, of **Persons Married, Births,** and **Deaths,** in each of the Years **1853** to **1882.**

(Furnished by Dr. C. Th. de Inama-Sternegg, the Director of the Statistical Department of Austria.)

Years.	Numbers.					Proportion per 1000 of the Population.		
	Estimated Population, at the end of each Year.†	Marriages.	Persons Married.	Births. Exclusive of Still-born.	Deaths. Exclusive of Still-born.	Persons Married.	Births.	Deaths.
1853	17,816,877	137,621	275,242	678,926	570,885	15·4	38·1	32·0
1854	17,911,986	124,258	248,516	666,981	622,695	13·9	37·2	34·8
1855	17,733,086	147,186	294,372	692,985	881,094	16·6	39·1	49·7
1856	17,843,463	147,474	294,948	666,250	541,887	16·5	37·3	30·4
1857*	18,224,500	147,657	295,314	741,239	503,915	16·2	40·7	27·7
1858	18,458,396	155,073	310,146	745,926	532,920	16·8	40·4	28·8
1859	18,671,781	130,656	261,312	770,029	540,475	14·0	41·3	28·9
1860	18,884,598	158,340	316,680	731,759	502,809	16·8	38·8	26·6
1861	19,029,405	151,440	302,880	722,951	563,402	15·9	38·0	29·6
1862	19,193,087	168,684	337,368	742,318	562,792	17·6	38·7	29·3
1863	19,398,051	162,958	325,916	797,972	576,471	16·8	41·2	29·7
1864	19,602,736	160,740	321,480	806,927	585,142	16·4	41·2	29·8
1865	19,750,318	153,492	306,984	762,229	598,863	15·5	38·6	30·3
1866	19,692,487	128,051	256,102	763,023	804,338‡	13·0	38·7	40·9‡
1867	19,838,970	191,661	383,322	741,987	580,055	19·3	37·4	29·2
1868	20,026,554	182,940	365,880	774,383	571,558	18·3	38·7	28·5
1869*	20,217,531	208,787	417,574	812,474	583,995	20·7	40·2	28·9
1870	20,421,737	199,083	398,166	826,882	598,581	19·5	40·5	29·3
1871	20,601.118	194,591	389,182	820,869	616,729	18·9	39·8	29·9
1872	20,728,929	192,406	384,812	829,250	677,022	18·6	40·0	32·7
1873	20,740,588	194,815	389,630	848,206	811,150§	18·8	40·9	39·1§
1874	20,902,239	189,017	378,034	849,678	662,929	18·1	40·7	31·7
1875	21,105,317	180,349	360,698	862,828	634,088	17·1	40·9	30·0
1876	21,319,544	176,148	352,296	874,623	634,333	16·5	41·0	29·8
1877	21,437,718	161,237	322,674	851,747	677,748	15·0	39·7	31·6
1878	21,614,206	164,233	328,466	854,752	683,661	15·2	39·5	31·6
1879	21,812,654	169,088	338,176	878,035	652,491	15·5	40·3	29·9
1880*	21,981,821	167,200	334,400	850,009	654,258	15·2	38·7	29·7
1881	22,134,454	176,983	353,966	855,937	676,515	16·0	38·7	30·6
1882	22,216,567	183,378	366,756	867,241	686,951	16·4	38·9	30·8

* Census years.
† Excluding the army.
‡ The excessive mortality in 1866 was due to cholera and the war.
§ Cholera caused the deaths of 107,007 persons in 1873.

TABLE 79.—HUNGARY. **Population; Number,** and **Proportion** per 1000 of **Persons Married, Births,** and **Deaths,** in each of the Years **1866** to **1882.**

(Furnished by Dr. C. Keleti, Director of the Hungarian Statistical Department at Buda-Pesth.)

Years.	Numbers.					Proportion per 1000 of the Population.		
	Estimated Population, in the middle of each Year.	Marriages.	Persons Married.	Births.	Deaths.	Persons Married.	Births.	Deaths.
1866	12,956,546	105,670	211,340	546,110	504,043†	16·3	42·1	33·9†
1867	13,026,346	135,601	271,202	506,234	436,434	20·8	38·8	33·5
1868	13,140,388	179,637	359,274	557,841	443,799	27·3	42·4	33·8
1869*	13,5 1,245	146,272	292,544	566,123	424,106	22·0	42·6	32·0
1870	13,685,852	133,939	267,878	570,692	446,085	19·6	41·7	32·6
1871	13,741,050	142,853	285,706	591,148	535,350	20·8	43·0	39·0
1872	13,724,567	147,555	295,110	563,362	580,445	21·5	41·0	42·3
1873	13,417,304	153,068	306,136	566,792	874,055†	22·6	42·2	65·1†
1874	13,418,020	143,718	287,436	572,444	571,723†	21·4	42·7	42·6†
1875	13,525,459	147,443	294,886	608,440	501,001	21·8	45·0	37·0
1876	13,670,624	135,011	270,022	623,849	478,684	19·8	45·6	35·0
1877	13,767,265	125,064	250,128	595,984	499,343	18·2	43·3	36·3
1878	13,830,144	129,346	258,692	592,854	520,975	18·7	42·8	37·6
1879	13,973,166	140,267	280,534	635,746	502,087	20·5	45·3	36·4
1880*	13,728,622	124,860	249,720	597,791	529,379	18·2	42·9	38·6
1881	13,810,157	137,025	274,050	604,262	492,727	19·8	43·7	35·6
1882	13,951,643	141,944	283,888	622,226	510,740	20·3	44·6	36·6

* Census years.
† Cholera.

TABLE **80.**—SWITZERLAND. **Population; Number,** and **Proportion** per 1000, of **Persons Married, Births,** and **Deaths,** in each of the Years **1868** to **1882.**

(Compiled from the Reports issued by the Federal Statistical Bureau.)

Years.	Numbers.					Proportion per 1000 of the Population.		
	Estimated Population, in the middle of each Year.	Marriages.	Persons Married.	Births. Exclusive of	Deaths. Still-born	Persons Married.	Births.	Deaths.
1868	2,629,886	17,648	35,296	—	—	13·4	—	—
1869	2,646,115	19,091	38,182	—	—	14·4	—	—
1870*	2,662,344	18,610	37,220	79,208	68,746	14·0	29·8	25·8
1871	2,679,469	19,514	39,028	77,633	74,002	14·6	29·0	27·2
1872	2,697,165	21,212	42,424	80,329	59,758	15·7	29·8	22·2
1873	2,714,860	20,649	41,298	80,569	61,676	15·2	29·7	22·7
1874	2,732,556	22,655	45,310	83,051	60,845	16·6	30·4	22·3
1875	2,750,251	24,629	49,258	87,579	66,113	17·9	31·8	24·0
1876	2,767,947	22,376	44,752	90,786	66,819	16·2	32·8	24·1
1877	2,785,642	21,871	43,742	89,244	65,353	15·7	32·0	23·5
1878	2,803,338	20,590	41,180	87,833	65,311	14·7	31·3	23·3
1879	2,821,033	19,450	38,900	83,180	63,651	13·8	30·5	22·6
1880*	2,838,729	19,413	38,826	84,165	62,223	13·7	29·6	21·9
1881	2,855,975	19,425	38,850	85,142	63,979	13·6	29·8	22·4
1882	2,872,902	19,414	38,828	82,689	62,849	13·6	28·8	21·9

* Census years.

TABLE **81.**—GERMAN EMPIRE. **Population; Number,** and **Proportion** per 1000, of **Persons Married, Births,** and **Deaths,** in each of the Years **1872** to **1882.**

(Furnished by Dr. Becker, of the Statistical Department of the German Empire.)

Years.	Numbers.					Proportion per 1000 of the Population.		
	Estimated Population, in the middle of each Year.	Marriages.	Persons Married.	Births. Exclusive of	Deaths. Still-born.	Persons Married.	Births.	Deaths.
1872	41,185,000	423,900	847,800	1,626,037	1,194,732	20·6	39·5	29·0
1873	41,532,000	416,049	832,098	1,648,117	1,174,293	20·0	39·7	28·3
1874	41,983,000	400,282	800,564	1,683,440	1,122,396	19·1	40·1	26·7
1875*	42,510,000	386,746	773,492	1,724,412	1,172,393	18·2	40·6	27·6
1876	43,057,000	366,912	733,824	1,757,701	1,133,627	17·0	40·8	26·3
1877	43,608,000	347,810	695,620	1,747,393	1,152,535	16·0	40·1	26·4
1878	44,127,000	340,016	680,032	1,714,433	1,157,960	15·4	38·9	26·2
1879	44,639,000	335,113	670,226	1,735,871	1,143,773	15·0	38·9	25·6
1880*	45,093,000	337,342	674,684	1,696,175	1,173,205	15·0	37·6	26·0
1881	45,442,000	338,909	677,818	1,682,149	1,156,391	14·9	37·0	25·4
1882	45,767,000	350,457	700,914	1,702,348	1,176,853	15·3	37·2	25·7

* Census years.

TABLE **82.**—PRUSSIA. **Population ; Number,** and **Proportion** per 1000, of **Persons Married, Births,** and **Deaths,** in each of the Years **1853** to **1882.**

(Furnished by E. Blenck, Director of the Statistical Department of Prussia.)

Years.	Numbers.					Proportion per 1000 of the Population.		
	Estimated Population, in the middle of each Year.	Marriages.	Persons Married.	Births. Exclusive of Still-born.	Deaths.	Persons Married.	Births.	Deaths.
1853	16,987,416	145,345	290,690	633,018	495,092	17·1	37·3	29·1
1854	17,076,553	134,261	268,522	622,917	475,005	15·7	36·5	27·8
1855*	17,202,831	131,911	263,822	593,511	526,154	15·3	34·5	30·6
1856	17,307,264	141,267	282,534	601,005	453,298	16·3	34·7	26·2
1857	17,456,292	162,475	324,950	674,784	493,173	18·6	38·6	28·2
1858*	17,739,913	167,387	334,774	699,354	488,912	18·9	39·4	27·6
1859	17,886,000	150,569	301,138	715,635	462,360	16·8	40·0	25·9
1860	18,136,436	151,847	303,694	699,403	429,968	16·7	38·6	23·7
1861*	18,491,220	146,992	293,984	692,989	467,612	15·9	37·5	25·3
1862	18,639,760	157,118	314,236	692,395	457,736	16·9	37·1	24·6
1863	18,894,400	163,704	327,408	745,226	492,068	17·3	39·4	26·0
1864*	19,255,139	165,590	331,180	758,983	503,279	17·2	39·4	26·1
1865	19,336,242	176,236	352,472	761,298	530,157	18·2	39·4	27·4
1866	19,475,275	151,759	303,518	765,316	664,903†	15·6	39·3	34·1†
1867*	23,971,337	222,466	444,932	884,471	614,211	18·6	36·9	25·6
1868	24,069,379	212,958	425,916	887,810	658,728	17·7	36·9	27·4
1869	24,237,451	216,914	433,828	919,075	632,042	17·9	37·9	26·1
1870	24,405,523	181,539	363,078	938,489	665,942†	14·9	38·5	27·3†
1871*	24,655,730	196,330	392,660	833,186	709,278†	15·9	33·8	28·8†
1872	24,814,203	255,886	511,772	984,209	725,936	20·6	39·7	29·3
1873	25,085,871	253,327	506,654	989,037	699,640†	20·2	39·4	27·9†
1874	25,357,539	245,224	490,448	1,013,049	652,175	19·3	40·0	25·7
1875*	25,742,404	231,331	462,662	1,041,573	679,854	18·0	40·5	26·4
1876	25,921,687	221,727	443,454	1,056,489	660,381	17·1	40·8	25·5
1877	26,299,028	210,357	420,714	1,048,435	672,285	16·3	39·9	25·6
1878	26,536,369	207,716	415,432	1,031,905	686,288	15·7	38·9	25·9
1879	26,843,710	206,752	413,504	1,051,687	666,580	15·4	39·2	24·8
1880*	27,279,111	208,456	416,902	1,028,897	692,893	15·3	37·7	25·4
1881	27,458,394	209,586	419,172	1,012,769	682,310	15·3	36·9	24·9
1882	27,796,189	217,2[illegible]9	434,478	1,035,557	700,081	15·6	37·3	25·2

NOTE.—The returns for Prussia include Schleswig-Holstein, Hanover, Hesse, and Nassau from the year 1867.

* Census years.

† Cholera prevailed in the years 1866 and 1873. The deaths for 1866, 1870, and 1871 include those of soldiers who fell in the wars.

TABLE **83.**—THE NETHERLANDS. **Population ; Number,** and **Proportion** per 1000, of **Persons Married, Births,** and **Deaths,** in each of the Years **1853** to **1882.**

(Furnished by the Home Office of the Netherlands.)

Years.	Numbers.					Proportion per 1000 of the Population.		
	Estimated Population at the end of each Year.	Marriages.	Persons Married.	Births. Exclusive of Still-born.	Deaths.	Persons Married.	Births.	Deaths.
1853	3,163,230	24,487	48,974	104,297	77,415	15·5	33·0	24·5
1854	3,198,349	23,855	47,710	104,244	76,475	14·9	32·6	23·9
1855	3,215,780	23,367	46,734	102,815	90,202	14·5	32·0	28·1
1856	3,251,906	24,509	49,018	106,008	76,145	15·1	32·6	23·4
1857	3,282,210	25,950	51,900	113,426	87,625	15·8	34·6	27·3
1858	3,303,376	26,342	52,684	106,846	91,925	15·9	32·3	27·8
1859*	3,308,969	27,007	54,014	115,569	103,067†	16·3	34·9	31·2†
1860	3,336,429	27,108	54,216	105,847	82,545	16·2	31·7	24·7
1861	3,373,033	27,172	54,344	118,681	85,133	16·1	35·2	25·2
1862	3,410,350	26,541	53,082	112,768	80,322	15·6	33·1	23·7
1863	3,453,425	28,419	56,838	124,738	82,064	16·5	36·1	23·8
1864	3,491,864	29,154	58,308	123,795	87,766	16·7	35·5	25·1
1865	3,529,107	29,806	59,612	126,794	91,074	16·9	35·9	25·8
1866	3,552,575	29,620	59,240	125,253	101,854†	16·7	35·3	28·7†
1867	3,592,415	29,935	59,870	126,504	84,767	16·7	35·2	23·6
1868	3,628,468	27,680	55,360	126,059	89,944	15·3	34·7	24·8
1869*	3,583,970	27,796	55,592	123,789	82,553	15·5	34·5	23·0
1870	3,618,323	2 8,632	57,264	129,097	93,066	15·8	37·6	25·8
1871	3,637,274	28,991	57,982	128,305	106,978†	15·9	36·9	29·5†
1872	3,674,660	30,189	60,378	131,664	94,594	16·4	37·4	25·8
1873	3,716,002	31,671	63,342	133,796	89,287	17·0	37·7	24·2
1874	3,767,263	31,353	62,706	136,072	85,069	16·6	37·9	22·7
1875	3,809,527	31,553	63,106	138,469	96,834	16·6	38·1	25·6
1876	3,865,456	31,699	63,398	142,210	90,187	16·4	38·5	23·4
1877	3,924,792	31,470	62,940	142,618	86,289	16·0	36·3	22·0
1878	3,981,887	30,710	61,420	142,746	90,739	15·4	35·8	22·8
1879*	4,012,693	30,655	61,310	147,014	90,024	15·3	37·4	22·4
1880	4,060,792‡	30,349	60,698	143,855	95,282	15·0	35·6	23·6
1881	4,114,015	29,849	59,698	142,969	87,726	14·6	34·9	21·5
1882	4,172,971	29,571	59,142	146,454	85,950	14·3	35·3	20·7

* Census years.

† Cholera was epidemic in the years 1859 and 1866, and was fatal to 3,578 and 19,686 persons respectively; small-pox caused 15,787 deaths in the year 1871.

‡ Estimated to middle of year.

TABLE 84.—BELGIUM. **Population; Number,** and **Proportion** per 1000, of **Persons Married, Births,** and **Deaths,** in each of the Years **1853** to **1882.**

(Furnished by Dr. E. Janssens, of the Statistical Department of Brussels.)

Years.	Numbers.					Proportion per 1000 of the Population.		
	Estimated Population at the end of each Year.	Marriages.	Persons Married.	Births. Exclusive of Still-born.	Deaths. Exclusive of Still-born.	Persons Married.	Births.	Deaths.
1853	4,548,507	30,636	61,272	127,728	100,333	13·5	28·1	22·1
1854	4,585,096	29,485	58,970	131,837	103,266	12·9	28·8	22·5
1855	4,607,066	29,815	59,630	125,955	112,716	12·9	27·3	24·5
1856*	4,529,461	32,926	65,852	134,187	97,395	14·5	29·6	21·5
1857	4,577,236	37,292	74,584	143,291	103,458	16·3	31·3	22·6
1858	4,623,197	38,237	76,474	145,074	107,910	16·5	31·4	23·3
1859	4,671,226	36,941	73,882	149,812	111,650	15·8	32·1	23·9
1860	4,731,996	35,112	70,224	144,668	92,871	14·8	30·6	19·6
1861	4,782,255	33,802	67,604	147,253	106,381	14·1	30·8	22·2
1862	4,836,566	34,146	68,292	145,608	100,124	14·1	30·1	20·7
1863	4,893,021	35,813	71,626	153,564	107,959	14·6	31·8	22·1
1864	4,940,570	36,959	73,918	155,872	115,948	15·0	31·5	23·5
1865	4,984,351	37,671	75,342	156,323	122,341	15·1	31·4	24·5
1866*	4,991,613	37,783	75,566	158,010	151,116†	15·1	31·7	30·3†
1867	4,897,794	38,244	76,488	157,149	105,576	15·6	33·1	21·6
1868	4,961,644	36,271	72,542	156,134	107,556	14·6	31·5	21·7
1869	5,021,336	37,134	74,268	158,687	109,607	14·8	31·6	21·8
1870	5,087,826	35,213	70,526	164,572	118,359	13·9	32·3	23·3
1871	5,113,680	37,538	75,076	158,760	145,746†	14·7	31·0	28·5†
1872	5,175,037	40,084	80,168	167,377	120,129	15·5	32·3	23·2
1873	5,253,794	40,598	81,196	170,708	112,873	15·5	32·5	21·5
1874	5,336,634	40,328	80,656	173,978	109,595	15·1	32·6	20·5
1875	5,402,938	39,050	78,100	175,552	122,480	14·5	32·5	22·7
1876*	5,336,185	38,228	76,456	176,915	116,787	14·3	33·2	21·9
1877	5,412,731	36,964	73,928	175,077	114,269	13·7	32·3	21·1
1878	5,476,939	36,669	73,338	172,730	117,721	13·4	31·5	21·5
1879	5,536,654	37,421	74,842	174,641	121,060	13·5	31·5	21·9
1880‡	5,500,000‡	38,926	77,852	171,864	123,323	14·2	31·3	22·4
1881	5,520,009‡	39,487	78,974	179,411	117,007	14·3	31·8	21·2
1882	5,535,197‡	39,214	78,428	176,345	114,268	13·9	31·2	20·2

* Census years. † Cholera prevailed in 1866, and small-pox in 1871. ‡ Estimated to middle of year.

TABLE 85.—FRANCE. **Population; Number,** and **Proportion** per 1000, of **Persons Married, Births,** and **Deaths,** in each of the Years **1853** to **1882.**

(Supplied by M. E. Loua, Director of the Statistical Bureau of France.)

Years.	Numbers.					Proportion per 1000 of the Population.		
	Estimated Population, in the middle of each Year.	Marriages.	Persons Married.	Births. Exclusive of Still-born.	Deaths. Exclusive of Still-born.	Persons Married.	Births.	Deaths.
1853	36,108,206	280,609	561,218	936,967	795,607	15·5	25·9	22·0
1854	36,249,566	270,696	541,392	923,461	992,779	14·9	25·5	27·4
1855	36,180,248	283,335	566,670	902,336	937,942	15·7	24·9	25·9
1856*	36,139,364	284,401	568,802	952,116	837,082	15·7	26·3	23·2
1857	36,268,793	295,510	591,020	940,709	858,785	16·3	25·9	23·7
1858	36,350,717	307,056	614,112	969,343	874,186	16·9	26·7	24·0
1859	36,445,874	298,417	596,834	1,017,896	979,333	16·4	27·9	26·9
1860	36,484,437	288,936	577,872	956,875	781,635	15·8	26·2	21·4
1861*	37,386,313	305,203	610,406	1,005,078	866,597	16·3	26·9	23·2
1862	37,517,752	303,514	607,028	995,167	812,978	16·2	26·5	21·7
1863	37,639,941	301,376	602,752	1,012,794	846,917	16·0	26·9	22·5
1864	37,865,818	299,579	599,158	1,005,880	860,330	15·8	26·6	22·7
1865	38,011,368	299,242	598,484	1,005,753	921,867†	15·7	26·5	24·3†
1866*	38,067,064	303,634	607,268	1,006,258	884,573†	16·0	26·4	23·2†
1867	38,188,749	300,333	600,666	1,007,755	866,887	15·7	26·4	22·7
1868	38,329,617	301,225	602,450	984,140	922,028	15·7	25·7	24·1
1869	36,855,178	303,482	606,964	948,526	864,320	16·5	25·7	23·5
1870	36,985,212	223,705	447,410	943,515	1,046,909†	12·1	25·5	28·3†
1871	36,544,067	262,476	524,952	826,121	1,271,010†	14·4	22·6	34·8†
1872*	36,102,921	352,754	705,508	966,000	793,064	19·5	26·8	22·0
1873	36,281,335	321,238	642,476	946,354	844,588	17·7	26·1	23·3
1874	36,459,749	303,113	606,226	954,652	781,709	16·6	26·2	21·4
1875	36,638,163	300,427	600,854	950,975	845,062	16·4	26·0	23·1
1876*	36,905,788	291,366	582,732	966,682	834,074	15·8	26·2	22·6
1877	37,048,410	279,094	558,188	944,576	801,954	15·1	25·5	21·6
1878	37,146,585	279,892	559,784	937,211	839,036	15·1	25·2	22·6
1879	37,365,544	282,776	565,552	936,529	839,882	15·1	25·0	22·5
1880	37,518,746	279,046	558,092	920,177	858,237	14·9	24·5	22·8
1881*	37,672,048	282,079	564,158	937,037	828,828	15·0	24·9	22·0
1882	37,781,000	280,460	560,920	935,566	838,539	14·8	24·8	22·2

NOTE.—The population in the four years 1862-65 and in the years 1867-69 is estimated by means of the average annual rate of increase observed between the two enumerations of 1861 and 1866. The deaths of Frenchmen abroad, civil or military, are registered in the books of the Commune in which they were last domiciled.

* Census years. † Cholera prevailed in 1865-66, and war raged in 1870 and 1871.

TABLE 86.—SPAIN. **Population; Number,** and **Proportion** per 1000, of **Persons Married, Births,** and **Deaths,** in each of the Years **1861** to **1870.**

Years.	Numbers.					Proportion per 1000 of the Population.		
	Estimated Population.	Marriages.	Persons Married.	Births.	Deaths.	Persons Married.	Births.	Deaths.
1861	15,879,868	130,731	261,462	624,096	417,764	16·5	39·3	26·3
1862	16,065,124	128,696	257,392	615,919	430,663	16·0	38·3	26·8
1863	16,210,263	124,176	248,352	606,800	461,661	15·3	37·4	28·5
1864	16,240,323	126,203	252,606	629,546	499,486	15·5	38·5	30·6
1865	16,423,793	128,917	257,834	622,050	538,580	15·7	37·9	32·8
1866	16,579,090	131,981	263,962	618,981	463,684	15·9	37·3	28·0
1867*	16,716,151	118,409	236,818	624,212	487,151	14·2	37·3	29·1
1868	16,853,212	111,684	223,368	579,464	548,690	13·3	34·4	32·6
1869	16,883,986	137,120	274,240	602,287	550,660	16·2	35·7	32·6
1870	16,935,613	105,543	211,086	599,786	509,669	12·5	35·4	30·1

NOTE.—The Population enumerated at the Census of 1860 was 15,673,536. The estimated Population for Years subsequent to 1861 has been deduced from the Excess of Births over Deaths registered in each Year. The decline of registered marriages in 1870 is believed to be due to the introduction of civil registration, which occurred during that year.

* Census year.

TABLE 87.—ITALY. **Population; Number,** and **Proportion** per 1000, of **Persons Married, Births,** and **Deaths,** in each of the Years **1864** to **1882.**

(Furnished by Professor L. Bodio, Director of General Italian Statistics.)

Years.	Numbers.					Proportion per 1000 of the Population.		
	Estimated Population in the middle of each Year.*	Marriages.	Persons Married.	Births. Exclusive of Still-born.	Deaths.	Persons Married.	Births.	Deaths.
1864	24,749,861	198,759	397,518	938,795	737,136	16·1	37·9	29·8
1865	24,957,965	226,458	452,916	961,224	746,685	18·1	38·5	29·9
1866	25,168,744	142,024†	284,048†	980,200	733,190	11·3†	38·9	29·1
1867	25,342,515	170,456	340,912	927,396	866,865	13·5	36·6	34·2
1868	25,434,276	182,743	365,486	900,416	777,224	14·4	35·4	30·6
1869	25,615,123	205,287	410,574	952,134	713,832	16·0	37·2	27·9
1870	25,823,437	188,986	377,972	951,495	773,169	14·6	36·8	29·9
1871*	25,964,450	192,839	385,678	960,020	778,798	14·9	37·0	30·0
1872	26,807,736	202,361	404,722	1,020,682	827,498	15·0	37·9	30·8
1873	27,079,946	214,906	429,812	985,188	813,973	15·9	36·4	30·1
1874	27,227,756	207,997	415,994	951,658	827,253	15·3	34·9	30·4
1875	27,386,066	230,486	460,972	1,035,377	843,161	16·8	37·8	30·8
1876	27,625,825	225,453	450,906	1,083,721	796,420	16·3	39·2	28·8
1877	27,890,085	214,972	429,944	1,029,037	787,817	15·4	36·9	28·2
1878	28,110,158	199,885	399,770	1,012,475	813,550	14·2	36·0	28·9
1879	28,323,356	213,096	426,192	1,064,153	836,082	15·0	37·6	29·9
1880	28,481,045	196,738	393,476	957,900	869,993	13·8	33·6	30·5
1881*	28,459,628	230,143	460,286	1,081,125	784,181	16·2	38·0	27·6
1882	28,596,512	224,041	448,082	1,061,094	787,326	15·7	37·1	27·5

NOTE.—The facts for Rome were first included with those for the Kingdom of Italy in 1872.

* Census years. The population figures given for census years show the numbers enumerated on 31st December in each of those years; whereas for each of the other years the population is estimated to the middle of the year. The population in inter-census years are somewhat over-estimated, no account having been taken of emigration.

ABSTRACTS

OF

MARRIAGES, BIRTHS, AND DEATHS.

1882.

MARRIAGES.

ABSTRACT OF MARRIAGES.—Marriages registered in England, pursuant t

DIVISIONS AND REGISTRATION OR UNION COUNTIES.*		Area in Statute Acres.	Population, 1881.	TOTAL MARRIAGES.	MARRIAGES. According to the Rites of the Established Church. Special License.	License.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	Not according to the Rites of the Established Church. TOTAL.	In Registered Buildings. Roman Catholics.	Other Christian Denominations.	District Register Office.	Quakers.	Jews.
	ENGLAND -	† 37,239,351	25,974,439	‡ 204,405	75	13,280	128,761	3517	469	146,102	58,303	9235	22,708	25717	70	513
No.	DIVISIONS.															
I.	LONDON - - -	75,334	3,816,483	35612	53	2956	26652	317	18	29696	5916	1397	1423	2722	6	368
II.	SOUTH EASTERN -	3,994,502	2,487,076	17171	8	1000	11964	188	75	13235	3936	226	1680	2020	4	6
III.	SOUTH MIDLAND -	3,238,579	1,596,259	10106	4	525	7336	45	55	7965	2141	64	1181	895	1	-
IV.	EASTERN - -	3,136,622	1,343,524	9047	2	436	6651	31	47	7167	1880	88	885	902	3	2
V.	SOUTH WESTERN -	4,994,155	1,859,198	12766	2	964	7024	92	65	8147	4619	95	1999	2520	3	2
VI.	WEST MIDLAND -	3,964,632	3,029,319	23504	2	1107	17495	147	56	18807	4697	580	1916	2182	3	16
VII.	NORTH MIDLAND -	3,535,223	1,637,865	12759	1	659	8441	122	38	9261	3498	190	1881	1422	4	1
VIII.	NORTH WESTERN -	1,951,126	4,108,184	35139	2	2526	19495	1580	30	23633	11506	4134	4708	2591	16	57
IX.	YORK - - -	3,726,829	2,894,759	22831	-	1206	14679	624	40	16549	6282	921	2782	2524	16	39
X.	NORTHERN - -	3,528,621	1,624,213	13726	-	1046	5773	485	14	7318	6408	1184	1322	3876	13	13
XI.	WELSH - - -	5,093,728	1,577,559	11744	1	855	3251	186	31	4324	7420	356	2991	4063	1	9
	I.—LONDON.															
	MIDDLESEX (*pt. of*)	31,499	2,550,556	24798	50	2258	18086	12	16	20422	4376	1061	953	1993	6	363
	SURREY (*part of*) -	22,472	980,522	8613	3	537	7003	5	2	7550	1063	244	323	491	-	5
	KENT (*part of*) - -	21,363	285,405	2201	-	161	1563	-	-	1724	477	92	147	238	-	-
	II.—SOUTH EASTERN.															
1	**SURREY** (*ex.-metrop.*)	453,028	461,054	3081	4	205	2257	13	3	2482	599	59	240	297	3	-
2	**KENT** (*extra-metropol.*)	969,418	708,527	4940	1	232	3493	63	17	3806	1134	74	544	513	1	2
3	**SUSSEX** - - -	947,132	494,194	3285	2	214	2375	22	24	2637	648	35	264	346	-	3
4	**HAMPSHIRE** - -	1,050,116	575,409	4270	-	259	2675	90	21	3045	1225	52	464	708	-	1
5	**BERKSHIRE** - -	574,808	247,892	1595	1	90	1164	-	10	1265	330	6	168	156	-	-
	III.—SOUT MIDLAND.															
6	**MIDDLESEX** (*ex.me.*)	178,755	380,814	2306	-	180	1733	-	6	1919	387	40	176	170	1	-
7	**HERTFORDSHIRE**	441,623	202,375	1096	-	36	852	3	6	897	199	3	137	59	-	-
8	**BUCKINGHAMSH.**	410,176	155,869	1034	3	38	756	2	8	807	227	1	125	101	-	-
9	**OXFORDSHIRE** -	489,727	181,570	1106	-	80	829	3	9	921	185	8	107	70	-	-
10	**NORTHAMPTONS.**	632,982	277,035	2006	1	82	1294	16	7	1400	606	9	334	263	-	-
11	**HUNTINGDONSH.**	204,473	53,223	332	-	14	251	-	12	277	55	1	23	31	-	-
12	**BEDFORDSHIRE** -	307,050	154,259	1093	-	35	824	21	2	882	211	-	130	81	-	-
13	**CAMBRIDGESH.** -	573,793	191,114	1133	-	60	797	-	5	862	271	2	149	120	-	-
	IV.—EASTERN.															
14	**ESSEX** - - -	904,194	552,268	3506	-	180	2648	19	8	2855	651	57	331	258	3	2
15	**SUFFOLK** - - -	925,884	353,545	2433	-	104	1754	3	19	1880	553	13	266	274	-	-
16	**NORFOLK** - -	1,306,544	437,711	3108	2	152	2249	9	20	2432	676	18	288	370	-	-

* The *Registration* or *Union Counties* consist of groups of Superintendent Registrars' Districts which are generally co-extensive with the Poor Law Unions. Those Districts which exter d into two or more Counties (proper) are included entirely in that County in which the principal town of the District, or the greater part of the population, is located. The boundaries of Registration Counties therefore differ more or less from the boundaries of Counties (proper).

† These areas, which were partly revised by the Ordnance Survey Department, are the same as those published in the Abstracts of the Census of 1881. They do not include space occupied by foreshore or tidal water of rivers and creeks.

ıe Act of 6 and 7 Wm. IV. c. 86, in the Year ending December 31st, 1882.

MARRIAGES.												Signed the Marriage Register with Marks.				
Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of Full Age.				Cases in which		DIVISIONS AND REGISTRATION OR UNION COUNTIES.
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both signed.	One signed.	
),820	52,905	51,207	60,473	170,720	8129	15,616	9940	25,556	18,069	15,459	45,019	27,037	34,853	12,581	36,728	**ENGLAND.**
																DIVISIONS.
5642	9156	9756	10058	29520	1491	2977	1624	4601	3115	1944	6735	2426	3415	1016	3809	LONDON.
3234	4370	4307	5260	14471	833	1205	662	1867	1495	930	3324	1649	1140	393	2003	SOUTH EASTERN.
1692	2639	2543	3232	8513	339	789	465	1254	804	958	2173	1557	1391	624	1700	SOUTH MIDLAND.
1606	2009	2059	3373	7569	348	679	451	1130	799	795	2110	1643	1126	505	1759	EASTERN.
2680	3434	2917	3735	10655	420	1092	599	1691	1019	786	2028	1689	1640	642	2045	SOUTH WESTERN.
4345	6193	5634	7332	19856	852	1642	1154	2796	2006	2060	5441	4226	4892	2269	4580	WEST MIDLAND.
2268	3658	2984	3849	10731	462	960	606	1566	1068	1332	3432	1679	1955	623	2388	NORTH MIDLAND.
7277	9148	9207	9507	29113	1399	2723	1904	4627	3303	3093	7930	4595	8281	2601	7674	NORTH WESTERN.
4571	5685	5749	6826	18948	874	1745	1264	3009	2138	1980	5920	3027	4806	1556	4721	YORK.
3076	3642	3310	3698	11598	594	910	624	1534	1218	870	3648	2005	2895	982	2936	NORTHERN.
2429	2971	2741	3603	9746	517	894	587	1481	1104	711	2278	2541	3312	1370	3113	WELSH.
																I.—LONDON.
4709	6400	6776	6913	20623	1035	2059	1081	3140	2116	1300	4532	1622	2367	719	2551	**MIDDLESEX** (*pt. of*).
528	2178	2367	2540	7097	343	747	426	1173	769	544	1786	649	883	242	1048	**SURREY** (*part of*).
405	578	613	605	1800	113	171	117	288	230	100	417	155	165	55	210	**KENT** (*part of*).
																II.—SOUTH EASTERN.
565	843	831	842	2663	130	193	95	288	225	140	489	224	151	51	273	**SURREY** (*extra-metro.*)
895	1243	1216	1586	4217	232	323	168	491	400	298	1120	533	405	141	656	**KENT** (*extra-metropol.*)
621	848	834	982	2748	142	274	121	395	263	209	629	333	185	63	392	**SUSSEX.**
828	1052	1035	1355	3515	262	288	205	493	467	175	809	346	275	81	459	**HAMPSHIRE.**
325	384	391	495	1328	67	127	73	200	140	108	277	213	124	57	223	**BERKSHIRE.**
																III.—SOUTH MIDLAND.
366	651	670	619	1928	96	196	86	282	182	122	402	235	182	79	259	**MIDDLESEX** (*ex.-me.*)
191	276	280	349	935	32	80	49	129	81	97	214	201	170	90	191	**HERTFORDSHIRE.**
183	309	234	308	869	34	87	44	131	78	127	259	177	167	70	204	**BUCKINGHAMSH.**
211	293	275	327	943	33	71	59	130	92	70	187	134	101	40	155	**OXFORDSHIRE.**
311	487	486	722	1674	64	162	106	268	170	255	517	286	295	120	341	**NORTHAMPTONS**
53	66	83	130	270	14	27	21	48	35	25	74	72	52	30	64	**HUNTINGDONSH**
188	299	259	347	936	23	83	51	134	74	169	272	229	266	127	241	**BEDFORDSHIRE.**
189	258	256	430	958	43	83	49	132	92	93	248	223	158	68	245	**CAMBRIDGESH.**
																IV.—EASTERN.
606	812	918	1170	2929	154	236	187	423	341	262	788	489	358	151	545	**ESSEX.**
466	504	476	987	2053	81	186	113	299	194	222	568	518	314	153	526	**SUFFOLK.**
534	693	665	1216	2587	113	257	151	408	264	311	754	636	454	201	688	**NORFOLK.**

‡ Where the parties to a marriage are of different religious persuasions it sometimes happens that the ceremony is performed according) the rites of both persuasions; in these cases the two ceremonies are entered as two marriages. Divorced men and women who marry re classified in these Abstracts as bachelors and spinsters.

ABSTRACT OF MARRIAGES.—Marriages registered in England, pursuant to the

No.	REGISTRATION OR UNION COUNTIES.	AREA in Statute Acres.	POPULATION, 1881.	TOTAL MARRIAGES.	MARRIAGES. According to the Rites of the Established Church. Special License.	License.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	Not according to the Rites of the Established Church. TOTAL.	In Registered Buildings. Roman Catholics.	Other Christian Denominations.	District Register Office.	Quakers.	Jews.
	V.—SOUTH WESTERN.															
17	WILTSHIRE - -	794,478	248,849	1566	1	66	1006	2	14	1089	477	10	310	157	-	-
18	DORSETSHIRE -	610,582	184,972	1205	-	85	838	10	6	939	266	15	151	100	-	-
19	DEVONSHIRE -	1,643,390	608,400	4639	-	408	2095	56	27	2586	2053	48	654	1349	-	2
20	CORNWALL - -	879,328	326,375	2236	-	203	1021	9	5	1238	998	3	410	584	1	-
21	SOMERSETSHIRE	1,066,377	490,602	3120	1	202	2064	15	13	2295	825	19	474	330	2	-
	VI.—WEST MIDLAND.															
22	GLOUCESTERSH.	700,080	524,982	4113	-	217	2631	18	14	2880	1233	53	392	783	2	3
23	HEREFORDSHIRE	519,141	118,147	625	-	54	399	1	10	464	161	6	74	81	-	-
24	SHROPSHIRE - -	933,582	265,890	1596	1	163	955	28	11	1158	438	18	218	202	-	-
25	STAFFORDSHIRE	766,688	1,006,758	8631	-	346	6909	46	7	7308	1323	281	655	387	-	-
26	WORCESTERSH. -	434,554	333,011	2801	1	140	2217	17	3	2378	423	43	194	186	-	-
27	WARWICKSHIRE	610,587	730,531	5738	-	187	4384	37	11	4619	1119	179	383	543	1	13
	VII.—NORTH MIDLAND.															
28	LEICESTERSHIRE	535,103	326,641	2564	-	93	1647	41	9	1790	774	50	287	436	1	-
29	RUTLANDSHIRE -	107,352	23,007	134	-	8	104	-	2	114	20	-	7	13	-	-
30	LINCOLNSHIRE -	1,731,718	463,061	3207	-	192	2119	11	13	2335	872	24	703	145	-	-
31	NOTTINGHAMSH.	604,181	438,642	4102	1	202	2854	3	9	3069	1033	48	403	580	1	1
32	DERBYSHIRE -	556,869	386,514	2752	-	164	1717	67	5	1953	799	68	481	248	2	-
	VIII.—NORTH WESTERN.															
33	CHESHIRE - -	643,745	622,365	4482	-	427	2764	64	10	3265	1217	275	604	334	4	-
34	LANCASHIRE -	1,307,381	3,485,819	30657	2	2099	16731	1516	20	20368	10289	3859	4104	2257	12	57
	IX.—YORK.															
35	WEST RIDING -	1,776,884	2,197,999	17250	-	682	11549	588	15	12834	4416	653	2059	1661	15	28
36	E. RIDING (*with York*)	696,296	362,375	3012	-	249	1845	17	15	2126	886	88	392	397	1	8
37	NORTH RIDING -	1,253,649	334,385	2569	-	275	1285	19	10	1589	980	180	331	466	-	3
	X.—NORTHERN.															
38	DURHAM - - -	765,075	875,166	7694	-	346	3322	314	1	3983	3711	720	706	2274	6	5
39	NORTHUMBERLD.	1,290,312	434,086	3679	-	247	1648	46	3	1944	1735	301	391	1034	1	8
40	CUMBERLAND -	970,161	250,647	1929	-	346	571	113	8	1038	891	161	189	536	5	-
41	WESTMORLAND -	503,073	64,314	424	-	107	232	12	2	353	71	2	36	32	1	-
	XI.—WELSH.															
42	MONMOUTHSH. -	427,848	231,332	1957	-	84	798	16	7	905	1052	97	346	606	-	3
43	SOUTH WALES -	2,676,723	881,117	6971	1	502	1758	109	20	2390	4581	231	1754	2589	1	6
44	NORTH WALES -	1,989,157	462,110	2816	-	269	695	61	4	1029	1787	28	891	868	-	-

Act of 6 and 7 Wm. IV. c. 86, in the Year ending December 31st, 1882—*continued.*

MARRIAGES.												Signed the Marriage Register with Marks.				
Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of Full Age.				Cases in which		REGISTRATION OR UNION COUNTIES.
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both signed.	One signed.	
																V.—SOUTH WESTERN.
286	387	369	524	1297	52	125	92	217	144	116	262	186	136	45	232	**WILTSHIRE.**
229	346	304	326	1008	30	116	51	167	81	78	211	167	104	43	185	**DORSETSHIRE.**
1040	1279	1060	1260	3857	172	382	228	610	400	204	652	451	503	151	652	**DEVONSHIRE.**
505	508	517	706	1906	59	197	74	271	133	145	383	382	449	193	445	**CORNWALL.**
620	914	667	919	2587	107	272	154	426	261	243	520	503	448	210	531	**SOMERSETSHIRE.**
																VI.—WEST MIDLAND.
780	1109	999	1225	3406	144	332	231	563	375	367	816	556	515	190	691	**GLOUCESTERSHIRE.**
123	188	145	169	507	31	56	31	87	62	29	82	118	66	28	128	**HEREFORDSHIRE.**
356	452	356	432	1355	52	131	55	189	107	71	263	250	245	86	323	**SHROPSHIRE.**
1578	2256	2040	2757	7383	329	478	441	919	770	908	2382	2016	2384	1252	1896	**STAFFORDSHIRE.**
472	715	676	938	2401	84	200	116	316	200	232	573	447	530	247	483	**WORCESTERSHIRE.**
1036	1473	1418	1811	4804	212	442	280	722	492	453	1325	839	1152	466	1059	**WARWICKSHIRE.**
																VII.—NORTH MIDLAND.
427	685	663	789	2163	77	185	139	324	216	351	707	353	438	147	497	**LEICESTERSHIRE.**
18	33	40	43	112	7	12	3	15	10	4	21	12	3	1	13	**RUTLANDSHIRE.**
554	1124	663	866	2716	123	223	145	368	268	204	714	385	375	96	568	**LINCOLNSHIRE.**
742	1106	965	1289	3431	154	314	203	517	357	518	1195	585	733	239	840	**NOTTINGHAMSHIRE.**
527	710	653	862	2309	101	226	116	342	217	255	795	344	406	140	470	**DERBYSHIRE.**
																VIII.—NORTH WESTERN.
1004	1149	1116	1213	3724	156	378	224	602	380	343	870	568	857	293	839	**CHESHIRE.**
6273	7999	8091	8294	25389	1243	2345	1680	4025	2923	2750	7060	4027	7424	2308	6835	**LANCASHIRE.**
																IX.—YORK.
3421	4310	4467	5052	14318	622	1322	988	2310	1610	1595	4459	2317	3881	1258	3682	**WEST RIDING.**
642	716	702	952	2484	146	223	159	382	305	216	817	322	475	125	547	**EAST RIDING** (*with York*).
508	659	580	822	2146	106	200	117	317	223	169	644	388	450	173	492	**NORTH RIDING.**
																X.—NORTHERN.
1712	2031	1857	2094	6467	359	476	392	868	751	554	2388	1409	1947	710	1936	**DURHAM.**
856	1001	905	917	3096	146	282	155	437	301	180	792	356	589	159	627	**NORTHUMBERLAND.**
422	484	467	556	1669	76	115	69	184	145	109	400	216	335	108	335	**CUMBERLAND.**
86	126	81	131	366	13	37	8	45	21	27	68	24	24	5	38	**WESTMORLAND.**
																XI.—WELSH.
409	498	470	580	1635	103	123	96	219	199	136	466	568	553	290	541	**MONMOUTHSHIRE.**
1437	1675	1649	2210	5808	303	508	352	860	655	485	1463	1401	2058	778	1903	**SOUTH WALES.**
583	798	622	813	2303	111	263	139	402	250	90	349	572	701	302	669	**NORTH WALES.**

I.—LONDON.—

No.	DISTRICTS.*	Area in Statute Acres.	Population, 1881.	Total Marriages.	Marriages: According to the Rites of the Established Church: Special License.	License.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	Marriages: Not according to the Rites of the Established Church: TOTAL.	In Registered Buildings: Roman Catholics.	Other Christian Denominations.	District Register Office.	Quakers.	Jews.
	MIDDLESEX (*part of*).															
1	†Kensington { Paddington -	1,251	107,218	2550	8	314	1747	2	5	2076	484	146	88	229	-	21
	Kensington -	2,119	169,151													
2	Fulham - - - - - -	4,003	114,839	987	-	77	746	1	1	825	162	31	31	100	-	-
3	Chelsea - - - - - -	793	88,128	871	-	58	693	-	-	751	120	33	26	61	-	-
4	St. George Hanover Square	1,943	149,748	1467	35	289	915	-	-	1239	228	37	21	169	1	-
5	Westminster - - - -	216	49,549	522	1	79	270	-	1	351	171	60	8	73	-	10
6	Marylebone - - - -	1,506	154,910	1681	4	209	1118	6	-	1337	344	115	64	132	-	33
7	Hampstead - - - - -	2,248	45,452	346	-	44	249	-	-	293	53	17	15	21	-	-
8	Pancras - - - - -	2,672	236,258	2397	-	230	1703	-	1	1934	463	52	144	267	-	-
9	Islington - - - - -	3,107	282,865	2367	-	196	1677	1	2	1876	491	43	143	287	-	18
10	Hackney - - - - -	3,935	186,462	1478	-	113	1135	-	-	1248	230	30	96	104	-	-
11	St. Giles - - - - -	245	45,382	357	-	54	211	1	-	266	91	25	15	51	-	-
12	Strand - - - - - -	493	33,582	501	2	86	294	-	-	382	119	26	7	84	-	2
13	Holborn - - - - - -	816	151,835	1068	-	67	760	-	1	828	240	92	40	108	-	-
14	London City - - - -	668	51,439	935	-	188	447	-	4	639	346	23	20	69	5	229
15	Shoreditch - - - - -	648	126,591	1154	-	52	1027	-	-	1079	75	26	13	36	-	-
16	Bethnal Green - - -	755	126,961	2600	-	14	2533	-	-	2547	53	-	27	26	-	-
17	Whitechapel - - - -	378	71,363	489	-	14	297	-	-	311	178	65	67	46	-	-
18	St. George-in-the-East -	243	47,157	341	-	19	191	1	-	211	130	104	14	12	-	-
19	Stepney - - - - -	462	58,543	468	-	52	377	-	-	429	39	24	7	8	-	-
20	Mile End Old Town - -	679	105,613	1048	-	29	862	-	-	891	157	15	33	59	-	50
21	Poplar - - - - - -	2,335	156,510	1111	-	74	834	-	1	909	202	77	74	51	-	-
	SURREY (*part of*).															
22	St. Saviour Southwark -	1,119	195,164	2684	-	97	2344	-	-	2441	243	95	50	93	-	5
23	St. Olave Southwark - -	1,506	134,632	781	-	28	609	-	2	639	142	63	23	56	-	-
24	Lambeth - - - - -	3,942	253,693	2302	2	189	1826	-	-	2017	235	22	108	135	-	-
25	Wandsworth - - - -	11,455	210,434	1398	1	108	1303	1	-	1413	185	32	78	75	-	-
26	Camberwell - - - -	4,450	186,593	1248	-	115	921	4	-	1040	208	32	64	112	-	-
	KENT (*part of*).															
27	Greenwich - - - - -	3,427	131,233	937	-	56	739	-	-	795	172	60	71	41	-	-
28	Lewisham - - - - -	11,436	73,327	475	-	67	336	-	-	403	72	1	35	36	-	-
29	Woolwich - - - - -	6,500	89,845	759	-	38	488	-	-	526	233	31	41	161	-	-

II.—SOUTH EASTERN COUNTIES.—

No.	DISTRICTS.*	Area in Statute Acres.	Population, 1881.	Total Marriages.	Special License.	License.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	TOTAL.	Roman Catholics.	Other Christian Denominations.	District Register Office.	Quakers.	Jews.
	1.—SURREY (*Ex.-met.*)															
30	Epsom - - - - - -	43,430	41,107	184	-	17	137	1	-	155	29	4	7	18	-	-
31	Chertsey - - - - -	42,094	27,137	144	-	9	122	-	-	131	13	2	4	7	-	-
32	Guildford - - - - -	67,620	42,696	269	-	14	190	-	-	204	65	2	15	48	-	-
33	Farnham - - - - -	41,215	40,395	270	1	10	157	1	-	169	101	11	67	23	-	-
34	Hambledon - - - -	61,582	16,353	95	-	3	79	-	-	82	13	-	1	12	-	-
35	Dorking - - - - -	40,603	15,452	86	-	8	56	-	-	64	22	1	11	10	-	-
36	Reigate - - - - -	49,994	30,359	228	-	11	185	-	2	198	30	5	15	9	1	-
37	Godstone - - - - -	43,950	17,692	79	-	-	73	-	-	73	6	-	6	-	-	-
38	Croydon - - - - -	32,548	119,173	931	-	63	700	1	-	764	167	22	68	75	2	-
39	Kingston - - - - -	25,003	77,057	563	2	45	386	10	-	444	119	7	36	76	-	-
40	Richmond - - - - -	4,983	33,633	232	1	24	172	-	1	198	34	5	10	19	-	-
	2.—KENT (*Extra-met.*)															
41	Bromley - - - - -	40,338	43,972	300	-	20	237	-	1	258	42	4	29	9	-	-
42	Dartford - - - - -	52,330	53,435	299	-	12	231	1	8	252	47	3	33	11	-	-
43	Gravesend - - - - -	1,256	23,302	168	-	12	117	-	-	129	39	9	11	19	-	-
44	North Aylesford - - -	37,488	27,437	203	-	10	180	1	2	193	10	-	3	6	1	-
45	Hoo - - - - - -	19,859	3,405	33	-	1	32	-	-	33	-	-	-	-	-	-
46	Medway - - - - - -	12,080	61,644	538	-	15	364	10	-	389	149	16	53	79	-	1
47	Malling - - - - -	47,410	26,941	136	-	7	110	1	-	118	18	-	13	5	-	-
48	Sevenoaks - - - - -	67,293	27,190	144	-	7	106	1	-	114	30	-	6	24	-	-
49	Tunbridge - - - - -	46,658	51,507	332	-	17	231	5	-	253	79	2	48	29	-	-
50	Maidstone - - - - -	38,678	43,091	353	-	7	232	15	-	254	99	1	27	71	-	-
51	Hollingbourn - - - -	57,624	14,040	79	-	12	70	-	-	72	7	-	1	6	-	-
52	Cranbrook - - - - -	41,452	13,774	75	-	1	64	-	-	65	10	-	6	4	-	-
53	Tenterden - - - - -	47,324	10,461	57	-	1	46	-	-	47	10	-	10	-	-	-
54	West Ashford - - - -	42,233	18,126	125	-	8	76	6	-	90	35	-	35	-	-	-
55	East Ashford - - - -	54,886	13,697	84	-	5	70	1	-	76	8	-	3	5	-	-
56	Bridge - - - - - -	42,340	12,405	79	-	3	63	-	4	70	9	-	-	9	-	-
57	Canterbury - - - - -	3,112	17,060	179	-	12	107	-	-	119	60	4	16	40	-	-
58	Blean - - - - - -	28,933	18,867	127	-	5	91	-	-	96	31	2	8	21	-	-
59	Faversham - - - - -	44,672	24,956	188	-	6	129	3	-	148	40	-	15	25	-	-
60	Milton - - - - - -	31,912	23,270	177	-	1	107	8	1	117	60	-	26	34	-	-

* The 630 *Districts*, which are arranged according to their local position, are collections of contiguous Parishes or Places, and are nearly always identical with the Poor Law Unions of the same names. They were re-numbered on the 1st January 1881.

† 1. The District of Kensington comprises the two Poor Law Unions of Paddington and Kensington.

MARRIAGES in the Year 1882—in DISTRICTS.

MARRIAGES. Registered in the Quarter ending the last Day of				Contracted between				Of		Of Persons not of Full Age.		Signed the Marriage Register with Marks.		Cases in which		DISTRICTS.
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both signed.	One signed.	
																MIDDLESEX (*part of*).
462	696	703	699	2136	92	241	91	332	183	90	314	102	105	28	151	KENSINGTON { PADDINGTON. KENSINGTON.
195	252	237	273	834	35	80	38	118	73	46	201	56	74	17	96	FULHAM.
158	231	258	224	737	33	63	35	101	68	30	134	44	44	13	62	CHELSEA.
238	354	465	360	1196	71	162	38	200	109	30	170	20	37	4	49	ST. GEORGE HANOVER SQUARE.
104	143	130	145	437	25	43	17	60	42	9	80	8	19	1	25	WESTMINSTER.
367	414	479	421	1383	75	161	62	223	137	60	215	50	49	8	83	MARYLEBONE.
64	84	121	77	299	5	31	11	42	16	9	41	14	13	1	25	HAMPSTEAD.
451	616	619	711	1987	97	191	122	313	219	81	366	108	141	34	181	PANCRAS.
436	632	670	629	1996	59	218	94	312	153	93	372	81	90	16	139	ISLINGTON.
269	367	420	422	1227	42	135	56	209	98	47	201	56	71	16	95	HACKNEY.
74	85	106	92	290	16	33	18	51	34	23	62	16	29	2	41	ST. GILES.
99	131	112	129	400	26	53	19	75	45	15	71	15	31	7	32	STRAND.
193	284	265	336	879	50	89	50	139	100	51	210	62	103	25	115	HOLBORN.
223	251	246	265	893	46	81	55	136	101	33	173	77	143	53	114	LONDON CITY.
201	321	282	350	951	63	75	65	140	128	76	256	63	121	23	138	SHOREDITCH.
502	658	636	774	2160	146	153	141	294	287	395	866	471	707	246	681	BETHNAL GREEN.
86	131	122	150	423	22	25	19	44	41	39	137	28	56	12	60	WHITECHAPEL.
59	98	92	92	278	19	24	20	44	39	23	82	57	90	34	79	ST. GEORGE-IN-THE-EAST.
88	130	120	130	401	21	31	15	46	36	28	124	90	114	79	46	STEPNEY.
169	254	323	302	894	38	68	48	116	86	83	280	127	226	81	191	MILE END OLD TOWN.
221	268	280	342	912	54	78	67	145	121	35	177	77	104	19	143	POPLAR.
																SURREY (*part of*).
464	663	743	814	2250	127	175	132	307	259	234	689	335	467	151	500	ST. SAVIOUR SOUTHWARK.
128	198	209	246	635	30	70	46	116	76	47	170	42	87	12	105	ST. OLAVE SOUTHWARK.
410	579	652	631	1817	90	261	134	395	224	103	402	110	171	41	229	LAMBETH.
297	413	414	474	1364	54	124	56	180	110	103	305	90	103	25	143	WANDSWORTH.
229	325	349	345	1031	42	117	58	175	100	57	220	42	55	13	71	CAMBERWELL.
																KENT (*part of*).
183	237	280	267	792	37	73	65	138	102	47	208	86	93	35	109	GREENWICH.
91	134	140	110	396	18	47	14	61	52	27	77	21	16	5	27	LEWISHAM.
131	207	193	228	612	58	51	38	89	96	26	122	48	56	15	74	WOOLWICH.

MARRIAGES in the Year 1882—in DISTRICTS.

																1.—SURREY (*Extra-met.*)
40	44	44	56	159	7	13	5	18	12	10	29	12	5	3	11	EPSOM.
27	59	28	30	125	2	15	2	17	4	10	32	14	6	3	14	CHERTSEY.
48	61	76	84	230	10	20	9	29	19	8	52	25	19	6	32	GUILDFORD.
50	82	68	70	227	20	13	10	23	30	3	58	16	31	3	41	FARNHAM.
14	29	24	28	82	7	5	1	6	8	3	10	14	6	3	14	HAMBLEDON.
17	19	27	23	71	4	5	6	11	10	3	15	6	–	–	6	DORKING.
43	52	64	69	206	11	4	7	11	18	15	26	15	11	4	18	REIGATE.
11	22	22	24	72	–	5	2	7	2	7	16	9	6	1	13	GODSTONE.
176	260	248	247	808	36	56	31	87	67	48	138	71	38	17	75	CROYDON.
103	168	152	140	483	27	38	15	53	42	24	81	33	22	10	35	KINGSTON.
36	47	78	71	200	6	19	7	26	13	9	32	9	7	1	14	RICHMOND.
																2.—KENT (*Extra-metro.*)
50	82	93	75	253	11	28	8	36	19	11	40	20	15	–	35	BROMLEY.
47	71	91	90	273	11	12	3	15	14	19	70	41	32	15	43	DARTFORD.
31	33	41	63	146	8	6	8	14	16	9	43	17	10	4	19	GRAVESEND.
32	54	55	62	174	14	5	10	15	24	11	63	32	28	12	36	NORTH AYLESFORD.
4	8	10	11	28	4	1	–	1	4	3	14	12	7	4	11	HOO.
118	149	113	158	473	31	20	14	34	45	29	126	45	63	13	82	MEDWAY.
23	39	33	41	115	6	7	8	15	14	10	37	18	18	5	26	MALLING.
15	43	40	46	113	8	17	6	23	14	6	26	16	6	3	16	SEVENOAKS.
56	83	90	103	280	10	29	13	42	23	17	49	38	28	13	40	TUNBRIDGE.
74	78	102	99	298	23	20	12	32	35	18	59	36	29	9	47	MAIDSTONE.
12	17	22	28	73	2	4	–	4	2	7	18	13	5	4	10	HOLLINGBOURN.
9	31	15	20	64	2	6	3	9	5	5	12	4	7	1	9	CRANBROOK.
13	13	8	23	49	2	2	4	6	6	4	15	8	3	1	9	TENTERDEN.
25	28	32	40	105	7	8	5	13	12	13	25	12	11	3	17	WEST ASHFORD.
12	19	12	41	78	2	2	2	4	4	3	18	4	5	–	9	EAST ASHFORD.
16	19	14	20	68	3	6	2	8	5	5	19	11	6	–	17	BRIDGE.
36	31	41	71	141	10	22	6	28	16	16	39	16	12	4	20	CANTERBURY.
21	28	38	40	110	8	7	2	9	10	8	36	12	7	2	15	BLEAN.
39	40	46	63	164	5	16	3	19	8	17	61	37	17	11	32	FAVERSHAM.
27	57	39	54	146	8	12	11	23	19	19	51	34	17	7	37	MILTON.

II.—SOUTH EASTERN COUNTIES.—

No.	Districts.	Area in Statute Acres.	Population, 1881.	Total Marriages.	Marriages. According to the Rites of the Established Church. Special License.	License.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	Not according to the Rites of the Established Church. TOTAL.	In Registered Buildings. Roman Catholics.	Other Christian Denominations.	District Register Office.	Quakers.	Jews.
	2.—KENT (*Ex.-met.*)-*cont.*															
61	Sheppey	22,451	18,204	112	-	5	75	-	-	80	32	2	7	23	-	-
62	Thanet	26,179	50,821	310	-	23	169	2	-	194	116	8	85	22	-	1
63	Eastry	46,395	28,074	189	-	13	137	1	1	152	37	2	31	4	-	-
64	Dover	29,111	36,813	339	1	26	210	5	-	242	97	17	26	54	-	-
65	Elham	42,919	33,769	269	-	11	187	3	-	201	68	4	52	12	-	-
66	Romney Marsh	44,335	6,166	45	-	2	42	-	-	44	1	-	-	1	-	-
	3.—SUSSEX.															
67	Rye	38,131	12,040	89	-	1	79	-	-	80	9	-	5	4	-	-
68	Hastings	13,941	50,129	348	-	31	234	18	-	283	65	6	41	18	-	-
69	Battle	53,962	14,519	106	-	3	89	2	2	96	10	-	5	5	-	-
70	Eastbourne	36,539	27,753	193	-	10	149	-	1	160	38	4	19	15	-	-
71	Hailsham	55,130	13,405	53	-	2	46	-	-	48	10	-	4	6	-	-
72	Ticehurst	52,352	17,219	103	1	4	86	1	-	92	11	-	9	2	-	-
73	Uckfield	75,336	20,098	114	-	4	88	-	1	93	21	-	7	14	-	-
74	East Grinstead	61,553	18,581	101	-	3	82	-	-	85	16	-	8	8	-	-
75	Cuckfield	62,284	23,252	120	-	7	96	-	1	104	16	-	5	11	-	-
76	*Lewes: Chailey	36,677	10,373	205	-	9	145	-	6	160	45	1	21	23	-	-
	*Lewes: Lewes	6,407	11,547													
	*Lewes: West Firle	15,327	2,369													
	*Lewes: Newhaven	27,056	8,607													
77	Brighton	1,625	99,091	859	-	72	503	1	-	576	283	18	81	181	-	3
78	Steyning	47,760	49,089	306	1	24	225	-	1	251	55	1	39	15	-	-
79	Horsham	70,539	22,300	126	-	8	101	-	2	111	15	-	7	8	-	-
80	Petworth	45,701	9,505	44	-	1	37	-	-	38	6	-	1	5	-	-
81	Thakeham	40,636	8,285	53	-	3	46	-	3	52	1	-	-	1	-	-
82	East Preston (Worthing)	34,839	26,364	169	-	13	131	-	3	147	22	3	5	14	-	-
83	Westhampnett	70,758	19,653	105	-	11	81	-	4	96	9	1	-	8	-	-
84	Chichester	1,888	8,569	54	-	2	40	-	-	42	12	1	6	5	-	-
85	Midhurst	66,571	13,633	80	-	5	75	-	-	80	-	-	-	-	-	-
86	Westbourne	32,040	7,420	47	-	1	42	-	-	43	4	-	1	3	-	-
	4.—HAMPSHIRE.															
87	Havant	14,279	8,672	52	-	3	37	-	-	40	12	-	6	6	-	-
88	Portsea Island	4,666	128,022	1302	-	80	854	18	1	953	349	15	71	263	-	-
89	Alverstoke	3,867	21,581	125	-	5	88	1	-	94	32	1	15	16	-	-
90	Fareham	37,689	16,820	90	-	1	80	-	-	81	9	-	6	3	-	-
91	Isle of Wight	93,342	73,623	484	-	28	217	20	1	266	218	7	103	108	-	-
92	Lymington	39,948	12,651	79	-	9	61	-	-	70	9	-	4	5	-	-
93	Christchurch	31,978	29,455	209	-	18	168	-	1	127	82	3	41	38	-	-
94	Ringwood	34,935	5,488	33	-	6	17	-	-	23	10	-	9	1	-	-
95	Fordingbridge	36,211	6,234	39	-	2	29	-	-	31	8	-	5	3	-	-
96	New Forest	69,329	13,221	70	-	6	59	-	-	65	5	-	4	1	-	-
97	Southampton	1,324	52,989	522	-	39	217	34	-	290	232	13	61	157	-	1
98	South Stoneham	26,508	41,275	229	-	16	152	2	-	170	79	2	15	62	-	-
99	Romsey	31,489	10,600	63	-	2	60	1	1	64	4	-	4	-	-	-
100	Stockbridge	47,239	6,972	32	-	3	25	-	-	29	3	-	2	1	-	-
101	†Winchester: New Winchester	62,778	28,397	218	-	13	133	10	7	163	82	9	43	25	-	-
	†Winchester: Hursley	16,627	2,753													
102	Droxford	48,914	11,197	63	-	4	58	-	-	62	1	-	-	1	-	-
103	Catherington	13,145	2,747	13	-	1	11	-	1	13	-	-	-	-	-	-
104	Petersfield	45,930	10,255	52	-	3	43	-	3	49	3	-	3	-	-	-
105	Alresford	42,637	6,967	39	-	1	35	1	-	37	2	-	1	-	-	-
106	Alton	61,759	15,198	100	-	5	79	1	1	86	14	-	10	4	-	-
107	Hartley Wintney	57,565	21,326	129	-	5	105	1	-	111	18	-	11	7	-	-
108	Basingstoke	76,879	19,274	111	-	4	79	-	-	83	28	2	24	2	-	-
109	Whitchurch	31,358	5,458	31	-	2	24	-	-	26	5	-	3	2	-	-
110	Andover	74,213	15,700	78	-	1	59	1	3	64	14	-	12	2	-	-
111	Kingsclere	45,507	8,524	51	-	2	41	-	2	45	6	-	6	-	-	-
	5.—BERKSHIRE.															
112	Newbury	44,695	21,327	143	-	9	97	-	5	111	32	1	24	7	-	-
113	Hungerford	97,180	17,892	116	-	6	95	-	-	101	15	-	14	1	-	-
114	Faringdon	64,738	13,676	85	-	3	65	-	-	68	17	-	9	8	-	-
115	Abingdon	55,978	20,354	126	-	3	97	-	1	101	25	1	18	6	-	-
116	Wantage	76,848	17,160	99	-	4	84	-	-	88	11	1	5	5	-	-
117	Wallingford	42,706	14,493	77	-	2	62	-	1	65	12	-	7	5	-	-
118	Bradfield	64,700	17,972	87	-	7	67	-	2	76	11	1	8	2	-	-
119	Reading	4,955	43,494	409	-	29	240	-	-	269	140	1	57	82	-	-
120	Wokingham	43,418	20,018	95	-	6	82	-	-	88	7	-	5	2	-	-
121	Cookham	29,926	16,945	120	1	8	88	-	1	98	22	-	8	14	-	-
122	Eastihampstead	27,033	12,659	42	-	1	36	-	-	37	5	-	5	-	-	-
123	Windsor	22,631	31,992	196	-	12	151	-	-	163	33	1	8	24	-	-

* 76.—The District of Lewes comprises the four Poor Law Unions of Chailey, Lewes, West Firle, and Newhaven.
† 101.—The District of Winchester comprises the two Poor Law Unions of New Winchester and Hursley.

MARRIAGES in the Year 1882—in DISTRICTS—*continued.*

MARRIAGES. Registered in the Quarter ending the last day of March.	June.	September.	December.	Contracted between Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Of Widowers.	Widows.	Of Persons not of Full Age. Men	Women.	Signed the Marriage Register with Marks. Men.	Women.	Cases in which Both signed.	One signed.	DISTRICTS.
																2.—KENT (*Ex.-met.*)—*cont.*
17	30	26	39	94	5	7	6	13	11	5	32	11	15	5	16	SHEPPEY.
64	77	53	116	259	10	26	15	41	25	27	64	25	15	8	24	THANET.
28	42	44	75	162	7	10	10	20	17	10	46	16	4	1	13	EASTRY.
56	91	85	107	283	20	29	7	36	27	11	85	25	22	6	35	DOVER.
54	69	64	82	232	14	16	7	23	21	12	56	24	20	9	26	ELHAM.
16	11	9	9	36	1	5	3	8	4	3	8	6	3	1	7	ROMNEY MARSH.
																3.—SUSSEX.
16	18	22	33	72	5	11	1	12	6	7	22	11	10	2	17	RYE.
66	96	79	107	232	15	40	11	51	26	17	61	36	15	3	25	HASTINGS.
20	28	22	36	85	9	8	4	12	13	8	23	16	11	4	19	BATTLE.
42	58	46	52	166	6	20	6	26	12	11	36	17	14	3	25	EASTBOURNE.
8	22	9	19	54	1	1	2	3	3	5	20	7	1	1	6	HAILSHAM.
25	16	25	37	86	6	9	2	11	8	9	18	17	3	1	18	TICEHURST.
21	17	36	40	93	2	13	6	19	8	13	23	23	14	8	21	UCKFIELD.
19	23	21	38	87	–	9	5	14	5	7	15	7	7	2	10	EAST GRINSTEAD.
22	33	32	33	107	4	7	2	9	6	7	28	20	4	1	22	CUCKFIELD.
40	53	49	63	182	6	10	7	17	13	14	38	24	13	7	23	LEWES { CHAILEY. LEWES. WEST FIRLE. NEWHAVEN.
176	228	244	211	714	36	64	45	109	81	61	175	63	50	13	87	BRIGHTON.
46	75	87	98	252	13	30	11	41	24	19	53	13	9	3	16	STEYNING.
16	31	37	42	109	5	9	3	12	8	8	19	22	6	2	24	HORSHAM.
7	14	9	14	35	3	3	3	6	6	4	10	10	4	3	8	PETWORTH.
8	17	12	16	47	2	3	1	4	3	2	9	7	6	2	9	THAKEHAM.
36	44	32	57	138	11	15	5	20	16	8	33	13	5	4	15	EAST PRESTON (WORTHING).
18	30	27	30	91	6	7	1	8	7	6	14	16	3	1	17	WESTHAMPNETT.
8	20	16	10	43	4	6	1	7	5	2	10	8	4	2	8	CHICHESTER.
14	17	22	27	67	6	6	1	7	7	1	18	12	2	–	14	MIDHURST.
13	8	7	19	38	2	3	4	7	6	–	4	6	4	1	8	WESTBOURNE.
																4.—HAMPSHIRE.
8	12	20	12	41	2	5	4	9	6	2	8	7	3	2	6	HAVANT.
264	320	333	395	1072	93	74	63	137	156	36	278	65	89	18	118	PORTSEA ISLAND.
32	32	23	39	105	8	4	9	13	17	3	20	4	11	2	11	ALVERSTOKE.
20	29	23	18	76	2	7	5	12	7	3	14	4	5	1	7	FAREHAM.
99	113	101	171	402	26	33	23	56	49	24	83	33	26	5	49	ISLE OF WIGHT.
14	13	17	35	65	2	6	6	12	8	2	11	11	5	2	12	LYMINGTON.
30	50	46	83	176	6	22	5	27	11	9	19	10	7	1	15	CHRISTCHURCH.
7	11	6	9	29	–	3	1	4	1	–	4	2	1	1	1	RINGWOOD.
9	5	9	16	29	3	3	4	7	7	6	5	9	3	2	8	FORDINGBRIDGE.
16	19	16	19	62	2	5	1	6	3	4	13	10	5	3	9	NEW FOREST.
95	134	123	160	413	39	36	34	70	73	30	116	39	37	11	54	SOUTHAMPTON.
47	69	65	68	200	17	24	8	32	25	17	57	19	11	4	22	SOUTH STONEHAM.
18	15	13	22	53	6	7	2	9	8	4	9	10	3	2	9	ROMSEY.
6	3	6	17	25	1	6	–	6	1	1	6	6	3	2	5	STOCKBRIDGE.
42	63	74	69	206	24	9	9	18	33	11	36	15	14	4	21	WINCHESTER { NEW WINCHESTER. HURSLEY.
13	16	16	18	53	4	4	2	6	6	1	15	7	2	1	7	DROXFORD.
2	2	5	4	8	3	1	1	2	4	1	3	1	1	–	2	CATHERINGTON.
10	14	10	18	43	3	3	3	6	6	–	8	5	3	–	8	PETERSFIELD.
7	7	9	16	32	2	4	1	5	3	1	6	4	2	1	4	ALRESFORD.
17	28	24	31	87	3	5	5	10	8	9	19	12	8	2	16	ALTON.
20	29	37	43	106	9	8	6	14	15	4	26	18	14	5	22	HARTLEY WINTNEY.
20	26	27	38	95	3	9	4	13	7	1	23	19	5	4	16	BASINGSTOKE.
4	8	7	12	26	2	2	1	3	3	–	5	8	2	–	10	WHITCHURCH.
12	21	16	29	71	1	5	1	6	2	2	18	17	7	4	16	ANDOVER.
16	13	9	13	40	1	3	7	10	8	4	7	11	8	4	11	KINGSCLERE.
																5.—BERKSHIRE.
29	38	27	49	117	8	13	5	18	13	11	25	31	12	7	29	NEWBURY.
21	31	19	45	101	8	1	6	7	14	9	22	28	15	8	27	HUNGERFORD.
17	19	25	24	70	2	10	3	13	5	8	19	19	10	7	15	FARINGDON.
25	31	26	44	104	3	14	5	19	8	13	20	25	12	5	27	ABINGDON.
13	13	27	46	87	4	5	3	8	7	6	19	21	14	8	19	WANTAGE.
18	25	23	11	64	4	5	4	9	8	4	16	13	7	4	12	WALLINGFORD.
17	11	33	26	74	3	6	4	10	7	6	18	13	1	1	12	BRADFIELD.
93	94	99	123	325	20	37	27	64	47	21	66	28	26	6	42	READING.
22	27	24	22	84	1	6	4	10	5	4	12	6	6	2	8	WOKINGHAM.
25	33	28	34	100	7	10	3	13	10	7	24	14	5	2	15	COOKHAM.
6	12	12	12	36	–	5	1	6	1	4	3	4	3	2	3	EASTHAMPSTEAD.
39	50	48	59	166	7	15	8	23	15	15	33	11	13	5	14	WINDSOR.

III.—SOUTH MIDLAND COUNTIES.—

No.	Districts.	Area in Statute Acres.	Population, 1881.	Total Marriages.	Marriages: According to the Rites of the Established Church: Special License.	License.	Banns.	Superintendent Registrar's Certificate.	Not stated.	Total.	Marriages: Not according to the Rites of the Established Church: Total.	In Registered Buildings: Roman Catholics.	Other Christian Denominations.	District Register Office.	Quakers.	Jews.
	6.-MIDDLSX. (*Ex.-met.*)															
124	Staines	24,332	23,774	126	-	12	102	-	1	115	11	1	3	7	-	-
125	Uxbridge	26,794	27,550	170	-	5	147	-	-	152	18	2	7	9	-	-
126	Brentford	21,027	101,706	662	-	49	474	-	-	523	139	32	42	65	-	-
127	Hendon	33,568	54,432	368	-	33	303	-	4	340	28	1	15	12	-	-
128	Barnet	25,720	34,098	181	-	15	106	-	1	122	59	1	17	41	-	-
129	Edmonton	47,314	139,204	799	-	66	601	-	-	667	132	3	92	33	1	-
	7.—HERTFORDSH.															
130	Ware	36,254	18,625	85	-	4	77	-	-	81	4	1	3	-	-	-
131	Bishop Stortford	54,471	21,801	106	-	2	91	-	1	94	12	-	9	3	-	-
132	*Royston { Buntingford / Royston	38,472 / 61,186	6,932 / 18,623	127	-	6	92	-	1	99	28	-	14	14	-	-
133	Hitchin	66,600	27,417	157	-	2	133	-	1	136	21	-	17	4	-	-
134	Hertford	35,282	16,754	79	-	3	63	1	-	67	12	1	5	6	-	-
135	†Hatfield { Hatfield / Welwyn	23,487 / 6,581	6,702 / 2,300	30	-	2	24	-	1	27	3	-	-	3	-	-
136	St. Albans	41,399	23,296	164	-	11	127	2	-	140	24	1	14	9	-	-
137	Watford	34,952	31,328	174	-	4	123	-	-	127	47	-	30	17	-	-
138	Hemel Hempstead	25,695	14,606	83	-	1	58	-	-	59	24	-	23	1	-	-
139	Berkhampstead	25,244	15,091	91	-	1	64	-	2	67	24	-	22	2	-	-
	8.-BUCKINGHMSH.															
140	Amersham	47,574	18,319	94	1	1	60	-	-	62	32	-	32	-	-	-
141	Eton	42,597	27,721	168	2	7	132	-	-	141	27	-	11	16	-	-
142	Wycombe	83,035	40,278	293	-	10	176	2	2	190	103	1	45	57	-	-
143	Aylesbury	73,617	24,607	169	-	9	123	-	6	138	31	-	14	17	-	-
144	Winslow	34,525	7,943	40	-	2	35	-	-	37	3	-	3	-	-	-
145	Newport Pagnell	74,807	24,583	179	-	7	151	-	-	158	21	-	12	9	-	-
146	Buckingham	54,021	12,418	91	-	2	79	-	-	81	10	-	8	2	-	-
	9.—OXFORDSHIRE.															
147	Henley	61,113	19,992	119	-	4	106	-	2	112	7	-	5	2	-	-
148	Thame	55,919	13,862	68	-	3	53	-	1	57	11	-	5	6	-	-
149	Headington	29,085	28,723	182	-	23	156	-	3	162	20	3	4	13	-	-
150	Oxford	1,506	21,902	165	-	24	107	1	-	132	33	-	13	20	-	-
151	Bicester	65,549	14,157	82	-	2	71	-	2	75	7	-	6	1	-	-
152	Woodstock	47,921	13,320	88	-	7	71	-	-	78	10	-	6	4	-	-
153	Witney	78,040	21,536	128	-	2	104	-	1	107	21	-	13	8	-	-
154	Chipping Norton	72,579	17,958	95	-	7	62	-	-	69	26	1	11	14	-	-
155	Banbury	78,015	30,120	179	-	8	119	2	-	129	50	4	44	2	-	-
	10.-N.HAMPTNSH.															
156	Brackley	59,599	12,340	73	-	4	62	-	1	67	6	-	5	1	-	-
157	Towcester	42,216	12,554	73	-	4	58	-	1	63	10	-	9	1	-	-
158	Pottersbury	22,551	12,231	62	-	4	51	1	-	56	6	1	1	4	-	-
159	Hardingstone	32,408	10,486	96	-	3	73	-	2	78	18	-	4	14	-	-
160	Northampton	20,275	64,244	560	-	18	277	11	-	306	254	8	123	123	-	-
161	Daventry	63,301	18,514	118	-	8	77	1	-	86	32	-	16	16	-	-
162	Brixworth	60,376	13,336	82	1	5	61	-	-	67	15	-	3	12	-	-
163	Wellingborough	55,505	36,942	298	-	7	198	-	-	205	93	-	54	39	-	-
164	Ketteering	55,266	25,653	174	-	2	113	3	-	118	56	-	35	21	-	-
165	Thrapston	51,188	15,115	75	-	2	63	-	1	66	9	-	9	-	-	-
166	Oundle	69,783	14,086	75	-	1	64	-	2	67	8	-	6	2	-	-
167	Peterborough	100,514	41,504	320	-	24	197	-	-	221	99	-	69	30	-	-
	11.-HUNTINGDNSH.															
168	Huntingdon	76,446	19,561	114	-	8	88	-	-	96	18	1	8	9	-	-
169	St. Ives	62,930	16,755	98	-	1	59	-	12	72	26	-	10	16	-	-
170	St. Neots	65,097	16,907	120	-	5	104	-	-	109	11	-	5	6	-	-
	12.—BEDFORDSH.															
171	Bedford	97,406	42,932	293	-	10	217	2	1	230	63	-	34	29	-	-
172	Biggleswade	58,041	27,378	197	-	4	155	-	1	160	37	-	21	16	-	-
173	Ampthill	41,551	16,253	83	-	2	80	-	-	82	4	-	3	1	-	-
174	Woburn	29,603	9,880	68	-	2	60	-	-	62	6	-	6	-	-	-
175	Leighton Buzzard	39,483	18,316	109	-	4	81	1	-	86	23	-	11	12	-	-
176	Luton	41,016	39,500	349	-	13	231	18	-	262	78	-	55	23	-	-
	13.-CAMBRIDGSH.															
177	Caxton	49,897	10,357	53	-	1	40	-	1	42	11	-	8	3	-	-
178	Chesterton	76,728	29,049	160	-	10	103	-	1	114	46	-	9	37	-	-
179	Cambridge	3,278	35,363	229	-	21	146	-	-	167	62	1	19	42	-	-
180	Linton	48,971	13,015	60	-	-	52	-	-	52	8	-	5	3	-	-
181	Newmarket	97,373	28,247	189	-	10	135	-	1	146	43	1	21	21	-	-
182	Ely	81,007	20,702	101	-	4	75	-	-	79	22	-	14	8	-	-
183	North Witchford	59,823	15,464	95	-	6	71	-	-	77	18	-	17	1	-	-
184	Whittlesey	25,131	6,455	33	-	-	30	-	-	30	3	-	3	-	-	-
185	Wisbech	131,585	32,462	213	-	8	145	-	2	155	58	-	53	5	-	-

* 132.—The District of Royston comprises the two Poor Law Unions of Buntingford and Royston.
† 135.—The District of Hatfield comprises the two Poor Law Unions of Hatfield and Welwyn.

MARRIAGES in the Year 1882—in Districts.

MARRIAGES. Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of Full Age.		Signed the Marriage Register with Marks.		Cases in which		DISTRICTS.
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both signed.	One signed.	
																6.—MIDDLSX. (*Ex.-met.*)
20	32	38	36	108	2	8	8	16	10	3	28	22	7	5	19	STAINES.
19	48	48	55	143	14	9	4	13	18	8	35	32	31	15	33	UXBRIDGE.
104	191	185	132	513	37	60	22	82	59	88	107	73	67	19	82	BRENTFORD.
69	114	97	88	309	19	25	15	40	34	18	58	31	19	8	34	HENDON.
30	52	57	42	153	1	19	8	27	9	14	34	11	8	–	19	BARNET.
124	214	245	216	672	23	75	29	104	52	41	140	66	50	22	72	EDMONTON.
																7.—HERTFORDSH.
12	19	26	23	71	3	7	4	11	7	7	19	17	8	5	15	WARE.
18	23	26	39	90	3	9	4	13	7	9	22	17	9	5	16	BISHOP STORTFORD.
24	33	27	43	104	6	11	6	17	12	9	25	23	10	8	17	ROYSTON { BUNTINGFORD. ROYSTON.
23	46	38	50	123	3	14	12	26	15	11	29	37	39	23	30	HITCHIN.
14	18	23	24	68	2	6	3	9	5	8	22	10	8	2	14	HERTFORD.
5	9	8	8	26	3	1	–	1	3	2	3	3	6	1	7	HATFIELD { HATFIELD. WELWYN.
31	42	43	48	141	4	13	6	19	10	16	32	33	31	17	30	ST. ALBANS.
33	44	45	52	157	5	6	6	12	11	11	22	19	20	9	21	WATFORD.
15	21	20	27	73	2	5	3	8	5	11	15	24	21	13	22	HEMEL HEMPSTEAD.
16	21	24	30	77	1	8	5	13	6	13	25	18	15	7	19	BERKHAMPSTEAD.
																8.—BUCKINGHMSH.
24	18	21	31	82	4	5	3	8	7	15	28	21	21	11	20	AMERSHAM.
26	59	42	41	141	10	13	4	17	14	13	30	21	6	3	21	ETON.
52	85	77	79	245	6	29	13	42	19	41	78	58	64	24	74	WYCOMBE.
29	48	36	56	145	6	11	7	18	13	23	43	25	19	8	28	AYLESBURY.
7	10	10	13	35	–	5	–	5	–	7	10	9	8	4	9	WINSLOW.
27	65	29	58	150	5	15	9	24	14	20	57	30	35	16	33	NEWPORT PAGNELL.
18	24	19	30	71	3	9	8	17	11	8	13	13	14	4	19	BUCKINGHAM.
																9.—OXFORDSHIRE.
22	34	25	38	104	3	8	4	12	7	7	19	14	6	3	14	HENLEY.
6	20	15	27	56	2	4	6	10	8	6	12	14	9	6	11	THAME.
34	42	64	42	147	10	15	10	25	20	10	33	19	9	5	18	HEADINGTON.
37	42	40	46	141	5	9	10	19	15	13	23	9	15	2	20	OXFORD.
18	29	13	22	78	1	–	3	3	4	5	21	9	6	4	7	BICESTER.
22	16	20	30	74	–	6	8	14	8	8	17	13	16	5	19	WOODSTOCK.
25	34	38	31	111	4	8	5	13	9	7	24	23	21	6	32	WITNEY.
14	22	30	29	82	2	6	5	11	7	3	15	12	7	2	15	CHIPPING NORTON.
33	54	30	62	150	6	15	8	23	14	11	23	21	12	7	19	BANBURY.
																10.—N.HAMPTONSH.
10	14	19	30	60	1	8	4	12	5	9	20	11	5	3	10	BRACKLEY.
11	20	14	28	66	1	5	1	6	2	7	19	9	12	5	11	TOWCESTER.
10	15	12	25	53	–	5	4	9	4	11	18	9	9	4	10	POTTERSPURY.
13	22	30	31	84	3	6	3	9	6	14	24	12	12	4	16	HARDINGSTONE.
100	144	153	163	460	27	41	32	73	59	89	164	63	88	33	85	NORTHAMPTON.
20	28	24	46	91	2	16	9	25	11	7	18	19	19	7	24	DAVENTRY.
14	19	17	32	64	3	9	6	15	9	7	16	18	6	3	18	BRIXWORTH.
38	75	63	122	265	6	12	15	27	21	55	107	54	54	26	56	WELLINGBOROUGH.
27	42	43	62	148	6	15	5	20	11	28	54	23	23	8	30	KETTERING.
10	17	20	28	56	4	9	6	15	10	8	12	16	14	8	14	THRAPSTON.
11	14	18	32	66	–	5	4	9	4	4	16	20	10	7	16	OUNDLE.
47	77	73	123	261	11	31	17	48	28	16	51	32	43	12	51	PETERBOROUGH.
																11.—HUNTINGDNSH.
18	19	26	51	80	7	11	7	18	14	7	16	24	20	12	20	HUNTINGDON.
14	23	30	31	81	3	7	7	14	10	5	24	19	10	6	17	ST. IVES.
21	24	27	48	100	4	9	7	16	11	13	34	29	22	12	27	ST. NEOTS.
																12.—BEDFORDSH.
49	81	71	92	252	7	21	13	34	20	21	37	35	32	11	45	BEDFORD.
38	50	41	68	163	7	16	11	27	18	23	49	59	54	35	43	BIGGLESWADE.
9	21	23	33	78	–	6	2	8	2	11	27	25	27	14	24	AMPTHILL.
9	17	24	18	58	–	5	5	10	5	10	11	17	18	11	13	WOBURN.
18	28	29	34	94	–	9	6	15	6	21	28	26	33	17	25	LEIGHTON BUZZARD.
65	102	71	102	291	9	26	14	40	23	73	100	67	102	39	91	LUTON.
																13.—CAMBRIDGESH.
11	12	11	19	45	2	4	2	6	4	3	12	18	8	7	12	CAXTON.
20	40	37	63	141	5	8	6	14	11	10	37	31	14	7	31	CHESTERTON.
40	53	66	70	194	10	17	8	25	18	20	44	22	20	4	34	CAMBRIDGE.
10	10	19	21	54	1	5	–	5	1	5	14	14	10	2	20	LINTON.
39	39	31	80	157	9	11	12	23	21	13	41	41	32	14	45	NEWMARKET.
12	28	23	38	86	3	9	3	12	6	7	17	26	21	11	25	ELY.
17	17	29	32	76	3	8	8	16	11	16	25	25	21	10	26	NORTH WITCHFORD.
7	9	3	14	24	3	5	1	6	4	4	8	6	6	–	12	WHITTLESEY.
33	50	37	93	181	7	16	9	25	16	15	56	40	26	18	40	WISBECH.

IV.—EASTERN COUNTIES.—

No.	DISTRICTS.	Area in Statute Acres.	Population, 1881.	Total Marriages.	Marriages: According to the Rites of the Established Church: Special License.	License.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	Marriages: Not according to the Rites of the Established Church: TOTAL.	In Registered Buildings: Roman Catholics.	Other Christian Denominations.	District Register Office.	Quakers.	Jews.
	14.—ESSEX.															
186	West Ham	13,827	200,958	1335	-	94	1126	2	-	1222	163	37	80	42	2	2
187	Epping	48,093	21,754	124	-	7	112	-	-	119	15	-	13	2	-	-
188	Ongar	47,290	10,671	50	-	2	48	-	-	50	-	-	-	-	-	-
189	Romford	47,663	37,050	207	-	7	178	-	-	185	22	10	5	7	-	-
190	Orsett	41,167	16,480	114	-	2	95	-	-	97	17	-	14	3	-	-
191	Billericay	49,997	18,331	79	-	3	67	-	-	70	9	3	6	-	-	-
192	Chelmsford	85,627	32,971	190	-	10	127	-	-	137	53	1	20	32	-	-
193	Rochford	63,132	24,406	171	-	12	128	-	-	140	31	2	10	19	-	-
194	Maldon	89,293	23,812	120	-	3	75	-	-	78	42	-	23	19	-	-
195	Tendring	84,490	33,475	198	-	10	109	-	1	120	78	-	49	29	-	-
196	Colchester	11,324	28,374	240	-	10	122	12	-	144	96	4	29	62	1	-
197	Lexden	71,204	21,775	125	-	5	88	4	2	99	26	-	11	15	-	-
198	Halstead	39,239	17,005	121	-	4	97	-	3	104	17	-	13	4	-	-
199	Braintree	68,293	28,628	171	-	7	109	-	2	118	53	-	37	16	-	-
200	Dunmow	73,405	17,990	97	-	2	75	-	-	77	20	-	17	3	-	-
201	Saffron Walden	64,506	18,588	104	-	2	92	1	-	95	9	-	4	5	-	-
	15.—SUFFOLK.															
202	Risbridge	53,976	17,234	125	-	3	94	-	1	98	27	-	20	7	-	-
203	Sudbury	79,588	30,155	187	-	4	148	-	3	155	32	-	8	24	-	-
204	Cosford	52,696	15,520	110	-	3	87	-	4	94	16	-	10	6	-	-
205	Thingoe	82,464	16,386	168	-	4	100	-	-	104	4	-	-	4	-	-
206	Bury St. Edmunds	2,938	16,111	109	-	6	61	-	-	67	42	3	13	26	-	-
207	Mildenhall	61,244	8,957	50	-	-	48	-	-	48	2	-	2	-	-	-
208	Stow	55,242	20,195	137	-	3	102	-	3	108	29	1	15	13	-	-
209	Hartismere	54,188	15,791	90	-	4	74	-	-	78	12	-	11	1	-	-
210	Hoxne	52,764	12,601	75	-	2	66	-	-	68	7	-	5	2	-	-
211	Bosmere	57,899	15,402	110	-	2	99	-	-	101	9	-	5	4	-	-
212	Samford	48,549	11,598	67	-	1	61	-	-	62	5	-	2	3	-	-
213	Ipswich	8,395	50,220	447	-	26	194	3	-	223	224	8	67	149	-	-
214	Woodbridge	77,252	22,745	136	-	7	107	-	4	118	18	-	2	16	-	-
215	Plomesgate	75,923	20,479	117	-	7	95	-	1	103	14	-	5	9	-	-
216	Blything	92,097	25,817	164	-	6	113	-	-	119	45	-	43	2	-	-
217	Wangford	35,079	14,456	83	-	2	66	-	1	69	19	1	15	3	-	-
218	Mutford	35,490	39,478	313	-	24	239	-	2	265	48	-	43	5	-	-
	16.—NORFOLK.															
219	Yarmouth	1,510	37,151	366	-	23	276	1	-	300	66	5	31	30	-	-
220	Flegg	29,087	9,714	63	-	1	55	-	-	56	7	-	1	6	-	-
221	Smallburgh	62,607	14,348	81	-	4	66	-	1	71	10	-	9	1	-	-
222	Erpingham	69,178	20,239	121	-	6	65	-	-	71	50	-	38	12	-	-
223	Aylsham	68,123	18,057	105	-	6	89	-	-	95	10	-	2	8	-	-
224	St. Faiths	48,304	11,418	81	-	3	76	-	1	80	1	-	-	1	-	-
225	Norwich	7,472	87,842	780	-	44	441	8	-	493	287	9	62	216	-	-
226	Forehoe	37,824	11,971	57	-	2	48	-	-	50	7	-	7	-	-	-
227	Henstead	43,258	10,693	62	-	3	58	-	-	61	1	-	1	-	-	-
228	Blofield	44,178	11,618	70	-	6	63	-	-	69	1	-	-	1	-	-
229	Loddon	59,401	13,702	95	-	3	83	-	3	89	6	-	2	4	-	-
230	Depwade	72,681	23,582	122	-	9	96	-	4	109	23	-	20	3	-	-
231	Guiltcross	44,585	10,503	64	-	-	57	-	-	57	7	-	5	2	-	-
232	Watland	51,063	10,716	73	-	6	57	-	-	63	10	-	10	-	-	-
233	Mitford	105,233	27,367	167	-	5	121	-	-	126	41	-	18	23	-	-
234	Walsingham	90,677	19,943	123	1	7	83	-	6	97	26	-	15	11	-	-
235	Docking	101,136	17,510	118	-	3	95	-	1	100	18	-	17	1	-	-
236	Freebridge Lynn	78,492	12,235	83	1	2	71	-	3	77	6	-	-	6	-	-
237	Kings Lynn	6,005	19,206	167	-	6	120	-	-	124	41	2	23	16	-	-
238	Downham	83,687	19,404	127	-	6	99	-	-	105	22	-	14	8	-	-
239	Swaffham	81,200	12,359	79	-	6	61	-	1	68	11	1	6	4	-	-
240	Thetford	120,733	17,630	94	-	1	68	-	-	69	25	1	7	17	-	-

V.—SOUTH WESTERN COUNTIES.—

	17.—WILTSHIRE.															
241	Highworth	50,986	35,755	258	-	5	130	-	-	135	123	2	56	65	-	-
242	Cricklade	44,725	11,468	56	-	1	49	-	4	45	11	-	5	6	-	-
243	Malmesbury	58,045	13,949	88	-	4	59	-	-	63	25	-	18	7	-	-
244	Chippenham	58,405	21,211	135	1	6	84	-	1	92	43	-	43	-	-	-
245	Calne	28,610	8,620	60	-	1	38	-	1	40	20	-	17	3	-	-
246	Marlborough	41,212	9,753	62	-	3	51	-	-	54	8	-	7	1	-	-
247	Devizes	63,491	20,530	117	-	9	79	-	-	88	29	1	15	13	-	-
248	Melksham	17,768	18,077	106	-	6	38	-	-	44	62	-	61	1	-	-
249	Bradford-on-Avon	18,800	10,850	75	-	2	58	1	-	61	14	-	11	3	-	-
250	Westbury	31,070	10,650	54	-	2	33	-	-	35	19	-	15	4	-	-
251	Warminster	56,356	13,840	80	-	2	58	-	-	60	20	-	14	6	-	-
252	Pewsey	76,490	12,403	56	-	3	50	-	-	53	3	-	3	-	-	-

MARRIAGES in the Year 1882—in Districts.

Marriages. Registered in the Quarter ending the last day of: March.	June.	September.	December.	Contracted between: Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Of: Widowers.	Widows.	Of Persons not of Full Age: Men.	Women.	Signed the Marriage Register with Marks: Men.	Women.	Cases in which: Both signed.	One signed.	Districts.
																14.—ESSEX.
251	332	374	428	1138	59	115	73	188	132	94	300	96	103	32	135	West Ham.
28	46	25	35	115	7	9	3	12	10	6	23	20	13	9	15	Epping.
9	11	11	19	44	3	1	2	3	5	5	14	13	2	1	13	Ongar.
31	50	56	70	191	3	9	4	13	7	25	65	50	43	20	53	Romford.
15	21	33	45	97	8	4	5	9	13	8	34	32	18	11	28	Orsett.
7	16	23	33	68	7	2	2	4	9	7	20	17	8	3	19	Billericay.
31	33	49	77	161	5	14	10	24	15	9	33	24	10	4	26	Chelmsford.
29	38	40	64	140	8	6	17	23	25	6	41	26	12	7	24	Rochford.
14	29	36	41	99	3	8	10	18	13	6	23	23	13	6	24	Maldon.
48	42	35	73	157	13	9	19	28	32	13	54	43	17	7	46	Tendring.
49	53	72	66	202	14	15	9	24	23	13	58	14	28	6	30	Colchester.
26	28	28	43	107	7	6	5	11	12	9	25	18	18	10	16	Lexden.
12	35	37	37	102	1	12	6	18	7	20	28	36	27	13	37	Halstead.
29	38	42	62	141	6	13	11	24	17	19	23	32	26	12	34	Braintree.
12	19	34	32	79	5	5	8	13	13	9	20	19	8	3	21	Dunmow.
15	21	23	45	88	5	8	3	11	8	13	27	26	12	7	24	Saffron Walden.
																15.—SUFFOLK.
15	20	31	59	102	3	11	9	20	12	22	34	60	46	32	42	Risbridge.
25	47	45	70	160	5	13	9	22	14	21	42	63	47	26	58	Sudbury.
18	18	10	64	93	4	7	6	13	10	9	36	23	17	8	24	Cosford.
25	17	20	46	94	2	10	2	12	4	7	18	33	10	10	23	Thingoe.
17	29	24	39	84	12	7	6	13	18	10	15	10	14	4	16	Bury St. Edmunds.
7	11	8	24	39	2	6	3	9	5	5	11	18	10	6	16	Mildenhall.
23	27	22	65	117	4	9	7	16	11	15	38	32	18	10	30	Stow.
18	15	13	44	75	4	8	3	11	7	6	19	27	8	5	25	Hartismere.
11	16	13	35	66	1	3	5	8	6	9	16	23	10	5	23	Hoxne.
15	25	13	57	98	4	5	3	8	7	12	25	23	7	2	26	Bosmere.
8	16	12	31	58	3	2	4	6	7	4	16	17	5	3	16	Samford.
105	109	107	126	371	13	38	25	63	38	34	94	31	37	5	58	Ipswich.
21	19	35	61	116	5	15	–	15	5	11	27	32	10	6	30	Woodbridge.
24	28	21	44	95	3	15	4	19	7	10	27	22	8	4	22	Plomesgate.
33	21	22	88	139	5	10	10	20	15	11	39	30	21	11	29	Blything.
17	20	15	56	78	1	4	5	9	6	7	18	16	12	8	12	Wangford.
84	66	65	98	268	10	23	12	35	22	29	93	58	34	8	76	Mutford.
																16.—NORFOLK.
59	86	76	145	299	22	27	18	45	40	53	113	54	63	16	85	Yarmouth.
10	14	10	29	53	2	6	2	8	4	5	16	22	11	8	17	Flegg.
17	16	15	33	70	2	7	2	9	4	5	20	26	11	6	25	Smallburgh.
26	24	26	45	105	–	8	8	16	8	11	25	25	19	8	28	Erpingham.
17	18	18	52	87	6	9	3	12	9	13	29	37	20	11	35	Aylsham.
9	24	12	36	67	2	7	5	12	7	8	26	22	11	4	25	St. Faiths.
146	182	192	260	638	38	67	37	104	75	109	196	95	119	47	120	Norwich.
7	14	11	25	47	–	6	4	10	4	4	16	15	8	5	13	Forehoe.
11	21	11	19	52	1	6	3	9	4	7	9	14	8	2	18	Henstead.
8	17	18	27	63	2	4	1	5	3	2	18	17	9	4	18	Blofield.
20	18	17	40	76	6	8	5	13	11	6	15	16	8	6	12	Loddon.
17	35	26	54	110	5	10	7	17	12	11	30	32	15	7	33	Depwade.
14	7	15	28	55	2	4	3	7	5	4	18	17	12	5	19	Guiltcross.
15	18	9	31	54	1	11	7	18	8	4	13	21	11	6	20	Wayland.
26	36	37	68	141	6	12	8	20	14	9	44	39	16	7	41	Mitford.
24	29	30	40	102	2	9	10	19	12	11	29	27	19	9	28	Walsingham.
15	14	20	69	96	4	12	6	18	10	6	21	37	14	9	33	Docking.
13	16	16	38	72	1	9	1	10	2	6	18	26	17	10	23	Freebridge Lynn.
35	43	43	46	149	2	8	8	16	10	12	29	19	13	5	22	Kings Lynn.
19	24	29	55	110	3	7	7	14	10	11	31	32	24	11	34	Downham.
11	14	15	39	59	4	12	4	16	8	4	11	22	11	8	17	Swaffham.
15	23	19	37	82	2	8	2	10	4	10	27	21	15	7	22	Thetford.

MARRIAGES in the Year 1882—in Districts.

																17.—WILTSHIRE.
54	55	63	83	210	11	21	16	37	27	20	60	23	16	5	29	Highworth.
15	16	10	15	47	1	3	5	8	6	6	12	10	8	2	14	Cricklade.
18	16	24	30	75	2	8	3	11	5	9	17	15	7	2	18	Malmesbury.
17	41	33	44	116	4	9	6	15	10	12	20	17	8	5	15	Chippenham.
13	18	14	15	48	5	3	4	7	9	3	10	5	10	2	11	Calne.
9	13	16	24	55	1	2	4	6	5	4	12	9	10	3	13	Marlborough.
15	31	30	41	97	2	9	9	18	11	10	19	18	11	4	21	Devizes.
15	28	27	36	84	3	9	10	19	13	7	20	9	16	4	17	Melksham.
15	19	16	25	61	2	8	4	12	6	11	14	8	10	3	12	Bradford-on-Avon.
11	12	15	16	46	–	4	4	8	4	5	13	9	5	4	6	Westbury.
19	14	26	21	62	4	6	8	14	12	3	9	11	6	1	15	Warminster.
11	19	7	19	49	3	2	2	4	5		14	8	6	3	8	Pewsey.

V.—SOUTH WESTERN COUNTIES.—

No.	DISTRICTS.	Area in Statute Acres.	Population, 1881.	TOTAL MARRIAGES.	MARRIAGES. According to the Rites of the Established Church. Special License.	License.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	Not according to the Rites of the Established Church. TOTAL.	In Registered Buildings. Roman Catholics.	Other Christian Denominations.	District Register Office.	Quakers.	Jews.
	17. WILTSHIRE—*cont.*															
253	AMESBURY	63,650	7,623	51	-	4	37	-	-	41	10	-	1	9	-	-
254	*ALDERBURY { ALDERBURY	55,397	18,241	195	-	15	115	1	2	133	62	1	30	31	-	-
	*ALDERBURY { SALISBURY	480	8,884													
255	WILTON	55,795	10,250	76	-	2	64	-	-	66	10	-	5	5	-	-
256	TISBURY	40,494	9,306	48	-	1	35	-	3	39	9	5	4	-	-	-
257	MERE	32,904	7,349	49	-	-	37	-	3	40	9	1	5	3	-	-
	18.-DORSETSHIRE.															
258	SHAFTESBURY	36,493	12,662	79	-	3	57	-	1	61	18	-	17	1	-	-
259	STURMINSTER	37,934	10,050	56	-	4	41	-	-	45	11	1	7	3	-	-
260	BLANDFORD	56,243	13,785	89	-	8	66	-	1	75	14	-	13	1	-	-
261	WIMBORNE	81,163	16,291	120	-	6	94	-	-	100	20	1	10	9	-	-
262	POOLE	24,552	18,702	147	-	11	94	1	-	106	41	3	15	23	-	-
263	WAREHAM	96,209	16,946	98	-	4	78	-	1	83	15	1	7	7	-	-
264	WEYMOUTH	34,794	32,022	212	-	15	112	8	1	136	76	7	31	38	-	-
265	†DORCHESTER { DORCHESTER	70,354	18,394	148	-	15	111	-	2	128	20	-	12	8	-	-
	†DORCHESTER { CERNE	45,771	6,496													
266	SHERBORNE	40,018	12,695	91	-	8	62	-	-	70	21	-	18	3	-	-
267	BEAMINSTER	53,764	11,468	71	-	5	60	-	-	65	6	-	5	1	-	-
268	BRIDPORT	33,187	14,811	94	-	6	63	1	-	70	24	2	16	6	-	-
	19.—DEVONSHIRE.															
269	AXMINSTER	61,159	18,769	116	-	10	79	-	2	91	25	2	13	10	-	-
270	HONITON	80,887	21,080	107	-	12	79	-	-	91	16	-	11	5	-	-
271	ST. THOMAS	129,983	48,241	296	-	38	194	1	1	234	62	-	12	50	-	-
272	EXETER	1,863	37,669	360	-	34	144	3	3	184	176	-	37	139	-	-
273	NEWTON ABBOT	117,524	74,993	544	-	54	247	-	6	307	237	7	98	132	-	-
274	TOTNES	97,914	36,574	242	-	28	132	1	4	165	77	1	55	21	-	-
275	KINGSBRIDGE	73,455	18,844	97	-	12	54	-	2	68	29	-	9	20	-	-
276	PLYMPTON ST. MARY	74,543	24,181	101	-	15	69	2	4	90	11	-	6	5	-	-
277	PLYMOUTH	1,491	73,863	794	-	55	283	10	-	348	446	26	90	328	-	2
278	EAST STONEHOUSE	190	15,041	149	-	11	57	9	-	77	72	-	3	69	-	-
279	STOKE DAMEREL	1,760	48,939	592	-	43	155	30	1	229	363	11	53	299	-	-
280	TAVISTOCK	159,317	29,190	189	-	17	62	-	-	79	110	-	23	87	-	-
281	OKEHAMPTON	126,797	16,962	108	-	11	62	-	2	75	33	-	18	15	-	-
282	CREDITON	91,866	17,929	90	-	8	55	-	-	63	27	-	2	25	-	-
283	TIVERTON	103,053	28,512	189	-	10	109	-	-	119	70	-	33	37	-	-
284	SOUTH MOLTON	143,998	16,818	85	-	6	44	-	-	50	35	-	35	-	-	-
285	BARNSTAPLE	149,729	38,206	283	-	29	125	-	-	154	129	1	98	30	-	-
286	TORRINGTON	81,472	14,820	97	-	4	56	-	1	61	36	-	9	27	-	-
287	BIDEFORD	63,864	18,758	118	-	7	61	-	-	68	50	-	29	21	-	-
288	HOLSWORTHY	82,519	9,008	82	-	4	28	-	1	33	49	-	20	29	-	-
	20.—CORNWALL.															
289	STRATTON	54,406	7,439	48	-	4	23	-	-	27	21	-	13	8	-	-
290	CAMELFORD	51,866	7,605	41	-	8	16	-	3	27	14	-	13	1	-	-
291	LAUNCESTON	100,889	16,058	107	-	5	43	-	1	49	58	-	33	25	-	-
292	ST. GERMANS	42,728	16,730	66	-	14	37	-	-	51	15	-	8	7	-	-
293	LISKEARD	107,441	28,787	168	-	11	79	-	-	90	78	-	21	57	-	-
294	BODMIN	88,272	19,248	113	-	14	44	-	-	58	55	-	26	29	-	-
295	ST. COLUMB	78,579	16,243	104	-	16	71	-	-	87	17	-	6	11	-	-
296	ST. AUSTELL	58,266	30,186	250	-	17	68	1	-	86	144	-	45	99	-	-
297	TRURO	89,288	35,882	287	-	29	131	-	-	160	107	-	49	58	-	-
298	FALMOUTH	25,297	23,557	132	-	14	57	-	-	71	61	1	28	31	1	-
299	HELSTON	73,233	23,681	173	-	21	59	8	-	88	85	-	36	49	-	-
300	REDRUTH	40,426	46,128	415	-	17	188	-	-	205	210	1	59	150	-	-
301	PENZANCE	64,879	50,311	339	-	32	193	-	1	226	133	1	73	59	-	-
302	SCILLY ISLANDS	3,560	2,320	13	-	1	12	-	-	13	-	-	-	-	-	-
	21.—SOMERSETSH.															
303	WILLITON	109,202	18,635	93	-	7	71	-	1	79	14	-	12	2	-	-
304	DULVERTON	57,906	5,453	28	-	1	24	-	1	26	2	-	2	-	-	-
305	WELLINGTON	60,454	19,194	105	-	2	63	1	-	66	39	-	19	20	-	-
306	TAUNTON	70,452	35,982	292	-	23	185	-	1	209	83	-	22	61	-	-
307	BRIDGWATER	91,163	33,073	237	-	21	160	2	-	183	54	4	27	23	-	-
308	LANGPORT	50,391	13,574	88	-	2	71	-	1	74	14	-	11	3	-	-
309	CHARD	60,342	25,253	166	-	9	115	-	2	126	40	-	24	16	-	-
310	YEOVIL	52,151	27,706	191	-	9	94	3	-	106	88	-	63	25	-	-
311	WINCANTON	66,120	19,770	114	-	5	76	-	2	83	31	-	26	5	-	-
312	FROME	51,208	23,152	139	-	9	85	-	-	94	45	-	33	12	-	-
313	SHEPTON MALLET	50,282	15,779	86	-	7	45	-	1	53	33	-	24	9	-	-
314	WELLS	64,197	22,013	114	-	20	56	-	1	77	37	-	28	9	-	-
315	AXBRIDGE	105,679	40,841	231	-	21	128	-	-	149	82	1	67	14	-	-
316	CLUTTON	47,026	23,615	88	-	3	58	-	1	62	26	3	12	11	-	-
317	BATH	30,321	70,026	546	1	32	334	8	2	377	169	11	60	98	-	-
318	KEYNSHAM	33,415	25,781	185	-	4	175	-	-	179	9	-	7	2	-	-
319	BEDMINSTER	57,968	67,405	411	-	27	324	1	-	352	59	-	37	20	2	-

* 254.—The Registration District and Poor Law Union of Alderbury, prior to 21st May 1879, consisted of two Registration Districts, Alderbury and Salisbury.

† 265.—The District of Dorchester comprises the two Poor Law Unions of Dorchester and Cerne.

MARRIAGES in the Year 1882—in DISTRICTS—*continued.*

MARRIAGES. Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of Full Age.		Signed the Marriage Register with Marks.				DISTRICTS.
														Cases in which		
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers	Widows.	Men.	Women.	Men.	Women.	Both signed.	One signed.	
																17.—WILTSHIRE—*cont.*
10	11	16	20	40	1	8	2	10	3	4	7	8	5	2	9	AMESBURY.
31	44	41	79	164	11	15	5	20	16	8	19	12	8	1	18	ALDERBURY { ALDERBURY. SALISBURY.
15	27	14	20	62	–	8	6	14	6	2	9	5	2	1	5	WILTON.
8	15	8	17	40	1	6	1	7	2	2	5	7	3	1	8	TISBURY.
10	8	15	16	41	1	4	3	7	4	2	2	12	5	2	13	MERE.
																18.—DORSETSHIRE.
16	25	17	21	70	1	7	1	8	2	12	17	10	5	3	9	SHAFTESBURY.
10	16	18	12	46	1	5	4	9	5	4	15	14	9	5	13	STURMINSTER.
15	22	23	27	79	1	5	4	9	5	2	14	10	4	–	14	BLANDFORD.
24	37	20	39	100	2	11	7	18	9	9	25	15	8	3	17	WIMBORNE.
21	45	39	42	125	4	11	7	18	11	15	29	26	17	8	27	POOLE.
18	31	21	28	82	6	7	3	10	9	5	15	15	7	2	18	WAREHAM.
46	49	62	55	170	10	22	10	32	20	9	37	19	15	6	22	WEYMOUTH.
29	39	34	46	119	3	20	6	26	9	6	25	21	12	6	21	DORCHESTER { DORCHESTER. CERNE.
16	25	26	24	74	–	13	4	17	4	6	10	10	5	3	9	SHERBORNE.
17	24	16	14	61	1	9	–	9	1	5	4	13	9	1	20	BEAMINSTER.
17	33	26	18	82	1	6	5	11	6	5	20	14	13	6	15	BRIDPORT.
																19.—DEVONSHIRE.
19	34	29	34	102	1	9	4	13	5	10	20	16	10	5	16	AXMINSTER.
25	27	26	29	89	3	13	2	15	5	7	15	12	11	5	13	HONITON.
69	88	68	71	250	9	21	16	37	25	10	37	24	22	12	22	ST. THOMAS.
68	108	107	77	286	20	28	26	54	46	12	37	16	32	5	38	EXETER.
114	146	127	157	488	17	54	35	89	52	25	67	28	35	8	47	NEWTON ABBOT.
58	61	49	74	215	4	19	4	23	8	14	45	30	24	6	42	TOTNES.
26	26	16	29	81	1	9	6	15	7	10	9	13	7	3	14	KINGSBRIDGE.
26	25	22	28	88	2	8	3	11	5	2	13	11	6	–	17	PLYMPTON ST. MARY.
170	208	193	223	650	42	60	42	102	84	29	141	65	95	25	110	PLYMOUTH.
34	38	36	41	123	7	8	11	19	18	2	20	7	21	1	23	EAST STONEHOUSE.
137	145	136	174	487	40	35	30	65	70	11	67	47	60	12	83	STOKE DAMEREL.
54	50	39	46	164	3	13	9	22	12	6	23	28	30	10	38	TAVISTOCK.
16	35	25	32	90	6	7	5	12	11	7	14	17	24	8	25	OKEHAMPTON.
19	22	21	28	73	2	10	5	15	7	6	10	23	13	9	18	CREDITON.
38	52	53	46	152	5	17	15	32	20	9	29	31	31	11	40	TIVERTON.
27	25	12	21	73	1	9	2	11	3	6	17	10	15	4	17	SOUTH MOLTON.
66	95	51	71	239	5	24	5	39	10	14	40	23	20	7	29	BARNSTAPLE.
16	36	22	23	87	–	10	–	10	–	5	16	14	17	8	15	TORRINGTON.
37	34	14	33	101	2	9	6	15	8	12	17	22	16	6	26	BIDEFORD.
21	24	14	23	69	2	9	2	11	4	7	12	14	14	6	16	HOLSWORTHY.
																20.—CORNWALL.
13	14	9	12	44	1	2	1	3	2	4	9	6	7	1	11	STRATTON.
11	7	11	12	32	1	7	1	8	2	1	5	7	6	3	7	CAMELFORD.
25	33	18	31	94	–	7	6	13	6	5	14	14	14	3	22	LAUNCESTON.
9	16	18	23	62	1	3	–	3	1	1	9	–	6	–	6	ST. GERMANS.
43	39	35	51	149	2	14	3	17	5	10	30	27	26	8	37	LISKEARD.
23	32	22	36	90	6	14	3	17	9	5	14	15	22	8	21	BODMIN.
18	27	23	36	90	2	9	3	12	5	3	12	14	21	6	23	ST. COLUMB.
51	43	54	82	192	5	22	11	33	16	13	42	44	48	21	50	ST. AUSTELL.
56	51	67	93	226	9	25	7	32	16	24	43	38	42	17	47	TRURO.
28	33	30	41	111	7	10	4	14	11	10	16	15	15	6	18	FALMOUTH.
42	36	39	56	143	5	14	11	25	16	13	32	31	35	16	34	HELSTON.
90	103	96	126	349	12	38	16	54	28	26	72	115	141	76	104	REDRUTH.
93	68	93	105	313	8	30	8	38	16	29	82	55	64	27	65	PENZANCE.
3	6	2	2	11	–	2	–	2	–	1	3	1	1	1	–	SCILLY ISLANDS.
																21.—SOMERSETSH.
15	22	18	28	81	1	8	3	11	4	5	19	24	13	10	17	WILLITON.
5	8	6	9	22	1	2	3	5	4	–	2	3	5	1	6	DULVERTON.
19	24	26	36	80	3	17	5	22	8	4	18	17	15	8	16	WELLINGTON.
60	91	59	82	240	9	22	21	43	30	16	37	43	40	21	41	TAUNTON.
46	74	51	66	196	11	18	12	30	23	18	43	51	40	18	55	BRIDGWATER.
19	38	15	16	77	3	8	–	8	3	6	14	21	18	11	17	LANGPORT.
30	46	34	56	138	3	13	12	25	15	18	21	38	41	20	39	CHARD.
36	58	45	55	161	6	15	12	27	18	14	24	30	50	12	56	YEOVIL.
28	31	14	41	95	3	10	6	16	9	9	22	21	9	5	20	WINCANTON.
25	40	30	44	116	7	9	7	16	14	14	18	21	17	9	20	FROME.
21	21	21	23	71	4	9	2	11	6	5	12	18	12	7	16	SHEPTON MALLET.
29	31	20	34	96	2	10	6	16	8	7	17	25	16	12	17	WELLS.
48	85	48	50	193	5	21	12	33	17	18	33	43	25	16	36	AXBRIDGE.
20	23	19	26	77	1	6	4	10	5	3	21	14	6	3	14	CLUTTON.
101	159	130	156	429	25	58	34	92	59	27	77	53	47	19	62	BATH.
33	56	41	58	165	4	14	5	19	9	45	64	44	50	26	42	KEYNSHAM.
85	107	90	129	350	19	32	10	42	29	34	73	37	44	12	57	BEDMINSTER.

VI.—WEST MIDLAND COUNTIES.—

No.	DISTRICTS.	AREA in Statute Acres.	POPULATION, 1881.	TOTAL MARRIAGES.	MARRIAGES. According to the Rites of the Established Church. Special License.	License.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	Not according to the Rites of the Established Church. TOTAL.	In Registered Buildings. Roman Catholics.	Other Christian Denominations.	District Register Office.	Quakers.	Jews.
	22.-GLOUCESTRSH.															
320	BRISTOL (*part of City*) - -	755	57,479	1107	-	43	567	2	2	614	493	23	62	406	1	1
321	BARTON REGIS (*including part of Bristol City*) - -	28,162	166,136	1041	-	67	671	-	-	738	303	17	87	199	-	-
322	CHIPPING SODBURY - - -	63,054	17,523	81	-	3	72	-	-	75	6	-	4	2	-	-
323	THORNBURY - - - - -	56,332	17,088	83	-	4	72	-	2	78	5	-	5	-	-	-
324	DURSLEY - - - - - -	25,838	12,550	59	-	2	41	-	-	43	16	-	14	2	-	-
325	WESTBURY-ON-SEVERN - -	41,164	23,555	155	-	5	106	-	-	111	44	-	9	35	-	-
326	NEWENT - - - - - -	45,281	11,030	62	-	3	56	-	-	59	3	-	2	1	-	-
327	GLOUCESTER - - - - -	32,222	40,860	393	-	31	311	1	-	346	47	3	32	11	1	-
328	WHEATENHURST - - - -	23,612	7,353	31	-	1	27	-	-	28	3	-	3	-	-	-
329	STROUD - - - - - -	42,633	41,345	289	-	5	146	15	1	167	122	3	62	55	-	2
330	TETBURY - - - - - -	25,648	8,893	38	-	1	32	-	-	33	5	-	3	2	-	-
331	CIRENCESTER - - - - -	84,269	21,125	122	-	1	89	-	-	90	32	-	26	6	-	-
332	NORTHLEACH - - - - -	67,338	8,884	59	-	1	51	-	6	58	1	-	1	-	-	-
333	STOW-ON-THE-WOLD - - -	41,145	9,129	55	-	3	37	-	-	40	15	-	15	-	-	-
334	WINCHCOMB - - - - -	57,494	9,523	49	-	6	34	-	-	40	9	-	5	4	-	-
335	CHELTENHAM - - - - -	25,909	55,505	419	-	35	264	-	-	299	120	6	57	57	-	-
336	TEWKESBURY - - - - -	39,204	12,994	70	-	3	55	-	3	61	9	1	5	3	-	-
	23.-HEREFORDSH.															
337	LEDBURY - - - - - -	48,783	12,605	58	-	3	47	1	2	53	5	-	1	4	-	-
338	ROSS - - - - - - -	55,571	16,369	84	-	8	49	-	1	58	26	-	22	4	-	-
339	*HEREFORD { HEREFORD - - / DORE - -	70,074 / 74,907	34,526 / 8,568	267	-	29	148	-	3	180	87	5	23	59	-	-
340	WEOBLY - - - - - -	48,959	8,179	43	-	3	35	-	-	38	5	1	-	4	-	-
341	BROMYARD - - - - -	61,659	11,055	43	-	-	38	-	-	38	5	-	5	-	-	-
342	LEOMINSTER - - - - -	64,416	14,648	74	-	2	49	-	4	55	19	-	15	4	-	-
343	KINGTON - - - - - -	94,762	12,197	56	-	9	33	-	-	42	14	-	8	6	-	-
	24.—SHROPSHIRE.															
344	LUDLOW - - - - - -	83,250	18,589	111	-	14	69	1	1	85	26	-	21	5	-	-
345	CLUN - - - - - - -	83,196	10,167	51	-	7	29	-	1	37	14	1	13	-	-	-
346	CHURCH STRETTON - - -	46,493	5,672	34	-	2	26	-	-	28	6	-	2	4	-	-
347	CLEOBURY MORTIMER - -	54,411	8,138	41	-	6	34	-	-	40	1	-	-	1	-	-
348	BRIDGNORTH - - - - -	70,081	15,279	83	-	5	56	1	-	62	21	6	3	12	-	-
349	SHIFNAL - - - - - -	46,070	12,821	55	-	5	44	-	1	50	5	2	3	-	-	-
350	MADELEY - - - - - -	29,402	27,314	150	-	4	87	5	1	97	53	1	32	20	-	-
351	†ATCHAM { ATCHAM - - / SHREWSBURY - -	105,696 / 18,032	18,163 / 30,470	348	-	43	167	16	-	226	122	3	36	83	-	-
352	OSWESTRY - - - - -	82,028	27,073	178	-	19	74	-	-	93	85	2	37	46	-	-
353	ELLESMERE - - - - -	73,226	13,708	65	-	20	39	-	-	59	6	-	5	1	-	-
354	WEM - - - - - - -	52,450	10,565	45	-	7	26	-	2	35	10	-	8	2	-	-
355	WHITCHURCH - - - - -	40,307	11,246	90	-	8	61	1	-	70	20	-	20	-	-	-
356	MARKET DRAYTON - - -	65,296	14,849	83	1	11	53	-	4	69	14	-	14	-	-	-
357	WELLINGTON - - - - -	35,143	26,484	178	-	3	133	3	-	139	39	-	20	19	-	-
358	NEWPORT - - - - - -	48,501	15,352	84	-	9	57	1	1	68	16	3	4	9	-	-
	25.—STAFFORDSH.															
359	STAFFORD - - - - - -	57,326	30,545	236	-	30	144	-	-	174	62	8	19	35	-	-
360	STONE - - - - - -	69,781	29,134	199	-	17	147	-	-	164	35	13	21	1	-	-
361	NEWCASTLE-UNDER-LYME -	27,270	24,661	262	-	13	163	5	1	182	80	19	34	27	-	-
362	WOLSTANTON - - - -	13,937	75,465	747	-	18	532	16	-	566	181	39	124	18	-	-
363	STOKE-UPON-TRENT - - -	12,818	104,313	1100	-	38	888	8	2	936	164	44	89	31	-	-
364	LEEK - - - - - - -	70,352	31,238	218	-	21	149	8	-	178	40	5	31	4	-	-
365	CHEADLE - - - - - -	55,138	22,724	159	-	10	125	1	-	136	23	6	12	5	-	-
366	UTTOXETER - - - - -	64,491	14,973	78	-	12	44	-	-	56	22	1	13	8	-	-
367	BURTON-UPON-TRENT - -	86,505	73,878	508	-	34	358	1	1	394	114	2	42	70	-	-
368	TAMWORTH - - - - -	45,422	19,400	117	-	7	78	-	2	87	30	2	20	8	-	-
369	LICHFIELD - - - - -	77,918	39,241	236	-	20	174	1	1	196	40	8	11	21	-	-
370	CANNOCK - - - - - -	71,947	36,122	254	-	6	211	-	-	217	37	6	21	10	-	-
371	‡WOLVERHAMPTON - - { SEISDON - / WOLVERHAMPTON }	43,754 / 11,145	17,712 / 127,758	1161	-	48	906	1	-	955	206	63	78	65	-	-
372	WALSALL - - - - - -	21,502	84,107	685	-	23	526	3	-	552	133	35	45	53	-	-
373	WEST BROMWICH - - - -	19,322	126,163	1063	-	32	928	2	-	962	101	21	59	21	-	-
374	DUDLEY - - - - - -	18,040	140,224	1608	-	17	1536	-	-	1553	55	9	36	10	-	-
	26.-WORCESTRSH.															
375	STOURBRIDGE - - - - -	16,200	79,596	570	-	9	479	12	-	500	70	7	37	26	-	-
376	KIDDERMINSTER - - - -	37,550	40,942	316	-	13	219	-	-	232	84	8	38	38	-	-
377	TENBURY - - - - - -	33,941	7,588	43	-	2	41	-	-	43	-	-	-	-	-	-
378	MARTLEY - - - - - -	53,718	16,392	81	-	8	71	-	2	81	-	-	-	-	-	-
379	WORCESTER - - - - -	6,699	32,294	283	-	16	153	-	-	169	114	2	51	61	-	-
380	UPTON-ON-SEVERN - - -	33,016	23,234	104	1	10	75	-	-	86	18	4	4	10	-	-
381	EVESHAM - - - - - -	46,797	15,270	76	-	3	53	-	-	56	20	3	6	11	-	-
382	PERSHORE - - - - - -	52,269	13,560	128	-	8	114	-	1	123	5	3	1	1	-	-
383	DROITWICH - - - - - -	54,932	26,080	213	-	19	189	-	-	208	5	-	-	5	-	-
384	BROMSGROVE - - - - -	48,967	31,914	167	-	9	126	-	-	135	32	3	27	2	-	-
385	KINGS NORTON - - - -	28,465	96,141	820	-	43	697	5	-	745	75	13	30	32	-	-

* 339.—The District of Hereford comprises the two Poor Law Unions of Hereford and Dore.
† 351.—The Registration District and Poor Law Union of Atcham, prior to 1st October 1871, consisted of two Registration Districts, Atcham and Shrewsbury
‡ 371.—The District of Wolverhampton comprises the two Poor Law Unions of Seisdon and Wolverhampton.

MARRIAGES in the Year 1882—in DISTRICTS.

MARRIAGES. Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of Full Age.		Signed the Marriage Register with Marks.		Cases in which		DISTRICTS.
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both signed.	One signed.	
																22.—GLOUCESTERSH.
213	292	262	340	898	54	90	65	155	119	102	236	163	173	65	206	BRISTOL (*part of City*).
190	231	288	282	887	30	66	58	124	88	110	211	99	130	37	155	BARTON REGIS (*including part of Bristol City*).
22	24	12	23	68	4	5	4	9	8	9	19	17	9	4	18	CHIPPING SODBURY.
18	27	15	23	72	2	7	2	9	4	9	15	10	6	3	10	THORNBURY.
9	17	10	23	47	1	5	6	11	7	6	10	8	3	1	9	DURSLEY.
33	34	34	54	135	5	9	6	15	11	10	40	34	22	12	32	WESTBURY-ON-SEVERN.
17	16	13	16	50	2	3	7	10	9	2	11	18	18	8	20	NEWENT.
70	114	91	118	305	22	42	24	66	46	27	79	54	56	16	78	GLOUCESTER.
7	6	9	9	28	1	2	–	2	1	2	2	6	5	3	5	WHEATENHURST.
50	81	67	91	234	7	32	16	48	23	30	42	48	35	14	55	STROUD.
7	12	7	12	34	–	2	2	4	2	7	7	7	4	2	7	TETBURY.
19	35	33	35	104	1	11	6	17	7	10	21	15	13	5	18	CIRENCESTER.
9	13	11	26	53	1	2	3	5	4	2	11	13	3	3	10	NORTHLEACH.
14	14	5	22	43	3	5	4	9	7	4	9	10	8	5	8	STOW-ON-THE-WOLD.
13	14	9	13	37	3	7	2	9	5	–	7	13	3	3	10	WINCHCOMB.
74	115	115	115	354	8	40	17	57	25	34	74	25	17	2	38	CHELTENHAM.
15	14	18	23	57	–	4	9	13	9	3	22	16	10	7	12	TEWKESBURY.
																23.—HEREFORDSH.
10	14	10	24	48	4	4	2	6	6	1	7	14	10	4	16	LEDBURY.
19	21	21	23	72	4	5	3	8	7	3	16	15	3	1	16	ROSS.
50	85	64	68	215	10	29	13	42	23	8	27	37	24	6	49	HEREFORD { HEREFORD. DORE.
8	16	8	11	34	2	4	3	7	5	3	6	11	6	3	11	WEOBLY.
9	14	9	11	34	2	4	3	7	5	5	9	9	8	6	5	BROMYARD.
16	21	20	17	59	5	5	5	10	10	7	7	17	8	4	17	LEOMINSTER.
11	17	13	15	45	4	5	2	7	6	2	10	15	7	4	14	KINGTON.
																24.—SHROPSHIRE.
23	36	23	29	94	3	8	6	14	9	4	16	24	14	6	26	LUDLOW.
8	13	15	10	39	1	11	–	11	1	2	9	4	8	1	10	CLUN.
8	8	10	8	32	1	1	–	1	1	2	2	7	2	2	5	CHURCH STRETTON.
9	15	9	8	37	1	2	1	3	2	2	8	10	6	2	12	CLEOBURY MORTIMER.
15	26	17	25	80	1	2	–	2	1	2	23	18	9	4	19	BRIDGNORTH.
15	12	14	14	42	2	9	2	11	4	3	6	9	7	3	10	SHIFNAL.
36	39	31	44	131	6	6	7	13	13	9	23	38	32	17	36	MADELEY.
87	98	73	90	293	14	28	13	41	27	9	57	33	34	11	45	ATCHAM { ATCHAM. SHREWSBURY.
34	55	47	42	151	5	14	8	22	13	10	29	22	31	10	33	OSWESTRY.
17	20	17	11	54	3	6	2	8	5	2	10	4	6	1	8	ELLESMERE.
13	13	8	11	39	1	5	–	5	1	–	8	3	5	1	6	WEM.
26	20	20	24	75	1	11	3	14	4	9	21	17	17	5	24	WHITCHURCH.
16	26	14	27	68	2	10	3	13	5	6	10	7	10	2	13	MARKET DRAYTON.
29	46	44	59	149	9	12	8	20	17	5	29	37	50	17	53	WELLINGTON.
20	20	14	30	71	2	9	2	11	4	6	12	17	14	4	23	NEWPORT.
																25.—STAFFORDSH.
44	73	55	64	196	10	22	8	30	18	10	39	22	30	9	34	STAFFORD.
35	52	49	63	170	2	16	11	27	13	17	38	27	36	14	35	STONE.
64	66	53	79	218	10	21	13	34	23	19	63	48	53	25	51	NEWCASTLE-UNDER-LYME.
129	212	168	238	632	41	31	43	74	84	114	241	201	267	139	190	WOLSTANTON.
226	252	282	340	919	39	76	66	142	105	164	339	197	261	113	232	STOKE-UPON-TRENT.
45	52	51	70	178	7	27	6	33	13	23	44	33	39	20	32	LEEK.
31	47	31	50	138	7	7	7	14	14	23	53	26	24	7	36	CHEADLE.
23	15	14	26	61	3	9	5	14	8	8	14	11	3	–	14	UTTOXETER.
87	137	109	175	435	23	26	24	50	47	46	125	64	67	23	85	BURTON-UPON-TRENT.
15	30	25	46	108	2	6	1	7	3	7	27	18	14	1	30	TAMWORTH.
44	60	59	73	197	12	13	14	27	26	17	44	42	34	13	50	LICHFIELD.
56	75	46	77	207	13	16	18	34	31	15	77	66	61	33	61	CANNOCK.
197	321	255	388	977	53	69	62	131	115	86	307	272	319	158	275	WOLVERHAMPTON { SEISDON. WOLVERHAMPTON.
114	192	176	203	608	29	29	19	48	48	70	194	151	163	71	172	WALSALL.
184	282	256	341	914	37	57	55	112	92	74	257	190	254	123	178	WEST BROMWICH.
284	390	410	524	1425	41	53	89	142	130	215	520	648	779	503	421	DUDLEY.
																26.—WORCESTERSH.
90	156	121	203	488	22	30	30	60	52	73	158	181	229	132	146	STOURBRIDGE.
71	77	74	94	261	13	29	13	42	26	32	61	46	65	20	71	KIDDERMINSTER.
9	11	10	13	41	–	2	–	2	–	–	5	7	5	3	6	TENBURY.
13	19	24	25	66	5	6	4	10	9	6	11	9	6	3	9	MARTLEY.
52	69	78	84	241	9	22	11	33	20	20	61	26	42	12	44	WORCESTER.
16	26	23	31	88	3	8	5	13	8	9	11	15	9	2	20	UPTON-ON-SEVERN.
11	21	12	32	68	1	3	4	7	5	7	26	12	4	1	14	EVESHAM.
25	29	27	47	103	4	16	5	21	9	6	20	25	16	7	27	PERSHORE.
28	56	43	86	184	4	17	8	25	12	20	44	28	29	15	27	DROITWICH.
29	47	40	51	145	3	8	11	19	14	17	39	43	48	28	35	BROMSGROVE.
128	204	219	269	716	20	53	25	84	45	42	137	55	77	24	84	KINGS NORTON.

VI.—WEST MIDLAND COUNTIES.—

No.	Districts.	Area in Statute Acres.	Population, 1881.	Total Marriages.	Marriages. According to the Rites of the Established Church. Special License.	License.	Banns.	Superintendent Registrar's Certificate.	Not stated.	Total.	Not according to the Rites of the Established Church. Total.	In Registered Buildings. Roman Catholics.	Other Christian Denominations.	District Registrar's Office.	Quakers.	Jews.
	27.—WARWICKSH.															
386	Birmingham	2,955	246,353	2342	-	43	1752	6	-	1861	541	88	119	320	1	13
387	Aston	31,486	209,887	1485	-	46	1229	2	-	1270	215	49	57	109	-	-
388	Meriden	47,770	11,025	70	-	5	60	1	2	68	2	-	-	2	-	-
389	Atherstone	27,794	14,419	103	-	4	61	-	1	66	37	3	11	23	-	-
390	Nuneaton	20,428	13,701	110	-	5	91	-	-	96	14	1	7	6	-	-
391	Foleshill	19,405	18,497	142	-	3	108	1	-	112	30	-	11	19	-	-
392	Coventry	5,512	45,116	426	-	11	306	23	-	340	86	14	46	26	-	-
393	Rugby	80,755	27,200	187	-	9	144	-	-	153	34	3	20	11	-	-
394	Solihull	47,427	21,377	109	-	10	82	-	-	92	17	3	5	9	-	-
395	Warwick	66,741	52,874	364	-	34	232	4	4	274	90	6	76	8	-	-
396	Stratford-on-Avon	78,576	22,496	117	-	5	88	-	1	94	23	5	10	8	-	-
397	Alcester	52,430	19,430	119	-	5	94	-	-	99	20	7	12	1	-	-
398	Shipston-on-Stour	78,899	17,874	102	-	5	89	-	3	97	5	-	4	1	-	-
399	Southam	50,409	10,282	62	-	2	55	-	-	57	5	-	5	-	-	-

VII.—NORTH MIDLAND COUNTIES.—

No.	Districts.	Area in Statute Acres.	Population, 1881.	Total Marriages.	Marriages. According to the Rites of the Established Church. Special License.	License.	Banns.	Superintendent Registrar's Certificate.	Not stated.	Total.	Not according to the Rites of the Established Church. Total.	In Registered Buildings. Roman Catholics.	Other Christian Denominations.	District Registrar's Office.	Quakers.	Jews.
	28.-LEICESTERSH.															
400	Lutterworth	59,031	13,356	66	-	6	53	-	1	60	6	-	3	3	-	-
401	Market Harborough	64,094	16,196	104	-	6	66	-	1	73	31	3	10	18	-	-
402	Billesdon	50,721	10,073	56	-	1	41	-	1	43	13	-	-	13	-	-
403	Blaby	34,207	21,853	127	-	4	77	-	-	81	46	-	9	37	-	-
404	Hinckley	28,070	17,402	155	-	4	125	-	-	129	26	6	16	4	-	-
405	Market Bosworth	53,690	14,611	104	-	5	85	-	-	90	14	-	14	-	-	-
406	Ashby-de-la-Zouch	52,905	33,534	220	-	4	126	-	1	131	89	5	25	59	-	-
407	Loughborough	43,840	27,833	212	-	8	94	16	1	119	93	10	30	53	-	-
408	Barrow-upon-Soar	47,868	28,865	200	-	4	138	-	-	142	58	2	27	29	-	-
409	Leicester	3,200	122,376	1200	-	40	754	25	3	822	578	23	141	213	1	-
410	Melton Mowbray	98,077	20,492	120	-	11	88	-	1	100	20	1	12	7	-	-
	29.-RUTLANDSH.															
411	Oakham	55,020	10,978	59	-	3	46	-	-	49	10	-	4	6	-	-
412	Uppingham	52,322	12,029	75	-	5	58	-	2	65	10	-	3	7	-	-
	30.-LINCOLNSH.															
413	Stamford	52,858	18,344	94	-	11	66	2	-	79	15	1	7	7	-	-
414	Bourn	90,644	18,918	94	-	8	69	1	1	79	15	-	13	2	-	-
415	Spalding	86,471	22,961	151	-	12	110	-	-	122	29	2	26	1	-	-
416	Holbeach	107,299	19,249	119	-	6	83	1	-	90	29	-	27	2	-	-
417	Boston	127,793	39,410	269	-	19	166	-	-	185	84	1	50	33	-	-
418	Sleaford	131,777	25,720	160	-	9	112	-	-	121	39	-	12	27	-	-
419	Grantham	103,939	33,679	252	-	10	182	3	2	197	55	2	53	-	-	-
420	Lincoln	158,792	64,512	304	-	31	297	1	1	330	174	5	153	16	-	-
421	Horncastle	112,458	21,512	137	-	10	105	-	-	115	22	-	21	1	-	-
422	Spilsby	140,689	27,887	183	-	12	138	-	-	150	33	-	30	3	-	-
423	Louth	170,708	33,852	235	-	8	137	1	2	148	87	4	52	31	-	-
424	Caistor	174,152	66,899	512	-	31	337	1	1	370	142	4	136	2	-	-
425	Glanford Brigg	165,470	40,170	288	-	14	189	-	1	204	84	2	78	4	-	-
426	Gainsborough	108,668	29,948	209	-	11	128	1	5	145	64	3	45	16	-	-
	31.-NOTTINGHAM.															
427	East Retford	91,594	23,271	140	-	6	87	-	2	95	45	-	20	25	-	-
428	Worksop	79,252	28,522	178	-	6	147	-	1	154	24	1	13	10	-	-
429	Mansfield	57,094	44,958	357	1	8	271	-	1	281	76	-	45	31	-	-
430	Basford	93,176	116,940	936	-	25	559	3	3	590	346	4	140	202	-	-
431	Nottingham	5,292	159,263	2064	-	129	1468	-	1	1598	466	43	144	277	1	1
432	Southwell	115,151	20,351	142	-	6	122	-	-	128	14	-	5	9	-	-
433	Newark	94,603	30,616	213	-	15	149	-	1	165	48	-	27	21	-	-
434	Bingham	68,019	14,721	72	-	7	51	-	-	58	14	-	9	5	-	-
	32.-DERBYSHIRE.															
435	Shardlow	72,796	44,673	267	-	17	192	-	4	213	54	-	36	18	-	-
436	Derby	3,324	78,631	797	-	50	431	8	-	489	308	18	141	149	-	-
437	Belper	67,184	58,184	402	-	10	274	-	-	284	118	-	113	5	-	-
438	Ashborne	96,945	19,995	128	-	19	100	-	-	119	9	1	3	5	-	-
439	Chesterfield	83,852	98,741	682	-	23	444	56	1	524	158	26	78	52	2	-
440	Bakewell	104,377	30,522	182	-	20	105	-	-	125	57	1	43	13	-	-
441	Chapel-en-le-Frith	83,497	19,484	125	-	19	78	-	-	97	28	3	21	4	-	-
442	*Hayfield { Glossop / Hayfield	20,943 / 17,951	23,550 / 12,764	169	-	6	93	3	-	102	67	19	46	2	-	-

* 442.—The District of Hayfield comprises the two Poor Law Unions of Glossop and Hayfield

MARRIAGES in the Year 1882—in Districts—*continued.*

MARRIAGES. Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of Full Age.		Signed the Marriage Register with Marks.		Cases in which		DISTRICTS.
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both signed.	One signed.	
																27.—WARWICKSH.
415	599	592	736	1955	101	168	118	286	219	206	609	381	584	214	537	Birmingham.
258	372	370	485	1233	57	124	71	195	128	94	349	240	326	166	234	Aston.
13	28	9	20	53	2	8	2	10	4	5	7	12	8	4	12	Meriden.
24	20	25	34	90	3	8	2	10	5	11	18	13	14	3	21	Atherstone.
5	38	28	39	89	4	9	8	17	12	11	28	23	24	14	19	Nuneaton.
32	34	28	48	122	4	11	5	16	9	22	38	22	41	14	35	Foleshill.
89	109	115	113	361	16	27	22	49	38	38	98	42	81	22	82	Coventry.
37	49	50	51	160	5	12	10	22	15	12	34	10	10	2	16	Rugby.
20	24	32	33	91	2	13	3	16	5	3	23	12	4	2	12	Solihull.
74	111	72	107	305	10	33	16	49	26	22	51	25	20	8	29	Warwick.
22	30	27	38	99	2	11	5	16	7	3	15	14	5	3	13	Stratford-on-Avon.
21	26	30	42	98	3	11	7	18	10	16	33	16	21	9	19	Alcester.
17	21	27	37	89	2	4	7	11	9	6	12	16	6	3	16	Shipston-on-Stour.
9	12	13	28	54	1	3	4	7	5	4	10	13	5	2	14	Southam.

MARRIAGES in the Year 1882—in Districts.

																28.—LEICESTERSH.
10	20	13	23	56	4	3	3	6	7	3	7	8	–	–	8	Lutterworth.
23	21	23	37	93	2	4	5	9	7	10	24	13	9	3	16	Market Harborough.
11	17	12	16	45	3	7	1	8	4	2	12	10	3	1	11	Billesdon.
22	29	35	41	113	1	9	4	13	5	26	40	15	22	5	27	Blaby.
29	43	30	53	128	3	18	6	24	9	28	46	36	49	21	43	Hinckley.
21	24	16	43	92	3	5	4	9	7	7	24	18	16	7	20	Market Bosworth.
44	57	50	69	187	6	14	13	27	19	26	65	47	41	19	50	Ashby-de-la-Zouch.
41	47	56	68	171	5	24	12	36	17	24	61	29	42	11	49	Loughborough.
29	50	56	65	168	7	14	11	25	18	20	52	21	32	9	35	Barrow-upon-Soar.
173	346	347	334	1011	43	72	74	146	117	200	354	150	218	69	230	Leicester.
24	31	25	40	99	–	15	6	21	6	5	22	6	6	2	8	Melton Mowbray.
																29.—RUTLANDSH.
3	16	22	18	53	2	3	1	4	3	2	14	3	1	–	4	Oakham.
15	17	18	25	59	5	9	2	11	7	2	7	9	2	1	9	Uppingham.
																30.—LINCOLNSH.
23	34	16	21	80	3	8	3	11	6	1	14	14	7	4	13	Stamford.
16	28	25	25	84	2	5	3	8	5	11	21	14	4	1	16	Bourn.
28	52	27	44	118	4	19	10	29	14	12	29	19	19	8	22	Spalding.
17	54	16	32	106	1	8	4	12	5	8	32	23	20	6	31	Holbeach.
40	101	61	67	224	14	16	15	31	29	17	56	44	33	10	57	Boston.
27	57	39	37	136	4	13	7	20	11	8	32	26	21	7	33	Sleaford.
46	60	64	82	209	14	20	9	29	23	13	45	19	17	4	28	Grantham.
106	154	104	140	427	21	32	24	56	45	27	91	61	87	22	104	Lincoln.
20	63	24	30	116	4	10	7	17	11	5	23	21	10	4	23	Horncastle.
32	75	37	39	160	4	15	4	19	8	6	33	15	14	2	25	Spilsby.
35	100	43	57	195	7	17	16	33	23	16	47	26	21	8	31	Louth.
94	158	115	145	431	30	31	20	51	50	48	154	52	74	12	102	Caistor.
44	121	47	76	242	10	20	16	36	26	20	72	38	34	6	60	Glanford Brigg.
26	67	45	71	188	5	9	7	16	12	12	65	13	14	2	23	Gainsborough.
																31.—NOTTINGHAMS.
19	40	31	50	121	2	13	4	17	6	10	31	23	20	8	27	East Retford.
44	38	38	58	153	5	15	5	20	10	16	69	35	20	10	35	Worksop.
56	99	81	121	315	14	16	12	28	26	38	121	83	103	45	96	Mansfield.
174	253	234	275	778	42	65	51	116	93	151	321	183	210	74	245	Basford.
379	526	500	659	1694	82	170	118	288	200	276	566	213	331	83	368	Nottingham.
27	44	34	37	130	1	7	4	11	5	11	30	14	8	1	20	Southwell.
33	80	36	64	181	6	19	7	26	13	12	48	26	30	10	36	Newark.
10	26	11	25	59	2	9	2	11	4	4	9	8	11	3	13	Bingham.
																32.—DERBYSHIRE.
41	71	69	86	232	9	17	9	26	18	35	78	28	28	9	38	Shardlow.
145	216	187	249	650	38	68	41	109	79	68	208	56	98	15	124	Derby.
71	102	91	138	341	6	36	19	55	25	43	127	63	60	26	71	Belper.
34	29	35	30	109	7	8	4	12	11	9	28	15	9	3	18	Ashborne.
132	173	158	219	586	28	44	24	68	52	67	272	149	163	76	160	Chesterfield.
37	44	44	57	151	6	19	6	25	12	11	33	14	10	2	20	Bakewell.
26	35	26	38	103	3	17	2	19	5	7	16	4	7	–	11	Chapel-en-le-Frith.
41	40	43	45	137	4	17	11	28	15	15	31	15	31	9	28	Hayfield { Glossop. Hayfield.

VIII.—NORTH WESTERN COUNTIES.—

No.	Districts.	Area in Statute Acres.	Population, 1881.	Total Marriages.	Marriages. According to the Rites of the Established Church. Special License.	License.	Banns.	Superintendent Registrar's Certificate.	Not stated.	Total.	Not according to the Rites of the Established Church. Total.	In Registered Buildings. Roman Catholics.	Other Christian Denominations.	District Register Office.	Quakers.	Jews.
	33.—CHESHIRE.															
443	Stockport	28,464	117,157	1009	-	54	734	10	-	798	211	71	116	24	-	-
444	Macclesfield	85,892	62,013	498	-	50	372	16	2	440	58	20	27	7	4	-
445	Altrincham	75,416	58,399	349	-	48	183	3	-	234	115	16	66	33	-	-
446	Runcorn	47,103	34,023	207	-	21	143	-	1	165	42	7	28	7	-	-
447	Northwich	62,642	44,046	295	-	30	153	-	2	185	111	12	77	22	-	-
448	Congleton	56,167	38,010	257	-	17	137	23	-	177	80	7	57	16	-	-
449	Nantwich	113,165	61,566	443	-	30	229	5	2	266	177	9	93	70	-	-
450	*Chester { Tarvin	48,925	11,186	602	-	80	354	5	-	439	163	19	62	82	-	-
	*Chester { Chester	38,671	48,416													
	*Chester { Hawarden	32,787	15,695													
451	Wirral	45,437	27,928	104	-	25	62	-	3	90	14	2	6	6	-	-
452	Birkenhead	9,055	103,426	717	-	72	397	2	-	471	246	112	67	67	-	-
	34.—LANCASHIRE.															
453	Liverpool	2,470	210,164	3075	-	296	1918	14	-	2228	847	609	93	130	4	6
454	Toxteth Park	3,598	117,028	928	-	111	612	1	-	724	204	88	65	45	-	6
455	West Derby	37,479	359,273	2802	2	276	1716	9	3	2006	796	410	155	201	-	-
456	Prescot	55,592	117,930	849	-	35	526	9	-	570	279	185	74	20	-	-
457	Ormskirk	90,662	83,212	517	-	83	245	15	2	345	172	38	120	14	-	-
458	Wigan	48,393	139,918	1147	-	41	649	42	-	732	415	189	96	130	-	-
459	Warrington	31,168	70,218	592	-	24	425	11	-	460	132	63	46	23	-	-
460	Leigh	24,356	56,318	450	-	17	170	20	-	207	243	46	178	19	-	-
461	Bolton	46,426	192,405	1541	-	76	829	58	-	963	578	164	272	140	2	-
462	Bury	33,527	129,608	1027	-	44	406	149	-	599	428	84	265	79	-	-
463	Barton-upon-Irwell	24,555	72,815	577	-	51	381	5	-	437	140	27	92	21	-	-
464	Chorlton	11,697	258,226	2323	-	188	1447	-	10	1645	678	186	201	236	-	5
465	Salford	6,040	181,526	1552	-	76	1101	8	-	1185	367	179	119	69	-	-
466	Manchester	1,646	148,794	1559	-	77	997	32	1	1107	452	301	67	82	2	-
467	Prestwich	11,348	121,287	1139	-	48	787	14	2	851	238	61	123	64	-	40
468	Ashton-under-Lyne	38,563	154,526	1325	-	43	718	205	-	966	359	86	183	90	-	-
469	Oldham	17,104	168,461	1357	-	35	773	99	-	907	450	141	197	112	-	-
470	Rochdale	34,822	121,912	897	-	25	289	53	-	367	530	46	493	81	-	-
471	Haslingden	26,712	95,293	817	-	43	186	134	-	263	454	75	268	111	-	-
472	Burnley	63,672	118,334	1135	-	75	367	192	-	634	501	90	273	138	-	-
473	Clitheroe	119,226	23,592	190	-	38	66	6	-	110	80	24	54	2	-	-
474	Blackburn	45,855	175,954	1686	-	63	637	252	-	952	734	224	367	143	-	-
475	Chorley	54,456	47,730	370	-	30	188	26	-	244	126	79	35	12	-	-
476	Preston	67,539	129,360	1256	-	88	569	110	-	767	489	296	124	68	1	-
477	Fylde	39,032	40,910	341	-	73	155	5	-	233	108	46	38	24	-	-
478	Garstang	61,115	12,375	64	-	23	30	-	-	53	11	5	5	1	-	-
479	Lancaster	62,498	40,838	316	-	36	140	27	-	203	113	28	51	32	2	-
480	Lunesdale	75,734	7,132	37	-	12	21	-	1	34	3	-	1	2	-	-
481	Ulverston	141,124	43,681	353	-	53	182	5	1	241	112	11	35	65	1	-
482	Barrow-in-Furness	10,967	47,259	435	-	19	201	15	-	235	200	48	99	53	-	-

IX.—YORKSHIRE.—

No.	Districts.	Area in Statute Acres.	Population, 1881.	Total Marriages.	Special License.	License.	Banns.	Superintendent Registrar's Certificate.	Not stated.	Total.	Total.	Roman Catholics.	Other Christian Denominations.	District Register Office.	Quakers.	Jews.
	35.—WEST RIDING.															
483	Sedbergh	52,665	4,079	24	-	3	16	-	-	19	5	-	4	-	1	-
484	Settle	151,942	13,800	95	-	17	61	-	1	79	16	-	9	7	-	-
485	Skipton	159,191	37,120	271	-	19	135	15	1	170	101	5	43	53	-	-
486	Pateley Bridge	75,063	8,944	58	-	2	21	5	-	28	30	4	25	1	-	-
487	Ripon	73,220	16,447	122	-	16	66	5	-	87	35	8	7	20	-	-
488	Great Ouseburn	60,627	11,955	60	-	8	44	-	-	52	8	1	3	4	-	-
489	Knaresborough	41,236	22,635	150	-	22	79	3	-	104	46	7	33	6	-	-
490	Wetherby	65,940	16,194	76	-	14	37	-	3	54	22	9	6	7	-	-
491	Wharfedale	71,019	46,705	263	-	19	135	5	-	159	104	10	33	61	-	-
492	Keighley	36,769	61,121	461	-	12	185	69	-	266	195	29	99	67	-	-
493	Todmorden	35,752	35,527	177	-	10	63	8	-	84	93	10	67	16	-	-
494	Saddleworth	18,797	22,299	110	-	3	62	11	-	76	34	-	13	21	-	-
495	Huddersfield	71,586	156,513	1193	-	48	563	126	1	741	452	36	266	150	-	-
496	Halifax	56,864	170,440	1393	-	35	934	2	1	972	421	42	281	98	-	-
497	†Bradford { North Bierley	34,390	128,550	2302	-	40	1575	33	-	1648	654	133	275	236	10	-
	†Bradford { Bradford	7,220	183,032													
498	Hunslet	12,010	58,215	444	-	13	345	4	-	362	82	17	26	39	-	-
499	Holbeck	2,668	24,051	145	-	3	105	2	-	110	35	-	21	14	-	-
500	Bramley	7,597	54,400	244	-	5	160	4	1	170	74	3	39	32	-	-
501	Leeds	13,755	190,847	1962	-	91	1304	40	1	1430	526	140	135	223	-	23
502	Dewsbury	25,284	153,712	1366	-	33	826	205	-	1064	302	51	186	65	-	-
503	Wakefield	41,989	89,113	704	-	19	477	30	-	526	178	15	88	73	2	-
504	Pontefract	54,037	47,876	344	-	15	199	5	-	219	125	9	37	79	-	-
505	Hemsworth	34,831	11,106	91	-	4	66	1	-	71	20	-	2	18	-	-
506	Barnsley	34,343	78,911	543	-	20	341	4	-	365	178	20	41	117	-	-
507	‡Wortley { Penistone	35,762	16,673	331	-	18	310	1	-	329	52	-	40	12	-	-
	‡Wortley { Wortley	57,397	35,585													
508	Ecclesall Bierlow	23,135	114,418	589	-	33	480	5	-	518	71	-	52	17	2	-
509	Sheffield	10,784	183,135	2323	-	83	2016	-	1	2100	223	74	93	51	-	5
510	Rotherham	53,062	75,515	545	-	9	405	3	2	419	126	14	45	67	-	-
511	Doncaster	113,056	53,872	352	-	23	207	2	2	234	118	1	47	70	-	-
512	Thorne	71,101	16,181	97	-	8	63	-	-	71	26	2	15	9	-	-
513	Goole	43,443	19,578	131	-	14	92	-	-	106	25	6	13	6	-	-
514	Selby	56,984	15,815	98	-	14	63	-	-	77	21	5	11	5	-	-
515	Tadcaster	72,865	23,955	136	-	9	108	-	1	118	18	2	4	12	-	-

* 450.—The District of Chester comprises the three Poor Law Unions of Tarvin, Chester, and Hawarden.
† 497.—The District of Bradford comprises the two Poor Law Unions of North Bierley and Bradford.
‡ 507.—The District of Wortley comprises the two Poor Law Unions of Penistone and Wortley.

MARRIAGES in the Year 1882—in Districts.

MARRIAGES. Registered in the Quarter ending the last day of March.	June.	September.	December.	Contracted between Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Of Widowers.	Widows.	Of Persons not of Full Age. Men.	Women.	Signed the Marriage Register with Marks. Men.	Women.	Cases in which Both signed.	One signed.	DISTRICTS.
																33.—CHESHIRE.
231	287	265	226	837	33	85	54	139	87	81	162	140	298	101	236	Stockport.
125	144	103	126	404	17	52	25	77	42	66	110	51	100	23	105	Macclesfield.
90	86	73	100	305	6	28	10	38	16	21	59	27	34	11	39	Altrincham.
36	56	56	59	180	5	15	7	22	12	17	57	43	56	24	51	Runcorn.
68	71	69	88	249	13	16	18	34	31	41	92	54	74	29	70	Northwich.
61	59	62	75	222	6	17	12	29	18	23	52	54	50	22	60	Congleton.
103	103	104	133	375	17	33	18	51	35	37	116	62	77	28	83	Nantwich.
119	145	159	179	480	23	57	42	99	65	25	81	63	84	30	87	Chester { Tarvin. Chester. Hawarden.
22	20	28	34	84	6	10	4	14	10	5	17	4	9	3	7	Wirral.
149	178	197	193	588	30	65	34	99	64	27	124	70	75	22	101	Birkenhead.
																34.—LANCASHIRE.
681	846	741	807	2493	202	196	184	380	386	250	830	599	814	330	753	Liverpool.
179	268	240	241	779	42	67	40	107	82	34	178	72	130	35	132	Toxteth Park.
570	750	706	776	2286	143	247	126	373	269	106	566	213	313	80	366	West Derby.
185	222	229	213	728	30	50	41	91	71	79	263	209	250	109	241	Prescot.
130	121	129	137	425	20	41	31	72	51	28	88	57	81	29	80	Ormskirk.
256	287	269	335	987	49	54	57	111	106	153	291	273	465	168	402	Wigan.
111	150	149	182	508	22	30	32	62	54	71	172	103	191	65	164	Warrington.
107	98	116	129	373	17	40	20	60	37	39	122	94	150	53	138	Leigh.
331	414	394	402	1289	51	106	95	201	146	125	326	232	427	145	369	Bolton.
223	246	273	285	861	27	72	67	139	94	101	208	119	237	64	228	Bury.
110	152	155	160	479	16	48	34	82	50	66	127	76	122	41	116	Barton-upon-Irwell.
447	590	636	650	1896	99	203	125	328	224	174	481	143	382	81	363	Chorlton.
336	373	411	432	1278	74	111	89	200	163	163	439	220	438	138	382	Salford.
302	405	414	438	1240	80	128	111	239	191	150	414	267	552	170	479	Manchester.
212	309	339	288	946	33	93	67	160	100	93	239	125	274	85	229	Prestwich.
280	331	386	328	1097	46	116	66	182	112	123	286	135	329	75	314	Ashton-under-Lyne.
267	371	339	380	1125	49	97	86	183	135	138	331	155	402	102	353	Oldham.
187	223	266	221	747	30	79	41	120	71	66	136	69	175	41	162	Rochdale.
169	198	206	244	691	24	67	35	102	59	69	156	78	172	42	166	Haslingden.
217	304	279	335	956	26	103	50	153	76	171	318	118	260	61	256	Burnley.
40	53	50	47	154	6	17	13	30	19	22	30	15	25	4	32	Clitheroe.
291	467	509	419	1390	49	137	110	247	159	202	342	249	509	172	414	Blackburn.
65	101	99	105	311	10	30	19	49	29	43	62	57	106	36	91	Chorley.
255	331	366	304	1049	40	104	63	167	103	173	277	168	376	109	326	Preston.
84	71	93	93	269	9	40	23	63	32	24	68	38	53	18	55	Fylde.
23	15	13	13	55	3	4	2	6	5	5	13	2	6	–	8	Garstang.
58	109	67	82	282	12	13	9	22	21	24	61	21	39	6	48	Lancaster.
6	12	7	12	32	1	3	1	4	2	2	3	3	2	1	3	Lunesdale.
57	85	100	111	306	8	22	17	39	25	18	74	51	39	16	58	Ulverston.
94	106	110	125	357	25	27	26	53	51	37	129	66	105	32	107	Barrow-in-Furness.

MARRIAGES in the Year 1882—in Districts.

																35.—WEST RIDING.
2	5	4	13	20	–	3	1	4	1	1	4	1	2	–	3	Sedbergh.
14	24	21	36	81	3	8	3	11	6	3	8	12	10	4	14	Settle.
56	80	78	57	224	9	26	12	38	21	28	49	19	37	8	40	Skipton.
7	12	16	23	47	1	8	2	10	3	4	11	2	8	1	8	Pateley Bridge.
24	26	20	52	108	3	8	3	11	6	5	19	15	12	4	19	Ripon.
7	15	14	24	50	2	7	1	8	3	5	11	3	3	1	4	Great Ouseburn.
30	39	39	42	121	6	18	5	23	11	3	19	9	7	2	12	Knaresborough.
14	17	25	29	61	3	11	1	12	4	1	12	5	8	3	7	Wetherby.
49	73	76	65	216	9	21	17	38	26	13	44	22	40	10	42	Wharfedale.
99	106	129	127	387	11	41	22	63	33	40	78	39	71	20	70	Keighley.
61	37	50	39	144	3	21	9	30	12	14	24	18	28	7	32	Todmorden.
20	21	26	43	90	4	8	8	16	12	7	19	9	19	4	20	Saddleworth.
238	291	349	315	1012	25	99	57	156	82	76	205	117	260	66	245	Huddersfield.
283	372	377	361	1128	37	141	87	228	124	131	280	124	195	49	221	Halifax.
459	578	604	661	1903	69	189	141	330	210	266	507	229	405	128	378	Bradford { North Bierley. Bradford.
73	131	98	142	369	14	26	35	61	49	52	142	74	138	52	108	Hunslet.
18	46	36	45	113	8	12	12	24	20	14	48	18	36	9	35	Holbeck.
43	61	63	77	207	11	12	14	26	25	28	62	24	40	8	48	Bramley.
394	464	547	557	1622	79	144	117	261	196	181	525	276	493	169	421	Leeds.
294	332	358	382	1128	49	108	81	189	130	131	305	264	534	183	432	Dewsbury.
129	184	177	214	593	27	43	41	84	68	87	208	89	171	49	162	Wakefield.
64	87	76	117	289	14	18	23	41	37	35	119	78	99	39	99	Pontefract.
16	33	14	28	77	4	4	6	10	10	5	26	16	14	7	16	Hemsworth.
107	144	131	161	447	30	29	37	66	67	62	216	106	147	48	157	Barnsley.
63	107	91	120	333	4	33	11	44	15	36	130	59	61	22	76	Wortley { Penistone. Wortley.
116	152	152	169	502	23	37	27	64	50	54	173	67	114	32	117	Ecclesall Bierlow.
497	546	586	694	1894	124	163	142	305	266	220	805	433	663	242	612	Sheffield.
101	136	137	171	474	22	24	25	49	47	35	197	85	121	39	128	Rotherham.
72	76	79	125	292	8	27	25	52	33	23	92	39	57	19	58	Doncaster.
17	21	18	41	82	3	8	4	12	7	10	33	11	19	4	22	Thorne.
31	35	26	39	101	6	14	10	24	16	9	32	23	29	14	24	Goole.
13	25	26	34	88	2	5	3	8	5	5	29	10	15	5	15	Selby.
20	34	24	58	115	9	6	6	12	15	11	27	21	25	10	26	Tadcaster.

IX.—YORKSHIRE.—

No.	DISTRICTS.	Area in Statute Acres.	Population, 1881.	TOTAL MARRIAGES.	MARRIAGES. According to the Rites of the Established Church. Special License.	License.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	Not according to the Rites of the Established Church. TOTAL.	In Registered Buildings. Roman Catholics.	Other Christian Denominations.	District Register Office.	Quakers.	Jews.
	36. E.RIDING (*with Yk.*)															
516	York	82,545	76,695	621	-	61	313	2	11	387	234	31	77	125	1	-
517	Pocklington	110,624	15,461	79	-	13	48	-	-	61	18	2	8	8	-	-
518	Howden	75,768	13,287	113	-	13	80	-	2	95	18	1	11	6	-	-
519	Beverley	79,915	23,460	177	-	19	113	-	-	132	45	3	29	13	-	-
520	Sculcoates	38,889	99,868	845	-	39	518	12	-	569	276	51	114	111	-	-
521	Hull	1,054	78,222	861	-	73	589	2	-	664	197	-	77	112	-	8
522	Patrington	62,166	8,758	38	-	1	25	-	-	26	12	-	8	4	-	-
523	Skirlaugh	67,457	9,795	49	-	3	38	-	2	43	6	-	4	2	-	-
524	Driffield	111,286	20,067	123	-	11	59	-	-	70	53	-	37	16	-	-
525	Bridlington	66,592	16,762	106	-	16	62	1	-	79	27	-	27	-	-	-
	37.-NORTH RIDING.															
526	Scarborough	88,098	43,265	386	-	37	197	-	-	234	152	11	94	47	-	-
527	Malton	116,032	23,021	143	-	23	92	-	2	117	26	1	13	12	-	-
528	Easingwold	65,015	9,533	55	-	13	39	-	1	53	2	-	1	1	-	-
529	Thirsk	64,893	12,848	67	-	12	36	-	1	49	18	1	12	5	-	-
530	*Helmsley { Helmsley / Kirkby Moorside	67,676 / 46,118	5,919 / 5,514	51	-	8	23	-	1	32	19	3	15	1	-	-
531	Pickering	99,037	10,678	57	-	11	38	-	1	50	7	-	6	1	-	-
532	Whitby	82,237	26,474	233	-	30	116	9	4	159	74	20	41	13	-	-
533	Guisborough	83,688	43,126	303	-	32	177	2	-	211	92	2	35	55	-	-
534	Middlesbrough	22,099	89,853	913	-	39	359	5	-	403	510	136	86	285	-	3
535	Stokesley	79,703	12,009	62	-	10	39	1	-	50	12	-	2	10	-	-
536	Northallerton	67,000	11,884	64	-	9	32	-	-	41	23	-	9	14	-	-
537	Bedale	55,183	8,270	43	-	10	26	1	-	37	6	-	2	4	-	-
538	Leyburn	80,268	8,324	50	-	9	33	-	-	42	8	2	2	4	-	-
539	Aysgarth	81,012	5,482	34	-	7	19	-	-	26	8	-	6	2	-	-
540	Reeth	74,484	4,717	30	-	7	22	-	-	29	1	-	1	-	-	-
541	Richmond	81,101	13,458	78	-	18	37	1	-	56	22	4	6	12	-	-

X.—NORTHERN COUNTIES.—

No.	DISTRICTS.	Area in Statute Acres.	Population, 1881.	TOTAL MARRIAGES.	Special License.	License.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	TOTAL.	Roman Catholics.	Other Christian Denominations.	District Register Office.	Quakers.	Jews.
	38.—DURHAM.															
542	Darlington	65,705	47,676	353	-	32	123	35	-	190	163	18	41	100	4	-
543	†Stockton { Stockton / Sedgefield	37,379 / 45,307	51,209 / 17,103	600	-	43	292	15	1	351	249	66	33	150	-	-
544	Hartlepool	21,374	48,613	506	-	26	265	15	-	306	200	49	77	71	-	3
545	Auckland	64,451	83,572	681	-	18	222	43	-	283	398	41	75	282	-	-
546	Teesdale	178,346	20,777	139	-	14	42	3	-	59	80	4	33	43	-	-
547	Weardale	98,385	17,542	115	-	12	23	11	-	46	69	-	29	40	-	-
548	Lanchester	67,181	57,861	420	-	17	116	11	-	144	276	73	35	168	-	-
549	Durham	44,191	64,321	551	-	17	172	21	-	210	341	63	49	229	-	-
550	Easington	38,031	41,098	295	-	7	150	24	-	181	114	20	16	78	-	-
551	Houghton-le-Spring	16,359	34,145	259	-	10	125	11	-	146	143	13	20	110	-	-
552	Chester-le-Street	34,812	43,352	303	-	9	141	6	-	156	147	34	24	89	-	-
553	Sunderland	11,497	139,288	1585	-	64	683	78	-	825	760	109	116	531	2	2
554	South Shields	15,775	103,199	931	-	52	535	25	-	612	319	123	90	106	-	-
555	Gateshead	26,282	105,410	926	-	25	433	16	-	474	452	107	68	277	-	-
	39.—NORTHUMBRL.															
556	Newcastle-upon-Tyne	7,107	150,252	1841	-	110	884	22	-	1016	825	181	121	517	-	6
557	Tynemouth	38,635	114,197	876	-	42	526	9	-	571	305	78	87	138	-	2
558	Castle Ward	91,318	19,720	63	-	6	42	-	-	48	18	5	7	6	-	-
559	Hexham	206,113	34,086	194	-	14	44	4	2	64	130	13	32	84	1	-
560	Haltwhistle	96,333	7,902	41	-	15	11	-	-	23	15	-	9	6	-	-
561	Bellingham	246,365	6,107	20	-	5	9	-	-	14	6	-	5	1	-	-
562	Morpeth	97,401	36,077	227	-	16	56	6	-	78	149	12	12	125	-	-
563	Alnwick	98,879	21,318	142	-	11	41	4	-	59	83	3	42	38	-	-
564	Belford	39,323	5,737	27	-	2	6	1	-	9	18	-	7	11	-	-
565	Berwick	53,115	21,048	149	-	12	21	-	1	34	115	7	39	69	-	-
566	Glendale	147,816	10,933	62	-	2	9	-	-	11	51	2	25	24	-	-
567	Rothbury	167,907	6,709	34	-	9	5	-	-	14	20	-	5	15	-	-
	40.-CUMBERLAND.															
568	Alston	36,968	4,621	25	-	6	7	-	-	13	12	-	12	-	-	-
569	Penrith	188,261	23,242	131	-	33	50	4	1	88	43	-	14	29	-	-
570	Brampton	97,705	10,565	69	-	14	26	1	-	41	28	-	1	27	-	-
571	Longtown	88,245	7,711	52	-	24	12	2	-	38	14	-	-	14	-	-
572	Carlisle	69,164	52,762	468	-	77	96	15	1	189	279	38	56	184	1	-
573	Wigton	137,647	23,440	155	-	43	48	11	-	102	53	3	11	38	1	-
574	Cockermouth	170,155	56,789	461	-	83	167	35	2	287	174	45	40	86	3	-
575	Whitehaven	90,715	59,292	484	-	57	119	45	1	222	262	70	55	137	-	-
576	Bootle	91,301	12,225	84	-	9	46	-	3	58	26	5	-	21	-	-
	41.—WESTMORLD.															
577	East Ward	184,866	14,515	79	-	31	28	-	-	59	20	-	14	6	-	-
578	West Ward	121,940	8,225	59	-	22	34	1	-	57	2	-	-	2	-	-
579	Kendal	196,267	41,574	286	-	54	176	11	2	237	49	2	22	24	1	-

* 530.—The District of Helmsley comprises the two Poor Law Unions of Helmsley and Kirkby Moorside.
† 543.—The District of Stockton comprises the two Poor Law Unions of Stockton and Sedgefield.

MARRIAGES in the Year 1882—in Districts—*continued.*

MARRIAGES. Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of Full Age.		Signed the Marriage Register with Marks.		Cases in which		Districts.
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both signed.	One signed.	
																36.—E. RIDING (*with Yk.*)
142	154	147	178	531	14	49	27	76	41	29	127	53	70	19	85	York.
12	18	20	29	63	1	9	6	15	7	2	18	12	12	5	14	Pocklington.
18	25	25	45	88	3	16	6	24	9	9	25	22	12	5	24	Howden.
44	35	48	50	141	7	20	9	29	16	15	52	15	24	5	29	Beverley.
179	202	199	265	694	51	51	49	100	100	69	241	86	167	42	169	Sculcoates.
185	209	209	258	698	56	57	50	107	106	78	275	100	153	35	183	Hull.
5	9	5	19	32	1	4	1	5	2	1	6	2	8	–	10	Patrington.
9	10	4	26	43	3	3	–	3	3	1	5	2	3	1	3	Skirlaugh.
29	26	14	54	104	6	7	6	13	12	5	36	13	14	5	17	Driffield.
19	28	31	28	90	4	7	5	12	9	7	32	17	12	8	13	Bridlington.
																37.—NORTH RIDING.
67	97	97	125	324	6	35	21	56	27	17	75	42	45	9	69	Scarborough.
32	36	30	45	119	3	11	10	21	13	3	18	23	23	12	22	Malton.
9	16	7	23	50	–	5	–	5	–	3	21	6	1	–	7	Easingwold.
10	21	13	23	56	2	8	1	9	3	1	11	9	7	5	6	Thirsk.
10	14	6	21	43	1	7	–	7	1	–	13	2	5	–	7	Helmsley { Helmsley. Kirkby Moorside.
16	9	12	20	49	4	2	2	4	6	1	7	9	6	4	7	Pickering.
42	64	46	81	195	7	21	10	31	17	23	55	31	41	16	49	Whitby.
65	71	67	100	259	14	18	12	30	26	33	102	50	65	26	63	Guisbrough.
186	212	239	276	752	55	60	46	106	101	72	278	193	232	99	227	Middlesbrough.
13	26	8	15	54	1	6	1	7	2	5	14	6	3	–	9	Stokesley.
8	24	14	18	51	2	7	4	11	6	5	13	6	5	–	11	Northallerton.
13	16	4	10	33	1	5	4	9	5	1	6	2	4	1	4	Bedale.
11	15	9	15	43	2	4	1	5	3	1	5	3	3	1	4	Leyburn.
4	10	8	12	30	2	1	1	2	3	1	8	–	4	–	4	Aysgarth.
8	6	4	12	24	2	3	1	4	3	–	4	2	1	–	3	Reeth.
14	22	16	26	64	4	7	3	10	7	3	14	4	5	–	9	Richmond.

MARRIAGES in the Year 1882—in Districts.

																38.—DURHAM.
79	82	79	113	292	15	25	21	46	36	14	83	32	49	10	61	Darlington.
146	155	147	152	511	26	44	19	63	45	39	192	101	139	60	120	Stockton { Stockton. Sedgefield.
114	126	119	147	423	29	34	20	54	49	36	158	83	110	42	109	Hartlepool.
145	184	151	201	554	34	52	41	93	75	72	234	146	199	72	201	Auckland.
25	42	42	30	123	2	10	4	14	6	9	30	9	12	2	17	Teesdale.
20	34	21	40	96	5	11	3	14	8	3	31	15	16	7	17	Weardale.
98	108	91	123	369	14	23	14	37	28	32	149	99	115	49	116	Lanchester.
110	135	151	155	460	24	39	28	67	52	33	167	126	163	56	177	Durham.
74	72	76	73	246	10	18	21	39	31	27	123	94	114	56	96	Easington.
59	81	67	82	240	8	16	25	41	33	25	111	69	91	36	88	Houghton-le-Spring.
68	92	65	78	262	13	19	9	28	22	31	122	66	89	35	85	Chester-le-Street.
347	425	404	409	1339	69	89	88	177	157	111	445	270	406	131	414	Sunderland.
213	256	222	240	778	59	42	52	94	111	65	275	157	205	71	220	South Shields.
214	239	222	251	774	51	54	47	101	98	57	238	142	239	83	215	Gateshead.
																39.—NORTHUMBERL.
435	486	461	459	1530	80	140	91	231	171	99	423	195	338	91	351	Newcastle-upon-Tyne.
196	216	250	214	749	39	53	35	88	74	49	235	94	157	43	165	Tynemouth.
20	15	15	16	60	3	3	–	3	3	2	7	2	7	–	9	Castle Ward.
44	63	34	50	166	5	16	7	23	12	3	23	16	20	6	24	Hexham.
13	15	6	7	33	1	5	2	7	3	1	6	5	5	1	8	Haltwhistle.
3	7	7	3	18	1	1	–	1	1	–	1	–	1	–	1	Bellingham.
48	54	59	66	192	5	20	10	30	15	14	50	30	39	14	41	Morpeth.
32	52	25	33	121	2	14	5	19	7	7	20	4	7	–	11	Alnwick.
10	8	3	6	25	1	1	–	1	1	–	–	–	1	–	1	Belford.
33	39	34	43	121	9	14	5	19	14	1	16	8	12	4	12	Berwick.
13	29	8	12	53	–	9	–	9	–	4	7	2	2	–	4	Glendale.
9	14	3	8	28	–	6	–	6	–	–	4	–	–	–	–	Rothbury.
																40.—CUMBERLAND.
6	8	5	6	23	2	–	–	–	2	–	6	2	1	–	3	Alston.
26	37	23	45	112	2	10	7	17	9	4	22	9	16	5	15	Penrith.
11	20	16	22	61	3	5	–	5	3	5	11	3	2	–	5	Brampton.
17	14	6	15	50	–	2	–	2	–	2	5	4	2	1	4	Longtown.
104	105	122	137	399	16	33	20	53	36	26	85	31	71	15	72	Carlisle.
33	34	33	55	138	6	8	3	11	9	10	18	10	23	6	21	Wigton.
99	121	116	125	401	19	27	14	41	33	26	96	64	93	30	97	Cockermouth.
112	119	122	131	411	24	28	21	49	45	32	137	80	115	47	101	Whitehaven.
14	26	24	20	74	4	2	4	6	8	4	20	13	12	4	17	Bootle.
																41.—WESTMORLAND.
18	23	12	26	70	–	6	3	9	3	4	11	4	1	1	3	East Ward.
10	18	13	18	54	2	3	–	3	2	–	9	2	1	–	3	West Ward.
58	85	56	87	242	11	28	5	33	16	23	48	18	22	4	32	Kendal.

XI.—MONMOUTHSHIRE AND WALES.—

No.	DISTRICTS.	AREA in Statute Acres.	POPULATION, 1881.	TOTAL MARRIAGES.	MARRIAGES. According to the Rites of the Established Church. Special License.	License.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	Not according to the Rites of the Established Church. TOTAL.	In Registered Buildings. Roman Catholics.	Other Christian Denominations.	District Register Office.	Quakers.	Jews.
	42.-MONMOUTHSH.															
580	CHEPSTOW	73,598	18,701	102	-	9	64	1	3	77	25	1	13	11	-	-
581	MONMOUTH	102,927	30,340	167	-	10	84	-	1	95	72	3	62	7	-	-
582	ABERGAVENNY	60,850	23,571	157	-	11	46	5	2	64	93	1	48	44	-	-
583	BEDWELTY	27,997	55,840	507	-	12	178	7	-	197	310	25	93	190	-	2
584	PONTYPOOL	51,597	35,338	346	-	11	206	2	1	220	126	14	36	76	-	-
585	NEWPORT	110,579	70,542	678	-	31	220	1	-	252	426	53	94	278	-	1
	43.-SOUTH WALES.															
	GLAMORGANSHIRE.															
586	CARDIFF	79,662	106,164	999	-	85	227	11	1	324	675	96	146	431	-	2
587	PONTYPRIDD	74,314	93,493	911	-	17	314	-	-	331	580	9	353	218	-	-
588	MERTHYR TYDFIL	75,735	101,441	874	-	9	109	1	-	119	755	54	195	505	-	1
589	BRIDGEND	107,984	28,920	315	-	18	130	-	2	150	165	8	41	116	-	-
590	NEATH	108,984	52,077	365	-	20	81	3	1	105	260	10	45	204	1	-
591	PONTARDAWE	56,922	20,185	124	-	8	40	-	-	48	76	-	25	51	-	-
592	SWANSEA	32,086	95,001	896	-	84	283	4	-	371	525	37	88	397	-	3
593	GOWER	40,739	11,102	69	-	7	25	-	-	32	37	-	14	23	-	-
	CARMARTHENSHIRE.															
594	LLANELLY	61,201	44,616	345	-	14	55	1	-	70	275	3	185	87	-	-
595	LLANDOVERY	153,465	12,765	92	-	7	15	2	-	24	68	-	56	12	-	-
596	LLANDILOFAWR	98,446	18,799	114	-	7	42	4	-	54	60	-	21	39	-	-
597	CARMARTHEN	172,387	35,075	232	-	24	45	6	2	77	155	-	68	87	-	-
	PEMBROKESHIRE.															
598	NARBERTH	124,418	19,541	124	-	14	30	2	-	46	78	-	49	29	-	-
599	PEMBROKE	63,865	30,247	227	-	32	65	6	-	103	124	-	49	75	-	-
600	HAVERFORDWEST	167,247	33,791	245	-	28	48	28	2	106	139	1	53	85	-	-
	CARDIGANSHIRE.															
601	CARDIGAN	85,481	17,615	94	-	13	7	2	-	22	72	-	27	45	-	-
602	NEWCASTLE-IN-EMLYN	113,346	19,014	116	-	7	33	2	-	42	74	-	33	41	-	-
603	LAMPETER	75,710	10,087	56	-	9	13	3	-	25	31	-	21	10	-	-
604	ABERAYRON	65,704	12,543	50	-	6	4	2	-	12	38	-	22	16	-	-
605	ABERYSTWYTH	132,592	25,606	169	-	41	22	15	4	82	87	1	43	43	-	-
606	TREGARON	122,050	10,272	34	-	2	9	7	-	18	16	-	11	5	-	-
	BRECKNOCKSHIRE.															
607	BUILTH	102,953	8,182	53	-	7	15	2	5	29	24	-	15	9	-	-
608	BRECKNOCK	196,732	17,178	116	-	10	28	5	1	44	72	2	25	45	-	-
609	CRICKHOWELL	53,692	18,558	179	-	5	41	-	2	48	131	10	118	3	-	-
610	HAY	89,685	10,222	64	-	8	28	-	-	36	28	-	17	11	-	-
	RADNORSHIRE.															
611	KNIGHTON	115,720	11,782	81	1	17	37	-	-	55	26	-	25	1	-	-
612	RHAYADER	105,532	6,741	27	-	3	11	3	-	17	10	-	9	1	-	-
	44.-NORTH WALES.															
	MONTGOMERYSHIRE.															
613	MACHYNLLETH	116,647	12,517	59	-	8	4	-	3	15	44	-	22	22	-	-
614	NEWTOWN	189,151	25,439	138	-	10	26	11	-	47	91	-	67	24	-	-
615	FORDEN (MONTGOMERY)	87,884	18,281	109	-	4	63	-	-	67	42	4	17	21	-	-
616	LLANFYLLIN	187,539	19,959	112	-	12	23	8	-	43	69	-	49	20	-	-
	FLINTSHIRE.															
617	HOLYWELL	73,380	45,774	246	-	16	101	1	-	118	128	6	77	45	-	-
	DENBIGHSHIRE.															
618	WREXHAM	63,371	55,158	383	-	15	177	3	-	195	188	8	54	126	-	-
619	RUTHIN	99,083	14,215	77	-	3	21	-	-	24	53	-	24	29	-	-
620	ST. ASAPH	99,191	29,458	169	-	13	47	3	1	64	105	4	101	-	-	-
621	LLANRWST	109,232	14,109	88	-	5	15	3	-	23	65	-	13	52	-	-
	MERIONETHSHIRE.															
622	CORWEN	138,862	16,833	93	-	6	27	3	-	36	57	-	38	19	-	-
623	BALA	58,292	6,740	37	-	3	5	3	-	11	26	-	11	15	-	-
624	DOLGELLY	145,213	15,180	80	-	3	13	1	-	17	63	-	27	36	-	-
625	FESTINIOG	138,714	29,525	174	-	7	21	-	-	28	146	-	77	69	-	-
	CARNARVONSHIRE.															
626	PWLLHELI	92,728	22,911	129	-	30	8	1	-	39	90	-	25	65	-	-
627	CARNARVON	97,635	43,997	288	-	38	31	7	-	76	212	1	73	138	-	-
628	BANGOR	108,338	38,512	302	-	41	32	14	-	87	215	4	54	157	-	-
629	CONWAY	55,915	18,361	145	-	27	35	1	-	63	82	1	64	17	-	-
	ANGLESEY.															
630*	†ANGLESEY { ANGLESEY	60,913	15,182	187	-	28	46	2	-	76	111	-	98	13	-	-
	HOLYHEAD	62,169	19,959													

* The numerical arrangement 1 to 630 was adopted on 1st January 1881.
† 630.—The District of Anglesey comprises the two Poor Law Unions of Anglesey and Holyhead.

MARRIAGES in the Year 1882—in DISTRICTS.

MARRIAGES. Registered in the Quarter ending the last day of				Contracted between				Of		Of Persons not of Full Age.		Signed the Marriage Register with Marks.		Cases in which		DISTRICTS.
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both signed.	One signed.	
																42.—MONMOUTHSH.
18	24	25	35	89	3	6	4	10	7	6	22	27	15	9	24	CHEPSTOW.
30	45	41	51	141	3	15	8	23	11	8	27	37	17	9	36	MONMOUTH.
33	41	38	45	124	12	12	9	21	21	7	29	45	49	21	52	ABERGAVENNY.
113	138	124	132	422	26	30	29	59	55	44	149	208	213	126	169	BEDWELTY
64	82	77	123	301	20	12	13	25	33	27	79	130	134	74	116	PONTYPOOL.
151	168	165	194	558	39	48	33	81	72	44	160	121	125	51	144	NEWPORT.
																43.—SOUTH WALES.
																GLAMORGANSHIRE.
202	253	230	294	794	66	82	57	139	123	47	207	141	185	58	210	CARDIFF.
199	227	201	284	758	54	43	56	99	110	74	263	279	366	165	315	PONTYPRIDD.
189	214	201	270	716	48	54	56	110	104	74	238	247	360	160	287	MERTHYR TYDFIL.
59	76	82	98	271	12	18	14	32	26	16	73	88	88	44	88	BRIDGEND.
88	81	88	108	311	12	22	20	42	32	46	84	88	123	56	99	NEATH.
28	34	25	37	105	3	8	8	16	11	11	25	25	39	14	36	PONTARDAWE.
171	222	247	256	745	43	56	52	108	95	86	241	177	241	97	244	SWANSEA.
14	20	17	18	57	3	6	3	9	6	6	9	9	20	5	19	GOWER.
																CARMARTHENSHIRE.
84	80	65	116	288	10	30	17	47	27	32	68	61	106	33	101	LLANELLY.
10	21	20	41	77	-	14	1	15	1	2	5	10	28	6	26	LLANDOVERY.
18	23	25	48	93	3	14	4	18	7	7	15	14	32	6	34	LLANDILOFAWR.
41	48	51	92	198	3	27	4	31	7	10	18	24	68	12	68	CARMARTHEN.
																PEMBROKESHIRE.
29	22	26	47	103	2	13	6	19	8	1	11	22	28	11	28	NARBERTH.
48	37	67	75	197	5	13	12	25	17	17	36	21	43	10	44	PEMBROKE.
43	54	51	97	211	9	19	6	25	15	18	34	36	56	21	50	HAVERFORDWEST.
																CARDIGANSHIRE.
13	17	28	36	80	3	9	2	11	5	2	7	6	23	1	27	CARDIGAN.
14	18	30	54	99	4	11	2	13	6	4	10	9	21	1	28	NEWCASTLE-IN-EMLYN.
17	12	10	17	48	3	5	-	5	3	1	4	3	18	3	15	LAMPETER.
9	13	13	15	41	2	4	3	7	5	2	1	2	12	-	14	ABERAYRON.
40	42	36	51	137	5	20	7	27	12	8	13	15	41	6	44	ABERYSTWITH.
5	7	7	15	30	-	2	2	4	2	1	1	6	14	5	10	TREGARON.
																BRECKNOCKSHIRE.
8	16	7	22	47	1	2	3	5	4	1	2	1	6	-	7	BUILTH.
21	37	27	31	102	1	12	1	13	2	5	17	15	24	7	25	BRECKNOCK.
50	48	33	48	153	6	10	10	20	16	12	52	72	72	47	50	CRICKHOWELL.
15	18	15	16	54	1	5	4	9	5	1	7	13	10	2	19	HAY.
																RADNORSHIRE.
17	28	17	19	70	3	7	1	8	4	-	16	13	7	5	10	KNIGHTON.
5	7	10	5	23	1	2	1	3	2	1	6	4	7	3	5	RHAYADER.
																44.—NORTH WALES.
																MONTGOMERYSHIRE.
10	22	10	17	56	1	5	3	8	4	4	8	6	14	5	10	MACHYNLLETH.
31	43	27	37	123	6	7	2	9	8	1	18	18	22	8	24	NEWTOWN.
22	34	37	16	90	3	10	6	16	9	2	14	28	23	12	27	FORDEN (MONTGOMERY).
31	39	19	23	96	4	10	2	12	6	2	11	20	25	7	31	LLANFYLLIN.
																FLINTSHIRE.
50	76	50	70	204	12	20	10	30	22	7	27	71	63	32	70	HOLYWELL.
																DENBIGHSHIRE.
82	92	83	126	310	20	23	30	53	50	19	80	107	142	69	111	WREXHAM.
17	28	16	16	64	2	9	2	11	4	1	4	22	18	12	16	RUTHIN.
30	43	37	59	132	6	22	9	31	15	1	11	27	27	12	30	ST. ASAPH.
20	30	14	24	73	4	9	2	11	6	5	6	18	14	4	24	LLANRWST.
																MERIONETHSHIRE.
12	40	21	20	75	3	9	6	15	9	2	10	15	14	6	17	CORWEN.
7	11	10	9	32	2	2	1	3	3	1	8	5	7	3	6	BALA.
22	20	13	25	67	4	7	2	9	6	5	15	13	24	7	23	DOLGELLY.
40	51	37	46	144	5	16	9	25	14	8	19	18	36	10	34	FESTINIOG.
																CARNARVONSHIRE.
26	31	27	45	110	4	12	3	15	7	9	15	26	37	15	33	PWLLHELI.
63	77	63	85	231	12	29	16	45	28	7	28	58	95	36	81	CARNARVON.
58	74	81	89	246	11	29	16	45	27	4	41	65	64	32	65	BANGOR.
23	37	41	44	115	4	19	7	26	11	5	14	13	20	4	25	CONWAY.
																ANGLESEY.
39	50	36	62	141	8	25	13	38	21	7	20	42	56	28	42	ANGLESEY { ANGLESEY. HOLYHEAD.

Ages of 348,338 Persons who were married in England in the Year 1882.

The Total Number of Marriages registered in England in the Year 1882 was 204,405; the Ages of *both* Persons were specified in 174,169 instances. In the 30,236 other cases the ages of one or both of the Persons was unfortunately not inserted in the Register by the Officiating Minister.

Ages of 174,169 Men and 174,169 Women married in England in the Year 1882.

	15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85–	90–	Total.
Men -	1	3	95	944	4149	9822	72337	47085	16672	8012	5312	3318	2477	1627	1239	551	246	65	12	2	-	174,169
Women -	*29	299	1916	7728	14267	17862	70150	34131	11759	6366	4103	2651	1459	791	468	143	38	8	1	-	-	174,169

Ages of 154,145 Bachelors and 159,748 Spinsters married in 1882.

	15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85–	90–	Total.
Bachelors	1	3	95	944	4147	9817	72170	45074	13499	4754	2122	855	403	149	77	24	8	3	-	-	-	154,145
Spinsters	*29	299	1915	7727	14259	17835	69317	32069	9112	3701	1753	843	378	138	53	11	2	2	-	-	-	159,748

Ages of 20,024 Widowers and 14,421 Widows married in 1882.

	15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85–	90–	Total.
Widowers	-	-	-	-	2	5	367	2011	3173	3258	3190	2463	2074	1478	1162	527	238	62	12	2	-	20,024
Widows -	-	-	1	1	8	27	533	2062	2647	2665	2345	1808	1081	653	415	132	36	6	1	-	-	14,421

Ages of 174,169 Men and 174,169 Women who intermarried in 1882.

Years.	AGES OF WIVES. 15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85–	Total Husbands.	
AGES OF HUSBANDS. 15–	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	15–
16–	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	16–
17–	-	9	34	25	10	3	14	-	-	-	-	-	-	-	-	-	-	-	-	-	95	17–
18–	2	22	149	327	188	113	130	10	3	-	-	-	-	-	-	-	-	-	-	-	944	18–
19–	5	35	277	1084	1333	633	703	66	3	6	-	1	-	-	-	-	-	-	-	-	4,149	19–
20–	4	48	334	1327	2570	2394	2790	312	30	10	1	2	-	-	-	-	-	-	-	-	9,822	20–
21–	*12	124	818	3862	7790	10817	39943	8163	851	119	36	2	-	-	-	-	-	-	-	-	72,537	21–
25–	*3	43	241	887	1953	3144	20468	16355	3141	702	123	20	4	1	-	-	-	-	-	-	47,085	25–
30–	-	12	47	161	301	557	4322	5858	3744	1224	358	69	12	3	4	-	-	-	-	-	16,672	30–
35–	*2	4	8	33	81	123	1154	2032	1943	1730	639	201	26	6	-	-	-	-	-	-	8,012	35–
40–	-	1	3	7	29	33	384	803	1106	1218	1167	415	107	27	9	2	-	1	-	-	5,312	40–
45–	-	-	1	10	6	29	130	260	503	661	777	658	219	45	13	5	-	1	-	-	3,318	45–
50–	-	1	4	1	2	6	58	128	241	375	518	545	415	138	37	6	1	1	-	-	2,477	50–
55–	-	-	-	-	1	3	25	59	110	163	265	366	312	226	80	15	1	-	-	-	1,627	55–
60–	-	-	-	4	1	2	19	27	53	99	144	231	244	201	175	31	8	-	-	-	1,239	60–
65–	-	-	-	-	-	1	4	21	24	40	39	95	76	91	93	51	14	2	-	-	551	65–
70–	-	-	-	-	-	-	4	6	5	15	26	31	38	43	43	25	10	-	-	-	246	70–
75–	-	-	-	-	1	1	-	-	1	3	8	14	6	9	9	6	3	3	1	-	65	75–
80–	-	-	-	-	-	-	-	1	1	1	1	1	-	1	5	-	1	-	-	-	12	80–
85–	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	85–
																					174,169	Husbands.
Total Wives	29	299	1916	7728	14267	17862	70150	34131	11759	6366	4103	2651	1459	791	468	143	38	8	1	-	174,169	Wives.

The Table read *vertically* shows the number of *Wives* at each age, with the ages of their Husbands at marriage:—Thus, Of 17,862 *Wives* at the age of 20 and under 21 years *three* married Husbands aged 17; *one hundred and thirteen* married Husbands aged 18; *six hundred and thirty-six* married Husbands aged 19 years, &c.

Read *horizontally* the Table shows the number of *Husbands* at each age, with the ages of their Wives when married:—Thus, Of 9,822 Husbands aged 20 and under 21 years *four* married Wives aged 15; *forty-eight* married Wives aged 16 years, &c.

* One of these was married at the age of 14.

AGES of 147,563 BACHELORS and 147,563 SPINSTERS who intermarried in 1882.

Years.	AGES OF SPINSTERS. 15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85–	Total Bachelors.	
AGES OF BACHELORS. 15–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	15–
16–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	3	16–
17–	–	9	34	25	10	3	13	–	–	–	–	–	–	–	–	–	–	–	–	–	94	17–
18–	2	22	149	327	188	113	129	10	2	–	–	–	–	–	–	–	–	–	–	–	942	18–
19–	5	35	276	1084	1333	636	698	61	2	4	–	–	–	–	–	–	–	–	–	–	4,134	19–
20–	4	48	334	1325	2568	2393	2777	291	21	5	1	1	–	–	–	–	–	–	–	–	9,768	20–
21–	*12	123	813	3841	7758	10767	39517	7654	640	55	18	1	–	–	–	–	–	–	–	–	71,199	21–
25–	*3	42	228	845	1863	2993	19561	14986	2301	347	33	7	1	–	–	–	–	–	–	–	43,215	25–
30–	–	9	39	119	237	448	3516	4568	2439	559	96	11	3	–	–	–	–	–	–	–	12,044	30–
35–	–	4	5	26	54	82	707	1173	928	614	146	25	3	1	–	–	–	–	–	–	3,768	35–
40–	–	1	2	3	13	12	175	306	372	293	217	52	10	–	–	–	–	–	–	–	1,456	40–
45–	–	–	–	2	1	7	39	60	111	112	114	64	15	4	–	1	–	–	–	–	530	45–
50–	–	–	2	1	1	–	12	28	41	45	44	44	27	6	2	–	–	–	–	–	253	50–
55–	–	–	–	–	–	–	2	5	10	15	17	18	10	6	4	1	–	–	–	–	88	55–
60–	–	–	–	–	–	–	2	2	3	5	5	8	9	7	3	1	–	–	–	–	45	60–
65–	–	–	–	–	–	–	–	1	4	2	1	2	–	2	1	–	1	1	–	–	15	65–
70–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	2	–	–	–	–	–	7	70–
75–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	75–
80–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80–
85–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85–
																					147,563	Bachelors.
Total Spinsters	27	293	1882	7598	14032	17454	67150	29145	6874	2056	694	234	80	27	12	3	1	1	–	–	147,563	Spinsters.

* Includes a Spinster married at the age of 14.

AGES of 6,582 BACHELORS and 6,582 WIDOWS who intermarried in 1882.

Years.	AGES OF WIDOWS. 15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85–	Total Bachelors.	
AGES OF BACHELORS. 15–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15–
16–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16–
17–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	17–
18–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	2	18–
19–	–	–	1	–	–	–	5	3	1	2	–	1	–	–	–	–	–	–	–	–	13	19–
20–	–	–	–	1	–	1	12	21	8	5	–	1	–	–	–	–	–	–	–	–	49	20–
21–	–	–	–	–	3	14	233	433	202	63	17	1	–	–	–	–	–	–	–	–	971	21–
25–	–	–	–	–	3	8	147	703	613	289	80	12	3	1	–	–	–	–	–	–	1,859	25–
30–	–	–	–	–	1	1	42	286	550	338	167	39	5	3	3	–	–	–	–	–	1,455	30–
35–	–	–	–	–	–	–	14	87	214	371	193	88	13	3	–	–	–	–	–	–	986	35–
40–	–	–	–	–	–	–	1	27	80	171	232	100	39	10	4	1	–	1	–	–	666	40–
45–	–	–	–	–	–	–	1	6	27	48	94	93	38	12	4	2	–	–	–	–	325	45–
50–	–	–	–	–	–	–	–	2	5	12	25	35	43	21	5	2	–	–	–	–	150	50–
55–	–	–	–	–	–	–	–	–	4	4	6	4	16	16	8	3	–	–	–	–	61	55–
60–	–	–	–	–	–	–	–	–	–	1	5	3	6	5	7	4	1	–	–	–	32	60–
65–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	1	1	1	–	–	9	65–
70–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	70–
75–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	2	75–
80–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80–
85–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85–
																					6,582	Bachelors.
Total Widows	–	–	1	1	7	24	462	1,568	1,705	1,324	822	377	165	74	35	13	2	2	–	–	6,582	Widows.

Ages of 12,185 Widowers and 12,185 Spinsters who intermarried in 1882.

Years.	AGES OF SPINSTERS. 15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85–	Total Widowers.	
AGES OF WIDOWERS. 15–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15–
16–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16–
17–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17–
18–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18–
19–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	2	19–
20–	–	–	–	1	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	5	20–
21–	–	1	5	21	29	35	181	69	4	–	–	–	–	–	–	–	–	–	–	–	345	21–
25–	–	1	13	42	82	142	740	566	159	36	1	–	–	–	–	–	–	–	–	–	1,782	25–
30–	–	3	8	42	62	107	746	845	531	177	33	5	1	–	–	–	–	–	–	–	2,560	30–
35–	*2	–	3	7	27	41	421	682	530	361	107	14	3	–	–	–	–	–	–	–	2,228	35–
40–	–	–	1	4	16	21	197	406	443	406	257	65	15	3	–	–	–	–	–	–	1,834	40–
45–	–	–	1	8	5	22	88	168	255	267	231	145	30	5	–	–	–	–	–	–	1,225	45–
50–	–	1	2	–	1	6	45	85	152	189	203	130	64	13	2	–	–	–	–	–	893	50–
55–	–	–	–	–	1	3	23	51	75	100	126	107	70	28	9	1	–	–	–	–	594	55–
60–	–	–	–	4	1	2	17	24	36	65	60	87	71	35	13	1	–	–	–	–	416	60–
65–	–	–	–	–	–	1	4	19	18	29	24	35	27	17	5	3	–	–	–	–	182	65–
70–	–	–	–	–	–	–	4	6	3	12	19	17	14	8	3	1	–	–	–	–	92	70–
75–	–	–	–	–	1	1	–	–	1	2	2	3	3	1	1	1	1	1	–	–	18	75–
80–	–	–	–	–	–	–	–	1	–	1	1	1	–	1	3	–	–	–	–	–	8	80–
85–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	85–
																					12,185	Widowers.
Total Spinsters	2	6	33	129	227	381	2,467	2,924	2,238	1,645	1,064	609	298	111	41	8	1	1	–	–	12,185	Spinsters.

* Includes a Spinster married at the age of 14.

Ages of 7,839 Widowers and 7,839 Widows who intermarried in 1882.

Years.	AGES OF WIDOWS. 15–	16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85–	Total Widowers.	
AGES OF WIDOWERS. 15–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15–
16–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16–
17–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17–
18–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18–
19–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19–
20–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20–
21–	–	–	–	–	–	1	7	7	5	1	1	–	–	–	–	–	–	–	–	–	22	21–
25–	–	–	–	–	–	1	20	100	68	30	9	1	–	–	–	–	–	–	–	–	229	25–
30–	–	–	–	–	1	1	18	159	224	130	62	14	3	–	1	–	–	–	–	–	613	30–
35–	–	–	–	–	–	–	12	120	241	384	190	74	7	2	–	–	–	–	–	–	1,030	35–
40–	–	–	–	–	–	–	11	64	211	348	461	198	43	14	5	1	–	–	–	–	1,356	40–
45–	–	–	–	–	–	–	2	26	110	234	338	356	136	24	9	2	–	1	–	–	1,238	45–
50–	–	–	–	–	–	–	1	13	43	129	246	336	281	98	28	4	1	1	–	–	1,181	50–
55–	–	–	–	–	–	–	–	3	21	44	117	237	216	176	59	10	1	–	–	–	884	55–
60–	–	–	–	–	–	–	–	1	14	28	74	133	158	154	152	25	7	–	–	–	746	60–
65–	–	–	–	–	–	–	–	1	2	9	14	58	48	70	84	47	12	–	–	–	345	65–
70–	–	–	–	–	–	–	–	–	2	3	6	13	21	34	33	24	10	–	–	–	146	70–
75–	–	–	–	–	–	–	–	–	–	1	5	11	3	7	7	5	2	2	1	–	44	75–
80–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	1	–	–	–	4	80–
85–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	85–
																					7,839	Widowers.
Total Widows	–	–	–	–	1	3	71	494	942	1,341	1,523	1,431	916	579	330	119	34	4	1	–	7,839	Widows.

BIRTHS AND DEATHS,

IN THE

DIVISIONS, COUNTIES, DISTRICTS, AND SUB-DISTRICTS OF ENGLAND.

In the Year 1882.

BIRTHS and DEATHS registered in the Year 1882.

	DIVISIONS AND COUNTIES.*	BIRTHS (*exclusive of Still-born*). Total.	Legitimate. Males.	Legitimate. Females.	Illegitimate. Males.	Illegitimate. Females.	DEATHS (*exclusive of Still-born*). Total.	Males.	Females.	Excess of Births over Deaths.
	ENGLAND - -	889014	430823	415036	21929	21226	516654	265767	250887	372360
No.	DIVISIONS.									
I.	LONDON - -	133309	65323	62769	2635	2582	82913	42092	40821	50396
II.	SOUTH EASTERN -	73347	38338	36512	1826	1671	42977	22388	20589	35370
III.	SOUTH MIDLAND -	51349	24903	23865	1324	1257	27922	14397	13525	23427
IV.	EASTERN - -	44800	21689	20746	1199	1175	24232	12373	11859	20568
V.	SOUTH WESTERN -	55606	26754	25994	1470	1388	32193	16137	16056	23413
VI.	WEST MIDLAND -	104088	50308	48471	2701	2608	57312	29678	27634	46776
VII.	NORTH MIDLAND -	57427	27610	26624	1666	1527	31344	16315	15029	26083
VIII.	NORTH WESTERN -	149666	72099	70564	3521	3482	93817	48029	45788	55849
IX.	YORK - - -	100340	48415	46580	2651	2694	59922	31092	28830	40418
X.	NORTHERN - -	61378	29809	28503	1566	1500	34038	17700	16338	27340
XI.	WELSH - -	52704	25584	24408	1370	1342	29984	15566	14418	22720
	I.—LONDON.									
	MIDDLESEX (*pt. of*)	86498	42169	40667	1868	1794	55906	28443	27463	30592
	SURREY (*part of*) -	36906	18248	17394	617	647	21577	10862	10715	15329
	KENT (*part of*) - -	9905	4906	4708	150	141	5430	2787	2643	4475
	II.—SOUTH EASTERN.									
1	**SURREY** (*ex.-metrop.*) -	14735	7224	6955	285	271	7645	4026	3619	7090
2	**KENT** (*extra-metropol.*)	22872	11245	10609	540	478	12338	6439	5899	10534
3	**SUSSEX** - - -	15043	7346	6889	419	389	8487	4336	4151	6556
4	**HAMPSHIRE** - -	17893	8695	8443	373	382	10268	5316	4952	7625
5	**BERKSHIRE** - -	7804	3828	3616	209	151	4239	2271	1968	3565
	III.—SOUTH MIDLAND.									
6	**MIDDLESX.** (*ex.-met.*)	13752	6776	6466	266	244	7075	3668	3407	6677
7	**HERTFORDSHIRE**	6153	2898	2912	161	182	3323	1724	1599	2830
8	**BUCKINGHAMSH.**	4941	2423	2255	138	125	2756	1400	1356	2185
9	**OXFORDSHIRE** -	5431	2603	2494	163	171	3036	1591	1445	2395
10	**NORTHAMPTONS.**	9230	4575	4230	214	211	4838	2440	2398	4392
11	**HUNTINGDONSH.**	1451	712	667	42	30	825	428	397	626
12	**BEDFORDSHIRE** -	4946	2281	2313	186	166	2800	1442	1358	2146
13	**CAMBRIDGESH.** -	5445	2635	2528	154	128	3269	1704	1565	2176
	IV.—EASTERN.									
14	**ESSEX** - - - -	19847	9733	9411	371	332	10092	5273	4819	9755
15	**SUFFOLK** - - -	11294	5508	5181	303	302	6121	3103	3018	5173
16	**NORFOLK** - - -	13659	6439	6154	525	541	8019	3997	4022	5640

NOTE.—For area and population of the Registration Divisions and Counties, *see* pages 2 and 4.

* The *Registration Counties* consist of groups of Superintendent Registrars' Districts, which are generally co-extensive with the Poor Law Unions. Those Districts which extend into two or more Counties (proper) are included entirely in that County in which the principal town of the District, or the greater part of the population, is located. The boundaries of the Registration Counties therefore differ more or less from the boundaries of the Counties (proper).

BIRTHS and DEATHS registered in the Year 1882—*continued.*

No.	Divisions and Counties.	Births (*exclusive of Still-born*). Total.	Legitimate. Males.	Legitimate. Females.	Illegitimate. Males.	Illegitimate. Females.	Deaths (*exclusive of Still-born*). Total.	Males.	Females.	Excess of Births over Deaths.
	V.—SOUTH WESTERN.									
17	WILTSHIRE - -	7534	3600	3553	191	190	4179	2066	2113	3355
18	DORSETSHIRE -	5374	2527	2544	159	144	2906	1519	1387	2468
19	DEVONSHIRE -	18139	8744	8568	423	404	10736	5343	5393	7403
20	CORNWALL - -	9580	4594	4339	353	294	5975	3000	2975	3605
21	SOMERSETSHIRE	14979	7289	6990	344	356	8397	4209	4188	6582
	VI.—WEST MIDLAND.									
22	GLOUCESTERSH. -	16442	7974	7661	401	406	9648	4870	4778	6794
23	HEREFORDSHIRE	3255	1546	1454	125	130	2075	1080	995	1180
24	SHROPSHIRE - -	7774	3586	3572	324	292	4478	2315	2163	3296
25	STAFFORDSHIRE	38445	18568	17918	1010	949	20229	10654	9575	18216
26	WORCESTERSHIR.	12437	5971	5862	294	310	6673	3446	3227	5764
27	WARWICKSHIRE	25735	12663	12004	547	521	14209	7313	6896	11526
	VII.—NORTH MIDLAND.									
28	LEICESTERSHIRE	11741	5591	5589	307	254	6129	3179	2950	5612
29	RUTLANDSHIRE -	645	316	300	16	13	357	184	173	288
30	LINCOLNSHIRE -	14680	7060	6749	458	413	8255	4320	3935	6425
31	NOTTINGHAMSH.	16615	7966	7625	522	502	9371	4817	4554	7244
32	DERBYSHIRE - -	13746	6677	6361	363	345	7232	3815	3417	6514
	VIII.—NORTH WESTERN.									
33	CHESHIRE - -	21074	10089	9855	561	569	12287	6198	6089	8787
34	LANCASHIRE -	128592	62010	60709	2960	2913	81530	41831	39699	47062
	IX.—YORK.									
35	WEST RIDING -	75870	36601	35369	1902	1998	45835	23716	22119	30035
36	E. RIDING (WITH YK.)	12490	6089	5691	370	340	7736	4072	3664	4754
37	NORTH RIDING -	11980	5725	5520	379	356	6351	3304	3047	5629
	X.—NORTHERN.									
38	DURHAM - - -	35389	17345	16650	707	687	19227	9996	9231	16162
39	NORTHUMBERLD.	15302	7407	7047	433	415	8895	4605	4290	6407
40	CUMBERLAND -	8788	4156	3967	346	319	4902	2579	2323	3886
41	WESTMORLAND -	1899	901	839	80	79	1014	520	494	885
	XI.—WELSH.									
42	MONMOUTHSH. -	8247	4078	3847	151	171	5040	2740	2300	3207
43	SOUTH WALES -	30858	15013	14379	752	714	16592	8585	8007	14266
44	NORTH WALES -	13599	6493	6182	467	457	8352	4241	4111	5247

I.—LONDON.—BIRTHS AND DEATHS, 1882.

No.	DISTRICTS AND SUB-DISTRICTS.*	AREA in Acres.	POPULATION, 1881.	BIRTHS (*exclusive of Still-born*). Total.	Legitimate.	Illegitimate.	DEATHS (*exclusive of Still-born*). Total.	Males.	Females.	Excess of Births over Deaths. †
	MIDDLESEX (*part of*).									
	1.—Kensington.‡	3441	270369	7229	6828	401	5020	2565	2455	2209
1	St. Mary Paddington *WH* - - - -	806	69388	2243	2121	122	1276	658	618	967
2	St. John Paddington *H* - - - -	445	37330	652	599	53	670	360	310	−18
3	Kensington Town *Ww* - - - - -	1497	120141	3496	3294	202	2491	1263	1228	1005
4	Brompton *H* - - - - - - - -	693	43010	838	814	24	583	284	299	255
	2.—Fulham.	4003	114839	4649	4443	206	2500	1195	1305	2149
1	St. Peter Hammersmith - - - - -	185	7599	227	223	4	132	62	70	95
2	St. Paul Hammersmith *H* - - -	2102	64340	2358	2278	80	1247	579	668	1111
3	Fulham *Ww* - - - - - - - -	1716	42900	2061	1942	122	1121	554	567	943
	3.—Chelsea.	796	88128	3335	3166	169	2057	1032	1025	1278
1	Chelsea South *HHH* - - - - -	304	30 91	1105	1070	35	629	324	305	476
2	Chelsea North-West *WHHHH* - -	209	24925	889	778	111	812	389	423	77
3	Chelsea North-East - - - - - - -	283	32807	1341	1318	23	616	319	297	725
	4.—St. George Hanover Sq.	1943	149748	3698	3494	204	3086	1612	1474	612
1	Hanover Square *H* - - - - - - -	439	16862	290	282	8	199	100	99	91
2	Mayfair *WW* - - - - - - - -	137	13491	248	166	82	441	228	213	−193
3	Belgrave *HH* - - - - - - - -	543	59220	1416	1372	44	1231	652	579	185
4	St. John Westminster *HH* - - - -	211	35496	1105	1066	39	667	349	318	438
5	St. Margaret Westminster *H* - - -	613	24679	639	608	31	548	283	265	91
	5.—Westminster.	216	46549	1120	1062	58	880	421	459	240
1	Golden Square *WH* - - - - - -	54	11608	276	241	35	257	111	146	19
2	Berwick Street *H* - - - - - -	108	18333	399	394	5	277	140	137	122
3	St. Anne Soho *HHHHHH* - - -	54	16608	445	427	18	346	170	176	99
	6.—Marylebone.	1506	154910	4827	4096	731	3115	1481	1634	1712
1	All Souls *HHHH* - - - - - - -	112	26750	665	630	35	781	392	389	−116
2	Cavendish Square *HHHH* - - - -	112	14891	281	277	4	188	94	94	93
3	Rectory *WH* - - - - - - - -	116	24809	809	598	211	546	257	289	263
4	St. Mary *HHH* - - - - - - -	108	21118	1151	740	411	394	161	233	757
5	Christchurch *H* - - - - - - -	513	33700	981	937	44	632	292	340	349
6	St. John *H* - - - - - - - -	545	33633	940	914	26	574	285	289	366
	7.—Hampstead.	2248	45452	1215	1183	32	666	317	349	549
1	Hampstead *WwHHH* - - - - - -	2248	45452	1215	1183	32	666	317	349	549
	8.—Pancras.	2672	236258	7769	7380	389	5077	2537	2540	2692
1	Regent's Park *H* - - - - - - -	419	39115	1183	1155	33	623	296	327	565
2	Tottenham Court *wHHH* - - - -	144	27729	770	744	26	855	464	391	−85
3	Gray's Inn Lane *HHH*- - - - -	154	30247	934	873	61	673	368	305	261
4	Somers Town *H* - - - - - - -	183	24339	1168	1145	23	657	316	341	511
5	Camden Town *WH* - - - - - -	170	17311	710	532	178	662	292	370	48
6	Kentish Town *w* - - - - - - -	1602	87437	2999	2931	68	1607	801	806	1392
	9.—Islington.	3107	282865	9991	9638	353	5643	2815	2828	4348
1	Islington West *HHH* - - - - - -	1226	121452	4380	4304	76	2309	1136	1173	2071
2	Islington East *Www* - - - - - -	1881	161413	5611	5334	277	3334	1679	1655	2277

* The *Superintendent Registrars' Districts* (630 in number) are collections of contiguous Parishes or Places combined for purposes connected with the Registration of Births, Deaths, and Marriages, and are nearly always identical with the Poor Law Unions of the same names; they are arranged, according to the local position, under the Registration Counties. The Sub-districts (2162 in number at the end of the year 1882) are sub-divisions of Districts, and comprise the Parishes or Places in which the Births and Deaths are registered by Registrars severally appointed for that purpose. The letter *W* denotes that the Sub-district contains within its limits a Workhouse Establishment belonging to the District or Union; *w* indicates that a Workhouse Establishment receiving inmates from other Districts than the one in which it stands is included; *H* indicates a Hospital or Infirmary; *L* a Lunatic Asylum; and repetitions of any of these letters show the number of such Institutions in each Registration Sub-district.

† Wherever the minus sign (−) is prefixed to the numbers given in the Column headed "Excess of Births over Deaths," it denotes that the Births in the Sub-district, instead of exceeding the Deaths, were, in fact, *less than the Deaths* to the extent stated. The Excess of *Deaths* over Births is often attributable to the mortality in Institutions. The Deaths in the principal Institutions of England in 1882 are given on pages 93-114.

‡ 1. The Registration District of Kensington comprises the two Poor Law Unions of Paddington (St. Mary Paddington and St. John Paddington Sub-districts) and Kensington (Kensington Town and Brompton Sub-districts).

I.—LONDON.—BIRTHS AND DEATHS, 1882—*continued.*

No.	Districts and Sub-districts.	Area in Acres.	Population, 1881.	Births (exclusive of Still-born). Total.	Births. Legitimate.	Births. Illegitimate.	Deaths (exclusive of Still-born). Total.	Deaths. Males.	Deaths. Females.	Excess of Births over Deaths.
	MIDDLESEX (*part of*)—*cont.*									
	10.—Hackney.	3935	186462	6452	6253	199	3683	1806	1877	2769
1	Stoke Newington *H*	638	22781	781	766	15	378	193	185	403
2	Stamford Hill	613	9277	349	346	3	167	76	91	182
3	West Hackney	467	37610	1278	1258	20	629	309	320	649
4	Hackney *WwwwH*	1795	76911	2619	2482	137	1882	944	938	737
5	South Hackney	422	39383	1425	1401	24	627	284	343	798
	11.—St. Giles.	245	45382	1557	1460	97	1011	497	514	546
1	St. George Bloomsbury	122	16681	362	349	13	246	125	121	116
2	St. Giles South *WH*	64	14864	795	722	73	516	257	259	279
3	St. Giles North	59	13837	400	389	11	249	115	134	151
	12.—Strand.	403	33582	797	776	21	935	549	386	−138
1	St. Martin-in-the-Fields *HH*	286	17508	413	401	12	474	284	190	−61
2	St. Mary-le-Strand	56	7515	191	188	3	140	77	63	51
3	St. Clement Danes *H*	61	8559	193	187	6	321	188	133	−128
	13.—Holborn.	816	151835	5291	5205	86	3187	1625	1562	2104
1	St. George-the-Martyr *HHHHHH*	104	18671	509	495	14	524	253	271	−15
2	St. Andrew Eastern *W*	33	10706	305	298	7	256	131	125	49
3	Saffron Hill *H*	60	6533	197	193	4	127	72	55	70
4	St. James Clerkenwell	73	17516	592	585	7	339	182	157	253
5	Amwell	83	19281	678	670	8	356	186	170	322
6	Pentonville	133	14773	510	500	10	292	145	147	218
7	Goswell Street	91	17506	639	633	6	274	144	130	365
8	Old Street *H*	51	11541	489	478	11	247	122	125	242
9	City Road *HHL*	76	18628	917	909	8	487	249	238	430
10	Whitecross Street	33	9217	296	289	7	177	90	87	119
11	Finsbury	79	7463	159	155	4	108	51	57	51
	14.—London City.	668	51439	946	927	19	1450	806	644	−504
1	St. Botolph *H*	83	11174	285	282	3	204	100	104	81
2	Cripplegate	66	7193	163	161	2	137	60	77	26
3	St. Sepulchre *H*	48	5358	112	110	2	712	423	289	−600
4	St. Bride *W*	83	8396	155	145	10	132	70	62	23
5	Allhallows Barking*	293	13666	159	158	1	202	118	84	− 43
6	Broad Street *H*	95	5652	72	71	1	63	35	28	9
	15.—Shoreditch.	648	126591	5113	4924	189	3247	1665	1582	1866
1	Holywell	67	7376	251	250	1	121	62	59	130
2	St. Leonard *L*	74	14967	537	526	11	350	186	164	187
3	Hoxton New Town *w*	132	29937	1274	1183	91	880	434	446	394
4	Hoxton Old Town	117	28036	1152	1136	16	577	284	293	575
5	Haggerston *WH*	258	46275	1899	1829	70	1319	699	620	580
	16.—Bethnal Green.	755	126961	5247	5168	79	3088	1599	1489	2159
1	Hackney Road *H*	141	29738	1261	1247	14	637	323	314	624
2	Green *WHL*	390	47932	1955	1901	54	1446	773	673	509
3	Church	131	29981	1213	1206	7	591	289	302	622
4	Town	93	19310	818	814	4	414	214	200	404
	17.—Whitechapel.	378	71363	2556	2494	62	2344	1282	1062	212
1	Spitalfields *H*	77	22585	772	765	7	378	189	189	394
2	Mile End New Town *W*	58	15473	699	654	45	615	341	274	84
3	Whitechapel North	59	10001	297	295	2	183	92	91	114
4	Whitechapel Church *H*	46	7489	253	249	4	883	524	359	−630
5	Goodman's Fields	51	9713	355	355	-	175	82	93	180
6	Aldgate	87	6102	180	176	4	110	54	56	70
	18.—St. George-in-the-East.	243	47157	1928	1857	71	1197	633	564	731
1	St. Mary	62	18125	755	746	9	387	193	194	368
2	St. Paul	84	20622	812	802	10	361	198	163	451
3	St. John *W.*	97	8410	361	309	52	449	242	207	− 88

* 14 : 5.—For changes made on 1st January 1882 in the constitution of the *Allhallows Barking* Sub-district, *see* Table 72.

I.—LONDON.—BIRTHS AND DEATHS, 1882—*continued.*

No.	DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1881.	BIRTHS (*exclusive of Still-born*). Total.	Legitimate.	Illegitimate.	DEATHS (*exclusive of Still-born*). Total.	Males.	Females.	Excess of Births over Deaths.
	MIDDLESEX (*part of*)—*cont.*									
	19.—Stepney.	462	58543	2267	2234	33	1355	686	669	912
1	Shadwell *H*	108	10395	385	377	8	369	203	166	16
2	Ratcliff	111	16107	590	580	10	331	165	166	259
3	Limehouse	243	32041	1292	1277	15	655	318	337	637
	20.—Mile End Old Town.	679	105613	4165	4064	101	2386	1146	1240	1779
1	Mile End Old Town Western	189	37960	1563	1534	29	758	387	371	805
2	Mile End Old Town Eastern *WwwH*	490	67653	2602	2530	72	1628	759	869	974
	21.—Poplar.	2335	156510	6346	6184	162	3979	2174	1805	2367
1	Bow	563	37074	1466	1439	27	807	417	390	659
2	Bromley *wwwH*	608	64359	2810	2758	52	1974	1106	868	836
3	Poplar *WW*	1164	55077	2070	1987	83	1198	651	547	872
	SURREY (*part of*).									
	22.-St. Saviour Southwark.	1119	195164	7588	7316	272	4754	2368	2386	2834
1	Christchurch *WH*	77	13663	505	476	29	375	223	152	130
2	St. Saviour *H*	127	14999	510	504	6	315	160	155	195
3	Kent-road	103	21381	849	832	17	517	250	267	332
4	Borough-road *WH*	64	15953	636	569	67	428	217	211	208
5	London-road *HL*	117	21318	751	730	21	414	194	220	337
6	Trinity Newington	146	26672	1063	1048	15	566	258	308	497
7	St. Peter Walworth *W*	318	59555	2391	2314	77	1672	831	841	719
8	St. Mary Newington	167	21623	883	843	40	467	235	232	416
	23.—St. Olave Southwark.	1506	134632	5205	5113	92	3514	1891	1623	1691
1	St. Olave *H*	56	3028	66	64	2	535	350	185	−469
2	St. John Horsleydown *W*	69	8928	340	300	40	197	88	109	143
3	Leather Market	93	16300	618	615	3	361	181	180	257
4	St. Mary Magdalen *W*	142	15669	610	601	9	444	240	204	166
5	St. James Bermondsey	392	54683	2260	2237	23	1109	554	555	1151
6	Rotherhithe *W*	754	36024	1311	1296	15	868	478	390	443
	24.—Lambeth.	3942	253699	9261	8851	410	5687	2830	2857	3574
1	Waterloo-road First *H*	67	15195	624	611	13	377	183	189	247
2	Waterloo-road Second *H*	100	16351	924	833	91	378	185	193	546
3	Lambeth Church First *H*	162	19876	680	669	11	828	462	366	−148
4	Lambeth Church Second *WW*	186	39859	1778	1606	172	1293	646	647	485
5	Kennington First	490	45232	1595	1557	38	796	370	426	799
6	Kennington Second	498	35382	1016	991	25	616	304	312	400
7	Brixton *ww*	1430	62837	2046	2001	45	1124	540	584	922
8	Norwood *W*	1009	19017	598	583	15	275	135	140	323
	25.—Wandsworth.	11455	210434	7869	7594	275	3845	1883	1962	4024
1	Clapham *H*	1137	36380	1079	1044	35	543	263	280	536
2	Battersea *Ww*	2170	107262	4572	4380	192	2206	1084	1122	2366
3	Wandsworth *HL*	2433	28004	967	950	17	547	264	283	420
4	Putney	2235	13235	362	353	9	208	110	198	154
5	Streatham	3480	25553	889	867	22	341	162	179	548
	26.—Camberwell.	4450	186593	6983	6768	215	3777	1890	1887	3206
1	Dulwich	1450	5590	90	88	2	51	26	25	39
2	Camberwell *WLL*	1378	59104	2221	2120	101	1309	631	678	912
3	Peckham *W*	1175	71089	2685	2610	75	1401	717	684	1284
4	St. George	447	50810	1987	1950	37	1016	516	500	971
	KENT (*part of*).									
	27.—Greenwich.	3427	131233	4867	4715	152	3026	1570	1456	1841
1	St. Paul Deptford *w*	1575	76752	2952	2893	59	1624	807	817	1328
2	St. Nicholas Deptford	111	7901	304	302	2	182	82	100	122
3	Greenwich West *w*	307	21972	726	715	11	421	215	206	305
4	Greenwich East *WH*	1434	24608	885	805	80	799	466	333	86

I.—LONDON.—BIRTHS AND DEATHS, 1882—*continued.*

No.	DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION 1881.	BIRTHS (*exclusive of Still-born*). Total.	Legitimate.	Illegitimate.	DEATHS (*exclusive of Still-born*). Total.	Males.	Females.	Excess of Births over Deaths.
	KENT (*part of*)—*cont.*									
	28.—Lewisham.	11436	73327	2273	2194	79	1074	530	544	1199
1	Eltham *H*	4424	5827	148	142	6	59	27	32	89
2	Lee	1608	21539	525	517	8	260	125	135	265
3	Lewisham *WH*	3781	19865	736	702	34	402	207	195	334
4	Sydenham *H*	1623	26076	864	833	31	353	171	182	511
	29.—Woolwich.	6500	80845	2765	2705	60	1330	687	643	1435
1	Charlton *H*	1986	10930	276	275	1	156	97	59	120
2	Woolwich Dockyard	412	17617	546	535	11	282	147	135	264
3	Woolwich Arsenal *HH*	714	19048	708	699	9	296	152	144	412
4	Plumstead West *H*	349	14009	458	453	5	198	99	99	260
5	Plumstead East *W*	3039	19241	777	743	34	398	192	206	379

II.—SOUTH EASTERN COUNTIES.—BIRTHS AND DEATHS, 1882.

	1.—SURREY (*extra-metropolitan*).									
	30.—Epsom.	43430	41107	1157	1132	25	790	425	365	367
1	Carshalton *wL*	12228	21118	607	600	7	481	257	224	126
2	Epsom *WwH*	14262	11975	305	295	10	195	110	85	110
3	Leatherhead	16940	8014	245	237	8	114	58	56	131
	31.—Chertsey.	42094	27137	802	772	30	395	210	185	407
1	Walton *H*	8231	9599	259	253	6	127	73	54	132
2	Chertsey *W*	14733	10819	347	329	18	188	95	93	159
3	Chobham	19130	6719	196	190	6	80	42	38	116
	32.—Guildford.	67620	42696	1276	1213	63	681	375	306	595
1	Woking *HL*	18889	10992	327	316	11	236	137	99	91
2	Ripley	8897	2590	87	84	3	39	22	17	48
3	Albury	17961	4538	130	125	5	50	25	25	80
4	Guildford *WH*	6997	14738	469	444	25	262	145	117	207
5	Godalming	14876	9838	263	244	19	94	46	48	169
	33.—Farnham.	41215	40395	1428	1380	48	737	408	329	691
1	Frimley *HHH*	21170	27009	995	974	21	476	270	206	519
2	Farnham *W*	20045	13386	433	406	27	261	138	123	172
	34.—Hambledon.	61582	16353	497	478	19	227	118	109	270
1	Witley *W*	28247	7231	225	215	10	129	62	67	96
2	Cranleigh *H*	33335	9122	272	263	9	98	56	42	174
	35.—Dorking.	40609	15452	475	460	15	236	121	115	239
1	Capel *H*	24531	4491	118	115	3	61	31	30	57
2	Dorking *WH*	16078	10961	357	345	12	175	90	85	182
	36.—Reigate.	49994	30359	932	897	35	449	253	196	483
1	Reigate *WH*	21402	22896	691	666	25	350	199	151	341
2	Horley *H*	28592	7463	241	231	10	99	54	45	142
	37.—Godstone.	43950	17692	460	440	20	314	161	153	146
1	Godstone *WHL*	43950	17692	460	440	20	314	161	153	146

II.—SOUTH EASTERN COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	Districts and Sub-districts.	Area in Acres.	Population, 1881.	Births (exclusive of Still-born). Total.	Legitimate.	Illegitimate.	Deaths (exclusive of Still-born). Total.	Males.	Females.	Excess of Births over Deaths.
	1.—SURREY (*extra-metropolitan*) —*continued.*									
	38.—Croydon.	32548	119173	4026	3871	155	1997	1031	966	2029
1	Croydon *WwH*	20851	101241	3444	3311	133	1735	897	838	1709
2	Mitcham *w*	11697	17932	582	560	22	262	134	128	320
	39.—Kingston.	25003	77057	2606	2505	101	1242	633	609	1364
1	Wimbledon *HHH*	3220	15950	637	629	8	247	133	114	390
2	Kingston *WHH*	8523	36354	1209	1148	61	630	319	311	579
3	Esher	8695	11214	342	327	15	159	81	78	183
4	Hampton *H*	4565	13539	418	401	17	206	100	106	212
	40.—Richmond.	4983	33633	1076	1031	45	577	291	286	499
1	Richmond *WH*	2160	21302	662	629	33	370	178	192	292
2	Mortlake	2823	12331	414	402	12	207	113	94	207
	2.—KENT (*extra-metropolitan*).									
	41.—Bromley.	40338	48972	1648	1607	41	707	352	355	941
1	Bromley *HH*	23295	32960	1119	1100	19	481	235	246	638
2	Chislehurst *W*	17043	16012	529	507	22	226	117	109	303
	42.—Dartford.	52330	53435	1773	1718	55	909	446	463	864
1	Bexley *H*	12540	24134	792	767	25	389	184	205	403
2	Dartford *WLL*	16968	22246	768	742	26	464	232	232	304
3	Farningham	22822	7055	213	209	4	56	30	26	157
	43.—Gravesend.	1256	23302	658	627	31	395	195	200	263
1	Gravesend *WH*	1256	23302	658	627	31	395	195	200	263
	44.—North Aylesford.	37488	27437	1073	1031	42	499	286	213	574
1	Northfleet *H*	20175	12768	508	492	16	236	129	107	272
2	Strood *W*	17313	14669	565	539	26	263	157	106	302
	45.—Hoo.	19859	3405	126	117	9	64	40	24	62
1	Hoo *W*	19859	3405	126	117	9	64	40	24	62
	46.—Medway.	12080	61644	2093	2025	68	1120	623	497	973
1	Rochester *HH*	3087	19346	579	562	17	366	207	159	213
2	Gillingham *WHHH*	8993	42298	1514	1463	51	754	416	338	760
	47.—Malling.	47410	26041	973	909	64	420	235	185	553
1	Aylesford	18982	12745	528	512	16	189	106	83	339
2	East Peckham *W*	12152	7420	245	214	31	153	92	61	92
3	Wrotham	16276	5876	200	183	17	78	37	41	122
	48.—Sevenoaks.	67293	27190	846	803	43	399	195	204	447
1	Shoreham	19575	6420	205	193	12	93	53	40	112
2	Sevenoaks *WHHH*	21199	13255	421	395	26	206	97	109	215
3	Penshurst	26519	7515	220	215	5	100	45	55	120
	49.—Tunbridge.	46658	51507	1501	1422	79	803	391	412	698
1	Tunbridge Wells *H*	12292	30352	847	805	42	456	208	248	391
2	Tunbridge *W*	18438	14690	470	439	31	263	141	122	207
3	Brenchley	15928	6465	184	178	6	84	42	42	100

II.—SOUTH EASTERN COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	Districts and Sub-districts.	Area in Acres.	Population, 1881.	Births (*exclusive of Still-born*). Total.	Births. Legitimate.	Births. Illegitimate.	Deaths (*exclusive of Still-born*). Total.	Deaths. Males.	Deaths. Females.	Excess of Births over Deaths.
	2.—KENT (*extra-metrop.*)—*cont.*									
	50.—Maidstone.	38678	45091	1493	1423	70	981	508	473	512
1	Yalding	10999	4687	159	156	3	61	29	32	98
2	Marden *W*	15608	4856	183	155	28	156	79	77	27
3	Loose *W*	8063	5925	204	199	5	90	43	47	114
4	West Maidstone *L*	1989	14201	437	422	15	347	194	153	90
5	East Maidstone *HHH*	2019	15422	510	491	19	327	163	164	183
	51.—Hollingbourn.	57624	14040	418	400	18	217	112	105	201
1	Hollingbourn *WH*	22216	4800	142	133	9	91	52	39	51
2	Lenham	16260	3628	88	84	4	51	30	21	37
3	Headcorn	19148	5612	188	183	5	75	30	45	113
	52.—Cranbrook.	41452	13774	349	328	21	219	120	99	130
1	Cranbrook *W*	20576	6743	181	171	10	115	72	43	66
2	Hawkhurst *H*	20876	7031	168	157	11	104	48	56	64
	53.—Tenterden.	47324	10461	300	274	26	176	83	93	124
1	Rolvenden	20716	4060	119	109	10	47	22	25	72
2	Tenterden *W*	26608	6401	181	165	16	129	61	68	52
	54.—West Ashford.	42333	18126	611	588	23	296	147	149	315
1	Calehill *W*	22778	5553	190	180	10	101	57	44	89
2	Ashford *WHH*	19555	12573	421	408	13	195	90	105	226
	55.—East Ashford.	54886	13697	467	445	22	207	107	100	260
1	Aldington	16172	2570	88	87	1	43	23	20	45
2	Brabourne *W*	11165	5057	181	171	10	93	50	43	88
3	Wye	27549	6070	198	187	11	71	34	37	127
	56.—Bridge.	42340	12405	369	350	19	235	133	102	134
1	Chartham *L*	18699	6461	195	183	12	137	78	59	58
2	Barham *W*	23641	5944	174	167	7	98	55	43	76
	57.—Canterbury.	3112	17060	500	471	29	401	210	191	99
1	Canterbury *WHH*	3112	17060	500	471	29	401	210	191	99
	58.—Blean.	28983	18867	603	572	31	355	173	182	248
1	Sturry	9937	6753	206	190	16	130	55	75	76
2	Herne *WwH*	12966	5832	166	159	7	117	65	52	49
3	Whitstable	6080	6282	231	223	8	108	53	55	123
	59.—Faversham.	44672	24956	946	899	47	448	222	226	498
1	Boughton	21326	5769	209	196	13	109	55	54	100
2	Faversham *W*	8266	13857	543	518	25	255	131	124	288
3	Teynham	15080	5330	194	185	9	84	36	48	110
	60.—Milton.	31912	23270	893	861	32	417	239	178	476
1	Milton *WH*	31912	23270	893	861	32	417	239	178	476
	61.—Sheppey.	22451	18204	611	596	15	305	185	120	306
1	Minster *WH*	8300	16640	549	535	14	288	172	116	261
2	Eastchurch	14151	1564	62	61	1	17	13	4	45
	62.—Thanet.	26179	50821	1453	1372	81	972	498	474	481
1	Minster *W*	15783	4925	171	140	31	139	77	62	32
2	Margate *wwHHH*	3919	18226	493	472	21	338	152	186	155
3	Ramsgate *HH*	6477	27670	789	760	29	495	269	226	294

II.—SOUTH EASTERN COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	Districts and Sub-districts.	Area in Acres.	Population, 1881.	Births (*exclusive of Still-born*). Total.	Legitimate.	Illegitimate.	Deaths (*exclusive of Still-born*). Total.	Males.	Females.	Excess of Births over Deaths.
	2.—KENT (*extra-metrop.*)—*cont.*									
	63.—Eastry.	46395	28074	778	739	39	454	232	222	324
1	Sandwich *WH*	21531	8855	257	237	20	178	93	85	79
2	Wingham	8516	2927	93	88	5	40	17	23	53
3	Eythorn	8204	2039	46	45	1	22	10	12	24
4	Deal *HHH*	8144	14253	382	369	13	214	112	102	168
	64.—Dover.	29111	36813	1139	1088	51	590	308	282	549
1	St. James *HH*	9632	14844	409	403	6	227	120	107	182
2	St. Mary *H*	120	9613	280	269	11	155	83	72	125
3	Hougham *WH*	19359	12356	450	416	34	208	105	103	242
	65.—Elham.	42919	33769	1054	1002	52	634	339	295	420
1	Folkestone *HH*	6587	23463	753	722	31	461	235	226	292
2	Elham *W*	21257	3732	114	104	10	81	53	28	33
3	Hythe	15075	6574	187	176	11	92	51	41	95
	66.—Romney Marsh.	44335	6166	197	187	10	115	60	55	82
1	New Romney *W*	19608	2766	96	90	6	59	31	28	37
2	Lydd	24727	3400	101	97	4	56	29	27	45
	3.—SUSSEX.									
	67.—Rye.	38131	12040	410	382	28	201	107	94	209
1	Rye *W*	13910	6657	237	218	19	108	60	48	129
2	Beckley	22221	5383	173	164	9	93	47	46	80
	68.—Hastings.	13941	50129	1402	1311	91	874	389	485	528
1	Ore *WH*	10583	5224	202	165	37	109	62	47	93
2	All Saints	522	9236	290	270	20	172	63	109	118
3	St. Mary-in-the-Castle *HH*	2839	35669	910	876	34	593	264	329	317
	69.—Battle.	53962	14519	470	433	37	233	116	117	237
1	Bexhill	19951	6381	203	193	10	93	45	48	110
2	Ewhurst	13071	2743	89	82	7	55	28	27	34
3	Battle *W*	20940	5395	178	158	20	85	43	42	93
	70.—Eastbourne.	36539	27756	954	919	35	444	239	205	510
1	Westham	19063	3283	103	101	2	40	26	14	63
2	Eastbourne *WHHHH*	17476	24473	851	818	33	404	213	191	447
	71.—Hailsham.	55130	13405	480	455	25	230	117	113	250
1	Hailsham	25404	6703	215	203	12	104	48	56	111
2	Hellingly *W*	29726	6702	265	252	13	126	69	57	139
	72.—Ticehurst.	52352	17219	505	481	24	284	152	132	221
1	Ticehurst *W*	15717	5292	146	134	12	84	46	38	62
2	Salehurst	11952	3364	113	110	3	66	37	29	47
3	Wadhurst	15692	5082	167	158	9	80	44	36	87
4	Frant *H*	8991	3481	79	79	–	54	25	29	25
	73.—Uckfield.	75336	20098	643	617	26	303	164	139	340
1	Rotherfield	28399	7246	251	244	7	102	52	50	149
2	Framfield	15333	3756	124	122	2	60	32	28	64
3	Isfield *W*	6039	2897	86	77	9	49	32	17	37
4	Maresfield	25615	6229	182	174	8	92	48	44	90
	74.—East Grinstead.	61553	18581	569	539	30	266	150	116	303
1	Withyham	18513	3708	102	98	4	56	26	30	46
2	East Grinstead *W*	24369	9755	305	286	19	155	92	63	150
3	Worth	13671	5118	162	155	7	55	32	23	107

II.—SOUTH EASTERN COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	Districts and Sub-districts.	Area in Acres.	Population, 1881.	Births (*exclusive of Still-born*). Total.	Births. Legitimate.	Births. Illegitimate.	Deaths (*exclusive of Still-born*). Total.	Deaths. Males.	Deaths. Females.	Excess of Births over Deaths.
	3.—SUSSEX—*continued.*									
	75.—Cuckfield.	62284	23252	696	667	29	275	145	130	421
1	Lindfield	18632	5671	158	150	8	61	31	30	97
2	Cuckfield *W*	24815	8399	263	250	13	119	62	57	144
3	Hurstpierpoint	18837	9182	275	267	8	95	52	43	180
	76.—Lewes.*	85467	32896	917	877	40	593	341	252	324
1	Ditchling *WL*	17990	5198	116	110	6	144	91	53	– 28
2	Chailey *H*	18687	5175	146	141	5	86	50	36	60
3	Lewes *WHH*	6407	11547	318	295	23	205	107	98	113
4	West Firle *W*	15327	2369	68	68	–	30	14	16	38
5	Newhaven *W*	10726	5558	195	190	5	81	51	30	114
6	Rottingdean *wH*	16330	3049	74	73	1	47	28	19	27
	77.—Brighton.	1625	99091	3017	2802	215	2211	1080	1131	806
1	Kemp Town	191	15489	342	316	26	258	115	143	84
2	St. Peter *WHH*	1185	62437	2306	2128	178	1644	816	828	662
3	The Palace *HHHH*	249	21165	369	358	11	309	149	160	60
	78.—Steyning.	47760	49089	1535	1476	59	769	390	379	766
1	Shoreham *WH*	22722	42987	1353	1298	55	678	340	338	675
2	Steyning	25038	6102	182	178	4	91	50	41	91
	79.—Horsham.	70539	22300	698	663	35	323	169	154	375
1	South Horsham	18008	4083	135	131	4	52	23	29	83
2	North Horsham *W*	32696	14277	443	422	21	221	121	100	222
3	West Horsham	19835	3940	120	110	10	50	25	25	70
	80.—Petworth.	45701	9595	275	256	19	126	66	60	149
1	Petworth Northern *WW*	24985	4160	119	114	5	56	28	28	63
2	Petworth Southern *WH*	20716	5435	156	142	14	70	38	32	86
	81.—Thakeham.	40636	8285	250	231	19	102	51	51	148
1	Pulborough	18095	3888	116	110	6	47	23	24	69
2	Washington *W*	22541	4397	134	121	13	55	28	27	79
	82.—East Preston.	34869	26364	807	776	31	393	209	184	414
1	Worthing *H*	10022	14575	461	443	18	198	101	97	263
2	Littlehampton *W*	12533	7679	224	216	8	131	72	59	93
3	Arundel	12314	4110	122	117	5	64	36	28	58
	83.—Westhampnett.	70758	19653	535	514	21	306	163	143	229
1	Manhood	13528	3473	114	111	3	51	33	18	63
2	Wyke	10733	3112	88	88	–	46	20	26	42
3	South Bersted *H*	2750	4166	101	98	3	56	20	36	45
4	Yapton	13488	2949	79	78	1	44	30	14	35
5	Boxgrove *W*	17641	4374	107	94	13	90	47	43	17
6	Singleton	12618	1579	46	45	1	19	13	6	27
	84.—Chichester.	1888	8569	229	222	7	196	114	82	33
1	Chichester *WH*	1888	8569	229	222	7	196	114	82	33
	85.—Midhurst.	66571	13933	436	411	25	240	116	124	196
1	Midhurst *W*	23636	6541	186	173	13	112	51	61	74
2	Fernhurst	13843	2435	86	78	8	41	19	22	45
3	Harting	29087	4957	164	160	4	87	46	41	77
	86.—Westbourne.	32040	7420	215	203	12	118	58	60	97
1	Westbourne *W*	32040	7420	215	203	12	118	58	60	97

*76.—The District of Lewes comprises the four Poor Law Unions of Chailey (Ditchling and Chailey Sub-districts), Lewes (Lewes Sub-district), West Firle (West Firle Sub-district), and Newhaven (Newhaven and Rottingdean Sub-districts).

II.—SOUTH EASTERN COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1881.	BIRTHS (*exclusive of Still-born*). Total.	Legitimate.	Illegitimate.	DEATHS. Total.	Males.	Females.	Excess of Births over Deaths.
	4.—HAMPSHIRE.									
	87.—Havant.	14279	8672	249	238	11	177	96	81	72
1	Havant *W*	14279	8672	249	238	11	177	96	81	72
	88.—Portsea Island.	4666	128022	4403	4272	131	2778	1388	1390	1625
1	Kingston *WHHL*	2545	39127	1622	1562	60	1098	540	558	524
2	Portsea Town *HH*	120	17183	444	432	12	348	202	146	96
3	Portsmouth Town	127	7391	163	161	2	127	69	58	36
4	Landport *HHHHH*	1874	64121	2174	2117	57	1205	577	628	969
	89.—Alverstoke.	3867	21581	689	669	20	437	276	161	252
1	Alverstoke *WHH*	3867	21581	689	669	20	437	276	161	252
	90.—Fareham.	37689	16820	462	454	8	336	168	168	126
1	Fareham *WHL*	18239	10961	292	285	7	270	135	135	22
2	Titchfield	19450	5859	170	169	1	66	33	33	104
	91.—Isle of Wight.	93342	73633	2109	2009	100	1187	656	531	922
1	Cowes	9503	13012	421	413	8	194	106	88	227
2	Newport *WH*	21307	14148	419	386	33	277	149	128	142
3	Ryde *HHH*	16681	28359	767	730	37	380	202	178	387
4	Godshill *HH*	22595	11718	315	298	17	246	145	101	69
5	Calbourne	23256	6396	187	182	5	90	54	36	97
	92.—Lymington.	39948	12651	326	312	14	181	79	102	145
1	Lymington *W*	25014	8376	204	194	10	123	53	70	81
2	Milford	14934	4275	122	118	4	58	26	32	64
	93.—Christchurch.	31978	29455	882	845	37	569	271	298	313
1	Christchurch *WHHHHHHHHHHH*	31978	29455	882	845	37	569	271	298	313
	94.—Ringwood.	34935	5488	160	153	7	75	36	39	85
1	Ringwood *W*	34935	5488	160	153	7	75	36	39	85
	95.—Fordingbridge.	36211	6234	205	190	15	84	41	43	121
1	Fordingbridge *WH*	36211	6234	205	190	15	84	41	43	121
	96.—New Forest.	69329	13221	384	364	20	193	100	93	191
1	Lyndhurst	24470	3294	87	85	2	43	23	20	44
2	Fawley	23148	3889	116	114	2	62	29	33	54
3	Eling *W*	21711	6038	181	165	16	88	48	40	93
	97.—Southampton.	1324	52989	1750	1674	76	1017	517	500	733
1	Southampton *WHH*	1324	52989	1750	1674	76	1017	517	500	733
	98.—South Stoneham.	26508	41275	1404	1345	59	685	374	311	719
1	St. Mary Extra *HHL*	6307	10588	374	365	9	203	133	70	171
2	South Stoneham *W*	10573	14048	499	470	29	212	111	101	287
3	Millbrook	9628	16639	531	510	21	270	130	140	261
	99.—Romsey.	31489	10600	332	309	23	158	62	96	174
1	Romsey *W*	12443	6527	202	185	17	98	44	54	104
2	Michelmersh	19046	4073	130	124	6	60	18	42	70
	100.—Stockbridge.	47239	6972	199	190	9	101	49	52	98
1	Broughton	26434	3438	95	93	2	40	22	18	55
2	Stockbridge *W*	20805	3534	104	97	7	61	27	34	43

II.—SOUTH EASTERN COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1881.	BIRTHS (*exclusive of Still-born*). Total.	Legitimate.	Illegitimate.	DEATHS. Total.	Males.	Females.	Excess of Births over Deaths.
	4.—HAMPSHIRE—*continued.*									
	101.—Winchester.*	79405	31150	859	825	34	530	271	259	329
1	Mitcheldever	18224	2257	49	48	1	26	12	14	23
2	The Worthys	21409	2959	85	83	2	34	16	18	51
3	Winchester *WH*	4094	18653	512	491	21	371	186	185	141
4	Twyford	19051	4528	132	123	9	65	37	28	67
5	Hursley *WH*	16627	2753	81	80	1	34	20	14	47
	102.—Droxford.	48914	11197	325	305	20	181	107	74	144
1	Bishops Waltham	12809	3616	108	101	7	54	29	25	54
2	Westmeon	13821	2152	57	53	4	36	24	12	21
3	Hambledon *WH*	22284	5429	160	151	9	91	54	37	69
	103.—Catherington.	13145	2747	69	65	4	52	22	30	17
1	Horndean *W*	13145	2747	69	65	4	52	22	30	17
	104.—Petersfield.	45930	10255	321	302	19	180	100	80	141
1	Petersfield *WH*	25297	7483	241	225	16	128	75	53	113
2	Eastmeon	20633	2772	80	77	3	52	25	27	28
	105.—Alresford.	42637	6967	186	178	8	92	54	38	94
1	Ropley	23905	3406	97	93	4	40	24	16	57
2	Alresford *W*	18732	3561	89	85	4	52	30	22	37
	106.—Alton.	61759	15198	467	446	21	224	108	116	243
1	Alton *WH*	33824	9032	294	280	14	153	74	79	141
2	Binsted	27935	6166	173	166	7	71	34	37	102
	107.—Hartley Wintney.	57565	21326	591	557	34	283	151	132	308
1	Odiham *w*	24649	7030	211	201	10	89	43	46	122
2	Farnborough	12473	9309	221	213	8	119	66	53	102
3	Hartley Wintney *W*	20443	4987	159	143	16	75	42	33	84
	108.—Basingstoke.	76879	19274	636	601	35	308	165	143	328
1	Basingstoke *WH*	20670	9970	363	341	22	189	101	88	174
2	Bramley	23218	4759	148	136	12	69	35	34	79
3	Dummer	32991	4545	125	124	1	50	29	21	75
	109.—Whitchurch.	31358	5458	181	173	8	91	44	47	90
1	Whitchurch *W*	31358	5458	181	173	8	91	44	47	90
	110.—Andover.	74213	15700	437	412	25	219	112	107	218
1	Longparish	27184	4185	119	113	6	54	23	31	65
2	Amport	18872	2684	78	75	3	37	21	16	41
3	Andover *WHH*	14083	6884	175	161	14	97	51	46	78
4	Hurstbourne Tarrant	14074	1947	65	63	2	31	17	14	34
	111.—Kingsclere.	45507	8524	267	250	17	130	69	61	137
1	Highclere	20034	3112	91	90	1	58	29	29	33
2	Kingsclere *W*	25473	5412	176	160	16	72	40	32	104
	5.—BERKSHIRE.									
	112.—Newbury.	44695	21327	646	614	32	379	207	172	267
1	Thatcham	14979	5766	179	175	4	87	50	37	92
2	Newbury *W*	6594	7940	255	235	20	150	84	66	105
3	Speen *H*	23122	7621	212	204	8	142	73	69	70

* 101.—The District of Winchester comprises the two Poor Law Unions of New Winchester (Mitcheldever, The Worthys, Winchester, and Twyford Sub-districts) and Hursley (Hursley Sub-district).

II.—SOUTH EASTERN COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	Districts and Sub-districts.	Area in Acres.	Population, 1881.	Births (exclusive of Still-born). Total.	Births. Legitimate.	Births. Illegitimate.	Deaths. Total.	Deaths. Males.	Deaths. Females.	Excess of Births over Deaths.
	5.—BERKSHIRE—*continued.*									
	113.—Hungerford.	97180	17802	566	534	32	300	148	152	266
1	Kintbury	24213	3884	132	127	5	61	31	30	71
2	Hungerford *W*	33818	8907	272	254	18	157	80	77	115
3	Lambourn	34149	5011	162	153	9	82	37	45	80
	114.—Faringdon.	64733	13676	395	373	22	214	109	105	181
1	Shrivenham	21805	3818	102	97	5	49	30	19	53
2	Faringdon *W*	19366	5521	177	166	11	89	44	45	88
3	Buckland	23567	4337	116	110	6	76	35	41	40
	115.—Abingdon.	55978	20354	628	600	28	330	170	160	298
1	Fyfield	7774	1683	63	60	3	26	14	12	37
2	Abingdon *W*	12332	9022	254	244	10	154	82	72	100
3	Cumnor	12324	3249	107	103	4	53	29	24	54
4	Nuneham Courtney	10281	2300	78	75	3	31	14	17	47
5	Sutton Courtney	12237	4100	126	118	8	66	31	35	60
	116.—Wantage.	76848	17160	510	478	32	318	175	143	192
1	Wantage *W*	22578	7496	238	225	13	154	92	62	84
2	Ilsley	32072	5205	162	148	14	95	48	47	67
3	Hendred	22193	4459	110	105	5	69	35	34	41
	117.—Wallingford.	42706	14493	420	387	33	303	153	150	117
1	Cholsey *L*	23231	6980	183	165	18	143	73	70	40
2	Wallingford *WH*	19475	7513	237	222	15	160	80	80	77
	118.—Bradfield.	64700	17972	591	568	23	240	124	116	351
1	Bucklebury *W*	27319	5630	178	168	10	76	46	30	102
2	Mortimer	20962	4961	174	171	3	73	35	38	101
3	Tilehurst	16419	7381	239	229	10	91	43	48	148
	119.—Reading.	4955	43494	1557	1495	62	828	445	383	729
1	St. Mary *W*	1867	17262	640	607	33	325	160	165	315
2	St. Lawrence	328	4674	120	116	4	71	38	33	49
3	St. Giles *H*	2760	21558	797	772	25	432	247	185	365
	120.—Wokingham.	43418	20018	658	638	20	325	175	150	333
1	Wokingham *W*	23657	8824	274	266	8	152	82	70	122
2	Wargrave *w*	19761	11194	384	372	12	173	93	80	211
	121.—Cookham.	29926	16345	511	493	18	297	164	133	214
1	Bray	16741	8259	243	237	6	138	79	59	105
2	Cookham *WH*	13185	8086	268	256	12	159	85	74	109
	122.—Easthampstead.	27033	12659	332	322	10	175	116	59	157
1	Bracknell *WH*	22497	8464	238	228	10	116	76	40	122
2	Sandhurst *L*	4536	4195	94	94	–	59	40	19	35
	123.—Windsor.	22631	31992	990	942	48	530	285	245	460
1	Egham *H*	14845	13362	472	454	18	177	85	92	295
2	Windsor *WHH*	7786	18630	518	488	30	353	200	153	165

III.—SOUTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	DISTRICTS AND SUB-DISTRICTS.	Area in Acres.	Population, 1881.	Births (exclusive of Still-born). Total.	Births. Legitimate.	Births. Illegitimate.	Deaths (exclusive of Still-born). Total.	Deaths. Males.	Deaths. Females.	Excess of Births over Deaths.
	6.—MIDDLESEX— (*extra-metropolitan*).									
	124.—Staines.	24332	23774	731	695	36	404	222	182	327
1	Sunbury *w*	11055	11685	315	301	14	172	95	77	143
2	Staines *W*	13277	12089	416	394	22	232	127	105	184
	125.—Uxbridge.	26794	27550	852	812	40	557	299	258	295
1	Hillingdon *WHH*	6029	10802	367	350	17	214	118	96	153
2	Uxbridge	6178	5225	161	151	10	91	48	43	70
3	Hayes *wHL*	14587	11523	324	311	13	252	133	119	72
	126.—Brentford.	21027	101706	3627	3473	154	1817	901	916	1810
1	Isleworth *WHH*	6966	22727	760	711	49	461	243	218	299
2	Twickenham *H*	2415	12479	425	406	19	198	95	103	227
3	Brentford *HL*	4318	27649	928	892	36	461	228	233	467
4	Chiswick	1245	15975	669	645	24	268	133	135	401
5	Acton *wH*	6083	22876	845	819	26	429	202	227	416
	127.—Hendon.	33568	54482	1959	1892	67	1034	526	508	925
1	Harrow *H*	13809	12796	359	351	8	177	90	87	182
2	Edgware *H*	6994	3749	110	110	–	59	31	28	51
3	Willesden	4383	27453	1085	1054	31	588	296	292	497
4	Hendon *W*	8382	10484	405	377	28	210	109	101	195
	128.—Barnet.	25720	34098	1025	988	37	659	378	281	366
1	South Mimms	15599	6391	175	170	5	77	42	35	98
2	Barnet *WH*	5433	10092	290	272	18	182	93	89	108
3	Finchley *HHL*	4688	17615	560	546	14	400	243	157	160
	129.—Edmonton.	47314	139204	5558	5382	176	2604	1342	1262	2954
1	Hornsey *H*	3039	37078	1248	1234	14	524	255	269	724
2	Tottenham *H*	4642	46456	2216	2163	53	973	499	474	1243
3	Edmonton *Www*	7483	23463	947	887	60	572	304	268	375
4	Enfield *WH*	12653	19104	726	701	25	292	157	135	434
5	Waltham Abbey	11017	5368	174	165	9	91	50	41	83
6	Cheshunt	8480	7735	247	232	15	152	77	75	95
	7.—HERTFORDSHIRE.									
	130.—Ware.	36254	18625	560	541	19	267	131	136	293
1	Hoddesdon	7963	6718	194	188	6	95	42	53	99
2	Stanstead	7986	2719	76	76	–	44	27	17	32
3	Ware *W*	6911	6212	210	201	9	94	48	46	116
4	Standon	13394	2976	80	76	4	34	14	20	46
	131.—Bishop Stortford.	54471	21801	608	571	37	316	181	135	292
1	Sawbridgeworth	12519	4675	134	127	7	65	39	26	69
2	Stansted	16590	5157	145	136	9	71	35	36	74
3	Bishop Stortford *W*	12878	9350	254	235	19	140	81	59	114
4	Braughing	12484	2619	75	73	2	40	26	14	35
	132.—Royston.*	89658	24655	714	679	35	417	205	212	297
1	Buntingford *W*	28472	6032	147	137	10	102	56	46	45
2	Royston *H*	33950	9542	274	262	12	123	53	70	151
3	Melbourne *W*	27236	9081	293	280	13	192	96	96	101
	133.—Hitchin.	66600	27417	883	820	63	431	237	194	452
1	Baldock	29635	9147	281	255	26	118	64	54	163
2	Hitchin *WH*	36915	18270	602	565	37	313	173	140	289
	134.—Hertford.	35282	16754	431	410	21	222	111	111	209
1	Watton	16442	3887	98	95	3	50	30	20	48
2	Hertford *WH*	18840	12867	333	315	18	172	81	91	161

* 132.—The District of Royston comprises the two Poor Law Unions of Buntingford (Buntingford Sub-district) and Royston (Royston and Melbourne Sub-districts).

III.—SOUTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1881.	BIRTHS (*exclusive of Still-born*). Total.	Legitimate.	Illegitimate.	DEATHS (*exclusive of Still-born*). Total.	Males.	Females.	Excess of Births over Deaths.
	7.—HERTFORDSHIRE—*cont.*									
	135.—Hatfield.*	30068	8802	278	266	12	147	81	66	131
1	Hatfield *W*	23487	6502	207	195	12	116	67	49	91
2	Welwyn *W*	6581	2300	71	71	-	31	14	17	40
	136.—St. Albans.	41399	23296	790	725	65	379	183	196	411
1	Harpenden	20615	8401	275	253	22	136	65	71	139
2	St. Albans *WH*	20784	14895	515	472	43	243	118	125	272
	137.—Watford.	36952	31328	952	918	34	619	330	289	333
1	Busbey	9331	6621	208	201	7	86	42	44	122
2	Watford *WWoL*	10780	15507	424	412	12	350	185	165	74
3	Rickmansworth	11560	6211	213	200	13	123	67	56	90
4	Abbots Langley	5281	2989	107	105	2	60	36	24	47
	138.—Hemel Hempstead.	25695	14606	427	404	23	243	123	120	184
1	Kings Langley	8358	2758	80	78	2	44	26	18	36
2	Hemel Hempstead *WHH*	7184	9064	265	249	16	160	79	81	105
3	Flamstead	10153	2784	82	77	5	39	18	21	43
	139.—Berkhampstead.	25244	15091	510	476	34	282	142	140	228
1	Berkhampstead *W*	10001	7104	226	211	15	127	67	60	99
2	Tring	15243	7987	284	265	19	155	75	80	129
	8.—BUCKINGHAMSHIRE.									
	140.—Amersham.	47574	18319	616	590	26	314	163	151	302
1	Missenden	6321	2292	82	75	7	40	20	20	42
2	Chesham *H*	13656	6853	251	245	6	122	65	57	129
3	Amersham *W*	7969	3001	85	80	6	50	25	25	36
4	Chalfont *H*	10243	3108	99	96	3	43	22	21	56
5	Beaconsfield	9385	3065	98	94	4	59	31	28	39
	141.—Eton.	42597	27721	753	723	30	444	242	202	309
1	Iver *H*	17887	6489	183	175	8	107	55	52	76
2	Eton *W*	7597	13834	370	353	17	212	123	89	158
3	Burnham	17113	7398	200	195	5	125	64	61	75
	142.—Wycombe.	83035	40278	1411	1337	74	692	354	338	719
1	High Wycombe *H*	13404	16716	641	617	24	286	158	128	355
2	Great Marlow	9858	5519	158	152	6	96	49	47	62
3	West Wycombe	24068	7620	260	247	13	120	56	64	140
4	Wendover	19708	4738	147	137	10	64	33	31	83
5	Princes Risborough *W*	15997	5685	205	184	21	123	58	68	79
	143.—Aylesbury.	73617	24607	777	730	47	508	265	243	269
1	Haddenham	18580	3875	101	94	7	80	41	39	21
2	Aylesbury *WHL*	11357	10086	325	307	18	251	130	121	74
3	Aston Clinton	17553	5746	196	186	10	88	45	43	108
4	Waddesdon	26127	4900	155	143	12	89	49	40	66
	144.—Winslow.	34525	7943	219	194	25	131	70	61	88
1	Winslow *W*	34525	7943	219	194	25	131	70	61	88
	145.—Newport Pagnell.	74807	24583	815	775	40	412	188	224	403
1	Fenny Stratford	33740	11224	413	399	14	182	82	100	231
2	Newport Pagnell *W*	3432	3686	111	104	7	81	40	41	30
3	Olney	37635	9673	291	272	19	149	66	83	142

* 135.—The District of Hatfield comprises the two Poor Law Unions of Hatfield (Hatfield Sub-district) and Welwyn (Welwyn Sub-district).

III.—SOUTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	Districts and Sub-districts.	Area in Acres.	Population, 1881.	Births (exclusive of Still-born). Total.	Legitimate.	Illegitimate.	Deaths (exclusive of Still-born). Total.	Males.	Females.	Excess of Births over Deaths.
	8.—BUCKINGHAMSH.—*cont.*									
	146.—Buckingham.	54021	12418	350	329	21	255	118	137	95
1	Leckhampstead	21761	5631	99	95	4	65	24	41	34
2	Buckingham *W*	15474	5678	176	164	12	130	66	64	46
3	Tingewick	16786	3109	75	70	5	60	28	32	15
	9.—OXFORDSHIRE.									
	147—Henley.	61113	19992	570	545	25	302	157	145	268
1	Henley *W*	42292	16083	455	436	19	234	120	114	221
2	Watlington *H*	18821	3909	115	109	6	68	37	31	47
	148.—Thame.	55919	13862	414	380	34	211	116	95	203
1	Lewknor	18389	3500	104	96	8	43	27	16	61
2	Thame *W*	15885	5506	176	164	12	79	41	38	97
3	Brill	21645	4856	134	120	14	89	48	41	45
	149.—Headington.	29085	28723	951	879	72	592	321	271	359
1	Wheatley	12586	3613	116	109	7	52	32	20	64
2	St. Clement *WwwHHL*	16499	25110	835	770	65	540	289	251	295
	150.—Oxford.	1506	21902	676	643	33	392	204	188	284
1	Oxford	1506	21902	676	643	33	392	204	188	284
	151.—Bicester.	65549	14157	388	358	30	218	104	114	170
1	Bletchington	32171	6572	198	183	15	102	48	54	96
2	Bicester *W*	33378	7585	190	175	15	116	56	60	74
	152.—Woodstock.	47921	13320	391	366	25	207	81	126	184
1	Deddington	24298	6152	164	154	10	94	37	57	70
2	Woodstock *W*	23623	7168	227	212	15	113	44	69	114
	153.—Witney.	78040	21536	639	602	37	396	208	188	243
1	Ensham	18078	4899	152	142	10	92	45	47	60
2	Bampton	23439	4835	122	116	6	79	49	30	43
3	Witney *W*	15278	7246	233	219	14	156	82	74	77
4	Burford *H*	21245	4556	132	125	7	69	32	37	63
	154.—Chipping Norton.	72579	17958	559	531	28	283	151	132	276
1	Charlbury	39293	8332	256	249	7	134	69	65	122
2	Chipping Norton *W*	33286	9626	303	282	21	149	82	67	154
	155.—Banbury.	78015	30120	843	793	50	435	249	186	408
1	Bloxham	19722	5998	176	170	6	80	39	41	96
2	Swalcliffe	22582	5427	136	121	15	88	51	37	48
3	Cropredy	20556	3856	103	97	6	56	35	21	47
4	Banbury *WH*	15155	14839	428	405	23	211	124	87	217
	10.—NORTHAMPTONSH.									
	156.—Brackley.	59599	12340	322	298	24	227	100	127	95
1	Brackley *WH*	32038	7600	214	200	14	132	59	73	82
2	Sulgrave	27561	4740	108	98	10	95	41	54	13
	157.—Towcester.	42216	12584	378	360	18	196	84	112	182
1	Abthorpe	22323	4746	138	130	8	75	29	46	63
2	Towcester *W*	19893	7838	240	230	10	121	55	66	119

III.—SOUTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1881.	BIRTHS (*exclusive of Still-born*). Total.	Legitimate.	Illegitimate.	DEATHS (*exclusive of Still-born*). Total.	Males.	Females.	Excess of Births over Deaths.
	10.—NORTHAMPTONSH. —*continued.*									
	158.—Potterspury.	22551	12231	395	382	13	188	98	90	207
1	Potterspury *WH*	22551	12231	395	382	13	188	98	90	207
	159.—Hardingstone.	32408	10486	345	328	17	172	97	75	173
1	Brafield	12225	3414	99	96	3	46	27	19	53
2	Hardingstone	12253	4135	142	136	6	60	32	28	82
3	Milton *W*	7930	2937	104	96	8	66	38	28	38
	160.—Northampton.	20275	64244	2449	2345	104	1287	655	632	1162
1	St. Giles *WHL*	10730	42039	1656	1585	71	886	465	421	770
2	All Saints *H*		18140	684	660	24	295	139	156	389
3	Bugbrooke *L*	9545	4065	109	100	9	106	51	55	3
	161.—Daventry.	63301	18514	516	483	33	302	161	141	214
1	Weedon *H*	18496	5065	138	132	6	91	48	43	47
2	Daventry *W*	24617	7871	251	231	20	141	76	65	110
3	Long Buckby	20188	5578	127	120	7	70	37	33	57
	162.—Brixworth.	60376	13336	366	347	19	187	89	98	179
1	Brixworth* *W*	43035	8847	234	219	15	119	52	67	115
2	Moulton	17341	4489	132	128	4	68	37	31	64
	163.—Wellingborough.	55505	36942	1321	1275	46	611	300	311	710
1	Earls Barton	19284	7182	227	219	8	109	52	57	118
2	Higham Ferrers	18356	10790	446	432	14	191	98	93	255
3	Wellingborough *W*	17865	18969	648	624	24	311	150	161	337
	164.—Kettering.	55266	25653	964	927	37	465	241	224	499
1	Kettering *WH*	14375	14339	572	550	22	275	141	134	297
2	Rothwell	20783	7335	273	262	11	129	72	57	144
3	Corby	20108	3979	119	115	4	61	28	33	58
	165.—Thrapston.	51188	15115	451	440	11	237	118	119	214
1	Thrapston *W*	27387	8087	239	234	5	133	62	71	106
2	Raunds	23801	7028	212	206	6	104	56	48	108
	166.—Oundle.	69783	14086	397	368	29	223	126	97	174
1	Oundle *W*	27856	6149	170	154	16	96	57	39	74
2	Weldon	15817	2113	50	48	2	31	13	18	19
3	Fotheringhay	26110	5824	177	166	11	96	56	40	81
	167.—Peterborough.	100514	41504	1326	1252	74	743	371	372	583
1	Stilton	28884	5400	139	128	11	82	39	43	57
2	Peterborough *WH*	22390	26679	909	865	44	502	249	253	407
3	Crowland	31650	7370	226	210	16	128	67	61	98
4	Thorney	17590	2055	52	49	3	31	16	15	21
	11.—HUNTINGDONSHIRE.									
	168.—Huntingdon.	76446	19561	540	517	23	315	158	157	225
1	Ramsey	20805	5206	154	150	4	70	35	35	84
2	Sawtry	15628	2177	56	53	3	29	12	17	27
3	Spaldwick	20140	2893	80	77	3	51	25	26	29
4	Huntingdon *WH*	19873	9285	250	237	13	165	86	79	85

* 162 : 1.—For changes made on 1st July 1882 in the constitution of the *Brixworth* Sub-district, *see* Table 72.

III.—SOUTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1881.	BIRTHS (*exclusive of Still-born*). Total.	Legitimate.	Illegitimate.	DEATHS (*exclusive of Still-born*). Total.	Males.	Females.	Excess of Births over Deaths.
	11.—HUNTINGDONSH. *—continued.*									
	169.—St. Ives.	62930	16755	465	436	29	252	138	114	213
1	Warboys	16115	2834	67	59	8	31	16	15	36
2	Somersham	15424	3601	99	93	6	57	29	28	42
3	Swavesey	14161	3154	104	100	4	41	25	16	63
4	St. Ives *W*	17230	7166	195	184	11	123	68	55	72
	170.—St. Neots.	65097	16907	446	426	20	258	132	126	188
1	St. Neots	30827	8988	243	234	9	117	60	57	126
2	Kimbolton *W*	34270	7919	203	192	11	141	72	69	62
	12.—BEDFORDSHIRE.									
	171.—Bedford.	97406	42932	1247	1169	78	714	378	336	533
1	Riseley	13349	2409	66	62	4	42	15	27	24
2	Sharnbrook	13683	2619	73	71	2	50	24	26	23
3	Harrold	12100	2944	89	79	10	43	18	25	46
4	Turvey	9280	2118	55	53	2	26	18	8	29
5	Bedford and Kempston *W*	18278	15365	457	430	27	247	134	113	210
6	Bedford and Cardington *HH*	18376	14845	428	399	29	265	149	116	163
7	Barford	12340	2632	79	75	4	41	20	21	38
	172.—Biggleswade.	58041	27378	845	780	65	540	284	256	305
1	Potton	26125	9542	309	295	14	178	91	87	131
2	Biggleswade *WHL*	31916	17836	536	485	51	362	193	169	174
	173.—Ampthill.	41551	16253	512	474	38	275	144	131	237
1	Shillington	12242	4566	144	129	15	73	39	34	71
2	Ampthill *W*	19118	8404	260	243	17	141	70	71	119
3	Cranfield	10191	3283	108	102	6	61	35	26	47
	174.—Woburn.	29603	9880	264	242	22	175	83	92	89
1	Woburn *W*	16791	5569	130	120	10	100	54	46	30
2	Toddington	12812	4311	134	122	12	75	29	46	59
	175.—Leighton Buzzard.	39433	18316	643	603	40	311	155	156	332
1	Leighton Buzzard *W*	12607	10384	375	352	23	211	107	104	164
2	Wing	11504	2425	79	75	4	30	16	14	49
3	Ivinghoe	7047	2124	69	62	7	23	10	13	46
4	Edlesborough	8275	3383	120	114	6	47	22	25	73
	176.—Luton.	41016	39500	1435	1326	109	785	398	387	650
1	Dunstable	14261	9407	274	259	15	164	81	83	110
2	Luton *WH*	26755	30093	1161	1067	94	621	317	304	540
	13.—CAMBRIDGESHIRE.									
	177.—Caxton.	49897	10357	280	260	20	142	71	71	138
1	Caxton *W*	49897	10357	280	260	20	142	71	71	138
	178.—Chesterton.	76728	29049	910	865	45	492	245	247	418
1	Willingham	33215	9586	331	310	21	167	79	88	164
2	Fulbourn *WL*	21933	11536	363	351	12	204	108	96	159
3	Shelford	21580	7927	216	204	12	121	58	63	95
	179.—Cambridge.	3278	35363	975	928	47	628	340	288	347
1	St. Andrew-the-Less *W*	3278	21078	725	688	37	361	186	175	364
2	St. Mary-the-Great *H*		4361	59	58	1	125	79	46	−66
3	St. Andrew-the-Great		5696	90	87	3	66	34	32	24
4	St. Giles		4228	101	95	6	76	41	35	25

III.—SOUTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1881.	BIRTHS (*exclusive of Still-born*). Total	Legitimate.	Illegitimate	DEATHS (*exclusive of Still-born*). Total.	Males.	Females.	Excess of Births over Deaths.
	13.—CAMBRIDGESHIRE *—continued.*									
	180.—Linton.	48971	13015	369	345	24	208	110	98	161
1	Duxford	14928	5027	146	143	3	73	40	33	73
2	Linton *W*	16271	4524	131	118	13	71	33	38	60
3	Balsham	17772	3464	92	84	8	64	37	27	28
	181.—Newmarket.	97373	28247	858	819	39	460	250	210	398
1	Cheveley *H*	21645	6636	193	186	7	108	57	51	85
2	Newmarket *W*	15326	6949	229	214	15	137	78	59	92
3	Bottisham	12997	3112	99	96	3	62	29	33	37
4	Gazeley	17421	3142	80	77	3	37	18	19	43
5	Soham	29984	8318	257	246	11	116	68	48	141
	182.—Ely.	81007	20702	563	540	23	356	187	169	207
1	Haddenham	18085	3584	87	83	4	67	34	33	20
2	Sutton	35884	3401	109	104	5	53	29	24	56
3	Ely *W*		8124	217	208	9	137	75	62	80
4	Littleport	27038	5593	150	145	5	99	49	50	51
	183.—North Witchford.	59823	15464	433	414	19	245	125	120	188
1	Chatteris *W*	33093	8185	216	205	11	124	70	54	92
2	March	26730	7279	217	209	8	121	55	66	96
	184.—Whittlesey.	25131	6455	168	158	10	111	57	54	57
1	Whittlesey *W*	25131	6455	168	158	10	111	57	54	57
	185.—Wisbech.	131585	32462	889	834	55	627	319	308	262
1	Leverington	25524	5439	142	135	7	81	39	42	61
2	Wisbech *WHH*	6432	9249	240	217	23	178	92	86	62
3	Walpole St. Peter	15695	2684	63	61	2	51	25	26	12
4	Terrington St. Clement	45252	4947	149	143	6	107	51	56	42
5	Walsoken	19210	5493	169	161	8	96	47	49	73
6	Upwell	19472	4650	126	117	9	114	65	49	12

IV.—EASTERN COUNTIES.—BIRTHS AND DEATHS, 1882.

	14.—ESSEX.									
	186.—West Ham.	18825	200958	8862	8671	191	4117	2113	2004	4745
1	Stratford	882	38606	1739	1702	37	765	363	402	974
2	West Ham *wwwwH*	7051	101053	4674	4596	78	2012	1055	957	2662
3	Leyton *WwL*	4372	32430	1201	1148	53	780	428	352	421
4	Walthamstow *H*	6520	28869	1248	1225	23	560	267	293	688
	187.—Epping.	48099	21754	607	580	27	373	203	170	234
1	Chigwell *H*	13959	10544	316	308	8	167	96	71	149
2	Epping *W*	17101	5564	142	134	8	98	55	43	44
3	Harlow	17039	5646	149	138	11	108	52	56	41
	188.—Ongar.	47230	10671	292	275	17	153	90	63	139
1	Bobbingworth	24321	5027	151	148	3	63	36	27	88
2	Chipping Ongar *W*	22909	5044	141	127	14	90	54	36	51
	189.—Romford.	47663	37050	1341	1286	55	695	362	333	646
1	Romford *W*	15373	12898	424	410	24	280	159	121	154
2	Ilford	8493	7645	278	269	9	140	67	73	138
3	Barking Town	3814	9213	375	362	13	146	74	72	229
4	Hornchurch	19483	7304	254	245	9	129	62	67	125

IV.—EASTERN COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1881.	BIRTHS (*exclusive of Still-born*). Total.	Legitimate.	Illegitimate.	DEATHS (*exclusive of Still-born*). Total.	Males.	Females.	Excess of Births over Deaths.
	14.—ESSEX—*continued.*									
	190.—Orsett.	41167	16480	612	594	18	270	164	106	342
1	Grays *H*	14937	10485	405	394	11	173	107	66	232
2	Orsett *W*	26230	5995	207	200	7	97	57	40	110
	191.—Billericay.	49997	18331	503	492	16	373	213	160	135
1	Brentwood *wL*	15621	11909	324	316	8	249	136	113	75
2	Great Burstead *W*	20670	4711	128	120	8	92	61	31	36
3	Wickford	13706	1711	56	56	–	32	16	16	24
	192.—Chelmsford.	85627	32971	965	914	51	487	240	247	478
1	Ingatestone	28580	6016	159	152	7	70	39	31	89
2	Chelmsford *WH*	3550	10185	336	309	27	166	89	77	170
3	Writtle	19268	4959	138	133	5	67	33	34	71
4	Great Waltham	19344	5213	154	146	8	89	40	49	65
5	Great Baddow	14885	6568	178	174	4	95	39	56	83
	193.—Rochford.	63132	24406	853	827	26	360	190	170	493
1	Rayleigh	25804	4887	166	159	7	78	40	38	88
2	Prittlewell	6720	10510	328	320	8	170	85	85	158
3	Rochford *W*	15532	3881	125	118	7	60	33	27	65
4	Great Wakering *H*	15076	5128	234	230	4	52	32	20	182
	194.—Maldon.	89993	23812	775	741	34	371	173	198	404
1	Southminster	18841	4680	173	169	4	62	24	38	111
2	Bradwell	15848	2690	89	89	–	30	13	17	59
3	All Saints	23131	4387	124	118	6	45	22	23	79
4	St. Peter *W*	16403	8464	266	246	20	168	87	81	98
5	Tollesbury	15770	3591	123	119	4	66	27	39	57
	195.—Tendring.	84490	33475	1139	1095	44	582	312	270	557
1	Thorpe *W*	36557	9667	320	296	24	191	114	77	129
2	Harwich *H*	1526	7842	306	299	7	132	67	65	174
3	Manningtree *L*	17188	6123	201	193	8	109	54	55	92
4	Ardleigh	29219	9843	312	307	5	150	77	73	162
	196.—Colchester.	11324	28374	914	870	44	563	302	261	351
1	Colchester First Ward *WHH*	4373	14039	434	415	19	302	172	130	132
2	Colchester Second Ward	4766	7021	232	217	15	132	65	67	100
3	Colchester Third Ward	2185	7314	248	238	10	129	65	64	119
	197.—Lexden.	71204	21775	682	644	38	375	209	166	307
1	Wivenhoe	1549	2280	64	64	–	47	25	22	17
2	Peldon	19186	5079	166	157	9	85	41	44	81
3	Stanway *W*	21384	5677	199	180	19	103	65	41	93
4	Fordham	16147	4505	143	138	5	76	45	31	67
5	Dedham	12938	4234	110	105	5	61	33	28	49
	198.—Halstead.	39239	17005	466	428	38	271	130	141	195
1	Halstead *WH*	20681	10973	291	271	20	163	76	87	128
2	Hedingham	18558	6032	175	157	18	108	54	54	67
	199.—Braintree.	68293	28628	829	777	52	488	235	253	341
1	Finchingfield	16830	4337	139	126	13	64	34	30	75
2	Bocking *WH*	11633	5116	153	144	9	108	56	52	45
3	Coggeshall	7719	4162	103	94	9	78	38	40	25
4	Kelvedon	6837	2227	65	62	3	39	19	20	26
5	Witham	14726	5534	175	169	6	74	35	39	101
6	Braintree	10548	7252	194	182	12	125	53	72	69
	200.—Dunmow.	73405	17990	480	449	31	315	169	146	165
1	Stebbing	17678	4595	120	116	4	62	28	34	58
2	Dunmow *W*	18712	5265	148	135	13	124	67	57	24
3	Hatfield *H*	21530	4256	104	100	4	75	46	29	29
4	Thaxted	15485	3874	108	98	10	54	28	26	54

IV.—EASTERN COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1881.	BIRTHS (*exclusive of Still-born*). Total.	Legitimate.	Illegitimate.	DEATHS (*exclusive of Still-born*). Total.	Males.	Females.	Excess of Births over Deaths.
	14.—ESSEX—*continued.*									
	201.—Saffron Walden.	64506	18588	522	501	21	299	168	131	223
1	Newport	19186	4850	130	127	3	71	44	27	59
2	Saffron Walden *WH*	24095	9627	288	275	13	162	93	69	126
3	Radwinter	21225	4111	104	99	5	66	31	35	38
	15.—SUFFOLK.									
	202.—Risbridge.	53976	17234	570	528	42	287	140	147	283
1	Haverhill *W*	18338	8258	295	268	27	153	78	75	142
2	Wickhambrook	18698	4238	124	117	7	62	28	34	62
3	Clare	16740	4738	151	143	8	72	34	38	79
	203.—Sudbury.	79588	30155	890	836	54	526	264	262	364
1	Bulmer	18208	4263	117	111	6	69	31	38	48
2	Bures	17667	4908	140	128	12	83	46	37	57
3	Sudbury *WH*	8573	8597	235	218	17	183	97	86	52
4	Melford	16830	5898	196	187	9	95	44	51	101
5	Hartest	18310	6489	202	192	10	96	46	50	106
	204.—Cosford.	52696	15820	500	471	29	259	131	128	241
1	Lavenham	27110	7231	214	202	12	99	50	49	115
2	Hadleigh *W*	25586	8589	286	269	17	160	81	79	126
	205.—Thingoe.	82464	16386	476	459	17	264	136	128	212
1	Rougham	26113	5388	150	145	5	84	34	50	66
2	Fornham	32369	5447	176	169	7	80	40	40	96
3	Ixworth	23982	5551	150	145	5	100	62	38	50
	206.—Bury St. Edmunds.	2938	16111	462	430	32	285	135	150	177
1	Bury St. Edmunds *WHH*	2938	16111	462	430	32	285	135	150	177
	207.—Mildenhall.	61244	8957	307	291	16	186	83	103	121
1	Worlington	61244	3367	119	114	5	55	29	26	64
2	Lakenheath *WH*		5590	188	177	11	131	54	77	57
	208.—Stow.	55342	20195	597	565	32	343	163	180	254
1	Walsham-le-Willows	18585	5201	154	144	10	82	37	45	72
2	Rattlesden *W*	20180	6184	185	178	7	120	60	60	65
3	Stowmarket	16577	8810	258	243	15	141	66	75	117
	209.—Hartismere.	54188	15791	532	491	41	295	162	133	237
1	Mendlesham *W*	31497	9307	303	273	30	191	104	87	112
2	Botesdale *WH*	22691	6484	229	218	11	104	58	46	125
	210.—Hoxne.	52764	12601	366	334	32	173	88	85	193
1	Stradbroke	26221	6532	179	173	6	97	51	46	82
2	Dennington	26543	6069	187	161	26	76	37	39	111
	211.—Bosmere.	57899	15402	448	425	23	242	126	116	206
1	Coddenham *W*	30765	7666	228	213	15	134	73	61	94
2	Needham Market	27134	7736	220	212	8	108	53	55	112
	212.—Samford.	48549	11598	360	347	13	178	97	81	182
1	Capel St. Mary	22565	5837	194	188	6	90	45	45	104
2	Holbrook *W*	25984	5761	166	159	7	88	52	36	78

IV.—EASTERN COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1881.	BIRTHS (*exclusive of Still-born*). Total.	Legitimate.	Illegitimate.	DEATHS (*exclusive of Still-born*). Total.	Males.	Females.	Excess of Births over Deaths.
	15.—SUFFOLK—*continued.*									
	213.—Ipswich.	8395	50320	1655	1567	88	1066	538	528	589
1	St. Matthew *W*	8395	21661	772	729	43	453	225	228	319
2	St. Clement *L*		10710	369	348	21	236	122	114	133
3	St. Margaret *HH*		17949	514	490	24	377	191	186	137
	214.—Woodbridge.	77252	22745	670	636	34	440	227	213	230
1	Carlford *L*	30180	8775	241	226	15	186	94	92	55
2	Colneis *WH*	25527	6507	225	215	10	136	72	64	89
3	Woodbridge and Wilford	21545	7463	204	195	9	118	61	57	86
	215.—Plomesgate.	75923	20479	620	582	38	340	173	167	280
1	Framlingham *	19187	5820	148	136	12	97	47	50	51
2	Orford *W*	34355	7330	230	218	12	124	63	61	106
3	Aldeburgh	12946	4316	144	137	7	70	39	31	74
4	Saxmundham	9435	3013	98	91	7	49	24	25	49
	216.—Blything.	92097	25817	867	818	49	407	216	191	460
1	Westleton *W*	37494	9995	343	323	20	179	102	77	164
2	Halesworth	26292	7395	246	232	14	86	48	38	160
3	Wenhaston	28311	8427	278	263	15	142	66	76	136
	217.—Wangford.	35079	14456	469	444	25	218	107	111	251
1	Bungay	16898	5855	187	181	6	88	42	46	99
2	Beccles *WH*	18181	8601	282	263	19	130	65	65	152
	218.—Mutford.	35490	39478	1505	1465	40	612	317	295	893
1	Kessingland	10621	7463	282	276	6	128	66	62	154
2	Lowestoft *WHH*	13927	20752	784	763	21	310	163	147	474
3	Gorleston	10942	11263	439	426	13	174	88	86	265
	16.—NORFOLK.									
	219.—Yarmouth.	1510	37151	1177	1110	67	816	403	413	361
1	Yarmouth Southern *HHL*	1510	16576	555	532	23	355	187	168	200
2	Yarmouth Northern *WH*		20575	622	578	44	461	216	245	161
	220.—Flegg.	29087	9714	341	319	22	162	77	85	179
1	East Flegg	13301	5020	181	172	9	80	32	48	101
2	West Flegg *W*	15786	4694	160	147	13	82	45	37	78
	221.—Smallburgh.	62607	14348	449	408	41	242	127	115	207
1	Ludham	18219	3594	116	108	8	54	28	26	62
2	Smallburgh *W*	16999	4235	139	122	17	81	50	31	58
3	Stalham	15794	4103	120	115	5	67	29	38	53
4	Bacton	11595	2416	74	63	11	40	20	20	34
	222.—Erpingham.	69178	20239	645	587	58	332	163	169	313
1	North Walsham	20523	7145	232	211	21	115	59	56	117
2	Cromer *WH*	23769	7233	237	213	24	117	58	59	120
3	Holt	24886	5861	176	163	13	100	46	54	76
	223.—Aylsham.	68123	18057	537	475	62	316	156	160	221
1	Eynsford	40009	8485	240	216	24	136	67	69	104
2	Buxton *W*	28024	9572	297	259	38	180	89	91	117
	224.—St. Faiths.	48304	11418	337	313	24	200	102	98	137
1	St. Faiths *W*	28370	5161	151	140	11	86	48	38	65
2	Sprowston *L*	19934	6257	186	173	13	114	54	60	72

* 215 : 1.—For changes made on 1st July 1882 in the constitution of the *Framlingham* Sub-district, *see* Table 72.

IV.—EASTERN COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1881.	BIRTHS (*exclusive of Still-born*). Total.	Legitimate.	Illegitimate.	DEATHS (*exclusive of Still-born*). Total.	Males.	Females.	Excess of Births over Deaths.
	16.—NORFOLK—*continued.*									
	225.—Norwich.	7472	87842	3007	2782	225	1820	911	909	1187
1	Coslany	7472	14193	544	521	23	233	107	126	311
2	East Wymer		14082	491	453	38	304	168	136	187
3	Conisford		13549	437	402	35	269	123	146	168
4	Mancroft *HL*		15714	455	418	37	332	172	160	123
5	West Wymer *WHHH*		30304	1080	988	92	682	341	341	398
	226.—Forehoe.	37834	11971	329	298	31	199	103	96	130
1	Costessey		15618	3331	112	104	8	60	32	28	52
2	Wymondham *W*		22216	8140	217	194	23	139	71	68	78
	227.—Henstead.	43358	10636	344	326	18	146	81	65	198
1	Humbleyard *W*		24027	5441	170	161	9	79	43	36	91
2	Henstead		19331	5195	174	165	9	67	38	29	107
	228.—Blofield.	44178	11618	387	362	25	230	117	113	157
1	Blofield *WL*		17816	6061	176	162	14	149	75	74	27
2	South Walsham		26362	5557	211	200	11	81	42	39	130
	229.—Loddon.	59401	13702	416	383	33	208	105	103	208
1	Aldeby		24573	4926	150	141	9	60	33	27	90
2	Loddon *W*		19330	4771	154	137	17	89	43	46	65
3	Woodton *H*		15498	4005	112	105	7	59	29	30	53
	230.—Depwade.	72681	23582	681	638	43	353	178	175	328
1	Harleston		17447	5568	169	161	8	97	47	50	72
2	Diss		17412	7422	213	197	16	108	55	53	105
3	Stratton *W*		19737	5457	145	135	10	84	49	35	61
4	Forncett		18085	5135	154	145	9	64	27	37	90
	231.—Guiltcross.	44585	10563	313	291	22	147	61	86	166
1	Banham		18681	5190	154	141	13	58	26	32	96
2	Kenninghall *W*		25904	5373	159	150	9	89	35	54	70
	232.—Wayland.	51063	10716	345	313	32	163	81	82	182
1	Attleborough *W*		22885	5177	173	152	21	88	42	46	85
2	Watton		28178	5539	172	161	11	75	39	36	97
	233.—Mitford.	105233	27367	787	716	71	473	224	249	314
1	Shipdham		11349	2632	84	80	4	51	21	30	33
2	Mattishall		16664	3957	128	118	10	76	38	38	52
3	Bawdeswell		14076	2974	86	80	6	47	19	28	39
4	East Dereham *W*		18172	8601	248	217	31	150	74	76	98
5	Litcham *H*		26585	4848	125	117	8	84	43	41	41
6	North Elmham		18387	4355	116	104	12	65	29	36	51
	234.—Walsingham.	90677	19943	550	508	42	355	181	174	195
1	Fakenham		27818	7702	217	206	11	116	58	58	101
2	Walsingham *W*		31586	6258	175	151	24	146	71	75	29
3	Wells		31273	5983	158	151	7	93	52	41	65
	235.—Docking.	101136	17510	492	446	46	300	166	134	192
1	Burnham		33180	5678	150	139	11	101	54	47	49
2	Snettisham *H*		39480	6943	214	190	24	118	64	54	96
3	Docking *W*		28476	4889	128	117	11	81	48	33	47
	236.—Freebridge Lynn.	78492	12235	392	360	32	240	108	132	152
1	Hillington		26155	4267	122	111	11	88	33	55	34
2	Gayton *W*		22766	3910	127	108	19	84	48	36	43
3	Middleton		10848	2092	69	68	1	35	12	23	34
4	Castle Rising		18723	1966	74	73	1	33	15	18	41

IV.—EASTERN COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1881.	BIRTHS (*exclusive of Still-born*). Total.	Legitimate.	Illegitimate.	DEATHS (*exclusive of Still-born*). Total.	Males.	Females.	Excess of Births over Deaths.
	16.—NORFOLK—*continued.*									
	237.—Kings Lynn.	6005	19206	659	619	40	409	193	216	250
1	Kings Lynn *WH*	6005	19206	659	619	40	409	193	216	250
	238.—Downham.	83687	19404	583	524	59	393	216	177	190
1	Wiggenhall	32152	6002	193	179	14	113	69	44	80
2	Downham *W*	28686	8873	269	248	21	199	103	96	70
3	Fincham	22849	4529	121	97	24	81	44	37	40
	239.—Swaffham.	81200	12859	372	340	32	226	109	117	146
1	Swaffham *W*	81200	12859	372	340	32	226	109	117	146
	240.—Thetford.	120733	17630	516	475	41	289	135	154	227
1	Methwold	68852	8644	256	231	25	136	64	72	120
2	Thetford *W*	51881	8986	260	244	16	153	71	82	107

V.—SOUTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1882.

	17.—WILTSHIRE.									
	241.—Highworth.	50986	35755	1370	1312	58	567	292	275	803
1	Highworth *W*	24378	10261	395	368	27	189	110	79	206
2	Swindon *H*	26608	25494	975	944	31	378	182	196	597
	242.—Cricklade.	44525	11468	351	326	25	220	101	119	131
1	Wootton Bassett	20229	5720	185	173	12	119	58	61	66
2	Cricklade * *WH*	24296	5748	166	153	13	101	43	58	65
	243.—Malmesbury.	58045	13949	423	398	25	264	124	140	159
1	Malmesbury Eastern *H*	37643	7009	210	200	10	137	70	67	73
2	Malmesbury Western *W*	20402	6940	213	198	15	127	54	73	86
	244.—Chippenham.	58405	21211	629	604	25	360	185	175	269
1	Castle Combe	14011	2793	64	64	–	35	20	15	29
2	Corsham	17127	7693	245	237	8	115	55	60	130
3	Chippenham *W*	14658	7947	248	231	17	158	89	69	90
4	Christian Malford	12609	2778	72	72	–	52	21	31	20
	245.—Calne.	28610	8620	246	237	9	165	85	80	81
1	Calne *W*	28610	8620	246	237	9	165	85	80	81
	246.—Marlborough.	41212	9733	246	231	15	152	70	82	94
1	Marlborough *WH*	41212	9733	246	231	15	152	70	82	94
	247.—Devizes.	63491	20530	601	562	39	357	164	193	244
1	Devizes† *WHHL*	36280	13256	390	367	23	241	116	125	149
2	Lavington †	33211	7274	211	195	16	116	48	68	95
	248.—Melksham.	17768	18077	536	507	29	312	166	146	224
1	Melksham *WH*	14248	5861	162	149	13	114	68	46	48
2	Trowbridge *HH*	3520	12216	374	358	16	198	98	100	176

* 242 : 2.—For the change made on 1st July 1882 in the constitution of the *Cricklade* Sub-district, *see* Table 72.
† 247 : 1 & 2.—For changes made on 1st January 1882 in the constitution of the *sub-districts* of the Devizes District, *see* Table 72.

V.—SOUTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	DISTRICTS AND SUB-DISTRICTS.	Area in Acres.	Population, 1881.	BIRTHS (*exclusive of Still-born*). Total.	Legitimate.	Illegitimate.	DEATHS (*exclusive of Still-born*). Total.	Males.	Females.	Excess of Births over Deaths.
	17.—WILTSHIRE—*continued.*									
	249.—Bradford-on-Avon.	18800	10860	345	333	12	178	84	94	167
1	Bradford South Eastern *W*	18800	7101	218	209	9	120	55	65	98
2	Bradford North Western		3759	127	124	3	58	29	29	69
	250.—Westbury.	31070	10650	280	264	16	163	83	80	117
1	Bradley *	12470	3606	95	91	4	48	27	21	47
2	Westbury * *W*	18600	7044	185	173	12	115	56	59	70
	251.—Warminster.	56356	13840	362	350	12	227	118	109	135
1	Warminster *WH*	11453	6994	180	171	9	119	60	59	61
2	Longbridge Deverill	17357	3226	82	81	1	60	30	30	22
3	Heytesbury	27546	3620	100	98	2	48	28	20	52
	252.—Pewsey.	76490	12403	411	385	26	178	86	92	233
1	Netheravon *W*	41657	6971	243	226	17	94	46	48	149
2	Collingbourne	34833	5432	168	159	9	84	40	44	84
	253.—Amesbury.	63650	7623	207	198	9	126	68	58	81
1	Orcheston	18693	2239	64	62	2	38	19	19	26
2	Amesbury *W*	28175	3535	92	87	5	62	35	27	30
3	Winterbourne	16782	1849	51	49	2	26	14	12	25
	254.-Alderbury (Salisbury).	55877	27225	765	721	44	487	229	258	278
1	Alderbury	25131	4055	107	96	11	40	20	20	67
2	Downton	20866	4713	139	132	7	79	37	42	60
3	Britford *WHL*	9400	9573	289	272	17	235	111	124	54
4	Salisbury	480	8884	230	221	9	133	61	72	97
	255.—Wilton.	55795	10250	275	262	13	144	66	78	131
1	Wilton *W*	24336	5871	150	142	8	85	41	44	65
2	Bishopstone	31459	4379	125	120	5	59	25	34	66
	256.—Tisbury.	40494	9306	267	256	11	146	73	73	121
1	Donhead	19842	3694	116	116	–	49	27	22	67
2	Tisbury *W*	10839	3260	84	79	5	64	34	30	20
3	Hindon	9813	2352	67	61	6	33	12	21	34
	257.—Mere.	32904	7349	220	207	13	133	72	61	87
1	Mere *W*	32904	7349	220	207	13	133	72	61	87
	18.—DORSETSHIRE.									
	258.—Shaftesbury.	36493	12662	360	340	20	225	124	101	135
1	Shaftesbury *WH*	8171	4855	140	130	10	80	51	29	60
2	Fontmell	14944	3005	93	86	7	41	17	24	52
3	Gillingham	13378	4802	127	124	3	104	56	48	23
	259.—Sturminster.	37934	10050	305	283	22	158	73	85	147
1	Stalbridge	15678	4145	121	109	12	70	35	35	51
2	Sturminster *W*	22256	5905	184	174	10	88	38	50	96
	260.—Blandford.	56243	13735	364	343	21	198	107	91	166
1	Milton Abbas *H*	25173	5575	155	143	12	66	36	30	89
2	Blandford *W*	31070	8160	209	200	9	132	71	61	77

* 250 : 1 & 2.—For changes made on 1st August 1882 in the constitution of the *sub-districts* of the Westbury District, see Table 72.

V.—SOUTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1881.	BIRTHS (*exclusive of Still-born*). Total.	Legitimate.	Illegitimate.	DEATHS (*exclusive of Still-born*). Total.	Males.	Females.	Excess of Births over Deaths.
	18.—DORSETSHIRE—*cont.*									
	261.—Wimborne.	81163	16991	550	509	41	241	113	128	309
1	Cranborne	45437	6740	217	197	20	89	54	35	128
2	Witchampton	13153	4313	148	140	8	63	21	42	85
3	Wimborne *W*	22573	5938	185	172	13	89	38	51	96
	262.—Poole.	24552	18702	631	592	39	325	165	160	306
1	Canford	12768	4852	202	188	14	80	36	44	122
2	Poole *WH*	4025	11642	364	340	24	207	111	96	157
3	Lytchett	7759	2208	65	64	1	38	18	20	27
	263.—Wareham.	96309	16946	510	484	26	249	130	119	261
1	Swanage	15872	4158	127	121	6	59	36	23	68
2	Corfe Castle	12804	2339	71	71	–	34	20	14	37
3	Wareham *W*	33800	5897	172	157	15	87	44	43	85
4	Bere Regis	33833	4552	140	135	5	69	30	39	71
	264.—Weymouth.	34794	32022	873	836	37	441	233	208	432
1	Upway	16121	4767	131	125	6	64	34	30	67
2	Weymouth *WHHH*	4425	15255	425	401	24	243	121	122	182
3	Portland *HH*	2890	10061	270	265	5	111	66	45	159
4	Abbotsbury	11358	1939	47	45	2	23	12	11	24
	265.—Dorchester.*	116125	24890	698	660	38	434	239	195	264
1	Dorchester *WH*	9830	8668	264	241	23	167	98	69	97
2	Puddletown	25290	4041	118	114	4	53	23	30	65
3	Maiden Newton *LL*	35234	5685	142	137	5	117	71	46	25
4	Cerne *W*	45771	6496	174	168	6	97	47	50	77
	266.—Sherborne.	40018	12695	315	300	15	211	107	104	104
1	Yetminster	20646	3972	99	96	3	59	32	27	40
2	Sherborne *WH*	6536	5717	140	132	8	100	46	54	40
3	Bradford Abbas	12836	3006	76	72	4	52	29	23	24
	267.—Beaminster.	53764	11468	339	321	18	188	100	88	151
1	Evershot	17090	2729	84	80	4	55	29	26	29
2	Netherbury *W*	24773	5470	165	156	9	80	41	39	85
3	Beaminster	11901	3269	90	85	5	53	30	23	37
	268.—Bridport.	33187	14811	429	403	26	236	128	108	193
1	Burton Bradstock	16306	4331	128	125	3	69	39	30	59
2	Bridport *WH*	1622	7212	208	196	12	125	67	58	83
3	Whitchurch Canonicorum	15259	3268	93	82	11	42	22	20	51
	19.—DEVONSHIRE.									
	269.—Axminster.	61159	18769	505	474	31	293	150	143	212
1	Lyme *HH*	5216	3826	98	93	5	69	31	38	29
2	Axminster *W*	18640	5186	140	130	10	92	45	47	48
3	Chardstock	17447	3249	90	83	7	34	19	15	56
4	Colyton	19856	6508	177	168	9	98	55	43	79
	270.—Honiton.	80887	21080	654	616	38	349	175	174	305
1	Honiton *W*	48407	9712	355	330	25	193	100	93	162
2	Ottery St. Mary *H*	32480	11368	299	286	13	156	75	81	143

* 265.—The District of Dorchester comprises the two Poor Law Unions of Dorchester (Dorchester, Puddletown, and Maiden Newton Sub-districts) and Cerne (Cerne Sub-district).

V.—SOUTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1881.	BIRTHS (*exclusive of Still-born*). Total	Legitimate.	Illegitimate.	DEATHS (*exclusive of Still-born*). Total.	Males.	Females.	Excess of Births over Deaths.
	19.—DEVONSHIRE—*cont.*									
	271.—St. Thomas.	129983	48241	1397	1341	56	863	413	450	534
1	East Budleigh	12021	4742	116	106	10	63	29	34	53
2	Exmouth	7668	8294	257	248	9	141	56	85	116
3	Woodbury	15142	3417	98	94	4	64	34	30	34
4	Broad-Clist	14992	3151	80	77	3	46	20	26	34
5	Topsham	6207	4011	118	116	2	67	32	35	51
6	Heavitree *H*	10696	6302	189	179	10	114	58	56	75
7	St. Thomas *W*	11271	7512	258	246	12	153	67	86	105
8	Alphington	17759	3656	117	112	5	62	31	31	55
9	Christow	11432	1475	32	32	–	12	8	4	20
10	Kenton *LL*	22795	5681	132	131	1	141	78	63	–9
	272.—Exeter.	1869	37669	1149	1097	52	844	412	432	305
1	Exeter Eastern *WHH*	627	23054	721	691	30	576	286	290	145
2	Exeter Western	1242	14615	428	406	22	268	126	142	160
	273.—Newton Abbot.	117524	74996	2022	1926	96	1204	609	595	818
1	Teignmouth *HH*	7540	12884	347	342	5	218	90	128	129
2	Chudleigh	23736	6426	158	150	8	86	45	41	72
3	Moreton Hampstead	22642	2708	70	66	4	39	24	15	31
4	Ashburton *H*	31629	5797	170	163	7	92	47	45	78
5	Newton Abbot *WH*	21313	14233	439	404	35	275	150	125	164
6	Torquay *HHH*	10664	32948	838	801	37	494	253	241	344
	274.—Totnes.	97914	36574	1125	1074	51	570	281	289	555
1	Paignton	10494	5764	170	164	6	77	39	38	93
2	Brixham	8144	7664	268	258	10	118	60	58	150
3	Dartmouth *H*	5453	6729	226	224	2	116	51	65	110
4	Totnes *W*	12876	5833	157	143	14	116	54	62	41
5	Buckfastleigh	19646	4161	117	110	7	68	39	29	49
6	Ugborough	24849	3774	104	96	8	50	25	25	54
7	Harberton	16452	2649	83	79	4	25	13	12	58
	275.—Kingsbridge.	73455	18844	518	482	36	291	142	149	227
1	Blackawton	12408	2442	84	81	3	32	12	20	52
2	Stokenham	18354	3865	92	83	9	49	21	28	43
3	West Alvington *W*	15901	4667	144	127	17	81	42	39	63
4	Kingsbridge	10684	4287	104	99	5	64	32	32	40
5	Modbury	16108	3583	94	92	2	65	35	30	29
	276.—Plympton St. Mary.	74543	24181	695	668	27	392	190	202	303
1	Yealmpton	27518	9900	306	297	9	152	76	76	154
2	Plympton *W*	47025	14281	389	371	18	240	114	126	149
	277.—Plymouth.	1491	73863	2379	2289	90	1572	766	806	807
1	Charles *WH*	900	27213	914	874	40	677	340	337	237
2	St. Andrew *HH*	591	46650	1465	1415	50	895	426	469	570
	278.—East Stonehouse.	190	15041	570	549	21	430	249	181	140
1	East Stonehouse *WH*	190	15041	570	549	21	430	249	181	140
	279.—Stoke Damerel.	1760	48939	1535	1495	40	818	412	406	717
1	St. Aubyn *H*	211	15786	562	552	10	257	120	137	305
2	Morice *H*	56	10557	247	236	11	164	99	65	83
3	Stoke *WH*	1299	9597	265	249	16	208	102	106	57
4	Tamar	194	12999	461	458	3	189	91	98	272
	280.—Tavistock.	159317	29190	881	844	37	534	279	255	347
1	Calstock	12971	8475	269	264	5	142	70	72	127
2	Tavistock *W*	100653	13399	378	356	22	253	137	116	125
3	Milton Abbot	22746	3781	120	114	6	71	37	34	49
4	Lifton	22947	3595	114	110	4	68	35	33	46

V.—SOUTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	Districts and Sub-Districts.	Area in Acres.	Population, 1881.	Births (exclusive of Still-born). Total.	Births. Legitimate.	Births. Illegitimate.	Deaths (exclusive of Still-born). Total.	Deaths. Males.	Deaths. Females.	Excess of Births over Deaths.
	19.—DEVONSHIRE—*cont.*									
	281.—Okehampton.	126797	16962	495	460	35	264	131	133	231
1	Bratton Clovelly	23663	1973	62	59	3	22	11	11	40
2	Hatherleigh	26143	3385	92	85	7	48	21	27	44
3	Okehampton *W*	32610	4858	147	131	16	81	48	33	66
4	Chagford	19821	2696	66	63	3	43	22	21	23
5	North Tawton	24560	4050	128	122	6	70	29	41	58
	282.—Crediton.	91866	17929	516	496	20	262	129	133	254
1	Morchard Bishop	27659	3950	106	101	5	50	22	28	56
2	Bow	19402	2949	78	74	4	46	24	22	32
3	Crediton *W*	17298	6452	206	198	8	110	54	56	96
4	Cheriton-Fitzpaine	27507	4578	126	123	3	56	29	27	70
	283.—Tiverton.	103053	28512	894	859	35	465	222	243	429
1	Silverton	19026	4631	168	162	6	74	38	36	94
2	Cullompton	12077	3896	153	151	2	75	39	36	78
3	Uffculme	17778	4601	126	125	1	56	24	32	70
4	Tiverton *WH*	17491	10462	315	298	17	203	97	106	112
5	Washfield	22412	2327	59	55	4	31	17	14	28
6	Bampton	14269	2595	73	68	5	26	7	19	47
	284.—South Molton.	143998	16818	497	462	35	240	109	131	257
1	Witheridge	48070	4714	162	146	16	68	37	31	94
2	Chulmleigh *H*	35286	4083	111	107	4	47	19	28	64
3	South Molton *W*	60642	8021	224	209	15	125	53	72	99
	285.—Barnstaple.	149729	38206	1056	1006	50	649	316	333	407
1	Barnstaple *WH*	12711	11583	315	288	27	234	123	111	81
2	Parracombe *H*	35537	2710	93	86	7	41	17	24	52
3	Combmartin	24042	3237	83	83	-	42	21	21	41
4	Ilfracombe *H*	19261	7881	190	186	4	118	54	64	72
5	Braunton	31469	6695	193	186	7	111	57	54	82
6	Bishops Tawton	26709	6100	182	177	5	103	44	59	79
	286.—Torrington.	81472	14820	409	386	23	241	117	124	168
1	High Bickington	17455	2535	72	68	4	39	19	20	33
2	Winkleigh	16516	2053	48	46	2	24	11	13	24
3	Dolton	15480	2544	75	74	1	50	26	24	25
4	Shebbear	17666	2516	69	64	5	40	19	21	29
5	Great Torrington *W*	14355	5172	145	134	11	88	42	46	57
	287.—Bideford.	63864	18758	566	535	31	304	152	152	262
1	Bideford *WH*	3527	6596	208	192	16	118	64	54	90
2	Northam	7198	5231	157	150	7	70	33	37	87
3	Parkham	16797	2443	73	73	-	36	12	24	37
4	Hartland	28671	3756	110	103	7	63	34	29	47
5	Bradworthy	7671	732	18	17	1	17	9	8	1
	288.—Holsworthy.	82519	9008	276	253	23	151	89	62	125
1	Milton Damerel	21281	2128	55	52	3	35	20	15	20
2	Holsworthy *W*	18857	2650	85	71	14	43	27	16	42
3	Black Torrington	16804	1751	53	51	2	35	19	16	18
4	Broadwoodwidger	8587	849	33	31	2	15	10	5	18
5	Clawton	16990	1630	50	48	2	23	13	10	27
	20.—CORNWALL.									
	289.—Stratton.	54406	7439	245	229	16	112	63	49	133
1	Kilkhampton	16228	1785	57	54	3	25	16	9	32
2	Stratton *WH*	13683	3282	109	100	9	49	21	28	60
3	Week St. Mary	24495	2372	79	75	4	38	26	12	41

V.—SOUTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	Districts and Sub-Districts.	Area in Acres.	Population, 1881.	Births (exclusive of Still-born). Total.	Births. Legitimate.	Births. Illegitimate.	Deaths (exclusive of Still-born). Total.	Deaths. Males.	Deaths. Females.	Excess of Births over Deaths.
	20.—CORNWALL—*cont.*									
	290.—Camelford.	51866	7605	219	201	18	124	65	59	95
1	Boscastle	17368	2293	63	60	3	30	14	16	33
2	Camelford *W*	34498	5312	156	141	15	94	51	43	62
	291.—Launceston.	100889	16058	440	402	38	285	147	138	155
1	Altarnun	22489	2194	55	46	9	50	24	26	5
2	North Petherwin	20615	2090	55	51	4	20	11	9	35
3	St. Stephen	28942	3459	91	88	3	51	22	29	40
4	Launceston *WH*	8851	3591	101	93	8	90	44	46	11
5	Northill	24992	4724	138	124	14	74	46	28	64
	292.—St. Germans.	42728	16730	487	465	22	340	188	152	147
1	Antony *W*	7659	7290	224	211	13	164	90	74	60
2	St. Germans	12478	2869	83	83	–	54	30	24	29
3	Saltash	22591	6571	180	171	9	122	68	54	58
	293.—Liskeard.	107441	28787	862	813	49	505	267	238	357
1	Callington	22851	7678	235	222	13	140	69	71	95
2	Liskeard *W*	44911	11737	338	311	27	209	116	93	129
3	Looe	19953	5662	178	170	8	90	48	42	88
4	Lerrin	19726	3710	111	110	1	66	34	32	45
	294.—Bodmin.	88372	19248	510	485	25	361	193	168	149
1	Lanlivery	18564	4548	135	131	4	86	37	49	49
2	St. Mabyn	28647	2818	78	77	1	49	24	25	29
3	Bodmin *WHL*	16517	7079	162	146	16	156	92	64	6
4	Egloshayle	24644	4803	135	131	4	70	40	30	65
	295.—St. Columb.	78579	16343	484	443	41	241	112	129	243
1	Padstow	27054	6086	167	157	10	77	35	42	90
2	St. Columb *W*	30933	7006	205	180	25	114	55	59	91
3	Newlyn	20592	3251	112	106	6	50	22	28	62
	296.—St. Austell.	58266	30186	930	870	60	522	227	295	408
1	Fowey *H*	8464	6785	185	179	6	92	45	47	93
2	St. Austell *W*	21836	14202	454	416	38	248	102	146	206
3	Mevagissey	13156	4227	113	106	7	104	46	58	9
4	Grampound	14810	4972	178	169	9	78	34	44	100
	297.—Truro.	89288	35982	976	904	72	683	331	352	293
1	Probus	21951	3618	111	107	4	51	23	28	60
2	St. Just	16412	4332	101	96	5	71	32	39	30
3	St. Agnes	19338	7481	194	180	14	131	61	70	63
4	St. Clement *W*	11657	7338	230	195	35	181	90	91	49
5	Kenwyn *H*	10208	8886	237	229	8	171	90	81	66
6	Kea	9722	4527	103	97	6	78	35	43	25
	298.—Falmouth.	25295	25557	648	612	36	409	206	203	239
1	Mylor	5372	3309	109	104	5	53	27	26	56
2	Falmouth *WHH*	4374	14619	319	302	17	235	117	118	84
3	Penryn	2841	4503	143	133	10	74	39	35	69
4	Constantine	12708	3126	77	73	4	47	23	24	30
	299.—Helston.	73333	23681	682	635	47	478	240	238	204
1	Wendron	19085	7914	261	247	14	181	96	85	80
2	Helston *W*	10052	4968	139	122	17	98	39	59	41
3	St. Keverne	28095	4661	131	127	4	95	52	43	36
4	Breage	8605	3605	78	68	10	59	35	24	19
5	Crowan	7496	2593	73	71	2	45	18	27	28

V.—SOUTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1881.	BIRTHS (*exclusive of Still-born*). Total.	Legitimate.	Illegitimate.	DEATHS (*exclusive of Still-born*). Total.	Males.	Females.	Excess of Births over Deaths.
	20.—CORNWALL—*continued.*									
	300.—Redruth.	40426	46128	1456	1353	103	916	481	435	540
1	Gwennap	10991	8032	249	234	15	157	88	69	92
2	Redruth *H*	4006	9335	288	261	27	159	78	81	129
3	Illogan *W*	8493	8723	301	270	31	192	92	100	109
4	Camborne	6931	13601	424	402	22	288	161	127	136
5	Phillack	10005	6437	194	186	8	120	62	58	74
	301.—Penzance.	64879	50311	1570	1451	119	955	462	493	615
1	Uny-Lelant	12107	6401	183	171	12	113	56	57	70
2	St. Ives	9092	7690	212	198	14	123	58	65	89
3	Marazion	4765	3231	92	82	10	54	35	19	38
4	Penzance *WHH*	13723	22774	710	656	54	446	210	236	264
5	St. Just-in-Penwith	13512	7530	277	249	28	183	92	91	94
6	St. Buryan	11680	2685	96	95	1	36	11	25	60
	302.—Scilly Islands.	3560	2320	71	70	1	44	18	26	27
1	Scilly Islands	3560	2320	71	70	1	44	18	26	27
	21.—SOMERSETSHIRE.									
	303.—Williton.	109202	18685	523	484	39	292	139	153	231
1	Minehead	25869	3467	87	86	1	50	23	27	37
2	Dunster *H*	26984	3717	109	105	4	55	29	26	54
3	Williton *W*	17709	5827	176	153	23	99	48	51	77
4	Stogursey	18628	2319	69	65	4	44	18	26	25
5	Stogumber	20012	3355	82	75	7	44	21	23	38
	304.—Dulverton.	57906	5453	153	146	7	87	50	37	66
1	Dulverton *W*	57906	5453	153	146	7	87	50	37	66
	305.—Wellington.	60454	19194	541	512	29	298	148	150	243
1	Wiveliscombe *H*	10949	3301	97	88	9	52	25	27	45
2	Milverton	15130	3518	99	95	4	56	24	32	43
3	Wellington *W*	13563	8476	220	208	12	125	60	65	95
4	Culmstock	20812	3899	125	121	4	65	39	26	60
	306.—Taunton.	70452	35982	1089	1032	57	718	342	376	371
1	Pitminster	21702	4440	123	118	5	66	34	32	57
2	North Curry	17064	5546	179	170	9	87	37	50	92
3	Taunton St. Mary Magdalen *WHH*	3926	10450	297	273	24	271	137	134	26
4	Taunton St. James *H*	12678	12074	414	397	17	225	101	124	189
5	Bishops-Lydeard	15082	3472	76	74	2	69	33	36	7
	307.—Bridgwater.	91163	33673	1013	976	37	491	255	236	522
1	Stowey	19434	4535	122	116	6	55	25	30	67
2	North Petherton	17331	4844	162	156	6	72	39	33	90
3	Middlezoy	10924	2198	62	59	3	39	22	17	23
4	Bridgwater *WH*	7843	14727	451	436	15	226	115	111	225
5	Huntspill	19832	4167	143	139	4	54	31	23	89
6	Polden Hill	15799	3202	73	70	3	45	23	22	28
	308.—Langport.	59391	15574	429	398	31	253	125	128	176
1	Somerton	20744	4895	125	115	10	76	36	40	49
2	Langport *W*	21032	6114	177	164	13	104	49	55	73
3	Curry-Rivell	17615	4565	127	119	8	73	40	33	54
	309.—Chard.	60342	25353	842	793	49	409	205	204	433
1	Ilminster	20220	7343	234	223	11	106	53	53	128
2	Combe St. Nicholas	16743	3005	99	94	5	50	23	27	49
3	Chard *W*	10276	6354	219	208	11	128	64	64	91
4	Crewkerne *H*	13103	8151	290	268	22	125	65	60	165

V.-SOUTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	Districts and Sub-Districts.	Area in Acres.	Population, 1881.	Births (exclusive of Still-born). Total.	Births. Legitimate.	Births. Illegitimate.	Deaths (exclusive of Still-born). Total.	Deaths. Males.	Deaths. Females.	Excess of Births over Deaths.
	21.-SOMERSETSHIRE-*cont.*									
	310.—Yeovil.	52151	27706	811	773	38	417	216	201	394
1	Coker	15929	5663	171	162	9	76	34	42	95
2	South Petherton	5385	3742	110	102	8	61	34	27	49
3	Martock	11945	5783	151	149	2	85	41	44	66
4	Yeovil *WH*	8048	10425	325	306	19	171	88	83	154
5	Ilchester	10844	2093	54	54	-	24	19	5	30
	311.—Wincanton.	66120	19770	635	608	27	343	171	172	292
1	Castle Cary	16906	5415	176	170	6	71	36	35	105
2	Milborne Port	17606	5426	176	172	4	108	51	57	68
3	Wincanton *W*	19646	5738	170	158	12	113	61	52	57
4	Bruton	11962	3191	113	108	5	51	23	28	62
	312.—Frome.	51208	23152	684	657	27	383	194	189	301
1	Nunney	20029	4228	120	118	2	51	22	29	69
2	Frome *WH*	8243	11443	342	322	20	226	117	109	116
3	Road	11348	3143	83	79	4	57	35	22	26
4	Kilmersdon	11588	4338	139	138	1	49	20	29	90
	313.—Shepton Mallet.	50282	15779	461	427	34	254	135	119	207
1	Shepton Mallet *WH*	28424	11160	347	316	31	185	97	88	162
2	Evercreech	21858	4619	114	111	3	69	38	31	45
	314.—Wells.	64197	22013	640	620	20	438	233	205	202
1	Wells *WHL*	33428	11504	318	308	10	270	148	122	48
2	Glastonbury	30769	10509	322	312	10	168	85	83	154
	315.—Axbridge.	105679	40841	1185	1126	59	649	308	341	536
1	Wedmore	20044	5460	161	151	10	104	55	49	57
2	Burnham	25256	6805	217	210	7	103	46	57	114
3	Banwell *HH*	19906	17646	450	431	19	275	121	154	175
4	Axbridge *WH*	18297	5704	174	159	15	92	46	46	82
5	Blagdon	22176	5226	183	175	8	75	40	35	108
	316.—Clutton.	47026	23615	782	744	38	399	219	180	383
1	Harptree	16128	2991	92	89	3	52	33	19	40
2	Chew Magna	13009	3902	105	100	5	57	25	32	48
3	Clutton *WH*	7684	6331	198	182	16	131	74	57	67
4	Midsomer-Norton	10205	10391	387	373	14	159	87	72	228
	317.—Bath.	30321	70626	1891	1802	89	1308	628	680	583
1	Twerton	14192	8880	362	356	6	120	57	63	242
2	Batheaston *H*	3452	7323	119	116	3	111	58	53	8
3	Lyncombe *W*	1845	12277	398	358	40	290	142	148	108
4	Walcot *HH*	837	20871	516	493	23	422	213	209	94
5	Lansdown *H*		13512	268	276	12	256	105	151	32
6	Batheaston	9995	7763	208	203	5	109	53	56	99
	318.—Keynsham.	33415	25781	903	859	44	453	233	220	450
1	Bitton	8295	5814	204	193	11	102	55	47	102
2	Oldland	5209	12948	505	487	18	234	120	114	271
3	Newton	10198	2150	53	48	5	30	13	17	23
4	Keynsham *W*	9713	4869	141	131	10	87	45	42	54
	319.—Bedminster.	57068	67405	2397	2322	75	1205	608	597	1192
1	Bedminster *HH*	4161	44759	1765	1713	52	853	434	419	912
2	Long Ashton *W*	19349	6181	180	162	18	117	61	56	63
3	Yatton *H*	20048	9611	245	244	1	133	67	66	112
4	St. George	13510	6854	207	203	4	102	46	56	105

VI.—WEST MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1882.

No.	Districts and Sub-districts.	Area in Acres.	Population, 1881.	Births (exclusive of Still-born). Total	Births. Legitimate.	Births. Illegitimate.	Deaths (exclusive of Still-born). Total.	Deaths. Males.	Deaths. Females.	Excess of Births over Deaths.
	22.—GLOUCESTERSHIRE.									
	320.—Bristol.	755	57479	1804	1714	90	1269	659	610	535
1	St. Mary Redcliff *HH*	173	9602	279	271	8	247	131	116	32
2	Castle Precincts *W*	110	6748	179	144	35	118	60	58	61
3	St. Paul	151	18643	722	701	21	344	168	176	378
4	St. James *HH*	68	8420	224	213	11	333	190	143	−109
5	St. Augustine *HH*	253	14066	400	385	15	227	110	117	173
	321.—Barton Regis.	28162	166136	5739	5535	204	2954	1449	1505	2785
1	Clifton *HH*	915	28695	653	627	26	392	185	207	261
2	Ashley	1756	24853	773	755	18	380	174	206	393
3	St. George	1831	26433	1189	1162	27	511	238	273	678
4	St. Philip and Jacob	765	50108	2067	2026	41	847	417	430	1220
5	Westbury	13497	21425	528	518	10	251	123	128	277
6	Stapleton *WwHL*	9198	14622	529	447	82	573	312	261	−44
	322.—Chipping Sodbury.	63054	17523	467	438	29	301	164	137	166
1	Chipping Sodbury	14495	4773	111	105	6	72	46	26	39
2	Marshfield	16265	3696	102	98	4	51	20	31	51
3	Hawkesbury	20808	3743	109	103	6	64	35	29	45
4	Iron Acton *W*	11486	5311	145	132	13	114	63	51	31
	323.—Thornbury.	56332	17088	543	509	34	294	144	150	249
1	Almondsbury	19116	5671	183	175	8	93	48	45	90
2	Thornbury *W*	17624	5421	170	154	16	111	50	61	59
3	Berkeley *H*	19592	5996	190	180	10	90	46	44	100
	324.—Dursley.	25838	12550	360	341	19	240	125	115	120
1	Wotton-under-Edge	10475	5101	146	137	9	106	54	52	40
2	Uley	6147	2157	60	58	2	32	17	15	28
3	Dursley *W*	9216	5292	154	146	8	102	54	48	52
	325.—Westbury-on-Severn.	41164	23555	816	771	45	375	200	175	441
1	Newnham	22403	18623	673	645	28	266	141	125	407
2	Huntley *W*	18761	4932	143	126	17	109	59	50	34
	326.—Newent.	45281	11030	309	282	27	172	87	85	137
1	Newent *W*	23122	6164	173	160	13	107	51	56	66
2	Redmarley	22159	4866	136	122	14	65	36	29	71
	327.—Gloucester.	32222	46860	1528	1462	66	1047	558	489	481
1	Kingsholm *LL*	18993	9354	265	257	8	248	135	113	17
2	St. Nicholas *WH*	680	8342	280	253	27	207	101	106	73
3	St. John the Baptist *H*		7391	180	170	10	128	62	66	52
4	South Hamlet	12549	21773	803	782	21	464	260	204	339
	328.—Wheatenhurst.	23612	7353	212	202	10	123	60	63	89
1	Haresfield	13824	3135	94	88	6	42	19	23	52
2	Frampton *W*	9788	4218	118	114	4	81	41	40	37
	329.—Stroud.	42633	41345	1258	1187	71	704	338	366	554
1	Stonehouse *H*	3579	5154	148	142	6	88	41	47	60
2	Painswick	10185	5015	155	146	9	66	32	34	89
3	Bisley	7927	5169	165	160	5	75	36	39	90
4	Stroud *WHH*	3731	11112	376	337	39	259	132	127	117
5	Rodborough	4023	5779	173	167	6	82	39	43	91
6	Minchinhampton	4791	4561	120	118	2	68	30	38	52
7	Horsley	8397	4555	121	117	4	66	28	38	55
	330.—Tetbury.	25648	5893	183	173	10	78	40	38	105
1	Didmarton	9389	1252	34	33	1	20	10	10	14
2	Tetbury *WH*	16259	4641	149	140	9	58	30	28	91

VI.—WEST MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1881.	BIRTHS (*exclusive of Still-born*). Total.	Legitimate.	Illegitimate.	DEATHS (*exclusive of Still-born*). Total.	Males.	Females.	Excess of Births over Deaths.
	22.-GLOUCESTERSH.—*cont.*									
	331.—Cirencester.	84269	21125	576	542	34	380	181	199	196
1	Cotswold	29094	3584	107	104	3	50	30	20	57
2	Cirencester *WHH*	29952	12208	329	310	19	246	112	134	83
3	Fairford * *H*	25223	5333	140	128	12	84	39	45	56
	332.—Northleach.	67358	9884	264	248	16	137	78	59	127
1	Bibury *W*	30909	4928	138	127	11	77	43	34	61
2	Chedworth	36449	4956	126	121	5	60	35	25	66
	333.—Stow-on-the-Wold.	41145	9129	309	289	20	168	97	71	141
1	Bourton-on-the-Water *H*	23051	4444	181	174	7	70	39	31	111
2	Stow-on-the-Wold *W*	18094	4685	128	115	13	98	58	40	30
	334.—Winchcomb.	57494	9533	259	239	20	145	81	64	114
1	Guiting *W*	36568	5674	144	132	12	96	53	43	48
2	Cleeve	20926	3859	115	107	8	49	28	21	66
	335.—Cheltenham.	25909	55505	1440	1353	87	1015	491	524	425
1	Charlton Kings *H*	21706	11533	282	268	14	183	103	80	99
2	Cheltenham *WHH*	4203	43972	1158	1085	73	832	388	444	326
	336.—Tewkesbury.	39204	12994	375	350	25	246	118	128	129
1	Tewkesbury *WH*	28777	10341	307	288	19	195	99	96	112
2	Overbury	10427	2653	68	62	6	51	19	32	17
	23.—HEREFORDSHIRE.									
	337.—Ledbury.	48783	12605	356	320	36	196	98	98	160
1	Ledbury *WH*	27704	8646	248	218	30	141	72	69	107
2	Yarkhill	21079	3959	108	102	6	55	26	29	53
	338.—Ross.	55571	16369	472	439	33	302	156	146	170
1	Sollersbope	18509	3423	90	84	6	46	25	21	44
2	Ross *WH*	17253	9651	283	263	20	201	101	100	82
3	St. Weonards	19809	3295	99	92	7	55	30	25	44
	339.—Hereford.†	144991	43094	1171	1092	79	831	451	380	340
1	Dewchurch	24727	4524	120	111	9	55	31	24	65
2	Fownhope	19079	5652	135	128	7	99	50	49	36
3	Burghill *L*	23851	7306	197	189	8	146	94	52	51
4	Hereford City *WH*	2417	17044	500	455	45	368	177	191	132
5	Madley	19790	2768	80	75	5	50	28	22	30
6	Kentchurch *W*	26723	3503	74	73	1	76	51	25	−2
7	Clodock	28404	2297	65	61	4	37	20	17	28
	340.—Weobly.	48959	8179	217	204	13	162	84	78	55
1	Weobly *W*	28407	4809	121	115	6	100	55	45	21
2	Dilwyn	20552	3370	96	89	7	62	29	33	34
	341.—Bromyard.	61659	11055	332	292	40	167	80	87	165
1	Bromyard *H*	17542	3423	94	82	12	64	27	37	30
2	Bishops Frome	22305	4058	117	100	17	49	25	24	68
3	Brockhampton *W*	21812	3574	121	110	11	54	28	26	67
	342.—Leominster.	64416	14648	385	351	34	213	107	106	172
1	Leominster *W*	12242	6617	176	156	20	108	57	51	68
2	Bodenham	25282	3755	97	93	4	45	22	23	52
3	Kingsland	26892	4276	112	102	10	60	28	32	52

* 331 : 3.—For the change made on 1st July 1882 in the constitution of the *Fairford* Sub-district, *see* Table 72.
† 339.—The District of Hereford comprises the two Poor Law Unions of Hereford (Dewchurch, Fownhope, Burghill, and Hereford City Sub-districts), and Dore (Madley, Kentchurch, and Clodock Sub-districts).

VI.—WEST MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1881.	BIRTHS (*exclusive of Still-born*). Total.	Legitimate.	Illegitimate.	DEATHS. Total.	Males.	Females.	Excess of Births over Deaths.
	23.—HEREFORDSHIRE— *continued.*									
	343.—Kington.	94762	12197	322	302	20	204	104	100	118
1	Brilley	15315	1865	49	46	3	29	11	18	20
2	Radnor	43107	3256	84	83	1	45	20	25	39
3	Kington *W*	24849	5868	153	141	12	113	62	51	40
4	Kinsham	11491	1208	36	32	4	17	11	6	19
	24.—SHROPSHIRE.									
	344.—Ludlow.	83250	18589	519	476	43	287	155	132	232
1	Leintwardine	14854	2311	64	62	2	29	17	12	35
2	Ludlow *W*	22698	9462	263	237	26	174	91	83	89
3	Cainham	12195	2651	65	61	4	30	18	12	35
4	Munslow	15193	1825	51	47	4	16	9	7	35
5	Diddlebury	18310	2340	76	69	7	38	20	18	38
	345.—Clun.	83196	10167	268	248	20	164	83	81	104
1	Clun	31358	3931	100	92	8	70	40	30	30
2	Bishops Castle *W*	16834	2797	73	65	8	46	17	29	27
3	Norbury	21282	1609	45	43	2	26	15	11	19
4	Lydbury	13722	1830	50	48	2	22	11	11	28
	346.—Church Stretton.	46493	5672	134	122	12	69	34	35	65
1	Church Stretton *W*	24870	3688	94	83	11	47	21	26	47
2	Wall	21623	1984	40	39	1	22	13	9	18
	347.—Cleobury Mortimer.	54411	8138	244	226	18	107	52	55	137
1	Cleobury Mortimer *W*	29588	5448	161	151	10	71	29	42	90
2	Stottesden	24823	2690	83	75	8	36	23	13	47
	348.—Bridgnorth.	70081	15279	426	396	30	251	129	122	175
1	Chetton	38774	4436	130	122	8	56	21	35	74
2	Bridgnorth *WH*	3382	5848	145	133	12	124	69	55	21
3	Worfield *w*	27925	4995	151	141	10	71	39	32	80
	349.—Shifnal.	46070	12821	360	340	20	199	99	100	161
1	Albrighton	22511	4129	117	115	2	57	23	34	60
2	Shifnal *W*	23559	8692	243	225	18	142	76	66	101
	350.—Madeley.	29402	27314	807	726	81	499	248	251	308
1	Dawley	3576	9458	301	259	42	154	78	76	147
2	Madeley *W*	7850	10026	267	247	20	212	103	109	55
3	Broseley	8239	5509	172	162	10	99	50	49	73
4	Much Wenlock	9737	2321	67	58	9	34	17	17	33
	351.—Atcham.	123728	48633	1432	1344	88	932	484	448	500
1	Condover *W*	37172	5736	155	142	13	119	71	48	36
2	Ponteshury	12052	3507	94	81	13	46	23	23	48
3	Westbury	11274	2224	78	70	8	40	15	25	38
4	Alberbury	12034	2056	50	48	2	20	8	12	30
5	Montford	8018	1172	29	28	1	19	10	9	10
6	Battlefield	12830	1935	48	45	3	22	14	8	26
7	Atcham	12316	1533	55	50	5	19	8	11	36
8	St. Mary Shrewsbury *HL*	18032	20346	633	605	28	477	254	223	156
9	St. Chad Shrewsbury *H*		10124	290	275	15	170	81	89	120
	352.—Oswestry.	82028	27073	821	759	62	521	277	244	300
1	Knockin	19651	4134	118	114	4	72	33	39	46
2	Llansilin	27384	3919	114	102	12	68	32	36	46
3	Oswestry *WH*	16234	11923	355	325	30	234	130	104	121
4	St. Martin	18759	7097	234	218	16	147	82	65	87

VI.—WEST MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1881.	BIRTHS (*exclusive of Still-born*). Total.	Legitimate.	Illegitimate.	DEATHS (*exclusive of Still-born*). Total.	Males.	Females.	Excess of Births over Deaths.
	24.—SHROPSHIRE—*cont.*									
	353.—Ellesmere.	73226	13708	365	333	32	199	107	92	166
1	Overton	671	1461	29	28	1	29	14	15	-
2	Hanmer	14808	2372	81	72	9	31	17	14	50
3	Ellesmere *W*	29978	6256	154	140	14	100	55	45	54
4	Baschurch	21739	3619	101	93	8	39	21	18	62
	354.—Wem.	52450	10565	284	263	21	141	65	76	143
1	Wem *W*	36464	7215	193	175	18	109	49	60	84
2	Prees	15986	3350	91	88	3	32	16	16	59
	355.—Whitchurch.	40307	11246	343	316	27	164	87	77	179
1	Whitchurch *W*	23839	7826	244	223	21	131	71	60	113
2	Malpas	16468	3420	99	93	6	33	16	17	66
	356.—Market Drayton.	65296	14849	428	384	44	204	107	97	224
1	Moreton Say	22858	3900	117	104	13	58	32	26	59
2	Market Drayton *W*	14375	5954	182	164	18	91	51	40	91
3	Hodnet	28063	4995	129	116	13	55	24	31	74
	357.—Wellington.	35143	26484	887	799	88	493	258	235	394
1	Ercall Magna	18925	3043	91	82	9	41	20	21	50
2	Wellington *W*	12863	15273	491	443	48	360	155	145	191
3	Wombridge	3355	8168	305	274	31	152	83	69	153
	358.—Newport.	48501	15352	456	426	30	248	130	118	208
1	Newport *W*	23419	10764	301	277	24	159	83	76	142
2	Gnosall	25082	4588	155	149	6	89	47	42	66
	25.—STAFFORDSHIRE.									
	359.—Stafford.	57326	30545	999	954	45	669	368	301	330
1	Stafford *WHL*	35686	26470	904	863	41	606	335	271	298
2	Colwich	21640	4075	95	91	4	63	33	30	32
	360.—Stone.	69781	29134	994	955	39	521	269	252	473
1	Stone *WH*	26049	10316	320	307	13	161	84	77	159
2	Eccleshall	33027	5715	161	150	11	87	44	43	74
3	Trentham	10705	13103	513	498	15	273	141	132	240
	361.—Newcastle-under-Lyme.	27270	34661	1315	1236	79	642	356	286	673
1	Whitmore	6748	1084	38	35	3	13	9	4	25
2	Newcastle-under-Lyme *WH*	9098	20998	767	722	45	421	223	198	346
3	Audley	11424	12579	510	479	31	208	124	84	302
	362.—Wolstanton.	13937	75465	3124	2932	192	1803	940	863	1321
1	Wolstanton	5366	17541	700	660	40	335	166	169	365
2	Tunstall *W*	5450	29675	1201	1111	90	727	388	339	474
3	Burslem	3121	28249	1223	1161	62	741	386	355	482
	363.—Stoke-upon-Trent.	12818	104313	4339	4099	240	2529	1324	1205	1810
1	Hanley	5066	26089	1085	1030	55	607	309	298	478
2	Shelton	1224	28196	1110	1064	46	623	332	291	487
3	Stoke-upon-Trent *WHH*	3178	17272	645	607	38	525	299	226	120
4	Fenton	1390	14136	649	617	32	303	155	148	346
5	Longton *H*	1960	18620	850	781	69	471	229	242	379
	364.—Leek.	70352	31238	1082	1018	64	639	325	314	443
1	Norton	9598	10430	414	394	20	193	108	85	221
2	Leek *WHH*	19295	15094	492	459	33	343	169	174	149
3	Leek Frith	13481	1757	59	57	2	33	16	17	26
4	Longnor	27978	3957	117	108	9	70	32	38	47

VI.—WEST MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	Districts and Sub-districts.	Area in Acres.	Population, 1881.	Births (exclusive of Still-born). Total.	Legitimate.	Illegitimate.	Deaths (exclusive of Still-born). Total.	Males.	Females.	Excess of Births over Deaths.
	25.—STAFFORDSHIRE *—continued.*									
	365.—Cheadle.	55158	22724	769	711	58	398	220	178	371
1	Alton	9705	2994	97	86	11	43	23	20	54
2	Ipstones	20031	5418	168	155	13	90	49	41	78
3	Dilhorne	12945	7152	286	267	19	139	75	64	147
4	Cheadle *W*	12477	7160	218	203	15	126	73	53	92
	366.—Uttoxeter.	64491	14073	388	351	37	228	118	110	160
1	Uttoxeter *W*	25937	7932	248	218	25	137	73	64	106
2	Abbots Bromley	17381	2690	67	57	10	44	21	23	23
3	Sudbury	21173	3451	78	76	2	47	24	23	31
	367.—Burton-upon-Trent.	86505	73878	3002	2861	141	1258	675	583	1744
1	Tatbury	26667	7569	241	224	17	126	63	63	115
2	Repton *L*	23827	6587	186	177	9	139	77	62	47
3	Gresley	18873	19747	836	798	38	319	165	154	517
4	Burton-upon-Trent *WHH*	17138	39975	1739	1662	77	674	370	304	1065
	368.—Tamworth.	45422	19400	658	623	35	301	173	128	357
1	Tamworth *WH*	22029	9650	301	276	25	159	92	67	142
2	Fazeley	23393	9750	357	347	10	142	81	61	215
	369.—Lichfield.	77918	39241	1294	1232	62	736	410	326	558
1	Lichfield *WL*	38573	24492	819	780	39	542	303	239	277
2	Yoxall *H*	20772	4374	113	108	5	55	28	27	58
3	Rugeley *HH*	18573	10375	362	344	18	139	79	60	223
	370.—Cannock.	71947	36122	1370	1302	68	576	287	289	794
1	Penkridge	27755	4246	109	104	5	48	24	24	61
2	Brewood	20782	5771	138	130	8	82	35	47	56
3	Cannock *W*	23410	26105	1123	1068	55	446	228	218	677
	371.—Wolverhampton.*	54899	145470	5325	5061	264	3027	1556	1471	2298
1	Tettenhall	14222	7982	216	212	4	113	56	57	103
2	Kinver	16391	4019	124	112	12	49	28	21	75
3	Wombourn *W*	13141	5711	177	161	16	92	52	40	85
4	Wolverhampton Western	3396	37156	1312	1274	38	656	335	321	656
5	Wolverhampton Eastern *WH*		38610	1450	1353	97	1057	539	518	393
6	Willenhall	5904	29262	1207	1149	58	531	278	253	676
7	Bilston	1845	22730	839	800	39	529	268	261	310
	372.—Walsall.	21502	84107	3351	3187	164	1623	868	755	1728
1	Darlaston *H*	2450	18900	555	524	31	292	138	154	263
2	Bloxwich	19052	13180	518	489	29	233	139	94	285
3	Walsall *WHH*		44959	1785	1706	79	911	490	421	874
4	Aldridge		12068	493	468	25	187	101	86	306
	373.—West Bromwich.	19322	126163	4879	4674	205	2470	1306	1164	2409
1	Handsworth	7630	24251	788	780	8	324	164	160	464
2	Oldbury	3799	21051	890	852	38	425	216	209	465
3	West Bromwich South West *H*	1502	28803	1232	1185	47	589	318	271	643
4	West Bromwich North East *Ww*	4217	27492	1028	948	80	634	351	283	394
5	Wednesbury *H*	2124	24566	941	909	32	498	257	241	443
	374.—Dudley.	18040	140224	5556	5290	266	2809	1459	1350	2747
1	Rowley-Regis *H*	3670	27385	1229	1161	68	532	272	260	697
2	Tipton	2697	30013	1166	1120	46	568	289	279	598
3	Sedgley *W*	7743	36574	1346	1269	77	738	399	339	608
4	Dudley *H*	3930	46252	1815	1740	75	971	499	472	844

* 371.—The District of Wolverhampton comprises the two Poor Law Unions of Seisdon (Tattenhall, Kinver, and Wombourn Sub-districts), and Wolverhampton (Wolverhampton Western, Wolverhampton Eastern, Willenhall, and Bilston Sub-districts).

VI.—WEST MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1881.	BIRTHS (*exclusive of Still-born*). Total.	Legitimate.	Illegitimate.	DEATHS (*exclusive of Still-born*). Total.	Males.	Females.	Excess of Births over Deaths.
	26.—WORCESTERSHIRE.									
	375.—Stourbridge.	16200	79596	3091	2942	149	1615	841	774	1476
1	Halesowen	5570	16264	721	685	36	319	167	152	402
2	Stourbridge	3315	27565	1006	962	44	569	292	277	437
3	Kingswinford *W*	7315	35767	1364	1295	69	727	382	345	637
	376.—Kidderminster.	37550	40942	1357	1292	65	705	365	340	652
1	Chaddesley Corbett	9582	2239	52	51	1	31	17	14	21
2	Wolverley	7172	3641	105	101	4	28	17	11	77
3	Kidderminster *WH*	10685	27675	972	928	44	529	269	260	443
4	Lower Mitton	861	3358	116	113	3	55	30	25	61
5	Bewdley	9250	4029	112	99	13	62	32	30	50
	377.—Tenbury.	35941	7588	215	196	19	93	52	41	122
1	Tenbury *WH*	18164	4657	128	115	13	61	35	26	67
2	Bockleton	17777	2931	87	81	6	32	17	15	55
	378.—Martley.	53718	16392	416	391	25	212	117	95	204
1	Martley *W*	13335	2905	71	64	7	53	34	19	18
2	Witley	13299	3272	85	79	6	32	14	18	53
3	Holt	13997	3709	96	95	1	48	20	28	48
4	Leigh *H*	13087	6506	164	153	11	79	49	30	85
	379.—Worcester.	6699	32294	1047	985	62	658	342	316	389
1	West Worcester	3950	9872	292	279	13	168	90	78	124
2	North Worcester *WH*	1440	9861	291	269	22	264	148	116	27
3	South Worcester	1309	12561	464	437	27	226	104	122	238
	380.—Upton-on-Severn.	53016	23234	532	508	24	412	213	199	120
1	Hanley Castle *L*	20007	14302	286	279	7	252	122	130	34
2	Upton-on-Severn *W*	20604	5478	150	137	13	112	65	47	38
3	Kempsey	12405	3454	96	92	4	48	26	22	48
	381.—Evesham.	46797	15270	428	397	31	230	126	104	198
1	Evesham *WH*	18227	8321	239	224	15	159	88	71	80
2	Broadway	28570	6949	189	173	16	71	38	33	118
	382.—Pershore.	52269	13560	387	365	22	205	100	105	182
1	Eckington	16397	3828	98	93	5	44	19	25	54
2	Pershore *W*	17781	6734	209	197	12	124	65	59	85
3	Upton Snodsbury	17591	2998	80	75	5	37	16	21	43
	383.—Droitwich.	54932	26080	838	793	45	477	242	235	361
1	Claines *H*	16674	12839	433	416	17	205	102	103	228
2	Ombersley	18977	5831	168	159	9	97	48	49	71
3	Droitwich *WH*	19281	7410	237	218	19	175	92	83	62
	384.—Bromsgrove.	48967	31914	1091	1020	71	613	324	289	478
1	Bromsgrove *WHH*	16381	15222	541	489	52	343	186	157	198
2	Belbroughton	15584	5391	168	163	5	81	35	46	87
3	Tardebigg	17002	11301	382	368	14	189	103	86	193
	385.—Kings Norton.	28465	96141	3035	2944	91	1453	724	729	1582
1	Kings Norton *L*	16612	34674	1110	1082	28	546	274	272	564
2	Edgbaston *W*	8557	29950	690	654	36	382	183	199	308
3	Harborne	3296	31517	1235	1208	27	525	267	258	710

VI.—WEST MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	Districts and Sub-Districts.	Area in Acres.	Population, 1881.	Births (exclusive of Still born). Total.	Births. Legitimate.	Births. Illegitimate.	Deaths (exclusive of Still born). Total.	Deaths. Males.	Deaths. Females.	Excess of Births over Deaths.
	27.—WARWICKSHIRE.									
	386.—Birmingham.	2955	246353	9049	8652	397	5715	3013	2702	3334
1	Lady Wood *H*	2955	50863	2040	1973	67	971	527	444	1069
2	St. Thomas *HH*		39031	1257	1206	51	818	434	384	439
3	St. Martin		41828	1451	1400	51	863	452	411	588
4	St. George *H*		64915	2350	2286	64	1564	798	766	786
5	All Saints *WHHL*		49716	1951	1787	164	1499	802	697	452
	387.—Aston.	31486	209887	8257	7983	274	3829	1889	1940	4428
1	Deritend	2839	76413	3089	2995	94	1371	664	707	1718
2	Duddeston		55248	2311	2229	82	1100	554	546	1211
3	Erdington *W*	11251	69644	2626	2537	89	1216	594	622	1410
4	Sutton Coldfield	17396	8582	231	222	9	142	77	65	89
	388.—Meriden.	47770	11025	280	267	13	189	103	86	91
1	Coleshill *W*	21375	5122	125	123	2	88	49	39	37
2	Meriden *W*	26395	5903	155	144	11	101	54	47	54
	389.—Atherstone.	27794	14419	489	475	14	256	144	112	233
1	Atherstone *W*	27794	14419	489	475	14	256	144	112	233
	390.—Nuneaton.	20428	13701	504	484	20	255	148	107	249
1	Nuneaton *W*	20428	13701	504	484	20	255	148	107	249
	391.—Foleshill.	19405	18497	657	636	21	332	175	157	325
1	Foleshill *W*	7799	14439	527	509	18	273	146	127	254
2	Sowe	11606	4058	130	127	3	59	29	30	71
	392.—Coventry.	5512	45116	1471	1405	66	840	441	399	631
1	St. John *W*	3661	23092	719	682	37	431	223	208	288
2	Holy Trinity *HH*	1851	22024	752	723	29	409	218	191	343
	393.—Rugby.	80755	27200	816	780	36	427	229	198	389
1	Rugby *WHH*	25130	16589	550	529	21	257	148	109	293
2	Crick	26669	5274	131	123	8	77	41	36	54
3	Dunchurch	28956	5337	135	128	7	93	40	53	42
	394.—Solihull.	47427	21377	623	593	30	335	148	187	288
1	Solihull *WH*	20715	15235	481	455	26	254	109	145	227
2	Knowle	11461	3121	76	73	3	49	28	21	27
3	Tanworth	15251	3021	66	65	1	32	11	21	34
	395.—Warwick.	66741	52874	1416	1324	92	905	439	466	511
1	Warwick *WHL*	23975	16646	518	481	37	364	176	188	154
2	Leamington *HH*	2900	25141	599	558	41	383	181	202	216
3	Kenilworth	23698	6546	182	171	11	104	52	52	78
4	Radford	16168	4541	117	114	3	54	30	24	63
	396.—Stratford-on-Avon.	78576	22496	647	611	36	326	163	163	321
1	Kineton	10166	2302	61	58	3	30	17	13	31
2	Wellesbourne	14074	2853	72	69	3	36	16	20	36
3	Stratford-on-Avon *H*	14384	6338	194	189	5	107	49	58	87
4	Old Stratford *W*	22205	7250	207	191	16	95	52	43	112
5	Wootton Wawen	17747	3753	113	104	9	58	29	29	55
	397.—Alcester.	52430	19430	654	625	29	325	175	150	329
1	Studley	12095	5259	181	175	6	103	53	50	78
2	Alcester *WH*	15419	5290	160	151	9	86	52	34	74
3	Beckenham	15636	6145	227	218	9	97	48	49	130
4	Bidford	9280	2736	86	81	5	39	22	17	47

VI.—WEST MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

	Districts and Sub-districts.	Area in Acres.	Population, 1881.	Births (exclusive of Still-born). Total.	Births. Legitimate.	Births. Illegitimate.	Deaths (exclusive of Still-born). Total.	Deaths. Males.	Deaths. Females.	Excess of Births over Deaths.
	27.—WARWICKSH.—*cont.*									
	398.—Shipston-on-Stour.	78899	17874	519	491	28	302	158	144	217
1	Campden	20186	4590	139	131	8	65	42	23	74
2	Moreton *H*	20612	5350	157	152	5	86	46	40	71
3	Shipston-on-Stour *W*	17021	4330	136	127	9	86	41	45	50
4	Halford	21080	3404	87	81	6	65	29	36	22
	399.—Southam.	50409	10282	353	341	12	173	88	85	180
1	Southam *W*	50409	10282	353	341	12	173	88	85	180

VII.—NORTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1882.

	28.—LEICESTERSHIRE.									
	400.—Lutterworth.	59031	13356	320	311	9	235	110	125	85
1	Lutterworth *W*	59031	13356	320	311	9	235	110	125	85
	401.—Market Harborough.	64094	16196	475	461	14	252	127	125	223
1	Market Harborough *W*	64094	16196	475	461	14	252	127	125	223
	402.—Billesdon.	50721	10073	281	264	17	183	97	86	98
1	Billesdon *WL*	50721	10073	281	264	17	183	97	86	98
	403.—Blaby.	34207	21853	808	770	38	405	211	194	403
1	Wigston	13210	13885	501	480	21	246	129	117	255
2	Enderby *WH*	20997	7968	307	290	17	159	82	77	148
	404.—Hinckley.	28070	17402	670	640	30	352	165	187	318
1	Burbage	15000	4941	180	169	11	85	43	42	95
2	Hinckley *W*	8210	8669	339	327	12	190	92	98	149
3	Earl Shilton	4860	3792	151	144	7	77	30	47	74
	405.—Market Bosworth.	53090	14611	506	481	25	261	141	120	245
1	Market Bosworth *W*	34701	6342	193	181	12	110	62	48	83
2	Ibstock	18389	8269	313	300	13	151	79	72	162
	406.—Ashby-de-la-Zouch.	52905	33534	1206	1122	84	538	287	251	668
1	Measham	9457	3887	111	100	11	66	35	31	45
2	Hartshorn	14960	7061	264	245	19	100	51	49	164
3	Ashby-de-la-Zouch *W*	12480	9024	306	282	24	151	87	64	155
4	Whitwick	16008	13562	525	495	30	221	114	107	304
	407.—Loughborough.	43840	27883	998	942	56	501	266	235	497
1	Loughborough *WH*	18690	22194	836	793	43	389	209	180	447
2	Leake	25150	5689	162	149	13	112	57	55	50
	408.—Barrow-upon-Soar.	47868	28865	988	952	36	495	268	227	493
1	Barrow-upon-Soar	13521	5757	206	196	10	113	67	46	93
2	Quorndon	8830	5778	179	173	6	107	46	61	72
3	Rothley *W*	14657	11304	419	403	16	183	102	81	236
4	Syston	10860	6026	184	180	4	92	53	39	92
	409.—Leicester.	3200	122376	4855	4636	219	2532	1318	1214	2323
1	East Leicester *W*	3200	78805	3273	3117	156	1668	862	806	1605
2	West Leicester *UL*		43571	1582	1519	63	864	456	408	718

VII.—NORTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1881.	BIRTHS (*exclusive of Still-born*). Total.	Legitimate.	Illegitimate.	DEATHS (*exclusive of Still-born*). Total.	Males.	Females.	Excess of Births over Deaths.
	28.—LEICESTERSHIRE —*continued.*									
	410.—Melton Mowbray.	98077	20492	634	601	33	375	189	186	259
1	Somerby	22468	3890	108	101	7	64	36	28	44
2	Melton Mowbray *W*	17900	7695	274	259	15	174	91	83	100
3	Clawson	27084	5292	148	146	2	87	39	48	61
4	Waltham	30425	3615	104	95	9	50	23	27	54
	29.—RUTLANDSHIRE.									
	411.—Oakham.	55030	10978	307	297	10	182	96	86	125
1	Oakham *W*	55030	10978	307	297	10	182	96	86	125
	412.—Uppingham.	52322	12029	338	319	19	175	88	87	163
1	Uppingham *W*	18631	5389	131	120	11	89	47	42	42
2	Great Easton	14882	3058	103	100	3	40	20	20	63
3	Barrowden	18809	3582	104	99	5	46	21	25	58
	30.—LINCOLNSHIRE.									
	413.—Stamford.	52858	18344	493	464	29	300	153	147	193
1	Stamford *WH*	24136	13273	358	337	21	238	127	111	120
2	Barnack	28722	5071	135	127	8	62	26	36	73
	414.—Bourn.	90644	18918	521	484	37	286	155	131	235
1	Corby	20103	3046	75	73	2	58	31	27	17
2	Aslackby	23635	4533	136	130	6	75	38	37	61
3	Bourn *W*	33106	7121	200	180	20	102	60	42	98
4	Deeping	13800	4218	110	101	9	51	26	25	59
	415.—Spalding.	86471	22961	715	670	45	375	199	176	340
1	Pinchbeck	11640	3146	106	101	5	55	28	27	51
2	Donington	10390	2566	89	82	7	57	25	32	32
3	Gosberton	12320	3045	76	76	–	44	21	23	32
4	Spalding *WH*	16660	9746	296	274	22	171	101	70	125
5	Moulton	19171	3094	94	86	8	33	16	17	61
6	Deeping St. Nicholas	16290	1364	54	51	3	15	8	7	39
	416.—Holbeach.	107299	19249	596	569	27	274	158	116	322
1	Gedney Hill	55248	2742	92	89	3	35	25	10	57
2	Long Sutton		8805	290	280	10	117	61	56	173
3	Holbeach *W*	52051	7702	214	200	14	122	72	50	92
	417.—Boston.	127793	39410	1191	1121	70	659	331	328	532
1	Kirton-in-Holland	23900	5406	169	162	7	81	39	42	88
2	Bennington	49623	6974	201	194	7	88	42	46	113
3	Sibsey	19283	3668	110	104	6	37	18	19	73
4	Boston *WH*	6710	18345	564	521	43	393	200	193	171
5	Swineshead	28277	5020	147	140	7	60	32	28	87
	418.—Sleaford.	131777	25720	820	756	64	435	203	232	385
1	Billinghay	30607	5574	158	143	15	93	41	52	65
2	Sleaford *W*	38039	9217	323	296	27	173	83	90	150
3	Leadenham	19202	3566	109	99	10	54	27	27	55
4	Heckington	26189	4563	156	149	7	72	31	41	84
5	Aswarby	17740	2800	74	69	5	43	21	22	31
	419.—Grantham.	103939	33679	1088	1031	57	573	290	283	515
1	Grantham South*	73304	11911	348	326	22	192	88	104	156
2	Grantham North* *WH*	30635	2 768	740	705	35	381	202	179	359

* 419 : 1 and 2.—For changes made on 1st April 1882 in the constitution of the *sub-districts* of the Grantham District, *see* Table 72.

VII.—NORTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	Districts and Sub-districts.	Area in Acres.	Population, 1881.	Births (exclusive of Still-born). Total.	Births. Legitimate.	Births. Illegitimate.	Deaths (exclusive of Still-born). Total.	Deaths. Males.	Deaths. Females.	Excess of Births over Deaths.
	30.—LINCOLNSHIRE—*cont.*									
	420.—Lincoln.	158792	64512	2157	2029	128	1386	750	636	771
1	Lincoln South-West	74947	13827	390	370	20	257	131	126	133
2	Lincoln Home *WHHL*	24815	42546	1539	1443	96	991	551	440	548
3	Lincoln North-East	59030	8139	228	216	12	138	68	70	90
	421.—Horncastle.	112458	21512	617	572	45	373	207	166	244
1	Wragby	31004	4038	116	109	7	65	34	31	51
2	Horncastle *W*	25679	8519	226	203	23	145	76	69	81
3	Tetford	26345	3763	101	96	5	55	35	20	46
4	Tattershall	29430	5192	174	164	10	108	62	46	66
	422.—Spilsby.	140689	27887	786	721	65	455	248	207	331
1	Stickney	15324	2488	63	56	7	33	12	21	30
2	Wainfleet	37789	5285	166	153	13	79	43	36	87
3	Spilsby *W*	29724	7082	195	170	25	128	75	53	67
4	Burgh	25282	5522	167	157	10	110	59	51	57
5	Alford	32570	7510	195	185	10	105	59	46	90
	423.—Louth.	170708	33852	955	881	74	572	304	268	383
1	Withern *H*	27131	4412	143	135	8	76	44	32	67
2	Louth *WH*	38555	14763	402	359	43	265	141	124	137
3	Binbrook	29072	4151	121	117	4	59	27	32	62
4	Saltfleet	39876	5323	143	132	11	108	58	50	35
5	Tetney	36074	5203	146	138	8	64	34	30	82
	424.—Caistor.	174152	66899	2357	2258	99	1188	616	572	1169
1	Great Grimsby *HH*	54203	48613	1838	1783	55	921	488	433	917
2	Caistor *W*	63811	8793	261	236	25	121	59	62	140
3	Market Rasen *H*	56138	9493	258	239	19	146	69	77	112
	425.—Glanford Brigg.	165470	40170	1324	1252	72	709	379	330	615
1	Brigg *W*	52077	12243	371	345	26	210	111	99	161
2	Winterton	56316	13523	500	477	23	264	141	123	236
3	Barton	57077	14404	453	430	23	235	127	108	218
	426.—Gainsborough.	108668	29948	1060	1001	59	670	327	343	390
1	Owston	13820	4022	112	106	6	95	46	49	17
2	Scotter	30104	4256	125	119	6	60	27	33	65
3	Misterton	14763	3414	127	122	5	65	33	32	62
4	Gainsborough *WH*	7210	12307	536	504	32	360	177	183	176
5	Willingham *H*	28724	3982	116	110	6	65	35	30	51
6	Marton	14047	1967	44	40	4	25	9	16	19
	31.—NOTTINGHAMSHIRE.									
	427.—East Retford.	91594	23271	760	704	56	389	204	185	371
1	Gringley	18591	3115	89	83	6	49	28	21	40
2	Clarborough *W*	24199	6290	224	199	25	123	69	54	101
3	East Retford	23765	9560	319	303	16	159	84	75	160
4	Tuxford	25039	4306	128	119	9	58	23	35	70
	428.—Worksop.	79252	28522	1001	936	65	567	294	273	434
1	Worksop *WH*	20630	11697	386	356	30	300	163	137	86
2	Carlton	20010	3416	95	86	9	59	30	29	36
3	Anston	17433	5838	231	220	11	76	36	40	155
4	Carburton	21179	7571	289	274	15	132	65	67	157
	429.—Mansfield.	57094	44958	1747	1646	101	904	469	435	843
1	Warsop *H*	11544	3982	126	116	10	53	28	25	73
2	Pleasley	16667	3231	114	109	5	68	30	38	46
3	Blackwell	7297	9961	454	437	17	190	104	86	264
4	Sutton-in-Ashfield	7724	12957	537	501	36	332	167	165	205
5	Mansfield *W*	7252	13653	465	434	31	246	132	114	219
6	Blidworth	6610	1174	51	49	2	15	8	7	36

VII.—NORTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	Districts and Sub-districts.	Area in Acres.	Population, 1881.	Births (exclusive of Still-born). Total.	Births. Legitimate.	Births. Illegitimate.	Deaths (exclusive of Still-born). Total.	Deaths. Males.	Deaths. Females.	Excess of Births over Deaths.
	31.—NOTTINGHAMSHIRE —*cont.*									
	430.—Basford.	93176	116940	5098	4826	272	2406	1222	1184	2692
1	Greasley	24230	27158	1172	1111	61	432	231	201	740
2	Ilkeston	8824	22333	1003	932	71	392	206	186	611
3	Basford *W*	6500	23328	1034	990	44	670	323	347	364
4	Bulwell	11729	21212	1005	962	43	465	250	215	540
5	Arnold	18838	10301	375	346	29	205	95	110	170
6	Carlton	8435	6476	294	277	17	149	70	79	145
7	Wilford	14620	6132	215	208	7	93	47	46	122
	431.—Nottingham.	5292	159263	6128	5724	404	3919	2048	1871	2209
1	Lenton	1576	9246	402	376	26	181	98	83	221
2	Radford* *W*	1000	20954	1190	1125	65	628	319	309	562
3	Snenton *L*	720	15473	710	678	32	425	221	204	285
4	Sherwood	1996	18620	427	415	12	276	136	140	151
5	St. Mary		6302	227	209	18	175	87	88	52
6	St. Ann *WHL*		34626	1270	1147	123	969	524	445	301
7	Byron		19285	672	625	47	445	206	239	227
8	Exchange		18520	742	692	50	411	232	179	331
9	Park* *HHH*		16237	488	457	31	409	225	184	79
	432.—Southwell.	115151	20351	532	492	40	358	176	182	174
1	Southwell *W*	51382	11151	263	244	19	191	85	106	72
2	Kneesal	63769	9200	269	248	21	167	91	76	102
	433.—Newark.	94603	30616	935	872	63	551	281	270	384
1	North Collingham	23813	4886	128	117	11	73	42	31	55
2	Bassingham	20544	3256	86	75	11	45	27	18	41
3	Newark *WHH*	2018	14083	480	460	20	287	140	147	193
4	Bennington	22042	4239	121	113	8	83	42	41	38
5	Claypole *W*	25586	4052	120	107	13	63	30	33	57
	434.—Bingham.	68019	14721	414	391	23	277	123	154	137
1	Bingham *W*	31695	7002	201	189	12	127	57	70	74
2	Ratcliffe-on-Trent	36324	7719	213	202	11	150	66	84	63
	32.—DERBYSHIRE.									
	435.—Shardlow.	72796	44673	1696	1625	71	715	360	355	981
1	Castle Donington	13355	6165	211	197	14	108	58	50	103
2	Melbourne	15143	4921	165	152	13	57	24	33	108
3	Shardlow *W*	13049	8774	338	321	17	153	87	66	185
4	Stapleford	16499	16467	697	679	18	266	123	138	431
5	Spondon	14750	8346	285	276	9	131	63	68	154
	436.—Derby.	3324	78631	2812	2706	106	1441	748	693	1371
1	Derby *HH*	3324	78631	2812	2706	106	1441	748	693	1371
	437.—Belper.	67184	58184	2026	1918	108	1106	585	521	920
1	Duffield *wH*	20985	6814	192	172	20	183	109	74	9
2	Horsley	10706	6690	231	222	9	104	51	53	127
3	Belper *W*	3185	9875	345	321	24	239	127	112	106
4	Ripley	13551	14800	534	507	27	255	133	122	279
5	Alfreton	4626	13885	533	515	18	212	114	98	321
6	Wirksworth *H*	15031	6120	191	181	10	113	51	62	78
	438.—Ashborne.	96945	19995	588	549	39	303	154	149	285
1	Brailsford	17825	2697	84	83	1	34	15	19	50
2	Mayfield	12525	3601	110	101	9	63	40	23	47
3	Ashborne *W*	13756	4884	145	133	12	63	35	28	82
4	Calton	21500	2955	85	83	2	44	16	28	41
5	Hartington	15023	1487	35	28	7	18	9	9	17
6	Brassington	16316	4371	129	121	8	81	39	42	48

* 431 : 2 and 9.—For changes made on 1st July 1882 in the constitution of the *Radford* and *Park* Sub-districts, *see* Table 72.

VII.—NORTH MIDLAND COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1881.	BIRTHS (*exclusive of Still-born*). Total.	Legitimate.	Illegitimate.	DEATHS (*exclusive of Still-born*). Total.	Males.	Females.	Excess of Births over Deaths.
	32.—DERBYSHIRE—*cont.*									
	439.—Chesterfield.	89852	98741	3887	3664	223	1995	1099	896	1892
1	Ashover	21838	17116	708	658	50	410	248	162	298
2	Chesterfield *WH*	26619	46523	1819	1714	105	1026	556	470	793
3	Bolsover	10992	3114	104	96	8	46	22	24	58
4	Eckington	15656	22130	876	834	42	363	194	169	513
5	Dronfield	14747	9858	380	362	18	150	79	71	230
	440.—Bakewell.	104377	30522	945	893	52	562	310	252	383
1	Bakewell *W*	54906	11052	336	337	29	215	117	98	151
2	Matlock	19896	11929	359	341	18	199	109	90	160
3	Tideswell	29575	7541	220	215	5	148	84	64	72
	441.—Chapel-en-le-Frith.	83497	19484	600	567	33	377	193	184	223
1	Buxton *H*	16115	9101	282	262	20	162	80	82	120
2	Chapel-en-le-Frith *W*	67382	10383	318	305	13	215	113	102	103
	442.—Hayfield.*	38894	36284	1192	1116	76	733	366	367	459
1	Glossop *WH*	20943	23550	813	760	53	494	244	250	319
2	Hayfield *W*	17951	12734	379	356	23	239	122	117	140

VIII.—NORTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1882.

	33.—CHESHIRE.									
	443.—Stockport.	28464	117157	3969	3761	208	2638	1315	1323	1331
1	Marple	4865	6598	174	167	7	117	71	46	57
2	Hyde	5004	24739	878	816	62	550	250	300	328
3	Heaton Norris *H*	3657	25904	887	861	26	579	292	287	308
4	Stockport First *WH*	1143	32006	1106	1035	71	826	424	402	280
5	Stockport Second	1222	13449	483	456	27	297	145	152	186
6	Cheadle *HL*	7108	8074	221	211	10	167	80	87	54
7	Hazelgrove	5465	6387	220	215	5	102	53	49	118
	444.—Macclesfield.	85892	62013	1914	1774	140	1399	698	701	515
1	Prestbury	13667	4893	145	137	8	73	37	36	72
2	Bollington	8582	10424	313	304	9	225	110	115	88
3	Rainow	15597	3402	99	96	3	65	28	37	34
4	East Macclesfield *W*	874	10656	343	305	38	236	123	113	107
5	West Macclesfield *WHL*	1706	17963	562	509	53	541	282	259	21
6	Sutton	13315	7195	244	225	19	149	66	83	95
7	Gawsworth	17983	2797	81	75	6	43	13	30	38
8	Alderley	14168	4683	127	123	4	67	39	28	60
	445.—Altrincham.	75416	58899	1801	1693	108	992	496	496	809
1	Wilmslow *L*	15691	10315	324	309	15	166	75	91	158
2	Altrincham *HH*	18283	32611	1002	955	47	491	236	255	511
3	Lymm	18872	7908	219	202	17	168	87	81	51
4	Knutsford *W*	22570	8065	256	227	29	167	98	69	89
	446.—Runcorn.	47103	34023	1281	1226	55	742	385	357	539
1	Budworth	12069	4420	137	129	8	63	33	30	74
2	Daresbury *W*	9093	3103	100	93	7	82	43	39	18
3	Runcorn	10213	19203	796	775	21	476	245	231	320
4	Frodsham	15728	7297	248	229	19	121	64	57	127
	447.—Northwich.	62643	44046	1713	1596	117	812	402	410	901
1	Weaverham	18257	7947	274	255	19	121	65	56	153
2	Northwich *W*	12805	17024	707	659	48	363	171	192	344
3	Over	17514	13018	525	486	39	223	112	111	302
4	Middlewich	14067	6057	207	196	11	105	54	51	102

* 442.—The District of Hayfield comprises the two Poor Law Unions of Glossop (Glossop Sub-district), and Hayfield (Hayfield Sub-district).

VIII.—NORTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1881.	BIRTHS (*exclusive of Still-born*). Total.	Legitimate.	Illegitimate.	DEATHS (*exclusive of Still-born*). Total.	Males.	Females.	Excess of Births over Deaths.
	33.—CHESHIRE—*continued.*									
	448.—Congleton.	56167	38010	1253	1158	95	716	366	350	537
1	Church Hulme	14338	2974	90	83	7	45	22	23	45
2	Congleton *H*	19040	19544	640	584	56	403	204	199	237
3	Sandbach *W*	22289	15492	523	491	32	268	140	128	255
	449.—Nantwich.	113165	61566	2060	1955	105	1028	501	527	1032
1	Crewe *H*	33338	37203	1354	1305	49	599	278	321	755
2	Nantwich *W*	21753	11146	327	295	32	231	120	111	96
3	Bunbury	27656	7338	215	200	15	103	56	47	112
4	Wrenbury	30418	5879	164	155	9	95	47	48	69
	450.—Chester.*	120383	75297	2348	2209	139	1411	709	702	937
1	Tattenhall	48925	11186	300	284	16	158	82	76	142
2	Chester Castle *W*	12753	22625	733	698	35	457	222	235	276
3	Chester Cathedral *WHL*	25918	25791	760	716	44	553	282	271	207
4	Hawarden *W*	32787	15595	555	511	44	243	123	120	312
	451.—Wirral.	45457	27928	867	836	31	395	202	193	472
1	Neston	15928	6510	217	209	8	95	50	45	122
2	Eastham *W*	14900	14564	427	409	18	204	109	95	223
3	Woodchurch	14629	6854	223	218	5	96	43	53	127
	452.—Birkenhead.	9055	103426	3868	3736	132	2154	1124	1030	1714
1	Birkenhead *HHHH*	1280	51610	1978	1905	73	1102	562	540	876
2	Tranmere *W*	4367	30624	1147	1107	40	617	329	288	530
3	Wallasey *HHH*	3408	21192	743	724	19	435	233	202	308
	34.—LANCASHIRE.									
	453.—Liverpool.	2470	210164	6696	6355	341	6811	3597	3214	−115
1	St. Martin	720	70606	2370	2537	33	1711	841	870	859
2	Howard-street *H*	219	15382	512	496	16	577	329	248	−65
3	Dale-street *H*	268	19937	600	586	14	500	254	246	100
4	St. George	239	6644	150	146	4	120	55	65	30
5	St. Thomas	425	18910	596	582	14	430	217	213	166
6	Mount Pleasant *WHHHHHHL*	387	41997	1229	1003	226	2643	1477	1166	−1414
7	Islington *HH*	212	36688	1039	1005	34	830	424	406	209
	454.—Toxteth Park.	3598	117028	4704	4592	112	2887	1448	1439	1817
1	Toxteth Park *WWH*	3598	117028	4704	4592	112	2887	1448	1439	1817
	455.—West Derby.	37479	359273	14353	13977	376	8263	4221	4042	6090
1	Everton *WH*	693	100812	4125	4044	81	2698	1366	1332	1427
2	Kirkdale *WH*	926	58145	2489	2449	40	1420	756	664	1069
3	Walton *WH*	9232	48023	2496	2374	122	1609	855	754	887
4	Crosby	7069	10717	323	312	11	148	64	84	175
5	Litherland	5619	8990	306	297	9	150	68	82	156
6	West Derby Municipal	674	67727	2755	2674	81	1367	660	707	1388
7	West Derby Rural	6488	33474	1073	1052	21	533	271	262	540
8	Wavertree *H*	6778	22385	786	775	11	338	181	157	448
	456.—Prescot.	55592	117960	4794	4624	170	2844	1460	1384	1950
1	Hale	10334	2941	70	70	-	62	30	32	8
2	Much Woolton *H*	2183	5700	170	163	7	92	41	51	78
3	Huyton	10525	5937	166	163	3	84	45	39	82
4	Farnworth *H*	10908	27695	1158	1122	36	548	264	284	610
5	Prescot *W*	6649	15070	600	547	53	476	262	214	124
6	St. Helens *HL*	9121	56872	2501	2432	69	1505	779	726	996
7	Rainford	5872	3745	129	127	2	77	39	38	52

* 450.—The District of Chester comprises the three Poor Law Unions of Tarvin (Tattenhall Sub-district), Chester (Chester Castle and Chester Cathedral Sub-districts), and Hawarden (Hawarden Sub-district).

VIII.—NORTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1881.	BIRTHS (*exclusive of Still-born*). Total.	Legitimate.	Illegitimate.	DEATHS (*exclusive of Still-born*). Total.	Males.	Females.	Excess of Births over Deaths.
	34.—LANCASHIRE—*cont.*									
	457.—Ormskirk.	90662	83212	2632	2507	125	1411	709	702	1221
1	Bickerstaffe	11207	3536	105	101	4	50	29	21	55
2	Aughton	8703	5645	180	177	3	98	43	55	82
3	Halsall	10468	2116	57	54	3	28	16	12	29
4	Formby *H*	12917	13163	407	395	12	182	91	91	225
5	North Meols *HHHHH*	8467	33763	942	903	39	580	276	304	362
6	Tarleton	13409	3668	134	122	12	50	29	21	84
7	Scarisbrick	13357	4522	146	138	8	72	43	29	74
8	Ormskirk *W*	573	6651	200	178	22	143	78	65	57
9	Lathom	11561	10148	461	439	22	208	104	104	253
	458.—Wigan.	48398	139918	5995	5502	493	3182	1717	1465	2813
1	Standish	10727	8135	321	308	13	165	93	72	156
2	Aspull	6428	13533	573	531	42	229	129	100	344
3	Wigan *WHH*	2158	48194	2074	1878	196	1241	650	591	833
4	Hindley	6913	33360	1496	1393	103	761	423	338	735
5	Pemberton *H*	6371	18606	798	712	86	435	233	202	363
6	Upholland	9521	8266	314	292	22	149	80	69	165
7	Ashton-in-Makerfield	6250	9824	419	388	31	202	109	93	217
	459.—Warrington.	31168	70218	2814	2717	97	1595	823	772	1219
1	Newton-in-Makerfield *L*	5512	16443	646	621	25	314	151	163	332
2	Winwick	4177	1761	42	42	-	26	14	12	16
3	Sankey	8898	3364	104	101	3	65	25	40	39
4	Warrington *WHH*	2887	40957	1749	1690	59	1049	553	496	700
5	Latchford	3820	5566	204	197	7	97	58	39	107
6	Rixton	5874	2127	69	66	3	44	22	22	25
	460.—Leigh.	24356	56318	2237	2120	117	1152	568	584	1085
1	Lowton	5194	7092	239	231	8	128	59	69	111
2	Culcheth	10880	12182	446	429	17	234	110	124	212
3	Westleigh	3366	14488	571	537	34	274	132	142	297
4	Atherton *W*	4916	22556	981	923	58	516	267	249	465
	461.—Bolton.	46426	192405	6984	6658	326	4137	2175	1962	2847
1	Farnworth *W*	2499	27961	1075	999	76	799	431	368	276
2	Hulton	5784	18701	533	519	14	289	144	145	244
3	Westhoughton	4341	9197	339	315	24	152	86	66	187
4	Halliwell	4224	14012	533	514	19	304	148	156	229
5	Horwich	4774	4543	128	125	3	71	40	31	57
6	Tonge-with-Haulgh	3212	10067	349	342	7	179	97	82	170
7	Turton	7424	6514	225	214	11	114	68	46	111
8	Edgeworth	5391	2474	81	80	1	36	20	16	45
9	Sharples	4990	6225	202	199	3	112	65	47	90
10	Little Bolton	788	41937	1535	1471	64	839	423	416	696
11	Bolton Eastern *H*	441	25919	888	846	42	623	308	315	265
12	Bolton Western	385	19775	749	694	55	422	236	186	327
13	Lever	2173	10080	347	340	7	197	109	88	150
	462.—Bury.	33527	129603	4347	4143	204	2723	1394	1329	1624
1	Holcombe	3209	9707	300	285	15	195	102	93	105
2	Tottington Lower End	2087	6894	210	203	7	126	68	58	84
3	Walmersley	5165	5130	176	172	4	99	47	52	77
4	Birtle *W*	3220	3953	139	116	23	186	108	78	−47
5	Heywood *H*	5647	21088	618	597	21	388	217	171	230
6	South Bury	1316	18067	609	581	28	382	198	184	227
7	North Bury *H*	1221	22411	776	732	44	476	228	248	300
8	Elton *H*	3330	13370	482	464	18	283	153	130	199
9	Radcliffe	2695	15863	618	592	26	345	170	175	273
10	Pilkington	5437	13125	419	401	18	243	103	140	176
	463.—Barton-upon-Irwell.	24555	72815	2413	2315	98	1337	692	645	1076
1	Worsley *W*	8122	23785	863	832	31	425	221	204	438
2	Barton *W*	10621	25994	896	855	41	558	285	273	338
3	Stretford	5812	23036	654	628	26	354	186	168	300
	464.—Chorlton.	11697	258226	9175	8757	418	5698	2819	2879	3477
1	Didsbury *W*	6001	19067	556	473	83	680	339	341	−124
2	Ardwick	4152	93230	3644	3521	123	1994	1016	978	1650
3	Chorlton-upon-Medlock *H*	646	55398	1660	1566	94	1133	535	598	527
4	Hulme	898	90331	3315	3197	118	1891	929	962	1424

VIII.—NORTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	Districts and Sub-districts.	Area in Acres.	Population, 1881.	Births (exclusive of Still-born). Total.	Births. Legitimate.	Births. Illegitimate.	Deaths (exclusive of Still-born). Total.	Deaths. Males.	Deaths. Females.	Excess of Births over Deaths.
	34.—LANCASHIRE—*cont.*									
	465.—Salford.	6040	181526	7335	6989	346	4441	2215	2226	2894
1	Pendleton *WWH*	3285	48408	1916	1825	91	1103	552	551	813
2	Broughton	1426	31534	1160	1125	35	552	262	290	608
3	Greengate *H*	253	31869	1285	1226	59	850	439	411	435
4	Regent Road *WH*	1076	69715	2974	2813	161	1936	962	974	1038
	466.—Manchester.	1646	148794	5348	5127	221	3807	1939	1868	1541
1	Ancoats *H*	400	47980	1849	1773	76	1215	597	618	634
2	Central *WHHHHH*	748	41683	1258	1180	78	1278	691	587	−20
3	St. George	498	59131	2241	2174	67	1314	651	663	927
	467.—Prestwich.	11348	121287	4626	4388	238	3375	1752	1623	1251
1	Newton *H*	1969	55318	2309	2253	56	1379	682	697	930
2	Cheetham *WwH*	1652	33875	1144	987	157	1324	726	598	−180
3	Failsworth *H*	2370	11378	453	444	9	214	118	96	239
4	Blackley	2033	10885	438	426	12	264	129	135	174
5	Prestwich *L*	3324	9831	282	278	4	194	97	97	88
	468.—Ashton-under-Lyne.	38563	154526	5293	5063	230	3400	1696	1704	1893
1	Knott-lanes	2409	8478	299	284	15	174	93	81	125
2	Ashton Town *WH*	1374	36399	1254	1172	82	977	506	471	277
3	Audenshaw	4210	19832	628	614	14	381	182	199	247
4	Denton	2593	12711	435	425	10	227	116	111	208
5	Newton	1515	8732	280	270	10	158	70	88	122
6	Dukinfield	1660	29675	1051	1007	44	668	308	360	383
7	Hartshead	3114	21855	784	754	30	458	235	223	326
8	Mottram	18005	7946	254	241	13	152	77	75	102
9	Stayley	3683	8898	308	296	12	205	109	96	103
	469.—Oldham.	17104	168461	6039	5828	211	4104	2096	2008	1935
1	Oldham-below-Town *WHH*	1974	66535	2440	2344	96	1819	992	827	621
2	Oldham-above-Town	2756	44808	1584	1533	51	1052	493	559	532
3	Chadderton	3474	24153	887	864	23	532	279	253	355
4	Middleton	2728	10726	353	340	13	231	110	121	122
5	Royton	3308	12442	446	432	14	283	130	153	163
6	Crompton	2864	9797	329	315	14	187	92	95	142
	470.—Rochdale.	34822	121912	3572	3401	171	2539	1296	1243	1033
1	Butterworth Freehold-side	3690	3574	100	97	3	57	26	31	43
2	Butterworth Lordship-side	4076	4837	132	130	2	77	35	42	55
3	Castleton-further	3319	16540	491	474	17	333	166	167	158
4	Castleton-nearer	493	18732	557	520	37	400	212	188	157
5	Spotland-nearer-side *H*	1131	12290	327	306	21	244	125	119	83
6	Spotland-further-side	6034	7006	183	175	8	106	59	47	77
7	Wardleworth *H*	766	19711	610	574	36	408	190	218	202
8	Wuerdle *W*	3523	10487	290	269	21	351	196	155	−61
9	Blatchinworth	4781	7891	228	222	6	121	60	61	107
10	Whitworth	7009	20844	654	634	20	442	227	215	212
	471.—Haslingden.	26712	95293	3317	3173	144	1990	985	1005	1327
1	Newchurch	5858	28261	909	871	38	559	253	306	350
2	Rossendale *W*	7511	16130	565	527	38	369	197	172	196
3	Edenfield	5259	4936	166	164	2	91	50	41	75
4	Haslingden	4659	14531	480	454	26	258	133	125	222
5	Accrington	3425	31435	1197	1157	40	713	352	361	484
	472.—Burnley.	63672	118334	4823	4512	311	2721	1453	1268	2102
1	Burnley *WH*	23364	69053	2982	2775	207	1733	937	796	1249
2	Padiham	12871	13984	484	458	26	276	138	138	208
3	Colne	20952	33934	1305	1229	76	699	371	328	606
4	Pendle	6485	1363	52	50	2	13	7	6	39

VIII.—NORTH WESTERN COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	Districts and Sub-districts.	Area in Acres.	Population, 1881.	Births (*exclusive of Still-born*). Total.	Legitimate.	Illegitimate.	Deaths (*exclusive of Still-born*). Total.	Males.	Females.	Excess of Births over Deaths.
	34.—LANCASHIRE—*cont.*									
	473.—Clitheroe.	119226	23502	741	699	42	428	221	207	313
1	Gisburn	24547	2348	76	72	4	42	19	23	34
2	Slaidburn	45497	1662	59	55	4	27	13	14	32
3	Chipping	19819	3205	68	61	7	51	23	28	17
4	Clitheroe *W*	20648	13099	428	404	24	251	138	113	177
5	Whalley	8715	3188	110	107	3	57	28	29	53
	474.—Blackburn.	45855	175954	6644	6336	308	4236	2177	2059	2408
1	Billington	5964	1997	73	70	3	28	14	14	45
2	Harwood	7799	17752	699	670	29	400	205	195	299
3	Mellor	7127	2272	49	49	–	44	27	17	5
4	Blackburn *WHH*	3681	91958	3575	3379	196	2381	1240	1141	1194
5	Oswaldtwisle	5411	17056	648	628	20	379	190	189	269
6	Darwen	9448	33555	1120	1075	45	739	355	384	381
7	Witton	6425	11364	480	465	15	265	146	119	215
	475.—Chorley.	54456	47730	1739	1655	84	978	510	468	761
1	Brindle	10652	5720	177	174	3	116	57	59	61
2	Leyland	10254	9200	313	302	11	201	93	108	112
3	Rivington	9452	4920	170	165	5	75	38	37	95
4	Chorley *W*	10912	22796	895	845	50	499	274	225	396
5	Croston	13186	5094	184	169	15	87	48	39	97
	476.—Preston.	67539	129160	4823	4493	330	3455	1768	1687	1368
1	Longton	14287	6574	217	207	10	141	78	63	76
2	Trinity	1412	31960	1319	1221	98	861	436	425	458
3	St. Peter *H*	790	33968	1437	1350	87	949	482	467	488
4	St. John	618	27792	943	876	67	661	315	346	282
5	Walton-le-Dale	9746	10096	386	374	12	220	111	109	166
6	Alston *W*	12093	6365	203	191	12	125	66	59	78
7	Broughton *WL*	28593	12405	318	274	44	498	280	218	–180
	477.—Fylde.	59032	40910	1374	1281	93	915	460	455	459
1	Kirkham *W*	30125	9946	322	290	32	223	105	118	99
2	Lytham *H*	8044	5517	164	158	6	85	49	36	79
3	Poulton-le-Fylde	20863	25347	888	833	55	607	306	301	231
	478.—Garstang.	61115	12375	362	340	22	216	102	114	146
1	Stalmine	13589	3338	105	98	7	50	27	23	55
2	St. Michael	16439	3184	95	90	5	65	28	37	30
3	Garstang *W*	31087	5833	162	152	10	101	47	54	61
	479.—Lancaster.	62498	40838	1418	1349	69	901	481	420	517
1	Ellel	31136	3818	98	88	10	64	32	32	34
2	Heaton	8372	5181	168	158	10	94	53	41	74
3	Lancaster *WHLL*	9813	26182	936	889	47	648	351	297	288
4	Warton	12977	5657	216	214	2	95	45	50	121
	480.—Lunesdale.	75734	7132	184	175	9	100	53	47	84
1	Caton	20680	2501	71	68	3	34	20	14	37
2	Wray *W*	28968	2046	52	49	3	35	20	15	17
3	Tunstal	10501	771	12	12	–	7	4	3	5
4	Arkholme	15585	1814	49	46	3	24	9	15	25
	481.—Ulverston.	141124	43681	1614	1515	99	918	506	412	696
1	Cartmel	28754	5600	147	142	5	77	38	39	70
2	Colton	24806	3464	93	86	7	53	26	27	40
3	Ulverston *WH*	8463	12244	462	424	38	319	175	144	143
4	Dalton	16078	15778	716	685	31	349	193	156	367
5	West Broughton	29453	3224	97	88	9	63	35	28	34
6	Hawkshead	33570	3371	99	90	9	57	39	18	42
	482.—Barrow-in-Furness.	10967	47259	2196	2128	68	966	498	468	1230
1	Barrow-in-Furness *WHH*	10967	47259	2196	2128	68	966	498	468	1230

IX.—YORKSHIRE.—BIRTHS AND DEATHS, 1882.

No.	Districts and Sub-districts.	Area in Acres.	Population, 1881.	Births (exclusive of Still-born). Total.	Legitimate.	Illegitimate.	Deaths (exclusive of Still-born). Total.	Males.	Females.	Excess of Births over Deaths.
	35.—WEST RIDING.									
	483.—Sedbergh.	52665	4079	101	97	4	69	30	39	32
1	Sedbergh *W*	19603	2268	51	49	2	43	21	22	8
2	Garsdale	12172	602	27	26	1	12	5	7	15
3	Dent	20890	1209	23	22	1	14	4	10	9
	484.—Settle.	151942	13800	406	387	19	256	142	114	150
1	Bentham	46296	5458	177	164	13	86	51	35	91
2	Settle *W*	49018	5598	154	149	5	115	54	61	39
3	Long Preston	16297	1620	49	49	-	25	17	8	24
4	Kirkby Malham	22823	762	17	17	-	19	13	6	—2
5	Arncliffe	18003	362	9	8	1	11	7	4	—2
	485.—Skipton.	159191	37120	1169	1093	76	709	335	374	460
1	Kettlewell	33135	854	25	24	1	14	5	9	11
2	Gargrave	17753	2117	67	63	4	43	15	28	24
3	Barnoldswick	16570	7290	252	240	12	151	75	76	101
4	Kildwick	18123	8923	253	247	6	180	74	106	73
5	Skipton *W*	25483	12772	423	384	39	223	123	100	200
6	Addingham	20755	3262	101	91	10	70	30	40	31
7	Grassington	27372	1902	48	44	4	28	13	15	20
	486.—Pateley Bridge.	75063	8944	258	245	13	182	79	103	76
1	Ramsgill	31765	936	23	23	-	12	6	6	11
2	Pateley Bridge *W*	11776	3750	114	107	7	82	37	45	32
3	Thornthwaite	14670	1625	40	40	-	37	15	22	3
4	Dacre Banks	16852	2633	81	75	6	51	21	30	30
	487.—Ripon.	73220	16447	482	450	32	261	112	149	221
1	Ripon *WH*	23228	10402	295	275	20	170	78	92	125
2	Kirkby Malzeard	25797	2831	85	80	5	53	21	32	32
3	Wath	13323	1625	51	48	3	24	9	15	27
4	Dishforth	10872	1589	51	47	4	14	4	10	37
	488.—Great Ouseburn.	60627	11955	364	333	31	211	111	100	153
1	Boroughbridge	23817	4942	138	127	11	79	42	37	59
2	Whixley *W*	22881	3778	115	105	10	72	42	30	43
3	Poppleton	13929	3235	111	101	10	60	27	33	51
	489.—Knaresborough.	41236	22635	602	550	52	421	211	210	181
1	Knaresborough *W*	19193	8497	223	202	21	188	92	96	35
2	Harrogate *HH*	22043	14138	379	348	31	233	119	114	146
	490.—Wetherby.	65940	16194	408	380	28	289	134	155	119
1	Wetherby *W*	40383	7274	210	194	16	140	62	78	70
2	Boston	25557	8920	198	186	12	149	72	77	49
	491.—Wharfedale.	71019	46705	1450	1385	65	830	410	420	620
1	Horsforth *H*	12158	11799	365	354	11	179	91	88	186
2	Fewston *W*	25361	2927	75	71	4	61	36	25	14
3	Otley *H*	23176	15616	495	480	15	289	145	144	206
4	Yeadon	10324	16363	515	480	35	301	158	163	214
	492.—Keighley.	36769	61121	1813	1724	89	1235	610	625	578
1	Bingley	14109	20703	610	580	30	407	201	206	203
2	Keighley *WH*	14546	33545	993	942	51	705	342	363	288
3	Haworth	8114	6873	210	202	8	123	67	56	87
	493.—Todmorden.	35752	35527	1040	1003	37	704	340	364	336
1	Hebden Bridge	35752	12314	414	401	13	273	118	155	141
2	Todmorden *WH*		23213	626	602	24	431	222	209	195

IX.—YORKSHIRE.—BIRTHS AND DEATHS, 1882—*continued.*

No.	DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1881.	BIRTHS (*exclusive of Still-born*). Total.	Legitimate.	Illegitimate.	DEATHS (*exclusive of Still-born*). Total.	Males.	Females.	Excess of Births over Deaths.
	35.—WEST RIDING—*cont.*									
	494.—Saddleworth.	18797	22299	714	692	22	465	245	220	249
1	Delph	6479	10461	344	330	14	204	107	97	140
2	Upper Mill *W*	12318	11838	370	362	8	261	138	123	109
	495.—Huddersfield.	71586	156513	4856	4580	276	3183	1704	1479	1673
1	Slaithwaite	13135	8934	283	272	11	164	91	73	119
2	Honley *WH*	9756	13583	378	364	14	267	141	126	111
3	Holmfirth	8250	9583	314	294	20	144	82	62	170
4	Newmill	9057	5752	194	180	14	90	50	40	104
5	Kirkburton	8784	12275	355	333	22	214	112	102	141
6	Almondbury	4421	14591	436	422	14	284	158	126	152
7	Kirkheaton	6931	14575	437	420	17	264	130	134	173
8	Huddersfield *HH*	4055	42234	1305	1213	92	993	506	487	312
9	Lockwood *W*	970	14751	503	451	52	411	244	167	92
10	Golcar	6227	26205	651	631	20	352	190	162	299
	496.—Halifax.	56864	170440	5199	4961	238	3284	1677	1607	1915
1	Rastrick	2306	8542	307	296	11	172	80	92	135
2	Brighouse	5568	15683	575	552	23	271	148	123	304
3	Southowram *H*	2546	8813	285	278	7	199	99	100	86
4	Halifax *WH*	2329	54038	1566	1469	97	1138	595	543	428
5	Elland	3783	17940	560	541	19	310	158	152	250
6	Ripponden	13269	6679	208	199	9	113	67	46	95
7	Sowerby	14821	16846	456	443	13	288	136	152	168
8	Luddenden		6053	149	144	5	88	40	48	61
9	Ovenden	5350	12874	377	367	10	210	106	104	167
10	Northowram	4522	22972	716	672	44	495	248	247	221
	497.—Bradford.*	41610	311582	9876	9307	569	6495	3278	3217	3381
1	Cleckheaton	4102	17454	596	578	18	314	158	156	282
2	Drighlington	3793	9805	215	205	10	214	106	108	101
3	North Bierley	3342	15620	500	486	14	298	164	134	202
4	Bowling	1561	28738	999	942	57	627	315	312	372
5	Bradford East-End *H*	1942	52809	1792	1673	119	1175	609	566	617
6	Bradford West-End † *HH*	1684	35447	1065	992	73	732	387	345	253
7	Horton † *W*	2023	40945	2168	2013	155	1439	707	732	709
8	Thornton *W*	6329	16713	457	424	23	368	200	168	89
9	Wilsden	4487	6651	194	185	9	115	57	58	79
10	Shipley *H*	2729	18290	518	494	24	302	136	166	216
11	Idle	3682	20412	604	576	28	408	212	196	196
12	Calverley	3180	8296	251	240	11	142	72	70	109
13	Pudsey	2546	15459	477	449	28	321	155	166	156
	498.—Hunslet.	12010	58215	2448	2322	126	1444	767	677	1004
1	Hunslet *W*	1152	46942	2043	1930	113	1195	643	552	848
2	Whitkirk	5741	5024	182	174	8	88	44	44	94
3	Rothwell	5117	6239	223	218	5	161	80	81	62
	499.—Holbeck.	2668	24051	890	851	39	544	300	244	346
1	Holbeck *W*	2668	24051	890	851	39	544	300	244	346
	500.—Bramley.	7597	54400	2022	1930	92	1088	582	506	934
1	Bramley	2505	11055	412	399	13	208	108	100	204
2	Gildersome	993	3470	105	101	4	45	28	17	60
3	Wortley *W*	4099	39875	1505	1430	75	835	446	389	670
	501.—Leeds.	13755	190847	6629	6253	376	4594	2356	2238	2035
1	South-East Leeds	853	30968	1098	1037	61	756	377	379	342
2	North Leeds *WHH*	640	35849	2193	2018	175	1574	805	769	619
3	West Leeds *HH*	1243	73892	3355	3246	109	1727	889	838	628
4	Kirkstall	3183	19135	676	651	25	845	689	156	331
5	Chapeltown	7836	11600	367	361	6	192	96	96	115

* 497.—The District of Bradford comprises the two Poor Law Unions of North Bierley (Cleckheaton, Drighlington, North Bierley, Thornton, Wilsden, Shipley, Idle, Calverley, and Pudsey Sub-districts), and Bradford (Bowling, Bradford East-End, Bradford West End, and Horton Sub-districts).

† 497 : 6 and 7.—For the change made on 1st August 1882 in the constitution of the *Bradford West-End* and *Horton* Sub-districts, *see* Table 72.

IX.—YORKSHIRE.—BIRTHS AND DEATHS, 1882—*continued.*

No.	DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1881.	BIRTHS (*exclusive of Still-born*). Total.	Legitimate.	Illegitimate.	DEATHS (*exclusive of Still-born*). Total.	Males.	Females.	Excess of Births over Deaths.
	35.—WEST RIDING—*cont.*									
	502.—Dewsbury.	25284	153712	5195	4977	218	3397	1725	1672	1798
1	Morley	2765	15011	575	550	25	341	182	159	234
2	Batley *H*	2039	27505	920	882	38	645	311	334	275
3	Gomersal	3254	13453	446	430	16	301	146	155	145
4	Liversedge	2827	22039	734	713	21	407	208	199	327
5	Mirfield	3765	15872	486	468	18	308	143	165	178
6	Dewsbury *WH*	1468	29637	1056	996	60	785	428	357	271
7	Soothill	2459	10395	368	354	14	202	99	103	166
8	Ossett	3105	10957	333	317	16	235	117	118	98
9	Thornhill	3602	8843	277	267	10	173	91	82	104
	503.—Wakefield.	41989	89113	3432	3279	153	1921	1001	920	1511
1	Bretton	10172	5812	197	189	8	100	46	54	97
2	Sandal	15084	22586	1014	986	28	417	221	196	597
3	Stanley *WHL*	4674	13431	572	526	46	451	247	204	121
4	Wakefield *HH*	758	22173	690	657	33	434	238	196	256
5	Horbury	1279	5050	166	156	10	104	48	56	62
6	Alverthorpe	3345	10486	401	390	11	206	97	109	195
7	Ardsley	6677	9575	392	375	17	209	104	105	183
	504.—Pontefract.	54037	47876	1983	1903	80	947	518	429	1036
1	Knottingley	18128	9875	395	380	15	188	94	94	207
2	Whitley	16958	2462	89	82	7	40	17	23	49
3	Pontefract *W*	12734	15784	623	603	20	299	166	133	324
4	Castleford	6217	19755	876	838	38	420	241	179	456
	505.—Hemsworth.	34831	11106	432	409	23	212	128	84	220
1	Hemsworth *W*	34831	11106	432	409	23	212	128	84	220
	506.—Barnsley.	34843	78611	3188	3003	185	1571	850	721	1617
1	Darton	11311	7078	253	244	9	111	60	51	142
2	Barnsley *WHH*	9219	41474	1572	1460	112	879	472	407	693
3	Darfield	8815	21087	969	918	51	417	229	188	552
4	Worsbrough	5498	8972	394	381	13	164	89	75	230
	507.—Wortley.*	93159	52258	1985	1895	90	1002	505	497	983
1	Cawthorne	8969	5162	194	179	15	80	37	43	114
2	High Hoyland	4878	3226	111	103	8	48	32	16	63
3	Penistone *W*	21915	8285	333	320	13	150	87	63	183
4	Wortley	8079	3259	135	130	5	59	24	35	76
5	Ecclesfield *WL*	10893	21156	796	763	33	478	237	241	318
6	Bradfield	38425	11170	416	400	16	187	88	99	229
	508.—Ecclesall Bierlow.	23135	114418	4174	4001	173	2149	1109	1040	2025
1	Nether Hallam	1538	38967	1492	1438	54	731	392	339	761
2	Upper Hallam	11779	4058	143	139	4	65	30	35	78
3	Norton	5185	3855	131	127	4	71	41	30	60
4	Ecclesall Bierlow *WH*	4633	67538	2408	2397	111	1282	646	636	1126
	509.—Sheffield.	10784	183135	7191	6781	410	4374	2384	1990	2817
1	West Sheffield *HH*	198	14957	506	473	33	355	198	157	151
2	North Sheffield *WHH*	160	38982	1427	1330	97	968	558	410	459
3	South Sheffield	253	17919	620	575	45	413	217	196	207
4	Sheffield Park	2417	19948	816	770	46	438	220	218	378
5	Brightside *W*	2821	56719	2308	2163	145	1459	806	653	849
6	Attercliffe	1297	26965	1160	1122	38	592	300	292	568
7	Handsworth	3638	7645	354	348	6	149	85	64	205
	510.—Rotherham.	53062	75515	3080	2942	138	1518	799	719	1562
1	Beighton	10614	5608	240	235	5	109	58	51	131
2	Rotherham *WH*	11531	21186	833	784	49	497	254	243	336
3	Kimberworth	8794	30033	1241	1192	49	562	302	260	679
4	Wath	8976	16120	706	675	31	314	166	148	392
5	Maltby	13147	2568	60	56	4	36	19	17	24

* 507.—The District of Wortley comprises the two Poor Law Unions of Penistone (Cawthorne, High Hoyland, and Penistone Sub-districts), and Wortley (Wortley, Ecclesfield, and Bradfield Sub-districts).

IX.—YORKSHIRE.—BIRTHS AND DEATHS, 1882—*continued.*

No.	Districts and Sub-districts.	Area in Acres.	Population, 1881.	Births (exclusive of Still-born). Total.	Births. Legitimate.	Births. Illegitimate.	Deaths (exclusive of Still-born). Total.	Deaths. Males.	Deaths. Females.	Excess of Births over Deaths.
	35.—WEST RIDING—*cont.*									
	511.—Doncaster.	113056	53872	1905	1812	93	1069	549	520	836
1	Tickhill	26924	11549	462	446	16	213	116	97	249
2	Barmbrough	24268	10237	414	392	22	242	113	129	172
3	Doncaster *WII*	1691	21139	699	663	36	455	241	214	244
4	Campsall	27216	4913	150	139	11	74	31	43	76
5	Bawtry	32957	6034	180	172	8	85	48	37	95
	512.—Thorne.	71101	16181	471	437	34	343	173	170	128
1	Epworth	19916	4253	102	96	6	98	49	49	4
2	Thorne *W*	38375	7076	205	191	14	140	70	70	65
3	Crowle	12810	4852	164	150	14	105	54	51	59
	513.—Goole.	43443	19558	737	701	36	386	204	182	351
1	Swinefleet	19237	3908	114	109	5	59	32	27	55
2	Goole *WH*	10546	11680	488	468	20	261	145	116	227
3	Snaith	13660	3970	135	124	11	66	27	39	69
	514.—Selby.	56984	15815	526	488	38	257	134	123	269
1	Carlton	13741	2223	79	75	4	42	20	22	37
2	Selby *W*	25213	10243	337	310	27	170	92	78	167
3	Riccall	18030	3349	110	103	7	45	22	23	65
	515.—Tadcaster.	72865	23955	844	799	45	425	214	211	419
1	Aberford	29859	14097	512	493	19	240	111	129	272
2	Tadcaster *W*	17968	4310	162	150	12	98	56	42	64
3	Appleton Roebuck	25038	5548	170	156	14	87	47	40	83
	36.—E. RIDING (*with York*).									
	516.—York.	82545	76695	2495	2351	144	1661	866	795	834
1	Skelton	9724	1501	45	43	2	30	17	13	15
2	Bootham *WLL*	6642	17358	475	434	41	447	246	201	28
3	Micklegate	8020	19190	670	634	36	370	179	191	300
4	Walmgate *HH*	7433	31415	1090	1035	55	725	381	344	365
5	Escrick	19044	2714	94	91	3	31	18	13	63
6	Dunnington	17386	2726	72	68	4	37	13	24	35
7	Flaxton	14296	1791	49	46	3	21	12	9	28
	517.—Pocklington.	110624	15461	489	435	54	280	137	143	209
1	East Stamford Bridge	35050	4043	127	119	8	54	32	22	73
2	Pocklington *W*	42488	6583	199	173	26	127	65	62	72
3	Market Weighton	33086	4835	163	143	20	99	40	59	64
	518.—Howden.	75768	13287	383	359	24	261	141	120	122
1	Holme	11514	1893	44	43	1	28	20	8	16
2	Bubwith	16639	1743	61	56	5	31	16	15	30
3	Howden *W*	27816	5722	172	161	11	118	64	54	54
4	Wallingfen*	19799	5924	106	99	7	84	41	43	22
	519.—Beverley.	79915	23460	748	710	38	452	234	218	296
1	South Cave	20071	3707	134	130	4	54	27	27	80
2	Beverley *WHL*	25642	15509	488	460	28	330	168	162	158
3	Lockington	22668	2833	88	85	3	49	26	23	39
4	Leven	11534	1411	38	35	3	19	13	6	19
	520.—Sculcoates.	38889	99868	3885	3742	143	2122	1129	993	1763
1	Sutton	4760	11551	514	500	14	241	128	113	273
2	Cottingham	11022	6562	233	229	4	106	51	55	127
3	Ferriby	7575	1796	61	61	-	36	17	19	25
4	Hessle	6607	11605	503	488	15	246	147	99	257
5	Hedon	6618	2030	49	46	3	27	15	12	22
6	Drypool *H*	1561	20899	879	862	17	502	284	218	377
7	East Sculcoates *H*	259	13136	462	440	22	273	140	133	189
8	West Sculcoates *WH*	487	32289	1184	1116	68	631	347	344	493

* 518 : 4.—Prior to 1st August 1832 *Wallingfen* Sub-district was known as Newport.

IX.—YORKSHIRE.—BIRTHS AND DEATHS, 1882—*continued.*

No.	DISTRICTS AND SUB-DISTRICTS.	Area in Acres.	Population, 1881.	Births (*exclusive of Still-born*). Total.	Legitimate.	Illegitimate.	Deaths (*exclusive of Still-born*). Total.	Males.	Females.	Excess of Births over Deaths.
	36.—EAST RIDING—*cont.*									
	521.—Hull.	1054	78222	2802	2678	124	1999	1067	932	803
1	Humber	61	6616	177	167	10	152	84	68	25
2	St. Mary	53	4136	129	124	5	86	41	45	43
3	Myton *WHL*	940	67470	2496	2387	109	1761	942	819	735
	522.—Patrington.	62166	8758	264	239	25	170	88	82	94
1	Patrington *W*	62166	8758	264	239	25	170	88	82	94
	523.—Skirlaugh.	67457	9795	231	255	26	169	74	95	112
1	Humbleton	11091	1264	28	26	2	18	7	11	10
2	Skirlaugh *W*	17504	2246	68	60	8	37	20	17	31
3	Aldbrough	12076	1469	36	32	4	28	11	17	8
4	Hornsea	13663	3234	99	89	10	52	21	31	47
5	Brandsburton	13123	1582	50	48	2	34	15	19	16
	524.—Driffield.	111286	20067	642	555	87	365	198	167	277
1	Foston	18365	2856	96	88	8	55	25	30	41
2	Driffield *WH*	21862	9153	282	239	43	188	105	83	94
3	Bainton	33416	3820	119	105	14	57	33	24	62
4	Langtoft	37643	4238	145	123	22	65	35	30	80
	525.—Bridlington.	66592	16762	501	456	45	257	138	119	244
1	Skipsea	16806	1800	50	46	4	24	13	11	26
2	Bridlington *WHH*	19170	11026	313	282	31	176	96	80	137
3	Hunmanby	30616	3936	138	128	10	57	29	28	81
	37.—NORTH RIDING.									
	526.—Scarborough.	88098	43265	1375	1267	108	813	397	416	562
1	Filey	14607	4189	146	138	8	78	45	33	68
2	Scarborough *WHHHH*	19756	32616	1032	946	86	656	309	347	376
3	Hutton Bushell	40447	4980	150	138	12	55	27	28	95
4	Sherburn	13288	1480	47	45	2	24	16	8	23
	527.—Malton.	116032	23031	740	660	80	380	186	194	360
1	Rillington	37078	4169	126	108	18	63	30	33	63
2	Westow	24021	2648	91	76	15	38	15	23	53
3	Malton *W*	19386	10745	351	316	35	199	105	94	152
4	Hovingham	13134	1993	58	53	5	32	15	17	26
5	Bulmer	22413	3676	114	107	7	48	21	27	66
	528.—Easingwold.	65015	9533	286	260	26	143	72	71	143
1	Stillington	22218	2526	68	60	8	38	20	18	30
2	Easingwold *W*	28710	5330	168	153	15	81	41	40	87
3	Coxwold	14087	1677	50	47	3	24	11	13	26
	529.—Thirsk.	64893	12848	398	372	26	236	113	123	162
1	Topcliffe	13094	1734	52	49	3	26	15	11	26
2	Pickhill	8652	1382	35	33	2	23	10	13	12
3	Thirsk *W*	14850	6745	227	209	18	131	62	69	96
4	Sutton	10489	1247	37	35	2	24	12	12	13
5	Knayton	17808	1740	47	46	1	32	14	18	15
	530.—Helmsley.*	113794	11433	314	269	45	183	81	102	131
1	Helmsley *W*	51606	3961	113	103	10	60	30	30	53
2	Oswaldkirk	16070	1958	54	51	3	30	14	16	24
3	Kirkby Moorside *W*	46118	5514	147	115	32	93	37	56	54
	531.—Pickering.	99037	10678	334	296	38	184	94	90	150
1	Lastingham	24099	1473	56	51	5	19	9	10	37
2	Pickering *W*	30788	5199	166	143	23	99	54	45	67
3	Sinnington	6144	1039	30	29	1	13	6	7	17
4	Allerston	27608	2462	65	56	9	44	20	24	21
5	Lockton	10398	505	17	17	–	9	5	4	8

* 530.—The District of Helmsley comprises the two Poor Law Unions of Helmsley (Helmsley and Oswaldkirk Sub-districts) and Kirkby Moorside (Kirkby Moorside Sub-district).

IX.—YORKSHIRE.—BIRTHS AND DEATHS, 1882—*continued.*

No.	Districts and Sub-districts.	Area in Acres.	Population, 1881.	Births (*exclusive of Still-born*) Total.	Births Legitimate.	Births Illegitimate.	Deaths (*exclusive of Still-born*) Total.	Deaths Males.	Deaths Females.	Excess of Births over Deaths.
	37.—NORTH RIDING— *continued.*									
	532.—Whitby.	82237	26474	908	869	39	496	250	246	412
1	Egton	40508	4920	162	156	6	82	38	44	80
2	Whitby *W*	22226	16806	581	554	27	343	168	175	238
3	Lythe	19503	4748	165	159	6	71	44	27	94
	533.—Guisbrough.	83688	43126	1718	1644	74	686	384	302	1032
1	Lofthouse *H*	18184	11982	512	492	20	184	109	75	328
2	Marske *HHHH*	21878	22071	864	831	33	345	183	162	519
3	Guisbrough *WH*	12801	7336	302	282	20	136	84	52	166
4	Danby	30825	1737	40	39	1	21	8	13	19
	534.—Middlesbrough.	22099	89853	4079	3947	132	2174	1196	978	1905
1	Middlesbrough *WHH*	7711	56538	2518	2429	89	1397	759	638	1121
2	Ormesby *H*	6597	21785	1039	1010	29	538	303	235	501
3	Thornaby	7791	11480	522	508	14	239	134	105	283
	535.—Stokesley.	79708	12009	357	327	30	182	90	92	175
1	Stokesley *W*	60319	9349	289	265	24	143	70	73	146
2	Hutton	19389	2660	68	62	6	39	20	19	29
	536.—Northallerton.	67000	11884	355	320	35	213	117	96	142
1	Appleton-upon-Wiske	25042	2499	94	89	5	33	19	14	61
2	Northallerton *WH*	41958	9385	261	231	30	180	98	82	81
	537.—Bedale.	55183	8270	232	216	16	135	75	60	97
1	Bedale *W*	27322	5550	149	140	9	87	47	40	62
2	Masham	27861	2720	83	76	7	48	28	20	35
	538.—Leyburn.	80268	8324	224	197	27	140	70	70	84
1	Middleham	41749	3513	97	87	10	68	36	32	29
2	Leyburn *W*	38519	4811	127	110	17	72	34	38	55
	539.—Aysgarth.	81012	5482	142	122	20	93	45	48	49
1	Askrigg *W*	45334	2969	69	58	11	47	19	28	22
2	Hawes	35678	2513	73	64	9	46	26	20	27
	540.—Reeth.	74484	4717	122	113	9	70	26	44	52
1	Muker	38166	2002	54	53	1	30	12	18	24
2	Reeth *W*	36318	2715	68	60	8	40	14	26	28
	541.—Richmond.	81101	13458	396	366	30	223	108	115	173
1	Richmond *W*	32227	7387	212	197	15	111	53	58	101
2	Catterick	20732	2946	91	83	8	50	25	25	41
3	Newsham	16146	1183	34	32	2	20	9	11	14
4	Aldbrough	11993	1942	59	54	5	42	21	21	17

X.—NORTHERN COUNTIES.—BIRTHS AND DEATHS, 1882.

	38.—DURHAM.									
	542.—Darlington.	65705	47676	1658	1570	88	791	411	380	867
1	Darlington *WHHH*	37290	40244	1332	1318	74	676	356	320	716
2	Aycliffe	28415	7432	266	252	14	115	55	60	151
	543.—Stockton.*	82686	68312	2744	2653	91	1510	842	668	1234
1	Stockton *WH*	37379	51209	2109	2044	65	1017	541	476	1092
2	Sedgefield *WL*	45307	17103	635	609	26	493	301	192	142

* 543.—The District of Stockton comprises the two Poor Law Unions of Stockton (Stockton Sub-district) and Sedgefield (Sedgefield Sub-district).

X.—NORTHERN COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	Districts and Sub-districts	Area in Acres.	Population, 1881.	Births (exclusive of Still-born). Total.	Births. Legitimate.	Births. Illegitimate.	Deaths (exclusive of Still-born). Total.	Deaths. Males.	Deaths. Females.	Excess of Births over Deaths.
	38.—DURHAM—*continued.*									
	544.—Hartlepool.	21374	48613	2140	2073	67	1209	633	576	931
1	Hartlepool *WH*	21374	48613	2140	2073	67	1209	633	576	931
	545.—Auckland.	64451	83572	3437	3281	156	1711	879	832	1726
1	Bishop Auckland *W*	25641	58148	2406	2301	105	1240	635	605	1166
2	Hamsterley	38810	25424	1031	980	51	471	244	227	560
	546.—Teesdale.	178346	20777	607	553	54	344	180	164	263
1	Staindrop	27553	5817	192	178	14	86	42	44	106
2	Barnard Castle *W*	60525	8064	215	199	16	144	90	54	71
3	Middleton	90268	6896	200	176	24	114	48	66	86
	547.—Weardale.	98385	17542	524	487	37	307	160	147	217
1	St. John	36096	3960	98	87	11	61	29	32	37
2	Stanhope *W*	38273	5687	177	163	14	114	60	54	63
3	Wolsingham	24016	7895	249	237	12	132	71	61	117
	548.—Lanchester.	67181	57861	2245	2150	95	1068	570	498	1177
1	Tanfield	11088	18203	711	681	30	338	181	157	373
2	Lanchester *WH*	36093	39658	1534	1469	65	730	389	341	804
	549.—Durham.	44191	64321	2464	2366	98	1311	700	611	1153
1	St. Oswald *WH*	28523	44989	1723	1652	71	976	542	434	747
2	St. Nicholas *H*	15668	19332	741	714	27	335	158	177	406
	550.—Easington.	38031	41098	1688	1630	58	894	447	447	794
1	Easington *WH*	38031	41098	1688	1630	58	894	447	447	794
	551.—Houghton-le-Spring.	16359	34145	1367	1320	47	707	359	348	660
1	Houghton-le-Spring *W*	9950	17390	689	663	23	382	201	181	307
2	Hetton-le-Hole	6409	16755	678	654	24	325	158	167	353
	552.—Chester-le-Street.	34812	43352	1785	1712	73	912	454	458	873
1	Chester-le-Street *W*	17538	23279	1015	971	44	490	227	263	525
2	Harraton	17274	20073	770	741	29	422	227	195	348
	553.—Sunderland.	11497	139288	5913	5725	188	3668	1909	1759	2245
1	North Bishop-Wearmouth *WHHH*	2545	38734	1712	1647	65	998	537	461	714
2	South Bishop-Wearmouth *H*	3471	48372	1959	1907	52	1113	583	530	846
3	East Sunderland	199	9341	347	333	14	315	154	161	32
4	West Sunderland	102	6483	232	220	12	231	115	116	1
5	Monk Wearmouth	5180	36358	1663	1618	45	1011	520	491	652
	554.—South Shields.	15775	103199	4385	4267	118	2254	1152	1102	2131
1	Westoe *WHH*	11460	57770	2464	2387	77	1270	646	624	1194
2	South Shields *HH*	4315	45429	1921	1880	41	984	506	478	937
	555.—Gateshead.	26282	105410	4432	4208	224	2541	1300	1241	1891
1	Heworth	2811	17138	692	661	31	374	191	183	318
2	Gateshead *WH*	3011	65041	2805	2680	125	1683	870	813	1122
3	Whickham	5961	7976	307	281	26	178	93	85	129
4	Winlaton	14499	15255	628	586	42	306	146	160	322

X.—NORTHERN COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	Districts and Sub-districts.	Area in Acres.	Population, 1881.	Births (exclusive of Still-born). Total.	Legitimate.	Illegitimate.	Deaths (exclusive of Still-born). Total.	Males.	Females.	Excess of Births over Deaths.
	39.—NORTHUMBERLAND.									
	556.—Newcastle-upon-Tyne.	7107	150252	5677	5425	252	3489	1819	1670	2188
1	Westgate *W*	2768	66358	2525	2420	105	1413	714	699	1112
2	St. Andrew *HHH*	1440	18731	505	474	31	354	182	172	151
3	St. Nicholas *HHH*	131	10028	277	260	17	444	273	171	−167
4	All Saints *HHH*	210	24424	965	918	47	572	280	292	393
5	Byker	2558	30711	1405	1353	52	706	370	336	699
	557.—Tynemouth.	38635	114197	4290	4122	168	2407	1285	1122	1883
1	Wallsend	2530	18737	572	554	18	257	143	114	315
2	North Shields	3783	20651	701	672	29	402	209	193	299
3	Tynemouth *WHH*	2869	25713	911	876	35	623	324	299	288
4	Longbenton *H*	8981	19136	754	727	27	440	246	194	314
5	Earsdon	10222	13989	532	514	18	258	132	126	274
6	Blyth *H*	10250	20971	820	779	41	427	231	196	393
	558.—Castle Ward.	91318	19720	617	584	33	339	169	170	278
1	Ponteland *WL*	50001	10429	293	282	16	178	98	80	120
2	Stamfordham	41317	9291	319	302	17	161	71	90	158
	559.—Hexham.	206113	34086	991	911	80	586	298	288	405
1	Bywell	50547	11752	283	333	50	193	108	85	190
2	Hexham *W*	52964	10216	297	268	29	202	105	97	95
3	Allendale	51808	6395	157	139	18	109	44	65	48
4	Chollerton	50794	5723	154	141	13	82	41	41	72
	560.—Haltwhistle.	96333	7902	254	223	31	130	64	66	124
1	Haltwhistle *W*	96333	7902	254	223	31	130	64	66	124
	561.—Bellingham.	246365	6107	157	143	14	100	56	44	57
1	Bellingham *W*	175131	3226	91	80	11	50	28	22	41
2	Kirkwhelpington	71234	2881	66	63	3	50	28	22	16
	562.—Morpeth.	97401	36077	1449	1322	127	712	362	350	737
1	Morpeth *WL*	46070	8568	264	235	29	234	118	116	30
2	Bedlington *H*	51331	27509	1185	1087	98	478	244	234	707
	563.—Alnwick.	98879	21318	672	645	27	386	205	181	286
1	Warkworth	30417	8218	262	250	12	132	68	64	130
2	Alnwick *WH*	16986	7447	235	224	11	180	95	85	55
3	Embleton	51476	5653	175	171	4	74	42	32	101
	564.—Belford.	39323	5737	155	140	15	88	44	44	67
1	Belford *W*	39323	5737	155	140	15	88	44	44	67
	565.—Berwick.	53115	21048	580	521	59	375	158	217	205
1	Berwick-upon-Tweed *WH*	10735	14599	422	375	47	295	126	169	127
2	Norham and Islandshire	42380	6449	158	146	12	80	32	48	78
	566.—Glendale.	147816	10933	296	275	21	159	82	77	137
1	Ford	60818	5521	150	137	13	67	35	32	83
2	Wooler *W*	86998	5412	146	138	8	92	47	45	54
	567.—Rothbury.	167907	6709	164	143	21	124	63	61	40
1	Rothbury *W*	85703	5119	127	111	16	100	49	51	27
2	Elsdon	82204	1590	37	32	5	24	14	10	13

X.—NORTHERN COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	Districts and Sub-districts.	Area in Acres.	Population, 1881.	Births (exclusive of Still-born). Total.	Legitimate.	Illegitimate.	Deaths (exclusive of Still-born). Total.	Males.	Females.	Excess of Births over Deaths.
	40.—CUMBERLAND.									
	568.—Alston.	36968	4621	103	90	13	87	47	40	16
1	Alston *W*	36968	4621	103	90	13	87	47	40	16
	569.—Penrith.	188261	23242	663	599	64	382	206	176	281
1	Penrith *WH*	51111	12803	371	329	42	242	128	114	129
2	Greystoke	71572	4675	144	134	10	68	40	28	76
3	Kirkoswald	65578	5764	148	136	12	72	38	34	76
	570.—Brampton.	97705	10565	287	251	36	187	95	92	100
1	Hayton	26179	2413	69	63	6	33	18	15	36
2	Brampton *W*	23121	5719	169	147	22	100	48	52	69
3	Walton	48405	2433	49	41	8	54	29	25	−5
	571.—Longtown.	88245	7711	217	180	37	126	63	63	91
1	High Longtown	48824	2357	59	46	13	37	23	14	22
2	Low Longtown *W*	39421	5354	158	134	24	89	40	49	69
	572.—Carlisle.	69164	52762	1736	1573	163	1210	624	586	526
1	Wetheral	16202	4033	120	113	7	64	27	37	56
2	St. Cuthbert *WWL*	10098	17276	621	554	67	441	242	199	180
3	St. Mary *HH*	2097	22233	744	680	64	527	271	256	217
4	Stanwix *H*	12359	4110	122	109	13	79	42	37	43
5	Burgh	9647	1360	27	27	–	28	13	15	−1
6	Dalston	18761	3750	102	90	12	71	29	42	31
	573.—Wigton.	137647	23440	690	633	57	396	223	173	294
1	Wigton *W*	43484	9116	246	226	20	157	87	70	89
2	Abbey Holme *H*	43431	9970	335	307	28	166	100	66	169
3	Caldbeck	50732	4354	109	100	9	73	36	37	36
	574.—Cockermouth.	170155	56789	2216	2080	136	1159	619	540	1057
1	Keswick	76709	6937	200	192	8	96	55	41	104
2	Cockermouth *W*	51721	10964	359	318	41	228	129	99	131
3	Workington	19944	20840	950	909	41	500	265	235	450
4	Maryport *W*	21781	18048	707	661	46	335	170	165	372
	575.—Whitehaven.	90715	59292	2397	2255	142	1141	586	555	1256
1	Harrington	43711	15455	639	609	30	257	142	115	382
2	Whitehaven *H*	176	13374	554	527	27	327	171	156	227
3	St. Bees *WH*	11190	10906	432	383	49	237	114	123	195
4	Egremont	35638	19557	772	736	36	320	159	161	452
	576.—Bootle.	91301	12225	479	462	17	214	116	98	265
1	Muncaster	44087	2655	67	64	3	32	15	17	35
2	Bootle *W*	47214	9570	412	398	14	182	101	81	230
	41.—WESTMORLAND.									
	577.—East Ward.	184866	14515	447	410	37	226	119	107	221
1	Appleby	60983	5548	180	166	20	69	33	36	111
2	Kirkby Stephen *W*	74466	5665	167	153	14	95	57	38	72
3	Orton	49417	3302	100	97	3	62	29	33	38

X.—NORTHERN COUNTIES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	Districts and Sub-districts.	Area in Acres.	Population, 1881.	Births (exclusive of Still-born). Total.	Births. Legitimate.	Births. Illegitimate.	Deaths (exclusive of Still-born). Total.	Deaths. Males.	Deaths. Females.	Excess of Births over Deaths.
	41.—WESTMORLAND— *cont.*									
	578.—West Ward.	121940	8225	195	167	28	134	65	69	61
1	Morland *W*	63044	4266	96	82	14	65	35	30	31
2	Lowther	58896	3959	99	85	14	69	30	39	30
	579.—Kendal.	196267	41574	1257	1163	94	654	336	318	603
1	Ambleside	61977	10442	284	270	14	138	73	65	146
2	Grayrigg	47728	3920	119	108	11	45	22	23	74
3	Kirkby Lonsdale	45243	6607	177	168	9	85	42	43	92
4	Kendal *WH*	3777	13983	461	433	28	270	143	127	191
5	Milnthorpe *W*	37542	6622	216	184	32	116	56	60	100

XI.—MONMOUTHSHIRE AND WALES.—BIRTHS AND DEATHS, 1882.

	42.—MONMOUTHSHIRE.									
	580.—Chepstow.	73898	18701	599	574	25	331	169	162	268
1	Shire-Newton	37132	5541	196	190	6	101	57	44	95
2	Chepstow *W*	18388	7168	221	215	6	123	61	62	98
3	Lydney *H*	18378	5992	182	169	13	107	51	56	75
	581.—Monmouth.	102927	30340	905	850	55	511	267	244	394
1	Coleford	22672	14887	477	461	16	248	130	118	229
2	Dingestow	45862	4920	129	118	11	64	32	32	65
3	Monmouth *WH*	7473	6358	181	166	15	132	68	64	49
4	Trelleck	26920	4175	118	105	13	67	37	30	51
	582.—Abergavenny.	60850	23571	736	699	37	552	292	260	184
1	Llanarth	11115	1717	43	41	2	28	16	12	15
2	Llanvihangel	21216	1675	53	51	2	28	17	11	25
3	Abergavenny *WL*	21141	10730	299	276	23	254	130	124	45
4	Blaenavon	7378	9449	341	331	10	242	129	113	99
	583.—Bedwelty.	27997	55840	2168	2082	86	1748	1007	741	420
1	Aberystruth	11753	18672	806	786	20	618	363	255	188
2	Tredegar *W*	16244	34685	1284	1222	62	1051	604	447	233
3	Rock Bedwelty		2483	78	74	4	79	40	39	−1
	584.—Pontypool.	51597	35338	1234	1193	41	611	334	277	623
1	Pontypool	20474	25297	924	898	26	455	236	219	469
2	Llangibby *W*	12625	6310	217	208	9	100	65	35	117
3	Usk	18488	3731	93	87	6	56	33	23	37
	585.—Newport.	110579	70542	2605	2527	78	1287	671	616	1318
1	Caerleon	51398	10709	365	357	8	145	76	69	220
2	Newport *WHH*	3584	33932	1308	1269	39	683	355	328	625
3	St. Woollos	30118	12811	439	423	16	201	97	104	238
4	Mynyddyslwyn	25179	13090	493	478	15	258	143	115	235

XI.—MONMOUTHSHIRE AND WALES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1881.	BIRTHS (*exclusive of Still-born*). Total.	Legitimate.	Illegitimate.	DEATHS (*exclusive of Still-born*). Total.	Males.	Females.	Excess of Births over Deaths.
	43.—SOUTH WALES.									
	GLAMORGANSHIRE.									
	586.—Cardiff.	79662	106164	4222	4101	121	2131	1124	1007	2091
1	Whitchurch	17960	6474	206	193	7	105	54	51	95
2	Cardiff *WWHH*	24068	94656	3890	3780	110	1938	1033	905	1952
3	St. Nicholas	37634	5024	132	128	4	88	37	51	44
	587.—Pontypridd.	74314	93493	3989	3856	133	2072	1140	932	1917
1	Pontypridd	32401	20250	1216	1184	32	683	381	302	533
2	Llantrisaint *W*	22472	19197	738	693	45	390	225	165	48
3	Ystradyfodwg	19441	44046	2035	1979	56	999	534	465	1036
	588.—Merthyr-Tydfil.	75735	101441	3543	3381	162	2260	1169	1091	1283
1	Gelligaer	16772	11592	411	396	15	260	140	120	151
2	Lower Merthyr-Tydfil *W*	23997	23904	883	834	49	566	295	271	317
3	Upper Merthyr-Tydfil *HHH*		27808	952	904	48	683	343	340	269
4	Aberdare *W*	34966	38137	1297	1247	50	751	391	360	546
	589.—Bridgend.	107984	38920	1297	1248	49	802	427	375	495
1	Maesteg *	29199	15970	650	632	18	353	184	169	297
2	Cowbridge *	39879	7045	170	163	7	114	55	59	56
3	Bridgend * *WL*	38906	15905	477	453	24	335	188	147	142
	590.—Neath.	108984	52077	2004	1938	66	926	483	443	1078
1	Margam	31311	18326	711	693	18	352	178	174	359
2	Neath *W*	17950	21548	847	816	31	361	181	180	486
3	Ystradvelltey	39089	3916	156	148	8	60	36	24	96
4	Cadoxton	20634	8287	290	281	9	153	88	65	137
	591.—Pontardawe.	56922	20185	710	677	33	309	172	137	401
1	Pontardawe *W*	56922	20185	710	677	33	309	172	137	401
	592.—Swansea.	32086	95001	3740	3618	122	1628	861	767	2112
1	Llandilotalybont *W*	17816	11336	456	435	21	177	93	84	279
2	Llangafelach	5457	25153	1106	1091	15	377	204	173	729
3	Swansea *WHH*	2358	50120	1870	1792	78	952	495	457	918
4	Llansamlet	6455	8392	308	300	8	122	69	53	186
	593.—Gower.	40739	11102	364	348	16	168	88	80	196
1	Gower Eastern	16264	8248	295	283	12	119	62	57	176
2	Gower Western *W*	24475	2854	69	65	4	49	26	23	20
	CARMARTHENSHIRE.									
	594.—Llanelly.	61201	44616	1722	1642	80	800	393	407	922
1	Loughor	23724	7541	281	265	16	138	67	71	143
2	Llanelly *WH*		23933	954	911	43	418	214	204	536
3	Pembrey	5041	8173	305	294	11	153	69	84	152
4	Llannon	17067	4969	182	172	10	91	43	48	91

* 589 : 1, 2, and 3.—For changes made on 1st November 1882 in the *sub-districts* of the Bridgend District, *see* Table 72.

XI.—MONMOUTHSHIRE AND WALES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	Districts and Sub-districts.	Area in Acres.	Population, 1881.	Births (exclusive of Still-born). Total.	Births. Legitimate.	Births. Illegitimate.	Deaths (exclusive of Still-born). Total.	Deaths. Males.	Deaths. Females.	Excess of Births over Deaths.
	43.—SOUTH WALES—*cont.*									
	CARMARTHENSHIRE—*cont.*									
	595.—Llandovery.	153465	12765	393	368	25	261	142	119	132
1	Llanddausaint	10307	647	10	10	–	19	13	6	–9
2	Llangadock *	14535	1911	105	99	6	62	34	28	43
3	Llansadwrn	11505	1502	36	34	2	28	14	14	8
4	Llandingat *W*	20021	3416	89	84	5	62	39	23	27
5	Llanfairarybryn	23457	1281	32	31	1	15	7	8	17
6	Llanwrtyd	14555	942	28	25	3	22	8	14	6
7	Cilycwm	17300	1087	32	30	2	20	9	11	12
8	Conwil Cayo	41785	1979	61	55	6	33	18	15	28
	596.—Llandilofawr.	98446	18799	560	527	33	334	163	171	226
1	Talley	17184	1783	60	56	4	29	16	13	31
2	Llanfynydd	11790	1169	22	21	1	24	16	8	–2
3	Llangathen	17843	2506	69	64	5	56	24	32	13
4	Llandilo *W*	20909	4511	122	114	8	81	39	42	41
5	Llandebie *	30720	8830	287	272	15	144	68	76	143
	597.—Carmarthen.	172387	35075	999	934	65	627	298	329	372
1	Llangendeirne	48501	8549	270	253	17	113	52	61	157
2	St. Clears	42238	6181	143	132	11	101	47	54	42
3	Carmarthen *WHL*	18404	12872	342	325	17	271	127	144	71
4	Conwil	63244	7473	244	224	20	142	72	70	102
	PEMBROKESHIRE.									
	598.—Narberth.	124418	19541	582	541	41	351	165	186	231
1	Llanboidy	26655	3447	98	92	6	61	24	37	37
2	Llandissilio	25686	3334	116	103	13	50	20	30	66
3	Amroth	24608	3084	96	90	6	49	20	29	47
4	Narberth	34394	3386	94	90	4	65	32	33	29
5	Slebech *W*		2483	71	63	8	50	29	21	21
6	Begelly	13075	3810	107	103	4	76	40	36	31
	599.—Pembroke.	63865	30347	970	928	42	491	246	245	479
1	Tenby *HH*	29047	10341	268	253	15	146	67	79	122
2	Pembroke *W*	26299	15689	542	522	20	268	145	123	274
3	Roose	8519	4317	160	153	7	77	34	43	83
	600.—Haverfordwest.	167247	33791	1021	930	91	574	285	289	447
1	Milford *H*	32524	9507	309	294	15	153	82	71	156
2	Haverfordwest *WH*	40107	10755	317	281	36	197	92	105	120
3	St. Davids	44524	6282	191	165	26	121	65	56	70
4	Fishguard	50092	7247	204	190	14	103	46	57	101
	CARDIGANSHIRE.									
	601.—Cardigan.	85481	17615	475	441	34	269	135	134	206
1	Newport	37639	5219	122	109	13	71	32	39	51
2	Cardigan *W*	27982	8705	249	235	14	137	64	73	112
3	Llandygwydd	19860	3691	104	97	7	61	39	22	43
	602.—Newcastle-in-Emlyn.	113346	19014	515	475	40	337	163	174	178
1	Kenarth *W*	47459	8263	249	230	19	174	86	88	75
2	Penbryn	25165	4547	104	97	7	85	38	47	19
3	Llandyssil	40722	6234	162	148	14	78	39	39	84

* 595 : 2 and 596 : 5.—For the change made on the 1st October 1882 in the constitution of the *Llangadock* Sub-district (595 : 2) and *Llandebie* Sub-district (596 : 5), see Table 72.

XI.—MONMOUTHSHIRE AND WALES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	DISTRICTS AND SUB-DISTRICTS.	Area in Acres.	Population, 1881.	Births (*exclusive of Still-born*). Total.	Births. Legitimate.	Births. Illegitimate.	Deaths (*exclusive of Still-born*). Total.	Deaths. Males.	Deaths. Females.	Excess of Births over Deaths.
	43.—SOUTH WALES—*cont.*									
	CARDIGANSHIRE—*continued.*									
	603.—Lampeter.	75710	10087	272	249	23	155	81	74	117
1	Llanybyther	25667	2690	79	72	7	43	25	18	36
2	Pencarreg	22231	2600	60	51	9	39	19	20	21
3	Lampeter *W*	14612	2938	83	78	5	41	21	20	42
4	Llanwenog	13200	1859	50	48	2	32	16	16	18
	604.—Aberayron.	65704	12543	328	288	40	198	81	117	130
1	Llandisilio	33730	5934	163	142	21	96	40	56	67
2	Llansaintffraid *W*	31974	6609	165	146	19	102	41	61	63
	605.—Aberystwith.	132592	25606	666	626	40	383	181	202	283
1	Llanrhystyd	22403	3128	87	78	9	55	20	35	32
2	Aberystwith *WH*	15440	10271	262	246	16	176	90	86	86
3	Geneurglynn	32290	4527	133	125	8	45	28	17	88
4	Rheidol	62459	7680	184	177	7	107	43	64	77
	606.—Tregaron.	122050	10272	296	258	38	166	79	87	130
1	Gwnnws	33140	3314	93	79	14	45	16	29	48
2	Llangeitho	21622	3187	92	85	7	55	23	32	37
3	Tregaron *W*	67288	3771	111	94	17	66	40	26	45
	BRECKNOCKSHIRE.									
	607.—Builth.	102953	8182	235	215	20	143	78	65	92
1	Abergwessin	46144	2679	81	73	8	46	24	22	35
2	Colwyn	25020	1847	46	41	5	37	24	13	9
3	Builth *W*	31789	3656	108	101	7	60	30	30	48
	608.—Brecknock.	196773	17178	478	455	23	267	132	135	211
1	Merthyr-Cynog	34651	1371	42	40	2	14	8	6	28
2	Devynnock	65053	3727	113	107	6	65	29	36	48
3	Brecknock *WH*	43018	7987	219	214	5	122	60	62	97
4	Penkelly	25749	1456	33	30	3	30	14	16	3
5	Llangorse	28322	2637	71	64	7	36	21	15	35
	609.—Crickhowell.	53692	18558	682	644	38	413	230	183	269
1	Cwmdû	10068	957	29	28	1	19	13	6	10
2	Llangunider	13908	3625	144	139	5	89	46	43	55
3	Llangattock *W*	9597	4731	179	162	17	127	66	61	52
4	Llanelly	5183	6979	280	267	13	150	95	55	130
5	Crickhowell	14936	2266	50	48	2	28	10	18	22
	610.—Hay.	89695	10222	280	257	23	191	95	96	89
1	Talgarth	28155	2513	76	73	3	42	18	24	34
2	Clyro	31753	3113	93	89	4	61	32	29	32
3	Hay *W*	29787	4596	111	95	16	88	45	43	23
	RADNORSHIRE.									
	611.—Knighton.	115720	11782	337	291	46	222	113	109	115
1	Presteigne	14625	2336	58	52	6	42	21	21	16
2	Knighton *WH*	101095	5724	159	139	20	105	58	47	54
3	Llanbister		3722	120	100	20	75	34	41	45
	612.—Rhayader.	105532	6741	178	156	22	114	61	53	64
1	Rhayader	74004	3439	85	71	14	63	36	27	22
2	Nantmel *W*	31528	3302	93	85	8	51	25	26	42

XI.—MONMOUTHSHIRE AND WALES.—BIRTHS AND DEATHS, 1882—*continued.*

No.	DISTRICTS AND SUB-DISTRICTS.	Area in Acres.	Population, 1881.	Births (exclusive of Still-born). Total.	Births. Legitimate.	Births. Illegitimate.	Deaths (exclusive of Still-born). Total.	Deaths. Males.	Deaths. Females.	Excess of Births over Deaths.
	44.—NORTH WALES.									
	MONTGOMERYSHIRE.									
	613.—Machynlleth.	116647	12517	320	292	28	208	88	120	112
1	Machynlleth *W*	34210	4307	123	105	18	70	29	41	53
2	Pennal	44184	4713	111	105	6	68	35	33	43
3	Darowen	38253	3497	86	82	4	70	24	46	16
	614.—Newtown.	189151	25439	709	647	62	424	220	204	285
1	Upper Llanidloes	83570	3896	106	99	7	69	37	32	37
2	Lower Llanidloes		4471	116	106	10	64	26	38	52
3	Llanwnog *W*	45535	4720	134	114	20	71	41	30	63
4	Kerry	26455	2601	83	74	9	39	17	22	44
5	Newtown *H*	7162	7170	203	195	8	133	70	63	70
6	Tregynon	26429	2581	67	59	8	48	29	19	19
	615.—Forden (Montgomery).	87884	18281	535	487	48	282	146	136	253
1	Montgomery	33386	5721	160	146	14	81	40	41	79
2	Chirbury *W*	32454	5712	182	165	17	101	54	47	81
3	Welshpool	22044	6848	193	176	17	100	52	48	93
	616.—Llanfyllin.	187539	19959	589	505	84	381	200	181	208
1	Llanfair	71059	5587	141	121	20	117	66	51	24
2	Llansaintffraid *W*	54095	9583	269	225	44	154	77	77	115
3	Llanrhaiadr	62385	4789	179	159	20	110	57	53	69
	FLINTSHIRE.									
	617.—Holywell.	73380	45774	1417	1336	81	879	444	435	538
1	Whitford	19202	8437	265	252	13	173	82	91	92
2	Holywell *W*	16760	11566	376	345	31	257	129	128	119
3	Flint	15691	11162	386	373	13	204	112	92	182
4	Mold *H*	21727	14609	390	366	24	245	121	124	145
	DENBIGHSHIRE.									
	618.—Wrexham.	68371	55158	1895	1783	112	1096	566	530	799
1	Holt	29406	6616	198	188	10	110	58	52	88
2	Ruabon *H*	15542	15485	552	521	31	354	177	177	198
3	Wrexham *WH*	23423	33057	1145	1074	71	632	331	301	513
	619.—Ruthin.	99083	14215	356	337	19	236	121	115	120
1	Llanarmon	19216	2714	72	70	2	46	20	26	26
2	Ruthin *W*	10201	4038	103	97	6	76	38	38	27
3	Llanelidan	16257	2418	62	58	4	40	25	15	22
4	Gyffylliog	20817	1189	27	25	2	17	9	8	10
5	Llanrhaiadr	22345	2379	59	56	3	31	13	18	28
6	Llandyrnog	10247	1477	33	31	2	23	16	10	7
	620.—St. Asaph.	99191	29458	774	725	49	568	290	278	206
1	St. Asaph *WHH*	29633	14230	400	377	23	271	128	143	129
2	Abergele	29973	6004	161	148	13	102	57	45	59
3	Denbigh *HL*	39585	9224	213	200	13	195	105	90	18
	621.—Llanrwst.	109332	14109	411	386	25	250	130	120	161
1	Llanrwst *W*	41162	7367	208	197	11	146	71	75	62
2	Bettwsycoed	35118	3649	122	114	8	54	32	22	68
3	Ysgytty	33052	3093	81	75	6	50	27	23	31

XI.—MONMOUTHSHIRE AND WALES.-BIRTHS AND DEATHS, 1882—*continued.*

No.	DISTRICTS AND SUB-DISTRICTS.	Area in Acres.	Population. 1881.	Births (exclusive of Still-born). Total.	Births. Legitimate.	Births. Illegitimate.	Deaths (exclusive of Still-born). Total.	Deaths. Males.	Deaths. Females.	Excess of Births over Deaths.
	44.—NORTH WALES—*cont.*									
	MERIONETHSHIRE.									
	622.—Corwen.	138862	16833	458	423	35	255	113	142	203
1	Corwen *W*	89386	8068	221	199	22	118	50	68	103
2	Llangollen *H*	49476	8765	237	224	13	137	63	74	100
	623.—Bala.	58292	6740	177	162	15	115	56	59	62
1	Bala *W*	58292	6740	177	162	15	115	56	59	62
	624.—Dolgelly.	145213	15180	433	399	34	231	114	117	202
1	Talyllyn	73066	6437	201	184	17	106	50	56	95
2	Barmouth *W*	72147	8743	232	215	17	125	64	61	107
	625.—Festiniog.	138714	29525	1024	960	64	505	271	234	519
1	Llanfihangelytraethau *W*	31954	5094	182	165	17	94	51	43	88
2	Festiniog *H*	51853	15115	566	534	32	264	146	118	302
3	Tremadoc	55407	9316	276	261	15	147	74	73	129
	CARNARVONSHIRE.									
	626.—Pwllheli.	92528	22911	600	548	52	373	186	187	227
1	Criccieth	30734	6865	177	166	11	105	54	51	72
2	Pwllheli *W*	22976	7228	204	183	21	108	49	59	96
3	Aberdaron	20433	3618	86	73	13	70	40	30	16
4	Nevin	18385	5200	133	126	7	90	43	47	43
	627.—Carnarvon.	97635	43997	1304	1234	70	854	422	432	450
1	Llandwrog	40556	13456	446	423	23	257	131	126	189
2	Llanrug *H*	29204	14794	444	422	22	286	142	144	158
3	Carnarvon *W*	8676	12253	325	303	22	256	118	138	69
4	Llanidan	19199	3494	89	86	3	55	31	24	34
	628.—Bangor.	108338	38512	1080	1022	58	800	408	392	280
1	Beaumaris	51230	12781	335	316	19	230	106	124	105
2	Bangor *WHHH*	23643	14957	418	394	24	355	185	170	63
3	Llanllechid	33465	10774	327	312	15	215	117	98	112
	629.—Conway.	55915	18361	538	506	32	283	158	125	255
1	Conway * *W*	32264	6801	197	187	10	106	58	48	91
2	Creuddyn	23651	11560	341	319	22	177	100	77	164
	ANGLESEY.									
	630.—Anglesey.†	123082	35141	979	923	56	612	308	304	367
1	Llangefni	23259	4891	141	137	4	92	51	41	49
2	Bryngwran	25738	5069	125	113	12	79	34	45	46
3	Llandyfrydog	23384	4025	115	104	11	77	38	39	38
4	Amlwch *WH*	13375	6198	177	164	13	110	63	47	67
5	Llanddausaint *W*	27758	4827	116	107	9	89	43	46	27
6	Holyhead *H*	9568	10131	305	298	7	165	79	86	140

* 629 : 1.—For changes made on 1st October 1882 in the constitution of the *Conway* Sub-district, *see* Table 72.

† 630.—The District of Anglesey comprises the two Poor Law Unions of Anglesey (Llangefni, Llandyfrydog, and Amlwch Sub-districts) and Holyhead (Bryngwran, Llanddausaint, and Holyhead Sub-districts).

The parishes of Bodewryd and Rhosbeiro, however, situated in Llanddausaint Sub-district belong to the Union of Anglesey and not to the Union of Holyhead.

DEATHS IN PUBLIC INSTITUTIONS.

1882.

The following pages contain the numbers of deaths registered during 1882 in most of the Public Institutions of England. These figures afford the means of correcting the mortality of districts and sub-districts in which Public Institutions are situated. The list includes Workhouses, Hospitals, Infirmaries, and Public Lunatic Asylums, while Prisons, Almshouses, Schools, Private Lunatic Asylums and Benevolent Asylums, are excluded. The list, as settled, includes 1546 Institutions; of which 725 are Workhouses, Workhouse Infirmaries, or Workhouse Schools; 732 Hospitals or Infirmaries; and 89 Lunatic Asylums. The Lunatic Asylums are mostly County Asylums, but a few private Asylums which receive pauper patients are also included. In these 1546 Institutions 52,472 deaths were registered during the year, or 10·2 per cent. of the total deaths in England and Wales, against 9·4 and 10·8 per cent. in the two preceding years; 33,041 occurred in Workhouses, 14,550 in Hospitals, and 4,881 in Lunatic Asylums. The proportion to total deaths was 6·4 per cent. in Workhouses, 2·8 in Hospitals, and 0·9 in Lunatic Asylums.

Information relating to the deaths recorded in many Private Lunatic Asylums, and Charitable Institutions, will be found in the notes to the following pages.

Deaths registered in the **Public Institutions** of **England** in the **Year 1882.**

No.	Divisions and Registration Counties.	Total Number of Institutions.	Total Deaths in all Institutions.	Workhouses. Number of Institutions.	Workhouses. Deaths. Persons.	Workhouses. Deaths. Males.	Workhouses. Deaths. Females.	Hospitals. Number of Institutions.	Hospitals. Deaths. Persons.	Hospitals. Deaths. Males.	Hospitals. Deaths. Females.	Lunatic Asylums. Number of Institutions.	Lunatic Asylums. Deaths. Persons.	Lunatic Asylums. Deaths. Males.	Lunatic Asylums. Deaths. Females.
	ENGLAND - -	1546	52472	725	33041	19527	13514	732	14550	9338	5212	89	4881	2725	2156
	DIVISIONS.														
I.	LONDON - - - -	162	15680	57	9339	5078	4261	98	6072	3644	2428	7	269	145	124
II.	SOUTH EASTERN - -	260	5256	112	2976	1879	1097	135	1252	920	332	13	1028	564	464
III.	SOUTH MIDLAND -	132	2849	73	1735	1153	582	49	441	303	138	10	673	360	313
IV.	EASTERN - - - -	107	2029	60	1520	943	577	38	252	167	85	9	257	154	103
V.	SOUTH WESTERN -	167	2388	79	1456	808	648	80	593	394	199	8	339	177	162
VI.	WEST MIDLAND - -	180	5435	86	3155	1976	1179	82	1594	1018	576	12	686	387	299
VII.	NORTH MIDLAND -	86	2130	46	1356	865	491	35	546	361	185	5	228	137	91
VIII.	NORTH WESTERN -	139	9679	51	6761	3869	2892	77	2022	1335	687	11	596	338	258
IX.	YORK - - - - -	130	3983	64	2550	1594	956	60	1063	702	361	6	370	193	177
X.	NORTHERN - - -	88	2051	42	1312	783	529	42	507	339	168	4	232	146	86
XI.	WELSH - - - - -	95	1292	55	881	579	302	36	208	155	53	4	203	124	79
	II.—SOUTH EASTERN.														
1	SURREY (*extra-metropol.*) -	40	1277	15	605	373	232	22	250	177	73	3	422	226	196
2	KENT (*extra-metropolitan*)	76	1518	31	922	596	326	41	298	217	81	4	298	164	134
3	SUSSEX - - - -	50	812	26	542	351	191	23	191	125	66	1	79	51	28
4	HAMPSHIRE - - -	71	1236	27	660	397	263	41	426	343	83	3	150	72	78
5	BERKSHIRE - - -	23	413	13	247	162	85	8	87	58	29	2	79	51	28
	III.—SOUTH MIDLAND.														
6	MIDDLESEX (*extra-met.*)	31	864	12	510	320	190	16	69	39	30	3	285	166	119
7	HERTFORDSHIRE - -	21	409	14	242	172	70	6	26	19	7	1	141	66	75
8	BUCKINGHAMSHIRE -	13	192	7	136	91	45	5	21	15	6	1	35	16	19
9	OXFORDSHIRE - -	16	309	10	189	134	55	5	74	53	21	1	46	24	22
10	NORTHAMPTONSHIRE -	22	400	12	225	149	76	8	110	78	32	2	65	36	29
11	HUNTINGDONSHIRE -	4	67	3	59	39	20	1	8	7	1	—	—	—	—
12	BEDFORDSHIRE - -	11	301	6	171	113	58	4	54	37	17	1	76	38	38
13	CAMBRIDGESHIRE -	14	307	9	203	135	68	4	79	55	24	1	25	14	11
	IV.—EASTERN.														
14	ESSEX - - - - -	40	851	22	685	447	238	15	82	59	23	3	84	49	35
15	SUFFOLK - - - -	29	509	16	354	216	138	11	80	50	30	2	75	44	31
16	NORFOLK - - - -	38	669	22	481	280	201	12	90	58	32	4	98	61	37

Deaths registered in the **Public Institutions** of **England** in the **Year 1882**—*continued.*

No.	REGISTRATION COUNTIES.	Total Number of Institutions.	Total Deaths in all Institutions.	WORKHOUSES. Number of Institutions.	WORKHOUSES. Deaths. Persons.	WORKHOUSES. Deaths. Males.	WORKHOUSES. Deaths. Females.	HOSPITALS. Number of Institutions.	HOSPITALS. Deaths. Persons.	HOSPITALS. Deaths. Males.	HOSPITALS. Deaths. Females.	LUNATIC ASYLUMS. Number of Institutions.	LUNATIC ASYLUMS. Deaths. Persons.	LUNATIC ASYLUMS. Deaths. Males.	LUNATIC ASYLUMS. Deaths. Females.
	V.—SOUTH WESTERN.														
17	WILTSHIRE - - -	30	400	17	222	135	87	11	46	26	20	2	132	67	65
18	DORSETSHIRE - - -	25	203	12	144	89	55	11	28	19	9	2	31	18	13
19	DEVONSHIRE - - -	49	787	20	486	267	219	27	237	166	71	2	64	36	28
20	CORNWALL - - -	24	277	13	209	98	111	10	34	31	3	1	34	18	16
21	SOMERSETSHIRE - -	39	721	17	395	219	176	21	248	152	96	1	78	38	40
	VI.—WEST MIDLAND.														
22	GLOUCESTERSHIRE -	46	1118	18	638	380	258	25	365	232	133	3	115	74	41
23	HEREFORDSHIRE - -	13	197	8	157	106	51	4	20	15	5	1	20	17	3
24	SHROPSHIRE - - -	21	404	16	260	165	95	4	90	60	30	1	54	32	22
25	STAFFORDSHIRE - -	43	1514	18	879	558	321	22	402	268	134	3	233	121	112
26	WORCESTERSHIRE -	23	497	11	307	199	108	10	73	45	28	2	117	71	46
27	WARWICKSHIRE - -	34	1705	15	914	568	346	17	644	398	246	2	147	72	75
	VII.—NORTH MIDLAND.														
28	LEICESTERSHIRE - -	17	497	11	280	172	108	4	142	88	54	2	75	51	24
29	RUTLANDSHIRE - -	2	21	2	21	12	9	—	—	—	—	—	—	—	—
30	LINCOLNSHIRE - -	29	577	14	403	269	134	14	93	73	20	1	81	43	38
31	NOTTINGHAMSHIRE -	21	634	10	385	230	155	9	177	112	65	2	72	43	29
32	DERBYSHIRE - - -	17	401	9	267	182	85	8	134	88	46	—	—	—	—
	VIII.-NORTH WESTERN.														
33	CHESHIRE - - -	33	875	13	517	316	201	16	211	131	80	4	147	93	54
34	LANCASHIRE - - -	106	8504	38	6244	3553	2691	61	1811	1204	607	7	449	245	204
	IX.—YORK.														
35	WEST RIDING - - -	74	2945	37	1905	1179	726	35	786	502	284	2	254	128	126
36	EAST RIDING (*with York*)	24	720	10	413	247	166	10	191	135	56	4	116	65	51
37	NORTH RIDING - -	32	318	17	232	168	64	15	86	65	21	—	—	—	—
	X.—NORTHERN.														
38	DURHAM - - - -	34	1005	15	697	429	268	18	189	122	67	1	119	75	44
39	NORTHUMBERLAND -	30	710	12	399	226	173	16	238	164	74	2	73	43	30
40	CUMBERLAND - -	19	294	11	182	101	81	7	72	50	22	1	40	28	12
41	WESTMORLAND - -	5	42	4	34	27	7	1	8	3	5	—	—	—	—
	XI.—WELSH.														
42	MONMOUTHSHIRE - -	12	234	6	168	112	56	5	20	19	1	1	46	29	17
43	SOUTH WALES - -	48	682	30	444	290	154	16	134	102	32	2	104	67	37
44	NORTH WALES - -	35	376	19	269	177	92	15	54	34	20	1	53	28	25

Deaths registered in the **Public Institutions** of **England** in the **Year 1882**—*continued.*

District and Sub-district.	Name of Institution.	Deaths. Persons.	Males.	Females.
I.—LONDON.				
Middlesex (*part of*).				
1.—Kensington.				
1. St. Mary Paddington -	Workhouse - - -	148	80	68
	Lock Hospital - - -	3	-	3
2. St. John Paddington -	St. Mary's Hospital -	244	150	94
3. Kensington Town * -	Workh. and Infirmary -	312	175	137
	Workhouse (Marylebone). - - - -	390	211	179
4. Brompton - - -	Consumption Hospital -	82	48	34
2.—Fulham.				
2. St. Paul Hammersmith †	West London Hospital -	63	44	19
3. Fulham ‡ - - -	Workhouse - - -	137	75	62
	Metropolitan Asylum Small-pox Hospital (W.)	12	6	6
3.—Chelsea.				
1. Chelsea South - -	Victoria Hosp. (Children)	59	29	30
	Consumption Hospital (Chelsea Home) - -	-	-	-
	Cheyne Hospital for Children - - -	6	2	4
2. Chelsea North-west -	Workh. and Infirmary -	256	115	141
	Cancer Hospital - -	43	7	36
	Hospital for Women (178, King's Road) - -	-	-	-
	Consumption Hospital (Branch of Brompton Hospital) - - -	43	29	14
	St. Raphael's Hospital -	6	6	-
4.—St. George Hanover Square.				
1. Hanover Square - -	Royal Orthopædic Hosp. -	-	-	-
2. May Fair - - -	Workhouse (Mount St.)	3	-	3
	Workhouse (Fulham Road) - - - -	328	171	157
3. Belgrave - - -	St. George's Hospital -	397	251	146
	Belgrave Hosp. (Children)	4	1	3
4. St. John Westminster -	Hospital for Women and Children - - -	2	-	2
	Guards' Hospitals { Grenadier - }	23	23	-
	Guards' Hospitals { Coldstream }			
	Guards' Hospitals { Fusilier - }			
5. St. Margaret Westmstr.§	Westminster Hospital -	185	102	83
5.—Westminster.				
1. Golden Square - -	Workhouse - - -	104	37	67
	Hospital for Diseases of the Throat - - -	-	-	-
2. Berwick Street - -	British Hosp. for Diseases of the Skin - - -	-	-	-
3. St. Anne Soho - -	Hospital for Women -	31	1	30
	French Hospital - -	21	14	7
	Male Lock Hospital -	3	3	-
	Hospital for Diseases of the Heart - - -	7	2	5
	St. John's Hospital for Skin Diseases - -	-	-	-
	Home Hospital - -	2	1	1
6.—Marylebone.				
1. All Souls ‖ - - -	Middlesex Hospital - -	341	176	165
	St. Peter's Hospital -	7	7	-
	National Hospital for the Deformed - - -	1	1	-
	St. Agnes Hospital (Consumption) - -	5	-	5
2. Cavendish Square -	Ladies' Hospital (90, Harley Street) - -	3	-	3
	Surgical & Medical Home	-	-	-
	Hospital for Paralysis -	-	-	-
	West End Hospital -	-	-	-
3. Rectory - - -	Workh. and Infirmary -	81	43	38
	Samaritan Free Hospital	17	-	17
4. St. Mary - - -	Queen Charlotte's Lying-in Hospital - - -	40	16	24
	Consumptive Home -	4	-	4
	Western Ophthalmic Hosp.	-	-	-
5. Christchurch - -	New Hospital for Women	1	-	1
6. St. John - - -	Hospital for Epilepsy and Paralysis - - -	2	1	1

District and Sub-district.	Name of Institution.	Deaths. Persons.	Males.	Females.
I.—LONDON—*cont.*				
Middlesex (*part of*) —*cont.*				
7.—Hampstead.				
1. Hampstead - - -	Workhouse - - -	50	29	21
	Metropolitan Asylum Hospital Smallpox (W.)	7	3	4
	North London Consumption Hospital - -	21	11	10
	St. Peter's Home (Kilburn)	26	-	26
	St. Monica's Home (Kilburn) - - - -	-	-	-
8.—Pancras.				
1. Regent's Park - -	St. Saviour's Cancer Hospital - - - -	7	-	7
2. Tottenham Court - -	Central London Sick Asylum (W.) - -	123	81	42
	University College Hosp.	293	177	116
	All Saints' Institution (Women's Hospital) -	-	-	-
	Home Hospital - -	2	1	1
3. Gray's Inn Lane - -	Royal Free Hospital -	141	93	48
	Central London Ophthalmic Hospital - -	-	-	-
	Central London Throat and Ear Hospital -	3	3	-
4. Somers Town - -	London Temperance Hosp.	26	13	13
5. Camden Town - -	Workhouse and Supplemental ditto - - -	387	163	224
	North-west London Hosp.	12	4	8
6. Kentish Town - -	Workhouse (Highgate Infirmary) - - -	226	149	77
9.—Islington.				
1. Islington West - -	London Fever Hospital -	66	27	39
	Small-pox Hospital -	17	13	4
	Great Northern Hospital	30	19	11
2. Islington East - -	Workhouse and Infirmary Schools - - - -	396	210	186
	Workhouse (City of London) - - -	14	5	9
	Workhouse (Holborn Infirmary) - - -	275	170	105
10.—Hackney.				
1. Stoke Newington ¶ -	Invalid Asylum - -	2	-	2
4. Hackney ** - - -	Workh. and Infirmary -	206	94	112
	Workhouse (City of London) - - -	12	7	5
	Metn. Asylum Small-pox Hospital (W.) - -	5	2	3
	Metro. Asylum Fever Hospital (W.) - -	225	122	103
	German Hospital - -	143	108	35
11.—St. Giles.				
1. St. Geo. Bloomsbury. ††	———			
2. St. Giles South - -	Workh. and Infirmary -	192	106	86
	British Lying-in Hospital	4	3	1
12.—Strand.				
1. St. Martin-in-the-Fields	Charing Cross Hospital -	181	118	63
	Royal Westr. Ophthalmic Hospital - - -	1	-	1
3. St. Clement Danes -	King's College Hospital -	150	101	49
13.—Holborn.				
1. St. George the Martyr -	London Homœopathic Hos.	24	10	14
	St. John and St. Elizabeth Hospital - -	25	1	24
	Hosp. for Sick Children -	137	73	64
	National Hospital for Paralysis - - -	23	16	7
	Hospital for Hip Diseases (Children) - -	2	1	1
	Home for Incurable and Infirm Women - -	1	-	1
2. St. Andrew Eastern -	Workhouse - - -	38	22	16
3. Saffron Hill - - -	City Orthopædic Hospital	-	-	-
8. Old Street - - -	St. Mark's Hosp. (Fistula)	2	2	-
9. City Road - - -	City of London Lying-in Hospital - - -	22	5	17
	Royal Hospital for Diseases of the Chest -	31	21	10
	St. Luke's Lunatic Hosp. -	7	1	6

* In St. Joseph's House, 27 deaths occurred during the year.
† In Nazareth House, 34 deaths occurred during the year.
‡ In Munster House, and Sussex and Brandenburgh Houses, two private Lunatic Asylums, 6 and one deaths respectively were registered during the year.
§ In the Convent, Carlisle Place (Children's Hospital), 3 deaths occurred during the year.
‖ In St. Elizabeth's Home for Incurables, 1 death, and in All Saints Home for Aged and Infirm Women and St. Agnes' Hospital 4 and 5 deaths respectively occurred during the year.
¶ In Northumberland House, a private Lunatic Asylum, 12 deaths occurred during the year.
** In Brooke House, a private Lunatic Asylum, 3 deaths occurred during the year.
†† In the Infant Home, 35, Great Coram Street, 7 deaths occurred during the year.

Deaths registered in the **Public Institutions** of **England** in the **Year 1882**—*continued.*

District and Sub-district.	Name of Institution.	Deaths. Persons.	Males.	Females.
I.—LONDON—*cont.*				
Middlesex (*part of*)—*cont.*				
14.—London City.				
1. St. Botolph - - -	City Police Hospital -	2	2	-
3. St. Sepulchre - -	St. Bartholomew's Hosp.	620	377	243
4. St. Bride - - -	Workhouse - - -	9	6	3
6. Broad Street - -	Royal London Ophthalmic Hospital - - -	2	1	1
15.—Shoreditch.				
2. St. Leonard - - -	*Hoxton House Lunatic Asylum* - - -	23	14	12
3. Hoxton New Town -	Work. (Holborn Union)	264	143	121
5. Haggerston - - -	Work. and Infirmary -	338	187	151
	North-eastern Children's Hospital - - -	45	27	18
16.—Bethnal Green.				
1. Hackney Road - -	Mildmay Mission Hosp.	12	7	5
2. Green - - - -	Workhouse - - -	363	208	155
	City of London Chest Hos.	74	52	22
	Bethnal House Lunatic Asyl.	37	21	16
17.—Whitechapel.				
1. Spitalfields - - -	Metropolitan Free Hosp. (temporary premises) -	15	9	6
2. Mile End New Town -	Workhouse Infirmary (Bakers' Row) - -	377	213	164
4. Whitechapel Church -	London Hospital - -	764	462	302
18.—St. George in the East.				
2. St. John - - -	Work. and Infirmary -	293	150	143
19.—Stepney.				
1. Shadwell - - -	East London Children's Hospital - - -	169	94	75
20.—Mile End Old Town.				
2. Mile End Old Town Eastern.	Workhouse - - -	211	107	104
	Workhouse (City of London, part of) - -	59	1	58
	Work. (Whitechapel) (South Grove) - -	1	-	1
	Spanish and Portuguese Jews' Hospital -	2	1	1
21.—Poplar.				
1. Bow.*				
2. Bromley - - -	Workhouse (City of London, part of) - -	173	134	39
	Workhouse (Stepney) -	25	10	15
	Workhouse (Poplar and Stepney Sick Asylum)	444	278	166
	Poplar Hospital - -	53	45	8
3. Poplar - - - -	Workhouse - - -	56	30	26
	Workhouse (North St. Infirmary) - - -	7	4	3
Surrey (*part of*).				
22.—St. Saviour Southwark.				
1. Christchurch - -	Workhouse (Christchurch) - - -	80	76	4
	Hospital for Diseases of the Skin - - -	-	-	-
2. St. Saviour - - -	Guy's Hospital (part of) -	18	12	6
4. Borough Road - -	Workh. (St. George's) -	99	60	39
5. London Road - -	Evelina Hosp. (Children)	-	-	-
	Royal South London Ophthalmic Hospital -	19	13	6
6. St. Peter Walworth -	*Bethlehem Lunatic Hospital*	464	242	222
	Workhouse - - -			
23.—St. Olave Southwark.				
1. St. Olave - - -	Guy's Hospital (part of) -	452	301	151
2. St. John Horsleydown -	Workhouse - - -	17	6	11
3. St. Mary Magdalen -	Workhouse - - -	122	70	52
4. Rotherhithe - - -	Workhouse - - -	164	112	52

District and Sub-district.	Name of Institution.	Deaths. Persons.	Males.	Females.
I.—LONDON—*cont.*				
Surrey (*part of*)—*cont.*				
24.—Lambeth.				
1. Waterloo Road First -	Royal Infirmary for Women and Children -	33	8	25
2. Waterloo Road Second	General Lying-in Hospital	13	3	10
3. Lambeth Church First	St. Thomas' Hospital -	459	282	177
4. Lambeth Church Second	Workhouse Infirmary (Pleasant Place) - -	525	281	244
	Workhouse (Renfrew Road) - - - -	-	-	-
	Workh. (Prince's Road)	1	1	-
5. Kennington First. †				
7. Brixton - - - -	Metn. Asylum Small-pox Hospital. (W.) - -	33	16	17
	Metn. Asylum Fever Hospital (W.) - -	110	54	56
8. Norwood - - -	Workhouse (Children) -	5	4	1
25.—Wandsworth.				
1. Clapham - - -	British Home for Incurables - - - -	4	1	3
2. Battersea - - -	Workh. and Infirmary -	248	133	115
	Workh. (Westminster Industrial School) -	2	1	1
3. Wandsworth - -	Royal Hospital for Incurables (Melrose Hall)	6	1	5
	Surrey County Lunatic Asyl.	90	45	45
4. Putney. ‡				
26.—Camberwell.				
2. Camberwell - - -	Workh. and Infirmary -	268	136	132
	Camberwell House Lunatic Asylum - -	45	29	16
	Peckham House Lunatic Asylum - - -	45	22	23
3. Peckham - - -	Workhouse - - -	3	-	3
Kent (*part of*).				
27.—Greenwich.				
1. St. Paul Deptford -	Metropolitan Asyl. Small-pox Hospital. (W.) -	225	130	95
3. Greenwich West - -	Hospital Ship "Atlas" -	39	27	12
4. Greenwich East - -	Workhouse - - -	296	157	139
	Seamen's Hospital - -	122	115	7
28.—Lewisham.				
1. Eltham - - -	Herbert Hosp. (Military part of) - - -	-	-	-
	Cottage Hospital - -	1	-	1
3. Lewisham - - -	Workhouse - - -	78	31	47
	Board of Works Hospital	-	-	-
4. Sydenham - - -	Home for Sick Children -	7	3	4
29.—Woolwich.				
1. Charlton - - -	Herbert Hosp. (Military part of) - - -	28	28	-
3. Woolwich Arsenal -	Garrison Female Hospital	11	2	9
	Arsenal Infirmary - -	1	1	-
4. Plumstead West - -	Convalescent Home -	2	1	1
5. Plumstead East - -	Workhouse and Infirm.	133	69	64
II.—ŚTH. EASTERN COUNTIES.				
1.—Surrey (*ex.-met.*)				
30.—Epsom.				
1. Carshalton - - -	Workhouse (South Metropltn. District Schools)	5	2	3
	Middlesex County Lunatic Asylum - - -	225	126	99
2. Epsom - - -	Workhouse - - -	46	31	15
	Workhouse (Kensington and Chelsea Dist. Schools)	3	-	3
	Epsom and Ewell Cottage Hospital - - -	2	1	1
31.—Chertsey.				
1. Walton - - - -	Metropolitan Convalescent Asylum - -	1	1	-
2. Chertsey - - -	Workhouse - - -	38	17	21
	Rural Sanitary Authority's Hospital - - -	3	2	1
32.—Guildford.				
1. Woking - - -	Male and Female Invalid Convict Prison - -	54	39	15
	County Lunatic Asylum	71	37	34
4. Guildford - - -	Workhouse - - -	36	22	14
	Royal Surrey County Hosp.	27	22	5
33.—Farnham.				
1. Frimley - - -	Cambridge and Station Hospitals - - -	60	56	4
	Female Hospital - -	18	7	11
	Lock Hospital - -	3	-	3
2. Farnham - - -	Workhouse - - -	42	26	16

* In Grove Hall, a private Lunatic Asylum, 44 deaths occurred during the year.
† In St. Peter's House (Home for Aged Poor), 22 deaths occurred during the year.
‡ In the Priory, a private Lunatic Asylum, 3 deaths occurred during the year.

Deaths registered in the **Public Institutions** of **England** in the **Year 1882**—*continued.*

District and Sub-district.	Name of Institution.	Deaths. Persons.	Males.	Females.
II.—STH. EASTERN COUNTIES—*cont.*				
1.—Surrey (*ex. met.*) —*cont.*				
34.—Hambledon.				
1. Witley	Workhouse	22	18	4
2. Cranleigh	Village Hospital	2	-	2
35.—Dorking.				
1. Capel	Cottage Hospital	3	-	3
2. Dorking	Workhouse	19	14	5
	Cottage Hospital	12	8	4
36.—Reigate.				
1. Reigate *	Workhouse	42	28	14
	Reigate and Redhill Cottage Hospital	6	5	1
2. Horley	Charlwood Cottage Hosp.	-	-	-
37.—Godstone.				
1. Godstone	Workhouse	17	11	6
	Caterham Cottage Hosp.	2	2	-
	Metropolitan District Asylum for Imbeciles	126	63	63
38.—Croydon.				
1. Croydon	Workh. and Infirmary	194	121	73
	Workhouse (North Surrey District School)	9	6	3
	General Hospital	17	11	6
2. Mitcham	Workhouse (Holborn Union Industrial Schools)	3	3	-
39.—Kingston.				
1. Wimbledon	Atkinson-Morley Convalescent Hospital	2	2	-
	Cottage Hospital	8	5	3
	Local Board Fever Hosp.	1	-	1
2. Kingston	Workhouse	95	55	40
	Cottage Hospital	3	2	1
	Convalescent Institution	-	-	-
4. Hampton †	Teddington and Hampton Wick Cottage Hospital	1	-	1
40.—Richmond.				
1. Richmond	Workhouse	34	19	15
	Hospital	25	14	11
2.—Kent (*ex.-met.*)				
41.—Bromley.				
1. Bromley	Bromley Cottage Hospital	6	3	3
	Beckenham Cottage Hos.	-	-	-
2. Chislehurst	Workhouse	43	29	14
42.—Dartford.				
1. Bexley ‡	Erith Cottage Hospital	6	4	2
2. Dartford	Workhouse	50	34	16
	City of London Lunatic Asylum	17	7	10
	Metropolitan Asylum for Imbeciles	87	40	47
43.—Gravesend.				
1. Gravesend	Workhouse	27	16	11
	Milton and Gravesend Infirmary	14	9	5
44.—North Aylesford.				
1. Northfleet	Gravesend Borough Sanatorium	3	2	1
2. Strood	Workhouse	32	25	7
45.—Hoo.				
1. Hoo	Workhouse	8	8	-
46.—Medway.				
1. Rochester	St. Bartholomew's Hosp.	38	30	8
	Fort Pitt Hospital	22	19	3
2. Gillingham	Workhouse	97	57	40
	Melville Hospital (Royal Marine Infirmary)	27	26	1
	Female Hospital	-	-	-
	Lock Hospital	2	1	1
47.—Malling.				
2. East Peckham	Workhouse	43	30	13
48.—Sevenoaks.				
2. Sevenoaks	Workhouse	26	20	6
	Holmesdale Cottage Hosp.	4	1	3
	Hospital for Hip Disease	3	2	1
	Local Board Fever Hosp.	-	-	-

District and Sub-district.	Name of Institution.	Deaths. Persons.	Males.	Females.
II.—STH. EASTERN COUNTIES—*cont.*				
2.—Kent (*ex.-met.*)—*cont.*				
49.—Tunbridge.				
1. Tunbridge Wells	Infirmary	20	9	11
2. Tunbridge	Workhouse	60	38	22
50.—Maidstone.				
2. Marden	Workhouse	67	41	26
3. Loose	Workhouse (Schools)	2	1	1
4. West Maidstone	*County Lunatic Asylum* (Barming Heath)	139	82	57
5. East Maidstone	West Kent General Hosp.	29	18	11
	Kent Ophthalmic Hosp.	1	-	1
	Fever Hospital	-	-	-
51.—Hollingbourn.				
1. Hollingbourn	Workhouse	25	17	8
	Hospital Tent	-	-	-
52.—Cranbrook.				
1. Cranbrook	Workhouse	25	18	7
2. Hawkhurst	Village Hospital	-	-	-
53.—Tenterden.				
2. Tenterden	Workhouse	16	13	3
54.—West Ashford.				
1. Calehill	Workhouse	25	17	8
2. Ashford	Workh. (Vagrant Ward)	2	2	-
	Cottage Hosp. (St. John's House)	8	4	4
	Sanatorium (Infect. Dis.)	-	-	-
55.—East Ashford.				
2. Brabourne	Workhouse	26	18	8
56.—Bridge.				
1. Chartham	*East Kent County Lunatic Asylum* (Chartham)	55	35	20
2. Barham	Workhouse	11	7	4
57.—Canterbury.				
1. Canterbury	Workhouse	22	13	9
	Kent and Canterbury Hos.	54	38	16
	Military Hospital	4	4	-
58.—Blean.				
2. Herne	Workhouse	17	9	8
	Workh. (South Metropolitan District School)	5	2	3
	Convalescent Home	-	-	-
59.—Faversham.				
2. Faversham	Workhouse	18	14	4
60.—Milton.				
1. Milton	Workhouse	33	28	5
	Infectious Hospital	2	1	1
61.—Sheppey.				
1. Minster	Workhouse	18	14	4
	Military and Garrison Hos.	1	1	-
62.—Thanet.				
1. Minster	Workhouse	66	38	28
2. Margate	Workhouse (Metrop. Infirm., Dane Hill)	10	6	4
	Workhouse (Chateau Bellevue Infirmary)	8	4	4
	Royal Sea Bathing Infirm.	11	8	3
	Cottage Hospital	5	2	3
	Convalescent Home (Harold Road)	-	-	-
3. Ramsgate	Seaman's Infirmary	2	1	1
	Thanet Sanatorium	1	1	-
63.—Eastry.				
1. Sandwich	Workhouse	39	22	17
	Cottage Hospital	2	1	1
4. Deal	Infirmary and Dispensary	-	-	-
	Marine Infirmy. (Military and Naval)	2	2	-
	Port Sanitary Hospital	-	-	-
64.—Dover.				
1. St. James	Hospital and Dispensary	7	7	-
	Cottage Hospital	-	-	-
2. St. Mary	Convalescent Home	2	2	-
3. Hougham	Workhouse	57	28	29
	Western Heights Hospital (Military)	9	9	-

* In the Earlswood Asylum for Idiots, 27 deaths occurred during the year.
† In Normansfield, a private Idiot Asylum, one death occurred during the year.
‡ In the Royal Alfred Institution for Aged Seamen, 4 deaths occurred during the year.

Deaths registered in the **Public Institutions** of **England** in the **Year 1882**—*continued.*

District and Sub-district.	Name of Institution.	Deaths. Persons.	Males.	Females.
II.—STH. EASTERN COUNTIES—*cont.*				
2.—Kent (*ex.-met.*)—*cont.*				
65.—Elham.				
1. Folkestone	St. Andrew's Convalescent Home	-	-	-
	Shorncliffe Camp. Hosp.	13	12	1
2. Elham	Workhouse	32	19	13
66.—Romney Marsh.				
1. New Romney	Workhouse	12	8	4
3.—Sussex.				
67.—Rye.				
1. Rye	Workhouse	16	11	5
68.—Hastings.				
1. Ore	Workhouse	35	20	15
	Sanatorium	5	3	2
2. St. Mary-in-the-Castle	East Sussex Infirmary	11	7	4
	Convalescent Home	1	1	-
69.—Battle.				
3. Battle	Workhouse	21	13	8
70.—Eastbourne.				
2. Eastbourne	Workhouse	31	24	7
	Seaside Convalescent Hospital (Seaford)	5	4	1
	All Saints' Convalescent Hospital (Eastbourne)	-	-	-
	Sanitary Hospital	-	-	-
	Military Hosp. (Detacht.)	-	-	-
71.—Hailsham.				
2. Hellingly	Workhouse	13	10	3
72.—Ticehurst.				
1. Ticehurst *	Workhouse	21	9	12
4. Frant	Tunbridge Wells Local Board Hospital	2	1	1
73.—Uckfield.				
3. Isfield	Workhouse	16	12	4
74.—East Grinstead.				
2. East Grinstead	Workhouse	34	23	11
75.—Cuckfield.				
2. Cuckfield	Workhouse	17	13	4
76.—Lewes.				
1. Ditchling †	Workhouse	9	8	1
	County Lunatic Asylum	79	51	28
2. Chailey	Newick Cottage Hospital	1	1	-
3. Lewes	Workhouse (and School)	12	7	5
	Lewes Infirmary	1	1	-
	District Hospital for Infectious Diseases	-	-	-
4. Westfirle	Workhouse	3	2	1
5. Newhaven	Workhouse	1	-	1
6. Rottingdean	Workhouse (Brighton Industrial School)	1	1	-
	Blackrock Convalescent Hospital	-	-	-
77.—Brighton.				
1. St. Peter	Workhouse	176	104	72
	County Hospital	123	80	43
	Sussex and Brighton Eye Infirmary	-	-	-
2. The Palace	St. Mary's Hospital	-	-	-
	Royal Alexandra Hospital	7	5	2
	Brighton and Hove Lying-in and Women's Hosp.	1	1	-
	Homœopathic Hospital	-	-	-
78.—Steyning.				
1. Shoreham	Workhouse	29	21	8
	Borough Sanatorium	10	4	6
79.—Horsham.				
1. North Horsham	Workhouse	21	17	4

District and Sub-district.	Name of Institution.	Deaths. Persons.	Males.	Females.
II.—STH. EASTERN COUNTIES—*cont.*				
3.—Sussex—*cont.*				
80.—Petworth.				
1. Petworth Northern	Workhouse (Kirdford)	3	3	-
	Workhouse (Children; Wisborough Green)	-	-	-
2. Petworth Southern	Workhouse	4	3	1
	Cottage Hospital	-	-	-
81.—Thakeham.				
2. Washington	Workhouse	11	8	3
82.—East Preston.				
1. Worthing	Infirmary	6	3	3
2. Littlehampton	Workhouse	15	10	5
83.—Westhampnett.				
3. South Bersted	Merchant Taylors' Convalescent Home	-	-	-
4. Yapton.‡				
5. Boxgrove	Workhouse	18	10	8
84.—Chichester.				
1. Chichester	Workhouse	13	7	6
	General Infirmary and Dispensary	18	14	4
85.—Midhurst.				
1. Midhurst	Workhouse	10	5	5
86.—Westbourne.				
1. Westbourne	Workhouse	12	10	2
4.—Hampshire.				
87.—Havant.				
1. Havant	Workhouse	16	11	5
88.—Portsea Island.				
1. Kingston	Workhouse	199	96	103
	Royal Portsmouth, Portsea, and Gosport Hosp.	43	25	18
	Corporation Hospital (Langston Lodge)	4	1	3
	Borough Lunatic Asylum	49	26	23
2. Portsea Town	Female Hosp. (Mill-Dam)	2	-	2
	Garrison Station Hospital	62	61	1
4. Landport	R. M. A. Infirmary	-	-	-
	Women and Children's Hospital (R. M. A.)	-	-	-
	Home for Sick Children	-	-	-
	Medical and Surgical Home	1	-	1
	Infant Nursery, Paines Rd.	7	4	3
89.—Alverstoke.				
1. Alverstoke	Workhouse (House of Industry)	26	15	11
	Naval Hospital (Haslar)	86	85	1
	Military Hospital (Gosport Station)	4	3	1
90.—Fareham.				
1. Fareham	Workhouse	20	18	2
	Military Hospital (Hilsea)	2	2	-
	County Lunatic Asylum	101	46	55
91.—Isle of Wight.				
2. Newport	Workhouse	60	38	22
	Military Hosp. (Parkhurst)	6	6	-
3. Ryde	Royal Infirmary	10	7	3
	Military Hosp. (Sandown)	1	1	-
	Convalescent Home	-	-	-
4. Godshill	National Consumption Hospital	15	13	2
	St. Catherine's Home (Consumption)	16	8	8
92.—Lymington.				
1. Lymington	Workhouse (and Fever Ward)	8	6	2
93.—Christchurch.				
1. Christchurch	Workhouse	13	11	2
	National Sanatorium (Bournemouth)	4	4	-
	The Herbert Convalescent Home	1	-	1
	Firs Bank Home Consumption Hospital	14	7	7
	Bournemouth Dispensary and Cottage Hospital	3	1	2
	Home for Invalid Ladies	-	-	-
	St. Joseph's Home	1	-	1
	Hospital for Hip Disease in Childhood	1	1	-
	Provident Infirmary (Boscombe)	5	2	3
	Cottage Home	1	1	-
	Hahnemann Home	3	3	-

* In the Ticehurst private Lunatic Asylum, 2 deaths occurred during the year.
† In the St. George's Retreat, a private Lunatic Asylum, 2 deaths occurred during the year.
‡ In the Home for Destitute Children 1 death occurred during the year.

Deaths registered in the **Public Institutions** of **England** in the **Year 1882**—*continued.*

District and Sub-district.	Name of Institution.	Deaths. Persons.	Males.	Females.
II.—STH. EASTERN COUNTIES—*cont.*				
4.—Hampsh.—*cont.*				
94.—Ringwood.				
1. Ringwood	Workhouse	5	2	3
95.—Fordingbridge.				
1. Fordingbridge	Workhouse	4	2	2
	Cottage Hospital	-	-	-
96.—New Forest.				
3. Eling	Workhouse	12	9	3
97.—Southampton.				
1. Southampton	Workhouse	86	54	32
	Royal South Hants Infirmary	43	35	8
	West Quay Hospital (Urban Sanitary)	-	-	-
98.—South Stoneham.				
1. St. Mary Extra	Royal Victoria Hospital (Netley)	53	50	3
	Female Hospital	3	1	2
	Military Lunatic Hospital (Netley)	-	-	-
2. South Stoneham	Workhouse	24	14	10
99.—Romsey.				
1. Romsey	Workhouse	9	4	5
100.—Stockbridge.				
2. Stockbridge	Workhouse	10	8	2
101.—Winchester.				
3. Winchester	Workhouse	27	15	12
	Royal County Hospital	33	22	11
5. Hursley	Workhouse	4	4	-
	St. John's Convalescent Home	-	-	-
102.—Droxford.				
3. Hambledon	Workhouse	11	11	-
	Shedfield Cottage Hospital	-	-	-
103.—Catherington.				
1. Horndean	Workhouse	1	1	-
104.—Petersfield.				
1. Petersfield	Workhouse	12	9	3
	Cottage Hospital	1	-	1
105.—Alresford.				
2. Alresford	Workhouse	11	7	4
106.—Alton.				
1. Alton*	Workhouse	24	15	9
	Cottage Hospital	1	-	1
107.—Hartley Wintney.				
1. Odiham	Workh. (District School)	2	-	2
3. Hartley Wintney	Workhouse	10	6	4
108.—Basingstoke.				
1. Basingstoke	Workhouse	31	22	9
	Pest House	-	-	-
109.—Whitchurch.				
1. Whitchurch	Workhouse	10	5	5
110.—Andover.				
3. Andover	Workhouse	17	7	10
	Cottage Hospital	-	-	-
	Pest House	-	-	-
111.—Kingsclere.				
2. Kingsclere	Workhouse	8	7	1
5.—Berkshire.				
112.—Newbury.				
2. Newbury	Workhouse	23	17	6
3. Speen	Cottage Hospital	-	-	-
113.—Hungerford.				
2. Hungerford	Workhouse	14	6	8

District and Sub-district.	Name of Institution.	Deaths. Persons.	Males.	Females.
II.—STH. EASTERN COUNTIES—*cont.*				
5.—Berkshire—*cont.*				
114.—Faringdon.				
2. Faringdon	Workhouse	17	10	7
115.—Abingdon.				
2. Abingdon	Workhouse	21	13	8
116.—Wantage.				
1. Wantage	Workhouse	11	9	2
117.—Wallingford.				
1. Cholsey	*County Lunatic Asylum*	61	34	27
2. Wallingford	Workhouse	22	12	10
	Cottage Hospital	2	1	1
118.—Bradfield.				
1. Bucklebury	Workhouse	11	8	3
119.—Reading.				
1. St. Mary	Workhouse	48	27	21
3. St. Giles	Royal Berks Hospital	58	44	14
120.—Wokingham.				
1. Wokingham	Workhouse	11	9	2
2. Wargrave	Workhouse (Reading & Wokingham Dis. Schools)	4	3	1
121.—Cookham.				
2. Cookham	Workhouse	21	16	5
	Cottage Hospital	7	3	4
122.—Easthampstead.				
1. Bracknell	Workhouse	9	8	1
	Ascot Priory Convalescent Hospital	-	-	-
2. Sandhurst	*Criminal Lunatic Asylum (Broadmoor)*	18	17	1
123.—Windsor.				
1. Egham	Cottage Convalescent Hospital	4	1	3
2. Windsor	Workhouse	35	24	11
	St. Andrew's Convalescent Hospital	8	4	4
	Royal Infirmary and Dispensary	8	5	3
III.—STH. MIDLAND COUNTIES.				
6.—Middlsx. (*ex.-met.*)				
124.—Staines.				
1. Sunbury†	Workhouse (West London Schools)	6	4	2
2. Staines	Workhouse	34	24	10
125.—Uxbridge.				
1. Hillingdon‡	Workhouse	42	28	14
	Cottage Hospital	-	-	-
	Hospital for Inf. Diseases	-	-	-
3. Hayes§	Workhouse (Marylebone Schools)	5	3	2
	Cottage Hospital	4	3	1
	County Lunatic Asylum (Hanwell)	101	46	55
126.—Brentford.				
1. Isleworth	Workhouse	114	71	43
	Cottage Hospital	3	2	1
	Hospital for Inf. Diseases	2	1	1
2. Twickenham	St. John's Hospital	4	2	2
3. Brentford	Cottage Hospital	3	2	1
	Royal India Lunatic Asyl.	4	4	-
4. Chiswick.‖				
5. Acton	Workhouse (Central London District School)	4	4	-
	Convalescent Home	-	-	-
127.—Hendon.				
1. Harrow	Harrow Cottage Hospital	2	-	2
2. Edgware	Home for Incurables (The Priory)	3	3	-
4. Hendon	Workhouse and Union Schools	41	27	14
128.—Barnet.				
2. Barnet	Workhouse	38	24	14
	Convalescent Home¶	-	-	-
3. Finchley	*County Lunatic Asylum (Colney Hatch)*	18	116	64
	Sanitarium	-	-	-
	National Hospital for Paralysis and Epilepsy (Branch) (Females)	1	-	1

* In Westbrook House, a private Lunatic Asylum, one death occurred during the year.
† In Halliford House, a private Lunatic Asylum, one death occurred during the year.
‡ In Moorcroft House, a private Lunatic Asylum, one death occurred during the year.
§ In 4 private Lunatic Asylums 3 deaths occurred during the year.
‖ In Manor House, a private Lunatic Asylum, 5 deaths occurred during the year.
¶ This Institution was opened in July 1882.

Deaths registered in the **Public Institutions** of **England** in the **Year 1882**—*continued.*

District and Sub-district.	Name of Institution.	Deaths. Persons.	Males.	Females.
III.—STH. MIDLAND COUNTIES—*cont.*				
6.-Middlsx. (*ex.-met.*) —*cont.*				
129.—Edmonton.				
1. Hornsey	Convalescent Hospital (Children)	3	3	-
2. Tottenham	Training Hospital	42	21	21
3. Edmonton	Workhouse	118	81	37
	Workhouse (Strand)	102	49	53
	Workh. (Strand Infant Establishment)	3	2	1
4. Enfield	Workhouse (Children's Establishment)	3	3	-
	Cottage Hospital	2	2	-
7.—Hertfordshire.				
130.—Ware.				
3. Ware	Workhouse	17	10	7
131.—Bishop Stortford.				
3. Bishop Stortford	Workhouse	34	30	4
132.—Royston.				
1. Buntingford	Workhouse	14	8	6
2. Royston	Cottage Hospital	2	1	1
3. Melbourne	Workhouse	19	14	5
133.—Hitchin.				
2. Hitchin	Workhouse	39	31	8
	North Herts and South Beds Infirmary	7	5	2
134.—Hertford.				
2. Hertford	Workhouse	15	11	4
	Herts General Infirmary	7	5	2
135.—Hatfield.				
1. Hatfield	Workhouse	7	6	1
2. Welwyn	Workhouse	-	-	-
136.—St. Albans.				
2. St. Albans	Workh. and Infirmary	31	21	10
	Hospital and Dispensary	3	3	-
137.—Watford.				
2. Watford	Workhouse	36	26	10
	Workhouse (Pest House)	-	-	-
	Workhouse (St. Pancras Schools)	5	2	3
	Metropolitan Asylum for Imbeciles	141	66	75
138.—Hemel Hempstead.				
2. Hemel Hempstead	Workhouse	16	10	6
	West Herts Infirmary	7	5	2
	King's College Hospital, Convalescent Home	-	-	-
139.—Berkhampstead.				
1. Berkhampstead	Workhouse	9	3	6
8.-Buckinghamsh.				
140.—Amersham.				
2. Chesham	Cottage Hospital	-	-	-
3. Amersham	Workhouse	11	6	5
4. Chalfont	Cottage Hospital	1	1	-
141.—Eton.				
1. Iver	Cottage Hospital	1	1	-
2. Eton	Workhouse	43	30	13
142.—Wycombe.				
1. High Wycombe	Cottage Hospital	3	2	1
5. Princes Risborough	Workhouse (and School)	27	16	11
143.—Aylesbury.				
2. Aylesbury	Workhouse	14	12	2
	Bucks and General County Infirmary	16	11	5
	County Lunatic Asylum	35	16	19
144.—Winslow.				
1. Winslow	Workhouse	8	6	2
145.—Newport Pagnell.				
2. Newport Pagnell	Workhouse	18	9	9
146.—Buckingham.				
2. Buckingham	Workhouse	15	12	3

District and Sub-district.	Name of Institution.	Deaths. Persons.	Males.	Females.
III.—STH. MIDLAND COUNTIES—*cont.*				
9.—Oxfordshire.				
147.—Henley.				
1. Henley	Workhouse	22	13	9
2. Watlington	Cottage Hospital	2	1	1
148.—Thame.				
2. Thame	Workhouse	9	8	1
149.—Headington.				
2. St. Clement *	Workhouse	17	12	5
	Workh. (Indust. School)	1	1	-
	Workhouse (Oxford)	27	21	6
	Radcliffe Infirmary	54	39	15
	Oxford Local Board Hospl.	9	6	3
	Oxford and Berks Counties Lunatic Asylum	46	24	22
151.—Bicester.				
2. Bicester	Workhouse	17	11	6
152.—Woodstock.				
2. Woodstock	Workhouse	8	5	3
153.—Witney.				
3. Witney	Workhouse	43	26	17
4. Burford	Cottage Hospital	3	3	-
154.—Chipping Norton.				
2. Chipping Norton	Workhouse	19	15	4
155.—Banbury.				
4. Banbury	Workhouse	26	22	4
	Horton Infirmary	6	4	2
10.-Northmptnsh.				
156.—Brackley.				
1. Brackley	Workhouse	12	7	5
	Cottage Hospital	1	1	-
157.—Towcester.				
2. Towcester	Workhouse	5	4	1
158.—Potterspury.				
1. Potterspury	Workhouse	9	5	4
	Stony Stratford Cottage Hospital	1	-	1
159.—Hardingstone.				
3. Milton	Workhouse	9	6	3
160.—Northampton.				
1. St. Giles †	Workhouse	52	32	20
	General Infirmary	80	58	22
	St. Andrew's Lunatic Hospital	15	9	6
2. All Saints	Borough Hospital (Small-pox)	3	3	-
3. Bugbrooke	*County Lunatic Asylum*	50	27	23
161.—Daventry.				
1. Weedon	Military Hospital	2	2	-
2. Daventry	Workhouse	18	9	9
162.—Brixworth.				
1. Brixworth	Workhouse	8	6	2
163.—Wellingborough.				
3. Wellingborough	Workhouse	20	15	5
	Epidemic Hospital	-	-	-
164.—Kettering.				
1. Kettering	Workhouse	22	16	6
	Local Board Hospital	1	1	-
165.—Thrapston.				
1. Thrapston	Workhouse	9	7	2
166.—Oundle.				
1. Oundle	Workhouse	22	17	5
167.—Peterborough.				
2. Peterborough	Workhouse	39	25	14
	Infirmary and Fever Hospital	22	13	9

* In the Warneford Asylum, a Lunatic Hospital, 2 deaths occurred during the year.
† In the Abington Abbey Retreat, a private Lunatic Asylum, no deaths occurred during the year.

Deaths registered in the **Public Institutions** of **England** in the **Year 1882**—*continued.*

District and Sub-district.	Name of Institution.	Deaths. Persons.	Males.	Females.
III.—STH. MIDLAND COUNTIES—*cont.*				
11.—Huntingdonsh.				
168.—HUNTINGDON.				
1. Huntingdon	WORKHOUSE	21	14	7
	County Hospital	8	7	1
169.—ST. IVES.				
1. St. Ives	WORKHOUSE	12	10	2
170.—ST. NEOTS.				
2. Kimbolton	WORKHOUSE	26	15	11
12.—Bedfordshire.				
171.—BEDFORD.				
5. Bedford and Kempston*	WORKHOUSE	38	23	15
6. Bedford and Cardington	General Infirmary and Fever Hospital	44	31	13
	Fever Hospital	4	2	2
172.—BIGGLESWADE.				
2. Biggleswade	WORKHOUSE	34	27	7
	Hospital (Contag. Dis.)	5	4	1
	Beds, Herts, and Hunts Counties Lunatic Asylum	76	38	38
173.—AMPTHILL.				
2. Ampthill	WORKHOUSE	18	12	6
174.—WOBURN.				
1. Woburn	WORKHOUSE	12	6	6
175.—LEIGHTON BUZZARD.				
1. Leighton Buzzard	WORKHOUSE	22	15	7
176.—LUTON.				
2. Luton	WORKHOUSE	47	30	17
	Cottage Hospital	1	–	1
13.—Cambridgesh.				
177.—CAXTON.				
1. Caxton	WORKHOUSE	13	10	3
178.—CHESTERTON.				
2. Fulbourn	WORKHOUSE	23	16	7
	County Lunatic Asylum	25	14	11
179.—CAMBRIDGE.				
1. St. Andrew the Less	WORKHOUSE	36	28	8
2. St. Mary the Great	Addenbrooke's Hospital	69	48	21
180.—LINTON.				
2. Linton	WORKHOUSE	18	9	9
181.—NEWMARKET.				
1. Cheveley	Rous Memorial Hospital	1	1	–
2. Newmarket	WORKHOUSE	32	19	13
182.—ELY.				
3. Ely	WORKHOUSE	19	13	6
183.—NORTH WITCHFORD.				
1. Chatteris	WORKHOUSE	18	13	5
184.—WHITTLESEY.				
2. Whittlesey	WORKHOUSE	7	5	2
185.—WISBECH.				
2. Wisbech	WORKHOUSE	37	22	15
	Hospital for Infectious Diseases	2	–	2
	North Cambridgeshire Cottage Hospital	7	6	1

District and Sub-district.	Name of Institution.	Deaths. Persons.	Males.	Females.
IV.—EASTERN COUNTIES.				
14.—Essex.				
186.—WEST HAM.				
2. West Ham	WORKHOUSE (St. George's Union School)	–	–	–
	WORKHOUSE (Whitechapel Industrial School)	3	3	–
	WORKH. (St. George-in-the-East Indust. School)	2	1	1
	WORKH. (St. Nicholas' Industrial School)	2	2	–
	Small-pox Hospital	29	16	13
	Poplar Small-pox Hosp.	5	4	1
3. Leyton †	WORKHOUSE	202	122	80
	WORKHOUSE (Bethnal Green School)	–	–	–
	County Lunatic Asylum (branch of Lea Hall)	1	1	–
4. Walthamstow	Convalescent Home	1	1	–
	Children's Hospital	–	–	–
187.—EPPING.				
1. Chigwell	Buckhurst Hill Village Hospital	1	–	1
2. Epping	WORKHOUSE	17	12	5
188.—ONGAR.				
2. Chipping Ongar	WORKHOUSE	20	14	6
189.—ROMFORD.				
1. Romford	WORKHOUSE	53	38	15
190.—ORSETT.				
1. Grays	Sherfield House Infirmary	–	–	–
2. Orsett	WORKHOUSE	18	17	1
191.—BILLERICAY.				
1. Brentwood	WORKHOUSE (District School)	4	1	3
	County Lunatic Asylum	83	48	35
2. Great Burstead	WORKHOUSE	30	21	9
192.—CHELMSFORD.				
2. Chelmsford	WORKHOUSE	33	20	13
	Infirmary	4	3	1
193.—ROCHFORD.				
2. Prittlewell.‡				
3. Rochford	WORKHOUSE	19	15	4
4. Great Wakering	Garrison Hospital	2	2	–
194.—MALDON.				
4. St. Peter	WORKHOUSE	40	20	20
195.—TENDRING.				
1. Thorpe	WORKHOUSE	37	30	7
2. Harwich	Small-pox Hospital	–	–	–
3. Manningtree	*County Lunatic Asylum (Branch of Brunswick House)*	–	–	–
196.—COLCHESTER.				
1. Colchester First Ward	WORKHOUSE	53	32	21
	Essex & Colchester Hosp.	21	16	5
	Camp and Lock Hospitals	15	14	1
2. Colchester Second Ward§				
197.—LEXDEN.				
3. Stanway	WORKHOUSE	25	18	7
198.—HALSTEAD.				
1. Halstead	WORKHOUSE	16	9	7
	Fever Hospital	–	–	–
199.—BRAINTREE.				
2. Bocking	WORKHOUSE	35	24	11
	Cottage Hospital	–	–	–
200.—DUNMOW.				
2. Dunmow	WORKHOUSE	50	31	19
3. Hatfield	Cottage Hospital	–	–	–
201.—SAFFRON WALDEN.				
2. Saffron Walden	WORKHOUSE	23	17	6
	Hospital	4	3	1

* In Springfield House, a private Lunatic Asylum, 5 deaths occurred during the year.
† In the Wanstead Orphan Asylum, 5 deaths occurred during the year.
‡ In Nazareth House, 3 deaths occurred during the year.
§ In Essex Hall, a private Idiot Asylum, 9 deaths occurred during the year.

Deaths registered in the **Public Institutions** of **England** in the **Year 1882**—*continued.*

District and Sub-district.	Name of Institution.	Deaths. Persons.	Males.	Females.
IV.-EASTERN COUNTIES—*cont.*				
15.—Suffolk.				
202.—Risbridge.				
1. Haverhill - - -	Workhouse - - -	5	5	-
203.—Sudbury.				
3. Sudbury - - -	Workhouse - - -	52	26	26
	St. Leonard's Hospital -	2	2	-
204.—Cosford.				
2. Hadleigh - - -	Workhouse - - -	20	12	8
206.—Bury St. Edmunds.				
1. Bury St. Edmunds -	Workhouse (Thingoe) -	17	10	7
	Suffolk General Hospital	21	10	11
	Sanitary Hospital - -	2	1	1
207.—Mildenhall.				
2. Lakenheath - - -	Workhouse - - -	10	4	6
	Cottage Hospital - -	1	-	1
208.—Stow.				
2. Rattlesden - - -	Workhouse - - -	25	16	9
209.—Hartismere.				
1. Mendlesham - - -	Workhouse - - -	40	27	13
2. Botesdale - - -	Workhouse (School) -	-	-	-
	Memorial Hospital - -	-	-	-
211.—Bosmere.				
1. Coddenham - - -	Workhouse - - -	26	19	7
212.—Samford.				
2. Holbrook - - -	Workhouse - - -	8	7	1
213.—Ipswich.				
1. St. Matthew - - -	Workhouse - - -	62	34	28
2. St. Clement - - -	*Borough Lunatic Asylum*	23	13	10
3. St. Margaret - - -	East Suffolk and Ipswich Hospital - - -	39	27	12
	Infectious Diseases Hosp.	2	1	1
214.—Woodbridge.				
1. Carlford - - -	*County Lunatic Asylum (Melton)* - - -	52	31	21
2. Colneis - - - -	Workhouse - - -	19	13	6
	Convalescent Home (Walton) - - - -	-	-	-
215.—Plomesgate.				
2. Orford - - - -	Workhouse - - -	7	6	1
216.—Blything.				
1. Westleton - - -	Workhouse - - -	29	18	11
217.—Wangford.				
2. Beccles - - - -	Workhouse - - -	13	8	5
	Hospital - - - -	7	4	3
218.—Mutford.				
2. Lowestoft - - -	Workhouse - - -	21	11	10
	Lowestoft Hospital - -	6	5	1
	Sanatorium - - -	-	-	-
16.—Norfolk.				
219.—Yarmouth.				
1. Yarmouth Southern -	Great Yarmouth Hospital	12	8	4
	Infectious Diseases Hosp.	-	-	-
	Royal Naval Lunatic Hosp.	13	13	-
2. Yarmouth Northern -	Workhouse - - -	62	27	35
	Infectious Diseases Hosp.	-	-	-
220.—Flegg.				
2. West Flegg - - -	Workhouse - - -	11	5	6
221.—Smallburgh.				
2. Smallburgh - - -	Workhouse - - -	19	12	7
222.—Erpingham.				
2. Cromer - - - -	Workhouse - - -	12	6	6
	Cottage Hospital - -	1	1	-
223.—Aylsham.				
2. Buxton - - - -	Workhouse - - -	21	11	10

District and Sub-district.	Name of Institution.	Deaths. Persons.	Males.	Females.
IV.-EASTERN COUNTIES—*cont.*				
16.—Norfolk—*cont.*				
224.—St. Faiths.				
1. St. Faiths - - -	Workhouse - - -	9	6	3
2. Sprowston - - -	*Norwich City Lunatic Asylum* - - -	13	9	4
225.—Norwich.				
2. East Wymer.*				
4. Mancroft - - -	Norfolk & Norwich Hosp.	49	34	15
	Bethel Lunatic Hospital -	2	2	-
5. West Wymer † - -	Workhouse (and Girls' Home) - - - -	112	62	50
	Jenny Lind Infirmary for Children - - -	5	1	4
	Iron Hospital - - -	-	-	-
	Norfolk and Norwich Eye Infirmary - - -	1	1	-
226.—Forehoe.				
2. Wymondham - -	Workhouse - - -	25	18	7
227.—Henstead.				
1. Humbleyard - - -	Workhouse - - -	6	4	2
228.—Blofield.				
1. Blofield - - - -	Workhouse - - -	11	9	2
	County Lunatic Asylum -	70	37	33
229.—Loddon.				
2. Loddon - - - -	Workhouse - - -	13	10	9
3. Woodton - - -	All Hallows Hospital -	5	1	4
230.—Depwade.				
3. Stratton - - -	Workhouse - - -	19	15	4
231.—Guiltcross.				
2. Kenninghall - - -	Workhouse - - -	18	8	10
232.—Wayland.				
1. Attleborough - -	Workhouse - - -	2	2	-
233.—Mitford.				
4. East Dereham - -	Workhouse - - -	20	7	13
5. Litcham - - -	Village Hospital - -	-	-	-
234.—Walsingham.				
2. Walsingham - -	Workhouse - - -	14	9	5
235.—Docking.				
2. Snettisham - - -	Convalescent Home -	1	-	1
3. Docking - - -	Workhouse - - -	27	21	6
236.—Freebridge Lynn.				
2. Gayton - - - -	Workhouse - - -	10	6	4
237.—King's Lynn.				
1. King's Lynn - - -	Workhouse - - -	17	8	9
	West Norfolk and Lynn Hospital - - -	16	12	4
238.—Downham.				
2. Downham - - -	Workhouse - - -	23	16	7
239.—Swaffham.				
1. Swaffham - - -	Workhouse - - -	8	8	-
240.—Thetford.				
2. Thetford - - -	Workhouse - - -	16	10	6
V.-SOUTH WESTERN COUNTIES.				
17.—Wiltshire.				
241.—Highworth.				
1. Highworth - - -	Workhouse - - -	27	21	6
2. Swindon - - -	Gt. Western Railway Hosp.	-	-	-
242.—Cricklade.				
2. Cricklade - - -	Workhouse - - -	8	4	4
	Cottage Hospital - -	1	1	-

* In the Great Hospital, an Almshouse, 19 deaths occurred during the year.
† In Heigham Hall, a private Lunatic Asylum, 6 deaths occurred during the year.

Deaths registered in the **Public Institutions** of **England** in the **Year 1882**—*continued.*

District and Sub-district.	Name of Institution.	Deaths. Persons.	Males.	Females.
V.-SOUTH WESTERN COUNTIES—*cont.*				
17.—Wiltshire-*cont.*				
243.—Malmesbury.				
1. Malmesbury Eastern -	Convalescent Home -	-	-	-
2. Malmesbury Western -	Workhouse - - -	11	5	6
244.—Chippenham.				
2. Corsham.*	——			
3. Chippenham - - -	Workhouse - - -	24	17	7
245.—Calne.				
1. Calne - - - - -	Workhouse - - -	10	4	6
246.—Marlborough.				
1. Marlborough - -	Workhouse - - -	9	5	4
	Savernake Cottage Hosp.	4	3	1
247.—Devizes.				
1. Devizes - - - -	Workhouse - - -	20	13	7
	Cottage Hospital - -	4	1	3
	Urban Sanitary Hospital	-	-	-
	County Lunatic Asylum -	64	35	29
248.—Melksham.				
1. Melksham - - -	Workhouse - - -	12	7	5
	Cottage Hospital - -	2	2	-
2. Trowbridge - - -	Cottage Hospital - -	1	1	-
	Fever Hospital - -	-	-	-
249.—Bradford-on-Avon.				
1. Bradford South-Eastern	Workhouse - - -	14	8	6
250.—Westbury.				
2. Westbury - - -	Workhouse - - -	7	5	2
251.—Warminster.				
1. Warminster - - -	Workhouse - - -	13	6	7
	Cottage Hospital - -	2	1	1
252.—Pewsey.				
1. Netheravon - - -	Workhouse - - -	8	7	1
253.—Amesbury.				
2. Amesbury - - -	Workhouse - - -	12	7	5
254.—Alderbury.				
3. Britford † - - -	Workhouse - - -	23	11	12
	General Infirmary - -	32	17	15
	Fisherton House Lun. Asy.	68	32	36
255.—Wilton.				
1. Wilton - - - -	Workhouse - - -	13	6	7
256.—Tisbury.				
2. Tisbury - - -	Workhouse - - -	6	5	1
257.—Mere.				
1. Mere - - - -	Workhouse - - -	5	4	1
18.—Dorsetshire.				
258.—Shaftesbury.				
1. Shaftesbury - - -	Workhouse - - -	8	6	2
	Cottage Hospital - -	1	-	1
259.—Sturminster.				
2. Sturminster - - -	Workhouse - - -	4	3	1
260.—Blandford.				
1. Milton Abbas - -	Cottage Hospital - -	-	-	-
2. Blandford - - -	Workhouse - - -	10	6	4
261.—Wimborne.				
3. Wimborne - - -	Workhouse - - -	9	4	5
262.—Poole.				
2. Poole - - - -	Workhouse - - -	21	12	9
	Fever Hospital - -	-	-	-
263.—Wareham.				
3. Wareham - - -	Workhouse - - -	10	8	2
V.-SOUTH WESTERN COUNTIES—*cont.*				
18.-Dorsetsh.-*cont.*				
264.—Weymouth.				
2. Weymouth - - -	Workhouse - - -	23	15	8
	Royal Hospital - -	-	-	-
	Sanatorium - - -	-	-	-
	County Eye Infirmary -	-	-	-
3. Portland - - -	Royal Navy Hospital -	5	5	-
	Station Hospital (Verne)	1	1	-
265.—Dorchester.				
1. Dorchester - - -	Workhouse - - -	13	9	4
	County Hospital - -	13	9	4
3. Maiden Newton - -	*Old County Lunatic Asylum (Forston)* - - -	4	2	2
	New County Lunatic Asylum (Charminster) -	27	16	11
4. Cerne - - - -	Workhouse - - -	4	1	3
266.—Sherborne.				
2. Sherborne - - -	Workhouse - - -	16	8	8
	Yeatman's Hospital	7	4	3
267.—Beaminster.				
2. Netherbury - - -	Workhouse - - -	11	7	4
268.—Bridport.				
2. Bridport - - -	Workhouse - - -	15	10	5
	Thomas' Hospital - -	1	-	1
19.—Devonshire.				
269.—Axminster.				
1. Lyme - - - -	Lyme Cottage Hospital -	2	2	-
	Charmouth Cottage Hosp.	-	-	-
2. Axminster - - -	Workhouse - - -	16	9	7
270.—Honiton.				
1. Honiton - - -	Workhouse - - -	14	9	5
2. Ottery St. Mary - -	Cottage Hospital (Paxford House) - - -	2	1	1
271.—St. Thomas.				
6. Heavitree ‡ - - -	Exeter Sanatorium -	6	3	3
7. St. Thomas - - -	Workhouse - - -	15	5	10
10. Kenton - - - -	*County Lunatic Asylum* -	61	35	26
	Western Counties Idiot Asylum - - -	3	1	2
272.—Exeter.				
1. Exeter Eastern -	Workhouse - -	55	30	25
	Devon and Exeter Hosp.	53	34	19
	West of England Eye Infirmary - - - -	-	-	-
273.—Newton Abbot.				
1. Teignmouth - - -	Teignmouth Infirmary -	3	2	1
	Dawlish Cottage Hospital	-	-	-
4. Ashburton - - -	Ashburton and Buckfastleigh Cottage Hospital -	2	1	1
5. Newton Abbot - -	Workhouse - - -	52	33	19
	Cottage Hospital - -	2	-	2
6. Torquay - - -	Torbay Infirmary and Dispensary.	14	11	3
	Western Hospital (Incipient Consumption) -	2	2	-
	Erith House (Institution for Invalid Ladies) -	3	-	3
274.—Totnes.				
3. Dartmouth - - -	Cottage Hospital - -	-	-	-
4. Totnes - - - -	Workhouse - - -	29	11	18
275.—Kingsbridge.				
3. West Alvington - -	Workhouse - - -	17	8	9
276.—Plympton St. Mary.				
2. Plympton ‖ - - -	Workhouse - - -	13	10	3
277.—Plymouth.				
1. Charles - - -	Workh. and Infirmary -	100	54	46
	Urban Sanitary Hospital	3	1	2
2. St. Andrew - -	South Devon and East Cornwall Hospital -	28	22	6
	Royal Eye Infirmary -	2	1	1
278.—East Stonehouse.				
1. East Stonehouse ¶ -	Workhouse - - -	17	6	11
	Royal Naval Hospital -	58	48	10

* In Kingsdown House, a private Lunatic Asylum, one death occurred during the year.
† In Laverstock House, a private Lunatic Asylum, 3 deaths occurred during the year.
‡ In Wonford House, a private Lunatic Hospital, 5 deaths occurred during the year.
‖ In Plympton House, a private Lunatic Asylum, 3 deaths occurred during the year.
¶ In the Little Sisters' Almshouse, 11 deaths occurred during the year.

Deaths registered in the **Public Institutions** of **England** in the **Year 1882**—*continued.*

District and Sub-district.	Name of Institution.	Deaths. Persons.	Males.	Females.
V.-SOUTH WESTERN COUNTIES—*cont.*				
19.—Devonsh.-*cont.*				
279.—Stoke Damerel.				
1. St. Aubyn	Female Garrison Hospital	1	-	1
2. Morice	Royal Albert Hospital and Eye Infirmary	26	14	12
3. Stoke	Workhouse	36	14	22
	Military Hospital	12	12	-
280.—Tavistock.				
2. Tavistock	Workhouse	21	13	8
281.—Okehampton.				
3. Okehampton	Workhouse	17	13	4
282.—Crediton.				
3. Crediton	Workhouse	11	6	5
283.—Tiverton.				
4. Tiverton	Workhouse	13	10	3
	Infirmary and Dispensary	4	3	1
284.—South Molton.				
2. Chulmleigh	Cottage Hospital	2	1	1
3. South Molton	Workhouse	9	8	1
285.—Barnstaple.				
1. Barnstaple	Workhouse	17	13	4
	North Devon Infirmary	9	5	4
2. Parracombe	Lynton Cottage Hospital	-	-	-
4. Ilfracombe	Cottage Hospital	2	2	-
286.—Torrington.				
5. Great Torrington	Workhouse	10	4	6
287.—Bideford.				
1. Bideford	Workhouse	15	6	9
	Infirmary	1	1	-
288.—Holsworthy.				
2. Holsworthy	Workhouse	9	5	4
20.—Cornwall.				
289.—Stratton.				
2. Stratton	Workhouse	5	3	2
	Cottage Hospital	1	-	1
290.—Camelford.				
2. Camelford	Workhouse	4	3	1
291.—Launceston.				
4. Launceston	Workhouse	9	5	4
	Launceston Infirmary and Rowe Dispensary	1	1	-
292.—St. Germans.				
1. Antony	Workhouse	13	7	6
293.—Liskeard.				
2. Liskeard	Workhouse	18	11	7
294.—Bodmin.				
3. Bodmin	Workhouse	13	9	4
	East Cornwall Hospital	1	1	-
	County Lunatic Asylum	34	18	16
295.—St. Columb.				
2. St. Columb	Workhouse	6	4	2
296.—St. Austell.				
1. Fowey	Cottage Hospital	-	-	-
2. St. Austell	Workhouse	27	10	17
297.—Truro.				
4. St. Clement	Workhouse	24	12	12
5. Kenwyn	Royal Cornwall Infirmary	7	7	-
298.—Falmouth.				
2. Falmouth	Workhouse	16	7	9
	Sailors' Home & Infirmary	10	10	-
	Swanpool Hospital (Port Sanitary Authority)	2	2	-
299.—Helston.				
2. Helston	Workhouse	24	5	19

District and Sub-district.	Name of Institution.	Deaths. Persons.	Males.	Females.
V.-SOUTH WESTERN COUNTIES—*cont.*				
20.Cornwall.-*cont.*				
300.—Redruth.				
2. Redruth	West Cornwall Miners' Hospital	5	4	1
3. Illogan	Workhouse	20	6	14
301.—Penzance.				
4. Penzance	Workhouse	30	16	14
	West Cornwall Infirmary and Dispensary	7	6	1
	Urban Sanitary Hospital	-	-	-
21.—Somersetsh.				
303.—Williton.				
2. Dunster	Village Hospital	-	-	-
3. Williton	Workhouse	15	2	13
304.—Dulverton.				
1. Dulverton	Workhouse	-	-	-
305.—Wellington.				
1. Wiveliscombe	Infirmary	-	-	-
3. Wellington	Workhouse	13	9	4
306.—Taunton.				
3. St. Mary Magdalen	Workhouse	29	14	15
	Taunton and Somerset Hosp.	35	20	15
	Eye Infirmary	-	-	-
4. St. James	Sanitary Hospital	10	4	6
307.—Bridgwater.				
4. Bridgwater	Workhouse	27	16	11
	Infirmary	9	6	3
308.—Langport.				
2. Langport	Workhouse	7	3	4
309.—Chard.				
3. Chard	Workhouse	10	7	3
4. Crewkerne	Hospital	1	-	1
310.—Yeovil.				
4. Yeovil	Workhouse	26	13	13
	District Hospital	1	-	1
311.—Wincanton.				
3. Wincanton	Workhouse	13	9	4
312.—Frome.				
2. Frome	Workhouse	38	24	14
	Cottage Hospital	8	6	2
313.—Shepton Mallet.				
1. Shepton Mallet	Workhouse	24	13	11
	District Hospital	5	3	2
314.—Wells.				
1. Wells	Workhouse	13	9	4
	Cottage Hospital	-	-	-
	County Lunatic Asylum	78	38	40
315.—Axbridge.				
3. Banwell	West of England Sanatorium	-	-	-
	Weston-super-Mare Hosp.	14	5	9
4. Axbridge	Workhouse	17	11	6
	St. Michael's Home (Consumption)	13	11	2
316.—Clutton.				
3. Clutton	Workhouse	12	10	2
	Cottage Hospital (Poulton)	3	2	1
317.—Bath.				
2. Bathwick	Statutory Hospital	5	2	3
3. Lyncombe	Workhouse	90	45	45
4. Walcot	Royal United Hospital	96	63	33
	Mineral Water Hospital	2	2	-
5. Lansdown	Eye Infirmary	-	-	-
6. Batheaston.*				
318.—Keynsham.				
4. Keynsham †	Workhouse	24	12	12
319.—Bedminster.				
1. Bedminster	Bristol General Hospital (part of)	42	28	14
	Small-pox and Fever Hospital	1	-	1
2. Long Ashton	Workhouse	37	22	15
3. Yatton	Clevedon Cottage Hospital	3	-	3

* In Bailbrook House, a private Lunatic Asylum, 2 deaths occurred during the year.
† In Brislington House, a private Lunatic Asylum, 3 deaths occurred during the year.

Deaths registered in the Public Institutions of England in the Year 1882—*continued.*

District and Sub-district.	Name of Institution.	Deaths. Persons.	Males.	Females.
VI.—WEST MIDLAND COUNTIES.				
22.—Gloucestersh.				
320.—Bristol.				
1. St. Mary Redcliff	General Hospital (part of)	45	33	12
	Small-pox and Fever Hospital	1	1	-
2. Castle Precincts	Workhouse (St. Peter's Hospital)	3	1	2
4. St. James	Royal Infirmary	200	125	75
	Eye Hospital	-	-	-
5. St. Augustine	Hospital for Sick Children	11	8	3
	Lock Hospital	-	-	-
321.—Barton Regis.				
1. Clifton	Home for Invalids	-	-	-
	Home for Crippled Children	1	1	-
3. Stapleton	Workhouse	174	98	76
	Workhouse (City of Bristol)	148	80	68
	Hambrook Village Hosp.	2	-	2
	Bristol Lunatic Asylum	35	22	13
322.—Chipping Sodbury.				
4. Iron Acton *	Workhouse	15	10	5
323.—Thornbury.				
2. Thornbury	Workhouse	14	11	3
3. Berkley	Cottage Hospital	1	1	-
324.—Dursley.				
3. Dursley	Workhouse	12	6	6
325.—Westbury-on-Severn.				
2. Huntley	Workhouse	20	13	7
326.—Newent.				
1. Newent	Workhouse	16	9	7
327.—Gloucester.				
1. Kingsholm †	*County Lunatic Asylum*	78	51	27
	County Lunatic Asylum (Barnwood)	2	1	1
2. St. Nicholas	Workhouse	43	24	19
	St. Lucy's Hosp. for Children	5	2	3
3. St. John the Baptist	General Infirmy. (part of)	10	9	1
4. South Hamlet	General Infirmy. (part of)	36	19	17
	Fever Hospital	2	2	-
328.—Wheatenhurst.				
2. Frampton	Workhouse	9	6	3
329.—Stroud.				
1. Stonehouse	Oxlinch Cottage Hospital	-	-	-
4. Stroud	Workhouse	53	38	15
	General Hospital	10	7	3
	Convalescent Home	-	-	-
330.—Tetbury.				
2. Tetbury	Workhouse	4	3	1
	Cottage Hospital	1	-	1
331.—Cirencester.				
2. Cirencester	Workhouse	27	15	12
	Cottage Hospital	4	2	2
	Hos. for Contagious Dis.	-	-	-
3. Fairford	Rural Hospital	-	-	-
332.—Northleach.				
1. Bibury	Workhouse	11	6	5
2. Chedworth ‡				
333.—Stow-on-the-Wold.				
1. Bourton-on-the-Water	Cottage Hospital	-	-	-
2. Stow-on-the-Wold	Workhouse	14	11	3
334.—Winchcomb.				
1. Guiting	Workhouse	14	12	2
335.—Cheltenham.				
1. Charlton Kings	De Lacey Hospital	1	1	-
2. Cheltenham	Workhouse	49	30	19
	General Hosp. & Dispensy.	29	17	12
	Home for Sick Children (Belmont House)	3	2	1
336.—Tewkesbury.				
1. Tewkesbury	Workhouse	12	7	5
	Rural Hospital	3	2	1
VI.—WEST MIDLAND COUNTIES—*cont.*				
23.—Herefordsh.				
337.—Ledbury.				
1. Ledbury	Workhouse	22	16	6
	Cottage Hospital	-	-	-
338.—Ross.				
2. Ross	Workhouse	24	16	8
	Cottage Hospital	3	2	1
339.—Hereford.				
3. Burghill	*County and City Lunatic Asylum*	20	17	3
4. Hereford City	Workhouse	52	33	19
	General Infirmary	14	12	2
6. Kentchurch	Workh. (Abbey Dore)	14	12	2
340.—Weobly.				
1. Weobly	Workhouse	9	6	3
341.—Bromyard.				
1. Bromyard	Cottage Hospital	3	1	2
3. Brockhampton	Workhouse	13	7	6
342.—Leominster.				
1. Leominster	Workhouse	10	7	3
343.—Kington.				
3. Kington	Workhouse	13	9	4
24.—Shropshire.				
344.—Ludlow.				
2. Ludlow	Workhouse	19	10	9
345.—Clun.				
2. Bishops Castle	Workhouse	5	2	3
346.—Church Stretton.				
1. Church Stretton §	Workhouse	6	5	1
347.—Cleobury Mortimer.				
1. Cleobury Mortimer	Workhouse	4	3	1
348.—Bridgnorth.				
2. Bridgnorth	Workhouse	25	15	10
	South Salop & Bridgnorth Infirmary & Dispensary	1	1	-
3. Worfield	Workhouse (District Industrial School)	1	-	1
349.—Shifnal.				
2. Shifnal	Workhouse	8	6	2
350.—Madeley.				
2. Madeley	Workhouse	27	16	11
351.—Atcham.				
1. Condover	Workhouse	45	30	15
8. St. Mary, Shrewsbury	Salop Infirmary	83	54	29
	Salop and Montgomery Counties Lunatic Asyl.	54	32	22
9. St. Chad, Shrewsbury	Shropshire Eye, Ear, and Throat Hospital	-	-	-
352.—Oswestry.				
3. Oswestry	Workhouse (House of Industry)	38	27	11
	Cottage Hospital	6	5	1
353.—Ellesmere.				
3. Ellesmere	Workhouse	12	9	3
354.—Wem.				
1. Wem	Workhouse	12	8	4
355.—Whitchurch.				
1. Whitchurch	Workhouse	10	6	4
356.—Market Drayton.				
2. Market Drayton	Workhouse	17	7	10

* In Northwoods, a private Lunatic Asylum, 3 deaths occurred during the year.
† In Barnwood House, a private Lunatic Hospital, 10 deaths occurred during the year.
‡ In Sandywell Park, a private Lunatic Asylum, 2 deaths occurred during the year.
§ In Stretton House, and Grove House, two private Lunatic Asylums, 4 and one deaths respectively occurred during the year.

Deaths registered in the **Public Institutions** of **England** in the **Year 1882**—*continued.*

District and Sub-district.	Name of Institution.	Deaths. Persons.	Males.	Females.
VI.—WEST MIDLAND COUNTIES—*cont.*				
24.—Shropshire—*cont.*				
357.—Wellington.				
2. Wellington	Workhouse	23	16	7
358.—Newport.				
1. Newport	Workhouse	8	5	3
25.—Staffordshire.				
359.—Stafford.				
1. Stafford *	Workhouse	35	21	14
	Staffordsh. General Infirm.	36	28	8
	County Lunatic Asylum	105	58	47
360.—Stone.				
1. Stone	Workhouse	14	12	2
	St. Mary's Hospital (Convent Hospital)	1	-	1
361.—Newcastle-under-Lyme.				
2. Newcastle-under-Lyme	Workhouse	29	17	12
	Urban Sanitary Hospital	8	6	2
362.—Wolstanton.				
2. Tunstall	Workhouse	47	24	23
363.—Stoke-upon-Trent.				
3. Stoke-upon-Trent	Workhouse	105	68	37
	North Staffordsh. Infirm.	103	66	37
	Home for Incurables	-	-	-
5. Longton	Cottage Hospital	11	7	4
364.—Leek.				
2. Leek	Workhouse	16	10	6
	Fever Hospital	-	-	-
	Cottage Hospital	7	4	3
365.—Cheadle.				
4. Cheadle	Workhouse	13	9	4
366.—Uttoxeter.				
1. Uttoxeter	Workhouse	4	2	2
367.—Burton-upon-Trent.				
2. Repton	*Derby County Lunatic Asylum*	34	18	16
4. Burton-upon-Trent	Workhouse	37	26	11
	Infirmary (Duke Street)	21	17	4
	Cottage Hospital	1	-	1
368.—Tamworth.				
1. Tamworth	Workhouse	12	9	3
	Cottage Hospital	6	6	-
369.—Lichfield.				
1. Lichfield	Workhouse	27	21	6
	County Lunatic Asylum (Burntwood)	94	45	49
2. Yoxall	Cottage Hospital	2	2	-
3. Rugeley	District Hospital	5	3	2
	Cottage Hospital	-	-	-
370.—Cannock.				
3. Cannock	Workhouse	18	15	3
371.—Wolverhampton.				
3. Wombourn	Workhouse (Seisdon)	7	7	-
5. Wolverhampton East	Workhouse	170	105	65
	South Staffords. Hospital	93	55	38
372.—Walsall.				
1. Darlaston	Small-pox Hospital	1	-	1
3. Walsall	Workhouse	94	60	34
	Cottage Hospital	21	15	6
	Small-pox Hospital	-	-	-
373.—West Bromwich.				
3. West Bromwich S. West	West Bromwich District Hospital	26	18	8
4. West Bromwich N. East	Workhouse	146	83	63
	Workhouse (West Bromwich & Walsall Industrial School)	4	2	2
5. Wednesbury	Infectious Diseases Hosp.	13	6	7
374.—Dudley.				
1. Rowley Regis	Small-pox Hospital	2	1	1
3. Sedgley	Workhouse	101	67	34
4. Dudley	Guest Hospital	45	34	11
VI.—WEST MIDLAND COUNTIES—*cont.*				
26.—Worcestersh.				
375.—Stourbridge.				
3. Kingswinford †	Workhouse	59	36	23
376.—Kidderminster.				
3. Kidderminster	Workhouse	50	32	18
	Infirmary	8	4	4
377.—Tenbury.				
1. Tenbury	Workhouse	9	4	5
	St. Mary's Hosp. (Burford)	1	1	-
378.—Martley.				
1. Martley	Workhouse	11	7	4
4. Leigh	Rural or Malvern Hospital	4	3	1
379.—Worcester.				
2. North Worcester	Workhouse	35	26	9
	Worcester General Infirmary	55	33	22
380.—Upton-on-Severn.				
1. Hanley Castle	*County and City Lunatic Asylum*	67	40	27
2. Upton-on-Severn	Workhouse	17	14	3
381.—Evesham.				
1. Evesham	Workhouse	20	16	4
	Cottage Hospital	2	2	-
382.—Pershore.				
2. Pershore	Workhouse	14	8	6
383.—Droitwich.				
1. Claines	City of Worcester Small-pox Hospital	1	-	1
3. Droitwich	Workhouse	14	5	9
	Cottage Hospital	1	1	-
	Small-pox Hospital	-	-	-
384.—Bromsgrove.				
1. Bromsgrove	Workhouse	29	17	12
	Blackwell Sanatorium	1	1	-
	Cottage Hospital	-	-	-
385.—Kings Norton.				
1. Kings Norton	*Borough Lunatic Asylum* (Rubery Hill)	50	31	19
2. Edgbaston	Workhouse	49	34	15
3. Harborne.‡				
27.—Warwicksh.				
386.—Birmingham.				
1. Lady Wood	Children's Hospital	76	48	28
2. St. Thomas	Queen's Hospital	131	85	46
	Birmingham and Midland Eye Hospital	1	1	-
4. St. George	General Hospital	253	160	93
5. All Saints	Workhouse	519	319	200
	Borough Hospital	78	42	36
	Homœopathic Hospital	12	7	5
	Borough Lunatic Asylum	72	41	31
387.—Aston.				
3. Erdington	Workhouse	127	70	57
388.—Meriden.				
1. Coleshill	Workhouse (Marston Green Homes)	-	-	-
2. Meriden	Workhouse	18	15	3
389.—Atherstone.				
1. Atherstone	Workhouse	13	4	9
390.—Nuneaton.				
1. Nuneaton	Workhouse	15	11	4
391.—Foleshill.				
1. Foleshill	Workhouse	7	4	3
392.—Coventry.				
1. St. John	Workhouse	54	36	18
2. Holy Trinity	Coventry and Warwick Hospital	28	19	9
	Iron Hospital (Infectious Diseases)	-	-	-

* In the Charitable Institution for the Insane, a private Lunatic Asylum, 5 deaths occurred during the year.
† In Ashwood House, a private Lunatic Asylum, 3 deaths occurred during the year.
‡ In the Home for Aged Poor, 17 deaths occurred during the year.

Deaths registered in the **Public Institutions** of **England** in the **Year 1882**—*continued.*

District and Sub-district.	Name of Institution.	Deaths. Persons.	Males.	Females.
VI.—WEST MIDLAND COUNTIES—*cont.*				
27.—Warwicksh. —*cont.*				
393.—Rugby.				
1. Rugby	Workhouse	25	17	8
	Rugby Hospital	9	8	1
	Urban District Hospital	-	-	-
394.—Solihull.				
1. Solihull	Workhouse	13	7	6
	Birmingham and Midland Hospital for Women	14	-	14
2. Knowle*	—			
395.—Warwick.				
1. Warwick	Workhouse	51	31	20
	Cottage Hospital	1	-	1
	County Lunatic Asylum	75	31	44
2. Leamington	Warneford Hospital	22	16	6
	Midland Counties Home for Incurables	1	-	1
396.—Stratford-on-Avon.				
3. Stratford-on-Avon	Infirmary	15	10	5
4. Old Stratford	Workhouse	25	19	6
5. Wootton Wawen.†	—			
397.—Alcester.				
2. Alcester	Workhouse	18	16	2
	Sanatorium (Infectious Diseases)	1	-	1
398.—Shipston-on-Stour.				
2. Moreton	Cottage Hospital	2	2	-
3. Shipston-on-Stour	Workhouse	18	13	5
399.—Southam.				
1. Southam	Workhouse	11	6	5
VII.—NTH. MIDLAND COUNTIES.				
28.—Leicestersh.				
400.—Lutterworth.				
1. Lutterworth	Workhouse	13	7	6
401.—Market Harborough.				
1. Market Harborough	Workhouse	11	7	4
402.—Billesdon.				
1. Billesdon	Workhouse	4	3	1
	Leicester Borough Lunatic Asylum	43	28	15
403.—Blaby.				
2. Enderb	Workhouse	14	9	5
	Leicester Borough Hosp. (Infectious Diseases)	31	17	14
404.—Hinckley.				
2. Hinckley	Workhouse	21	11	10
405.—Market Bosworth.				
1. Market Bosworth	Workhouse	14	6	8
406.—Ashby-de-la-Zouch.				
3. Ashby-de-la-Zouch	Workhouse	14	12	2
407.—Loughborough.				
1. Loughborough	Workhouse	30	23	7
	Infirmary and Dispensary	5	5	-
408.—Barrow-upon-Soar.				
2. Quorndon	Cottage Hospital	-	-	-
3. Rothley	Workhouse	12	5	7
409.—Leicester.				
1. East Leicester	Workhouse	127	73	54
2. West Leicester	General Infirmary	106	66	40
	Leicester and Rutland Counties Lunatic Asylum	32	23	9
410.—Melton Mowbray.				
2. Melton Mowbray	Workhouse	20	16	4
VII.—NTH. MIDLAND COUNTIES—*cont.*				
29.—Rutlandshire.				
411.—Oakham.				
1. Oakham	Workhouse	12	8	4
412.—Uppingham.				
1. Uppingham	Workhouse	9	4	5
30.—Lincolnshire.				
413.—Stamford.				
1. Stamford	Workhouse	20	13	7
	Stamford and Rutland General Infirmary	11	10	1
414.—Bourn.				
3. Bourn	Workhouse	16	10	6
415.—Spalding.				
4. Spalding	Workh. and Infirmary	35	26	9
	Infirmary and Dispensary	-	-	-
	Johnson Hospital	2	1	1
416.—Holbeach.				
3. Holbeach	Workhouse	25	18	7
417.—Boston.				
4. Boston	Workhouse	48	29	19
	Cottage Hospital	5	4	1
418.—Sleaford.				
2. Sleaford	Workhouse	24	10	14
419.—Grantham.				
2. Grantham North	Workhouse	26	15	11
	Grantham Hospital	3	3	-
420.—Lincoln.				
2. Lincoln Home ‡	Workhouse	63	43	20
	County Hospital	46	35	11
	Small-pox Hospital	5	4	1
	County Lunatic Asylum	81	43	38
421.—Horncastle.				
2. Horncastle	Workhouse	23	17	6
422.—Spilsby.				
3. Spilsby	Workhouse	15	9	6
423.—Louth.				
1. Withern	Mablethorpe Convalescent Home	-	-	-
2. Louth	Workhouse	24	20	4
	Hospital and Dispensary	2	2	-
424.—Caistor.				
1. Great Grimsby	Grimsby & District Hosp.	18	14	4
	Small-pox Hospital	-	-	-
2. Caistor	Workhouse	24	16	8
3. Market Rasen	Cottage Hospital	-	-	-
425.—Glanford Brigg.				
1. Brigg	Workhouse	39	30	9
426.—Gainsborough.				
4. Gainsborough	Workhouse	21	13	8
	Hospital (Urban Sanitary)	-	-	-
5. Willingham	Reynard Cottage Hosp.	1	-	1
31.—Nottinghmsh.				
427.—East Retford.				
2. Clarborough	Workhouse	14	8	6
428.—Worksop.				
1. Worksop	Workhouse	25	18	7
	Cottage Hospital	-	-	-
429.—Mansfield.				
1. Warsop	Mansfield Woodhouse District Hospital	2	2	-
5. Mansfield	Workhouse	26	19	7
430.—Basford.				
3. Basford	Workhouse	73	48	25

* In the Midland Counties Private Idiot Asylum, 2 deaths occurred during the year.
† In Glendossil, a private Lunatic Asylum, 2 deaths occurred during the year.
‡ In the Lincoln Lunatic Hospital, 7 deaths occurred during the year.

Deaths registered in the **Public Institutions** of **England** in the **Year 1882**—*continued.*

District and Sub-district.	Name of Institution.	Deaths. Persons.	Males.	Females.
VII.—NTH. MIDLAND COUNTIES—*cont.*				
31.—Nottinghmsh.—*cont.*				
431.—Nottingham.				
2. Radford	Workhouse Schools (Training Institution)	2	2	-
3. Sneaton	*County Lunatic Asylum*	41	24	17
6. St. Ann's	Workhouse	208	115	93
	Corporation Hospital	53	34	19
	Borough Lunatic Asylum	31	19	12
9. Park†	General Hospital	87	55	32
	Hospital for Women	6	-	6
	Children's Hospital	14	9	5
	Notts and Midland Eye Infirmary	-	-	-
432.—Southwell.				
1. Southwell	Workhouse	13	7	6
433.—Newark.				
Newark	Workhouse Infirmary	9	4	5
	Hospital and Dispensary	12	9	3
	Temporary Small-pox Hospital	3	3	-
5. Claypole	Workhouse	4	4	-
434.—Bingham.				
1. Bingham	Workhouse	11	5	6
32.—Derbyshire.				
435.—Shardlow.				
3. Shardlow	Workhouse	22	15	7
436.—Derby.				
1. Derby	Derbyshire and General Infirmary	101	64	37
	Hosp. for Sick Children	4	1	3
437.—Belper.				
1. Duffield	Workhouse (Derby)	81	60	21
	Derby Sanatorium	2	1	1
3. Belper	Workhouse	26	18	8
6. Wirksworth	Cottage Hospital	1	1	-
438.—Ashborne.				
3. Ashborne	Workhouse	4	2	2
439.—Chesterfield.				
2. Chesterfield	Workhouse	58	41	17
	Chesterfield and North Derbyshire Hospital and Dispensary	24	20	4
440.—Bakewell.				
1. Bakewell	Workhouse	20	14	6
2. Matlock	Smedley's Memorial Hosp.‡	-	-	-
441.—Chapel-en-le-Frith.				
1. Buxton §	Devonshire Hospital	2	1	1
2. Chapel-en-le-Frith	Workhouse	21	15	6
442.—Hayfield.				
1. Glossop	Workhouse	20	6	14
	Cottage Hospital	-	-	-
2. Hayfield	Workhouse	15	11	4
VIII.—NTH. WESTERN COUNTIES.				
33.—Cheshire.				
443.—Stockport.				
3. Heaton Norris	Hospital for Incurables ‖	5	1	4
4. Stockport First	Workhouse	129	67	62
	Infirmary	31	24	7
6. Cheadle	Barnes Convalescent Hosp.	25	15	10
	Manchester Royal Lunatic Hospital	17	12	5
444.—Macclesfield.				
4. East Macclesfield	Workhouse (Ind. School)	-	-	-
5. West Macclesfield	Workhouse	80	46	34
	General Infirmary	19	11	8
445.—Altrincham.	*County Lunatic Asylum* (Parkside)	55	34	21
1. Wilmslow	*Manchester Royal Lunatic Hospital (branch of)*	-	-	-
2. Altrincham	Lloyd's Hosp. (branch of)	4	1	3
	Provident Hospital	1	-	1
4. Knutsford	Workhouse	35	31	4
446.—Runcorn.				
2. Daresbury	Workhouse	31	18	13
VIII.—NTH. WESTERN COUNTIES—*cont.*				
33.—Cheshire—*cont.*				
447.—Northwich.				
2. Northwich	Workhouse	22	16	6
448.—Congleton.				
2. Congleton	Cottage Hospital	2	2	-
3. Sandbach	Workhouse	20	14	6
449.—Nantwich.				
1. Crewe	Hospital (L. & N.W. Ry.)	2	2	-
2. Nantwich	Workhouse	33	19	14
450.—Chester.				
2. Chester Castle	Workhouse	8	5	3
3. Chester Cathedral	Workhouse (House of Industry)	54	34	20
	General Infirmary	44	23	21
	County Lunatic Asylum	75	47	28
4. Hawarden	Workhouse	3	2	1
451.—Wirral.				
2. Eastham	Workhouse	4	3	1
452.—Birkenhead.				
1. Birkenhead	Borough Hospital	42	33	9
	Lying-in Hospital	1	-	1
	Wirral Children's Hospital	7	4	3
	Fever Hospital	16	10	6
2. Tranmere	Workhouse, & Workhouse Hospital and Schools	98	61	37
3. Wallasey	Cottage Hosp. (Seacombe)	6	3	3
	Cottage Hosp. (Wallasey)	6	2	4
	Convalescent Institution	-	-	-
34.—Lancashire.				
453.—Liverpool.				
2. Howard Street	Northern Hospital	129	107	22
3. Dale Street	Ear and Eye Hospital	-	-	-
6. Mount Pleasant	Workhouse	1608	916	692
	Royal Infirmary	253	173	80
	Children's Infirmary	59	32	27
	Gen. Hosp. for Consumption and Dis. of Chest	14	8	6
	Lying-in Hospital	-	-	-
	Lock Hospital	-	-	-
	Eye and Ear Infirmary	1	1	-
	Lunatic Hospital	-	-	-
7. Islington	Cancer Hospital	1	1	-
	East Dispensary	2	2	-
454. Toxteth Park.				
1. Toxteth Park	Workhouse	247	131	116
	Workh., Dingle Mount (Hospital for Epileptics and Imbeciles)	1	-	1
455.—West Derby.	Royal Southern Hospital	136	98	38
1. Everton	Workhouse Infirmary (Mill Road Hospital)	263	153	110
	Netherfield Hospital (Infectious Diseases)	50	30	20
2 Kirkdale	Workhouse (Industrial Schools, Kirkdale)	6	4	2
	Stanley Hospital	56	40	16
3. Walton	Workhouse	423	257	166
	Bootle Borough Hospital	41	35	6
6. West Derby Rural. ¶				
8. Wavertree	Hospital (Accidents)**	-	-	-
456.—Prescot.				
2. Much Woolton	Liverpool Convalescent Institution	1	-	1
4. Farnworth	Cottage Hospital	2	2	-
5. Prescot	Workhouse	118	76	42
6. St. Helens	Cottage Hospital	7	6	1
457.—Ormskirk.	*County Lunatic Asylum* (Rainhill)	63	32	31
4. Formby	Local Board Hospital	-	-	-
5. North Meols	Convalescent Hospital	8	5	3
	Southport Infirmary and Local Dispensary	14	7	7
	Southport Borough Cottage Hospital	-	-	-
	Hydropathic Hospital	2	2	-
	Children's Sanatorium	-	-	-
8. Ormskirk	Workhouse	33	24	9
458.—Wigan.				
3. Wigan	Workhouse	92	66	26
	Royal Albert Edward Inf.	53	39	14
	Borough Hospital (Infectious Diseases)	3	1	2
5. Pemberton	Local Board Hospital	-	-	-
7. Ashton-in-Makerfield	Temporary Sm.-pox Hosp.	-	-	-

* In the Coppice, a Lunatic Hospital, no death occurred during the year.
† On the 1st July 1882 the sub-districts of Castle and Park were united and named Park sub-district. The figures are given as if the alteration had been effected on 1st January.
‡ This Hospital was opened in May 1882.
§ In Wye House, a private Lunatic Asylum, one death occurred during the year.
‖ This Hospital was transferred from Ardwick sub district to Charlton (464 : 2) in June 1882. The figures are given as if the transfer had been effected on 1st January.
¶ In The Brook Villa, a private Lunatic Asylum, 5 deaths occurred during the year.
** This Hospital was opened in April 1882.

Deaths registered in the **Public Institutions** of **England** in the **Year 1882**—*continued.*

District and Sub-district.	Name of Institution.	Deaths. Persons.	Males.	Females.
VIII.-NTH. WESTERN COUNTIES—*cont.*				
34.—Lancashire—*cont.*				
459.—Warrington.				
1. Newton-in-Makerfield	*Haydock Lodge Lunatic Asylum*	43	21	22
4. Warrington	Workhouse	81	52	29
	Warrington Infirmary and Dispensary	5	2	3
	Infectious Diseases Hosp.	34	19	15
460.—Leigh.				
4. Atherton	Workhouse	59	40	19
461.—Bolton.				
1. Farnworth	Workhouse	236	140	96
11. Bolton Eastern	Infirmary and Dispensary	25	17	8
462.—Bury.				
4. Birtle	Workhouse	127	73	54
5. Heywood	Small-pox Hospital	-	-	-
7. North Bury	Bury Dispensary and Hos.	3	2	1
8. Elton	Florence Nightingale Hos. (Infectious Diseases)	3	2	1
463. Barton-upon-Irwell.				
1. Worsley	Workhouse (Industrial School)	2	2	-
2. Barton	Workhouse	53	24	29
464.—Chorlton.				
1. Didsbury	Workhouse	444	217	227
2. Ardwick.*				
3. Chorlton-upon-Medlock	Manchester Southern Hos. (Women and Children)	2	-	2
465.—Salford.				
1. Pendleton	Workhouse Infirmary†	61	31	30
	Workhouse (Hope Hosp.)	20	2	18
	Children's Hospital	88	45	43
3. Greengate	Royal Hosp. and Dispensy.	52	37	15
4. Regent Road	Workhouse	287	149	138
	Wilton Hospital	29	15	14
466.—Manchester.				
1. Ancoats	Ardwick and Ancoats Hospital	5	4	1
2. Central	Workhouse and Infirmy.	3	1	2
	Royal Infirmary and Dispensary	344	239	105
	Lock Hospital	-	-	-
	St. Mary's Hospital	14	1	13
	Hospital for Consumption and Diseases of Chest	-	-	-
	Royal Eye Hospital	-	-	-
467.—Prestwich.				
1. Newton	Monsall Hospital	128	71	57
2. Cheetham	Workh. (Manchester)	763	425	338
	Workhouse (Prestwich)	58	26	32
	Clinical Hospital	33	19	14
3. Failsworth	St. Mary's Hospital	-	-	-
5. Prestwich	*County Lunatic Asylum*	71	38	33
468.-Ashton-under-Lyne.				
2. Ashton Town	Workhouse	189	107	82
	Infirmary	26	16	10
469.—Oldham.				
1. Oldham-below-Town	Workhouse	220	133	87
	Infirmary	32	25	7
	Westhulme Hospital	10	5	5
470.—Rochdale.				
5. Spotland-nearer	Hospital for Infectious Diseases	14	8	6
7. Wardleworth	Infirmary and Dispensary	7	5	2
8. Wuerdle	Workhouse	162	94	68
471.—Haslingden.				
2. Rossendale	Workhouse	78	47	31
472.—Burnley.				
1. Burnley‡	Workhouse	82	54	28
	Fever Hospital	2	1	1
473.—Clitheroe.				
4. Clitheroe	Workhouse	32	26	6
VIII.-NTH. WESTERN COUNTIES—*cont.*				
34.—Lancashire—*cont.*				
474.—Blackburn.				
4. Blackburn	Workhouse	172	97	75
	Blackburn and East Lancashire Infirmary	45	32	13
	Small-pox Hospital	-	-	-
475.—Chorley.				
4. Chorley	Workhouse	34	19	15
476.—Preston.				
3. St. Peter	Royal Infirmary	48	25	23
6. Alston	Workhouse	5	5	-
7. Broughton	Workhouse	165	94	71
	County Lunatic Asylum (Whittingham)	172	100	72
477.—Fylde.				
1. Kirkham	Workhouse	30	12	18
2. Lytham	Cottage Hospital	1	1	-
478.—Garstang.				
3. Garstang	Workhouse	4	2	2
479.—Lancaster.				
3. Lancaster	Workhouse	22	17	5
	Infirmary and Dispensary	13	10	3
	County Lunatic Asylum (Lancaster Moor)	95	49	46
	Royal Albert Idiot Asylum	5	5	-
480.—Lunesdale.				
2. Wray	Workhouse	4	2	2
481.—Ulverston.				
3. Ulverston	Workhouse	36	23	13
	Cottage Hospital	2	2	-
482.—Barrow-in-Furness.				
1. Barrow-in-Furness	Workhouse	24	12	12
	North Lonsdale Hospital	14	12	2
	Small-pox and Fever Hos.	-	-	-
IX.—YORKSHIRE.				
35.—West Riding.				
483.—Sedbergh.				
1. Sedbergh	Workhouse	5	5	-
484.—Settle.				
2. Settle	Workhouse	6	4	2
485.—Skipton.				
5. Skipton	Workhouse	27	18	9
486.—Pateley Bridge.				
2. Pateley Bridge	Workhouse	6	4	2
487.—Ripon.				
1. Ripon	Workhouse	17	11	6
	Infirmary and Dispensary	-	-	-
488.—Great Ouseburn.				
2. Whixley	Workhouse	6	4	2
3. Poppleton.§				
489.—Knaresborough.				
1. Knaresborough	Workhouse	17	11	6
2. Harrogate	Bath Hospital	1	1	-
	Cottage Hospital	2	2	-
490.—Wetherby.				
1. Wetherby	Workhouse	14	8	6
491.—Wharfedale.				
1. Horsforth	Convalescent Hospital	2	2	-
2. Pewston	Workhouse	17	11	6
3. Otley	Charity Hospital	2	2	-
492.—Keighley.				
2. Keighley	Workhouse	48	28	20
	Cottage Hospital	2	2	-
493.—Todmorden.				
2. Todmorden	Workhouse	13	13	-
	Small-pox Hospital	1	1	-

* The Hospital for Incurables was transferred to Heaton Norris, sub-district of Stockport (443 : 3), in June 1882.
† This Workhouse Infirmary was opened in October 1882.
‡ In Marsden Hall, a private Lunatic Asylum, 2 deaths occurred during the year.
§ In Grove House, a private Lunatic Asylum, one death occurred during the year

Deaths registered in the **Public Institutions** of **England** in the **Year 1882**—*continued.*

District and Sub-district.	Name of Institution.	Deaths. Persons.	Males.	Females.
IX.—YORKSHIRE—*cont.*				
35.—West Riding—*cont.*				
494.—Saddleworth.				
2. Upper Mill	Workhouse	22	16	6
495.—Huddersfield.				
2. Honley	Workhouse	38	31	7
	Convalescent Home	1	1	-
8. Huddersfield	Infirmary	62	48	14
	Birkby Hospital	14	8	6
9. Lockwood	Workhouse	95	62	33
496.—Halifax.				
3. Southowram	Borough Hospital	4	3	1
4. Halifax	Workhouse	116	69	47
	Infirmary	37	29	8
497.—Bradford.				
5. Bradford East End	Fever Hospital	56	25	31
6. Bradford West End	Infirmary	65	39	26
	Eye and Ear Hospital	1	1	-
7. Horton	Workhouse	218	110	108
8. Thornton	Workhouse (North Bierley)	46	30	16
10. Shipley	Saltaire Infirmary	-	-	-
498.—Hunslet.				
1. Hunslet	Workh. and Infirmary	46	29	17
499.—Holbeck.				
1. Holbeck	Workhouse	15	12	3
500.—Bramley.				
3. Wortley	Workhouse	30	17	13
501.—Leeds.				
2. North Leeds	Workhouse, Infirmary and Industrial School	255	157	98
	House of Recovery (Fever Hospital)	33	17	16
	Borough Hospital	25	9	16
3. West Leeds *	General Infirmary	206	123	83
	Hospital for Women and Children	5	-	5
502.—Dewsbury.				
2. Batley	Cottage Hospital	2	2	-
6. Dewsbury	Workhouse	100	58	42
	Dewsbury and District General Infirmary	20	15	5
503.—Wakefield.				
3. Stanley	Workhouse	68	39	29
	Stanley Cottage Hospital	-	-	-
	West Riding Lunatic Asylum	135	67	68
4. Wakefield	Clayton Hosp. and Wakefield General Dispensy.	22	15	7
	Fever Hospital	2	2	-
504.—Pontefract.				
3. Pontefract	Workhouse	29	18	11
505.—Hemsworth.				
1. Hemsworth	Workhouse	11	8	3
506.—Barnsley.				
2. Barnsley	Workhouse	71	50	21
	Beckett's Hospital and Dispensary	12	11	1
	Corporation Fever Hospital	-	-	-
507.—Wortley.				
3. Penistone	Workhouse	10	7	3
5. Ecclesfield	Workhouse	22	12	10
508.—Ecclesall Bierlow.	*South Yorkshire Lunatic Asylum*	119	61	58
4. Ecclesall Bierlow	Workhouse	76	46	30
	Children's Hospital	3	2	1
509.—Sheffield.				
1. West Sheffield	Public Hosp. and Dispensy.	37	24	13
	Hospital for Women	8	2	6
2. North Sheffield	Workhouse	1	-	1
	General Infirmary	129	91	38
	Fever Hospital	8	5	3
5. Brightside	Workhouse	278	173	105
510.—Rotherham.				
2. Rotherham	Workhouse	59	38	21
	Hospital and Dispensary	13	11	2
IX.—YORKSHIRE—*cont.*				
35.—West Riding—*cont.*				
511.—Doncaster.				
3. Doncaster	Workhouse	61	43	18
	Infirmary and Dispensary	9	8	1
512.—Thorne.				
2. Thorne	Workhouse	12	6	6
513.—Goole.				
2. Goole	Workhouse	20	12	8
	Fever Hospital (Urban Sanitary)	2	1	1
514.—Selby.				
2. Selby	Workhouse	20	13	7
515.—Tadcaster.				
2. Tadcaster	Workhouse	10	6	4
36.—East Riding.				
516.—York.				
2. Bootham	Workhouse	122	70	52
	North Riding Lunatic Asylum	56	32	24
	York Lunatic Hospital	5	3	2
4. Walmgate †	County Hospital	36	23	13
	Military Hospital	10	10	-
517.—Pocklington.				
2. Pocklington	Workhouse	10	6	4
518.—Howden.				
3. Howden	Workhouse	17	9	8
519.—Beverley.				
2. Beverley	Workhouse	15	10	5
	Cottage Hospital	1	1	-
	East Riding Lunatic Asyl.	30	14	16
520.—Sculcoates.				
6. Drypool	Hull Local Board Hosp.	23	11	12
7. East Sculcoates	Marine Hospital (R.N.)	-	-	-
8. West Sculcoates	Workhouse	94	53	41
	Hospital for Sick Children	9	4	5
521.—Hull.				
3. Myton	Workhouse	121	72	49
	General Infirmary	110	84	26
	Borough Lunatic Asylum	25	16	9
522.—Patrington.				
1. Patrington	Workhouse	10	8	2
523.—Skirlaugh.				
2. Skirlaugh	Workhouse	8	7	1
524.—Driffield.				
2. Driffield	Workhouse	5	4	1
	Cottage Hospital	-	-	-
525.—Bridlington.				
2. Bridlington	Workhouse	11	8	3
	Lloyd's Cottage Hospital	1	1	-
	St. Ann's Convlt. Home	1	1	-
37.—North Riding.				
526.—Scarborough.				
2. Scarborough	Workhouse	43	24	19
	Dispensary and Accident Hospital	-	-	-
	Royal Northern Sea-bathing Infirmary	3	3	-
	Sanatorium (Small-pox Hospital)	1	-	1
	Cottage Hospital	3	1	2
527.—Malton.				
3. Malton	Workhouse	18	13	5
528.—Easingwold.				
2. Easingwold	Workhouse	9	8	1

* In the Little Sisters' Home, or Consort Terrace Hospital, 16 deaths occurred during the year.
† In The Retreat, a private Lunatic Hospital, 11 deaths occurred during the year.

Deaths registered in the **Public Institutions** of **England** in the **Year 1882**—*continued.*

District and Sub-district.	Name of Institution.	Deaths. Persons.	Males.	Females.
IX.—YORKSHIRE—*cont.*				
37.—North Riding—*cont.*				
529.—Thirsk.				
3. Thirsk	Workhouse	6	4	2
530.—Helmsley.				
1. Helmsley	Workhouse	8	4	4
3. Kirkby Moorside	Workhouse	3	3	-
531.—Pickering.				
2. Pickering	Workhouse	9	6	3
532.—Whitby.				
2. Whitby	Workhouse	20	12	8
533.—Guisborough.				
1. Loftbouse	Cleveland Cottage Hospital	4	4	-
	Miners' Hospital	-	-	-
2. Marske	Cottage Hospital (Messrs. Pease)	1	-	1
	Home for Sick Children	-	-	-
	Convlt. Home, Coatham	-	-	-
	Convlt. Home, Saltburn	-	-	-
3. Guisbrough	Workhouse	17	14	3
	Hospital (for Iron miners)	3	3	-
534.—Middlesbrough.				
1. Middlesbrough	Workhouse	64	51	13
	North Riding Infirmary	34	27	7
	Fever Hospital	8	5	3
2. Ormesby	North Ormesby Cottage Hospital	25	19	6
535.—Stokesley.				
1. Stokesley	Workhouse	4	4	-
536.—Northallerton.				
2. Northallerton	Workhouse	11	8	3
	Cottage Hospital	4	3	1
537.—Bedale.				
1. Bedale	Workhouse	1	1	-
538.—Leyburn.				
2. Leyburn	Workhouse	5	5	-
539.—Aysgarth.				
1. Askrigg	Workhouse	4	3	1
540.—Reeth.				
2. Reeth	Workhouse	1	1	-
541.—Richmond.				
1. Richmond	Workhouse	9	7	2
2. Catterick. *				
X.—NORTHERN COUNTIES.				
38.—Durham.				
542.—Darlington.				
1. Darlington†	Workhouse	28	21	7
	Cottage Hospital	5	4	1
	Children's Hospital	1	-	1
	Fever Hospital	5	-	5
543.—Stockton.				
1. Stockton	Workhouse	37	23	14
	Cottage Surgical Hospital	15	15	-
2. Sedgefield	Workhouse	4	3	1
	County Lunatic Asylum	119	75	44
544.—Hartlepool.				
1. Hartlepool	Workhouse	31	20	11
	Hospital and Dispensary	15	11	4
545.—Auckland.				
1. Bishop Auckland	Workhouse	54	33	21
546.—Teesdale.				
2. Barnard Castle	Workhouse	11	10	1
547.—Weardale.				
2. Stanhope	Workhouse	12	7	5
X.—NORTHERN COUNTIES—*cont.*				
38.—Durham—*cont.*				
548.—Lanchester.				
2. Lanchester	Workhouse	32	27	5
	Consett Cottage Hospital	-	-	-
549.—Durham.				
1. St. Oswald	Workhouse	30	18	12
	Connty Hospital and Infirmary	17	11	6
2. St. Nicholas	Sherburn Hospital	1	1	-
550.—Easington.				
1. Easington	Workhouse	17	10	7
	Seaham Harbour Infirmy.	-	-	-
551.-Houghton-le-Spring.				
1. Houghton-le-Spring	Workhouse	25	12	13
552.-Chester-le-Street.				
1. Chester-le-Street	Workhouse	17	7	10
553.—Sunderland.				
1. Nth. Bishop Wearmouth	Workhouse	146	87	59
	Hoase of Recovery	9	6	3
	Eye Infirmary	-	-	-
	Children's Hospital	1	-	1
2. Sth. Bishop Wearmouth	General Infirmary and Dispensary	45	36	9
554.—South Shields.				
1. Westoe	Workhouse and Infirmary	116	72	44
	Ingham Infirmary	7	6	1
	Borough Hospital	2	2	-
2. South Shields	Memorial Hospital	6	5	1
	Tyne Floating Hospital	1	1	-
555.—Gateshead.				
2. Gateshead	Workhouse	137	79	58
	Fever and Small-pox Hosp.	59	24	35
3. Wickham.‡				
39.—Northumberland.				
556.-Newcastle-on-Tyne.				
1. Westgate	Workh. & Vagrant Ward	177	87	90
2. St. Andrews	Eye Infirmary	-	-	-
	Northern Counties Hospital for Diseases of the Chest	-	-	-
	Small-pox Hospital	1	-	1
3. St. Nicholas	Infirmary	165	125	40
	Children's Hospital	1	1	-
	Fever Hospital	53	28	25
4. All Saints	Lying-in Hospital	-	-	-
	Hospital for Women	-	-	-
	Wingate Convent Hospital	4	-	4
557.—Tynemouth.				
3. Tynemouth	Workhouse	102	65	37
	Prudhoe Convalsct. Home	2	2	-
	Cottage Hospital	1	1	-
4. Longbenton	Walker Hospital and Infirmary	1	1	-
6. Blyth	Cottage Hospital	1	-	1
558.—Castle Ward.				
1. Ponteland	Workhouse	7	3	4
	Newcastle Borough Lunatic Asylum (Coxlodge)	25	19	6
559.—Hexham.				
2. Hexham	Workhouse	30	20	10
560.—Haltwhistle.				
1. Haltwhistle	Workhouse	6	4	2
561.—Bellingham.				
1. Bellingham	Workhouse	2	-	2
562.—Morpeth.				
1. Morpeth	Workhouse	18	11	7
	County Lunatic Asylum	48	24	24
2. Bedlington	Netherton Small-pox Hospital	6	4	2

* In St. John of God's Hospital, 6 deaths occurred during the year.
† In Dinsdale Park, a private Lunatic Asylum, 4 deaths occurred during the year.
‡ In Dunston Lodge, a private Lunatic Asylum, 5 deaths occurred during the year.

Deaths registered in the **Public Institutions** of **England** in the **Year 1882**—*continued.*

District and Sub-district.	Name of Institution.	Deaths. Persons.	Males.	Females.
X.—NORTHERN COUNTIES—*cont.*				
39.—Northumberland—*cont.*				
563.—Alnwick.				
2. Alnwick	Workhouse	13	9	4
	Infirmary	2	2	-
564.—Belford.				
1. Belford	Workhouse	7	3	4
565.—Berwick.				
1. Berwick-upon-Tweed	Workhouse	23	13	10
	Infirmary	1	-	1
566.—Glendale.				
2. Wooler	Workhouse	12	9	3
567.—Rothbury.				
1. Rothbury	Workhouse	2	2	-
40.—Cumberland.				
568.—Alston.				
1. Alston	Workhouse	3	3	-
569.—Penrith.				
1. Penrith	Workhouse	12	10	2
	Fever Hospital	-	-	-
570.—Brampton.				
1. Brampton	Workhouse	7	4	3
571.—Longtown.				
2. Low Longtown	Workhouse	4	1	3
572.—Carlisle.				
2. St. Cuthbert	Workhouse (Fuse Hill)	39	21	18
	Workhouse (School, Harraby Hill)	-	-	-
	Cumberland and Westmorland Lunatic Asylum	40	28	12
3. St. Mary	Cumberland Infirmary	43	26	17
	Fever Hospital (House of Recovery)	13	11	2
4. Stanwix	Home for Incurables	-	-	-
573.—Wigton.				
1. Wigton	Workhouse	18	12	6
2. Abbey Holme	Convalescent Institution	1	1	-
574.—Cockermouth.				
2. Cockermouth	Workhouse	54	27	27
4. Maryport	Workhouse (Infirmary)	2	2	-
575.—Whitehaven.				
2. Whitehaven	Whitehaven and West Cumberland Infirmary	13	10	3
3. St. Bees	Workhouse	38	17	21
	Fever Hospital	2	2	-
576.—Bootle.				
2. Bootle	Workhouse	5	4	1
41.—Westmorland.				
577.—East Ward.				
2. Kirkby Stephen	Workhouse	3	3	-
578.—West Ward.				
1. Morland	Workhouse	2	2	-
579.—Kendal.				
4. Kendal	Workhouse	11	11	-
	Memorial Hospital	8	3	5
5. Milnthorpe	Workhouse	18	11	7

District and Sub-district.	Name of Institution.	Deaths. Persons.	Males.	Females.
XI.—MONMOUTHSH. AND WALES.				
42.—Monmouthsh.				
580.—Chepstow.				
2. Chepstow	Workhouse	21	11	10
3. Lydney	Cottage Hospital	1	1	-
581.—Monmouth.				
3. Monmouth	Workhouse	14	8	6
	General Hospital and Dispensary	7	7	-
582.—Abergavenny.				
3. Abergavenny	Workhouse	26	16	10
	Joint Counties Lunatic Asylum	46	29	17
4. Blaenavon	Small-pox Hospital	-	-	-
583.—Bedwelty.				
2. Tredegar	Workhouse	45	31	14
584.—Pontypool.				
2. Llangibby	Workhouse	21	20	1
585.—Newport.				
2. Newport	Workhouse	41	26	15
	Infirmary and Dispensary	7	7	-
	Corporation Hospital	5	4	1
43.—South Wales.				
586.—Cardiff.				
2. Cardiff	Workhouse	123	72	51
	Workhouse (Ely Industrial School)	1	1	-
	Glamorganshire and Monmouthshire Infirmary	38	29	9
	Hospital Ship (Hamadryad)	28	28	-
587.—Pontypridd.				
2. Llantrisaint	Workhouse	44	30	14
588.—Merthyr Tydfil.				
2. Lower Merthyr Tydfil	Workhouse	56	37	19
3. Upper Merthyr Tydfil	Fever Hospital (Merthyr)	1	-	1
	Fever Hospital (Dowlais)	2	2	-
	Surgical Hosp. (Dowlais)	1	1	-
4. Aberdare	Workhouse (Industrial School)	-	-	-
589.—Bridgend.				
3. Bridgend	Workhouse	17	10	7
	Glamorgan County Lunatic Asylum	69	49	20
590.—Neath.				
2. Neath *	Workhouse	17	14	3
591.—Pontardawe.				
1. Pontardawe	Workhouse	3	3	-
592.—Swansea.				
1. Llandilotalybont	Workhouse (Cottage Homes)	1	1	-
3. Swansea	Workhouse	60	41	19
	Swansea Hospital	37	26	11
	Fever Hospital	1	1	-
593.—Gower.				
2. Gower Western	Workhouse	2	2	-
594.—Llanelly.				
2. Llanelly	Workhouse	13	6	7
	Village Hospital	-	-	-
595.—Llandovery.				
4. Llandingat	Workhouse	-	-	-
596.—Llandilofawr.				
4. Llandilo	Workhouse	2	1	1
597.—Carmarthen.				
3. Carmarthen	Workhouse	12	10	2
	General Infirmary	8	5	3
	Joint Counties Lunatic Asylum	35	18	17

* In Vernon House, a private Lunatic Asylum, 8 deaths occurred during the year.

Deaths registered in the **Public Institutions** of **England** in the **Year 1882**—*continued.*

District and Sub-district.	Name of Institution.	Deaths. Persons.	Males.	Females.
XI.—MONMOUTHSH. AND WALES—*cont.*				
43.—South Wales —*cont.*				
598.—Narberth.				
5. Slebech - - - -	Workhouse - - -	8	6	2
599.—Pembroke.				
1. Tenby - - - -	Pembroke Infirmary and Dispensary - - -	3	1	2
	Cottage Hospital - -	1	-	1
2. Pembroke - - -	Workhouse - - -	12	8	4
600.—Haverfordwest.				
1. Milford - - - -	Hospital (Contagious Dis.)	1	1	-
2. Haverfordwest - -	Workhouse - - -	6	5	1
	Pembrokeshire & Haverfordwest Infirmary -	4	2	2
601.—Cardigan.				
2. Cardigan - - -	Workhouse - - -	6	1	5
602.—Newcastle-in-Emlyn.				
1. Kenarth - - -	Workhouse - - -	5	2	3
603.—Lampeter.				
2. Lampeter - - -	Workhouse - - -	-	-	-
604.—Aberayron.				
2. Llansaintffraid - -	Workhouse - - -	3	2	1
605.—Aberystwith.				
2. Aberystwith - -	Workhouse - - -	6	3	3
	Aberystwith Infirmary and Cardiganshire Genl. Hosp.	1	1	-
606.—Tregaron.				
3. Tregaron - - -	Workhouse - - -	-	-	-
607.—Builth.				
3. Builth - - - -	Workhouse - - -	8	7	1
608.—Brecknock.				
3. Brecknock - - -	Workhouse - - -	4	3	1
	County and Borough Infirmary - - -	7	4	3
609.—Crickhowell.				
3. Llangattock - - -	Workhouse - - -	13	10	3
610.—Hay.				
3. Hay - - - -	Workhouse - - -	11	8	3
611.—Knighton.				
3. Knighton - - -	Workhouse - - -	10	6	4
612.—Rhayader.				
2. Nantmel - - -	Workhouse - - -	1	1	-
	Llandrindod Hospital -	1	1	-
44.—North Wales.				
613.—Machynlleth.				
1. Machynlleth - - -	Workhouse - - -	1	1	-
614.—Newtown.				
3. Llanwnog - - -	Workhouse - - -	11	8	3
5. Newtown - - -	Montgomerysh. Infirmary	3	2	1
615.—Forden.				
2. Chirbury - - -	Workhouse - - -	17	9	8

District and Sub-district.	Name of Institution.	Deaths. Persons.	Males.	Females.
XI.—MONMOUTHSH. AND WALES—*cont.*				
44.—North Wales —*cont.*				
616.—Llanfyllin.				
2. Llansaintffraid - -	Workhouse - - -	15	11	4
617.—Holywell.				
2. Holywell - - -	Workhouse - - -	29	21	8
4. Mold - - - -	Cottage Hospital - -	4	2	2
618.—Wrexham.				
2. Ruabon - - - -	Accident Hospital - -	1	1	-
3. Wrexham - - -	Workhouse - - -	50	34	16
	Infirmary and General Dispensary - - -	6	4	2
619.—Ruthin.				
2. Ruthin - - - -	Workhouse - - -	13	7	6
620.—St. Asaph.				
1. St. Asaph - - -	Workhouse - - -	15	6	9
	Women's Convalescent Hospital - - -	-	-	-
	Children's Hospital (Rhyl)	9	2	7
3. Denbigh - - -	Denbighshire Infirmary -	10	7	3
	North Wales Counties Lunatic Asylum - -	53	28	25
621.—Llanrwst.				
1. Llanrwst - - -	Workhouse - - -	4	4	-
622.—Corwen.				
1. Corwen - - - -	Workhouse - - -	6	3	3
2. Llangollen - - -	Cottage Hospital - -	-	-	
623.—Bala.				
1. Bala - - - -	Workhouse - - -	7	5	2
624.—Dolgelly.				
2. Barmouth - - -	Workhouse - - -	6	3	3
625.—Festiniog.				
1. Llanfihangel-y-traethau	Workhouse - - -	17	13	
2. Festiniog - - -	Oakeley's Hospital - -	3	3	
626.—Pwllheli.				
2. Pwllheli - - -	Workhouse - - -	4	3	
627.—Carnarvon.				
2. Llanrug - - -	Dinorwic Quarry Hosp. -	-	-	
3. Carnarvon - - -	Workhouse - - -	26	19	
628.—Bangor.				
2. Bangor - - - -	Workhouse - - -	17	13	
	Carnarvon and Anglesey Infirmary - - -	7	5	
	Penrhyn Hospital - -	2	2	
	Fever Hosp. (and Tent) -	9	6	
629.—Conway.				
1. Conway - - -	Workhouse - - -	15	5	1
630.—Anglesey.				
4. Amlwch - - -	Workhouse (Anglesey)	7	6	
	Dinorben Cottage Hospital	-	-	
5. Llanddausaint - -	Workhouse (Holyhead)	9	6	
6. Holyhead - - -	Stanley Hospital - -	-	-	

DEATHS

AT DIFFERENT AGES,

1882,

IN DIVISIONS, COUNTIES, AND DISTRICTS,

DISTINGUISHING

MALES AND FEMALES

IN DIVISIONS AND COUNTIES.

ENGLAND.—DEATHS at different Ages Registered in the Year 1882—in Divisions and Registration Counties.

Divisions.		Total Deaths.	Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwds.
ENGLAND	Persons	516654	125020	44042	18235	11720	8732	207749	19540	9304	12068	13985	31105	35051	37488	47249	53117	39607	10391
	Males	265767	69341	22838	9214	5821	4461	111678	9992	4541	5928	6645	15270	18100	20035	24393	26229	18497	4259
	Females	250887	55679	21204	9021	5899	4268	96071	9548	4763	6140	7340	15835	16951	17453	22856	26888	21110	6132
DIVISIONS.																			
No. I. LONDON	Persons	82913	20151	8251	3889	2333	1662	36286	3012	1114	1532	2061	5316	6431	6670	7436	7222	4730	1103
	Males	42092	11000	4164	1933	1170	849	19116	1440	544	770	1091	2772	3455	3570	3854	3284	1813	383
	Females	40821	9151	4087	1956	1163	813	17170	1572	570	762	970	2544	2976	3100	3582	3938	2917	720
II. SOUTH EASTERN	Persons	42977	8898	3042	1306	910	664	14820	1458	828	1009	1214	2687	3128	3248	4009	5050	4242	1284
	Males	22388	4998	1555	695	459	359	8066	755	395	513	615	1418	1638	1754	2097	2508	2078	551
	Females	20589	3900	1487	611	451	305	6754	703	433	496	599	1269	1490	1494	1912	2542	2164	733
III. SOUTH MIDLAND	Persons	27922	6333	1873	830	550	460	10046	1038	530	601	680	1441	1680	1907	2544	3586	3068	801
	Males	14397	3569	989	406	272	239	5475	549	265	288	294	662	837	996	1376	1828	1507	325
	Females	13525	2764	884	424	278	221	4571	489	265	313	386	779	843	911	1168	1763	1561	476
IV. EASTERN	Persons	24232	5387	1709	669	446	347	8558	849	438	545	598	1235	1437	1511	2201	2993	2924	943
	Males	12373	2972	890	350	231	175	4618	429	198	273	279	574	740	785	1113	1524	1434	406
	Females	11859	2415	819	319	215	172	3940	420	240	272	319	661	697	726	1088	1469	1490	537
V. SOUTH WESTERN	Persons	32193	6057	1845	736	477	360	9475	891	614	763	927	1717	1952	2225	3328	4675	4303	1323
	Males	16137	3451	1003	372	248	186	5260	476	277	372	430	813	949	1114	1692	2275	1942	537
	Females	16056	2606	842	364	229	174	4215	415	337	391	497	904	1003	1111	1636	2400	2361	786

ENGLAND.—DEATHS at different Ages Registered in the Year 1882—in DIVISIONS and REGISTRATION COUNTIES—*continued.*

	DIVISIONS.		TOTAL DEATHS.	AGES AT DEATH.																
				Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwds.
No. VI.	WEST MIDLAND	**Persons**	57312	14392	4737	1816	1230	882	23057	2050	1009	1281	1413	3205	3599	4052	5399	6257	4778	1212
		Males	29678	7976	2469	873	601	427	12346	1061	496	628	657	1549	1854	2186	2896	3157	2335	513
		Females	27634	6416	2268	943	629	455	10711	989	513	653	756	1656	1745	1866	2503	3.00	2443	699
VII.	NORTH MIDLAND	**Persons**	31344	8187	2315	1030	700	587	12819	1336	569	749	844	1740	1735	1879	2601	3361	2900	811
		Males	16315	4681	1208	539	344	307	7079	659	274	343	359	786	864	1034	1364	1709	1476	369
		Females	150.9	3506	1107	491	356	280	5740	677	295	405	485	954	871	845	1238	1652	1424	442
VIII.	NORTH WESTERN	**Persons**	93817	24350	9486	3718	2359	1651	41564	3478	1557	2114	2537	6174	7119	7455	8942	7841	4306	730
		Males	48029	13320	4927	1860	1134	835	22076	1842	759	1032	1184	3008	3689	3901	4424	3777	2007	290
		Females	45788	11030	4559	1858	1225	816	19488	1636	798	1082	1353	3166	3430	3554	4478	4064	2299	440
IX.	YORK	**Persons**	59922	15675	5690	2129	1310	1043	25847	2539	1165	1534	1713	3551	3879	4151	5329	5754	3698	762
		Males	31092	8818	2967	1127	647	509	14068	1296	561	712	774	1697	1982	2264	2850	2886	1687	315
		Females	28830	6857	2723	1002	663	534	11779	1243	604	822	939	1854	1897	1887	2479	2868	2011	447
X.	NORTHERN	**Persons**	34038	9124	3144	1245	748	546	14807	1461	759	982	1000	2128	2213	2267	2706	3065	2131	519
		Males	17700	4984	1660	638	385	297	7964	749	396	524	469	1032	1147	1237	1410	1583	990	199
		Females	16338	4140	1484	607	363	249	6843	712	363	458	531	1096	1066	1030	1296	1482	1141	320
XI.	WELSH	**Persons**	29984	6466	1950	867	657	530	10470	1428	721	958	998	1911	1878	2123	2754	3313	2527	903
		Males	15566	3572	1006	421	330	281	5610	736	376	473	493	959	945	1194	1478	1703	1228	371
		Females	14418	2894	944	446	327	249	4860	692	345	485	505	952	933	929	1276	1610	1299	532

ENGLAND.—DEATHS at different Ages Registered in the Year 1882 — in Divisions and Registration Counties — *continued.*

	Registration Counties.		Total Deaths.	Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwds.
	I.—LONDON.																			
	MIDDLESEX (*part of*)	Persons	55906	13350	5428	2529	1572	1106	23985	2010	732	1003	1413	3655	4459	4605	5144	4991	3154	755
		Males	28443	7267	2754	1264	791	566	12642	967	357	493	747	1909	2408	2501	2683	2278	1193	265
		Females	27463	6083	2674	1265	781	540	11343	1043	375	510	666	1746	2051	2104	2461	2713	1961	490
	SURREY (*part of*)	Persons	21577	5577	2360	1118	627	449	10131	788	274	387	466	1301	1556	1635	1822	1745	1213	259
		Males	10862	3043	1168	552	316	228	5307	373	143	210	230	656	810	847	940	776	482	88
		Females	10715	2534	1192	566	311	221	4824	415	131	177	236	645	746	788	882	969	731	171
	KENT (*part of*)	Persons	5430	1224	463	242	134	107	2170	214	108	142	182	360	416	430	470	486	363	89
		Males	2787	690	242	117	63	55	1167	100	44	67	114	207	237	222	231	230	138	30
		Females	2643	534	221	125	71	52	1003	114	64	75	68	153	179	208	239	256	225	59
	II.—SOUTH EASTERN.																			
No. 1	**SURREY** (*extra-metropolitan*)	Persons	7645	1680	530	235	139	115	2699	235	140	179	221	478	612	653	738	883	637	170
		Males	4026	917	265	125	62	65	1434	122	70	100	126	267	353	370	395	449	273	67
		Females	3619	763	265	110	77	50	1265	113	70	79	95	211	259	283	343	434	364	103
2	**KENT** (*extra-metropolitan*)	Persons	12338	2665	829	373	282	179	4328	442	278	319	327	717	877	886	1100	1444	1211	409
		Males	6439	1498	427	198	146	104	2373	235	132	164	155	360	455	482	585	712	614	172
		Females	5899	1167	402	175	136	75	1955	207	146	155	172	357	422	404	515	732	597	237
3	**SUSSEX**	Persons	8487	1705	628	255	182	130	2900	281	160	183	230	518	608	610	813	986	935	263
		Males	4336	959	324	146	97	61	1587	147	76	91	99	252	298	309	407	471	486	113
		Females	4151	746	304	109	85	69	1313	134	84	92	131	266	310	301	406	515	449	150

ENGLAND.—DEATHS at different Ages Registered in the Year 1882—in Divisions and Registration Counties—*continued.*

No.	Registration Counties.		Total Deaths.	Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwds.
	II.—SOUTH EASTERN—*continued.*																			
4	**HAMPSHIRE**	Persons	10268	2005	764	323	207	151	3450	335	178	259	334	732	769	793	960	1184	964	310
		Males	5316	1118	384	159	104	76	1841	172	81	119	191	415	390	430	491	592	454	140
		Females	4952	887	380	164	103	75	1609	163	97	140	143	317	379	363	469	592	510	170
5	**BERKSHIRE**	Persons	4239	843	291	120	100	89	1443	165	72	69	102	242	262	306	398	553	495	132
		Males	2271	506	155	67	50	53	831	79	36	39	44	124	142	163	219	284	251	59
		Females	1968	337	136	53	50	36	612	86	36	30	58	118	120	143	179	269	244	73
	III.—SOUTH MIDLAND.																			
6	**MIDDLESEX** (*extra-metropolitan*)	Persons	7075	1722	590	264	163	133	2872	271	139	127	156	420	489	543	588	736	568	166
		Males	3668	995	324	120	78	72	1589	144	76	57	78	201	269	292	310	352	241	59
		Females	3407	727	266	144	85	61	1283	127	63	70	78	219	220	251	278	384	327	107
7	**HERTFORDSHIRE**	Persons	3323	662	200	82	48	38	1030	99	63	61	81	182	220	241	339	463	441	103
		Males	1724	374	106	43	23	22	568	53	36	20	33	88	111	128	196	222	228	41
		Females	1599	288	94	39	25	16	462	46	27	41	48	94	109	113	143	241	213	62
8	**BUCKINGHAMSHIRE**	Persons	2756	585	177	83	57	47	949	101	43	52	67	145	150	189	256	387	345	72
		Males	1400	325	93	42	27	21	508	61	21	26	30	67	64	96	123	186	189	29
		Females	1356	260	84	41	30	26	441	40	22	26	37	78	86	93	133	201	156	43
9	**OXFORDSHIRE**	Persons	3036	595	164	87	67	60	973	133	58	65	81	128	172	217	287	443	396	83
		Males	1591	339	85	47	36	29	536	68	33	42	40	58	85	108	158	227	200	36
		Females	1445	256	79	40	31	31	437	65	25	23	41	70	87	109	129	216	196	47

ENGLAND.—DEATHS at different Ages Registered in the Year 1882 — in DIVISIONS and REGISTRATION COUNTIES — *continued.*

No.	REGISTRATION COUNTIES.		TOTAL DEATHS.	AGES AT DEATH. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwds.
	III.—SOUTH MIDLAND —*continued.*																			
10	NORTHAMPTONSHIRE	Persons	4838	1234	342	141	88	79	1884	148	86	126	133	238	275	315	434	597	475	127
		Males	2440	670	169	72	45	40	996	73	40	64	52	107	128	155	223	316	230	56
		Females	2398	564	173	69	43	39	888	75	46	62	81	131	147	160	211	281	245	71
11	HUNTINGDONSHIRE	Persons	825	149	33	13	19	8	222	31	22	26	26	42	35	40	65	149	131	36
		Males	428	85	16	6	9	6	122	19	10	7	8	14	18	22	35	89	71	13
		Females	397	64	17	7	10	2	100	12	12	19	18	28	17	18	30	60	60	23
12	BEDFORDSHIRE	Persons	2800	685	167	75	45	39	1011	115	55	57	71	139	162	174	257	389	298	72
		Males	1442	388	88	33	24	21	554	62	18	24	27	55	72	96	140	207	154	33
		Females	1358	297	79	42	21	18	457	53	37	33	44	84	90	78	117	182	144	39
13	CAMBRIDGESHIRE	Persons	3269	701	200	85	63	56	1105	140	64	87	65	147	177	188	318	422	414	142
		Males	1704	393	108	43	30	28	602	69	31	48	26	72	90	99	191	224	191	78
		Females	1565	308	92	42	33	28	503	71	33	39	39	75	87	89	127	198	220	81
	IV.—EASTERN.																			
14	ESSEX	Persons	10092	2377	863	379	272	179	4070	447	190	212	220	523	628	612	873	1064	974	279
		Males	5273	1319	432	188	143	95	2177	241	84	115	107	252	344	332	476	551	473	121
		Females	4819	1058	431	191	129	84	1893	206	106	97	113	271	284	280	397	513	501	158
15	SUFFOLK	Persons	6121	1210	368	135	66	73	1852	193	116	145	166	321	352	417	579	834	834	312
		Males	3103	671	207	79	38	30	1025	94	54	72	75	143	168	207	282	423	420	140
		Females	3018	539	161	56	28	43	827	99	62	73	91	178	184	210	297	411	414	172

ENGLAND.—DEATHS at different Ages Registered in the Year 1882—in Divisions and Registration Counties—*continued.*

No.	Registration Counties.		Total Deaths.	Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwds.
	IV.—EASTERN—*continued.*																			
16	NORFOLK	Persons	8019	1800	478	155	108	95	2636	209	132	188	212	391	457	482	749	1095	1116	352
		Males	3997	982	251	83	50	50	1416	94	60	86	97	179	228	246	355	550	541	145
		Females	4022	818	227	72	58	45	1220	115	72	102	115	212	229	236	394	545	575	207
	V.—SOUTH WESTERN.																			
17	WILTSHIRE	Persons	4179	745	215	84	49	39	1132	109	71	76	131	229	251	303	481	608	607	181
		Males	2066	411	124	43	25	18	621	56	27	35	52	111	114	138	241	299	292	83
		Females	2113	334	91	41	24	21	511	53	44	41	79	118	140	165	240	309	315	98
18	DORSETSHIRE	Persons	2906	498	147	62	47	37	791	81	56	74	80	143	173	214	316	440	414	124
		Males	1519	290	77	38	19	23	447	49	29	34	41	84	86	112	142	232	204	59
		Females	1387	208	70	24	28	14	344	32	27	40	39	59	87	102	174	208	210	65
19	DEVONSHIRE	Persons	10736	2039	639	255	183	126	3242	278	191	265	302	610	682	738	1073	1518	1411	423
		Males	5343	1148	355	124	100	62	1789	156	84	133	148	286	330	363	544	730	627	153
		Females	5393	891	284	131	83	64	1453	122	107	132	154	324	352	375	529	788	784	273
20	CORNWALL	Persons	5975	1190	417	150	80	61	1898	175	130	162	193	270	288	368	603	855	789	244
		Males	3000	685	210	79	34	29	1047	78	69	80	95	119	144	201	329	417	326	95
		Females	2975	505	197	71	46	32	851	97	61	82	98	151	144	167	274	438	463	149
21	SOMERSETSHIRE	Persons	8397	1585	427	185	118	97	2412	248	166	186	221	465	552	602	855	1254	1082	348
		Males	4209	917	227	88	70	54	1356	137	68	90	94	213	278	300	436	597	493	147
		Females	4188	668	200	97	48	43	1056	111	98	96	127	252	280	302	419	657	589	201

ENGLAND.—DEATHS at different Ages Registered in the Year 1882—in Divisions and Registration Counties—*continued.*

No.	Registration Counties.		Total Deaths.	Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwds.
	VI.—WEST MIDLAND.																			
22	GLOUCESTERSHIRE	Persons	9648	2026	669	275	233	150	3353	379	178	218	212	533	589	659	945	1225	1050	307
		Males	4870	1139	355	141	108	75	1818	201	85	102	97	279	265	331	500	580	487	125
		Females	4778	887	314	134	125	75	1535	178	93	116	115	254	324	328	445	645	563	182
23	HEREFORDSHIRE	Persons	2075	363	127	51	40	34	615	81	45	39	55	103	128	134	216	288	287	84
		Males	1080	196	75	20	22	17	330	41	19	19	23	42	64	67	119	162	150	44
		Females	995	167	52	31	18	17	285	40	26	20	32	61	64	67	97	126	137	40
24	SHROPSHIRE	Persons	4478	844	247	91	76	52	1310	175	97	106	114	268	252	302	460	680	535	179
		Males	2315	481	125	52	37	20	715	91	48	56	57	122	135	155	260	349	248	79
		Females	2163	363	122	39	39	32	595	84	49	50	57	146	117	147	200	331	287	100
25	STAFFORDSHIRE	Persons	20229	5778	1939	712	425	331	9185	712	359	483	493	1103	1228	1412	1891	1879	1205	279
		Males	10654	3205	1002	331	211	152	4901	372	183	248	223	522	666	808	1018	986	607	120
		Females	9575	2573	937	381	214	179	4284	340	176	235	270	581	562	604	873	893	598	159
26	WORCESTERSHIRE	Persons	6673	1625	529	223	138	111	2626	245	120	141	180	384	392	452	581	783	620	149
		Males	3446	913	278	104	64	62	1421	126	62	73	84	179	206	239	310	378	312	56
		Females	3227	712	251	119	74	49	1205	119	58	68	96	205	186	213	271	405	308	93
27	WARWICKSHIRE	Persons	14209	3756	1226	464	318	204	5968	458	210	294	359	814	1010	1093	1306	1402	1081	214
		Males	7313	2042	634	225	159	101	3161	230	99	130	173	405	518	586	689	702	531	89
		Females	6896	1714	592	239	159	103	2807	228	111	164	186	409	492	507	617	700	550	125

ENGLAND.—DEATHS at different Ages Registered in the Year 1882—in Divisions and Registration Counties—*continued.*

No.	Registration Counties.		Total Deaths.	Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwds.
	VII.—NORTH MIDLAND.																			
28	LEICESTERSHIRE	Persons	6129	1833	425	191	134	91	2674	215	90	117	137	327	303	338	526	665	571	166
		Males	3179	1034	206	99	63	52	1454	115	40	43	64	146	162	197	281	324	275	78
		Females	2950	799	219	92	71	39	1220	100	50	74	73	181	141	141	245	341	296	88
29	RUTLANDSHIRE	Persons	357	65	21	9	9	4	108	6	10	8	8	18	20	29	40	47	49	14
		Males	184	40	12	4	4	2	62	-	6	1	3	5	10	18	23	27	25	4
		Females	173	25	9	5	5	2	46	6	4	7	5	13	10	11	17	20	24	10
30	LINCOLNSHIRE	Persons	8255	1878	509	226	160	157	2930	342	175	234	226	450	459	474	699	995	958	313
		Males	4320	1043	287	106	78	79	1593	172	96	116	98	222	229	245	379	532	495	143
		Females	3935	835	222	120	82	78	1337	170	79	118	128	228	230	229	320	463	463	170
31	NOTTINGHAMSHIRE	Persons	9371	2601	774	333	252	197	4157	444	179	217	279	542	517	551	717	891	691	186
		Males	4817	1498	404	170	133	106	2311	212	78	108	106	226	240	294	364	441	351	86
		Females	4554	1103	370	163	119	91	1846	232	101	109	173	316	277	257	353	450	340	100
32	DERBYSHIRE	Persons	7232	1810	586	271	145	138	2950	329	115	173	194	403	436	487	619	763	631	132
		Males	3815	1066	299	160	66	68	1659	160	54	75	88	187	223	230	316	385	330	58
		Females	3417	744	287	111	79	70	1291	169	61	98	106	216	213	207	303	378	301	74
	VIII.—NORTH WESTERN.																			
33	CHESHIRE	Persons	12287	2978	912	379	256	190	4715	424	209	275	364	795	847	993	1301	1323	856	185
		Males	6198	1633	495	169	131	94	2522	215	104	116	154	366	411	519	660	655	395	81
		Females	6089	1345	417	210	125	96	2193	209	105	159	210	429	436	474	641	668	461	104

ENGLAND.—DEATHS at different Ages Registered in the Year 1882—in DIVISIONS and REGISTRATION COUNTIES—*continued.*

No.	REGISTRATION COUNTIES.		TOTAL DEATHS.	AGES AT DEATH. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwds.
	VIII.—NORTH WESTERN—*continued.*																			
34	LANCASHIRE	Persons	81530	21372	8574	3339	2103	1461	36849	3054	1348	1839	2173	5379	6272	6462	7641	6518	3450	545
		Males	41831	11687	4432	1691	1003	741	19554	1627	655	916	1030	2642	3278	3382	3804	3122	1612	209
		Females	39699	9685	4142	1648	1100	720	17295	1427	693	923	1143	2737	2994	3080	3837	3396	1838	336
	IX.—YORK.																			
35	WEST RIDING	Persons	45835	11988	4584	1687	968	815	20042	1922	905	1199	1316	2697	3007	3297	4179	4250	2577	444
		Males	23716	6730	2379	888	488	398	10883	988	429	545	584	1281	1555	1788	2233	2076	1176	178
		Females	22119	5258	2205	799	480	417	9159	934	476	654	732	1416	1452	1509	1946	2174	1401	266
36	EAST RIDING (WITH YORK)	Persons	7736	1948	615	265	230	147	3205	392	152	185	207	465	490	465	614	826	586	149
		Males	4072	1095	332	143	108	74	1752	209	78	85	98	238	254	248	343	446	258	63
		Females	3664	853	283	122	122	73	1453	183	74	100	109	227	236	217	271	380	328	86
37	NORTH RIDING	Persons	6351	1739	491	177	112	81	2600	225	108	150	190	389	382	389	536	678	535	169
		Males	3304	993	256	96	51	37	1433	99	54	82	92	178	173	228	274	364	253	74
		Females	3047	746	235	81	61	44	1167	126	51	68	98	211	209	161	262	314	282	95
	X.—NORTHERN.																			
38	DURHAM	Persons	19227	5675	1983	821	479	328	9286	871	416	566	560	1148	1208	1178	1410	1422	949	213
		Males	9996	3058	1056	420	246	185	4965	453	213	318	259	540	614	627	743	720	452	82
		Females	9231	2617	927	401	233	143	4321	418	183	248	301	608	594	551	677	702	497	131
39	NORTHUMBERLAND	Persons	8895	2153	711	248	154	138	3404	371	214	259	284	608	611	658	748	936	642	160
		Males	4605	1193	362	127	80	72	1834	192	103	135	122	307	319	363	390	493	287	50
		Females	4290	960	349	121	74	66	1570	179	111	124	162	301	292	295	358	443	355	110

ENGLAND.—DEATHS at different Ages Registered in the Year 1882—in Divisions and Registration Counties—*continued.*

No.	Registration Counties.		Total Deaths.	Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwds.
	X.—NORTHERN—*continued.*																			
40	CUMBERLAND	Persons	4902	1103	396	155	98	71	1823	185	112	128	131	311	318	354	442	579	412	107
		Males	2579	612	212	77	49	35	985	86	54	60	69	156	177	205	234	307	195	51
		Females	2323	491	184	78	49	36	838	99	58	68	62	155	141	149	208	272	217	56
41	WESTMORLAND	Persons	1014	193	54	21	17	9	294	34	17	29	25	61	76	77	106	128	128	39
		Males	520	121	30	14	10	5	180	18	6	11	9	29	37	42	53	63	56	16
		Females	494	72	24	7	7	4	114	16	11	18	16	32	39	35	53	65	72	23
	XI.—WELSH.																			
42	MONMOUTHSHIRE	Persons	5040	1133	384	182	143	146	1988	343	99	150	137	246	292	345	490	540	319	91
		Males	2740	626	211	90	67	81	1075	177	57	76	69	125	164	207	278	300	164	48
		Females	2300	507	173	92	76	65	913	166	42	74	68	121	128	138	212	240	155	43
43	SOUTH WALES	Persons	16592	3762	1175	505	386	287	6115	777	407	547	587	1109	1020	1173	1458	1637	1285	477
		Males	8585	2075	599	237	188	137	3236	404	225	276	286	574	510	646	790	833	620	185
		Females	8007	1687	576	268	198	150	2879	373	182	271	301	535	510	527	668	804	665	292
44	NORTH WALES	Persons	8352	1571	391	180	128	97	2367	308	215	261	274	556	566	605	806	1136	923	335
		Males	4241	871	196	94	75	63	1299	155	94	121	128	260	271	341	410	570	444	138
		Females	4111	700	195	86	53	34	1068	153	121	140	136	296	295	264	396	566	479	197

I.—LONDON.—DEATHS at different Ages Registered in the Year 1882—in Districts.

No.	Districts.	Persons. Total Deaths.	Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
	MIDDLESEX (*part of*).																		
1	*Kensington { Paddington - Kensington -	1946	393	145	65	39	38	680	73	12	32	61	143	164	190	221	185	152	33
		3074	648	244	115	70	43	1120	92	35	60	75	209	261	268	325	332	234	63
2	Fulham - - - - - - -	2300	766	253	128	73	53	1273	109	26	43	49	146	141	144	177	213	144	35
3	Chelsea - - - - - - -	2057	541	206	90	66	37	940	72	20	29	55	122	150	135	178	208	123	25
4	St. George, Hanover Square -	3086	578	234	109	56	41	1018	74	31	65	105	254	348	312	339	290	203	47
5	Westminster - - - - -	880	172	89	45	32	13	351	24	5	12	17	64	79	77	94	76	69	12
6	Marylebone - - - - -	3115	756	284	113	57	50	1260	79	35	49	71	217	274	307	299	297	176	51
7	Hampstead - - - - -	666	123	55	26	10	13	227	23	8	15	29	57	54	56	67	65	52	13
8	Pancras - - - - - -	5077	1126	478	175	118	72	1969	160	55	103	114	392	439	455	479	524	303	84
9	Islington - - - - - -	5643	1402	494	243	140	122	2401	201	73	104	146	335	410	449	535	551	357	81
10	Hackney - - - - - -	3683	842	311	147	119	100	1519	177	80	73	109	234	282	269	304	325	240	71
11	St. Giles - - - - - -	1011	233	99	44	25	17	418	25	5	13	18	44	82	98	121	116	60	11
12	Strand - - - - - - -	935	184	100	32	16	15	347	34	14	24	30	80	98	132	84	56	32	4
13	Holborn - - - - - -	3187	909	392	207	130	86	1724	138	36	44	78	173	196	237	240	212	84	25
14	London City - - - - -	1450	172	80	59	33	23	367	49	35	50	63	158	181	193	167	119	51	17
15	Shoreditch - - - - -	3247	846	361	160	113	71	1551	119	32	41	60	178	180	219	320	296	217	34
16	Bethnal Green - - - -	3088	863	389	177	117	80	1606	132	39	49	60	170	209	175	224	248	148	28
17	Whitechapel - - - - -	2344	410	200	105	51	47	813	66	43	60	78	192	261	286	246	180	100	19
18	St. George-in-the-East - -	1197	339	142	50	36	10	577	28	16	15	17	64	94	105	116	111	46	8
19	Stepney - - - - - -	1355	389	196	100	67	45	797	74	33	22	29	70	77	73	80	56	34	10
20	Mile End Old Town - -	2386	635	287	129	82	52	1185	101	25	29	50	119	162	159	205	197	119	35
21	Poplar - - - - - - -	3979	1023	409	210	122	78	1842	160	74	71	99	234	317	266	323	334	210	49
	SURREY (*part of*).																		
22	St. Saviour, Southwark - -	4754	1312	592	307	143	86	2440	155	38	68	99	280	306	351	387	349	240	41
23	St. Olave, Southwark - -	3514	802	421	211	116	82	1632	131	53	79	96	290	260	295	305	233	147	33
24	Lambeth - - - - - -	5687	1361	573	293	146	106	2439	200	83	127	134	350	445	473	518	502	352	64
25	Wandsworth - - - - -	3845	1068	391	172	104	80	1815	155	46	62	61	232	297	262	303	332	218	62
26	Camberwell - - - - -	3777	1024	383	175	118	95	1805	147	54	51	76	189	248	254	309	329	256	59
	KENT (*part of*).																		
27	Greenwich - - - - - -	2026	674	272	142	83	71	1242	124	72	83	107	222	231	219	240	265	175	42
28	Lewisham - - - - - -	1074	267	80	42	26	15	430	36	20	30	24	52	70	83	116	114	75	24
29	Woolwich - - - - - -	1330	283	111	58	25	21	498	54	16	26	51	86	115	128	114	107	112	23

II.—SOUTH EASTERN COUNTIES.

	Districts.	Total Deaths.	Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
	1.—SURREY (*extra-met.*)																		
30	Epsom - - - - - - -	790	116	44	15	6	4	185	32	11	20	20	64	73	83	104	113	70	15
31	Chertsey - - - - - -	395	68	39	18	12	1	138	17	5	4	7	30	30	34	36	52	35	7
32	Guildford - - - - - -	681	98	36	17	10	10	171	21	17	18	21	51	58	74	76	86	69	19
33	Farnham - - - - - -	737	208	70	26	15	10	329	19	17	14	42	59	66	42	41	52	40	16
34	Hambledon - - - - - -	227	36	9	9	2	2	58	4	7	8	6	9	9	27	21	42	28	8
35	Dorking - - - - - -	236	42	6	4	2	4	58	6	5	3	7	8	18	21	29	35	40	6
36	Reigate - - - - - -	449	95	25	10	9	10	149	18	15	25	12	24	25	33	33	54	43	18
37	Godstone - - - - - -	314	51	10	8	2	3	74	3	–	9	14	31	45	26	40	39	24	9
38	Croydon - - - - - -	1997	540	157	67	40	29	833	57	35	35	56	94	154	153	164	220	161	35
39	Kingston - - - - - -	1242	296	98	41	31	23	489	38	25	26	21	69	93	106	134	133	85	23
40	Richmond - - - - - -	577	130	36	20	10	19	215	20	3	17	15	39	41	54	60	57	42	14
	2.—KENT (*extra-metrop.*)																		
41	Bromley - - - - - -	707	191	50	21	15	13	290	25	15	14	16	38	47	47	57	86	48	24
42	Dartford - - - - - -	909	199	51	20	19	16	314	31	28	29	17	44	66	67	96	117	82	18
43	Gravesend - - - - - -	395	73	21	14	11	5	124	7	6	10	9	25	33	34	42	55	37	13
44	North Aylesford - - - -	499	150	37	14	19	6	226	19	9	17	13	25	30	36	38	37	40	9
45	Hoo - - - - - - - -	64	16	3	1	–	2	22	–	3	2	3	3	6	7	7	2	8	1
46	Medway - - - - - -	1120	262	56	45	32	11	406	48	24	33	39	71	92	76	109	99	86	37
47	Malling - - - - - -	420	103	22	16	12	6	159	21	9	11	5	22	25	31	40	34	50	13
48	Sevenoaks - - - - - -	399	74	22	5	10	3	114	8	11	13	12	15	35	30	35	59	53	14
49	Tunbridge - - - - - -	803	149	48	20	12	12	241	16	15	23	20	57	59	65	69	120	88	30
50	Maidstone - - - - - -	981	168	66	29	17	15	295	45	23	21	32	66	77	83	104	119	90	26
51	Hollingbourn - - - - -	217	44	10	2	4	4	64	11	5	1	2	9	12	15	22	31	35	10
52	Cranbrook - - - - - -	219	35	14	4	1	3	57	11	3	7	7	9	11	14	18	36	30	16
53	Tenterden - - - - - -	176	27	10	1	5	4	47	6	5	3	4	10	6	6	15	30	33	11
54	West Ashford - - - - -	296	78	21	8	3	3	113	10	8	5	8	19	21	12	31	30	26	13
55	East Ashford - - - - -	207	33	15	7	2	2	59	12	5	2	7	13	11	22	17	21	29	9
56	Bridge - - - - - - -	235	39	8	3	1	4	55	4	7	4	4	18	24	19	27	29	32	12
57	Canterbury - - - - - -	401	78	52	14	16	6	166	11	7	9	10	26	22	24	34	50	28	14
58	Blean - - - - - - -	355	73	27	16	7	4	127	14	2	11	5	11	19	27	29	56	38	16
59	Faversham - - - - - -	448	118	39	11	10	5	183	17	11	9	14	25	26	30	33	42	43	15
60	Milton - - - - - - -	417	105	38	16	20	7	186	21	14	11	14	17	21	22	28	43	27	13
61	Sheppey - - - - - - -	305	67	31	8	5	8	119	18	6	8	10	18	27	19	21	32	21	6
62	Thanet - - - - - - -	972	209	72	37	15	19	352	20	32	30	26	72	72	64	77	111	88	28
63	Eastry - - - - - - -	454	92	30	12	7	1	142	9	7	10	12	22	30	21	40	68	62	21
64	Dover - - - - - - -	590	119	39	12	10	9	189	11	7	12	22	31	49	55	50	71	74	19
65	Elham - - - - - - -	664	137	35	24	27	11	234	42	15	18	13	45	50	39	56	48	54	20
66	Romney Marsh - - - -	115	26	12	4	2	–	44	5	1	6	3	6	6	11	5	18	9	1

* 1.—The Registration District of Kensington comprises the two Poor Law Unions of Paddington and Kensington

II.—SOUTH EASTERN COUNTIES.—DEATHS at different Ages, 1882—Districts—*continued.*

No.	Districts.	Persons. Total Deaths.	Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
	3.—SUSSEX.																		
67	Rye	201	42	9	4	7	3	65	7	2	5	6	14	12	14	19	22	25	10
68	Hastings	874	172	75	27	17	14	305	27	13	17	26	52	74	60	81	108	88	23
69	Battle	233	35	14	8	6	3	66	10	1	6	10	21	14	14	20	25	39	7
70	Eastbourne	444	112	27	7	6	6	158	12	9	11	13	34	32	23	39	54	43	13
71	Hailsham	230	54	14	4	1	2	75	5	8	3	4	11	14	7	23	33	37	10
72	Ticehurst	234	47	12	5	4	4	72	13	17	6	9	11	18	24	33	41	28	12
73	Uckfield	303	62	18	7	1	2	90	7	7	7	10	21	22	15	20	46	33	15
74	East Grinstead	266	47	13	8	8	3	79	14	6	5	8	16	11	16	30	37	33	11
75	Cuckfield	275	62	18	7	4	1	92	10	6	6	16	22	18	17	28	30	22	8
76	*Lewes: Chailey	230	23	3	4	3	1	34	5	5	6	2	14	28	34	31	32	32	7
	*Lewes: Lewes	205	48	7	6	2	4	67	3	4	2	5	13	26	13	20	19	27	6
	*Lewes: West Firle	30	2	1	1	–	1	5	1	1	–	1	2	1	3	4	8	7	3
	*Lewes: Newhaven	128	27	14	6	2	3	52	5	4	9	4	16	6	4	10	8	1	3
77	Brighton	2211	473	236	88	76	41	914	75	29	40	56	109	154	183	204	210	188	49
78	Steyning	769	182	60	27	20	25	314	25	13	14	17	45	55	51	64	71	82	15
79	Horsham	323	64	18	12	2	6	102	17	8	11	11	19	22	21	25	40	38	9
80	Petworth	126	17	4	2	3	–	26	4	2	3	5	8	5	11	15	17	23	7
81	Thakeham	102	9	6	1	3	2	21	2	2	3	1	2	9	6	16	19	15	6
82	East Preston (Worthing)	393	76	22	10	8	3	119	6	5	12	6	30	23	33	37	54	54	14
83	Westhampnett	306	39	20	6	2	2	69	8	7	3	11	14	24	23	31	44	55	17
84	Chichester	196	35	13	5	3	2	58	5	2	3	3	24	19	14	19	22	22	5
85	Midhurst	240	53	17	6	3	2	81	16	5	7	3	13	15	15	22	29	26	8
86	Westbourne	118	24	7	4	1	–	36	4	4	1	3	7	6	6	12	17	17	5
	4.—HAMPSHIRE.																		
87	Havant	177	23	12	5	4	4	48	7	3	4	7	9	7	19	19	25	23	6
88	Portsea Island	2778	626	292	113	90	57	1178	131	41	64	94	197	204	216	215	255	142	41
89	Alverstoke	437	75	20	12	6	2	115	13	7	22	25	38	43	38	41	42	40	13
90	Fareham	336	39	12	6	8	5	70	6	7	7	12	25	33	36	38	55	32	15
91	Isle of Wight	1187	216	72	33	21	16	358	32	21	43	40	100	101	80	116	131	120	45
92	Lymington	181	22	13	3	1	2	41	6	4	6	2	9	12	16	21	30	26	8
93	Christchurch	569	112	39	26	9	10	196	22	13	21	25	65	45	30	51	58	28	15
94	Ringwood	75	11	4	3	1	–	19	1	2	4	1	1	3	10	9	18	3	4
95	Fordingbridge	84	11	7	2	1	–	21	–	2	–	3	6	5	5	6	12	19	5
96	New Forest	193	28	17	5	3	2	55	2	4	3	5	10	13	13	18	29	31	10
97	Southampton	1017	242	78	15	12	5	352	17	17	22	28	82	83	119	94	92	85	26
98	South Stoneham	685	133	52	25	15	15	240	21	15	17	41	45	51	32	55	70	78	20
99	Romsey	158	21	12	6	3	1	43	5	1	5	2	8	6	16	16	28	22	6
100	Stockbridge	101	13	4	2	1	1	21	2	–	2	3	8	4	7	18	18	16	2
101	†Winchester: New Winchester	496	84	31	21	8	8	152	12	12	9	5	36	52	38	65	53	46	16
	†Winchester: Hursley	34	6	–	2	–	1	9	3	–	1	–	3	–	1	1	6	8	2
102	Droxford	181	27	11	4	3	4	49	6	10	3	3	9	8	9	19	33	27	5
103	Catherington	52	8	–	2	1	2	13	4	–	2	1	1	1	6	7	4	6	7
104	Petersfield	180	42	15	9	2	–	68	9	1	–	3	10	14	9	18	20	21	7
105	Alresford	92	19	4	2	1	–	26	1	1	1	1	2	5	4	10	20	16	5
106	Alton	224	38	13	2	3	1	57	8	3	7	2	10	11	16	24	43	29	14
107	Hartley Wintney	283	58	21	5	7	5	96	11	3	7	16	12	14	18	30	35	27	14
108	Basingstoke	308	66	17	9	5	3	100	6	6	1	10	14	22	19	26	46	49	9
109	Whitchurch	91	14	5	2	1	1	23	4	2	1	–	4	7	9	13	11	13	4
110	Andover	219	37	7	6	1	4	55	3	3	4	3	18	14	18	25	31	42	3
111	Kingsclere	130	34	6	3	–	2	45	3	–	3	2	10	11	9	5	19	15	8
	5.—BERKSHIRE.																		
112	Newbury	379	79	23	10	16	16	144	26	10	6	11	12	14	22	34	49	41	10
113	Hungerford	300	46	12	4	4	7	73	8	11	5	2	12	14	19	31	49	59	17
114	Faringdon	214	38	10	3	1	3	55	6	4	2	5	6	14	16	24	34	35	13
115	Abingdon	330	63	20	9	8	7	107	7	4	3	10	26	17	14	20	58	47	17
116	Wantage	318	47	16	8	10	5	86	17	1	7	9	16	9	23	37	52	50	11
117	Wallingford	303	42	17	8	7	4	78	7	3	6	5	21	31	24	27	50	44	7
118	Bradfield	240	46	12	11	5	2	76	11	7	3	9	9	15	18	25	40	21	6
119	Reading	828	205	85	38	27	23	378	28	13	11	16	56	60	53	67	74	60	12
120	Wokingham	325	75	18	8	8	6	115	14	5	5	12	20	18	27	39	27	35	8
121	Cookham	297	60	19	3	5	7	94	11	6	6	8	14	21	25	29	33	38	12
122	Easthampstead	175	37	13	2	–	2	54	6	2	5	4	9	15	20	17	19	17	7
123	Windsor	530	105	46	16	9	7	183	24	6	10	11	41	34	45	48	68	48	12

III.—SOUTH MIDLAND COUNTIES.

	6.—MIDDLESEX. (*extra-metropolitan.*)																		
124	Staines	404	110	19	10	7	6	152	18	11	8	2	23	23	29	36	40	48	14
125	Uxbridge	557	90	22	18	10	2	142	13	8	11	10	40	52	63	60	81	57	20
126	Brentford	1817	450	155	66	43	32	746	47	35	25	50	99	124	127	174	185	158	37
127	Hendon	1034	304	120	47	23	25	519	43	17	22	16	53	55	52	74	99	66	18
128	Barnet	659	111	36	8	10	8	173	20	9	13	15	70	86	89	53	66	47	18
129	Edmonton	2604	657	238	115	70	60	1140	130	59	48	63	135	149	173	191	265	192	59

* 76.—The District of Lewes comprises the four Poor Law Unions of Chailey, Lewes, West Firle, and New haven.
† 101.—The District of Winchester comprises the two Poor Law Unions of New Winchester and Hursley.

III.—SOUTH MIDLAND COUNTIES.—DEATHS at different Ages, 1882—DISTRICTS—*continued*

No.	DISTRICTS.	PERSONS. Total Deaths.	Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	7.—HERTFORDSHIRE.																		
130	Ware	267	51	12	4	4	2	73	11	11	9	9	14	13	18	22	35	39	13
131	Bishop Stortford	316	59	14	6	5	2	86	9	8	5	11	14	13	30	34	51	45	10
132	*Royston { Buntingford	102	14	6	2	1	1	24	2	1	1	2	7	9	7	11	9	28	1
	*Royston { Royston	315	53	23	16	6	6	104	19	8	6	13	8	22	17	23	37	44	14
133	Hitchin	431	93	28	11	2	3	137	13	10	8	5	20	34	27	42	57	63	15
134	Hertford	222	49	10	1	3	2	65	6	5	6	8	11	12	15	20	36	34	5
135	†Hatfield { Hatfield	116	27	11	2	3	2	45	3	3	3	2	7	6	7	14	12	11	3
	†Hatfield { Welwyn	31	6	1	–	1	–	8	–	–	–	–	4	–	2	5	8	4	–
136	St. Albans	379	90	17	9	4	5	125	7	4	7	9	30	17	31	36	52	49	12
137	Watford	619	101	45	14	9	10	179	14	6	9	10	35	61	54	74	94	69	14
138	Hemel Hempstead	243	46	15	6	4	1	72	5	5	5	5	19	12	17	30	37	31	5
139	Berkhampstead	282	73	18	11	6	4	112	10	2	2	7	13	21	16	28	35	25	11
	8.—BUCKINGHAMSHIRE.																		
140	Amersham	314	70	21	10	10	5	116	–	6	5	7	14	23	19	27	48	37	12
141	Eton	444	77	31	15	7	4	134	19	5	10	13	28	31	47	38	69	47	3
142	Wycombe	692	166	45	15	12	7	245	23	12	14	13	34	37	52	66	102	81	13
143	Aylesbury	508	95	32	18	14	13	172	29	7	10	12	31	20	29	49	55	73	21
144	Winslow	131	38	9	2	1	2	52	3	5	1	4	6	8	4	11	16	17	4
145	Newport Pagnell	412	89	24	12	8	11	144	14	6	7	12	19	19	25	46	51	60	9
146	Buckingham	255	50	15	11	5	5	86	13	2	5	6	13	12	13	19	46	30	10
	9.—OXFORDSHIRE.																		
147	Henley	302	49	20	11	8	7	95	19	8	7	7	15	17	25	24	41	39	5
148	Thame	211	58	7	1	3	1	70	9	1	5	4	4	11	9	20	37	30	11
149	Headington	592	113	30	12	12	17	184	22	17	15	19	35	41	41	48	74	79	17
150	Oxford	392	93	33	20	17	15	178	25	6	7	12	16	17	35	34	37	21	4
151	Bicester	218	24	14	4	4	1	47	7	7	7	5	11	14	15	25	39	34	7
152	Woodstock	207	36	12	6	3	4	61	9	1	3	8	6	13	14	28	32	27	5
153	Witney	396	72	14	15	12	4	117	22	8	7	9	10	20	23	36	68	64	12
154	Chipping Norton	283	52	15	8	3	2	80	12	3	4	11	9	15	18	28	51	45	7
155	Banbury	435	98	19	10	5	9	141	8	7	10	6	22	24	37	44	64	57	15
	10.—NORTHAMPTONSHIRE.																		
156	Brackley	227	32	12	7	4	2	57	5	1	6	4	9	18	16	17	51	38	5
157	Towcester	196	39	14	6	4	2	65	11	2	1	2	6	11	14	18	28	31	7
158	Potterspury	188	42	5	8	1	1	57	8	8	5	8	9	12	11	17	25	22	6
159	Hardingstone	172	31	17	5	4	2	59	8	4	7	7	9	9	8	15	23	18	5
160	Northampton	1287	384	84	42	30	20	560	34	24	27	34	72	93	93	112	128	84	26
161	Daventry	302	70	17	4	2	2	95	7	2	5	11	16	13	12	39	55	37	10
162	Brixworth	187	38	15	6	4	3	66	4	2	9	4	4	5	10	22	30	24	7
163	Wellingborough	611	175	48	20	10	11	264	20	13	15	18	44	35	36	46	64	46	10
164	Kettering	465	135	50	21	9	12	227	7	5	14	15	13	23	33	34	42	39	13
165	Thrapston	237	58	12	5	3	3	81	12	6	5	6	12	9	14	28	32	27	5
166	Oundle	223	39	14	3	3	2	61	8	8	4	6	10	10	22	24	30	36	4
167	Peterborough	743	191	54	14	14	19	292	24	11	28	18	34	37	46	62	89	73	29
	11.—HUNTINGDONSHIRE.																		
168	Huntingdon	215	57	13	3	8	5	86	12	9	10	11	17	16	17	24	36	49	8
169	St. Ives	252	46	7	4	5	2	64	8	6	3	8	14	10	14	23	50	42	10
170	St. Neots	258	46	13	6	6	1	72	11	7	13	7	11	9	9	18	43	40	18
	12.—BEDFORDSHIRE.																		
171	Bedford	714	151	42	9	10	11	223	23	17	18	16	39	38	48	70	110	88	21
172	Biggleswade	540	126	32	16	9	10	193	29	16	8	15	26	28	36	39	78	62	10
173	Ampthill	275	69	9	5	2	3	88	6	5	6	10	16	15	11	23	38	41	16
174	Woburn	175	28	4	5	–	3	40	6	4	5	6	8	10	12	16	29	31	8
175	Leighton Buzzard	311	83	20	8	4	2	117	8	3	8	7	15	22	24	33	44	24	6
176	Luton	785	228	60	32	20	10	350	40	10	12	17	35	49	43	76	90	52	11
	13.—CAMBRIDGESHIRE.																		
177	Caxton	112	27	8	3	4	–	42	6	5	1	4	3	10	7	19	21	17	7
178	Chesterton	492	110	24	11	13	7	165	17	9	9	10	20	27	28	37	68	74	28
179	Cambridge	628	135	36	14	7	7	219	18	8	16	7	40	44	51	69	75	62	19
180	Linton	208	43	7	8	5	2	65	14	4	7	7	3	8	12	22	30	29	7
181	Newmarket	460	98	27	7	10	6	148	12	5	14	10	23	23	26	40	70	71	18
182	Ely	356	72	24	6	8	9	119	15	3	14	9	20	23	14	41	45	40	13
183	North Witchford	245	56	18	6	2	3	85	6	5	13	6	9	9	11	19	32	38	12
184	Whittlesey	111	16	10	4	1	3	34	4	1	2	2	3	7	6	15	11	16	10
185	Wisbech	627	124	46	26	13	19	228	48	24	11	10	26	26	33	46	70	67	28

* 182.—The District of Royston comprises the two Poor Law Unions of Buntingford and Royston.
† 135.—The District of Hatfield comprises the two Poor Law Unions of Hatfield and Welwyn.

IV.—EASTERN COUNTIES.—DEATHS at different Ages, 1882—Districts.

No.	Districts.	Total Deaths.	Persons. Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards
	14.—ESSEX.																		
186	West Ham	4117	1246	489	213	148	107	2203	235	64	66	80	231	266	234	277	251	162	45
187	Epping	373	78	21	6	8	6	119	17	11	6	6	21	22	13	35	64	48	11
188	Ongar	153	25	10	2	–	–	37	3	2	7	4	3	9	14	11	25	29	9
189	Romford	695	164	62	25	22	12	285	29	7	15	16	31	41	43	59	75	70	24
190	Orsett	270	58	17	14	6	2	97	12	10	9	7	15	23	14	27	26	25	5
191	Billericay	373	54	25	9	19	9	116	12	8	5	6	19	33	33	41	43	49	10
192	Chelmsford	487	71	38	14	12	1	136	18	6	7	12	25	34	33	57	70	70	19
193	Rochford	360	81	21	15	6	5	128	13	12	8	12	19	24	20	28	47	37	12
194	Maldon	371	54	22	11	6	4	97	10	10	13	9	12	30	22	43	51	62	12
195	Tendring	582	123	30	16	10	7	186	26	7	16	9	30	42	31	58	75	72	31
196	Colchester	563	118	42	20	12	8	200	15	17	23	21	33	23	37	54	66	57	17
197	Lexden	375	64	23	11	5	6	109	16	14	11	5	17	18	24	35	50	62	14
198	Halstead	271	50	11	3	4	–	68	9	3	9	5	12	10	21	35	52	38	9
199	Braintree	488	89	22	12	8	5	136	14	13	9	9	24	26	25	47	69	85	31
200	Dunmow	315	41	11	5	4	4	65	10	6	8	13	18	11	25	30	57	61	16
201	Saffron Walden	299	61	19	3	2	3	88	8	5	5	6	13	16	23	33	49	47	15
	15.—SUFFOLK.																		
202	Risbridge	287	67	16	6	6	2	97	6	7	6	9	19	13	25	29	34	34	8
203	Sudbury	526	85	28	8	4	5	130	20	10	13	11	36	25	32	51	80	82	36
204	Cosford	259	38	18	2	1	2	61	6	5	8	6	15	8	17	22	47	38	25
205	Thingoe	234	50	12	5	1	–	68	5	4	7	4	9	20	24	33	38	37	15
206	Bury St. Edmunds	285	54	12	4	6	1	77	6	5	8	10	17	27	29	36	34	27	9
207	Mildenhall	186	32	11	6	3	4	56	10	6	6	9	6	12	14	12	21	23	11
208	Stow	343	75	17	2	4	6	104	10	5	4	11	10	20	25	32	51	56	15
209	Hartismere	295	50	16	8	3	2	79	9	9	6	8	13	12	8	22	43	64	22
210	Hoxne	173	21	10	8	1	–	40	1	3	4	5	12	9	9	19	27	37	7
211	Bosmere	242	37	17	2	1	3	60	5	2	2	5	14	7	20	25	38	47	17
212	Samford	178	41	14	4	–	1	60	7	5	4	10	4	10	13	13	21	23	8
213	Ipswich	1066	237	90	28	14	20	389	40	18	19	24	53	79	77	102	132	105	28
214	Woodbridge	440	60	24	10	2	7	103	16	7	14	15	24	27	33	49	61	70	21
215	Plomesgate	340	67	11	14	3	3	98	10	3	11	13	13	18	23	29	47	46	29
216	Blything	407	87	18	8	8	2	123	10	7	11	10	27	17	19	32	58	64	29
217	Wangford	218	44	14	4	–	2	64	9	4	6	6	18	10	8	18	30	30	15
218	Mutford	612	165	40	16	9	13	243	23	16	16	10	31	38	41	51	72	51	20
	16.—NORFOLK.																		
219	Yarmouth	816	226	68	22	9	10	335	16	16	18	17	42	52	58	71	99	74	18
220	Flegg	162	37	9	3	1	1	51	1	4	4	5	14	10	6	12	23	24	8
221	Smallburgh	242	45	11	5	2	5	68	7	4	5	8	15	18	11	13	27	53	13
222	Erpingham	332	52	15	3	2	3	75	12	1	8	8	17	19	12	36	65	61	18
223	Aylsham	316	60	10	5	2	4	81	13	4	8	11	22	13	20	23	39	60	22
224	St. Faiths	200	50	9	2	2	–	63	5	1	4	1	14	11	19	19	30	24	9
225	Norwich	1820	503	155	48	38	16	760	35	23	35	43	85	97	132	147	213	204	46
226	Forehoe	199	34	10	3	1	1	49	3	3	5	4	5	8	13	20	28	42	19
227	Henstead	146	31	7	1	1	1	41	1	3	1	7	13	7	8	12	18	26	9
228	Blofield	230	38	7	4	1	4	54	7	1	6	8	12	24	15	25	39	33	6
229	Loddon	208	35	8	3	–	5	51	3	3	10	5	14	6	6	32	28	35	15
230	Depwade	353	80	13	5	5	1	104	6	8	7	15	11	16	17	34	57	56	22
231	Guiltcross	117	20	3	2	–	1	26	4	2	5	2	9	6	11	19	23	27	13
232	Wayland	163	28	10	1	3	3	45	2	4	5	3	7	12	11	14	34	16	10
233	Mitford	473	106	17	10	5	11	149	15	9	12	12	21	28	21	39	68	74	25
234	Walsingham	355	76	17	3	5	2	103	7	5	6	12	11	19	17	38	57	60	29
235	Docking	300	66	12	6	–	2	86	5	9	10	12	15	17	16	29	46	44	11
236	Freebridge Lynn	240	54	15	7	5	6	87	11	6	5	5	12	13	10	23	29	29	10
237	Kings Lynn	409	95	31	9	12	5	152	13	1	4	10	22	32	30	47	44	42	12
238	Downham	393	75	32	6	5	5	123	18	15	14	12	11	22	22	40	47	49	20
239	Swaffham	226	31	13	2	4	6	56	12	6	8	4	10	13	10	18	31	36	12
240	Thetford	289	58	6	5	5	3	77	13	4	8	8	9	14	17	28	50	47	14

V.—SOUTH WESTERN COUNTIES.

	17.—WILTSHIRE.																		
241	Highworth	567	170	55	9	5	7	246	14	8	10	13	49	34	41	45	50	48	9
242	Cricklade	220	46	10	5	1	4	66	6	6	3	8	7	10	12	24	29	38	11
243	Malmesbury	264	48	17	6	4	4	79	13	4	3	11	11	14	12	24	33	41	19
244	Chippenham	360	64	15	6	3	3	91	10	5	10	12	17	22	20	44	62	57	10
245	Calne	165	27	11	9	3	1	51	6	3	5	10	7	4	11	13	18	26	11
246	Marlborough	152	17	8	4	2	3	34	6	2	4	8	11	7	6	20	29	20	5
247	Devizes	357	39	13	7	3	1	63	6	9	8	11	18	23	41	40	56	66	16
248	Melksham	312	66	16	10	1	4	97	8	2	6	7	10	22	21	43	34	45	17
249	Bradford	178	35	6	–	1	3	45	5	2	1	6	8	14	7	31	27	23	9
250	Westbury	163	22	11	1	4	–	38	1	3	2	5	5	11	12	18	30	29	9
251	Warminster	227	34	9	5	2	1	51	5	5	5	6	9	11	17	27	36	45	10
252	Pewsey	178	32	5	2	2	–	41	5	6	2	5	14	13	17	14	31	24	6

V.—SOUTH WESTERN COUNTIES.—DEATHS at different Ages, 1882—DISTRICTS—*continued.*

No.	DISTRICTS.	PERSONS. Total Deaths.	Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
	17.—WILTSHIRE—*cont.*																		
253	AMESBURY	126	19	3	5	2	–	29	3	1	2	4	6	5	12	14	19	22	9
254	*ALDERBURY { ALDERBURY	354	38	12	5	3	–	58	6	5	7	9	33	40	34	46	63	41	12
	*ALDERBURY { SALISBURY	133	23	7	3	1	2	36	2	2	2	2	8	6	12	13	17	24	9
255	WILTON	144	23	4	2	3	2	34	4	3	4	2	5	6	11	22	22	26	5
256	TISBURY	146	27	5	3	1	2	38	2	2	–	5	6	5	8	27	28	17	8
257	MERE	133	15	8	2	8	2	35	7	3	2	7	5	4	9	16	24	15	6
	18.—DORSETSHIRE.																		
258	SHAFTESBURY	225	36	8	10	8	1	63	10	11	5	2	5	13	12	21	41	34	8
259	STURMINSTER	158	27	9	4	3	4	47	10	2	5	3	9	8	8	13	22	25	6
260	BLANDFORD	198	29	9	4	1	2	45	4	3	6	8	17	10	10	21	36	25	13
261	WIMBORNE	241	42	12	3	3	–	60	3	6	7	4	11	16	18	27	39	38	12
262	POOLE	325	68	38	8	10	8	132	7	6	6	8	13	14	22	31	42	27	17
263	WAREHAM	249	44	17	5	3	6	75	11	1	3	8	16	12	12	29	33	39	10
264	WEYMOUTH	441	78	17	5	7	3	110	9	11	14	11	31	34	43	52	56	57	13
265	†DORCHESTER { DORCHESTER	337	59	15	9	6	6	95	4	10	10	11	25	24	30	34	48	37	9
	†DORCHESTER { CERNE	97	13	2	1	–	2	18	1	1	3	4	3	8	9	13	12	21	4
266	SHERBORNE	211	33	5	4	2	3	47	6	–	5	11	4	6	19	27	40	36	10
267	BEAMINSTER	188	26	8	4	2	–	40	2	5	2	6	3	14	15	20	34	39	8
268	BRIDPORT	236	43	7	5	2	2	59	14	–	8	4	6	14	16	28	37	36	14
	19.—DEVONSHIRE.																		
269	AXMINSTER	293	38	11	3	3	5	60	4	8	10	6	15	18	26	30	49	50	17
270	HONITON	349	50	18	6	7	6	87	10	5	6	11	20	25	20	37	59	48	21
271	ST. THOMAS	863	159	33	21	6	8	227	20	20	20	18	55	54	66	85	140	122	36
272	EXETER	844	196	68	17	15	8	304	27	13	23	22	45	70	58	71	88	97	26
273	NEWTON ABBOT	1204	242	65	16	17	8	348	26	20	30	41	73	70	68	143	172	169	44
274	TOTNES	570	101	24	1	3	8	137	12	10	20	11	40	36	36	53	94	91	30
275	KINGSBRIDGE	291	43	10	6	6	–	65	7	3	3	8	14	14	19	35	57	48	18
276	PLYMPTON ST. MARY	392	80	21	6	9	2	118	9	7	11	11	23	24	19	44	58	53	15
277	PLYMOUTH	1572	374	125	55	36	10	600	32	23	31	41	76	123	122	165	177	147	35
278	EAST STONEHOUSE	430	79	55	25	9	8	176	8	5	22	12	39	31	36	21	41	32	7
279	STOKE DAMEREL	818	176	63	29	16	8	292	17	8	16	23	54	63	73	70	106	77	19
280	TAVISTOCK	534	90	32	18	9	7	156	12	13	12	25	34	36	32	48	76	69	21
281	OKEHAMPTON	264	46	13	4	3	4	70	7	4	5	7	6	9	15	33	48	49	11
282	CREDITON	262	39	8	5	5	3	60	7	10	7	7	9	13	15	35	42	42	15
283	TIVERTON	465	73	19	11	10	9	122	10	15	10	11	30	24	36	52	60	71	24
284	SOUTH MOLTON	240	37	6	5	3	3	54	6	2	7	10	12	10	20	20	48	36	15
285	BARNSTAPLE	649	98	31	19	18	16	182	37	17	17	12	35	30	40	63	90	92	34
286	TORRINGTON	241	37	12	2	1	2	54	8	2	3	11	11	14	7	34	40	45	12
287	BIDEFORD	304	42	12	4	7	8	73	16	5	9	9	14	12	24	23	49	47	23
288	HOLSWORTHY	151	39	13	2	–	3	57	3	1	3	6	5	6	6	11	24	26	3
	20.—CORNWALL.																		
289	STRATTON	112	21	6	3	–	2	32	1	1	2	4	7	4	3	12	21	20	5
290	CAMELFORD	124	23	9	2	1	–	35	2	1	6	3	9	5	7	12	23	13	8
291	LAUNCESTON	285	30	21	1	4	6	62	11	5	7	7	16	13	17	34	43	55	15
292	ST. GERMANS	340	69	25	15	4	4	117	10	8	10	9	25	17	19	22	50	41	12
293	LISKEARD	505	73	27	8	7	3	118	15	13	13	14	16	23	43	67	83	76	24
294	BODMIN	361	49	24	7	5	2	87	12	7	8	12	21	22	21	42	61	49	19
295	ST. COLUMB	241	48	16	2	1	2	69	7	3	9	12	9	14	11	23	29	42	13
296	ST. AUSTELL	522	97	27	20	12	7	163	22	14	9	16	27	23	27	51	67	80	23
297	TRURO	683	127	44	20	16	11	218	22	16	16	19	28	32	43	70	108	83	28
298	FALMOUTH	409	78	38	17	5	5	143	12	6	13	16	19	26	33	25	46	51	19
299	HELSTON	478	101	40	11	–	4	156	8	10	14	21	25	16	33	45	57	67	26
300	REDRUTH	916	213	70	21	12	6	322	37	30	32	31	35	49	55	106	109	95	15
301	PENZANCE	955	255	67	23	13	9	367	15	16	23	29	31	44	55	88	146	109	32
302	SCILLY ISLANDS	44	6	3	–	–	–	9	1	–	–	–	2	–	1	6	12	8	5
	21.—SOMERSETSHIRE.																		
303	WILLITON	292	43	12	5	2	4	66	10	6	8	9	12	15	26	27	52	42	19
304	DULVERTON	87	10	4	2	–	2	18	3	5	–	2	6	3	7	9	19	12	3
305	WELLINGTON	298	38	7	3	5	1	54	9	5	5	6	13	18	20	34	62	56	16
306	TAUNTON	718	111	48	19	20	22	220	36	30	22	18	47	46	45	60	77	89	28
307	BRIDGWATER	491	96	16	5	8	7	132	13	9	8	18	29	28	37	57	64	73	23
308	LANGPORT	253	36	12	5	4	1	58	5	4	7	11	14	12	14	30	51	34	13
309	CHARD	409	96	17	11	5	1	130	14	13	17	3	15	18	32	40	62	53	12
310	YEOVIL	417	85	22	6	4	5	122	8	7	7	10	20	20	32	38	80	58	15
311	WINCANTON	343	61	18	9	6	5	99	8	3	7	5	16	22	23	35	55	51	19
312	FROME	383	76	20	5	4	2	107	7	3	7	7	15	22	24	55	71	46	19
313	SHEPTON MALLET	254	36	7	5	1	3	52	8	4	7	5	16	26	14	26	47	36	13
314	WELLS	438	71	18	9	5	3	106	17	4	7	22	27	38	35	50	57	58	17
315	AXBRIDGE	649	122	18	14	9	3	166	19	7	14	17	48	47	46	57	112	83	33
316	CLUTTON	399	63	28	14	8	2	115	10	18	10	8	8	18	25	52	63	56	16
317	BATH	1308	204	49	26	16	15	310	28	22	26	30	87	101	123	135	218	177	51
318	KEYNSHAM	453	117	25	3	4	3	152	14	6	13	17	32	26	26	36	54	54	23
319	BEDMINSTER	1205	320	106	44	17	18	505	39	20	21	33	60	98	73	114	110	104	28

* 254.—The Registration District and Poor Law Union of Alderbury prior to 21st May 1869 consisted of two Registration Districts, Alderbury and Salisbury.
† 265.—The District of Dorchester comprises the two Poor Law Unions of Dorchester and Cerne.

VI.—WEST MIDLAND COUNTIES.—DEATHS at different Ages, 1882—Districts.

No.	Districts.	Total Deaths.	Persons. Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
	22.—GLOUCESTERSHIRE.																		
320	Bristol (*part of City*)	1269	279	80	40	28	14	441	41	24	32	33	102	124	118	121	121	93	19
321	Clifton (*including part of Bristol City*)	2954	769	244	98	74	38	1223	106	57	62	70	162	167	185	248	339	249	86
322	Chipping Sodbury	391	60	22	4	5	2	93	13	5	3	7	11	13	20	39	46	38	13
323	Thornbury	291	48	16	6	3	6	79	17	4	12	12	13	19	11	28	41	49	9
324	Dursley	240	34	9	2	4	6	55	9	2	7	4	7	16	16	25	40	47	12
325	Westbury-on-Severn	375	79	22	12	5	5	123	13	6	5	11	19	26	26	48	61	31	6
326	Newent	172	23	3	–	4	–	30	7	4	4	4	12	9	11	21	25	37	8
327	Gloucester	1047	180	58	39	37	36	370	88	25	25	23	66	61	85	83	116	86	19
328	Wheatenhurst	123	20	7	1	1	1	30	3	4	3	3	12	5	5	14	22	17	5
329	Stroud	704	133	45	21	11	10	220	26	9	20	10	31	28	51	76	108	98	27
330	Tetbury	78	10	4	–	1	1	16	3	1	2	1	3	5	4	11	14	15	3
331	Cirencester	380	80	27	10	4	2	123	10	5	5	9	17	23	21	38	55	53	21
332	Northleach	137	28	6	1	2	1	38	6	2	4	–	9	7	9	13	24	19	6
333	Stow-on-the-Wold	168	29	14	3	4	5	55	5	2	4	4	4	9	9	19	25	26	6
334	Winchcombe	145	28	4	1	–	3	36	3	5	2	–	8	5	8	18	21	28	11
335	Cheltenham	1015	186	87	33	23	13	342	27	17	19	14	50	62	63	111	136	131	43
336	Tewkesbury	246	40	21	4	7	7	79	7	6	9	7	7	10	17	27	31	33	13
	23.—HEREFORDSHIRE.																		
337	Ledbury	196	37	2	3	2	3	47	10	7	3	4	10	14	13	20	28	30	10
338	Ross	302	55	19	11	5	8	98	12	8	4	9	20	17	15	31	38	38	12
339	*Hereford { Hereford	668	124	57	21	13	14	229	28	17	13	16	34	46	38	66	74	86	21
	*Hereford { Dore	163	21	5	2	4	1	33	5	2	6	4	7	13	9	19	29	29	7
340	Weobly	162	23	10	2	6	2	43	12	–	5	3	5	7	17	21	22	19	8
341	Bromyard	167	35	7	3	3	2	50	6	3	3	5	6	8	6	19	24	24	13
342	Leominster	213	33	12	2	1	–	48	4	2	4	5	10	17	19	26	38	34	6
343	Kington	204	35	15	7	6	4	67	4	6	1	9	11	6	17	14	35	27	7
	24.—SHROPSHIRE.																		
344	Ludlow	237	64	13	3	3	1	84	4	2	6	13	21	13	22	27	43	40	12
345	Clun	164	35	10	2	2	1	50	3	3	4	5	7	10	13	12	30	16	11
346	Church Stretton	69	11	–	–	–	1	12	3	1	1	1	4	4	7	8	13	12	3
347	Cleobury Mortimer	107	17	7	1	–	1	26	3	1	2	2	5	11	4	12	21	16	4
348	Bridgnorth	251	57	11	–	3	2	73	9	5	5	4	10	14	16	24	32	41	18
349	Shifnal	199	46	11	1	2	1	61	8	3	5	6	12	8	12	26	21	31	6
350	Madeley	499	91	30	11	14	17	163	32	12	13	10	21	16	36	41	71	66	18
351	†Atcham { Atcham	285	42	11	4	4	2	63	9	6	10	5	16	13	24	35	49	39	16
	†Atcham { Shrewsbury	647	119	42	6	10	5	182	20	12	19	22	56	58	63	81	81	38	15
352	Oswestry	521	96	33	16	12	4	161	34	15	9	11	34	28	53	44	88	45	19
353	Ellesmere	199	23	8	5	3	2	41	5	3	10	2	11	9	9	31	37	33	8
354	Wem	141	18	4	2	2	–	26	3	6	2	5	8	5	8	15	25	32	6
355	Whitchurch	164	22	8	3	–	–	33	5	4	1	5	10	7	15	18	33	27	6
356	Market Drayton	204	29	13	3	1	1	47	8	5	8	8	8	15	11	17	40	27	10
357	Wellington	493	131	32	27	14	9	213	21	12	9	9	31	27	23	41	60	34	13
358	Newport	248	43	14	7	6	5	75	8	7	2	6	14	14	6	28	36	38	14
	25.—STAFFORDSHIRE.																		
359	Stafford	669	138	34	9	9	5	195	20	12	20	20	55	65	56	88	66	60	12
360	Stone	521	135	32	7	7	7	188	15	9	19	12	34	28	34	47	58	61	16
361	Newcastle-under-Lyme	642	198	42	21	8	6	275	23	10	19	16	33	50	40	63	61	40	12
362	Wolstanton	1803	582	204	73	50	23	932	87	33	40	40	89	103	138	149	123	61	5
363	Stoke-upon-Trent	2529	802	217	77	39	48	1183	67	43	61	62	154	209	227	237	186	89	11
364	Leek	639	174	55	19	6	7	261	23	16	17	14	41	29	42	53	70	58	12
365	Cheadle	398	94	24	10	7	2	137	12	11	9	10	21	18	26	42	48	49	15
366	Uttoxeter	228	33	14	11	5	1	64	6	4	6	2	6	15	24	25	34	30	12
367	Burton-upon-Trent	1258	327	102	37	33	18	517	49	22	25	36	84	111	77	104	111	93	29
368	Tamworth	301	61	28	14	7	5	115	19	6	9	8	15	10	19	27	37	26	10
369	Lichfield	736	136	52	23	14	16	241	26	15	19	15	49	56	64	83	82	63	22
370	Cannock	576	175	58	24	14	1	272	23	10	10	12	21	20	32	49	69	50	8
371	‡Wolverhampton { Seisdon	254	55	7	5	1	4	72	10	1	6	10	13	12	17	33	36	33	11
	‡Wolverhampton { Wolverhampton	2773	772	312	112	61	56	1313	92	52	45	63	144	146	205	284	278	122	26
372	Walsall	1623	517	167	47	35	31	797	51	24	51	34	94	98	107	148	136	70	13
373	West Bromwich	2470	722	271	95	70	50	1208	102	45	71	68	120	141	150	212	209	111	33
374	Dudley	2809	857	320	128	59	51	1415	87	45	56	68	127	117	154	247	275	186	32
	26.—WORCESTERSHIRE.																		
375	Stourbridge	1615	497	177	74	52	38	838	70	27	30	38	74	66	93	84	164	114	17
376	Kidderminster	705	174	55	24	11	8	272	28	11	16	19	36	40	53	69	90	55	16
377	Tenbury	93	21	1	–	1	–	23	1	1	–	1	8	2	7	16	16	15	3
378	Martley	212	31	10	2	4	–	47	2	6	6	3	15	16	13	28	29	34	13
379	Worcester	658	156	44	13	16	4	233	16	14	16	20	36	44	61	69	79	55	15
380	Upton-on-Severn	412	39	10	4	4	4	61	8	6	12	8	32	39	43	47	74	59	23
381	Evesham	230	34	10	10	7	6	67	14	7	7	6	11	8	19	23	36	23	9
382	Pershore	205	38	10	3	1	1	53	3	2	5	6	10	10	12	21	39	33	11
383	Droitwich	477	120	42	20	6	14	202	29	9	5	11	29	24	22	36	47	53	10
384	Bromsgrove	613	166	58	23	14	14	275	29	7	14	21	16	28	41	52	58	62	10
385	Kings Norton	1453	349	112	50	22	22	555	45	30	30	47	117	115	88	136	151	117	22

* 339.—The District of Hereford comprises the two Poor Law Unions of Hereford and Dore.
† 351.—The Registration District and Poor Law Union of Atcham, prior to 1st October 1871, consisted of two Registration Districts Atcham and Shrewsbury.
‡ 371.—The District of Wolverhampton comprises the two Poor Law Unions of Seisdon and Wolverhampton.

VI.—WEST MIDLAND COUNTIES.—DEATHS at different Ages, 1882—DISTRICTS—*continued.*

No.	DISTRICTS.	PERSONS. Total Deaths.	Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
	27.—WARWICKSHIRE.																		
385	Birmingham	5715	1569	537	209	146	102	2563	222	91	116	173	315	464	475	535	444	253	34
387	Aston	3829	1239	415	149	87	60	1941	112	69	77	70	216	252	262	301	299	204	35
388	Meriden	189	23	4	4	2	3	36	6	5	5	4	7	10	16	26	29	30	5
389	Atherstone	236	67	17	11	4	3	102	5	1	6	10	23	10	15	22	29	29	4
390	Nuneaton	255	69	16	4	5	2	96	12	4	5	3	5	12	18	27	32	31	10
391	Foleshill	332	97	29	11	3	2	142	10	3	6	5	12	23	22	22	36	41	10
392	Coventry	840	211	62	29	20	8	330	16	9	19	17	51	53	70	70	110	76	19
393	Rugby	427	72	21	7	5	8	113	13	5	9	18	27	24	31	48	55	69	15
394	Solihull	335	70	20	7	12	3	112	8	7	9	6	21	21	29	30	48	37	7
395	Warwick	905	155	44	12	11	5	227	19	6	19	24	53	65	76	119	143	129	34
396	Stratford-on-Avon	326	45	13	3	2	2	65	12	8	9	11	20	29	15	34	50	69	13
397	Alcester	325	63	27	8	12	1	111	11	4	3	8	19	15	22	31	42	51	8
398	Shipston-on-Stour	302	57	11	9	6	2	85	6	5	5	8	7	23	25	35	48	45	10
399	Southam	173	28	10	1	3	3	45	6	2	6	2	8	9	17	15	27	24	10

VII.—NORTH MIDLAND COUNTIES.

No.	DISTRICTS.	Total Deaths.	Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
	28.—LEICESTERSHIRE.																		
400	Lutterworth	235	37	15	7	4	4	67	10	3	8	6	7	8	10	21	41	37	17
401	Market Harborough	252	52	21	4	4	4	85	8	5	2	11	9	14	17	18	39	30	14
402	Billesdon	183	39	5	6	3	3	56	5	4	3	2	14	17	16	16	21	22	7
403	Blaby	405	106	24	23	14	11	178	20	9	3	6	26	21	13	30	42	44	13
404	Hinckley	352	105	21	10	10	5	151	14	6	7	10	14	14	16	29	42	33	16
405	Market Bosworth	261	68	13	7	5	4	97	11	2	8	11	9	11	13	24	30	37	8
406	Ashby-de-la-Zouch	538	156	38	12	9	10	225	20	7	10	9	21	20	27	51	75	55	18
407	Loughborough	501	127	21	11	8	4	171	11	9	15	10	34	26	20	64	58	67	16
408	Barrow-upon-Soar	495	136	31	19	12	10	208	25	8	10	7	29	24	20	43	46	49	16
409	Leicester	2552	939	267	76	49	29	1360	63	28	44	54	143	132	160	204	226	151	27
410	Melton Mowbray	375	68	29	16	16	7	136	28	9	7	11	21	16	16	26	45	46	14
	29.—RUTLANDSHIRE.																		
411	Oakham	182	37	13	5	5	1	61	4	3	5	4	10	5	12	21	21	27	9
412	Uppingham	175	28	8	4	4	3	47	2	7	3	4	8	15	17	19	26	22	5
	30.—LINCOLNSHIRE.																		
413	Stamford	200	53	14	7	2	2	78	9	8	6	6	10	31	23	40	33	42	9
414	Bourn	286	53	11	4	4	5	77	8	11	9	11	10	12	8	26	48	49	17
415	Spalding	375	83	18	7	3	10	121	21	5	8	15	19	16	25	31	56	43	15
416	Holbeach	274	56	9	7	3	–	75	7	9	6	7	14	14	9	36	37	47	13
417	Boston	659	141	34	10	5	8	198	21	16	21	13	35	34	35	55	90	104	37
418	Sleaford	435	100	12	14	7	13	146	8	10	11	15	20	20	22	39	53	64	27
419	Grantham	573	146	43	15	10	8	222	15	10	11	10	29	39	44	42	75	54	22
420	Lincoln	1386	345	103	34	29	25	536	65	24	37	44	90	89	93	124	150	107	27
421	Horncastle	373	61	19	11	6	2	99	13	10	11	13	24	21	18	37	60	45	22
422	Spilsby	455	90	20	8	4	4	126	11	10	12	17	24	26	27	39	61	79	23
423	Louth	572	114	28	10	8	11	171	16	6	25	16	30	36	38	62	62	80	30
424	Caistor	1188	302	120	54	31	37	544	67	28	36	36	80	58	66	73	100	78	22
425	Glanford Brigg	709	173	35	14	17	11	250	21	18	24	13	33	40	33	52	95	99	31
426	Gainsborough	670	161	43	31	31	21	287	60	10	17	10	32	23	33	43	70	67	18
	31.—NOTTINGHAMSHIRE.																		
427	East Retford	389	80	26	11	6	6	129	19	10	11	15	28	21	20	30	48	47	11
428	Worksop	567	133	42	31	14	14	234	43	12	11	13	42	28	22	41	61	48	12
429	Mansfield	904	221	78	45	32	31	407	54	26	25	25	45	36	56	69	85	59	17
430	Basford	2406	796	205	80	67	55	1203	103	49	56	67	123	94	122	174	226	146	43
431	Nottingham	3919	1150	374	140	104	68	1836	164	54	75	117	239	279	285	292	317	226	35
432	Southwell	358	55	8	3	8	8	82	15	10	9	14	21	20	17	38	52	52	28
433	Newark	551	123	30	15	9	7	184	21	10	21	19	32	28	23	49	65	77	22
434	Bingham	277	43	11	8	12	8	82	25	8	9	9	12	11	6	24	37	36	18
	32.—DERBYSHIRE.																		
435	Shardlow	715	170	57	19	17	14	277	29	7	15	25	43	37	40	54	76	91	21
436	Derby	1441	394	125	62	31	24	636	68	18	41	44	96	115	93	108	127	89	15
437	Belper	1106	265	74	39	14	15	407	41	17	32	29	53	73	80	97	126	124	27
438	Ashborne	303	51	15	8	5	4	83	11	4	4	7	15	15	20	38	47	41	18
439	Chesterfield	1995	577	197	93	60	37	984	131	38	39	46	108	104	110	138	153	123	21
440	Bakewell	562	86	33	15	6	10	150	19	7	10	19	25	39	47	58	88	82	18
441	Chapel-en-le-Frith	377	82	24	13	6	5	130	10	12	13	9	19	18	36	39	54	31	6
442	Hayfield	733	185	61	22	6	9	283	20	12	19	15	44	35	61	87	92	59	6

VIII.—NORTH WESTERN COUNTIES.—DEATHS at different Ages, 1882—Districts.

No.	Districts.	Total Deaths.	Persons. Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards.
	33.—CHESHIRE.																		
443	Stockport	2638	712	211	74	43	39	1079	77	44	58	89	181	163	232	283	269	142	21
444	Macclesfield	1399	264	70	44	39	30	447	68	21	36	29	81	92	114	203	178	108	22
445	Altrincham	992	213	53	27	23	11	327	42	18	21	33	59	68	80	109	128	88	19
446	Runcorn	742	177	75	29	17	18	316	29	13	19	24	45	46	46	67	82	46	9
447	Northwich	812	253	68	17	12	11	341	18	14	15	17	47	48	58	76	91	69	18
448	Congleton	716	174	47	18	18	13	270	19	12	25	25	42	36	52	75	82	67	11
449	Nantwich	1028	275	60	22	23	16	396	35	21	22	41	60	62	74	96	112	87	22
450	*Chester: Tarvin	158	25	6	2	2	1	36	2	3	3	6	9	6	11	24	30	24	4
	*Chester: Chester	1010	204	71	35	26	9	345	27	18	23	30	74	102	90	96	110	74	21
	*Chester: Hawarden	243	57	21	7	6	4	95	9	3	4	8	19	13	8	20	33	25	6
451	Wirral	395	73	31	18	9	2	133	17	8	10	14	26	31	31	40	40	34	11
452	Birkenhead	2154	571	199	86	38	36	930	81	34	39	48	152	180	197	212	168	92	21
	34.—LANCASHIRE.																		
453	Liverpool	6811	1495	566	270	178	123	2632	248	105	166	187	610	753	736	726	456	172	20
454	Toxteth Park	2887	729	302	124	67	70	1292	108	34	43	74	232	260	248	264	206	110	16
455	West Derby	8263	2085	960	356	210	162	3773	326	141	156	196	589	721	629	717	624	332	59
456	Prescot	2844	801	394	175	120	65	1555	127	32	61	59	155	182	179	207	178	98	11
457	Ormskirk	1411	305	95	38	36	25	499	60	31	35	33	91	104	111	146	151	128	22
458	Wigan	3182	961	387	162	86	59	1655	101	62	82	105	163	174	197	271	229	121	22
459	Warrington	1595	439	215	92	52	37	835	73	33	22	33	78	102	97	138	122	54	8
460	Leigh	1152	309	140	42	28	15	534	45	35	39	33	71	64	67	114	73	67	10
461	Bolton	4137	1103	434	202	107	75	1921	139	75	87	128	239	278	302	371	356	209	32
462	Bury	2723	721	235	78	44	43	1121	94	39	73	78	163	207	217	284	289	137	21
463	Barton-upon-Irwell	1337	337	112	42	29	30	550	49	27	35	45	71	92	95	143	152	68	10
464	Chorlton	5698	1520	669	246	155	92	2682	198	93	103	133	387	440	441	509	451	226	35
465	Salford	4441	1304	536	203	109	80	2232	169	62	80	98	286	376	341	356	293	135	13
466	Manchester	3807	1021	401	160	87	61	1730	121	64	95	96	286	335	393	383	217	71	16
467	Prestwich	3375	724	298	126	70	58	1276	138	59	86	109	267	306	313	352	303	148	18
468	Ashton-under-Lyne	3400	903	356	124	81	49	1513	108	63	87	101	173	237	266	353	315	163	21
469	Oldham	4104	1079	465	180	121	82	1927	162	61	105	97	296	272	311	342	358	160	13
470	Rochdale	2539	548	216	82	70	47	963	111	57	68	81	170	186	210	290	248	134	21
471	Haslingden	1990	482	186	86	67	39	860	105	38	50	58	108	107	156	219	172	103	14
472	Burnley	2721	892	259	102	58	43	1354	94	37	59	68	137	153	204	279	214	111	11
473	Clitheroe	428	74	30	8	14	5	131	20	4	10	14	29	28	33	56	58	38	7
474	Blackburn	4236	1254	524	161	124	84	2147	165	59	89	99	238	261	317	367	302	163	29
475	Chorley	978	260	68	27	13	13	381	33	20	27	28	63	63	59	100	106	79	19
476	Preston	3455	972	323	122	79	40	1536	102	39	74	82	226	284	268	336	294	183	31
477	Fylde	915	244	62	25	19	10	360	39	22	23	36	51	65	69	88	98	55	9
478	Garstang	216	54	18	7	7	9	95	11	4	6	3	7	10	12	10	28	24	6
479	Lancaster	901	204	88	17	15	14	338	22	9	25	35	63	74	76	84	97	63	15
480	Lunesdale	100	21	7	4	2	-	34	3	4	3	4	4	7	5	7	12	12	5
481	Ulverston	918	230	88	27	25	9	379	38	17	21	40	58	57	54	75	84	67	28
482	Barrow-in-Furness	966	301	140	51	30	22	544	45	22	29	20	68	74	56	54	32	19	3

IX.—YORKSHIRE.

No.	Districts.	Total Deaths.	Persons. Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards.
	35.—WEST RIDING.																		
483	Sedbergh	69	7	3	2	-	1	13	-	1	1	1	8	7	1	6	14	15	2
484	Settle	256	53	17	6	4	9	89	13	3	5	7	18	14	10	18	35	30	14
485	Skipton	709	153	45	18	17	10	243	22	18	32	18	44	59	42	79	80	55	17
486	Pateley Bridge	182	32	13	4	6	3	58	9	2	4	7	11	4	10	17	25	25	10
487	Ripon	261	49	12	4	5	1	71	5	3	2	9	11	16	25	24	44	37	14
488	Great Ouseburn	211	39	11	4	1	3	58	3	5	4	5	7	16	10	28	32	36	7
489	Knaresborough	421	83	20	10	10	9	132	11	10	9	9	25	25	29	50	66	48	7
490	Wetherby	289	40	15	5	5	4	69	9	5	8	10	19	16	18	29	42	58	6
491	Wharfedale	830	204	80	27	19	14	344	40	13	19	26	52	52	51	85	81	60	7
492	Keighley	1235	256	115	50	33	29	483	78	31	51	39	67	74	81	134	106	82	9
493	Todmorden	704	161	69	27	12	14	283	26	11	8	14	41	37	64	85	89	45	7
494	Saddleworth	465	93	42	13	3	7	163	18	10	10	18	39	31	42	45	61	26	2
495	Huddersfield	3183	745	288	106	51	47	1237	108	68	97	115	182	214	243	344	332	209	34
496	Halifax	3284	783	282	102	55	50	1272	112	71	121	107	214	215	254	356	337	199	26
497	Bradford	4495	1636	704	254	122	98	2814	237	121	158	193	364	417	499	640	626	301	45
498	Hunslet	1444	448	192	68	45	38	791	73	23	24	50	85	69	85	97	101	57	9
499	Holbeck	544	140	61	30	13	13	257	26	10	8	17	30	27	45	47	51	24	2
500	Bramley	1088	339	101	37	18	16	511	37	26	22	32	73	61	75	80	99	66	6
501	Leeds	4594	1217	505	178	107	81	2068	197	73	136	128	279	297	377	415	375	194	25
502	Dewsbury	3397	945	445	135	81	59	1665	147	60	110	98	201	220	227	253	255	141	20
503	Wakefield	1921	493	207	77	38	44	859	102	50	41	44	109	153	121	152	149	114	27
504	Pontefract	947	280	107	46	30	19	482	51	17	16	21	46	57	48	70	69	59	11
505	Hemsworth	212	54	23	3	8	3	91	8	3	4	7	12	18	13	14	21	18	3
506	Barnsley	1571	499	177	53	35	26	790	82	36	24	48	95	87	96	105	126	72	10
507	Wortley	1002	237	71	27	12	12	359	38	27	27	38	59	77	90	109	104	64	10
508	Ecclesall Bierlow	2149	613	188	52	52	28	933	76	31	37	65	146	154	178	206	203	106	14
509	Sheffield	4374	1254	457	195	81	76	2063	184	94	94	98	265	351	336	377	342	149	21

* 450.—The District of Chester comprises the three Poor Law Unions of Tarvin, Chester, and Hawarden.

IX.—YORKSHIRE.—DEATHS at different Ages, 1882—Districts—*continued.*

No.	Districts.	Total Deaths.	Persons. Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
	35.—WEST RIDING *—continued.*																		
510	Rotherham	1518	468	189	57	41	40	745	73	38	40	53	69	100	92	107	109	76	16
511	Doncaster	1069	254	95	47	30	27	453	54	17	20	17	65	71	62	91	121	81	17
512	Thorne	343	62	19	11	13	12	117	36	15	12	6	18	12	11	21	44	33	18
513	Goole	386	107	36	16	11	12	182	24	4	9	7	18	24	24	29	26	28	11
514	Selby	257	62	19	7	4	2	94	9	4	6	4	6	14	14	25	36	38	7
515	Tadcaster	425	127	26	16	6	8	183	20	5	10	15	19	18	24	41	49	31	10
	36.—EAST RIDING (with York).																		
516	York	1661	445	122	44	37	20	668	44	29	48	38	110	111	113	131	197	139	33
517	Pocklington	280	61	7	6	5	6	85	14	6	10	12	12	12	11	22	41	44	11
518	Howden	261	56	16	10	5	3	90	4	8	6	12	12	9	23	20	37	28	12
519	Beverley	452	89	22	8	7	5	131	25	6	15	17	27	37	37	34	60	56	7
520	Sculcoates	2122	571	232	84	83	45	1015	145	35	47	48	106	127	110	159	184	108	38
521	Hull	1999	502	173	79	61	43	858	107	46	46	54	141	150	125	162	180	114	16
522	Patrington	170	32	9	4	10	5	60	13	8	4	5	10	8	8	12	19	17	6
523	Skirlaugh	169	36	7	6	11	7	67	13	3	2	2	7	6	4	16	23	16	10
524	Driffield	365	106	14	14	6	10	150	22	9	3	8	20	14	17	35	50	31	6
525	Bridlington	257	50	13	10	5	3	81	5	2	4	11	20	16	17	23	35	33	10
	37.—NORTH RIDING.																		
526	Scarborough	813	209	54	20	7	10	300	26	6	15	29	48	50	63	79	104	72	21
527	Malton	380	67	14	7	10	4	102	17	7	5	13	30	16	17	43	57	60	13
528	Easingwold	143	22	7	1	7	1	38	12	2	1	3	7	3	8	10	27	23	9
529	Thirsk	236	47	11	2	6	–	66	12	5	8	7	9	11	13	21	38	36	10
530	*Helmsley { Helmsley / Kirkby Moorside	90	18	3	1	–	–	22	3	1	1	2	6	5	1	10	15	18	6
		93	22	1	2	1	1	27	4	2	3	5	5	8	3	8	14	11	3
531	Pickering	184	40	8	8	2	5	63	9	4	5	3	8	12	11	16	26	16	11
532	Whitby	496	124	36	14	7	7	188	14	11	8	17	25	33	29	43	49	56	23
533	Guisborough	686	249	52	22	11	7	341	29	5	18	19	52	50	28	46	57	30	11
534	Middlesbrough	2174	742	270	87	50	36	1185	73	42	60	61	140	143	151	136	127	46	10
535	Stokesley	182	40	4	3	1	2	50	4	6	1	9	8	7	11	24	29	23	10
536	Northallerton	213	41	8	2	3	3	57	6	2	6	5	23	8	9	25	27	35	10
537	Bedale	135	25	–	2	1	1	29	4	3	6	3	7	5	7	16	23	19	8
538	Leyburn	140	24	4	2	1	1	32	5	3	5	2	7	5	9	21	16	27	8
539	Aysgarth	93	15	5	1	1	–	22	2	1	5	4	5	6	9	12	11	13	3
540	Reeth	70	10	3	–	–	–	13	1	1	–	2	1	5	9	9	14	14	1
541	Richmond	223	44	11	3	4	3	65	4	7	3	6	8	15	11	17	39	36	12

X.—NORTHERN COUNTIES.

No.	Districts.	Total Deaths.	Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
	38.—DURHAM.																		
542	Darlington	791	224	46	20	6	11	307	32	18	27	24	60	53	55	67	65	63	20
543	†Stockton { Stockton / Sedgefield	1017	300	99	35	22	18	474	42	20	22	36	71	73	73	71	59	60	16
		493	98	34	7	9	1	149	13	16	28	26	45	56	50	47	33	28	2
544	Hartlepool	1209	375	143	81	35	27	661	74	24	24	29	57	79	58	82	68	43	10
545	Auckland	1711	561	165	52	42	33	853	90	47	51	50	103	89	79	106	141	83	19
546	Teesdale	344	71	12	6	4	3	96	11	5	12	6	21	22	31	38	53	35	14
547	Weardale	307	58	10	10	4	8	90	13	15	12	11	17	28	23	42	28	20	3
548	Lanchester	1068	335	90	40	18	18	501	57	23	33	27	81	64	67	85	89	36	5
549	Durham	1311	389	143	38	19	18	607	56	24	40	36	74	68	93	103	107	84	19
550	Easington	894	283	94	34	25	11	447	29	26	26	31	54	49	51	55	68	45	13
551	Houghton-le-Spring	707	225	96	20	13	6	360	26	18	31	20	33	29	32	49	57	44	8
552	Chester-le-Street	912	285	100	29	17	13	444	45	17	28	36	52	38	50	55	83	54	10
553	Sunderland	3668	1090	454	221	125	86	1976	183	60	93	83	182	245	214	241	242	126	28
554	South Shields	2254	621	250	115	77	46	1109	106	52	70	57	124	152	147	174	159	84	20
555	Gateshead	2541	760	247	113	63	29	1212	94	51	69	88	174	163	150	195	170	144	31
	39.—NORTHUMBERLAND.																		
556	Newcastle-upon-Tyne	3489	947	291	99	63	70	1470	141	86	91	127	275	257	277	293	286	159	27
557	Tynemouth	2407	648	250	86	56	42	1082	116	48	64	52	123	152	164	203	227	140	36
558	Castle Ward	339	64	16	5	3	3	91	16	13	16	13	24	35	28	26	31	36	10
559	Hexham	586	116	29	10	3	2	160	35	16	16	19	36	38	33	54	89	67	23
560	Haltwhistle	130	24	6	–	2	–	32	5	4	2	3	8	6	8	18	28	16	5
561	Bellingham	100	14	2	1	2	2	21	–	3	1	4	8	9	11	11	18	9	5
562	Morpeth	712	163	58	14	7	8	250	18	21	27	25	50	44	57	52	79	73	16
563	Alnwick	386	65	11	14	7	5	102	16	7	14	13	33	26	27	35	55	44	14
564	Belford	88	14	9	–	2	–	25	3	1	2	3	7	5	7	6	16	7	6
565	Berwick	375	51	28	14	5	3	101	14	5	20	12	26	20	27	30	59	52	9
566	Glendale	159	31	7	2	1	2	43	5	5	3	5	7	9	12	12	30	23	5
567	Rothbury	124	16	4	3	3	1	27	2	5	3	8	11	10	7	13	18	16	4

* 530.—The District of Helmsley comprises the two Poor Law Unions of Helmsley and Kirkby Moorside.
† 543.—The District of Stockton comprises the two Poor Law Unions of Stockton and Sedgefield.

X.—NORTHERN COUNTIES.—DEATHS at different Ages, 1882—Districts—*continued.*

No.	Districts.	Total Deaths.	Persons. Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
	40.—CUMBERLAND.																		
568	Alston	87	15	2	2	-	2	21	2	6	2	3	8	9	9	8	14	5	-
569	Penrith	382	71	22	7	7	4	111	8	7	9	12	21	21	25	46	56	56	10
570	Brampton	187	33	9	2	3	2	49	7	9	9	1	12	15	11	15	29	24	6
571	Longtown	126	25	4	3	3	1	36	4	–	4	8	9	9	8	6	14	21	7
572	Carlisle	1210	222	99	51	38	26	436	54	26	33	27	88	100	99	114	133	79	21
573	Wigton	396	73	20	9	7	2	111	9	6	10	14	18	20	23	39	71	58	17
574	Cockermouth	1159	291	111	47	21	21	491	49	21	25	26	54	66	72	108	131	92	24
575	Whitehaven	1141	312	112	32	17	10	483	42	32	30	30	79	64	93	93	115	62	18
576	Bootle	214	61	17	2	2	3	85	10	5	6	10	22	14	14	13	16	15	4
	41.—WESTMORLAND.																		
577	East Ward	226	49	10	7	5	1	72	6	4	3	3	14	16	12	19	34	28	15
578	West Ward	134	23	3	-	1	1	28	3	2	5	5	4	9	12	16	24	21	5
579	Kendal	654	121	41	14	11	7	194	25	11	21	17	43	51	53	71	70	79	19

XI.—MONMOUTHSHIRE AND WALES.

No.	Districts.	Total Deaths.	Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
	42.—MONMOUTHSHIRE.																		
580	Chepstow	331	61	17	6	5	6	95	16	3	7	8	18	17	24	34	57	35	17
581	Monmouth	511	107	33	10	6	12	168	15	5	5	12	18	20	33	67	84	66	18
582	Abergavenny	552	122	36	14	13	9	194	12	13	22	9	28	38	44	64	77	36	15
583	Bedwelty	1748	358	139	95	76	80	748	224	47	55	52	76	88	104	144	142	57	11
584	Pontypool	611	150	43	24	13	12	242	27	11	23	14	22	37	48	68	63	45	11
585	Newport	1287	335	116	33	30	27	541	49	20	38	42	84	92	92	113	117	80	19
	43.—SOUTH WALES.																		
	GLAMORGANSHIRE.																		
586	Cardiff	2131	580	169	72	50	41	912	101	44	65	62	175	160	156	173	136	111	36
587	Pontypridd	2072	623	240	92	65	40	1060	140	58	68	70	139	105	122	122	109	65	14
588	Merthyr Tydfil	2260	528	208	111	87	57	991	147	79	72	61	133	121	162	193	175	103	23
589	Bridgend	802	188	64	20	24	24	320	34	15	27	19	50	62	61	61	62	57	34
590	Neath	926	218	75	14	22	14	343	48	23	41	29	71	59	55	110	79	50	18
591	Pontardawe	309	62	16	9	3	8	98	19	11	12	12	17	21	18	26	38	29	8
592	Swansea	1628	419	123	56	39	36	673	59	41	52	68	109	128	127	133	129	77	32
593	Gower	168	35	7	5	-	1	48	1	1	8	3	14	13	11	15	23	25	6
	CARMARTHENSHIRE.																		
594	Llanelly	800	199	46	20	9	8	282	35	21	23	41	61	51	59	51	83	70	23
595	Llandovery	261	44	10	7	4	6	71	8	4	9	13	10	10	19	20	43	38	16
596	Llandilofawr	334	59	14	6	10	6	95	17	6	19	8	19	17	23	28	40	53	9
597	Carmarthen	627	100	23	12	15	6	156	23	10	18	30	50	32	45	74	85	65	39
	PEMBROKESHIRE.																		
598	Narberth	351	43	7	11	5	3	69	12	11	18	12	18	21	25	36	60	42	27
599	Pembroke	491	94	32	10	7	4	147	17	9	21	24	25	22	38	46	74	51	17
600	Haverfordwest	574	114	15	9	8	6	152	10	15	16	26	39	37	36	54	83	72	34
	CARDIGANSHIRE.																		
601	Cardigan	269	37	8	2	2	1	50	3	4	10	8	19	18	14	31	46	47	19
602	Newcastle-in-Emlyn	337	32	9	4	6	3	54	19	5	12	16	21	18	25	43	57	47	20
603	Lampeter	155	35	5	3	1	2	46	4	1	2	3	11	12	12	18	26	15	5
604	Aberayron	198	29	6	2	2	1	40	9	4	3	8	16	10	17	18	28	31	14
605	Aberystwith	383	52	12	5	3	2	74	10	9	11	14	23	21	47	50	57	42	25
606	Tregaron	166	25	5	5	1	1	37	1	3	4	14	6	11	18	21	18	25	8

XI.—MONMOUTHSHIRE AND WALES—DEATHS at different Ages, 1882—DISTRICTS—*cont.*

No.	DISTRICTS.	TOTAL DEATHS.	PERSONS. AGES AT DEATH. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
	43.—SOUTH WALES *continued.*																		
	BRECKNOCKSHIRE.																		
607	BUILTH	143	34	4	1	–	1	40	4	4	1	4	11	9	8	15	16	26	5
608	BRECKNOCK	267	43	18	4	6	2	73	8	10	8	9	23	18	12	25	38	32	11
609	CRICKHOWELL	413	75	32	18	14	11	150	30	6	8	12	20	20	29	42	55	31	10
610	HAY	191	36	8	1	–	2	47	6	3	3	10	14	9	8	21	27	33	10
	RADNORSHIRE.																		
611	KNIGHTON	222	42	13	2	1	–	58	10	8	13	8	9	8	17	22	30	31	8
612	RHAYADER	114	16	6	4	2	1	29	2	2	3	3	6	7	9	10	20	17	6
	44.—NORTH WALES.																		
	MONTGOMERYSHIRE.																		
613	MACHYNLLETH	208	30	4	3	5	2	44	6	9	7	12	20	10	9	24	27	33	7
614	NEWTOWN	424	75	18	7	10	8	118	13	13	10	13	31	25	29	47	52	49	24
615	FORDEN (MONTGOMERY)	282	53	12	3	5	3	76	6	6	5	12	21	15	12	29	51	37	12
616	LLANFYLLIN	281	74	21	9	4	4	112	13	12	13	8	26	22	25	31	61	46	12
	FLINTSHIRE.																		
617	HOLYWELL	379	174	52	29	13	13	281	48	20	33	21	52	69	57	84	113	76	25
	DENBIGHSHIRE.																		
618	WREXHAM	1093	251	66	32	24	24	397	47	41	27	24	57	80	81	97	119	92	24
619	RUTHIN	236	36	4	4	2	2	48	9	4	2	9	10	18	16	31	41	39	9
620	ST. ASAPH	568	91	19	6	7	5	128	9	17	19	11	38	39	49	75	93	64	26
621	LLANRWST	250	39	11	5	3	3	61	3	4	10	10	16	14	25	26	33	32	16
	MERIONETHSHIRE.																		
622	CORWEN	255	40	9	11	1	–	61	7	7	10	7	13	18	14	23	47	35	10
623	BALA	115	26	–	–	–	–	26	1	1	3	3	6	14	12	11	18	13	7
624	DOLGELLY	231	39	7	6	3	4	59	11	2	3	12	16	13	13	23	39	30	10
625	FESTINIOG	505	123	27	12	11	5	178	21	15	19	23	41	39	37	43	43	29	17
	CARNARVONSHIRE.																		
626	PWLLHELI	373	60	7	6	5	5	83	16	4	15	16	23	13	23	28	57	62	28
627	CARNARVON	854	195	65	25	16	11	312	36	23	32	24	56	50	59	70	101	69	22
628	BANGOR	800	138	36	7	9	5	195	35	15	26	35	65	60	65	75	110	90	19
629	CONWAY	283	46	10	5	1	–	62	14	9	7	9	21	22	18	31	41	36	13
	ANGLESEY.																		
630	*ANGLESEY { ANGLESEY	279	36	9	4	3	–	52	5	6	7	14	16	16	28	21	51	40	20
	*ANGLESEY { HOLYHEAD	333	45	14	6	6	3	74	8	7	13	11	28	19	23	34	29	51	21

* 630.—The District of Anglesey comprises the two Poor Law Unions of Anglesey and Holyhead.

1882.

CAUSES OF DEATH AT DIFFERENT AGES IN ENGLAND AND IN LONDON.

CAUSES OF DEATH IN COUNTIES.

DEATHS FROM SEVERAL CAUSES IN DIVISIONS, COUNTIES AND DISTRICTS.

VIOLENT DEATHS.

ENGLAND.—CAUSES of DEATH at different Periods of Life in the Year 1882—MALES.

CAUSES OF DEATH.	MALES.																	
	ALL AGES.	AGES AT DEATH.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
ALL CAUSES	265,767	69,341	22,838	9,214	5821	4464	111,678	9,992	4541	5928	6645	15,270	18,100	20,035	24,593	26,229	18,497	4259
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES	39,893	12491	7447	3680	623	2010	28251	3844	936	816	783	1272	945	793	854	797	487	115
II. PARASITIC DISEASES	524	393	26	14	16	7	456	24	7	3	1	9	6	9	6	3	–	–
III. DIETIC "	1158	234	4	–	1	–	239	1	1	2	18	192	267	224	147	57	10	–
IV. CONSTITUTIONAL "	44,176	4827	2828	1106	554	470	9785	1606	1179	2301	3147	6814	6344	5236	4412	2558	732	62
V. DEVELOPMENTAL "	19,728	8387	44	15	5	5	8456	21	13	6	5	6	2	19	252	2406	6080	2462
VI. LOCAL "	131,082	30539	11031	3324	2242	1650	49286	3589	1666	1834	1817	5110	8508	11730	16935	18819	10324	1464
VII. VIOLENCE	13,077	983	375	348	287	255	2248	772	671	916	825	1720	1751	1609	1325	832	354	54
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES	16,129	11487	1083	227	93	67	12957	135	68	50	49	147	277	415	662	757	510	102
I.																		
1. MIASMATIC DISEASES	27,460	5293	5886	3371	2511	1931	18992	3708	872	738	681	997	600	406	290	137	32	7
2. DIARRHŒAL "	9168	5868	1447	255	95	55	7720	76	18	14	39	75	86	112	241	382	330	84
3. MALARIAL "	183	11	17	26	10	14	78	22	9	7	8	23	6	8	13	7	2	–
4. ZOOGENOUS "	70	33	–	1	1	1	36	4	2	3	4	5	4	3	6	2	–	–
5. VENEREAL "	1407	915	63	14	–	2	994	4	8	6	14	58	86	93	78	47	21	3
6. SEPTIC "	1605	371	34	13	6	7	431	30	31	48	46	114	163	171	226	222	102	21
II. PARASITIC DISEASES	524	393	26	14	16	7	456	24	7	3	1	9	6	9	6	3	–	–
III. DIETIC DISEASES	1158	234	4	–	1	–	239	1	1	2	18	192	267	224	147	57	10	–
IV. CONSTITUTIONAL DISEASES	44,176	4827	2828	1106	554	470	9785	1606	1179	2301	3147	6814	6344	5236	4412	2558	732	62
V. DEVELOPMENTAL DISEASES	19,728	8387	44	15	5	5	8456	21	13	6	5	6	2	19	252	2406	6080	2462
VI.																		
1. DISEASES OF NERVOUS SYSTEM	36,863	12411	2608	967	580	402	16368	1050	457	423	343	1087	1858	2495	3887	4936	2964	395
2. " ORGANS OF SPECIAL SENSE	329	61	18	12	9	15	115	41	35	34	22	24	11	15	14	9	8	1
3. " CIRCULATORY SYSTEM	17,271	83	27	17	12	15	154	198	314	374	347	1028	1930	2542	3752	4286	2033	263
4. " RESPIRATORY SYSTEM	52,404	13770	6751	2485	1409	1002	25417	1520	311	429	534	1641	2712	3955	5635	6137	3523	580
5. " DIGESTIVE SYSTEM	15,012	3748	1434	247	127	123	5679	357	245	289	264	699	1094	1609	2123	1784	790	83
6. " LYMPHATIC SYSTEM AND DUCTLESS GLANDS	266	20	16	3	4	6	49	10	18	17	25	24	29	29	36	19	10	–
7. " URINARY SYSTEM	6504	84	79	60	77	63	363	221	83	117	149	424	664	908	1246	1428	874	119
8. " REPRODUCTIVE SYSTEM:—																		
(*a*) DISEASES OF ORGANS OF GENERATION	133	29	5	5	–	–	39	–	–	3	1	13	12	18	20	25	3	–
(*b*) DISEASES OF PARTURITION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9. " ORGANS OF LOCOMOTION	1368	35	40	17	17	21	130	174	196	144	121	157	122	105	122	70	23	2
10. " INTEGUMENTARY SYSTEM	837	298	53	11	7	3	372	8	7	10	5	13	26	54	100	125	96	21
VII.																		
1. ACCIDENT OR NEGLIGENCE	11,406	985	372	344	287	251	2189	764	658	860	729	1482	1445	1278	1007	650	293	51
2. HOMICIDE	214	48	3	4	–	4	59	8	6	14	24	35	30	22	10	4	2	–
3. SUICIDE	1446	–	–	–	–	–	–	–	7	46	72	200	273	307	308	177	59	3
4. EXECUTION	11	–	–	–	–	–	–	–	–	2	–	3	3	2	–	1	–	–
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES	16,129	11487	1083	227	93	67	12957	135	68	50	49	147	277	415	662	757	510	102

Note.—For continuation of this Table, see page 140.

ENGLAND.—CAUSES of DEATH at different Periods of Life in the Year 1882—FEMALES.

CAUSES OF DEATH.	FEMALES.																	
	ALL AGES.	AGES AT DEATH.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
ALL CAUSES	250,887	55,679	21,204	9,021	5899	4268	96,071	9,548	4763	6140	7340	15,835	16,951	17,453	22,656	26,888	21,110	6132
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES	41,667	11,267	7589	3942	2837	2103	27738	4155	1119	932	1234	2272	1514	647	663	707	550	136
II. PARASITIC DISEASES	445	311	25	20	16	9	381	27	4	2	–	6	9	7	4	3	2	–
III. DIETIC „	645	175	1	–	1	–	177	–	1	2	12	65	131	129	88	35	4	1
IV. CONSTITUTIONAL „	45,508	3675	2273	927	547	437	7859	1542	1730	3201	3705	7183	6558	5341	4417	2893	968	111
V. DEVELOPMENTAL „	21,415	6782	37	12	2	8	6841	8	5	8	3	3	–	22	387	2929	7457	3752
VI. LOCAL „	122,247	22957	9946	3669	2216	1507	40295	3368	1699	1790	2191	5833	8181	10529	16089	19113	11244	1913
VII. VIOLENCE „	4612	946	280	213	169	141	1749	299	137	155	136	306	307	387	387	343	309	97
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES	14,348	9566	1053	238	111	63	11031	149	68	50	59	165	251	391	621	865	576	122
I.																		
1. MIASMATIC DISEASES	28,014	5162	6088	3640	2718	2009	19617	3996	1056	736	541	794	572	317	215	129	37	4
2. DIARRHŒAL „	8268	4923	1379	254	92	62	6710	102	22	31	47	89	125	130	231	398	380	103
3. MALARIAL „	162	14	28	15	13	19	89	26	2	4	2	9	11	5	7	5	1	1
4. ZOOGENOUS „	41	32	–	–	–	1	33	1	2	1	–	–	–	1	1	2	–	–
5. VENEREAL „	1071	751	62	16	3	1	833	4	3	11	21	58	61	41	29	9	1	–
6. SEPTIC „	4011	385	32	17	11	11	456	26	34	149	623	1322	745	153	180	164	131	28
II.																		
PARASITIC DISEASES	445	311	25	20	16	9	381	27	4	2	–	6	9	7	4	3	2	–
III.																		
DIETIC DISEASES	645	175	1	–	1	–	177	–	1	2	12	65	131	129	88	35	4	1
IV.																		
CONSTITUTIONAL DISEASES	45,508	3675	2273	927	547	437	7859	1542	1730	3201	3705	7183	6558	5341	4417	2893	968	111
V.																		
DEVELOPMENTAL DISEASES	21,415	6782	37	12	2	8	6841	8	5	8	3	3	–	22	387	2929	7457	3752
VI.																		
1. DISEASES OF NERVOUS SYSTEM	32,961	9315	2196	898	587	377	13367	886	479	394	368	926	1448	2401	3894	4984	3297	522
2. „ ORGANS OF SPECIAL SENSE	253	37	15	11	9	12	84	29	32	23	18	13	16	8	11	13	6	–
3. „ CIRCULATORY SYSTEM	18,967	64	24	19	18	25	150	255	396	419	482	1195	1873	2624	4039	4786	242	325
4. „ RESPIRATORY SYSTEM	46,081	10504	6335	2390	1384	923	21536	1538	346	36	419	1299	1906	2680	4747	6262	4137	851
5. „ DIGESTIVE SYSTEM	14,006	2659	1184	250	135	95	4323	391	209	219	302	784	1235	1746	2233	2105	91.	144
6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS	323	23	13	6	5	3	50	11	12	17	21	40	47	41	47	26	9	2
7. „ URINARY SYSTEM	3810	56	85	61	54	46	302	122	75	99	151	409	545	575	689	557	235	31
8. „ REPRODUCTIVE SYSTEM:—																		
(*a*) DISEASES OF ORGANS OF GENERATION	1895	11	16	9	3	–	39	2	9	46	58	212	299	295	217	162	52	4
(*b*) DISEASES OF PARTURITION	1960	–	–	–	–	–	–	–	2	102	287	833	710	26	–	–	–	–
9. „ ORGANS OF LOCOMOTION	1063	36	45	14	16	23	134	130	134	108	77	106	79	80	99	82	31	3
10. „ INTEGUMENTARY SYSTEM	825	252	39	11	5	3	310	4	5	5	8	18	23	53	113	136	119	31
VII.																		
1. ACCIDENT OR NEGLIGENCE	3944	893	274	210	165	138	1680	296	131	113	81	200	190	268	303	294	295	95
2. HOMICIDE	149	53	6	3	4	3	69	3	–	4	9	23	14	15	7	4	1	–
3. SUICIDE	519	–	–	–	–	–	–	–	6	38	46	85	103	104	77	45	15	2
4. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII.																		
ILL-DEFINED AND NOT SPECIFIED CAUSES	14,348	9566	1053	238	111	63	11031	149	68	50	59	165	251	391	621	865	576	122

Note.—For continuation of this Table, *see* page 141.

ENGLAND.—CAUSES of DEATH at different Periods of Life in the Year 1882—MALES—*cont.*

CAUSES OF DEATH.	MALES.																	
	All Ages.	Ages at Death.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
MIASMATIC DISEASES.																		
Small-pox { Vaccinated	103	2	1	-	2	1	6	2	3	11	16	28	23	6	6	2	-	-
Small-pox { Unvaccinated	188	25	13	9	7	7	61	23	14	15	23	27	13	10	-	1	1	-
Small-pox { No Statement	467	38	12	3	11	8	72	28	15	40	62	106	66	39	19	11	6	3
Chickenpox	64	35	10	8	1	6	60	3	1	-	-	-	-	-	-	-	-	-
Measles	6628	1573	2494	1048	599	404	6118	452	26	10	7	8	5	1	-	1	-	-
Epidemic Rose Rash	54	7	12	13	8	3	43	10	-	1	-	-	-	-	-	-	-	-
Scarlet Fever	6904	398	952	1126	1068	878	4422	1962	319	82	44	41	22	5	5	-	1	1
Typhus	499	1	-	3	3	6	13	21	20	57	53	99	112	65	49	6	3	1
Relapsing Fever	4	-	-	1	-	-	1	2	-	1	-	-	-	-	-	-	-	-
Influenza	48	11	2	3	2	-	18	1	1	1	-	-	2	2	4	10	4	-
Whooping-cough	6898	3039	2115	826	433	248	6661	222	7	1	1	1	-	1	1	1	2	-
Mumps	47	11	9	5	2	5	32	4	1	1	-	2	5	-	1	1	-	-
Diphtheria	1867	103	183	228	268	263	1045	534	136	54	20	26	14	21	11	4	2	-
Cerebro-spinal Fever	23	2	-	1	4	2	9	2	1	4	3	1	-	3	-	-	-	-
Simple and Ill-defined Fever	496	24	22	35	23	21	125	84	42	42	20	34	30	36	39	35	8	1
Enteric Fever	3174	24	61	62	80	79	306	358	286	418	432	624	307	216	155	65	5	1
Other Miasmatic Diseases	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
DIARRHŒAL DISEASES.																		
Simple Cholera	201	70	29	5	6	2	112	7	-	3	-	8	14	22	8	24	3	-
Diarrhœa, Dysentery	8967	5798	1418	250	89	53	7608	69	18	11	30	67	72	90	233	358	327	84
MALARIAL DISEASES.																		
Remittent Fever	122	10	16	22	9	13	70	20	5	2	4	11	2	1	6	-	1	-
Ague	61	1	1	4	1	1	8	2	4	5	4	12	4	7	7	7	1	-
ZOOGENOUS DISEASES.																		
Hydrophobia	24	-	-	1	1	1	3	4	3	2	3	3	2	2	1	1	-	-
Glanders	3	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-
Splenic Fever	10	-	-	-	-	-	-	-	-	1	1	2	1	1	3	1	-	-
Cowpox and other Effects of Vaccination	33	33	-	-	-	-	33	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																		
Syphilis	1158	915	63	14	-	2	994	4	3	5	12	42	41	35	15	6	1	-
Gonorrhœa, Stricture of Urethra	249	-	-	-	-	-	-	-	-	1	2	16	45	58	63	41	20	3
SEPTIC DISEASES.																		
Phagedæna	32	3	5	-	-	-	8	-	1	-	1	4	3	2	5	3	5	-
Erysipelas	1280	322	17	6	2	6	363	13	13	22	29	80	133	132	186	194	94	21
Pyæmia, Septicæmia	293	36	12	7	4	1	60	17	17	26	16	30	27	37	35	25	3	-
Puerperal Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PARASITIC DISEASES.																		
Thrush	404	387	15	-	1	-	403	1	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites	9	5	2	1	-	-	8	-	1	-	-	-	-	-	-	-	-	-
Hydatid Disease	36	-	1	-	1	-	2	1	2	2	-	8	5	8	5	3	-	-
Other Dis. from Animal Parasites	75	1	8	13	14	7	43	22	4	1	1	1	1	1	1	-	-	-
DIETIC DISEASES.																		
Starvation, Want of Breast Milk	266	232	4	-	1	-	237	-	-	-	2	2	4	3	8	6	4	-
Scurvy	10	2	-	-	-	-	2	1	1	1	-	1	1	1	1	1	-	-
Intemp. { Chronic Alcoholism	604	-	-	-	-	-	-	-	-	-	11	110	168	149	121	39	6	-
Intemp. { Delirium Tremens	278	-	-	-	-	-	-	-	-	1	5	79	94	71	17	11	-	-
CONSTITUTIONAL DISEASES.																		
Rheumatic Fever, Rheumatism of Heart	1374	3	3	3	5	14	28	133	161	149	123	227	220	131	114	63	24	1
Rheumatism	410	-	-	-	-	-	-	3	3	10	3	14	33	42	112	125	57	8
Gout	423	-	-	-	-	-	-	-	-	-	-	10	38	60	123	131	58	3
Rickets	253	72	121	36	10	5	244	8	3	5	-	1	-	-	-	-	-	-
Cancer	4685	9	3	7	3	6	28	14	19	26	29	123	355	877	1489	1270	412	43
Tabes Mesenterica	4455	2338	1040	332	130	82	3922	208	111	66	34	30	33	19	19	12	1	-
Tubercular Meningitis (Acute Hydrocephalus)	3970	1268	953	419	238	205	3083	541	162	68	42	38	21	10	5	-	-	-
Phthisis	24934	453	320	173	89	95	1130	456	529	1761	2749	6079	5384	3816	2247	724	97	2
Other Forms of Tuberculosis, Scrofula	2124	517	343	122	70	54	1106	199	151	153	115	152	89	88	50	16	5	-
Purpura, Hæmorrhagic Diathesis	190	49	14	9	3	4	79	17	15	10	6	18	17	5	12	12	7	1
Anæmia, Chlorosis, Leucocythæmia	432	126	30	3	5	3	167	15	11	15	6	28	34	38	60	42	15	1
Diabetes Mellitus	733	1	-	2	1	2	6	12	12	36	37	85	104	121	173	119	26	2
Other Constitutional Diseases	185	-	1	-	-	-	1	-	2	2	3	9	16	29	48	44	30	1
DEVELOPMENTAL DISEASES.																		
Premature Birth	6895	6895	-	-	-	-	6895	-	-	-	-	-	-	-	-	-	-	-
Atelectasis	399	397	1	1	-	-	399	-	-	-	-	-	-	-	-	-	-	-
Cyanosis	525	440	20	11	2	4	477	19	12	6	3	5	2	1	-	-	-	-
Spina Bifida	296	277	9	2	3	-	291	2	-	-	2	1	-	-	-	-	-	-
Imperforate Anus	143	142	-	1	-	-	143	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip	108	102	6	-	-	-	108	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects	144	134	8	-	-	1	143	-	1	-	-	-	-	-	-	-	-	-
Old Age	11218	-	-	-	-	-	-	-	-	-	-	-	-	18	252	2406	6080	2462

Note.—For continuation of this Table, *see* page 142.

ENGLAND.—CAUSES of DEATH at different Periods of Life in the Year 1882—FEMALES—*cont.*

CAUSES OF DEATH.	FEMALES.																	
	ALL AGES.	AGES AT DEATH.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwds.
MIASMATIC DISEASES.																		
Small-pox { Vaccinated	73	-	2	1	-	-	3	4	7	7	13	21	13	3	1	-	-	1
Small-pox { Unvaccinated	137	18	7	6	4	13	48	25	13	19	7	16	5	4	-	-	-	-
Small-pox { No Statement	349	46	11	10	10	8	85	19	28	42	43	75	36	12	6	3	-	-
Chickenpox	58	24	15	7	2	2	50	6	1	-	-	1	-	-	-	-	-	-
Measles	6083	1279	2282	1031	595	357	5549	413	48	10	11	15	3	2	1	1	-	-
Epidemic Rose Rash	58	11	15	7	7	5	45	10	2	-	-	1	-	-	-	-	-	-
Scarlet Fever	6828	376	905	061	1060	862	4264	1954	355	83	57	66	34	9	4	-	2	-
Typhus	441	-	1	2	2	5	10	22	24	41	39	84	100	74	29	16	2	-
Relapsing Fever	9	-	-	-	1	-	1	1	2	-	1	1	-	-	2	1	-	-
Influenza	47	12	5	-	-	1	18	3	-	-	1	3	-	2	6	6	8	-
Whooping-cough	8361	3270	2566	1129	642	358	7995	343	10	5	1	2	2	-	1	-	1	1
Mumps	43	7	7	5	7	2	28	5	1	-	1	4	1	1	1	1	-	-
Diphtheria	2125	83	195	240	203	273	1084	729	156	48	25	31	23	8	9	10	2	-
Cerebro-spinal Fever	19	-	2	2	5	-	9	4	-	3	1	1	1	-	-	-	-	-
Simple and Ill-defined Fever	520	20	27	29	24	26	126	100	45	34	14	41	51	32	34	30	11	2
Enteric Fever	2863	16	48	75	66	97	302	328	364	444	327	432	303	170	121	61	11	-
Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHŒAL DISEASES.																		
Simple Cholera	150	41	31	4	4	3	83	12	-	2	5	11	8	6	6	16	-	1
Diarrhœa, Dysentery	8218	4882	1348	250	88	59	6627	90	22	29	42	78	117	124	225	382	380	102
MALARIAL DISEASES.																		
Remittent Fever	124	11	26	14	13	18	82	24	1	2	-	3	4	2	3	2	-	1
Ague	38	3	2	1	-	1	7	2	1	2	2	6	7	3	4	3	1	-
ZOOGENOUS DISEASES.																		
Hydrophobia	4	-	-	-	-	1	1	-	2	-	-	-	-	-	1	-	-	-
Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever	5	-	-	-	-	-	-	1	-	1	-	-	-	1	-	2	-	-
Cowpox and other Effects of Vaccination	32	32	-	-	-	-	32	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																		
Syphilis	1069	751	62	16	3	1	833	4	3	10	21	58	61	40	29	9	1	-
Gonorrhœa, Stricture of Urethra	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
SEPTIC DISEASES.																		
Phagedæna	41	11	1	3	1	2	18	2	-	1	1	1	3	1	6	5	3	-
Erysipelas	1155	331	20	9	5	6	371	9	17	20	24	81	89	107	145	141	124	27
Pyæmia, Septicæmia	251	43	11	5	5	3	67	15	17	7	14	21	30	28	29	18	4	1
Puerperal Fever	2564	-	-	-	-	-	-	-	-	121	584	1219	623	17	-	-	-	-
PARASITIC DISEASES.																		
Thrush	319	306	7	3	-	-	316	2	-	-	-	-	-	-	-	1	-	-
Other Dis. from Vegetable Parasites	3	1	2	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease	23	-	-	-	-	-	-	-	-	-	-	4	9	4	3	1	2	-
Other Dis. from Animal Parasites	100	4	16	17	16	9	62	25	4	2	-	2	-	3	1	1	-	-
DIETIC DISEASES.																		
Starvation, Want of Breast Milk	199	175	1	-	1	-	177	-	-	-	1	2	4	3	5	6	1	-
Scurvy	5	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	1	-
Intemp. { Chronic Alcoholism	400	-	-	-	-	-	-	-	-	1	8	54	114	117	74	29	2	1
Intemp. { Delirium Tremens	41	-	-	-	-	-	-	-	-	-	2	9	12	9	9	-	-	-
CONSTITUTIONAL DISEASES.																		
Rheumatic Fever, Rheumatism of Heart	1216	2	-	-	3	18	23	111	160	132	119	183	144	144	95	84	20	1
Rheumatism	520	1	-	-	1	-	2	2	1	4	9	10	36	51	139	171	83	12
Gout	99	-	-	-	-	-	-	-	-	-	-	-	4	12	31	34	15	3
Rickets	232	53	93	56	9	8	219	6	1	3	1	1	-	1	-	-	-	-
Cancer	9372	3	10	5	5	3	26	11	10	16	44	354	1363	2197	2607	1871	694	79
Tabes Mesenterica	3791	1785	902	262	110	71	3130	202	146	87	54	63	42	29	20	12	4	1
Tubercular Meningitis (Acute Hydrocephalus)	2989	836	621	331	237	158	2183	453	164	86	39	31	20	11	1	1	-	-
Phthisis	23781	362	330	151	95	106	1044	554	1058	2650	3241	6204	4682	2543	1229	504	66	6
Other Forms of Tuberculosis, Scrofula	1946	461	287	106	76	66	996	164	138	145	91	144	91	63	46	23	12	-
Purpura, Hæmorrhagic Diathesis	183	39	9	5	7	1	61	11	10	11	12	17	6	18	13	15	8	1
Anæmia, Chlorosis, Leucocythæmia	681	131	20	9	4	5	169	13	22	39	53	94	88	60	81	45	15	2
Diabetes Mellitus	520	-	1	2	-	1	4	14	20	28	37	75	72	75	96	76	22	1
Other Constitutional Diseases	208	2	-	-	-	-	2	1	-	-	2	7	9	37	59	57	29	5
DEVELOPMENTAL DISEASES.																		
Premature Birth	5539	5539	-	-	-	-	5539	-	-	-	-	-	-	-	-	-	-	-
Atelectasis	291	290	1	-	-	-	291	-	-	-	-	-	-	-	-	-	-	-
Cyanosis	420	361	18	10	1	5	395	8	5	7	3	2	-	-	-	-	-	-
Spina Bifida	351	335	11	2	1	2	351	-	-	-	-	-	-	-	-	-	-	-
Imperforate Anus	62	61	1	-	-	-	62	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip	81	80	1	-	-	-	81	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects	124	116	5	-	-	1	122	-	-	1	-	1	-	-	-	-	-	-
Old Age	14547	-	-	-	-	-	-	-	-	-	-	-	-	22	387	2929	7457	3752

Note.—For continuation of this Table, *see* page 143.

ENGLAND.—CAUSES of DEATH at different Periods of Life in the Year 1882—MALES—*cont.*

CAUSES OF DEATH.	MALES.																
	ALL AGES.	AGES AT DEATH.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
DISEASES OF NERVOUS SYSTEM.																	
Inflammation of Brain or its Membranes	4345	1104	712	370	2 6	196	2628	608	237	151	111	169	155	120	96	43	15	2
Apoplexy	6307	76	32	18	17	12	155	38	19	32	37	202	419	885	1523	1783	1073	141
Softening of Brain	1878	-	1	-	-	1	2	8	6	7	6	56	111	232	458	632	323	37
Hemiplegia, Brain Paralysis	4719	2	5	4	4	2	17	12	11	14	16	69	189	412	997	1839	1169	174
Paralysis Agitans	81	-	-	-	-	-	-	-	-	-	-	-	2	8	12	33	25	1
Insanity, General Paralysis of Insane	1497	-	-	1	1	2	4	5	10	17	10	158	464	313	205	187	109	15
Chorea	28	-	-	3	-	-	3	6	7	4	1	-	-	3	-	3	1	-
Epilepsy	1371	35	22	7	8	13	85	52	63	110	97	222	219	161	142	152	61	7
Convulsions	12847	10499	1433	429	205	108	12674	142	24	2	-	3	-	-	1	1	-	-
Laryngismus Stridulus	449	280	117	16	12	10	435	12	2	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus	37	1	-	-	1	1	3	4	3	2	4	5	5	4	5	2	-	-
Paraplegia, Diseases of Spinal Cord	204	24	16	7	5	8	60	22	13	25	22	71	109	162	184	172	58	6
Other Diseases of Nervous System	2400	390	270	112	71	49	892	141	62	59	39	132	185	195	264	289	130	12
DISEASES OF ORGANS OF SPECIAL SENSE.																	
Otitis, Otorrhœa	255	37	16	9	8	11	81	35	31	32	18	22	9	12	7	3	5	-
Epistaxis and Dis. of Nose	41	4	2	-	-	3	9	5	2	2	4	2	2	1	6	5	3	-
Ophthalmia and Dis. of Eye	33	20	-	3	1	1	25	1	2	-	-	-	-	2	1	1	-	1
DISEASES OF CIRCULATORY SYSTEM.																	
Endocarditis, Valvular Disease	2614	2	2	4	-	1	9	50	93	88	91	215	367	434	501	528	224	14
Pericarditis	216	3	6	3	3	6	21	18	15	28	14	29	32	21	19	15	4	-
Hypertrophy of Heart	164	-	-	-	-	-	-	3	5	2	3	9	19	33	31	34	23	-
Angina Pectoris	327	-	-	-	-	-	-	-	-	2	3	8	35	52	94	89	42	2
Syncope	616	43	3	1	1	-	48	3	7	15	9	37	39	67	90	142	130	29
Aneurism	600	-	-	-	-	-	-	2	-	2	5	74	207	142	109	44	15	-
Senile Gangrene	432	-	-	-	-	-	-	-	-	-	-	-	-	1	46	146	182	57
Embolism, Thrombosis	234	4	1	-	1	-	6	4	1	4	5	19	27	36	42	62	23	5
Phlebitis	54	2	-	1	-	-	3	-	4	-	1	1	6	12	14	10	3	-
Varicose Veins	38	-	-	-	-	-	-	-	-	-	-	1	5	8	10	9	5	-
Other Diseases of Circulatory System	11976	29	15	8	7	8	67	118	189	233	216	635	1243	1736	2796	3205	1382	156
DISEASES OF RESPIRATORY SYSTEM.																	
Laryngitis	784	96	108	78	89	70	441	139	11	8	10	31	36	36	34	21	14	3
Croup	2444	225	511	473	426	355	1990	439	15	-	-	-	-	-	-	-	-	-
Other Diseases of Larynx and Trachea	129	11	17	15	7	10	60	15	1	-	2	9	5	17	7	11	2	-
Emphysema, Asthma	1454	4	2	2	1	2	11	4	4	7	8	50	101	225	397	424	197	26
Bronchitis	29318	9344	3841	1061	436	260	14942	336	66	61	62	309	875	1825	3373	4288	2711	470
Pneumonia	14990	3309	2027	775	397	272	6780	508	159	283	394	1038	1418	1515	1425	1049	382	39
Pleurisy	741	19	20	13	6	6	64	39	36	37	38	85	109	109	117	76	29	2
Other Diseases of Respiratory System	2544	762	225	68	47	27	1129	50	19	33	20	119	168	228	282	268	188	40
DISEASES OF DIGESTIVE SYSTEM.																	
Stomatitis	215	124	39	14	5	9	191	3	-	-	1	-	3	2	5	3	7	-
Dentition	2631	1470	1064	88	6	2	2630	1	-	-	-	-	-	-	-	-	-	-
Sore-throat, Quinsy	311	55	32	17	27	21	152	45	16	6	11	20	11	16	18	9	6	1
Dyspepsia	234	96	9	3	1	-	109	4	1	1	2	1	15	20	25	34	16	6
Hæmatemesis	207	9	-	-	-	2	11	2	1	5	4	18	33	37	42	31	21	2
Melæna	70	24	-	-	-	1	25	1	1	2	-	2	5	8	6	15	4	1
Diseases of Stomach	1180	167	35	13	8	15	238	30	8	12	19	57	97	141	236	232	97	13
Enteritis	1524	615	127	47	26	23	838	74	62	63	36	63	67	76	116	79	46	4
Ulceration of Intestine	211	20	6	1	1	2	30	12	8	9	15	21	23	23	27	31	9	-
Ileus, Obstruction of Intestine	915	139	8	10	7	6	170	27	20	41	33	53	47	94	163	154	103	10
Stricture or Strangulation of Intestine	114	4	2	-	-	-	6	5	2	6	7	9	9	22	16	22	9	1
Intussusception of Intestine	213	77	14	6	3	4	104	8	9	3	9	10	10	19	20	11	10	-
Hernia	594	55	1	1	-	-	57	1	4	7	23	30	39	72	126	132	94	9
Fistula	53	2	1	-	-	-	3	-	-	-	-	5	4	6	20	11	4	-
Peritonitis	949	109	31	15	16	18	189	95	76	71	56	92	73	74	97	97	28	1
Ascites	149	4	2	1	3	-	10	11	2	4	-	5	20	20	29	27	19	2
Gallstones	75	-	-	1	-	1	2	1	-	-	2	5	7	12	16	22	6	2
Cirrhosis of Liver	1724	-	-	-	2	-	2	1	3	1	5	114	310	461	505	271	47	4
Other Diseases of Liver	3056	525	32	17	13	9	596	29	28	47	39	185	304	463	590	531	225	19
Other Diseases of Digestive System	587	253	31	13	9	10	316	7	4	5	4	9	14	43	66	72	39	8
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																	
Diseases of Lymphatic System	121	18	9	3	4	6	40	7	11	7	11	5	8	8	11	8	5	-
Diseases of Spleen	60	2	7	-	-	-	9	3	3	3	5	6	6	9	12	4	-	-
Bronchocele	26	-	-	-	-	-	-	-	3	2	3	5	3	-	3	3	4	-
Addison's Disease	59	-	-	-	-	-	-	-	1	5	6	8	12	12	10	4	1	-

Note.—For continuation of this Table, *see* page 144.

ENGLAND.—CAUSES of DEATH at different Periods of Life in the Year 1882—FEMALES—*cont.*

CAUSES OF DEATH.	FEMALES.																	
	All Ages.	Ages at Death.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
DISEASES OF NERVOUS SYSTEM.																		
flammation of Brain or its Membranes	3777	841	627	340	265	176	2249	515	261	154	109	154	117	112	65	38	8	2
oplexy	7186	54	31	12	11	8	116	30	28	34	40	171	459	1036	1713	2946	1310	207
ftening of Brain	1371	-	1	-	1	-	2	5	-	8	5	26	101	180	323	431	248	42
emiplegia, Brain Paralysis	5316	2	6	1	4	8	21	10	14	10	13	87	181	471	1117	1811	1372	209
ralysis Agitans	56	-	-	-	-	-	-	-	-	-	-	-	1	1	12	26	15	1
sanity, General Paralysis of Insane	870	-	-	1	2	1	4	9	10	6	17	82	152	140	154	163	114	19
orea	81	-	1	-	-	2	3	11	28	25	4	2	1	3	2	1	-	1
ilepsy	1322	33	16	12	11	12	84	32	53	82	118	218	208	190	157	117	53	10
nvulsions	10174	7961	1255	439	229	117	10 01	141	18	4	-	6	2	1	1	-	-	-
ryngismus Stridulus	253	148	70	11	9	5	243	9	1	-	-	-	-	-	-	-	-	-
iopathic Tetanus	10	-	1	-	-	1	2	1	1	-	-	2	-	3	-	1	-	-
raplegia, Diseases of Spinal Cord	639	15	17	13	8	4	57	26	16	16	17	49	67	92	121	112	57	9
her Diseases of Nervous System	1909	261	165	69	47	43	585	97	49	55	54	129	159	172	229	238	120	22
DISEASES OF ORGANS OF SPECIAL SENSE.																		
itis, Otorrhœa	193	19	12	8	7	11	57	27	30	22	17	13	12	6	6	5	3	-
istaxis and Dis. of Nose	29	7	-	2	-	1	10	1	2	-	1	-	2	2	3	6	2	-
thalmia and Dis. of Eye	26	11	3	1	2	-	17	1	-	1	-	-	2	-	2	2	1	-
DISEASES OF CIRCULATORY SYSTEM.																		
docarditis, Valvular Disease	2895	1	1	2	4	4	12	64	107	115	107	264	362	403	588	607	249	17
ricarditis	199	2	3	2	2	3	12	29	30	10	15	21	26	17	10	21	8	-
pertrophy of Heart	164	-	-	-	-	-	-	2	5	1	2	7	15	24	47	44	17	-
gina Pectoris	231	1	-	-	-	-	1	1	2	3	4	8	20	28	71	52	33	8
ncope	676	22	2	3	3	1	31	4	5	4	32	71	81	61	77	117	155	38
eurism	191	-	-	-	-	-	-	-	2	2	4	21	43	40	41	27	8	-
nile Gangrene	308	-	-	-	-	-	-	-	-	-	-	-	-	2	25	87	146	48
mbolism, Thrombosis	411	5	1	1	1	1	9	4	6	6	27	86	75	52	54	52	34	6
lebitis	76	2	1	-	-	-	3	-	-	1	4	8	10	9	21	15	5	-
ricose Veins	66	-	-	-	-	-	-	-	-	-	-	4	10	14	15	15	7	1
her Diseases of Circulatory System	13750	31	16	11	8	16	82	151	239	277	287	705	1231	1974	3087	3749	1761	207
DISEASES OF RESPIRATORY SYSTEM.																		
ryngitis	660	72	97	85	80	64	398	131	15	8	-	22	28	25	19	8	6	-
oup	2165	184	416	422	390	297	1709	443	10	1	2	-	-	-	-	-	-	-
her Diseases of Larynx and Trachea	105	10	18	9	17	8	62	13	3	-	2	3	2	6	5	6	3	-
nphysema, Asthma	996	1	2	-	1	-	4	3	2	3	6	43	89	155	271	271	136	13
onchitis	28535	7179	3723	1063	471	257	12693	377	81	78	103	383	828	1702	3329	4881	3349	731
eumonia	11068	2476	1872	722	381	260	5711	475	190	227	261	675	779	609	857	795	427	62
urisy	571	15	15	13	7	11	61	42	18	22	24	77	77	62	80	75	30	3
her Diseases of Respiratory System	1981	567	192	76	37	26	898	54	27	21	21	96	103	121	186	226	186	42
DISEASES OF DIGESTIVE SYSTEM.																		
matitis	234	126	39	11	13	11	200	4	3	1	2	3	4	1	7	6	2	1
latition	2042	1069	879	84	9	1	2042	-	-	-	-	-	-	-	-	-	-	-
e throat, Quinsy	318	42	31	34	25	20	152	73	22	6	7	14	13	6	9	13	2	1
spepsia	250	66	3	2	1	2	74	-	1	3	-	11	4	16	48	60	27	6
matemesis	151	9	4	1	-	1	15	2	2	5	7	10	17	12	18	37	23	3
æna	67	21	-	-	-	-	21	1	-	1	1	4	2	9	9	8	10	1
eases of Stomach	1368	129	23	19	9	5	185	35	20	35	36	111	146	179	228	254	107	22
teritis	1450	434	103	52	29	27	645	100	36	37	48	86	83	111	117	127	49	11
eration of Intestine	199	7	4	-	3	1	15	6	3	12	14	29	29	35	25	17	13	1
us, Obstruction of Intestine	897	74	8	2	4	3	91	24	15	24	25	50	50	119	161	202	125	11
icture or Strangulation of Intestine	118	-	2	1	-	2	5	2	1	2	7	17	16	14	23	20	9	2
ussusception of Intestine	194	62	3	2	5	-	72	6	3	4	4	9	15	14	23	25	17	2
rnia	547	13	1	-	-	-	14	-	-	1	1	15	62	99	134	147	65	9
tula	20	-	1	-	-	-	1	1	-	-	-	1	6	3	4	3	1	-
itonitis	1036	61	21	6	17	13	118	82	73	61	83	137	112	118	128	106	45	3
ites	287	9	-	2	-	1	12	3	6	2	3	10	29	55	68	64	32	3
lstones	147	-	-	-	-	-	-	-	-	-	3	9	19	20	36	39	16	5
rhosis of Liver	1323	1	-	-	1	-	2	3	2	5	4	85	250	371	351	203	44	3
her Diseases of Liver	3359	339	24	18	11	5	397	39	16	16	52	170	348	519	766	695	294	47
her Diseases of Digestive System	569	197	38	16	8	3	262	10	6	4	5	13	30	45	68	79	34	13
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																		
eases of Lymphatic System	104	20	8	5	5	3	41	8	3	3	5	7	8	8	11	8	2	-
eases of Spleen	57	3	5	1	-	-	9	2	-	1	1	5	8	13	5	8	3	2
onchocele	38	-	-	-	-	-	-	-	5	7	9	14	12	10	22	5	4	-
dison's Disease	74	-	-	-	-	-	-	1	4	6	6	14	19	10	9	5	-	-

Note.—For continuation of this Table, *see* page 145.

ENGLAND.—CAUSES of DEATH at different Periods of Life in the Year 1882—MALES—*cont.*

CAUSES OF DEATH.	MALES. All Ages.	Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
DISEASES OF URINARY SYSTEM.																		
Acute Nephritis	619	30	33	27	39	31	160	93	21	20	18	47	62	60	66	49	19	4
Bright's Disease	3062	23	32	21	27	23	126	86	40	70	97	290	443	607	677	439	145	12
Uræmia	256	4	-	3	2	1	10	3	2	8	5	21	34	42	42	49	36	4
Suppression of Urine	94	11	1	2	-	1	15	6	-	1	-	3	7	7	18	19	15	3
Calculus	202	-	3	1	3	1	8	11	7	2	3	7	10	16	43	57	34	4
Hæmaturia	131	2	-	-	2	1	5	2	-	2	1	4	6	10	23	32	40	6
Diseases of Bladder and of Prostate	1576	2	1	1	1	-	5	7	7	3	12	15	35	85	238	583	511	75
Other Diseases of Urinary System	654	12	9	5	3	5	34	13	6	9	13	37	67	81	139	176	74	11
DISEASES OF ORGANS OF GENERATION.																		
Ovarian Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess	25	-	-	1	-	-	1	-	-	2	3	5	1	4	6	3	-	-
Perineal Abscess	21	2	-	-	-	-	2	-	-	-	-	2	3	4	3	7	-	-
Diseases of Testes, Penis, Scrotum, &c.	92	27	5	4	-	-	36	-	-	1	2	6	8	10	11	15	3	-
DISEASES OF PARTURITION.																		
Abortion, Miscarriage	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																		
Caries, Necrosis	588	10	13	6	6	9	44	49	76	54	57	90	62	50	56	37	12	1
Arthritis, Ostitis, Periostitis	104	6	4	2	2	-	14	16	17	10	2	6	7	10	12	9	1	-
Other Diseases of Organs of Locomotion	676	19	23	9	9	12	72	109	103	82	62	61	53	45	54	24	10	1
DISEASES OF INTEGUMENTARY SYSTEM.																		
Carbuncle	113	1	-	-	-	-	1	-	-	3	1	3	4	12	32	40	14	3
Phlegmon, Cellulitis	121	29	2	-	2	-	33	3	7	2	2	7	16	15	15	14	6	1
Lupus	29	-	-	-	-	-	-	-	-	2	2	2	1	1	3	7	9	2
Ulcer, Bedsore	297	20	3	-	2	1	26	-	-	-	-	-	4	16	41	52	54	14
Eczema	221	153	37	6	2	1	199	2	-	2	-	-	-	2	2	5	9	-
Pemphigus	47	30	5	2	-	1	38	-	-	-	-	1	1	2	2	2	-	1
Other Diseases of Integumentary System	99	65	6	3	1	-	75	3	-	1	-	-	-	6	5	5	4	-
ACCIDENT OR NEGLIGENCE.																		
Fractures, Contusions	5673	24	75	75	74	83	331	284	338	462	408	856	881	795	635	429	211	43
Gunshot Wounds	71	-	-	-	1	1	2	6	17	10	8	11	11	4	2	-	-	-
Cut, Stab	111	-	1	-	3	-	4	7	6	8	6	6	21	14	19	18	2	-
Burn, Scald	1252	52	185	159	150	95	641	121	30	75	49	87	77	70	43	25	26	2
Poison	246	18	9	14	6	4	51	10	2	11	7	13	52	35	29	13	2	1
Drowning	2379	30	63	81	43	56	273	293	203	223	201	369	276	263	162	84	32	-
Suffocation	1063	703	29	6	4	4	746	9	20	27	24	50	56	80	44	20	5	2
Otherwise	641	108	10	9	6	8	141	34	42	44	26	70	71	67	70	58	15	3
HOMICIDE.																		
Murder, Manslaughter	201	48	3	4	-	4	59	8	6	14	18	30	28	22	10	4	2	-
Wounds in Battle	13	-	-	-	-	-	-	-	-	-	6	5	2	-	-	-	-	-
SUICIDE.																		
Gunshot Wounds	121	-	-	-	-	-	-	-	-	1	11	24	31	24	22	6	2	-
Cut, Stab	287	-	-	-	-	-	-	-	-	-	6	35	58	67	64	40	16	1
Poison	117	-	-	-	-	-	-	-	-	5	3	25	28	30	17	7	2	-
Drowning	240	-	-	-	-	-	-	-	3	8	14	42	50	50	37	29	7	-
Hanging	558	-	-	-	-	-	-	-	4	24	27	55	84	108	151	76	27	2
Otherwise	123	-	-	-	-	-	-	-	-	2	11	19	22	28	17	19	5	-
EXECUTION.																		
Hanging	11	-	-	-	-	-	-	-	-	2	-	3	3	2	-	1	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																		
Dropsy	763	37	31	20	9	12	109	29	12	6	1	15	45	67	104	185	164	26
Debility, Atrophy, Inanition	12478	10645	333	176	64	37	11855	52	23	8	9	9	24	50	129	168	121	30
Mortification	270	12	4	1	-	-	17	-	-	-	1	1	6	24	51	83	69	27
Tumour	122	7	3	1	1	-	12	5	3	2	6	7	12	21	19	23	9	1
Abscess	305	112	25	4	7	4	152	8	8	7	4	16	15	19	23	35	14	4
Hæmorrhage	112	6	-	-	-	1	7	1	1	1	3	14	27	36	11	8	1	2
Sudden (Cause unascertained)	245	34	7	1	1	3	46	-	2	3	4	17	27	38	53	20	16	-
Other ill-defined and not specified Causes	1834	634	80	24	11	10	759	40	19	23	21	68	121	109	272	214	125	12

ENGLAND.—CAUSES of DEATH at different Periods of Life in the Year 1882—FEMALES—*cont.*

CAUSES OF DEATH.	FEMALES.																	
	ALL AGES.	AGES AT DEATH.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
DISEASES OF URINARY SYSTEM.																		
Acute Nephritis	484	22	40	21	32	26	141	55	22	19	21	50	43	41	53	27	12	–
Bright's Disease	2427	15	35	32	16	18	116	39	43	56	98	255	386	407	470	397	143	17
Uræmia	207	6	–	4	–	1	11	10	4	11	19	35	38	27	26	17	8	1
Suppression of Urine	54	2	1	–	–	–	3	–	–	–	1	5	9	7	14	4	9	2
Calculus	52	–	–	–	1	–	1	2	–	1	1	4	5	8	12	13	5	–
Hæmaturia	51	2	–	–	–	–	2	1	1	–	1	5	3	6	8	8	13	3
Diseases of Bladder and of Prostate	196	1	–	–	1	–	2	3	1	2	3	25	19	21	41	37	40	2
Other Diseases of Urinary System	339	8	9	4	4	1	26	12	4	10	7	30	42	58	65	54	25	6
DISEASES OF ORGANS OF GENERATION.																		
Ovarian Disease	542	1	–	1	–	–	2	–	–	9	13	77	97	124	112	89	25	–
Diseases of Uterus and Vagina	647	10	16	7	2	–	35	2	1	7	20	88	151	140	94	78	27	4
Disorders of Menstruation	98	–	–	–	–	–	–	–	6	14	9	10	21	18	–	–	–	–
Pelvic Abscess	106	–	–	1	1	–	2	–	2	6	13	27	30	13	9	4	–	–
Perineal Abscess	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
Diseases of Testes, Penis, Scrotum, &c.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF PARTURITION.																		
Abortion, Miscarriage	169	–	–	–	–	–	–	–	–	2	19	73	73	2	–	–	–	–
Puerperal Mania	109	–	–	–	–	–	–	–	–	4	25	59	20	1	–	–	–	–
Puerperal Convulsions	407	–	–	–	–	–	–	–	2	66	110	143	86	–	–	–	–	–
Placenta Prævia, Flooding	741	–	–	–	–	–	–	–	–	17	65	311	334	16	–	–	–	–
Phlegmasia Dolens	77	–	–	–	–	–	–	–	–	–	10	44	23	–	–	–	–	–
Other Accidents of Childbirth	455	–	–	–	–	–	–	–	–	13	53	203	174	7	–	–	–	–
DISEASES OF ORGANS OF LOCOMOTION.																		
Caries, Necrosis	419	14	17	7	6	7	51	34	55	46	38	58	37	30	28	29	11	2
Arthritis, Ostitis, Periostitis	66	3	3	–	2	2	10	16	7	4	1	3	4	2	11	8	–	–
Other Diseases of Organs of Locomotion	578	19	25	7	8	14	73	80	72	58	38	45	33	48	60	45	20	1
DISEASES OF INTEGUMENTARY SYSTEM.																		
Carbuncle	48	1	–	–	–	–	1	–	–	1	–	5	4	6	13	8	8	2
Phlegmon, Cellulitis	99	24	8	3	1	3	39	3	3	2	4	2	4	7	14	12	8	1
Lupus	35	–	–	–	–	–	–	–	–	1	2	2	2	4	4	9	9	2
Ulcer, Bedsore	332	28	3	2	–	–	33	–	2	1	–	6	11	22	67	86	80	24
Eczema	155	105	21	4	3	–	133	1	–	–	1	–	–	2	4	10	4	–
Pemphigus	50	35	3	1	–	–	39	–	–	–	–	1	1	1	4	3	1	–
Other Diseases of Integumentary System	106	59	4	1	1	–	65	–	–	–	1	2	1	11	7	8	9	2
ACCIDENT OR NEGLIGENCE.																		
Fractures, Contusions	1335	39	55	48	37	29	208	87	46	30	16	60	84	133	185	196	211	79
Gunshot Wounds	11	–	–	–	–	–	–	1	2	3	–	–	1	1	2	1	–	–
Cut, Stab	49	–	1	1	2	1	5	4	2	3	1	5	5	5	10	4	5	–
Burn, Scald	929	51	128	112	93	86	470	188	32	22	14	25	37	48	39	46	50	8
Poison	120	8	7	8	4	6	33	7	2	9	8	21	4	13	9	5	9	–
Drowning	483	19	47	32	24	12	134	47	41	38	35	62	34	44	27	18	3	–
Suffocation	791	685	28	4	2	4	723	2	1	4	4	13	14	12	9	6	3	–
Otherwise	226	91	8	5	3	–	107	10	5	4	3	14	11	12	22	18	12	8
HOMICIDE.																		
Murder, Manslaughter	149	53	6	3	4	3	69	3	–	4	9	23	14	15	7	4	1	–
SUICIDE.																		
Gunshot Wounds	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Cut, Stab	59	–	–	–	–	–	–	–	–	1	1	8	13	16	10	8	2	–
Poison	111	–	–	–	–	–	–	–	1	13	17	22	22	18	11	6	–	1
Drowning	179	–	–	–	–	–	–	–	5	19	24	25	31	33	20	16	6	–
Hanging	129	–	–	–	–	–	–	–	–	4	2	29	27	28	31	12	5	1
Otherwise	39	–	–	–	–	–	–	–	–	1	2	8	10	8	5	3	2	–
EXECUTION.																		
Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ILL-DEFINED AND NOT SPECIFIED CAUSES.																		
Dropsy	1089	33	33	16	12	6	100	30	16	14	10	30	51	106	161	286	243	42
Debility, Atrophy, Inanition	10840	8804	121	176	68	36	10205	59	22	5	12	22	45	78	158	252	140	42
Mortification	215	18	1	4	1	1	25	2	–	1	–	2	2	17	42	55	55	16
Tumour	229	3	–	–	–	–	3	1	3	1	4	22	28	26	52	58	28	3
Abscess	351	130	32	10	9	3	184	14	6	5	4	16	12	20	31	44	12	3
Hæmorrhage	70	8	–	–	2	–	10	1	2	4	2	11	10	10	15	9	3	–
Sudden (Cause unascertained)	128	24	5	4	3	1	37	3	1	5	3	13	12	14	19	16	5	–
Other ill-defined and not specified Causes	1426	546	61	23	16	16	657	39	18	15	24	49	91	120	143	152	92	16

LONDON.—CAUSES of DEATH at different Periods of Life in the Year 1882—MALES.

CAUSES OF DEATH.	MALES.																	
	ALL AGES.	AGES AT DEATH.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
ALL CAUSES	42,992	11,000	4164	1963	1170	849	19,116	1440	544	770	1091	2772	3455	3570	3854	3284	1813	383
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES	7375	2298	1441	887	600	416	5642	555	123	131	136	248	163	118	115	98	34	12
II. PARASITIC DISEASES	62	49	–	–	–	–	49	–	1	1	–	6	1	2	1	1	–	–
III. DIETIC ,,	251	56	1	–	–	–	57	–	–	1	2	42	55	42	40	11	1	–
IV. CONSTITUTIONAL ,,	8413	1035	551	217	112	89	2004	239	131	239	529	1371	1437	1126	860	364	78	5
V. DEVELOPMENTAL ,,	2144	1209	6	1	–	–	1216	2	2	1	1	1	–	2	21	233	477	188
VI. LOCAL ,,	20103	4816	1883	756	411	298	8064	518	211	272	312	862	1517	2023	2596	2408	1150	170
VII. VIOLENCE	1962	365	67	54	41	39	566	115	72	92	108	233	265	227	163	97	41	3
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES	1762	1372	115	18	6	7	1518	11	4	3	3	9	17	30	58	72	32	5
I.																		
1. MIASMATIC DISEASES	5607	1227	1263	840	586	403	4319	542	113	117	120	193	105	50	31	13	3	1
2. DIARRHŒAL ,,	1161	794	158	93	13	7	1008	7	2	2	3	9	15	16	30	41	19	9
3. MALARIAL ,,	19	–	3	3	–	2	8	1	–	2	1	3	–	–	1	1	–	–
4. ZOOGENOUS ,,	16	12	–	–	–	–	12	–	–	1	1	–	–	1	1	–	–	–
5. VENEREAL ,,	326	210	13	4	–	–	227	–	1	–	3	18	19	22	19	13	4	–
6. SEPTIC ,,	246	55	4	4	1	4	68	5	7	9	8	23	24	29	33	30	8	2
II. PARASITIC DISEASES	62	49	–	–	–	–	49	–	1	1	–	6	1	2	1	1	–	–
III. DIETIC DISEASES	251	56	1	–	–	–	57	–	–	1	2	42	55	42	40	11	1	–
IV. CONSTITUTIONAL DISEASES	8413	1035	551	217	112	89	2004	239	131	239	529	1371	1437	1126	860	364	78	5
V. DEVELOPMENTAL DISEASES	2144	1209	6	1	–	–	1216	2	2	1	1	1	–	2	21	233	477	188
VI.																		
1. DISEASES OF NERVOUS SYSTEM	4768	1576	373	154	92	63	2248	145	33	52	51	150	291	389	528	567	293	41
2. ,, ORGANS OF SPECIAL SENSE	67	8	2	2	2	2	16	9	9	8	4	5	5	5	2	1	3	–
3. ,, CIRCULATORY SYSTEM	2442	16	9	4	1	3	33	40	58	62	62	195	386	427	510	453	193	23
4. ,, RESPIRATORY SYSTEM	9138	2883	1368	500	289	200	4770	219	89	66	93	280	455	714	991	972	460	79
5. ,, DIGESTIVE SYSTEM	2158	565	209	47	22	16	859	45	27	42	36	119	182	289	291	185	73	10
6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS	42	4	3	–	–	–	7	2	2	3	8	6	4	3	5	1	1	–
7. ,, URINARY SYSTEM	1120	9	4	8	10	8	39	25	11	15	29	85	167	187	237	198	110	17
8. ,, REPRODUCTIVE SYSTEM:— (a) DISEASES OF ORGANS OF GENERATION	17	5	1	1	–	–	7	–	–	1	–	1	–	3	2	2	1	–
(b) DISEASES OF PARTURITION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9. ,, ORGANS OF LOCOMOTION	229	9	7	8	3	5	32	32	32	23	28	21	17	16	16	7	5	–
10. ,, INTEGUMENTARY SYSTEM	122	41	7	2	2	1	53	1	–	–	1	–	10	10	14	22	11	–
VII.																		
1. ACCIDENT OR NEGLIGENCE	1707	346	67	51	41	39	544	112	72	89	90	183	207	172	129	79	34	3
2. HOMICIDE	48	19	–	3	–	–	22	3	–	3	3	9	3	5	–	–	–	–
3. SUICIDE	225	–	–	–	–	–	–	–	–	6	15	41	54	50	34	18	7	–
4. EXECUTION	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES	1762	1372	115	18	6	7	1518	11	4	3	3	9	17	30	58	72	32	5

Note.—For continuation of this Table, see page 142.

LONDON.—CAUSES of DEATH at different Periods of Life in the Year 1882—FEMALES.

CAUSES OF DEATH.	FEMALES.																	
	ALL AGES.	AGES AT DEATH.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds
ALL CAUSES - - - - - -	40,821	9151	4087	1956	1163	813	17,170	1572	570	762	970	2544	2976	3100	3582	3938	2917	720
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES -	7836	2143	1656	926	601	433	5759	671	149	164	192	353	208	94	83	85	61	17
II. PARASITIC DISEASES - -	76	61	2	2	-	1	66	1	-	-	-	-	3	3	1	1	1	-
III. DIETIC " - -	176	41	-	-	1	-	42	-	-	-	1	22	37	36	27	11	-	-
IV. CONSTITUTIONAL " - -	7495	742	448	188	109	71	1558	259	169	341	428	1143	1256	960	744	457	157	23
V. DEVELOPMENTAL " - -	2615	1037	7	4	-	2	1050	2	-	3	-	1	-	5	43	308	823	380
VI. LOCAL " - -	20089	3650	1831	776	428	281	6966	571	227	233	325	910	1402	1873	2554	2936	1784	278
VII. VIOLENCE - - - -	946	338	54	37	14	22	465	52	20	19	21	70	52	78	66	49	43	11
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES - -	1588	1139	89	23	10	3	1264	16	5	2	3	15	18	51	64	91	48	11
I.																		
1. MIASMATIC DISEASES - - - -	5914	1209	1495	880	583	421	4588	655	140	138	100	131	87	41	19	12	2	1
2. DIARRHŒAL " - - - -	1062	696	141	39	13	7	896	8	1	3	9	10	14	13	24	41	34	9
3. MALARIAL " - - - -	17	2	3	1	-	4	10	2	-	-	-	-	2	1	2	-	-	-
4. ZOOGENOUS " - - - -	8	5	-	-	-	-	5	-	1	1	-	-	-	-	1	-	-	-
5. VENEREAL " - - - -	228	166	10	3	1	1	181	-	1	4	5	8	11	8	7	2	1	-
6. SEPTIC " - - - -	607	65	7	3	4	-	79	6	6	18	78	204	94	31	30	30	24	7
II. PARASITIC DISEASES - - - -	76	61	2	2	-	1	66	1	-	-	-	-	3	3	1	1	1	-
III. DIETIC DISEASES - - - - -	176	41	-	-	1	-	42	-	-	-	1	22	37	36	27	11	-	-
IV. CONSTITUTIONAL DISEASES - -	7495	742	448	188	109	71	1558	259	169	341	428	1143	1256	960	744	457	157	23
V. DEVELOPMENTAL DISEASES - -	2615	1037	7	4	-	2	1050	2	-	3	-	1	-	5	43	308	823	380
VI.																		
1. DISEASES OF NERVOUS SYSTEM - -	4550	1200	327	145	109	61	1842	119	47	35	44	117	231	383	528	689	456	59
2. " ORGANS OF SPECIAL SENSE - - -	47	6	5	2	3	3	19	4	4	3	8	-	2	3	3	1	-	-
3. " CIRCULATORY SYSTEM -	2733	18	5	7	4	6	40	65	69	64	84	205	318	410	538	592	306	42
4. " RESPIRATORY SYSTEM -	8935	1935	1285	560	289	177	4246	272	40	48	71	219	361	540	976	1222	798	142
5. " DIGESTIVE SYSTEM -	2299	426	181	48	13	16	684	56	28	39	41	142	230	304	317	290	147	21
6. " LYMPHATIC SYSTEM AND DUCTLESS GLANDS - - - -	55	6	5	2	1	1	15	1	3	2	3	10	5	8	8	-	-	-
7. " URINARY SYSTEM - -	644	3	4	6	8	8	29	21	11	11	13	56	100	136	120	93	44	10
8. " REPRODUCTIVE SYSTEM:— (a) DISEASES OF ORGANS OF GENERATION -	297	4	5	-	-	-	9	1	2	5	15	62	66	66	32	27	11	1
(b) DISEASES OF PARTURITION - - -	237	-	-	-	-	-	-	-	-	12	34	107	78	6	-	-	-	-
9. " ORGANS OF LOCOMOTION - - -	187	13	9	4	1	9	36	31	23	13	11	18	10	11	13	13	8	-
0. " INTEGUMENTARY SYSTEM - - - -	105	39	5	2	-	-	46	1	-	1	1	4	1	6	19	9	14	3
VII.																		
1. ACCIDENT OR NEGLIGENCE - -	826	320	53	36	14	20	443	52	20	14	10	48	35	59	53	42	39	11
2. HOMICIDE - - - - - - -	35	18	1	1	-	2	22	-	-	-	2	4	3	3	-	-	1	-
3. SUICIDE - - - - - - -	85	-	-	-	-	-	-	-	-	5	9	18	14	16	13	7	3	-
4. EXECUTION - - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES - - - - - - -	1588	1139	89	23	10	3	1264	16	5	2	3	15	18	51	64	9	48	11

Note.—For continuation of this Table, see page 149.

LONDON.—CAUSES of DEATH at different Periods of Life in the Year 1882 —MALES—*continued.*

CAUSES OF DEATH.	MALES.																
	ALL AGES.	AGES AT DEATH.															
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
MIASMATIC DISEASES.																	
Small-pox { Vaccinated	73	1	–	–	2	1	4	1	3	5	11	21	17	5	4	2	–	–
Small-pox { Unvaccinated	104	15	5	5	5	3	33	14	8	9	7	16	10	7	–	–	–	–
Small-pox { No Statement	73	7	3	–	1	1	12	8	3	7	9	15	9	7	2	1	–	–
Chickenpox	16	7	4	3	–	1	15	1	–	–	–	–	–	–	–	–	–	–
Measles	1171	267	397	239	128	72	1103	62	4	–	–	2	–	–	–	–	–	–
Epidemic Rose Rash	11	1	5	2	2	–	10	1	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	1018	69	133	188	196	149	735	225	32	13	6	4	1	–	2	–	–	–
Typhus	28	–	–	1	–	–	1	2	2	3	5	5	6	3	1	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	3	–	1	–	1	–	2	–	–	–	–	–	–	–	–	1	–	–
Whooping-cough	2119	820	645	322	166	92	2045	70	2	–	1	–	–	–	–	1	–	–
Mumps	6	1	1	1	1	–	4	–	–	–	–	1	–	–	1	–	–	–
Diphtheria	416	31	59	67	63	74	294	86	14	8	1	6	2	2	–	1	2	–
Cerebro-spinal Fever	3	–	–	–	–	1	1	1	–	–	–	–	–	1	–	–	–	–
Simple and Ill-defined Fever	44	2	1	2	1	5	11	7	4	4	1	5	3	1	4	3	1	–
Enteric Fever	522	6	9	10	20	4	49	64	41	68	79	118	57	24	17	4	–	1
Other Miasmatic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DIARRHŒAL DISEASES.																	
Simple Cholera	44	21	4	2	3	1	31	–	–	–	–	2	3	2	1	4	1	–
Diarrhœa, Dysentery	1117	773	154	34	10	6	977	7	2	2	3	7	12	14	29	37	18	9
MALARIAL DISEASES.																	
Remittent Fever	11	–	3	3	–	2	8	1	–	–	–	2	–	–	–	–	–	–
Ague	8	–	–	–	–	–	–	–	–	2	1	3	–	–	1	1	–	–
ZOOGENOUS DISEASES.																	
Hydrophobia	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
Glanders	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Splenic Fever	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cowpox and other Effects of Vaccination	12	12	–	–	–	–	12	–	–	–	–	–	–	–	–	–	–	–
VENEREAL DISEASES.																	
Syphilis	262	210	13	4	–	–	227	–	1	–	1	14	10	6	1	2	–	–
Gonorrhœa, Stricture of Urethra	64	–	–	–	–	–	–	–	–	–	2	4	9	16	18	11	4	–
SEPTIC DISEASES.																	
Phagedæna	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–
Erysipelas	180	48	2	1	1	4	56	4	1	–	2	16	18	23	27	26	5	2
Pyæmia, Septicæmia	63	7	2	3	–	–	12	1	6	9	6	7	5	6	6	3	2	–
Puerperal Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
PARASITIC DISEASES.																	
Thrush	49	49	–	–	–	–	49	–	–	–	–	–	–	–	–	–	–	–
Other Dis. from Vegetable Parasites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydatid Disease	11	–	–	–	–	–	–	–	1	1	–	5	1	2	–	1	–	–
Other Dis. from Animal Parasites	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
DIETIC DISEASES.																	
Starvation, Want of Breast-milk	66	56	1	–	–	–	57	–	–	–	1	1	2	–	3	2	–	–
Scurvy	2	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
Intemp. { Chronic Alcoholism	131	–	–	–	–	–	–	–	–	–	1	25	37	27	32	8	1	–
Intemp. { Delirium Tremens	52	–	–	–	–	–	–	–	–	–	–	16	16	15	4	1	–	–
CONSTITUTIONAL DISEASES.																	
Rheumatic Fever, Rheumatism of Heart	193	1	–	1	1	3	6	19	20	14	19	43	37	13	12	8	2	–
Rheumatism	55	–	–	–	–	–	–	–	1	–	1	2	6	6	15	18	5	1
Gout	138	–	–	–	–	–	–	–	–	–	–	5	16	28	47	31	11	–
Rickets	71	23	31	9	3	3	69	1	–	1	–	–	–	–	–	–	–	–
Cancer	779	1	1	3	–	1	6	1	2	9	6	33	77	174	257	172	40	2
Tabes Mesenterica	811	480	183	47	18	14	742	35	9	6	5	3	6	3	2	–	–	–
Tubercular Meningitis (Acute Hydrocephalus)	789	280	202	93	51	40	666	84	15	10	5	4	2	2	1	–	–	–
Phthisis	4938	98	48	30	21	14	211	62	59	203	469	1228	1244	862	477	113	9	1
Other Forms of Tuberculosis, Scrofula	421	129	83	32	17	11	272	28	22	17	10	31	23	12	5	1	–	–
Purpura, Hæmorrhagic Diathesis	31	7	–	1	1	1	10	5	1	1	2	4	4	–	1	1	1	1
Anæmia, Chlorosis, Leucocythæmia	46	16	3	1	–	1	21	3	1	–	2	5	3	1	5	4	1	–
Diabetes Mellitus	95	–	–	–	–	1	1	1	1	8	10	11	15	15	20	10	3	–
Other Constitutional Diseases	46	–	–	–	–	–	–	–	–	–	–	2	4	10	18	6	6	–
DEVELOPMENTAL DISEASES.																	
Premature Birth	980	980	–	–	–	–	980	–	–	–	–	–	–	–	–	–	–	–
Atelectasis	56	55	–	–	–	–	56	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	79	68	3	1	–	–	72	2	2	1	1	1	–	–	–	–	–	–
Spina Bifida	44	43	1	–	–	–	44	–	–	–	–	–	–	–	–	–	–	–
Imperforate Anus	22	22	–	–	–	–	22	–	–	–	–	–	–	–	–	–	–	–
Cleft Palate, Harelip	15	14	1	–	–	–	15	–	–	–	–	–	–	–	–	–	–	–
Other Congenital Defects	27	26	1	–	–	–	27	–	–	–	–	–	–	–	–	–	–	–
Old Age	921	–	–	–	–	–	–	–	–	–	–	–	–	2	21	233	477	188

Note.—For continuation of this Table, *see* page 150.

LONDON.—CAUSES of DEATH at different Periods of Life in the Year 1882—FEMALES—*continued.*

CAUSES OF DEATH.	FEMALES.																	
	All Ages.	Ages at Death.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
Miasmatic Diseases.																		
Small-pox { Vaccinated	37	–	1	1	–	–	2	3	6	5	5	8	5	1	1	–	–	1
Small-pox { Unvaccinated	78	8	3	1	4	7	23	16	8	12	4	8	5	2	–	–	–	–
Small-pox { No Statement	65	12	2	1	4	2	21	5	7	3	9	13	7	–	–	–	–	–
Chickenpox	13	8	2	1	1	–	12	1	–	–	–	–	–	–	–	–	–	–
Measles	1167	234	463	203	120	67	1087	71	3	1	2	2	–	1	–	–	–	–
Epidemic Rose Rash	10	4	3	1	2	–	10	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	988	54	148	177	149	127	655	222	37	18	8	13	3	1	–	–	1	–
Typhus	25	–	1	–	–	2	3	4	1	1	2	2	5	3	2	2	–	–
Relapsing Fever	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
Influenza	4	–	2	–	–	–	2	–	–	–	1	–	–	–	–	–	1	–
Whooping-cough	2563	864	802	425	217	131	2439	117	4	–	–	1	–	–	–	–	–	–
Mumps	14	2	5	1	2	–	10	2	–	–	–	–	2	–	–	1	–	–
Diphtheria	441	20	50	55	70	64	259	140	15	6	5	5	1	1	2	3	–	–
Cerebro-spinal Fever	3	–	–	1	1	–	2	1	–	–	–	–	5	–	–	–	–	–
Simple and Ill-defined Fever	51	3	3	3	2	3	14	8	1	2	2	6	5	7	3	3	–	–
Enteric Fever	453	–	10	10	11	18	49	25	58	90	61	73	49	25	11	2	–	–
Other Miasmatic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœal Diseases.																		
Simple Cholera	35	12	7	2	2	–	23	3	–	–	1	2	3	2	1	–	–	–
Diarrhœa, Dysentery	1027	684	134	37	11	7	873	5	1	3	8	8	11	11	23	41	34	9
Malarial Diseases.																		
Remittent Fever	12	1	2	1	–	4	8	2	–	–	–	–	1	–	1	–	–	–
Ague	5	1	1	–	–	–	2	–	–	–	–	–	1	1	1	–	–	–
Zoogenous Diseases.																		
Hydrophobia	2	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Splenic Fever	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cowpox and other Effects of Vaccination	5	5	–	–	–	–	5	–	–	–	–	–	–	–	–	–	–	–
Venereal Diseases.																		
Syphilis	228	166	10	3	1	1	181	–	1	4	5	8	11	8	7	2	1	–
Gonorrhœa, Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septic Diseases.																		
Phagedæna	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Erysipelas	206	53	4	–	–	–	57	–	3	2	5	17	20	24	24	25	22	7
Pyæmia, Septicæma	66	12	3	3	4	–	22	6	3	2	3	4	7	7	6	4	2	–
Puerperal Fever	333	–	–	–	–	–	–	–	–	14	70	183	66	–	–	–	–	–
Parasitic Diseases.																		
Thrush	61	61	–	–	–	–	61	–	–	–	–	–	–	–	–	–	–	–
Other Dis. from Vegetable Parasites	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hydatid Disease	7	–	–	–	–	–	–	–	–	–	–	–	3	2	1	–	1	–
Other Dis. from Animal Parasites	7	–	1	2	–	1	4	1	–	–	–	–	–	1	–	1	–	–
Dietic Diseases.																		
Starvation, Want of Breast-milk	51	41	–	–	1	–	42	–	–	–	1	1	1	–	3	3	–	–
Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemp. { Chronic Alcoholism	116	–	–	–	–	–	–	–	–	–	–	19	34	33	22	8	–	–
Intemp. { Delirium Tremens	9	–	–	–	–	–	–	–	–	–	–	2	2	3	2	–	–	–
Constitutional Diseases.																		
Rheumatic Fever, Rheumatism of Heart	181	1	–	–	1	3	5	22	27	23	10	18	28	21	9	16	2	–
Rheumatism	88	–	–	–	–	–	–	1	1	1	2	1	9	5	20	24	21	3
Gout	33	–	–	–	–	–	–	–	–	–	–	–	3	4	10	11	5	–
Rickets	53	13	19	16	3	–	51	1	–	–	–	1	–	–	–	–	–	–
Cancer	1682	–	5	1	1	1	8	5	–	–	7	74	270	431	452	314	102	19
Tabes Mesenterica	625	353	144	36	18	7	558	31	13	4	4	6	5	2	–	1	1	–
Tubercular Meningitis (Acute Hydrocephalus)	602	185	149	76	55	29	494	75	12	9	5	5	–	2	–	–	–	–
Phthisis	3681	63	63	22	9	19	176	87	98	274	381	997	915	463	210	66	14	–
Other Forms of Tuberculosis, Scrofula	247	98	65	34	19	12	228	33	14	17	13	19	8	7	6	1	1	–
Purpura, Hæmorrhagic Diathesis	39	10	1	1	2	–	14	1	–	3	1	4	3	3	5	3	2	–
Anæmia, Chlorosis, Leucocythæmia	55	19	2	1	1	–	23	3	2	2	1	4	8	5	5	2	–	–
Diabetes Mellitus	79	–	–	1	–	–	1	–	2	8	4	12	5	12	19	12	4	–
Other Constitutional Diseases	30	–	–	–	–	–	–	–	–	–	–	2	2	5	8	7	5	1
Developmental Diseases.																		
Premature Birth	828	828	–	–	–	–	828	–	–	–	–	–	–	–	–	–	–	–
Atelectasis	60	60	–	–	–	–	60	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	73	59	3	3	–	2	67	2	–	3	–	1	–	–	–	–	–	–
Spina Bifida	45	42	2	1	–	–	45	–	–	–	–	–	–	–	–	–	–	–
Imperforate Anus	9	9	–	–	–	–	9	–	–	–	–	–	–	–	–	–	–	–
Cleft Palate, Harelip	23	23	–	–	–	–	23	–	–	–	–	–	–	–	–	–	–	–
Other Congenital Defects	18	16	2	–	–	–	18	–	–	–	–	–	–	–	–	–	–	–
Old Age	1559	–	–	–	–	–	–	–	–	–	–	–	–	5	43	308	823	380

Note.—For continuation of this Table, *see* page 151.

LONDON.—CAUSES of DEATH at different Periods of Life in the Year 1882—MALES—*continued.*

CAUSES OF DEATH.	MALES.																	
	All Ages.	Ages at Death.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
Diseases of Nervous System.																		
Inflammation of Brain or its Membranes	688	216	133	71	44	33	497	72	13	20	14	16	22	14	11	7	2	-
Apoplexy	928	17	6	5	2	1	31	6	2	9	11	34	98	170	247	193	112	15
Softening of Brain	199	-	-	-	-	-	-	3	-	2	-	5	9	32	58	63	23	4
Hemiplegia, Brain Paralysis	549	1	-	-	1	1	3	-	1	1	3	12	32	48	122	203	106	18
Paralysis Agitans	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	-
Insanity, General Paralysis of Insane	166	-	-	-	-	-	-	-	-	2	1	18	50	21	25	27	19	3
Chorea	6	-	-	1	-	-	1	3	-	-	-	-	-	1	-	1	-	-
Epilepsy	169	3	1	-	2	3	9	8	4	5	10	29	33	26	21	18	6	-
Convulsions	1398	1162	144	52	16	11	1385	12	1	-	-	-	-	-	-	-	-	-
Laryngismus Stridulus	133	85	31	5	5	4	130	3	-	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Paraplegia, Diseases of Spinal Cord	127	4	2	1	-	-	7	6	3	3	4	15	15	27	22	18	6	1
Other Diseases of Nervous System	395	88	56	19	12	10	185	32	9	10	8	21	31	28	21	34	16	-
Diseases of Organs of Special Sense.																		
Otitis, Otorrhœa	50	5	1	2	1	-	9	9	8	7	2	5	3	4	1	-	2	-
Epistaxis and Dis. of Nose	10	-	1	-	-	1	2	-	-	1	2	-	2	-	1	1	1	-
Ophthalmia and Dis. of Eye	7	3	-	-	1	1	5	-	1	-	-	-	-	1	-	-	-	-
Diseases of Circulatory System.																		
Endocarditis, Valvular Disease	420	-	-	1	-	-	1	15	15	16	19	52	85	85	71	44	26	1
Pericarditis	50	-	3	2	1	3	9	3	3	6	3	7	10	5	1	2	1	-
Hypertrophy of Heart	38	-	-	-	-	-	-	2	2	1	-	4	6	8	5	5	5	-
Angina Pectoris	45	-	-	-	-	-	-	-	-	-	-	-	6	8	16	9	6	-
Syncope	152	7	-	-	-	-	7	1	-	2	2	8	11	25	29	35	27	5
Aneurism	132	-	-	-	-	-	-	-	-	1	2	20	47	30	24	6	2	-
Senile Gangrene	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19	13	5
Embolism, Thrombosis	43	2	-	-	-	-	2	2	-	1	2	7	5	4	9	6	4	1
Phlebitis	5	1	-	1	-	-	2	-	1	-	-	-	-	-	-	2	-	-
Varicose Veins	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-
Other Diseases of Circulatory System	1506	6	6	-	-	-	12	17	37	35	34	97	216	260	355	323	109	11
Diseases of Respiratory System.																		
Laryngitis	172	25	34	25	22	14	120	17	-	2	2	7	4	10	7	1	1	1
Croup	457	33	113	110	77	67	400	57	-	-	-	-	-	-	-	-	-	-
Other Diseases of Larynx and Trachea	33	3	5	9	1	4	22	2	-	-	-	4	1	3	1	-	-	-
Emphysema, Asthma	258	-	-	-	-	-	-	-	1	3	2	14	22	46	86	49	31	4
Bronchitis	5300	1622	762	202	100	62	2748	51	11	9	15	66	172	407	647	742	366	66
Pneumonia	2372	568	413	164	77	48	1270	81	20	39	60	149	203	199	187	127	35	2
Pleurisy	148	6	5	6	1	-	18	4	7	9	11	19	25	19	17	15	4	-
Other Diseases of Respiratory System	398	126	36	14	11	5	192	7	-	4	3	21	28	30	46	38	23	6
Diseases of Digestive System.																		
Stomatitis	30	15	3	3	1	1	23	-	-	-	-	-	1	1	3	1	1	-
Dentition	423	241	158	23	1	-	423	-	-	-	-	-	-	-	-	-	-	-
Sore-throat, Quinsy	49	7	6	6	4	4	27	10	2	2	-	2	1	2	1	1	1	-
Dyspepsia	29	16	-	1	-	-	17	-	-	-	-	-	1	2	2	4	3	-
Hæmatemesis	26	1	-	-	-	-	1	1	-	-	1	4	3	5	7	4	-	-
Melæna	6	4	-	-	-	-	4	-	-	-	-	-	-	-	-	1	-	1
Diseases of Stomach	154	37	6	-	1	2	46	3	-	-	6	11	15	26	21	17	7	2
Enteritis	184	75	15	3	3	7	103	7	5	9	7	10	7	9	15	7	5	-
Ulceration of Intestine	27	2	1	-	-	-	3	3	1	2	2	5	4	1	3	2	1	-
Ileus, Obstruction of Intestine	116	13	-	2	1	1	17	3	2	7	2	10	6	15	24	16	12	2
Stricture or Strangulation of Intestine	20	1	-	-	-	-	1	1	2	1	1	3	1	5	1	3	1	-
Intussusception of Intestine	40	15	6	3	2	-	26	1	-	-	-	1	2	7	1	1	1	-
Hernia	81	10	-	-	-	-	10	-	-	2	7	5	6	14	17	11	7	2
Fistula	11	1	-	-	-	-	1	-	-	-	-	2	2	1	4	-	1	-
Peritonitis	123	18	3	1	3	-	25	13	8	13	4	16	8	15	7	9	5	-
Ascites	28	1	1	-	2	-	4	2	-	-	-	1	5	3	5	5	2	1
Gallstones	14	-	-	-	-	-	-	-	-	-	1	-	2	4	2	5	-	-
Cirrhosis of Liver	317	-	-	-	1	-	1	-	1	-	1	23	60	99	87	40	5	-
Other Diseases of Liver	400	69	6	3	3	1	82	1	5	5	3	24	55	74	78	52	19	2
Other Diseases of Digestive System	80	39	4	2	-	-	45	-	1	1	1	2	3	6	13	6	2	-
Diseases of Lymphatic System and Ductless Glands.																		
Diseases of Lymphatic System	20	4	2	-	-	-	6	1	2	1	4	1	1	-	2	1	1	-
Diseases of Spleen	8	-	1	-	-	-	1	1	-	-	1	3	-	1	1	-	-	-
Broncocele	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
Addison's Disease	11	-	-	-	-	-	-	-	-	2	3	1	2	2	1	-	-	-

Note.—For continuation of this Table, *see* page 152.

LONDON.—CAUSES of DEATH at different Periods of Life in the Year 1882—FEMALES—*continued.*

CAUSES OF DEATH.	FEMALES.																	
	ALL AGES.	AGES AT DEATH.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
DISEASES OF NERVOUS SYSTEM.																		
Inflammation of Brain or its Membranes	628	184	111	58	61	30	444	74	20	11	12	17	11	17	7	13	1	1
Apoplexy	1081	12	6	5	3	2	28	2	2	2	2	21	86	176	258	282	199	23
Softening of Brain	192	-	-	-	-	-	-	1	-	-	-	6	11	34	44	51	59	6
Hemiplegia, Brain Paralysis	686	-	1	-	1	1	3	3	2	-	2	15	30	69	131	242	167	22
Paralysis Agitans	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-
Insanity, General Paralysis of Insane	120	-	-	-	1	-	1	1	-	1	-	7	18	24	19	32	15	2
Chorea	12	-	-	-	-	-	-	1	5	1	1	-	1	-	1	1	-	1
Epilepsy	168	1	4	3	1	1	10	4	7	10	15	18	27	20	24	19	12	2
Convulsions	1155	892	148	54	30	13	1137	15	-	-	-	3	-	-	-	-	-	-
Laryngismus Stridulus	83	49	23	5	3	2	82	1	-	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus	3	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-
Paraplegia, Diseases of Spinal Cord	97	-	2	1	1	-	4	1	3	3	3	7	13	18	13	24	5	1
Other Diseases of Nervous System	320	62	32	19	8	12	133	16	7	7	9	22	32	24	30	23	16	1
DISEASES OF ORGANS OF SPECIAL SENSE.																		
Otitis, Otorrhœa	36	2	4	2	2	2	12	4	4	3	8	-	1	2	1	1	-	-
Epistaxis and Dis. of Nose	5	2	-	-	-	1	3	-	-	-	-	-	-	1	1	-	-	-
Ophthalmia and Dis. of Eye	6	2	1	-	1	-	4	-	-	-	-	-	1	-	1	-	-	-
DISEASES OF CIRCULATORY SYSTEM.																		
Endocarditis, Valvular Disease	461	-	-	-	2	2	4	19	19	21	23	47	71	60	95	71	30	1
Pericarditis	40	-	1	1	-	1	3	12	5	1	2	2	5	3	3	3	1	-
Hypertrophy of Heart	33	-	-	-	-	-	-	1	-	-	1	3	2	6	10	8	2	-
Angina Pectoris	32	-	-	-	-	-	-	-	-	1	-	1	4	7	12	4	3	-
Syncope	162	7	-	1	1	-	9	1	1	-	5	15	12	17	25	24	42	11
Aneurism	49	-	-	-	-	-	-	-	-	-	2	7	15	9	10	5	1	-
Senile Gangrene	35	-	-	-	-	-	-	-	-	-	-	-	-	1	5	8	18	3
Embolism, Thrombosis	77	-	1	1	-	1	3	1	4	1	4	17	10	13	8	8	6	2
Phlebitis	7	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	-	-
Varicose Veins	7	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	1	-
Other Diseases of Circulatory System	1830	11	3	4	1	2	21	31	40	40	47	111	198	291	367	457	202	25
DISEASES OF RESPIRATORY SYSTEM.																		
Laryngitis	140	18	22	21	13	14	88	28	1	1	-	2	8	7	3	1	1	-
Croup	411	36	83	106	76	43	344	66	-	-	1	-	-	-	-	-	-	-
Other Diseases of Larynx and Trachea	22	4	7	1	5	2	19	2	-	-	-	-	-	1	-	-	-	-
Emphysema, Asthma	245	-	-	-	-	-	-	-	1	-	1	10	27	45	61	71	26	3
Bronchitis	5634	1293	758	250	103	57	2461	72	12	16	14	68	155	356	707	978	671	124
Pneumonia	2054	495	384	159	89	51	1178	88	16	28	50	111	140	97	153	124	62	7
Pleurisy	109	2	6	5	1	5	19	6	4	1	1	17	14	14	14	11	7	1
Other Diseases of Respiratory System	320	87	25	18	2	5	137	10	6	2	4	11	17	26	38	37	31	7
DISEASES OF DIGESTIVE SYSTEM.																		
Stomatitis	34	17	6	3	-	2	28	1	-	-	-	1	1	-	1	-	1	1
Dentition	334	173	141	19	-	1	334	-	-	-	-	-	-	-	-	-	-	-
Sore Throat, Quinsy	71	13	6	9	2	6	36	12	3	-	4	5	5	1	2	3	-	-
Dyspepsia	29	15	1	-	-	-	16	-	-	-	-	1	1	1	3	6	1	-
Hæmatemesis	28	-	-	-	-	-	-	2	-	2	1	2	1	2	6	6	5	1
Melæna	12	3	-	-	-	-	3	-	-	-	-	1	-	3	3	-	1	1
Diseases of Stomach	189	24	2	3	3	-	32	8	2	5	4	18	20	26	26	31	15	2
Enteritis	189	60	8	7	3	4	82	18	5	4	6	9	10	17	15	17	4	2
Ulceration of Intestine	30	1	-	-	1	-	2	1	-	1	3	3	3	8	3	3	2	1
Ileus, Obstruction of Intestine	135	10	1	1	1	-	13	3	2	3	-	9	9	17	27	28	24	-
Stricture or Strangulation of Intestine	29	-	1	-	-	1	2	-	1	1	1	5	5	4	1	5	3	1
Intussusception of Intestine	35	14	1	-	-	-	15	-	-	1	-	-	2	3	5	4	5	-
Hernia	105	2	-	-	-	-	2	-	-	1	-	3	9	16	25	32	13	4
Fistula	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Peritonitis	166	13	5	-	1	1	20	8	12	13	16	24	23	14	14	12	9	1
Ascites	46	-	-	-	-	1	1	-	-	-	1	1	8	10	11	8	6	-
Gallstones	24	-	-	-	-	-	-	-	-	-	-	3	1	3	5	3	7	2
Cirrhosis of Liver	293	-	-	-	-	-	-	1	-	2	1	24	65	88	69	33	9	1
Other Diseases of Liver	455	42	5	3	1	-	51	2	3	4	3	30	61	85	93	82	39	2
Other Diseases of Digestive System	94	39	4	3	1	-	47	-	-	2	1	3	6	6	8	16	3	2
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																		
Diseases of Lymphatic System	21	4	4	1	1	1	11	-	1	1	-	2	2	1	3	-	-	-
Diseases of Spleen	9	2	1	1	-	-	4	1	-	-	-	1	-	3	-	-	-	-
Bronchocele	17	-	-	-	-	-	-	-	-	1	2	5	2	3	4	-	-	-
Addison's Disease	8	-	-	-	-	-	-	-	2	-	1	2	1	1	1	-	-	-

Note.—For continuation of this Table, *see* page 153.

LONDON.—CAUSES of DEATH at different Periods of Life in the Year 1882—MALES—*continued.*

CAUSES OF DEATH.	MALES.																	
		AGES AT DEATH.																
	ALL AGES.	Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
DISEASES OF URINARY SYSTEM.																		
Acute Nephritis	117	2	1	5	6	5	19	14	4	5	4	8	16	16	19	11	1	-
Bright's Disease	602	5	3	2	4	2	16	8	5	8	21	63	108	126	146	79	20	2
Uræmia	48	1	-	-	-	1	2	-	-	1	-	2	9	14	9	5	5	1
Suppression of Urine	5	1	-	-	-	-	1	-	-	-	-	-	1	-	-	1	2	-
Calculus	29	-	-	-	-	-	-	1	-	-	1	1	1	3	8	7	6	1
Hæmaturia	14	-	-	-	-	-	-	-	-	1	1	-	-	-	4	6	2	-
Diseases of Bladder and of Prostate	191	-	-	-	-	-	-	-	-	-	1	2	10	12	27	61	61	11
Other Diseases of Urinary System	114	-	-	1	-	-	1	2	2	-	1	9	22	16	24	25	10	2
DISEASES OF ORGANS OF GENERATION.																		
Ovarian Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Perineal Abscess	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Diseases of Testes, Penis, Scrotum, &c.	13	5	1	1	-	-	7	-	-	-	-	-	-	2	2	1	1	-
DISEASES OF PARTURITION.																		
Abortion, Miscarriage	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																		
Caries, Necrosis	100	2	2	2	2	2	10	11	10	9	17	11	11	8	6	4	3	-
Arthritis, Ostitis, Periostitis	27	2	1	1	-	-	4	3	5	2	2	2	-	3	4	2	-	-
Other Diseases of Organs of Locomotion	102	5	4	5	1	3	18	18	17	12	9	8	6	5	6	1	2	-
DISEASES OF INTEGUMENTARY SYSTEM.																		
Carbuncle	16	-	-	-	-	-	-	-	-	-	-	-	2	-	2	10	2	-
Phlegmon, Cellulitis	27	9	-	-	1	-	10	-	-	-	-	-	6	4	3	3	1	-
Lupus	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-
Ulcer, Bedsore	28	2	-	-	1	-	3	-	-	-	-	-	2	4	7	7	5	-
Eczema	31	22	4	-	-	-	26	1	-	-	-	-	-	-	1	1	2	-
Pemphigus	8	5	-	1	-	1	7	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Integumentary System	9	3	3	1	-	-	7	-	-	-	-	-	-	2	-	-	-	-
ACCIDENT OR NEGLIGENCE.																		
Fractures, Contusions	772	5	19	28	13	19	84	47	31	42	55	102	132	99	86	64	27	3
Gunshot Wounds	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Cut, Stab	16	-	1	-	-	-	1	2	3	-	1	-	4	2	2	1	-	-
Burn, Scald	140	9	34	14	23	17	97	12	2	4	-	7	8	1	4	2	3	-
Poison	56	4	-	3	2	-	9	3	1	-	1	7	15	14	5	1	-	-
Drowning	307	9	1	-	-	1	11	42	30	29	33	56	35	43	18	8	2	-
Suffocation	345	299	9	3	3	1	315	-	3	2	-	2	5	6	10	2	-	-
Otherwise	70	20	5	3	-	1	27	6	2	6	-	7	8	7	4	1	2	-
HOMICIDE.																		
Murder, Manslaughter	46	19	-	3	-	-	22	3	-	3	2	9	2	5	-	-	-	-
Wounds in Battle	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
SUICIDE.																		
Gunshot Wounds	28	-	-	-	-	-	-	-	-	-	3	8	8	6	2	1	-	-
Cut, Stab	52	-	-	-	-	-	-	-	-	-	3	8	17	13	9	2	-	-
Poison	35	-	-	-	-	-	-	-	-	1	2	9	7	8	5	1	2	-
Drowning	37	-	-	-	-	-	-	-	-	-	2	6	12	9	1	6	1	-
Hanging	55	-	-	-	-	-	-	-	-	5	4	7	8	9	16	3	3	-
Otherwise	18	-	-	-	-	-	-	-	-	-	1	3	2	5	1	5	1	-
EXECUTION.																		
Hanging	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																		
Dropsy	74	6	4	2	1	1	14	4	2	1	-	3	5	6	11	20	6	2
Debility, Atrophy, Inanition	1532	1330	103	14	4	4	1455	6	1	-	-	-	2	7	27	25	9	-
Mortification	44	3	1	1	-	-	5	-	-	-	-	-	2	1	9	10	14	3
Tumour	19	1	-	1	-	-	2	-	-	-	2	1	2	3	1	7	1	-
Abscess	43	19	7	-	1	-	27	1	-	1	-	1	-	2	3	7	1	-
Hæmorrhage	17	1	-	-	-	1	2	-	-	-	-	3	4	5	1	1	1	-
Sudden (Cause unascertained)	5	-	-	-	-	1	1	-	-	-	-	-	-	3	1	-	-	-
Other ill-defined and not specified Causes	28	12	-	-	-	-	12	-	1	1	1	1	2	3	5	2	-	-

LONDON.—CAUSES of DEATH at different Periods of Life in the Year 1882—FEMALES—*continued.*

CAUSES OF DEATH.	ALL AGES.	FEMALES. Ages at Death. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
DISEASES OF URINARY SYSTEM.																		
Acute Nephritis	70	-	2	4	3	7	16	11	3	1	1	7	11	6	5	5	4	-
Bright's Disease	410	1	1	2	3	1	8	4	6	8	10	34	55	91	96	66	26	6
Uræmia	42	2	-	-	-	-	2	2	1	1	1	4	14	7	5	3	1	1
Suppression of Urine	5	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	1
Calculus	13	-	-	-	-	-	-	1	-	-	-	-	1	5	2	4	-	-
Hæmaturia	6	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	1
Diseases of Bladder and of Prostate	29	-	-	-	-	-	-	-	-	-	1	5	3	5	1	6	8	-
Other Diseases of Urinary System	69	-	1	-	2	-	3	3	1	1	-	6	14	18	11	9	2	1
DISEASES OF ORGANS OF GENERATION.																		
Ovarian Disease	112	1	-	-	-	-	1	-	-	-	2	28	26	26	12	14	3	-
Diseases of Uterus and Vagina	146	3	5	-	-	-	8	1	-	3	8	20	33	35	18	11	8	1
Disorders of Menstruation	9	-	-	-	-	-	-	-	2	1	-	2	1	3	-	-	-	-
Pelvic Abscess	30	-	-	-	-	-	-	-	-	1	5	12	6	2	2	2	-	-
Perineal Abscess	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Testes, Penis, Scrotum, &c.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																		
Abortion, Miscarriage	36	-	-	-	-	-	-	-	-	1	5	15	13	2	-	-	-	-
Puerperal Mania	21	-	-	-	-	-	-	-	-	-	6	11	4	-	-	-	-	-
Puerperal Convulsions	29	-	-	-	-	-	-	-	-	7	8	11	3	-	-	-	-	-
Placenta Prævia, Flooding	100	-	-	-	-	-	-	-	-	4	5	49	38	4	-	-	-	-
Phlegmasia Dolens	9	-	-	-	-	-	-	-	-	-	1	5	3	-	-	-	-	-
Other Accidents of Childbirth	42	-	-	-	-	-	-	-	-	-	9	16	17	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																		
Caries, Necrosis	73	4	4	4	-	3	15	10	9	1	6	10	5	5	5	4	3	-
Arithritis, Ostitis, Periostitis	15	1	1	-	-	2	4	4	1	2	-	1	-	-	2	1	-	-
Other Diseases of Organs of Locomotion	99	8	4	-	1	4	17	17	13	10	5	7	5	6	6	8	5	-
DISEASES OF INTEGUMENTARY SYSTEM.																		
Carbuncle	7	-	-	-	-	-	-	-	-	-	-	2	-	1	3	-	1	-
Phlegmon, Cellulitis	14	5	2	1	-	-	8	1	-	1	1	1	-	-	2	-	-	-
Lupus	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Ulcer, Bedsore	38	4	1	1	-	-	6	-	-	-	-	1	1	2	10	6	10	2
Eczema	20	16	1	-	-	-	17	-	-	-	-	-	-	1	1	-	1	-
Pemphigus	8	4	1	-	-	-	5	-	-	-	-	-	-	-	1	2	-	-
Other Diseases of Integumentary System	17	10	-	-	-	-	10	-	-	-	-	-	-	2	2	-	2	1
ACCIDENT OR NEGLIGENCE.																		
Fractures, Contusions	238	11	12	15	5	10	53	29	11	4	4	16	23	32	40	36	30	10
Gunshot Wounds	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Cut, Stab	8	-	-	-	1	-	1	1	-	-	-	2	-	1	1	-	2	-
Burn, Scald	114	9	25	16	7	7	64	15	5	4	1	5	3	8	4	1	4	-
Poison	25	1	2	2	-	1	6	2	-	1	1	6	1	4	2	-	2	-
Drowning	50	4	2	1	-	1	8	2	4	5	3	12	5	6	3	2	-	-
Suffocation	300	272	11	1	1	1	286	2	-	-	1	3	3	4	-	1	-	-
Otherwise	59	23	1	1	-	-	25	1	-	-	-	4	-	3	2	2	1	1
HOMICIDE.																		
Murder, Manslaughter	35	18	1	1	-	2	22	-	-	-	2	4	3	3	-	-	1	-
SUICIDE.																		
Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cut, Stab	10	-	-	-	-	-	-	-	-	-	-	3	2	1	1	3	-	-
Poison	26	-	-	-	-	-	-	-	-	3	4	7	5	3	4	-	-	-
Drowning	27	-	-	-	-	-	-	-	-	2	4	3	2	8	5	1	2	-
Hanging	14	-	-	-	-	-	-	-	-	-		3	2	3	3	3	-	-
Otherwise	8	-	-	-	-	-	-	-	-	-	1	2	3	1	-	-	1	-
EXECUTION.																		
Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																		
Dropsy	126	5	4	-	-	1	10	5	2	-	-	4	8	23	26	28	18	2
Debility, Atrophy, Inanition	1292	1098	81	17	8	2	1206	7	-	-	1	-	3	14	16	33	8	4
Mortification	41	1	-	1	-	-	2	1	-	1	-	2	-	5	5	11	11	3
Tumour	36	-	-	-	-	-	-	-	1	-	2	2	3	5	8	12	3	-
Abscess	48	14	4	2	1	-	21	2	2	-	-	1	3	3	5	7	2	2
Hæmorrhage	13	2	-	-	-	-	2	1	-	1	-	4	-	1	3	-	1	-
Sudden (Cause unascertained)	2	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Other ill-defined and not specified Causes	50	19	-	2	1	-	22	-	-	-	-	1	1	-	1	-	5	-

DEATHS from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1882.

CAUSES OF DEATH.	Division I. London.						Division II. South Eastern Counties.									
	Middlesex (*part of*).		Surrey (*part of*).		Kent (*part of*).		Surrey (*ex.-met.*)		Kent (*ex.-met.*)		Sussex.		Hampshire.		Berkshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
ALL CAUSES	28443	27463	10862	10715	2787	2643	4026	3619	6439	5899	4336	4151	5316	4952	2271	1968
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES	4805	5118	2010	2182	560	536	499	518	827	886	646	636	739	795	317	306
II. PARASITIC DISEASES	42	49	14	22	6	5	5	7	7	3	7	9	14	12	2	5
III. DIETIC ,,	185	127	52	33	14	16	15	10	29	17	13	6	18	7	6	4
IV. CONSTITUTIONAL ,,	5824	5140	2034	1835	555	520	787	726	1108	1169	800	899	1010	972	375	386
V. DEVELOPMENTAL ,,	1407	1738	578	674	159	203	300	300	571	551	423	408	393	435	190	183
VI. LOCAL ,,	13642	13563	5225	5232	1236	1234	2061	1848	3229	2875	2048	1900	2656	2420	1127	950
VII. VIOLENCE	1410	690	445	215	127	41	172	52	366	98	205	78	235	94	93	30
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES	1128	1038	504	462	130	88	187	158	302	300	194	165	251	217	161	104
I.																
1. MIASMATIC DISEASES	3590	3812	1553	1696	464	406	342	357	606	595	485	511	537	558	217	238
2. DIARRHŒAL ,,	789	709	301	284	71	69	101	77	124	142	105	87	141	131	64	39
3. MALARIAL ,,	10	11	6	6	3	-	2	1	12	11	2	2	6	3	-	-
4. ZOOGENOUS ,,	9	5	6	3	1	-	4	1	2	1	2	1	2	1	-	-
5. VENEREAL ,,	227	160	85	55	14	13	27	17	28	26	17	11	19	9	16	7
6. SEPTIC ,,	180	421	59	138	7	48	23	65	55	111	35	74	34	93	20	22
II. PARASITIC DISEASES	42	49	14	22	6	5	5	7	7	3	7	9	14	12	2	5
III. DIETIC DISEASES	185	127	52	33	14	16	15	10	29	17	13	6	18	7	6	4
IV. CONSTITUTIONAL DISEASES	5824	5140	2034	1835	555	520	787	726	1108	1169	800	899	1010	972	375	386
V. DEVELOPMENTAL DISEASES	407	1738	578	674	159	203	300	300	571	551	423	408	393	435	190	183
VI.																
1. DISEASES OF NERVOUS SYSTEM	3081	2949	1391	1267	296	334	645	571	886	784	540	506	734	660	310	248
2. ,, ORGANS OF SPECIAL SENSE	44	36	20	9	3	2	5	9	9	2	4	6	6	3	4	5
3. ,, CIRCULATORY SYSTEM	1732	1886	541	667	169	180	332	293	538	544	315	382	447	420	178	199
4. ,, RESPIRATORY SYSTEM	6232	6065	2398	2394	508	476	674	578	1157	912	728	598	956	820	411	321
5. ,, DIGESTIVE SYSTEM	1449	1504	543	577	166	158	236	240	370	417	259	259	310	336	128	106
6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS	33	43	7	10	2	2	10	6	10	3	6	2	4	7	6	3
7. ,, URINARY SYSTEM	811	457	244	151	65	36	124	74	181	91	154	50	146	83	71	24
8. ,, REPRODUCTIVE SYSTEM:— (*a*) DISEASES OF ORGANS OF GENERATION	13	215	4	71	-	11	1	23	2	27	5	29	1	18	1	12
(*b*) DISEASES OF PARTURITION	-	143	-	73	-	21	-	24	-	38	-	36	-	32	-	13
9. ,, ORGANS OF LOCOMOTION	159	136	54	44	16	7	22	10	42	30	23	21	22	24	11	10
10. ,, INTEGUMENTARY SYSTEM	88	69	23	29	11	7	12	20	34	22	14	11	30	17	7	9
VII.																
1. ACCIDENT OR NEGLIGENCE	1221	596	384	193	102	37	140	40	301	74	163	70	190	84	83	24
2. HOMICIDE	40	30	2	4	6	1	3	2	8	4	7	-	15	1	1	-
3. SUICIDE	149	64	57	18	19	3	29	10	57	20	35	8	30	9	9	6
4. EXECUTION	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES	1128	1038	504	462	130	88	187	158	302	300	194	165	251	217	161	104

Note.—For continuation of this Table, *see* page 160.

DEATHS from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1882.

CAUSES OF DEATH.	Division III. South Midland Counties.															
	Middlesex (*ex. met.*)		Hertfordshire.		Buckinghamshire.		Oxfordshire.		Northamptonshire.		Huntingdonshire.		Bedfordshire.		Cambridgeshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
ALL CAUSES - - - - - -	3668	3407	1724	1599	1400	1356	1591	1445	2440	2398	428	397	1442	1358	1704	1365
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES -	599	587	207	180	162	186	188	199	316	348	44	45	200	205	224	251
II. PARASITIC DISEASES -	6	7	7	5	5	6	5	6	6	14	1	1	4	4	5	2
III. DIETIC " -	18	11	5	1	3	3	4	3	7	4	-	1	3	-	8	2
IV. CONSTITUTIONAL " -	607	589	257	308	212	219	230	261	394	442	76	96	210	256	319	317
V. DEVELOPMENTAL " -	262	317	155	165	168	146	185	180	248	248	54	52	174	165	164	168
VI. LOCAL " -	1833	1681	946	836	668	665	784	669	1162	1124	205	167	693	624	773	711
VII. VIOLENCE - - - - -	158	60	68	26	58	23	72	26	119	50	25	14	46	20	81	15
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES -	185	155	79	78	124	108	123	101	188	168	23	21	112	84	130	99
I.																
1. MIASMATIC DISEASES - - -	431	427	144	111	121	129	145	147	216	210	22	30	134	147	167	185
2. DIARRHŒAL " - - -	99	90	41	36	26	31	29	30	66	76	18	12	44	27	39	33
3. MALARIAL " - - -	2	1	-	-	1	-	-	1	-	-	1	-	2	5	1	2
4. ZOOGENOUS " - - -	3	-	-	-	1	1	-	1	-	-	-	-	-	-	-	1
5. VENEREAL " - - -	35	12	4	6	4	5	2	-	21	10	1	1	6	7	6	8
6. SEPTIC " - - -	29	57	18	27	9	20	12	20	13	52	2	2	14	19	11	22
II. PARASITIC DISEASES - - -	6	7	7	5	5	6	5	6	6	14	1	1	4	4	5	2
III. DIETIC DISEASES - - - -	18	11	5	1	3	3	4	3	7	4	-	1	3	-	8	2
IV. CONSTITUTIONAL DISEASES - -	607	589	257	308	212	219	230	261	394	442	76	96	210	256	319	317
V. DEVELOPMENTAL DISEASES - -	262	317	155	165	168	146	185	180	248	248	54	52	174	165	164	168
VI.																
1. DISEASES OF NERVOUS SYSTEM -	551	429	283	223	201	177	216	207	359	295	59	39	186	181	204	185
2. " ORGANS OF SPECIAL SENSE -	3	5	3	-	1	3	3	1	2	2	1	-	1	2	-	1
3. " CIRCULATORY SYSTEM - - -	243	231	159	167	79	106	129	128	172	192	53	34	110	105	119	133
4. " RESPIRATORY SYSTEM - - -	745	623	328	292	243	232	265	190	392	398	60	59	261	208	295	244
5. " DIGESTIVE SYSTEM	174	193	90	82	79	86	98	92	156	155	22	17	83	77	89	98
6. " LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	1	8	1	2	3	3	3	2	2	4	-	1	-	-	1	1
7. " URINARY SYSTEM -	89	64	54	27	44	22	49	24	56	32	9	10	37	22	49	25
8. " REPRODUCTIVE SYSTEM:—																
(*a*) DISEASES OF ORGANS OF GENERATION - -	2	19	3	10	-	13	-	6	1	9	-	2	1	6	1	12
(*b*) DISEASES OF PARTURITION - -	-	28	-	14	-	14	-	10	-	16	-	2	-	14	-	6
9. " ORGANS OF LOCOMOTION - -	18	16	16	7	7	4	11	2	13	12	1	-	11	5	5	2
10. " INTEGUMENTARY SYSTEM - -	7	15	9	12	11	5	10	7	9	9	-	3	3	4	10	4
VII.																
1. ACCIDENT OR NEGLIGENCE - -	130	45	61	24	49	18	63	21	99	39	25	13	43	15	71	12
2. HOMICIDE - - - - - -	6	3	-	-	1	1	-	-	-	2	-	-	-	2	-	2
3. SUICIDE - - - - - -	22	12	7	2	8	4	9	5	20	9	-	1	3	3	10	1
4. EXECUTION - - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES - - - - - -	185	155	79	78	124	108	123	101	188	168	23	21	112	84	130	99

Note.—For continuation of this Table, *see* page 161.

DEATHS from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1882—*cont.*

CAUSES OF DEATH.	Division IV. Eastern Counties.						Division V. South Western Counties.									
	Essex.		Suffolk.		Norfolk.		Wiltshire.		Dorsetshire		Devonshire.		Cornwall.		Somersetshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
ALL CAUSES - - - - -	5273	4819	3103	3018	3907	4022	2066	2113	1519	1387	5343	5393	3000	2975	4209	4188
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES -	846	864	314	318	429	483	163	192	149	121	537	569	282	271	364	434
II. PARASITIC DISEASES -	11	8	9	7	20	12	3	2	2	4	10	12	7	6	11	8
III. DIETIC " -	11	15	5	1	10	4	7	1	8	-	14	5	7	1	14	6
IV. CONSTITUTIONAL " -	864	842	561	682	628	828	334	399	237	273	974	1102	537	578	667	743
V. DEVELOPMENTAL " -	414	440	374	382	474	587	209	225	131	125	461	645	280	402	466	514
VI. LOCAL " -	2570	2307	1462	1370	1865	1737	1177	1136	839	767	2776	2705	1401	1387	2249	2202
VII. VIOLENCE - - - -	238	66	144	44	186	55	79	33	76	30	240	81	137	33	202	72
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES -	319	277	234	214	385	316	94	125	77	67	331	274	349	297	236	209
I.																
1. MIASMATIC DISEASES - - -	621	646	163	173	243	283	103	110	88	78	360	345	202	181	232	274
2. DIARRHŒAL " - - -	159	121	101	79	131	113	36	32	39	29	124	124	63	46	78	82
3. MALARIAL " - - -	7	5	3	1	1	1	1	1	2	-	4	1	2	6	5	2
4. ZOOGENOUS " - - -	2	-	1	3	3	1	-	-	-	-	2	-	-	1	-	-
5. VENEREAL " - - -	21	19	18	8	22	14	6	5	6	4	24	17	5	7	22	13
6. SEPTIC " - - -	36	73	28	54	29	71	17	44	14	10	23	82	10	30	27	63
II. PARASITIC DISEASES - - -	11	8	9	7	20	12	3	2	2	4	10	12	7	6	11	8
III. DIETIC DISEASES - - - -	11	15	5	1	10	4	7	1	8	-	14	5	7	1	14	6
IV. CONSTITUTIONAL DISEASES - -	864	842	561	682	628	828	334	399	237	273	974	1102	537	578	667	743
V. DEVELOPMENTAL DISEASES - -	414	440	374	382	474	587	209	225	131	125	461	645	280	402	466	514
VI.																
1. DISEASES OF NERVOUS SYSTEM	749	633	404	391	510	464	324	305	232	189	749	764	372	385	600	576
2. " ORGANS OF SPECIAL SENSE -	6	5	2	1	11	2	2	-	4	4	3	5	3	2	7	4
3. " CIRCULATORY SYSTEM - - -	388	377	243	255	333	325	215	258	140	154	424	514	217	231	361	481
4. " RESPIRATORY SYSTEM - - -	992	862	503	420	613	576	391	363	300	255	1038	877	510	478	817	677
5. " DIGESTIVE SYSTEM	274	260	176	185	232	219	145	117	105	103	319	308	177	182	271	276
6. " LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	3	9	5	7	3	5	1	5	2	1	4	6	6	3	2	9
7. " URINARY SYSTEM -	115	52	98	45	116	54	79	36	41	21	174	84	83	43	149	77
8. " REPRODUCTIVE SYSTEM:—																
(*a*) DISEASES OF ORGANS OF GENERATION - -	4	30	1	17	5	22	-	16	-	16	2	37	3	14	3	28
(*b*) DISEASES OF PARTURITION - -	-	24	-	17	-	32	-	21	-	12	-	52	-	26	-	37
9. " ORGANS OF LOCOMOTION - -	21	33	10	18	17	14	10	6	11	7	33	29	21	12	15	20
10. " INTEGUMENTARY SYSTEM - -	18	22	20	11	25	24	10	9	4	5	30	29	9	11	24	17
VII.																
1. ACCIDENT OR NEGLIGENCE - -	197	57	121	37	145	47	67	28	67	26	213	71	118	29	181	63
2. HOMICIDE - - - - - -	2	1	1	1	3	3	-	1	2	1	3	3	-	-	6	1
3. SUICIDE - - - - - -	39	8	22	6	37	5	11	4	7	3	24	7	18	4	15	8
4. EXECUTION - - - - - -	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-
VIII.																
ILL DEFINED AND NOT SPECIFIED CAUSES - - - - - -	319	277	234	214	385	316	94	125	77	67	331	274	349	297	236	209

Note.—For continuation of this Table, *see* page 162.

DEATHS from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1882—*cont.*

CAUSES OF DEATH.	Division VI. West Midland Counties.												Part of Division VII. North Midland Counties.			
	Gloucestershire.		Herefordshire.		Shropshire.		Staffordshire.		Worcestershire.		Warwickshire.		Leicestershire.		Rutlandshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
ALL CAUSES	4870	4778	1080	995	2315	2163	10654	9575	3446	3227	7313	6896	3179	2950	184	173
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES	678	695	127	154	240	299	1550	1649	525	523	1147	1165	488	524	16	16
II. PARASITIC DISEASES	10	6	3	3	1	3	15	18	6	9	13	11	8	4	–	–
III. DIETIC "	15	8	3	–	6	3	43	13	11	7	43	29	9	1	1	1
IV. CONSTITUTIONAL "	771	866	142	181	345	394	1455	1413	520	567	1190	1164	415	455	26	26
V. DEVELOPMENTAL "	472	506	127	113	206	219	873	891	305	295	583	572	329	332	29	33
VI. LOCAL "	2411	2352	559	467	1227	1076	5233	4541	1688	1562	3474	3334	1528	1335	100	84
VII. VIOLENCE	216	83	45	16	130	33	568	210	139	63	374	199	144	53	5	1
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES	297	262	74	61	150	106	917	840	252	201	489	422	258	246	7	12
I.																
1. MIASMATIC DISEASES	513	469	102	112	168	209	948	1027	345	356	674	649	273	267	14	14
2. DIARRHŒAL "	108	137	15	16	46	51	475	420	125	109	382	361	184	201	1	–
3. MALARIAL "	–	3	1	–	1	–	5	1	–	1	2	6	–	–	–	–
4. ZOOGENOUS "	–	2	–	–	1	–	3	–	1	–	–	–	–	–	–	–
5. VENEREAL "	26	21	2	5	6	4	50	39	23	14	47	37	14	7	–	–
6. SEPTIC "	31	63	9	21	18	35	69	162	29	43	42	112	17	49	1	2
II. PARASITIC DISEASES	10	6	3	3	1	3	15	18	6	9	13	11	8	4	–	–
III. DIETIC DISEASES	15	8	3	–	6	3	43	13	11	7	43	29	9	1	1	1
IV. CONSTITUTIONAL DISEASES	771	866	142	181	345	394	1455	1413	520	567	1190	1164	415	455	26	26
V. DEVELOPMENTAL DISEASES	472	506	127	113	206	219	873	891	305	295	583	572	329	332	29	33
VI.																
1. DISEASES OF NERVOUS SYSTEM	683	616	176	105	314	278	1496	1351	483	423	905	907	479	409	22	28
2. " ORGANS OF SPECIAL SENSE	7	6	1	–	6	4	11	13	2	7	6	3	–	4	–	–
3. " CIRCULATORY SYSTEM	370	435	103	126	205	249	602	594	243	256	435	508	215	213	20	13
4. " RESPIRATORY SYSTEM	894	844	179	146	437	334	2160	1673	595	534	1464	1267	565	438	38	25
5. " DIGESTIVE SYSTEM	262	249	56	52	169	127	614	581	234	202	387	367	154	151	9	18
6. " LYMPHATIC SYSTEM AND DUCTLESS GLANDS	5	9	–	1	2	2	7	15	5	2	7	12	2	3	1	1
7. " URINARY SYSTEM	139	90	31	10	79	34	245	151	91	67	200	121	94	42	10	1
8. " REPRODUCTIVE SYSTEM:—																
(*a*) DISEASES OF ORGANS OF GENERATION	2	23	–	6	1	12	12	32	2	17	4	49	–	12	–	–
(*b*) DISEASES OF PARTURITION	–	35	–	11	–	25	–	69	–	34	–	51	–	32	–	4
9. " ORGANS OF LOCOMOTION	27	26	7	3	17	2	50	28	17	11	34	29	6	15	–	–
10. " INTEGUMENTARY SYSTEM	22	19	6	7	7	9	36	34	16	9	32	20	13	16	–	1
VII.																
1. ACCIDENT OR NEGLIGENCE	187	75	38	11	120	31	497	187	107	49	323	172	114	44	5	–
2. HOMICIDE	4	2	1	–	2	–	12	6	2	5	6	6	4	1	–	–
3. SUICIDE	25	6	6	5	8	2	59	17	30	9	45	21	26	8	–	1
4. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES	297	262	74	61	150	106	917	840	252	201	489	422	258	246	7	12

Note.—For continuation of this Table, *see* page 163.

DEATHS from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1882—*cont.*

CAUSES OF DEATH.	Part of Division VII. North Midland Counties.						Division VIII. North Western Counties.				Division IX. Yorkshire.					
	Lincolnshire.		Nottinghamshire.		Derbyshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		North Riding.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
ALL CAUSES - - - - - -	4320	3935	4817	4554	3815	3417	6198	6089	41831	39699	23716	22119	4072	3664	3304	3047
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES -	613	649	897	918	512	544	837	898	7194	7496	3560	3709	740	762	463	465
II. PARASITIC DISEASES -	9	13	6	6	12	8	20	15	67	34	58	39	16	11	9	6
III. DIETIC " -	14	8	20	9	14	5	32	12	232	150	77	37	17	9	17	2
IV. CONSTITUTIONAL " -	660	740	761	854	525	603	960	1084	6410	6395	4017	4177	589	628	459	528
V. DEVELOPMENTAL " -	422	435	430	421	364	308	453	560	2291	2469	1679	1694	350	348	257	298
VI. LOCAL " -	2120	1785	2111	1973	1948	1691	3099	2999	21073	20076	12389	10980	1927	1658	1707	1499
VII. VIOLENCE - - - - -	210	75	208	73	224	66	305	99	1974	728	995	341	194	52	181	56
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES -	272	230	384	300	216	192	442	422	2590	2351	1241	1142	239	196	211	193
I.																
1. MIASMATIC DISEASES - - -	406	441	615	635	359	371	594	583	4810	4807	2279	2389	480	474	270	261
2. DIARRHŒAL " - - -	169	140	213	170	120	113	229	189	1890	1788	1016	887	219	221	152	112
3. MALARIAL " - - -	1	3	2	2	4	2	4	3	37	35	19	15	4	-	1	2
4. ZOOGENOUS " - - -	1	-	-	-	-	-	3	-	13	7	8	6	-	1	-	1
5. VENEREAL " - - -	10	13	33	33	12	8	27	27	229	186	114	97	21	22	14	12
6. SEPTIC " - - -	26	52	34	78	17	50	30	91	215	673	124	315	16	44	26	77
II. PARASITIC DISEASES - - -	9	13	6	6	12	8	20	15	67	34	58	39	16	11	9	6
III. DIETIC DISEASES - - - -	14	8	20	9	14	5	32	12	232	150	77	37	17	9	17	2
IV. CONSTITUTIONAL DISEASES - -	660	740	761	854	525	603	960	1084	6410	6395	4017	4177	589	628	459	528
V. DEVELOPMENTAL DISEASES - -	422	435	430	421	364	308	453	560	2291	2469	1679	1694	350	348	257	298
VI.																
1. DISEASES OF NERVOUS SYSTEM -	677	554	643	560	579	503	879	829	5840	5137	3636	3061	636	545	501	431
2. " ORGANS OF SPECIAL SENSE -	3	5	5	1	7	3	7	7	52	28	31	23	4	4	3	4
3. " CIRCULATORY SYSTEM - - -	329	295	249	335	262	280	387	458	2196	2115	1363	1554	268	276	221	236
4. " RESPIRATORY SYSTEM - - -	691	564	837	702	745	579	1197	1046	9384	8606	5031	4309	668	529	688	524
5. " DIGESTIVE SYSTEM	264	237	242	225	257	217	440	410	2416	2295	1318	1261	214	197	181	191
6. " LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	3	9	7	5	3	4	4	12	39	35	21	26	8	3	6	4
7. " URINARY SYSTEM -	119	47	93	51	60	38	141	104	841	586	472	296	98	44	78	44
8. " REPRODUCTIVE SYSTEM:—																
(*a*) DISEASES OF ORGANS OF GENERATION - -	1	22	-	28	3	17	2	35	23	178	16	107	-	20	2	12
(*b*) DISEASES OF PARTURITION - -	-	26	-	40	-	31	-	57	-	320	-	165	-	13	-	29
9. " ORGANS OF LOCOMOTION - -	20	12	25	14	15	11	25	20	204	155	138	112	26	14	19	16
10. " INTEGUMENTARY SYSTEM - -	13	14	10	12	17	8	17	21	78	91	63	66	5	13	8	8
VII.																
1. ACCIDENT OR NEGLIGENCE - -	186	64	166	60	209	56	265	80	1744	638	852	274	172	41	163	49
2. HOMICIDE - - - - - -	4	2	2	1	3	2	5	5	32	20	11	12	2	1	-	2
3. SUICIDE - - - - - -	20	9	40	12	12	8	35	14	195	70	131	55	19	10	18	5
4. EXECUTION - - - - - -	-	-	-	-	-	-	-	-	3	-	1	-	1	-	-	-
VIII.																
ILL-DEFINED AND NOT SPECIFIED CAUSES - - - - - -	272	230	384	300	216	192	442	422	2590	2351	1241	1142	239	196	211	193

Note.—For continuation of this Table, see page 164.

DEATHS from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1882—*cont.*

CAUSES OF DEATH.	Division X. Northern Counties. Durham. Males.	Durham. Females.	Northumberland. Males.	Northumberland. Females.	Cumberland. Males.	Cumberland. Females.	Westmorland. Males.	Westmorland. Females.	Division XI. Monmouthshire and Wales. Monmouthshire. Males.	Monmouthshire. Females.	South Wales. Males.	South Wales. Females.	North Wales. Males.	North Wales. Females.
ALL CAUSES	9996	9231	4605	4290	2579	2323	520	494	2749	2300	8585	8007	4241	4111
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES	1707	1836	693	699	363	324	51	41	498	427	1094	1141	423	443
II. PARASITIC DISEASES	21	8	10	5	2	4	1	1	4	3	18	17	6	5
III. DIETIC ,,	53	21	33	24	18	7	2	1	8	4	26	12	8	4
IV. CONSTITUTIONAL ,,	1512	1700	786	835	424	426	92	109	324	380	1460	1540	733	861
V. DEVELOPMENTAL ,,	720	716	298	350	191	200	52	60	166	178	587	764	304	370
VI. LOCAL ,,	4571	4158	2171	1979	1210	1128	266	249	1379	1121	4247	3886	2307	2144
VII. VIOLENCE	639	121	283	102	187	56	29	7	189	42	614	137	242	53
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES	773	671	331	296	184	168	27	26	172	145	539	510	218	231
I.														
1. MIASMATIC DISEASES	1137	1116	428	428	247	227	29	19	436	345	822	856	325	305
2. DIARRHŒAL ,,	457	477	203	175	81	66	16	4	35	46	185	128	60	58
3. MALARIAL ,,	10	10	7	7	1	–	–	2	3	–	4	9	4	1
4. ZOOGENOUS ,,	1	3	–	–	–	–	–	–	–	–	–	1	1	–
5. VENEREAL ,,	41	43	26	14	15	10	1	1	16	9	33	25	9	10
6. SEPTIC ,,	61	187	29	75	19	31	5	15	8	27	50	122	24	69
II. PARASITIC DISEASES	21	8	10	5	2	4	1	1	4	3	18	17	6	5
III. DIETIC DISEASES	53	21	33	24	18	7	2	1	8	4	26	12	8	4
IV. CONSTITUTIONAL DISEASES	1512	1700	786	835	424	426	92	109	324	380	1460	1540	733	861
V. DEVELOPMENTAL DISEASES	720	716	298	350	191	200	52	60	166	178	587	764	304	370
VI.														
1. DISEASES OF NERVOUS SYSTEM	1444	1221	678	625	344	292	76	72	369	292	1365	1218	756	747
2. ,, ORGANS OF SPECIAL SENSE	9	7	8	2	6	6	–	–	5	1	7	11	2	5
3. ,, CIRCULATORY SYSTEM	572	552	303	325	224	199	38	60	188	175	499	558	282	313
4. ,, RESPIRATORY SYSTEM	1741	1518	708	621	426	403	89	68	602	432	1633	1366	815	635
5. ,, DIGESTIVE SYSTEM	569	550	271	218	129	135	41	34	138	121	419	403	277	260
6. ,, LYMPHATIC SYSTEM AND DUCTLESS GLANDS	6	7	7	3	5	4	–	–	–	1	9	14	4	4
7. ,, URINARY SYSTEM	168	123	97	69	54	34	19	8	65	52	228	110	134	84
8. ,, REPRODUCTIVE SYSTEM:—														
(*a*) DISEASES OF ORGANS OF GENERATION	1	42	4	32	1	12	1	1	1	7	8	52	1	16
(*b*) DISEASES OF PARTURITION	–	87	–	43	–	20	–	1	–	19	–	88	–	55
9. ,, ORGANS OF LOCOMOTION	43	32	26	25	12	6	1	2	6	14	53	31	28	16
10. ,, INTEGUMENTARY SYSTEM	18	19	9	16	9	17	1	3	5	7	26	35	8	9
VII.														
1. ACCIDENT OR NEGLIGENCE	586	105	259	87	172	46	23	6	180	38	584	118	220	50
2. HOMICIDE	6	7	3	6	1	2	–	1	1	1	2	3	5	1
3. SUICIDE	46	9	21	9	14	8	6	–	8	3	28	16	17	2
4. EXECUTION	1	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES	773	671	331	296	184	168	27	26	172	145	539	510	218	231

Note.—For continuation of this Table, *see* page 165.

DEATHS from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1882—*cont.*

CAUSES OF DEATH.	Division I. London. Middlesex (*part of*). Males.	Middlesex Females.	Surrey (*part of*). Males.	Surrey Females.	Kent (*part of*). Males.	Kent Females.	Division II. South Eastern Counties. Surrey (*ex.-met.*). Males.	Surrey Females.	Kent (*ex.-met.*) Males.	Kent Females.	Sussex. Males.	Sussex Females.	Hampshire. Males.	Hampshire Females.	Berkshire. Males.	Berkshire Females.
MIASMATIC DISEASES.																
Small-pox { Vaccinated	15	6	10	10	48	21	7	3	2	-	-	1	-	-	-	-
Small-pox { Unvaccinated	18	15	9	13	77	50	5	2	1	2	-	-	-	-	-	-
Small-pox { No Statement	26	26	24	20	23	19	18	8	12	3	12	5	-	-	5	2
Chickenpox	13	11	2	1	1	1	-	-	-	1	2	3	-	-	1	1
Measles	701	692	393	406	72	69	96	95	134	104	145	139	150	146	39	42
Epidemic Rose Rash	7	2	4	5	-	3	-	1	1	5	-	-	-	-	-	1
Scarlet Fever	725	663	227	248	66	77	34	36	129	105	77	75	40	53	39	53
Typhus	18	16	7	9	3	-	-	-	4	4	4	1	2	1	1	-
Relapsing Fever	-	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Influenza	2	1	-	1	1	2	1	-	-	5	1	1	-	-	2	3
Whooping-cough	1408	1695	606	762	105	106	109	126	177	175	170	188	131	151	71	89
Mumps	1	12	4	2	1	-	-	-	-	-	-	1	4	1	-	-
Diphtheria	269	317	121	96	26	28	35	49	73	112	32	55	88	116	27	29
Cerebro-spinal Fever	1	2	2	-	-	1	-	-	1	-	-	1	-	-	-	-
Simple and Ill-defined Fever	34	32	9	17	1	2	4	9	12	13	6	5	15	14	2	2
Enteric Fever	352	320	130	106	40	27	33	28	60	65	36	36	106	76	10	16
Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHŒAL DISEASES.																
Simple Cholera	32	28	9	7	3	-	1	-	2	4	-	1	1	3	-	-
Diarrhœa, Dysentery	757	681	292	277	68	69	100	77	122	138	105	86	140	128	64	39
MALARIAL DISEASES.																
Remittent Fever	7	6	3	6	1	-	2	-	4	5	1	2	6	3	-	-
Ague	3	5	3	-	2	-	-	1	8	6	1	-	-	-	-	-
ZOOGENOUS DISEASES.																
Hydrophobia	1	1	-	1	1	-	4	-	-	-	1	-	1	-	-	-
Glanders	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Splenic Fever	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination	7	3	5	2	-	-	-	1	1	1	1	1	1	1	-	-
VENEREAL DISEASES.																
Syphilis	191	160	58	55	13	13	25	17	21	23	11	11	16	9	15	7
Gonorrhœa, Stricture of Urethra	36	-	27	-	1	-	2	-	7	-	6	-	3	-	1	-
SEPTIC DISEASES.																
Phagedæna	1	1	1	-	1	1	-	-	-	1	1	-	-	3	-	1
Erysipelas	135	137	40	50	5	19	20	17	44	35	23	24	22	22	16	5
Pyæmia, Septicæmia	44	49	18	11	1	6	3	6	11	8	11	10	12	7	4	2
Puerperal Fever	-	234	-	77	-	22	-	42	-	66	-	40	-	61	-	14
PARASITIC DISEASES.																
Thrush	31	41	12	17	6	3	2	5	7	2	3	5	13	5	1	3
Other Dis. from Vegetable Parasites	-	1	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Hydatid Disease	9	3	2	3	-	1	1	-	-	-	-	1	-	-	-	-
Other Dis. from Animal Parasites	2	4	-	2	-	1	2	2	-	1	3	2	1	7	-	2
DIETIC DISEASES.																
Starvation, Want of Breast-milk	50	36	15	14	1	1	4	5	2	6	4	3	5	2	4	2
Scurvy	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism	98	83	23	15	10	13	4	4	21	11	6	3	11	4	2	2
Intemp. { Delirium Tremens	36	3	14	4	2	2	7	1	6	-	3	-	2	1	-	-
CONSTITUTIONAL DISEASES.																
Rheumatic Fever, Rheumatism of Heart	132	126	42	38	19	17	30	26	42	30	19	21	27	21	8	10
Rheumatism	33	61	12	21	10	6	5	7	9	7	10	10	12	8	5	1
Gout	89	27	42	6	7	-	18	4	15	2	14	5	14	4	6	1
Rickets	50	37	20	13	1	3	2	2	7	5	7	2	1	5	3	1
Cancer	532	1166	193	397	54	119	100	182	112	206	95	217	105	238	39	112
Tabes Mesenterica	542	421	206	168	43	36	38	52	115	89	50	55	79	59	25	20
Tubercular Meningitis (Acute Hydrocephalus)	539	401	190	168	60	33	64	53	106	82	58	49	76	40	36	15
Phthisis	3445	2533	1154	881	339	267	472	320	607	594	473	453	617	533	211	191
Other Forms of Tuberculosis, Scrofula	316	238	96	92	9	17	31	31	51	51	38	34	47	36	12	17
Purpura, Hæmorrhagic Diathesis	19	23	12	13	-	3	3	3	8	8	4	7	5	5	3	2
Anæmia, Chlorosis, Leucocythæmia	33	38	11	7	2	10	11	17	11	14	11	19	5	7	5	6
Diabetes Mellitus	66	55	22	21	7	3	11	12	20	19	11	15	17	12	17	6
Other Constitutional Diseases	28	14	14	10	4	6	4	8	5	2	10	7	5	4	5	4
DEVELOPMENTAL DISEASES.																
Premature Birth	655	537	241	213	84	78	116	73	160	135	122	103	105	97	49	36
Atelectasis	43	42	9	15	4	3	8	8	8	5	10	3	9	4	2	1
Cyanosis	57	46	17	21	5	6	16	15	14	12	13	10	12	12	8	5
Spina Bifida	31	34	12	9	1	2	4	5	5	11	11	4	4	5	2	1
Imperforate Anus	13	7	8	1	1	1	3	1	4	2	4	1	1	-	-	-
Cleft Palate, Harelip	14	19	1	-	-	-	4	2	2	1	2	1	1	3	1	1
Other Congenital Defects	13	12	14	6	-	-	3	4	5	2	3	4	4	3	-	1
Old Age	581	1011	276	405	64	113	116	192	373	383	258	232	257	311	128	138

Note.—For continuation of this Table, *see* page 166.

DEATHS from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1882.—*cont.*

CAUSES OF DEATH.	Division III. South Midland Counties.															
	Middlesex (*ex.-met.*)		Hertfordshire.		Buckinghamshire.		Oxfordshire.		Northamptonshire.		Huntingdonshire.		Bedfordshire.		Cambridgeshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
MIASMATIC DISEASES.																
Small-pox { Vaccinated	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox { Unvaccinated	-	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-
Small-pox { No Statement	10	4	3	-	5	-	1	-	8	2	-	-	12	6	1	2
Chickenpox	-	2	1	-	-	-	-	-	1	1	-	-	1	-	-	-
Measles	119	92	42	32	11	12	10	23	72	58	1	-	12	14	18	15
Epidemic Rose Rash	-	1	1	2	-	1	2	-	1	-	-	-	1	-	1	-
Scarlet Fever	90	90	23	16	40	34	76	76	49	50	8	7	42	51	74	71
Typhus	2	-	1	-	-	1	-	-	1	2	-	-	2	2	1	1
Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	2	-	1	-	-	-	2	-	-	-	1	-	-
Whooping-cough	108	149	33	26	44	56	23	28	42	49	4	14	33	35	45	63
Mumps	1	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-
Diphtheria	54	52	21	23	9	8	15	9	10	12	3	1	25	19	20	18
Cerebro-spinal Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever	2	3	2	1	-	1	3	3	2	4	3	4	3	4	4	3
Enteric Fever	45	33	14	9	12	15	14	8	29	30	3	4	2	14	3	12
Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHŒAL DISEASES.																
Simple Cholera	4	1	-	2	-	-	-	-	-	1	1	-	-	-	1	-
Diarrhœa, Dysentery	95	89	41	34	26	31	29	30	66	75	17	12	44	27	33	33
MALARIAL DISEASES.																
Remittent Fever	2	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1
Ague	-	1	-	-	1	-	-	1	-	-	1	-	1	2	1	1
ZOOGENOUS DISEASES.																
Hydrophobia	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
VENEREAL DISEASES.																
Syphilis	30	12	4	6	1	5	1	-	18	10	-	1	3	7	6	8
Gonorrhœa, Stricture of Urethra	5	-	-	-	3	-	1	-	3	-	1	-	3	-	-	-
SEPTIC DISEASES.																
Phagedæna	2	2	-	-	-	1	-	-	-	-	-	-	1	1	1	-
Erysipelas	21	13	13	11	8	7	8	7	12	16	2	1	12	7	8	12
Pyæmia, Septicæmia	6	6	5	1	1	-	4	3	1	2	-	-	1	3	2	-
Puerperal Fever	-	36	-	15	-	12	-	10	-	34	-	1	-	8	-	10
PARASITIC DISEASES.																
Thrush	4	3	4	1	2	3	5	6	5	11	1	-	3	4	5	2
Other Dis. from Vegetable Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites	1	4	3	4	2	2	-	-	1	3	-	1	1	-	-	-
DIETIC DISEASES.																
Starvation, Want of Breast Milk	7	5	-	-	1	2	1	-	1	1	-	1	-	-	1	1
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Acholism	8	5	5	1	1	1	2	3	3	2	-	-	2	-	6	1
Intemp. { Delirium Tremens	3	1	-	-	1	-	1	-	3	1	-	-	1	-	1	-
CONSTITUTIONAL DISEASES.																
Rheumatic Fever, Rheumatism of Heart	18	26	13	11	9	11	16	9	13	17	2	3	10	7	8	6
Rheumatism	1	2	4	3	2	2	1	5	5	7	-	2	4	-	4	6
Gout	18	2	3	-	2	2	2	1	2	-	1	1	4	1	3	1
Rickets	3	1	3	1	-	2	-	4	2	2	-	-	1	-	4	1
Cancer	60	152	44	92	30	46	34	77	60	105	19	22	29	50	54	76
Tabes Mesenterica	68	50	7	11	19	14	15	16	21	25	3	3	24	18	26	17
Tubercular Meningitis (Acute Hydrocephalus)	52	46	6	14	22	8	13	14	34	21	6	5	15	11	21	13
Phthisis	328	274	156	160	101	126	133	117	223	227	36	56	107	151	178	153
Other Forms of Tuberculosis, Scrofula	37	25	11	10	16	4	11	14	17	24	4	2	7	12	14	22
Purpura, Hæmorrhagic Diathesis	4	2	1	1	2	-	-	-	1	2	-	-	1	1	-	-
Anæmia, Chlorosis, Leucocythæmia	5	13	3	3	-	2	2	3	4	6	-	1	3	1	1	6
Diabetes Mellitus	9	2	4	2	6	2	3	1	12	5	4	1	4	3	6	5
Other Constitutional Diseases	4	-	2	-	3	-	-	-	-	1	1	-	1	1	-	1
DEVELOPMENTAL DISEASES.																
Premature Birth	97	75	46	37	51	30	47	37	89	75	19	9	72	56	43	31
Atelectasis	7	5	2	3	2	1	3	4	8	-	-	-	6	4	2	6
Cyanosis	12	8	6	4	4	2	1	5	8	7	2	1	3	1	4	6
Spina Bifida	2	6	4	-	-	2	1	1	2	3	-	1	1	2	-	2
Imperforate Anus	2	1	2	-	-	-	1	-	-	1	-	-	-	1	-	-
Cleft Palate, Harelip	1	1	-	-	2	-	1	4	3	1	-	-	-	1	3	-
Other Congenital Defects	2	1	1	-	1	-	2	2	3	-	-	1	2	3	2	2
At Age	139	220	94	121	108	111	129	127	135	161	33	40	90	57	110	121

Note.—For continuation of this Table, *see* page 167.

DEATHS from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1882—*cont.*

CAUSES OF DEATH.	Division IV. Eastern Counties.						Division V. South Western Counties.									
	Essex.		Suffolk.		Norfolk.		Wiltshire.		Dorsetshire.		Devonshire.		Cornwall.		Somersetshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
MIASMATIC DISEASES.																
Small-pox { Vaccinated	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Small-pox { Unvaccinated	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox { No Statement	15	15	9	3	-	1	-	-	-	-	-	1	1	-	-	1
Chickenpox	4	1	1	-	2	-	-	-	-	1	3	1	-	-	-	1
Measles	114	110	45	30	92	82	29	31	15	7	107	76	76	46	27	17
Epidemic Rose Rash	3	-	-	-	1	1	2	3	-	-	-	2	-	-	-	1
Scarlet Fever	134	142	18	30	57	57	26	19	19	18	79	68	26	45	53	61
Typhus	2	3	-	-	2	2	-	1	-	-	2	4	2	-	2	-
Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	2	1	-	3	-	-	-	2	-	-	1
Whooping-cough	196	217	47	61	41	66	28	33	23	29	68	93	33	33	74	87
Mumps	2	1	-	1	-	-	-	-	-	-	-	-	1	-	2	-
Diphtheria	85	85	24	20	21	34	10	6	14	9	25	35	22	33	44	55
Cerebro-spinal Fever	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1
Simple and Ill-defined Fever	5	15	3	4	2	7	2	4	3	2	9	9	7	5	4	13
Enteric Fever	43	43	15	24	25	31	5	13	11	12	66	56	32	19	25	34
Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
DIARRHŒAL DISEASES.																
Simple Cholera	2	1	2	1	2	2	3	1	-	2	3	4	-	-	-	2
Diarrhœa, Dysentery	157	120	99	78	129	111	33	31	39	27	121	120	63	46	78	80
MALARIAL DISEASES.																
Remittent Fever	3	3	3	1	1	-	-	1	2	-	3	1	1	6	1	-
Ague	4	2	-	-	-	1	1	-	-	-	1	-	1	-	4	2
ZOOGENOUS DISEASES.																
Hydrophobia	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination	2	-	-	2	1	1	-	-	-	-	2	-	-	1	-	-
VENEREAL DISEASES.																
Syphilis	19	19	15	8	18	14	2	5	3	4	18	17	2	7	15	13
Gonorrhœa, Stricture of Urethra	2	-	3	-	4	-	4	-	3	-	6	-	3	-	7	-
SEPTIC DISEASES.																
Phagedæna	-	-	-	-	2	2	-	-	-	-	1	2	1	1	-	1
Erysipelas	31	31	25	18	24	30	15	17	10	6	14	26	8	10	26	19
Pyæmia, Septicæmia	5	5	3	1	3	-	2	2	4	-	8	5	1	4	1	5
Puerperal Fever	-	37	-	35	-	39	-	25	-	4	-	49	-	15	-	38
PARASITIC DISEASES.																
Thrush	11	6	6	6	19	10	2	-	2	1	4	10	5	4	7	2
Other Dis. from Vegetable Parasites	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Hydatid Disease	-	-	2	1	1	-	-	-	-	-	-	1	1	1	-	1
Other Dis. from Animal Parasites	-	2	1	-	-	2	1	2	-	3	5	1	1	1	4	5
DIETIC DISEASES.																
Starvation, Want of Breast-milk	3	5	3	1	2	1	2	-	1	-	2	-	2	-	1	1
Scurvy	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	1
Intemp. { Chronic Alcoholism	7	5	1	-	6	2	5	1	2	-	4	5	3	1	9	4
Intemp. { Delirium Tremens	1	4	-	-	2	1	-	-	5	-	7	-	2	-	4	-
CONSTITUTIONAL DISEASES.																
Rheumatic Fever, Rheumatism of Heart	29	18	22	20	19	14	11	7	16	9	38	27	22	15	27	14
Rheumatism	6	6	7	12	6	13	3	6	7	6	10	11	6	5	7	10
Gout	14	3	6	1	5	2	5	2	1	-	18	-	6	-	17	4
Rickets	1	7	4	2	1	4	2	1	-	1	16	16	7	7	2	4
Cancer	112	169	64	147	93	236	54	104	50	69	140	275	84	130	93	206
Tabes Mesenterica	69	65	43	43	48	52	28	20	16	16	50	49	39	38	53	37
Tubercular Meningitis (Acute Hydrocephalus)	96	65	55	34	49	27	21	21	12	21	71	56	23	15	47	35
Phthisis	457	436	291	362	348	395	186	214	114	132	522	584	309	323	358	369
Other Forms of Tuberculosis, Scrofula	46	30	43	33	30	48	6	6	9	6	61	41	21	23	29	27
Purpura, Hæmorrhagic Diathesis	8	5	7	5	4	4	2	2	1	-	3	7	4	2	2	4
Anæmia, Chlorosis, Leucocythæmia	7	17	3	6	7	8	5	5	5	5	15	20	4	11	9	10
Diabetes Mellitus	15	17	13	12	14	18	10	9	6	6	22	11	10	4	17	14
Other Constitutional Diseases	4	4	3	5	4	7	1	2	-	2	8	5	2	5	6	9
DEVELOPMENTAL DISEASES.																
Premature Birth	127	119	93	67	105	100	39	43	27	18	84	107	48	38	130	88
Atelectasis	10	2	4	5	8	4	2	2	3	1	5	5	3	1	5	4
Cyanosis	19	17	14	5	13	10	4	2	3	2	17	7	3	1	7	6
Spina Bifida	8	6	4	3	5	4	-	5	2	3	3	3	4	5	11	11
Imperforate Anus	2	-	3	1	1	1	-	-	3	-	3	3	1	1	2	-
Cleft Palate, Harelip	1	3	1	1	5	4	3	-	-	-	5	-	3	-	3	2
Other Congenital Defects	7	1	1	4	1	2	1	-	1	2	2	3	1	1	3	3
Old Age	240	292	254	293	336	462	160	173	92	99	342	517	217	355	305	400

Note.—For continuation of this Table, *see* page 168.

DEATHS from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1882—*cont.*

CAUSES OF DEATH.	Division VI. West Midland Counties.												Part of Division VII. North Midland Counties.			
	Gloucestershire.		Herefordshire.		Shropshire.		Staffordshire.		Worcestershire.		Warwickshire.		Leicestershire.		Rutlandshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
MIASMATIC DISEASES.																
Small-pox, Vaccinated	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-
Small-pox, Unvaccinated	1	-	-	-	-	-	4	6	-	-	-	-	-	-	-	-
Small-pox, No Statement	3	-	1	-	-	-	70	59	-	1	10	8	5	2	1	-
Chickenpox	1	1	-	-	-	-	1	1	-	3	-	-	-	1	-	-
Measles	126	109	41	35	16	18	242	225	115	121	121	118	53	65	4	4
Epidemic Rose Rash	2	3	-	-	3	2	3	5	-	-	-	-	-	-	-	-
Scarlet Fever	193	171	26	32	60	49	197	203	81	81	197	154	143	114	4	4
Typhus	4	7	1	-	1	3	5	5	4	1	2	2	2	3	-	-
Relapsing Fever	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Influenza	-	1	-	-	3	-	-	1	-	-	1	1	1	-	-	-
Whooping-cough	119	116	20	32	27	64	209	287	53	71	204	238	34	31	3	4
Mumps	-	1	-	1	1	-	1	-	1	-	-	2	1	-	-	-
Diphtheria	14	12	7	9	32	46	40	45	19	28	47	49	9	12	1	1
Cerebro-spinal Fever	-	-	-	-	-	-	-	1	-	-	5	2	-	-	-	-
Simple and Ill-defined Fever	6	4	2	1	3	3	15	26	11	9	14	16	1	4	-	-
Enteric Fever	44	43	4	2	22	24	159	156	61	41	72	58	24	35	1	1
Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHŒAL DISEASES.																
Simple Cholera	2	1	-	1	-	-	3	4	2	1	2	3	2	1	-	-
Diarrhœa, Dysentery	106	136	13	15	46	51	472	416	123	108	380	358	182	200	1	-
MALARIAL DISEASES.																
Remittent Fever	-	3	1	-	-	-	5	1	-	1	-	2	-	-	-	-
Ague	-	-	-	-	1	-	-	-	-	-	2	4	-	-	-	-
ZOOGENOUS DISEASES.																
Hydrophobia	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination	-	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-
VENEREAL DISEASES.																
Syphilis	17	21	2	5	6	4	43	39	19	14	42	37	14	7	-	-
Gonorrhœa, Stricture of Urethra	9	-	-	-	-	-	7	-	6	-	5	-	-	-	-	-
SEPTIC DISEASES.																
Phagedæna	-	-	-	-	-	1	-	8	1	-	3	3	-	-	-	-
Erysipelas	22	19	8	5	16	12	59	42	25	10	37	35	15	16	1	-
Pyæmia, Septicæmia	9	2	1	2	2	3	10	5	3	4	2	5	2	5	-	-
Puerperal Fever	-	42	-	14	-	19	-	107	-	29	-	69	-	28	-	2
PARASITIC DISEASES.																
Thrush	6	3	1	1	-	2	15	14	6	6	10	6	8	4	-	-
Other Dis. from Vegetable Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease	-	1	-	-	1	1	-	1	-	-	1	-	-	-	-	-
Other Dis. from Animal Parasites	4	2	2	2	-	-	-	3	-	3	2	5	-	-	-	-
DIETIC DISEASES.																
Starvation, Want of Breast Milk	3	-	-	-	2	2	9	3	4	4	25	21	1	-	1	-
Scurvy	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp., Chronic Alcoholism	6	6	2	-	2	1	21	10	4	2	10	8	5	1	-	1
Intemp., Delirium Tremens	6	1	1	-	2	-	13	-	3	1	8	-	3	-	-	-
CONSTITUTIONAL DISEASES.																
Rheumatic Fever, Rheumatism of Heart	23	39	10	5	10	13	74	36	19	18	34	52	11	10	1	1
Rheumatism	10	9	5	2	1	3	16	11	11	6	8	8	2	4	-	-
Gout	13	3	3	-	4	-	7	2	2	1	13	3	5	1	-	-
Rickets	1	2	-	-	1	-	7	6	3	1	15	24	-	1	-	-
Cancer	102	239	29	54	67	98	156	295	54	119	144	263	47	104	8	4
Tabes Mesenterica	65	66	11	9	20	22	207	169	57	56	108	105	49	42	3	3
Tubercular Meningitis (Acute Hydrocephalus)	54	36	6	6	24	30	119	93	45	32	81	59	42	29	1	2
Phthisis	431	393	66	91	179	199	751	715	277	278	683	554	219	219	11	16
Other Forms of Tuberculosis, Scrofula	37	45	7	6	11	6	54	44	30	30	44	64	24	31	1	-
Purpura, Hæmorrhagic Diathesis	3	4	-	-	1	1	7	6	-	1	7	2	1	2	-	-
Anæmia, Chlorosis, Leucocythæmia	10	11	3	3	6	12	15	17	10	8	13	12	4	3	-	-
Diabetes Mellitus	17	13	1	4	11	7	34	15	10	11	28	14	10	6	1	-
Other Constitutional Diseases	5	6	1	1	1	3	8	4	2	6	6	4	1	3	-	-
DEVELOPMENTAL DISEASES.																
Premature Birth	150	101	22	12	49	35	320	267	107	68	240	154	110	75	8	3
Atelectasis	4	5	-	-	-	1	10	8	10	8	16	11	3	3	-	-
Cyanosis	7	11	9	-	5	3	29	21	10	4	14	10	3	1	-	-
Spina Bifida	4	8	-	2	1	4	13	9	6	7	6	7	5	4	-	-
Imperforate Anus	6	2	-	1	2	-	7	-	1	-	-	2	1	1	-	-
Cleft Palate, Harelip	3	-	-	1	1	-	3	1	-	2	1	1	-	1	-	-
Other Congenital Defects	6	1	1	2	2	1	3	8	-	4	2	-	3	3	-	-
Old Age	292	378	95	95	146	205	488	577	171	202	304	387	204	244	21	30

Note.—For continuation of this Table, see page 169.

DEATHS from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1882—*cont.*

CAUSES OF DEATH.	Part of Division VII. North Midland Counties.						Division VIII. North Western Counties.				Division IX. Yorkshire.					
	Lincolnshire.		Nottinghamshire.		Derbyshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		North Riding.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
MIASMATIC DISEASES.																
Small-pox { Vaccinated	-	1	-	1	-	-	-	-	4	8	3	7	-	1	-	-
Small-pox { Unvaccinated	5	-	12	5	1	-	-	-	11	10	11	10	-	-	-	-
Small-pox { No Statement	9	5	21	18	3	4	2	1	70	65	15	14	8	7	-	-
Chickenpox	3	-	1	1	-	-	-	1	9	11	8	4	3	4	1	-
Measles	38	38	105	88	68	61	162	135	1759	1573	623	627	105	81	53	32
Epidemic Rose Rash	-	-	-	1	-	-	1	-	13	12	3	2	-	-	-	-
Scarlet Fever	195	208	290	309	141	177	141	147	816	853	670	666	235	248	58	57
Typhus	4	3	2	1	-	2	21	17	301	254	12	9	-	3	2	1
Relapsing Fever	-	-	-	-	-	1	-	1	1	1	-	2	-	-	-	-
Influenza	-	1	2	1	-	1	2	2	8	6	1	4	-	-	2	2
Whooping-cough	70	87	61	83	82	71	140	160	986	1236	473	591	41	53	77	97
Mumps	1	-	1	1	-	-	1	1	9	6	4	6	1	1	-	-
Diphtheria	35	44	61	73	11	18	39	38	161	186	100	111	17	24	18	22
Cerebro-spinal Fever	1	-	-	-	1	-	-	-	7	5	2	3	-	-	1	1
Simple and Ill-defined Fever	10	9	4	5	9	8	12	12	98	92	61	60	17	14	7	7
Enteric Fever	35	45	55	48	43	28	73	73	557	489	293	273	53	38	51	42
Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHŒAL DISEASES.																
Simple Cholera	1	3	4	4	1	1	2	5	44	22	35	23	2	1	2	4
Diarrhœa, Dysentery	168	137	209	166	119	112	227	184	1816	1766	981	864	217	220	150	108
MALARIAL DISEASES.																
Remittent Fever	1	2	1	2	4	2	4	3	25	33	11	11	4	-	1	1
Ague	-	1	1	-	-	-	-	-	12	2	8	4	-	-	-	1
ZOOGENOUS DISEASES.																
Hydrophobia	-	-	-	-	-	-	1	-	8	-	2	1	-	-	-	-
Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever	-	-	-	-	-	-	-	-	1	1	5	2	-	-	-	-
Cowpox and other Effects of Vaccination	1	-	-	-	-	-	2	-	4	6	1	3	-	1	-	1
VENEREAL DISEASES.																
Syphilis	7	13	28	33	8	7	23	27	190	186	101	97	14	22	12	12
Gonorrhœa, Stricture of Urethra	3	-	5	-	4	1	4	-	39	-	13	-	7	-	2	-
SEPTIC DISEASES.																
Phagedæna	-	2	2	-	1	-	2	-	6	4	3	2	-	-	-	-
Erysipelas	17	13	25	21	12	12	23	27	172	164	107	85	12	7	22	22
Pyæmia, Septicæmia	9	1	7	6	4	3	5	3	37	34	14	18	4	1	4	2
Puerperal Fever	-	36	-	51	-	35	-	61	-	471	-	210	-	36	-	53
PARASITIC DISEASES.																
Thrush	8	12	6	3	10	5	16	14	54	29	44	32	9	7	7	5
Other Dis. from Vegetable Parasites	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-
Hydatid Disease	-	-	-	1	-	-	1	-	3	-	4	4	-	-	1	-
Other Dis. from Animal Parasites	1	1	-	2	2	3	3	1	9	5	7	3	7	4	1	1
DIETIC DISEASES.																
Starvation, Want of Breast-milk	2	4	10	3	3	1	3	6	28	27	15	11	4	2	3	1
Scurvy	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-
Intemp. { Chronic Alcoholism	9	3	8	6	6	3	18	6	143	113	37	23	8	7	10	1
Intemp. { Delirium Tremens	3	1	2	-	5	1	11	-	59	10	22	3	5	-	4	-
CONSTITUTIONAL DISEASES.																
Rheumatic Fever, Rheumatism of Heart	25	22	27	19	21	15	22	32	193	164	134	130	23	13	20	21
Rheumatism	8	7	8	5	4	9	12	23	72	71	33	62	5	5	3	8
Gout	3	1	2	3	1	-	9	2	13	6	21	5	4	-	2	-
Rickets	2	1	8	9	-	1	8	4	30	22	20	14	4	1	3	2
Cancer	112	172	79	159	56	117	98	186	459	1005	337	695	71	121	65	110
Tabes Mesenterica	53	50	109	97	60	59	97	102	792	642	436	353	71	61	55	56
Tubercular Meningitis (Acute Hydrocephalus)	69	42	60	57	63	35	76	56	620	467	412	317	54	33	34	38
Phthisis	325	396	393	440	265	322	545	583	3767	3547	2291	252	315	346	241	264
Other Forms of Tuberculosis, Scrofula	29	16	47	40	22	25	48	45	304	269	197	194	26	22	19	12
Purpura, Hæmorrhagic Diathesis	4	4	-	4	3	-	4	3	14	22	20	22	2	1	1	1
Anæmia, Chlorosis, Leucocythæmia	6	15	8	13	8	11	15	29	61	101	39	72	6	16	4	9
Diabetes Mellitus	21	9	20	7	22	9	19	9	70	53	67	48	8	4	11	6
Other Constitutional Diseases	3	5	-	1	-	-	7	10	12	26	10	13	-	2	1	1
DEVELOPMENTAL DISEASES.																
Premature Birth	129	109	169	124	121	86	151	139	987	816	719	570	111	83	97	94
Atelectasis	13	4	2	3	5	1	6	2	64	48	50	35	6	5	9	2
Cyanosis	5	8	9	9	2	4	7	12	65	47	43	37	7	4	10	5
Spina Bifida	5	3	4	7	5	4	14	11	44	63	19	56	3	1	6	8
Imperforate Anus	-	1	2	2	3	-	1	2	29	13	19	6	2	1	1	-
Cleft Palate, Harelip	1	1	1	2	4	-	4	1	10	6	8	8	2	1	3	2
Other Congenital Defects	1	2	3	1	1	-	3	2	18	12	13	14	4	3	1	1
Old Age	268	307	240	273	223	213	267	391	1074	1464	808	948	215	250	137	186

Note.—For continuation of this Table, *see* page 170.

DEATHS from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1882—*cont.*

CAUSES OF DEATH.	Division X. Northern Counties.								Division XI. Monmouthshire and Wales.					
	Durham.		Northumberland.		Cumberland.		Westmorland.		Monmouthshire.		South Wales.		North Wales.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
MIASMATIC DISEASES.														
Small-pox { Vaccinated	-	-	4	8	-	-	-	-	-	-	-	-	1	-
Small-pox { Unvaccinated	-	1	17	10	-	-	-	-	-	-	1	-	-	-
Small-pox { No Statement	25	19	30	25	1	-	-	-	5	2	1	1	2	-
Chickenpox	1	2	2	-	1	-	-	-	-	1	1	2	-	1
Measles	200	182	42	45	65	42	5	1	44	35	69	77	27	33
Epidemic Rose Rash	-	1	1	3	1	-	1	-	2	-	-	1	-	-
Scarlet Fever	394	365	113	100	75	75	8	9	251	191	383	396	82	68
Typhus	55	56	15	18	3	1	-	-	2	1	4	3	3	4
Relapsing Fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	2	3	3	1	1	-	-	-	-	-	2	1	2	-
Whooping-cough	228	278	92	146	59	75	6	2	72	63	171	184	52	61
Mumps	2	2	-	-	1	1	1	-	1	1	2	-	1	1
Diphtheria	32	34	21	16	6	9	3	-	25	25	40	54	56	48
Cerebro spinal Fever	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Simple and Ill-defined Fever	37	30	21	12	2	1	1	-	2	6	17	18	10	7
Enteric Fever	161	143	67	44	32	23	4	7	32	19	131	119	88	81
Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	1	-
DIARRHŒAL DISEASES.														
Simple Cholera	14	5	8	4	1	1	1	-	1	2	6	4	2	-
Diarrhœa, Dysentery	443	472	195	171	80	65	15	4	34	44	179	124	58	58
MALARIAL DISEASES.														
Remittent Fever	7	9	7	6	1	-	-	1	3	-	3	8	3	1
Ague	3	1	-	1	-	-	-	1	-	-	1	1	1	-
ZOOGENOUS DISEASES.														
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Cowpox and other Effects of Vaccination	1	3	-	-	-	-	-	-	-	-	-	1	-	-
VENEREAL DISEASES.														
Syphilis	38	43	23	14	14	9	-	1	15	9	29	25	8	10
Gonorrhœa, Stricture of Urethra	3	-	3	-	1	1	1	-	1	-	4	-	1	-
SEPTIC DISEASES.														
Phagedæna	1	1	1	-	-	-		-	-	-	-	1	-	2
Erysipelas	51	47	26	22	19	11	4	3	7	6	35	17	23	18
Pyæmia, Septicæmia	9	7	2	2	-	1	1	-	1	2	15	8	1	1
Puerperal Fever	-	132	-	51	-	19	-	12	-	19	-	96	-	48
PARASITIC DISEASES.														
Thrush	16	7	8	4	1	3	1	-	4	-	11	11	3	1
Other Dis. from Vegetable Parasites	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Hydatid Disease	2	-	1	-	-	-	-	-	-	-	2	1	2	1
Other Dis. from Animal Parasites	2	1	-	1	1	1	-	1	-	3	5	5	1	2
DIETIC DISEASES.														
Starvation, Want of Breast Milk	13	7	13	14	3	2	1	-	1	-	8	4	2	-
Scurvy	-	-	-	1	-	-	-	-	-	-	-	1	1	-
Intemp. { Chronic Alcoholism	27	12	18	8	12	5	-	1	3	4	13	5	3	3
Intemp. { Delirium Tremens	13	2	2	1	3	-	1	-	4	-	5	2	2	1
CONSTITUTIONAL DISEASES.														
Rheumatic Fever, Rheumatism of Heart	39	23	25	15	16	14	2	2	3	15	31	34	19	20
Rheumatism	14	14	1	2	4	6	-	1	2	7	12	24	10	16
Gout	-	1	2	-	2	-	-	-	3	-	2	2	2	-
Rickets	8	9	3	4	3	1	-	-	2	1	6	7	-	1
Cancer	104	239	81	148	59	83	12	27	44	65	157	240	94	176
Tabes Mesenterica	280	248	105	104	31	26	7	5	46	31	85	69	52	42
Tubercular Meningitis (Acute Hydrocephalus)	197	137	82	64	44	29	14	12	32	28	117	103	52	35
Phthisis	720	881	440	449	239	234	52	57	164	200	934	957	455	518
Other Forms of Tuberculosis, Scrofula	102	90	23	16	13	16	2	1	15	23	80	53	27	25
Purpura, Hæmorrhagic Diathesis	12	3	3	1	3	1	2	1	1	-	8	2	-	3
Anæmia, Chlorosis, Leucocythæmia	21	35	8	23	3	7	-	-	5	8	11	27	11	14
Diabetes Mellitus	13	18	10	6	6	6	1	2	6	1	12	10	9	7
Other Constitutional Diseases	2	2	3	3	1	3	-	1	1	1	5	12	2	4
DEVELOPMENTAL DISEASES.														
Premature Birth	336	240	108	82	58	53	13	12	54	43	132	123	55	48
Atelectasis	24	14	8	4	1	-	-	-	5	4	5	2	2	3
Cyanosis	17	5	7	10	6	5	-	-	4	3	3	8	1	2
Spina Bifida	17	13	6	7	1	4	-	-	5	3	13	18	2	4
Imperforate Anus	7	4	3	1	1	2	-	-	-	1	3	1	1	-
Cleft Palate, Harelip	2	4	2	1	2	1	-	-	-	-	3	-	2	-
Other Congenital Defects	3	7	2	3	4	-	1	-	-	1	-	2	1	-
Old Age	314	429	162	242	118	135	38	48	98	123	428	610	240	313

Note.—For continuation of this Table, *see* page 171.

DEATHS from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1882—*cont.*

CAUSES OF DEATH.	Division I. London.						Division II. South Eastern Counties.									
	Middlesex (*part of*).		Surrey (*part of*).		Kent (*part of*).		Surrey (*ext.-met.*)		Kent (*ext.-met.*)		Sussex.		Hampshire.		Berkshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
DISEASES OF NERVOUS SYSTEM.																
Inflammation of Brain or its Membranes	435	419	213	172	40	37	47	56	68	70	44	39	75	67	16	23
Apoplexy	615	701	246	296	67	84	115	194	182	211	130	162	167	183	67	66
Softening of Brain	121	113	59	57	19	22	30	29	56	28	44	32	39	30	19	8
Hemiplegia, Brain Paralysis	397	482	120	152	32	52	73	71	110	128	83	83	109	124	32	47
Paralysis, Agitans	5	3	3	2	-	-	-	1	2	3	2	1	4	3	-	1
Insanity, General Paralysis of Insane	94	84	70	32	2	4	75	38	49	32	31	25	28	3	18	14
Chorea	2	8	4	4	-	-	-	2	-	3	-	-	-	1	-	-
Epilepsy	120	103	42	49	7	16	57	49	49	51	32	24	46	29	20	14
Convulsions	847	714	459	350	92	91	126	99	255	191	118	106	168	150	76	56
Laryngismus Stridulus	101	57	26	23	6	3	7	4	13	4	5	-	12	8	3	1
Idiopathic Tetanus	2	3	-	-	-	-	1	-	4	-	-	-	1	-	-	-
Paraplegia, Diseases of Spinal Cord	79	61	39	28	9	8	14	7	23	16	20	13	33	12	4	4
Other Diseases of Nervous System	263	201	110	102	22	17	100	81	75	47	31	21	52	48	35	14
DISEASES OF ORGANS OF SPECIAL SENSE.																
Otitis, Otorrhœa	34	26	14	8	2	2	5	8	7	2	3	3	6	2	3	4
Epistaxis and Dis. of Nose	6	5	4	-	-	-	-	-	2	-	1	3	-	1	1	-
Ophthalmia and Dis. of Eye	4	5	2	1	1	-	-	1	-	-	-	-	-	-	-	1
DISEASES OF CIRCULATORY SYSTEM.																
Endocarditis, Valvular Disease	293	303	103	131	34	27	72	44	75	80	39	64	68	73	23	30
Pericarditis	37	31	11	7	2	2	3	1	4	9	2	7	7	2	3	1
Hypertrophy of Heart	21	22	12	10	5	1	3	-	6	7	3	1	6	6	-	1
Angina Pectoris	30	23	9	6	6	3	8	8	11	9	8	4	8	4	2	1
Syncope	121	125	25	28	6	9	10	7	15	18	18	12	8	14	5	4
Aneurism	89	37	32	6	11	6	16	3	18	4	15	4	17	6	7	2
Senile Gangrene	23	19	13	11	1	5	7	3	8	7	12	1	17	7	4	2
Embolism, Thrombosis	32	54	7	19	4	4	10	13	9	9	10	16	9	12	1	5
Phlebitis	3	5	2	1	-	1	-	3	1	1	1	2	1	3	3	1
Varicose Veins	3	4	1	3	-	-	1	1	1	7	-	2	2	1	1	-
Other Diseases of Circulatory System	1080	1263	326	445	100	122	202	210	390	393	207	269	304	292	129	152
DISEASES OF RESPIRATORY SYSTEM.																
Laryngitis	113	94	52	42	7	4	13	13	22	17	8	9	13	17	7	8
Croup	325	301	104	90	28	20	34	22	62	37	40	21	35	33	32	22
Other Diseases of Larynx and Trachea	21	16	12	5	-	1	1	-	3	3	-	1	6	4	3	3
Emphysema, Asthma	190	161	54	68	14	16	14	18	38	31	35	27	37	26	13	5
Bronchitis	3499	3734	1496	1604	305	296	325	349	591	536	347	351	560	516	217	183
Pneumonia	1691	1455	553	482	128	117	231	142	350	226	237	155	224	154	102	74
Pleurisy	109	79	31	26	8	4	8	7	23	13	18	8	18	13	6	5
Other Diseases of Respiratory System	284	225	96	77	18	18	48	27	68	49	43	26	63	57	31	21
DISEASES OF DIGESTIVE SYSTEM.																
Stomatitis	18	25	8	8	4	1	1	-	1	8	3	6	10	5	1	1
Dentition	252	225	118	84	43	25	33	33	59	46	29	26	44	37	9	9
Sore-throat, Quinsy	31	43	16	24	2	4	2	2	9	8	4	3	12	9	1	-
Dyspepsia	20	23	8	4	1	2	-	3	2	9	2	2	5	7	2	1
Hæmatemesis	17	18	9	9	-	1	7	-	9	3	4	4	11	4	-	-
Melæna	3	7	2	4	1	1	1	-	2	2	1	4	1	-	2	2
Diseases of Stomach	106	131	30	44	18	14	14	27	31	28	15	19	13	31	9	12
Enteritis	129	137	44	41	11	11	24	28	38	39	22	21	17	24	9	5
Ulceration of Intestine	23	26	3	4	1	-	2	5	4	11	1	2	5	9	2	2
Ileus, Obstruction of Intestine	85	85	27	36	4	14	13	11	19	37	24	21	20	26	9	12
Stricture or Strangulation of Intestine	16	20	3	7	1	2	7	2	5	7	3	8	2	2	1	1
Intussusception of Intestine	25	25	15	10	-	-	8	5	5	8	2	6	8	4	3	1
Hernia	50	72	27	28	4	5	8	12	18	16	17	12	13	9	8	1
Fistula	9	1	1	-	1	-	1	-	-	1	1	-	1	1	-	1
Peritonitis	89	113	26	47	8	6	13	16	18	25	20	9	12	33	10	9
Ascites	18	31	7	10	3	5	2	-	4	6	1	4	1	7	1	1
Gallstones	8	16	6	8	-	-	1	4	3	3	2	9	2	7	2	1
Cirrhosis of Liver	208	193	87	77	22	23	32	32	52	47	33	28	33	24	22	12
Other Diseases of Liver	270	306	93	114	37	35	55	56	71	101	60	65	82	91	31	29
Other Diseases of Digestive System	62	67	13	18	5	9	12	4	20	12	15	10	18	6	6	6
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																
Disease of Lymphatic System	15	17	4	3	1	1	6	2	5	1	5	1	3	2	1	1
Diseases of Spleen	8	8	-	1	-	-	1	1	2	2	-	-	1	1	1	-
Bronchocele	2	13	1	3	-	1	2	3	1	2	-	1	-	2	-	-
Addison's Disease	8	5	2	3	1	-	1	-	2	3	1	-	-	2	4	2

Note.—For continuation of this Table, *see* page 172.

DEATHS from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1882—*cont.*

CAUSES OF DEATH.	DIVISION III. SOUTH MIDLAND COUNTIES.															
	Middlesex (*ex. met.*)		Hertfordshire.		Buckinghamshire.		Oxfordshire.		Northamptonshire.		Huntingdonshire.		Bedfordshire.		Cambridgeshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
DISEASES OF NERVOUS SYSTEM.																
Inflammation of Brain or its Membranes	47	32	12	9	15	11	13	14	31	17	7	-	17	16	18	15
Apoplexy	102	125	66	50	54	33	51	68	77	85	22	11	32	44	46	49
Softening of Brain	24	32	22	18	12	7	12	7	18	8	6	4	11	13	19	13
Hemiplegia, Brain Paralysis	54	67	39	38	30	52	46	54	74	71	8	10	42	46	39	49
Paralysis Agitans	-	1	1	3	1	1	-	-	1	-	-	-	2	-	-	1
Insanity, General Paralysis of Insane	97	21	33	25	9	8	12	3	14	5	-	-	13	5	13	8
Chorea	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-
Epilepsy	26	21	24	15	10	10	10	8	13	4	2	3	6	11	13	8
Convulsions	144	100	70	50	49	41	51	39	103	82	10	10	44	31	36	26
Laryngismus Stridulus	8	5	-	-	3	-	-	1	-	1	-	-	1	1	1	1
Idiopathic Tetanus	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
Paraplegia, Diseases of Spinal Cord	13	3	6	4	7	3	6	1	9	3	2	1	5	9	9	6
Other Diseases of Nervous System	35	22	10	11	10	9	15	12	18	17	2	-	12	5	10	9
DISEASES OF ORGANS OF SPECIAL SENSE.																
Otitis, Otorrhœa	3	4	2	-	-	3	3	-	1	1	-	-	1	2	-	1
Epistaxis and Dis. of Nose	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
DISEASES OF CIRCULATORY SYSTEM.																
Endocarditis, Valvular Disease	31	45	15	21	13	14	24	15	24	31	14	5	16	22	15	20
Pericarditis	3	1	1	1	2	2	-	1	3	2	-	1	1	2	2	2
Hypertrophy of Heart	5	3	2	1	-	-	1	-	-	1	4	-	1	-	3	5
Angina Pectoris	3	3	3	2	1	2	1	-	2	7	1	1	1	-	5	2
Syncope	19	28	6	5	3	5	8	5	8	9	1	2	5	6	2	4
Aneurism	5	7	3	2	1	1	3	-	7	3	-	-	2	-	6	2
Senile Gangrene	4	3	8	4	5	6	2	1	9	5	3	2	5	2	4	4
Embolism, Thrombosis	5	6	-	1	-	3	-	1	-	4	1	1	2	2	2	1
Phlebitis	-	1	1	-	-	-	-	-	1	-	-	-	-	1	-	2
Varicose Veins	1	-	-	-	1	1	1	-	-	1	-	-	1	2	-	1
Other Diseases of Circulatory System	167	184	120	130	53	72	89	105	118	129	29	22	76	68	80	90
DISEASES OF RESPIRATORY SYSTEM.																
Laryngitis	16	16	3	4	5	4	2	5	4	7	2	-	1	5	3	-
Croup	50	33	14	8	13	9	12	10	18	24	-	2	8	7	10	17
Other Diseases of Larynx and Trachea	1	2	1	-	-	1	1	-	1	-	-	1	-	-	1	1
Emphysema, Asthma	21	21	12	4	13	9	5	4	11	7	3	1	11	6	14	12
Bronchitis	402	347	185	183	140	148	165	132	233	233	44	36	146	133	145	123
Pneumonia	197	161	88	72	60	49	55	25	96	102	7	18	78	41	92	78
Pleurisy	18	7	6	3	1	3	8	2	6	6	1	1	2	2	9	3
Other Diseases of Respiratory System	40	36	19	18	11	9	17	12	28	19	3	-	15	14	21	10
DISEASES OF DIGESTIVE SYSTEM.																
Stomatitis	3	3	-	-	3	1	2	1	3	1	-	-	1	-	1	1
Dentition	31	27	11	9	7	8	9	11	26	24	1	1	10	14	8	4
Sore throat, Quinsy	4	7	3	1	3	-	4	-	3	4	-	-	-	-	-	3
Dyspepsia	4	-	-	1	1	1	1	-	5	5	2	-	1	2	4	2
Hæmatemesis	1	4	2	2	-	2	1	3	5	3	1	-	2	-	4	1
Melæna	1	1	-	2	-	-	1	-	-	-	-	-	3	-	-	1
Diseases of Stomach	13	16	5	10	9	8	9	8	9	12	3	1	6	6	3	6
Enteritis	19	11	7	6	7	6	10	7	14	15	1	-	14	7	14	14
Ulceration of Intestine	3	4	1	3	2	1	4	1	2	4	-	-	1	-	-	-
Ileus, Obstruction of Intestine	8	12	11	5	9	5	9	3	10	13	3	2	4	6	7	8
Stricture or Strangulation of Intestine	1	2	-	-	-	1	1	-	-	4	1	-	-	1	2	1
Intussusception of Intestine	2	3	-	1	3	-	-	1	2	2	1	-	-	-	1	3
Hernia	6	4	3	2	1	8	5	5	6	3	-	4	1	1	5	2
Fistula	-	1	1	-	1	-	1	-	1	-	-	-	-	-	-	1
Peritonitis	12	14	1	5	3	6	4	5	16	13	1	-	2	5	2	5
Ascites	-	3	1	1	-	-	1	1	2	1	-	-	2	2	-	5
Gallstones	2	3	-	1	1	1	1	3	1	1	-	2	1	1	-	2
Cirrhosis of Liver	24	22	10	5	10	10	14	8	14	11	4	4	9	9	15	5
Other Diseases of Liver	36	50	28	21	15	29	16	27	33	34	2	3	20	15	20	25
Other Diseases of Digestive System	4	6	6	7	4	4	5	8	4	5	2	-	6	8	3	2
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																
Diseases of Lymphatic System	1	3	1	-	2	2	-	-	1	2	-	-	-	-	1	1
Diseases of Spleen	-	1	-	1	-	1	-	1	1	-	-	-	-	-	-	-
Bronchocele	-	2	-	1	-	-	2	-	-	1	-	-	-	-	-	-
Addison's Disease	-	2	-	-	1	-	1	1	-	1	-	1	-	-	-	-

Note.—For continuation of this Table, *see* page 173.

DEATHS from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1882—*cont.*

CAUSES OF DEATH.	Division IV. Eastern Counties.						Division V. South Western Counties.									
	Essex.		Suffolk.		Norfolk.		Wiltshire.		Dorsetshire.		Devonshire.		Cornwall.		Somersetshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
DISEASES OF NERVOUS SYSTEM.																
Inflammation of Brain or its Membranes	89	79	21	33	38	34	22	23	12	8	46	55	20	24	45	55
Apoplexy	153	167	87	110	92	120	78	112	49	50	185	241	71	109	131	145
Softening of Brain	38	34	36	30	37	24	22	10	15	11	44	47	24	23	47	38
Hemiplegia, Brain Paralysis	100	102	86	77	121	122	59	55	39	45	118	137	77	81	90	117
Paralysis Agitans	1	-	3	-	1	-	-	1	-	1	3	2	1	1	5	3
Insanity, General Paralysis of Insane	22	16	19	15	33	21	28	14	13	7	28	19	5	13	22	16
Chorea	-	-	-	2	-	-	-	1	1	-	3	4	-	1	-	2
Epilepsy	29	24	22	12	17	20	17	14	8	14	34	38	8	17	28	26
Convulsions	219	163	79	63	120	81	57	42	66	30	191	156	111	83	171	122
Laryngismus Stridulus	15	4	2	-	1	1	6	2	1	2	15	4	12	3	2	1
Idiopathic Tetanus	-	-	1	-	1	-	-	-	-	-	-	-	2	-	-	-
Paraplegia, Diseases of Spinal Cord	13	8	18	15	13	8	10	10	9	4	23	18	17	5	19	17
Other Diseases of Nervous System	70	36	30	37	36	33	25	21	19	17	59	43	24	25	40	34
DISEASES OF ORGANS OF SPECIAL SENSE.																
Otitis, Otorrhœa	5	4	2	-	8	-	2	-	4	3	2	3	3	2	4	2
Epistaxis and Dis. of Nose	-	1	-	1	1	1	-	-	-	1	1	1	-	-	1	2
Ophthalmia and Dis. of Eye	1	-	-	-	2	1	-	-	-	-	-	1	-	-	2	-
DISEASES OF CIRCULATORY SYSTEM.																
Endocarditis, Valvular Disease	75	50	35	38	46	51	23	38	29	20	65	60	32	26	51	70
Pericarditis	4	3	3	2	2	2	3	2	1	1	2	1	-	1	6	4
Hypertrophy of Heart	5	3	2	2	2	1	2	5	2	1	4	3	2	-	2	8
Angina Pectoris	4	3	6	1	7	4	9	2	1	2	7	13	7	4	2	7
Syncope	13	14	5	7	7	3	10	7	4	2	7	10	4	3	8	15
Aneurism	10	6	6	2	6	3	5	1	1	1	15	5	5	1	10	6
Senile Gangrene	22	6	12	7	17	6	7	5	4	5	10	4	4	4	9	10
Embolism, Thrombosis	5	13	4	3	2	3	1	5	3	3	3	11	4	2	4	5
Phlebitis	-	-	1	2	2	4	-	-	1	1	3	1	-	1	2	1
Varicose Veins	1	2	2	2	2	1	1	1	-	1	1	1	-	-	-	1
Other Diseases of Circulatory System	249	277	167	189	240	242	154	192	94	117	307	395	159	189	267	354
DISEASES OF RESPIRATORY SYSTEM.																
Laryngitis	17	18	9	5	8	11	3	3	3	3	20	9	7	9	9	2
Croup	67	51	12	13	24	23	8	9	17	14	37	37	27	22	34	20
Other Diseases of Larynx and Trachea	2	6	3	1	2	-	-	-	-	-	2	-	6	5	2	-
Emphysema, Asthma	33	16	20	9	21	16	17	16	14	12	38	31	18	11	37	27
Bronchitis	552	537	249	262	322	342	263	245	161	154	575	548	277	275	454	447
Pneumonia	259	172	175	82	205	144	76	71	74	43	292	189	138	122	217	118
Pleurisy	7	11	6	3	6	8	5	4	7	6	12	8	4	7	7	7
Other Diseases of Respiratory System	55	51	29	45	25	32	19	15	24	23	62	55	33	27	57	56
DISEASES OF DIGESTIVE SYSTEM.																
Stomatitis	5	3	-	2	1	8	2	-	-	2	4	5	2	4	4	2
Dentition	26	22	23	17	30	18	17	13	15	10	48	22	24	22	20	22
Sore-Throat, Quinsy	11	8	5	1	4	2	4	1	1	3	7	11	5	5	5	9
Dyspepsia	5	2	5	7	2	2	2	2	-	1	1	6	4	6	6	4
Hæmatemesis	2	4	5	2	4	3	3	2	5	-	6	1	4	4	5	3
Melæna	2	1	2	1	2	-	1	-	1	1	1	4	2	1	5	3
Diseases of Stomach	20	22	5	8	17	18	18	12	20	12	33	43	32	32	24	32
Enteritis	25	20	10	11	21	24	10	9	4	6	34	24	9	15	30	21
Ulceration of Intestine	6	2	6	3	5	-	1	2	-	1	2	4	5	2	7	5
Ileus, Obstruction of Intestine	17	17	11	13	17	10	11	7	9	10	25	23	12	5	29	19
Stricture or Strangulation of Intestine	3	1	2	3	1	3	1	2	-	-	3	1	-	-	2	-
Intussusception of Intestine	2	4	3	2	-	2	-	2	1	-	10	6	3	4	3	1
Hernia	14	7	6	7	9	6	4	5	5	8	14	13	6	7	12	9
Fistula	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
Peritonitis	16	20	15	14	20	21	14	8	7	7	11	17	12	11	18	18
Ascites	2	9	2	3	4	5	3	2	-	2	5	8	2	3	5	13
Gallstones	3	1	-	2	1	5	-	1	1	2	5	4	-	3	4	2
Cirrhosis of Liver	29	35	15	15	25	12	8	16	8	4	38	25	9	9	34	22
Other Diseases of Liver	75	75	58	67	62	65	41	29	25	29	60	78	39	40	50	78
Other Diseases of Digestive System	11	7	3	7	7	15	5	4	3	4	11	12	7	9	8	13
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																
Diseases of Lymphatic System	-	3	5	3	2	2	-	1	1	-	3	2	4	1	-	2
Diseases of Spleen	-	1	-	-	1	1	-	-	1	-	-	1	1	1	1	2
Bronchocele	-	2	-	2	-	1	-	2	-	1	-	3	-	1	-	1
Addison's Disease	3	3	-	2	-	1	1	2	-	-	1	-	1	-	1	4

Note.—For continuation of this Table, *see* page 174.

DEATHS from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1882—*cont.*

CAUSES OF DEATH.	Division VI. West Midland Counties.												Part of Division VII. North Midland Counties.			
	Gloucestershire.		Herefordshire.		Shropshire.		Staffordshire.		Worcestershire.		Warwickshire.		Leicestershire.		Rutlandshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
DISEASES OF NERVOUS SYSTEM.																
Inflammation of Brain or its Membranes	40	48	9	10	24	28	196	137	37	39	134	152	51	45	-	4
Apoplexy	110	128	33	19	48	72	211	254	90	104	194	203	67	66	9	6
Softening of Brain	52	25	16	4	23	18	64	43	24	20	51	24	14	13	1	-
Hemiplegia, Brain Paralysis	114	136	40	28	63	53	140	184	84	72	121	153	76	68	2	6
Paralysis Agitans	1	-	-	1	1	2	3	2	3	1	2	3	1	1	-	-
Insanity, General Paralysis of Insane	34	19	6	-	14	9	49	34	22	10	36	26	12	6	-	-
Chorea	-	3	-	-	-	1	-	5	-	1	1	4	-	2	-	-
Epilepsy	25	25	12	4	15	16	64	71	35	23	32	40	13	9	-	2
Convulsions	224	168	40	28	92	57	659	517	139	117	230	205	206	162	8	5
Laryngismus Stridulus	8	3	-	1	2	2	10	11	4	1	20	20	6	2	-	-
Idiopathic Tetanus	-	-	-	-	1	-	2	-	-	-	2	-	1	1	-	-
Paraplegia, Diseases of Spinal Cord	17	21	5	1	10	6	24	28	14	10	21	29	9	6	1	-
Other Diseases of Nervous System	58	40	15	9	21	14	74	65	31	25	61	48	23	23	1	-
DISEASES OF ORGANS OF SPECIAL SENSE.																
Otitis, Otorrhœa	6	6	1	-	5	3	8	10	1	6	5	3	-	1	-	-
Epistaxis and Dis. of Nose	-	-	-	1	1	-	2	1	-	-	1	-	-	3	-	-
Ophthalmia and Dis. of Eye	1	-	-	-	-	1	1	2	1	1	-	-	-	-	-	-
DISEASES OF CIRCULATORY SYSTEM.																
Endocarditis, Valvular Disease	59	58	7	17	22	41	94	94	42	48	67	83	14	13	3	2
Pericarditis	3	3	1	-	3	4	7	4	2	3	1	4	3	1	-	-
Hypertrophy of Heart	1	4	-	1	2	-	5	7	4	4	3	7	2	-	-	1
Angina Pectoris	6	3	2	2	-	3	13	7	1	-	10	4	6	3	-	-
Syncope	11	15	7	4	3	5	23	13	11	12	68	62	18	10	1	-
Aneurism	9	5	1	2	5	3	15	5	5	1	13	3	2	2	-	-
Senile Gangrene	10	9	3	1	6	2	14	6	8	5	5	5	6	5	1	-
Embolism, Thrombosis	7	8	2	2	2	4	8	10	4	3	5	15	2	3	1	-
Phlebitis	2	-	2	1	1	1	4	4	1	1	1	4	1	-	1	-
Varicose Veins	1	2	-	1	-	1	-	3	1	-	-	2	-	1	-	-
Other Diseases of Circulatory System	261	328	78	95	161	185	419	441	164	179	262	319	161	175	13	10
DISEASES OF RESPIRATORY SYSTEM.																
Laryngitis	16	9	3	2	2	7	19	13	5	2	17	11	8	7	1	2
Croup	31	30	6	2	15	11	112	93	27	32	36	46	24	11	1	-
Other Diseases of Larynx and Trachea	1	1	-	-	1	-	6	4	1	-	3	3	3	-	-	-
Emphysema, Asthma	41	19	1	3	17	5	66	27	16	11	34	22	4	9	-	-
Bronchitis	518	530	116	98	251	195	1197	992	331	346	926	859	299	267	11	15
Pneumonia	218	184	36	32	105	84	638	452	168	112	332	252	183	109	22	6
Pleurisy	8	12	3	2	9	12	23	20	12	3	22	14	7	9	-	1
Other Diseases of Respiratory System	61	59	14	7	36	20	99	72	35	28	94	60	37	26	3	1
DISEASES OF DIGESTIVE SYSTEM.																
Stomatitis	1	4	1	2	1	-	7	15	4	2	6	8	1	8	-	-
Dentition	38	30	4	6	8	4	136	102	26	23	47	51	22	11	-	1
Sore-throat, Quinsy	5	6	3	-	1	4	8	18	11	4	10	5	5	-	-	-
Dyspepsia	5	2	2	1	1	3	4	10	3	5	3	6	2	1	1	1
Hæmatemesis	2	3	1	-	2	1	8	5	2	2	2	3	2	1	-	1
Melæna	4	-	-	-	1	3	1	2	3	1	1	-	1	1	-	-
Diseases of Stomach	24	32	11	7	21	12	36	50	18	19	19	22	5	13	1	2
Enteritis	19	24	5	2	16	11	58	49	24	19	42	32	13	17	1	1
Ulceration of Intestine	7	7	-	1	1	4	9	2	2	4	7	3	3	5	1	-
Ileus, Obstruction of Intestine	23	13	4	2	13	7	32	21	11	18	22	26	10	10	1	2
Stricture or Strangulation of Intestine	4	1	3	1	1	1	3	2	1	-	5	4	2	-	-	-
Intussusception of Intestine	5	3	-	-	2	3	8	7	5	3	4	5	3	1	-	-
Hernia	13	9	3	3	5	8	29	25	12	9	18	14	5	7	-	-
Fistula	1	-	-	-	2	2	2	-	1	-	1	-	-	1	-	-
Peritonitis	14	13	4	7	17	7	47	55	13	11	32	26	12	14	1	2
Ascites	-	5	1	1	-	3	13	15	4	3	6	9	5	3	-	1
Gallstones	1	2	-	-	2	2	2	3	1	3	-	3	-	2	-	-
Cirrhosis of Liver	27	20	3	3	27	13	68	50	32	16	55	46	15	5	2	2
Other Diseases of Liver	61	65	10	16	38	28	124	127	55	58	84	80	40	48	1	3
Other Diseases of Digestive System	8	10	1	-	10	11	19	23	6	2	23	24	8	3	-	-
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																
Diseases of Lymphatic System	2	2	-	-	2	1	3	8	2	-	5	1	-	-	1	-
Diseases of Spleen	2	1	-	-	-	-	3	2	2	-	-	1	-	1	-	1
Bronchocele	1	3	-	-	-	-	1	3	1	2	1	3	-	1	-	-
Addison's Disease	-	3	-	1	-	1	-	2	-	-	1	7	2	1	-	-

Note.—For continuation of this Table, *see* page 175.

DEATHS from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1882—*cont.*

CAUSES OF DEATH.	Part of Division VII. North Midland Counties.						Division VIII. North Western Counties.				Division IX. Yorkshire.					
	Lincolnshire.		Nottinghamshire.		Derbyshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		North Riding.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Diseases of Nervous System.																
Inflammation of Brain or its Membranes	49	53	68	52	64	62	108	92	967	765	514	391	41	45	64	51
Apoplexy	114	107	92	103	91	86	144	156	824	934	534	587	103	103	80	84
Softening of Brain	41	20	26	22	24	18	56	26	294	200	174	107	40	20	19	23
Hemiplegia, Brain Paralysis	131	112	76	99	69	79	107	141	612	682	362	409	70	89	62	59
Paralysis Agitans	1	1	2	-	1	1	5	2	9	4	8	2	1	2	-	-
Insanity, General Paralysis of Insane	19	13	25	19	5	5	53	26	194	101	94	66	40	18	4	9
Chorea	-	-	-	1	-	1	-	2	3	8	4	13	-	1	-	1
Epilepsy	21	21	15	19	15	20	28	31	165	182	95	102	30	26	8	13
Convulsions	234	172	286	208	268	199	303	268	2234	1893	1551	1163	240	184	210	156
Laryngismus Stridulus	5	2	1	2	2	3	5	1	61	33	48	28	7	3	5	4
Idiopathic Tetanus	2	1	3	-	1	-	1	-	2	2	2	1	1	-	-	-
Paraplegia, Diseases of Spinal Cord	14	7	10	9	8	7	16	24	135	86	77	50	14	14	19	8
Other Diseases of Nervous System	46	45	39	26	31	22	53	60	340	247	173	139	49	40	30	23
Diseases of Organs of Special Sense.																
Otitis, Otorrhæa	3	2	3	1	6	3	6	6	40	22	24	21	4	3	3	4
Epistaxis and Dis. of Nose	-	-	2	-	1	-	-	-	5	3	3	1	-	1	-	-
Ophthalmia and Dis. of Eye	-	3	-	-	-	-	1	1	7	3	4	1	-	-	-	-
Diseases of Circulatory System.																
Endocarditis, Valvular Disease	52	57	30	38	50	44	52	58	293	415	213	278	45	46	38	38
Pericarditis	3	3	4	2	-	3	8	3	36	30	12	19	2	5	3	3
Hypertrophy of Heart	1	4	-	2	2	5	3	1	19	23	8	9	3	2	4	1
Angina Pectoris	10	3	4	3	4	4	9	3	43	28	25	20	6	4	9	3
Syncope	9	13	3	3	19	21	4	8	29	54	32	47	9	8	8	10
Aneurism	16	5	12	-	6	2	16	-	83	19	38	13	12	2	5	3
Senile Gangrene	15	7	4	4	6	5	9	5	46	42	33	22	4	6	7	7
Embolism, Thrombosis	3	6	2	5	-	6	4	10	28	54	14	23	4	9	2	2
Phlebitis	-	1	-	1	1	-	1	1	3	15	6	8	-	-	1	1
Varicose Veins	-	1	3	1	-	-	-	1	7	13	2	3	-	1	-	-
Other Diseases of Circulatory System	220	195	187	276	174	190	281	368	1609	1952	980	1112	183	193	144	168
Diseases of Respiratory System.																
Laryngitis	16	6	13	8	16	13	17	11	135	109	57	56	12	12	5	6
Croup	17	24	47	37	36	29	41	40	492	478	221	205	30	8	16	21
Other Diseases of Larynx and Trachea	-	-	1	4	-	-	6	3	14	18	6	9	-	-	-	2
Emphysema, Asthma	15	9	19	14	17	15	29	16	136	99	107	50	17	12	12	15
Bronchitis	402	374	484	461	417	360	695	656	5211	5324	2931	2707	379	326	369	303
Pneumonia	188	117	203	136	192	117	355	267	2957	2220	1466	1089	181	126	244	152
Pleurisy	3	4	17	8	7	7	10	14	104	100	67	48	9	8	12	7
Other Diseases of Respiratory System	50	30	53	34	60	38	44	39	335	258	176	145	40	37	30	18
Diseases of Digestive System.																
Stomatitis	2	3	2	5	2	5	9	3	50	51	17	17	3	2	3	1
Dentition	49	35	59	21	46	28	81	63	490	371	335	299	42	27	30	27
Sore throat, Quinsy	6	3	3	4	2	3	5	10	43	45	29	34	1	3	4	2
Dyspepsia	9	5	5	1	1	1	4	5	50	40	27	24	2	5	4	5
Hæmatemesis	3	3	-	2	4	1	4	3	34	16	8	16	7	1	1	3
Melæna	1	2	1	-	2	-	1	1	5	10	9	4	2	4	1	1
Diseases of Stomach	16	12	13	13	20	15	42	37	191	229	97	100	13	25	18	32
Enteritis	28	15	32	30	15	24	53	51	324	310	101	119	21	26	21	14
Ulceration of Intestine	4	2	1	2	3	3	3	3	23	31	21	13	5	4	5	6
Ileus, Obstruction of Intestine	19	30	17	20	10	17	23	21	126	122	68	67	18	13	11	10
Stricture or Strangulation of Intestine	-	1	-	2	3	1	2	2	24	9	5	10	-	1	2	1
Intussusception of Intestine	2	4	-	-	3	6	3	3	31	24	10	16	4	2	2	3
Hernia	14	10	11	6	12	6	17	15	86	84	45	43	6	7	8	5
Fistula	-	-	2	-	3	-	-	1	8	3	4	3	-	-	1	-
Peritonitis	14	16	11	20	14	24	23	32	173	187	95	76	9	3	9	16
Ascites	4	7	-	4	-	3	-	7	24	29	10	29	-	3	1	2
Gallstones	1	1	-	3	-	2	4	1	6	20	3	9	3	-	1	1
Cirrhosis of Liver	28	11	26	25	34	21	53	35	242	184	131	77	19	12	20	13
Other Diseases of Liver	56	71	55	61	75	52	99	102	395	453	245	294	51	51	32	37
Other Diseases of Digestive System	8	6	4	6	8	5	14	15	86	77	58	41	8	8	7	12
Diseases of Lymphatic System and Ductless Glands.																
Diseases of Lymphatic System	-	2	2	3	2	-	2	7	20	14	6	4	3	2	3	-
Diseases of Spleen	2	3	2	-	1	2	-	1	9	7	5	8	2	-	2	1
Bronchocele	-	2	2	1	-	1	-	4	4	7	2	7	2	-	1	1
Addison's Disease	1	2	1	1	-	1	2	-	6	7	8	7	1	1	-	2

Note.—For continuation of this Table, *see* page 176.

DEATHS from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1882—*cont.*

CAUSES OF DEATH.	Division X. Northern Counties. Durham. Males.	Durham. Females.	Northumberland. Males.	Northumberland. Females.	Cumberland. Males.	Cumberland. Females.	Westmorland. Males.	Westmorland. Females.	Division XI. Monmouthshire and Wales. Monmouthshire. Males.	Monmouthshire. Females.	South Wales. Males.	South Wales. Females.	North Wales. Males.	North Wales. Females.
DISEASES OF NERVOUS SYSTEM.														
Inflammation of Brain or its Membranes	223	179	97	94	49	33	6	5	31	31	115	95	67	55
Apoplexy	181	196	98	125	68	76	12	16	58	53	140	172	121	130
Softening of Brain	44	41	38	22	13	15	2	4	19	15	40	32	29	21
Hemiplegia, Brain Paralysis	154	161	112	129	35	53	17	19	55	38	146	182	73	102
Paralysis Agitans	1	1	1	1	1	2	-	-	-	-	3	1	2	1
Insanity, General Paralysis of Insane	58	33	27	11	24	8	1	4	8	4	31	13	13	16
Chorea	4	3	1	-	2	-	-	-	-	-	-	3	1	2
Epilepsy	45	31	13	21	12	9	6	3	12	20	47	30	23	24
Convulsions	621	502	223	169	93	67	27	17	164	111	758	617	375	313
Laryngismus Stridulus	10	3	3	1	1	-	-	-	-	-	8	5	3	2
Idiopathic Tetanus	1	-	1	-	1	-	-	-	1	-	-	-	1	-
Paraplegia, Diseases of Spinal Cord	25	16	23	18	15	9	2	-	8	4	22	11	15	11
Other Diseases of Nervous System	77	55	41	34	30	20	3	4	13	16	55	57	33	30
DISEASES OF ORGANS OF SPECIAL SENSE.														
Otitis, Otorrhœa	5	6	4	1	6	4	-	-	4	1	5	10	2	5
Epistaxis and Dis. of Nose	3	1	2	-	-	1	-	-	1	-	1	-	-	-
Ophthalmia and Dis. of Eye	1	-	2	1	-	1	-	-	-	-	1	1	-	-
DISEASES OF CIRCULATORY SYSTEM.														
Endocarditis, Valvular Disease	71	72	61	49	45	28	7	7	33	16	63	67	38	48
Pericarditis	12	15	6	2	2	1	-	-	-	-	2	3	4	3
Hypertrophy of Heart	1	2	5	3	1	2	-	-	2	2	3	3	2	-
Angina Pectoris	14	10	5	4	4	2	-	1	2	1	4	7	8	5
Syncope	9	10	2	4	3	4	3	-	-	2	19	11	7	8
Aneurism	15	1	18	6	10	2	1	-	3	1	22	7	3	1
Senile Gangrene	13	9	7	11	1	5	-	3	1	3	14	11	9	6
Embolism, Thrombosis	8	16	6	5	4	3	-	1	2	1	4	17	4	7
Phlebitis	2	3	-	2	1	-	-	1	1	-	1	-	2	1
Varicose Veins	-	1	-	1	-	1	-	-	-	-	3	1	1	-
Other Diseases of Circulatory System	427	413	253	238	153	151	27	47	144	149	364	431	204	234
DISEASES OF RESPIRATORY SYSTEM.														
Laryngitis	29	26	16	13	2	3	3	2	11	6	22	26	12	5
Croup	71	59	39	25	31	29	5	7	28	20	71	85	36	28
Other Diseases of Larynx and Trachea	6	2	5	1	2	-	1	-	1	1	2	6	2	1
Emphysema, Asthma	47	27	26	17	10	7	-	2	30	12	93	37	34	14
Bronchitis	952	905	347	383	238	249	51	40	294	266	810	762	426	403
Pneumonia	522	429	207	136	120	104	24	18	205	99	548	389	250	151
Pleurisy	23	16	17	15	9	4	-	2	9	3	29	14	15	12
Other Diseases of Respiratory System	91	54	51	31	14	7	5	2	24	25	58	47	30	21
DISEASES OF DIGESTIVE SYSTEM.														
Stomatitis	7	5	5	6	2	1	-	-	2	3	7	5	6	1
Dentition	143	108	45	33	15	9	1	1	22	19	74	52	15	22
Sore-throat, Quinsy	12	3	7	5	-	4	-	1	4	4	8	11	8	1
Dyspepsia	5	8	1	4	5	10	1	1	1	2	7	11	8	7
Hæmatemesis	3	2	4	1	-	4	1	1	2	-	6	5	4	4
Melæna	1	1	-	-	-	-	-	1	1	1	-	-	1	-
Diseases of Stomach	41	49	27	20	19	17	3	6	13	18	35	43	35	43
Enteritis	86	79	29	16	12	14	7	7	12	14	51	44	31	30
Ulceration of Intestine	5	3	4	2	3	3	1	-	-	-	7	6	5	4
Ileus, Obstruction of Intestine	30	27	12	14	4	4	2	4	7	4	38	23	21	19
Stricture or Strangulation of Intestine	2	3	-	2	-	2	1	-	-	1	1	3	-	3
Intussusception of Intestine	5	14	6	2	2	-	2	-	1	2	11	3	7	3
Hernia	14	14	4	4	6	2	2	2	7	1	22	20	13	5
Fistula	3	-	2	-	1	-	-	-	-	-	2	2	1	-
Peritonitis	34	30	16	25	10	11	5	-	9	10	21	37	16	17
Ascites	3	12	1	3	1	6	-	-	1	2	5	13	4	5
Gallstones	2	3	-	4	-	1	-	1	1	-	3	3	1	1
Cirrhosis of Liver	50	35	31	19	16	11	5	3	16	10	40	39	29	25
Other Diseases of Liver	105	128	59	44	22	27	8	5	33	25	72	63	57	59
Other Diseases of Digestive System	18	26	18	14	11	9	2	1	6	5	9	17	15	11
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.														
Diseases of Lymphatic System	3	2	-	2	1	1	-	-	-	-	3	5	-	-
Diseases of Spleen	2	1	4	1	2	1	-	-	-	-	-	2	4	1
Bronchocele	-	2	1	-	1	2	-	-	-	1	1	4	-	2
Addison's Disease	1	2	2	-	1	-	-	-	-	-	5	3	-	1

Note.—For continuation of this Table, *see* page 177.

DEATHS from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1882—*cont.*

CAUSES OF DEATH.	Division I. London.						Division II. South Eastern Counties.									
	Middlesex (*part of*).		Surrey (*part of*).		Kent (*part of*).		Surrey (*ext.-met.*)		Kent (*ext.-met.*)		Sussex.		Hampshire.		Berkshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
DISEASES OF URINARY SYSTEM.																
Acute Nephritis	72	55	42	10	3	5	6	6	9	2	5	3	15	9	6	1
Bright's Disease	444	286	123	104	35	20	68	56	74	64	64	33	70	63	34	19
Uræmia	34	33	9	4	5	5	1	5	12	4	2	3	5	1	4	1
Suppression of Urine	2	4	2	-	1	1	4	-	2	1	5	-	4	-	1	1
Calculus	23	9	6	4	-	-	2	2	5	-	6	2	3	1	3	-
Hæmaturia	13	3	1	2	-	1	1	1	6	1	6	-	-	1	1	-
Diseases of Bladder and of Prostate	136	21	43	7	12	1	24	1	57	6	51	5	41	5	15	1
Other Diseases of Urinary System	87	46	18	20	9	3	18	3	16	13	15	4	8	3	7	1
DISEASES OF ORGANS OF GENERATION.																
Ovarian Disease	-	85	-	25	-	2	-	7	-	6	-	15	-	7	-	5
Diseases of Uterus and Vagina	-	105	-	32	-	9	-	13	-	19	-	9	-	9	-	5
Disorders of Menstruation	-	3	-	6	-	-	-	3	-	2	-	1	-	2	-	-
Pelvic Abscess	2	22	-	8	-	-	1	-	-	-	-	4	-	-	-	2
Perineal Abscess	1	-	1	-	-	-	-	-	1	-	2	-	-	-	-	-
Diseases of Testes, Penis, Scrotum, &c.	10	-	3	-	-	-	-	-	1	-	3	-	1	-	1	-
DISEASES OF PARTURITION.																
Abortion, Miscarriage	-	23	-	10	-	3	-	2	-	4	-	5	-	3	-	2
Puerperal Mania	-	13	-	8	-	-	-	2	-	3	-	2	-	5	-	-
Puerperal Convulsions	-	11	-	13	-	5	-	3	-	4	-	4	-	7	-	3
Placenta Prævia, Flooding	-	65	-	28	-	7	-	7	-	14	-	12	-	11	-	6
Phlegmasia Dolens	-	7	-	9	-	-	-	1	-	1	-	2	-	-	-	-
Other Accidents of Childbirth	-	24	-	12	-	6	-	9	-	12	-	11	-	6	-	2
DISEASES OF ORGANS OF LOCOMOTION.																
Caries, Necrosis	72	53	21	18	7	2	8	3	19	15	10	8	13	7	5	5
Arthritis, Ostitis, Periostitis	22	9	4	6	1	-	2	-	3	1	2	1	2	1	-	-
Other Diseases of Organs of Locomotion	65	74	29	20	8	5	12	7	20	14	11	12	7	16	6	5
DISEASES OF INTEGUMENTARY SYSTEM.																
Carbuncle	13	2	1	4	2	1	2	1	3	3	1	-	2	2	1	-
Phlegmon, Cellulitis	18	11	7	3	2	-	2	2	2	3	2	-	5	1	-	1
Lupus	1	1	1	-	1	-	1	-	-	-	-	-	3	-	-	-
Ulcer, Bedsore	21	27	3	8	4	3	-	7	12	8	4	7	6	8	4	4
Eczema	22	15	7	5	2	-	6	6	10	5	5	4	9	3	2	3
Pemphigus	5	4	3	3	-	1	1	2	2	-	-	-	-	1	-	-
Other Diseases of Integumentary System	8	9	1	6	-	2	-	2	5	3	2	-	5	2	-	1
ACCIDENT OR NEGLIGENCE.																
Fractures, Contusions	567	214	173	58	32	16	72	6	123	26	76	19	91	33	42	4
Gunshot Wounds	1	2	-	-	-	-	-	-	4	-	3	-	1	-	-	-
Cut, Stab	12	6	4	1	-	1	-	2	2	1	1	2	4	2	-	2
Burn, Scald	104	77	20	32	16	5	9	8	22	14	12	16	13	18	10	9
Poison	33	15	17	9	6	1	2	1	3	4	5	2	2	2	1	1
Drowning	190	33	81	14	36	3	38	13	104	7	41	7	44	10	18	4
Suffocation	258	218	78	72	9	10	14	9	29	16	20	20	18	14	6	3
Otherwise	56	31	11	7	3	1	5	1	14	6	5	4	17	5	6	1
HOMICIDE.																
Murder, Manslaughter	39	30	2	4	5	1	2	2	8	4	7	-	5	1	1	-
Wounds in Battle	1	-	-	-	1	-	1	-	-	-	-	-	10	-	-	-
SUICIDE.																
Gunshot Wounds	22	-	3	-	3	-	1	-	10	-	5	-	5	-	1	-
Cut, Stab	33	8	17	2	2	-	5	-	15	4	5	3	6	1	1	1
Poison	23	21	7	3	5	2	3	1	3	2	3	-	1	-	1	1
Drowning	25	18	9	8	3	1	4	7	3	7	4	2	1	2	4	3
Hanging	38	10	14	4	3	-	9	1	21	5	17	2	11	5	2	-
Otherwise	8	7	7	1	3	-	7	1	5	2	1	1	6	1	-	1
EXECUTION.																
Hanging	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																
Dropsy	45	89	25	31	4	6	10	13	30	26	16	24	13	13	6	7
Debility, Atrophy, Inanition	977	844	449	378	106	70	145	120	231	225	155	112	180	153	90	54
Mortification	34	28	7	12	3	1	5	8	6	6	6	7	5	2	4	2
Tumour	10	22	6	11	3	3	2	1	2	8	3	8	2	8	-	4
Abscess	32	30	10	14	1	4	4	4	6	5	2	5	4	8	2	5
Hæmorrhage	13	11	1	2	3	-	-	1	3	4	2	-	-	1	-	-
Sudden (Cause unascertained)	2	1	2	1	1	-	-	-	4	2	-	-	-	2	16	3
Other ill-defined and not specified Causes	15	13	4	13	9	4	21	11	20	24	10	9	47	30	43	29

DEATHS from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1882.—*cont.*

CAUSES OF DEATH.	DIVISION III. SOUTH MIDLAND COUNTIES.															
	Middlesex (*ex.-met.*)		Hertfordshire.		Buckinghamshire.		Oxfordshire.		Northamptonshire.		Huntingdonshire.		Bedfordshire.		Cambridgeshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
DISEASES OF URINARY SYSTEM.																
Acute Nephritis	9	8	6	-	1	3	4	1	2	6	2	-	3	5	5	3
Bright's Disease	49	44	18	15	19	17	18	17	28	18	5	8	18	9	22	15
Uræmia	3	2	1	2	-	-	1	1	1	1	-	-	1	-	4	1
Suppression of Urine	-	1	-	1	1	-	2	1	-	-	-	-	1	-	2	-
Calculus	1	1	1	1	1	-	-	1	1	-	2	-	2	-	2	2
Hæmaturia	1	1	1	-	1	-	1	-	-	1	-	-	-	-	2	1
Diseases of Bladder and of Prostate	17	1	21	2	16	-	22	1	19	1	-	2	10	3	7	1
Other Diseases of Urinary System	9	6	6	6	5	2	1	2	5	5	-	-	2	5	5	2
DISEASES OF ORGANS OF GENERATION.																
Ovarian Disease	-	6	-	4	-	2	-	1	-	6	-	1	-	2	-	5
Diseases of Uterus and Vagina	-	7	-	4	-	9	-	2	-	3	-	-	-	3	-	6
Disorders of Menstruation	-	3	-	1	-	1	-	3	-	-	-	1	-	-	-	-
Pelvic Abscess	-	3	-	1	-	1	-	-	-	-	-	-	1	1	-	1
Perineal Abscess	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Testes, Penis, Scrotum, &c.	1	-	2	-	-	-	-	-	1	-	-	-	-	-	1	-
DISEASES OF PARTURITION.																
Abortion, Miscarriage	-	2	-	3	-	-	-	1	-	2	-	-	-	2	-	
Puerperal Mania	-	2	-	1	-	-	-	1	-	1	-	1	-	2	-	-
Puerperal Convulsions	-	1	-	3	-	3	-	4	-	3	-	-	-	5	-	-
Placenta Prævia, Flooding	-	14	-	2	-	4	-	2	-	7	-	1	-	2	-	2
Phlegmasia Dolens	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth	-	8	-	4	-	5	-	2	-	3	-	-	-	3	-	3
DISEASES OF ORGANS OF LOCOMOTION.																
Caries, Necrosis	9	8	7	3	5	-	4	-	5	6	1	-	8	3	2	1
Arthritis, Ostitis, Periostitis	1	-	-	1	-	-	-	1	3	-	-	-	-	1	1	-
Other Diseases of Organs of Locomotion	8	8	9	3	2	4	7	1	5	6	-	-	3	1	2	1
DISEASES OF INTEGUMENTARY SYSTEM																
Carbuncle	1	-	-	-	-	1	1	-	-	1	-	-	-	-	1	-
Phlegmon, Cellulitis	1	2	-	2	1	-	1	-	1	2	-	1	-	-	2	-
Lupus	-	-	-	1	1	1	-	-	-	-	-	-	-	-	1	-
Ulcer, Bedsore	2	7	4	8	4	2	5	3	1	2	-	2	2	1	1	1
Eczema	2	3	4	-	2	-	3	3	5	1	-	-	-	1	4	3
Pemphigus	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-
Other Diseases of Integumentary System	1	3	1	-	3	1	-	1	2	2	-	-	1	2	-	-
ACCIDENT OR NEGLIGENCE.																
Fractures, Contusions	64	15	30	5	21	4	35	7	47	12	11	8	20	5	35	3
Gunshot Wounds	-	-	1	-	1	-	1	-	3	-	2	-	1	-	-	-
Cut, Stab	1	1	3	1	2	-	1	1	1	1	-	-	-	-	3	-
Burn, Scald	16	5	7	8	4	6	3	5	8	10	2	3	5	4	5	3
Poison	2	1	3	-	1	-	2	-	3	-	-	-	1	-	1	-
Drowning	32	10	10	5	13	3	17	6	17	8	5	-	9	1	13	3
Suffocation	9	11	2	5	3	2	2	1	10	7	1	1	2	3	3	1
Otherwise	6	2	5	-	4	3	2	1	10	1	4	1	5	2	5	2
HOMICIDE.																
Murder, Manslaughter	6	3	-	-	1	1	-	-	-	2	-	-	-	2	-	2
Wounds in Battle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUICIDE.																
Gunshot Wounds	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Cut, Stab	3	-	2	-	1	-	3	2	2	1	-	-	1	1	3	-
Poison	2	4	-	-	-	-	-	-	2	1	-	-	-	-	1	-
Drowning	3	5	1	1	4	3	1	-	3	4	-	1	-	2	2	-
Hanging	10	3	3	1	1	-	4	2	5	2	-	-	1	-	4	1
Otherwise	2	-	1	-	2	1	1	1	2	1	-	-	-	-	-	-
EXECUTION.																
Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																
Dropsy	8	8	5	11	6	22	11	17	18	18	1	4	7	5	2	3
Debility, Atrophy, Inanition	159	128	60	60	78	61	82	72	136	125	20	15	79	56	96	78
Mortification	3	3	1	1	3	-	7	1	1	1	1	-	3	1	4	1
Tumour	3	5	-	-	1	-	4	-	1	2	-	-	1	1	1	4
Abscess	6	5	1	1	3	1	4	1	3	4	1	-	3	1	3	-
Hæmorrhage	3	6	-	-	1	-	-	1	-	1	-	-	-	-	1	-
Sudden (Cause unascertained)	-	-	-	1	1	-	2	2	4	1	-	-	-	-	2	-
Other ill-defined and not specified Causes	3	-	12	4	31	24	13	7	25	16	-	2	19	20	21	7

DEATHS from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1882—*cont.*

CAUSES OF DEATH.	Division IV. Eastern Counties.						Division V. South Western Counties.									
	Essex.		Suffolk.		Norfolk.		Wiltshire.		Dorsetshire.		Devonshire.		Cornwall.		Somersetshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
DISEASES OF URINARY SYSTEM.																
Acute Nephritis	8	4	2	6	5	5	7	3	3	1	12	11	4	-	9	6
Bright's Disease	56	35	31	24	32	28	19	23	22	13	70	53	20	28	68	54
Uræmia	6	3	4	-	8	1	-	4	1	1	7	3	4	6	9	1
Suppression of Urine	1	-	2	3	3	1	1	2	-	-	5	-	2	4	2	1
Calculus	1	1	6	2	9	1	1	-	-	1	3	1	-	-	2	1
Hæmaturia	1	1	3	3	2	2	2	-	-	2	3	1	3	-	3	-
Diseases of Bladder and of Prostate	30	6	36	2	42	7	31	1	8	2	51	5	39	2	47	4
Other Diseases of Urinary System	12	2	14	5	15	9	18	3	7	1	23	10	11	3	9	10
DISEASES OF ORGANS OF GENERATION.																
Ovarian Disease	-	7	-	5	-	10	-	9	-	8	-	21	-	7	-	10
Diseases of Uterus and Vagina	-	23	-	11	-	9	-	3	-	7	-	15	-	4	-	13
Disorders of Menstruation	-	-	-	1	-	1	-	1	-	-	-	1	-	2	-	2
Pelvic Abscess	1	-	-	-	1	2	-	3	-	1	1	-	2	1	-	3
Perineal Abscess	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Diseases of Testes, Penis, Scrotum, &c.	3	-	1	-	4	-	-	-	-	-	1	-	1	-	2	-
DISEASES OF PARTURITION.																
Abortion, Miscarriage	-	1	-	1	-	3	-	2	-	2	-	2	-	2	-	3
Puerperal Mania	-	-	-	1	-	1	-	1	-	-	-	2	-	1	-	2
Puerperal Convulsions	-	8	-	3	-	8	-	4	-	3	-	17	-	10	-	10
Placenta Prævia, Flooding	-	9	-	8	-	12	-	7	-	5	-	19	-	10	-	16
Phlegmasia Dolens	-	1	-	1	-	1	-	1	-	-	-	2	-	1	-	-
Other Accidents of Childbirth	-	5	-	3	-	7	-	6	-	2	-	10	-	2	-	6
DISEASES OF ORGANS OF LOCOMOTION.																
Caries, Necrosis	8	14	3	7	10	6	5	1	4	7	11	10	9	3	6	9
Arthritis, Ostitis, Periostitis	-	3	-	-	-	1	-	-	-	-	1	1	-	1	2	1
Other Diseases of Organs of Locomotion	13	16	7	11	7	7	5	5	7	-	21	18	12	8	7	10
DISEASES OF INTEGUMENTARY SYSTEM.																
Carbuncle	2	-	1	1	3	2	2	-	-	-	2	3	2	3	3	1
Phlegmon, Cellulitis	2	2	3	-	5	3	1	-	-	1	5	1	1	-	-	1
Lupus	-	1	1	1	3	2	2	-	-	-	1	2	-	-	1	-
Ulcer, Bedsore	7	12	3	4	4	6	1	6	2	4	6	18	-	7	12	8
Eczema	4	5	6	3	6	3	2	1	1	-	11	3	4	1	3	2
Pemphigus	2	1	3	1	-	2	2	1	-	-	1	-	-	-	2	3
Other Diseases of Integumentary System	1	1	3	1	4	6	-	1	1	-	4	2	2	-	3	2
ACCIDENT OR NEGLIGENCE.																
Fractures, Contusions	95	16	47	10	65	20	26	6	27	8	94	31	64	13	93	26
Gunshot Wounds	3	-	2	-	2	-	2	-	-	1	5	1	2	1	1	-
Cut, Stab	5	-	1	1	3	-	2	1	3	-	5	2	-	-	3	-
Burn, Scald	10	18	10	11	12	10	8	8	6	7	20	13	10	4	16	14
Poison	3	2	1	3	1	3	2	-	1	1	4	-	4	1	9	1
Drowning	60	13	47	1	48	10	14	5	22	4	60	12	27	7	38	12
Suffocation	11	4	4	5	3	-	8	6	4	2	13	9	3	2	13	7
Otherwise	10	4	9	6	11	4	5	2	4	3	12	3	8	1	8	3
HOMICIDE.																
Murder, Manslaughter	2	1	1	1	3	3	-	1	2	1	3	3	-	-	6	1
Wounds in Battle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUICIDE.																
Gunshot Wounds	4	-	2	-	3	-	-	-	-	1	4	-	-	-	1	-
Cut, Stab	10	2	4	2	7	1	2	-	2	-	2	1	3	-	3	2
Poison	3	1	-	-	-	-	2	-	-	-	1	1	-	-	1	1
Drowning	9	4	3	1	2	2	4	2	-	1	2	1	4	-	-	2
Hanging	9	1	12	3	20	1	3	1	5	1	13	4	9	4	10	3
Otherwise	4	-	1	-	5	1	-	1	-	-	2	-	2	-	-	-
EXECUTION.																
Hanging	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																
Dropsy	17	20	4	11	16	13	9	16	9	4	18	27	9	39	21	28
Debility, Atrophy, Inanition	237	207	178	155	269	235	80	97	46	47	217	169	240	176	173	141
Mortification	16	4	12	5	17	6	2	1	3	-	5	3	3	2	6	5
Tumour	3	2	2	2	4	4	-	3	-	1	2	8	2	3	2	4
Abscess	8	4	5	8	3	4	-	-	1	3	6	7	5	7	4	8
Hæmorrhage	3	1	1	-	-	1	-	1	-	-	3	-	2	-	2	1
Sudden (Cause unascertained)	15	9	-	-	3	3	-	-	1	-	7	6	3	-	3	4
Other ill-defined and not specified Causes	29	39	32	33	73	50	3	7	17	12	73	54	85	70	25	18

DEATHS from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1882—*cont.*

CAUSES OF DEATH.	Division VI. West Midland Counties.												Part of Division VII. North Midland Counties.			
	Gloucestershire.		Herefordshire.		Shropshire.		Staffordshire.		Worcestershire.		Warwickshire.		Leicestershire.		Rutlandshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
DISEASES OF URINARY SYSTEM.																
Acute Nephritis	7	3	4	2	5	4	31	22	9	9	18	13	7	5	3	-
Bright's Disease	60	51	14	3	32	19	120	105	36	42	99	88	44	26	5	-
Uræmia	5	11	-	3	2	1	9	7	2	2	7	4	6	4	-	1
Suppression of Urine	4	2	-	1	2	1	4	3	2	2	1	2	1	1	-	-
Calculus	7	4	-	-	4	1	11	2	2	1	12	2	3	2	1	-
Hæmaturia	2	1	1	-	1	-	10	2	3	2	5	-	1	-	-	-
Diseases of Bladder and of Prostate	37	6	8	-	21	3	45	6	30	5	39	5	23	3	1	-
Other Diseases of Urinary System	17	12	4	1	12	5	15	4	7	4	19	7	9	1	-	-
DISEASES OF ORGANS OF GENERATION.																
Ovarian Diseases	-	7	-	3	-	8	-	15	-	9	-	20	-	3	-	-
Diseases of Uterus & Vagina	-	12	-	3	-	3	-	12	-	6	-	24	-	7	-	-
Disorders of Menstruation	-	1	-	-	-	1	-	2	-	1	-	-	-	-	-	-
Pelvic Abscess	-	3	-	-	-	-	1	3	1	1	-	5	-	2	-	-
Perineal Abscess	1	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
Diseases of Testes, Penis, Scrotum, &c.	1	-	-	-	-	-	10	-	1	-	3	-	-	-	-	-
DISEASES OF PARTURITION.																
Abortion, Miscarriage	-	1	-	1	-	3	-	5	-	1	-	3	-	3	-	-
Puerperal Mania	-	3	-	2	-	-	-	1	-	-	-	1	-	5	-	-
Puerperal Convulsions	-	9	-	2	-	6	-	9	-	4	-	7	-	8	-	1
Placenta Prævia, Flooding	-	12	-	3	-	7	-	35	-	21	-	19	-	10	-	2
Phlegmasia Dolens	-	-	-	1	-	-	-	5	-	-	-	4	-	3	-	-
Other Accidents of Childbirth	-	10	-	2	-	9	-	14	-	8	-	17	-	3	-	1
DISEASES OF ORGANS OF LOCOMOTION.																
Caries, Necrosis	8	12	2	2	12	1	17	9	7	9	13	10	6	7	-	-
Arthritis, Ostitis, Periostitis	3	-	2	1	-	-	4	1	2	-	3	4	-	1	-	-
Other Diseases of Organs of Locomotion	16	14	3	-	5	1	29	18	8	2	18	15	-	7	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																
Carbuncle	1	2	-	-	1	2	5	-	2	1	5	1	2	-	-	-
Phlegmon, Cellulitis	2	1	-	1	3	1	7	5	-	-	7	5	1	-	-	-
Lupus	-	-	-	-	-	-	1	2	1	1	-	-	-	2	-	-
Ulcer, Bedsore	7	6	1	2	2	3	9	11	6	5	7	7	4	4	-	1
Eczema	6	6	3	-	1	1	9	7	4	2	10	5	2	3	-	-
Pemphigus	3	1	-	-	-	2	1	-	-	-	1	-	2	3	-	-
Other Diseases of Integumentary System	3	3	2	4	-	-	4	9	3	-	2	2	2	4	-	-
ACCIDENT OR NEGLIGENCE.																
Fractures, Contusions	94	37	18	3	59	13	268	59	51	16	127	43	53	10	2	-
Gunshot Wounds	1	2	1	-	1	-	1	-	1	-	1	-	1	-	-	-
Cut, Stab	3	-	1	-	1	-	1	3	1	1	2	2	2	1	-	-
Burn, Scald	15	17	6	5	20	9	83	60	10	9	65	35	7	8	1	-
Poison	1	3	-	-	1	-	6	6	1	-	8	2	1	-	-	-
Drowning	58	9	5	2	25	5	97	42	33	13	38	12	18	6	1	-
Suffocation	7	5	1	1	-	3	21	10	6	5	66	71	12	12	-	-
Otherwise	8	2	6	-	13	1	20	7	4	5	16	7	20	7	1	-
HOMICIDE.																
Murder, Manslaughter	4	2	1	-	2	-	12	6	2	5	6	6	4	1	-	-
Wounds in Battle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUICIDE.																
Gunshot Wounds	-	-	-	-	1	-	3	-	1	-	6	-	2	-	-	-
Cut, Stab	10	1	-	1	2	-	12	4	2	-	8	3	5	1	-	-
Poison	1	2	1	-	-	-	2	7	5	4	7	6	1	1	-	1
Drowning	5	2	1	3	-	-	13	1	8	3	3	8	2	1	-	-
Hanging	7	-	3	1	3	2	24	3	10	1	14	2	14	5	-	-
Otherwise	2	1	1	-	2	-	5	2	4	1	2	2	2	-	-	-
EXECUTION.																
Hanging	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																
Dropsy	23	25	7	8	10	15	35	52	13	16	21	27	10	20	-	3
Debility, Atrophy, Inanition	204	170	49	42	105	63	719	635	185	143	420	350	214	195	6	7
Mortification	7	5	1	-	2	6	4	15	2	1	4	3	4	3	-	-
Tumour	3	9	3	5	2	-	2	4	1	2	3	6	1	5	-	-
Abscess	8	6	3	1	2	2	15	23	9	8	12	8	4	6	-	1
Hæmorrhage	5	4	-	-	-	1	3	2	-	-	2	1	3	1	-	-
Sudden (Cause unascertained)	14	8	-	1	1	-	17	4	8	1	3	2	-	-	-	-
Other ill-defined and not specified Causes	33	35	11	4	28	19	122	105	34	30	24	25	22	16	1	1

DEATHS from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1882—*cont.*

CAUSES OF DEATH.	Part of Division VII. North Midland Counties.						Division VIII. North Western Counties.				Division IX. Yorkshire.					
	Lincolnshire.		Nottinghamshire.		Derbyshire		Cheshire.		Lancashire		West Riding.		East Riding (with York).		North Riding.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females	Males.	Females	Males.	Females.	Males.	Females.	Males.	Females.
Diseases of Urinary System.																
Acute Nephritis	7	3	9	10	4	6	12	13	104	111	48	52	12	8	4	2
Bright's Disease	44	33	36	28	26	20	81	72	436	357	226	192	30	24	34	30
Uræmia	6	5	3	2	3	1	3	4	34	28	20	14	6	2	2	6
Suppression of Urine	1	-	-	4	2	-	4	1	8	4	8	6	2	1	1	-
Calculus	7	-	8	-	3	2	3	-	24	5	8	-	11	1	4	-
Hæmaturia	-	-	3	-	2	2	5	4	19	9	12	3	2	-	3	1
Diseases of Bladder and of Prostate	48	2	24	2	14	4	26	5	142	25	100	12	21	2	21	1
Other Diseases of Urinary System	6	4	10	5	6	3	7	5	74	47	50	17	14	6	9	4
Diseases of Organs of Generation.																
Ovarian Disease	-	7	-	7	-	7	-	11	-	74	-	45	-	7	-	6
Diseases of Uterus and Vagina	-	13	-	17	-	2	-	19	-	77	-	45	-	11	-	3
Disorders of Menstruation	-	1	-	2	-	6	-	3	-	17	-	11	-	1	-	3
Pelvic Abscess	-	1	-	2	-	2	-	2	5	10	5	5	-	1	-	-
Perineal Abscess	-	-	-	-	-	-	-	-	4	-	2	1	-	-	-	-
Diseases of Testes, Penis, Scrotum, &c.	1	-	-	-	3	-	2	-	14	-	9	-	-	-	2	-
Diseases of Parturition.																
Abortion, Miscarriage	-	2	-	5	-	4	-	4	-	27	-	9	-	-	-	5
Puerperal Mania	-	2	-	4	-	-	-	2	-	18	-	8	-	-	-	1
Puerperal Convulsions	-	2	-	7	-	4	-	10	-	65	-	47	-	2	-	10
Placentia Prævia, Flooding	-	14	-	18	-	13	-	20	-	118	-	69	-	7	-	7
Phlegmasia Dolens	-	-	-	1	-	1	-	3	-	17	-	5	-	-	-	-
Other Accidents of Childbirth	-	6	-	5	-	9	-	18	-	75	-	27	-	4	-	6
Diseases of Organs of Locomotion.																
Caries, Necrosis	8	8	9	9	5	3	6	4	90	56	68	38	14	9	7	6
Arthritis, Ostitis, Periostitis	-	-	4	1	1	-	2	2	19	10	6	5	-	-	2	1
Other Diseases of Organs of Locomotion	12	4	12	4	9	8	17	14	95	89	64	69	12	5	10	9
Diseases of Integumentary System.																
Carbuncle	1	-	2	1	3	-	4	1	14	4	16	2	1	1	-	-
Phlegmon, Cellulitis	-	1	3	-	3	1	3	6	10	9	10	10	1	1	1	1
Lupus	3	1	-	-	-	-	1	3	2	5	1	2	-	1	1	-
Ulcer, Bedsore	4	7	1	3	-	5	4	7	19	30	15	31	-	4	1	4
Eczema	-	2	1	3	5	2	4	3	20	24	13	9	2	2	3	3
Pemphigus	-	-	2	1	2	-	-	-	5	8	4	5	-	1	2	-
Other Diseases of Integumentary System	5	3	1	4	4	-	1	1	8	11	4	7	1	3	-	-
Accident or Negligence.																
Fractures, Contusions	60	20	91	23	104	16	127	26	913	207	484	120	74	11	81	21
Gunshot Wounds	2	-	2	-	-	-	-	-	5	2	6	2	2	-	-	-
Cut, Stab	5	-	-	2	2	-	1	1	10	3	11	-	1	1	2	1
Burn, Scald	11	17	13	12	60	20	28	23	240	183	85	80	19	12	15	12
Poison	7	3	12	2	3	4	5	2	39	16	19	6	3	5	1	4
Drowning	68	8	24	6	24	7	78	13	306	71	148	24	59	6	35	2
Suffocation	6	6	15	13	8	6	8	7	158	124	61	33	8	4	10	3
Otherwise	27	10	9	2	8	3	18	8	73	32	38	9	6	2	19	6
Homicide.																
Murder, Manslaughter	4	2	2	1	3	2	5	5	32	20	11	12	2	1	-	2
Wounds in Battle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide.																
Gunshot Wounds	2	-	1	-	1	-	2	1	10	-	6	-	2	-	4	-
Cut, Stab	4	1	8	-	2	-	8	4	43	5	25	4	2	-	4	-
Poison	4	3	3	3	1	2	1	2	10	15	11	9	3	4	3	2
Drowning	2	3	5	4	2	5	4	3	32	30	40	19	3	3	1	2
Hanging	7	1	21	2	3	1	14	4	87	20	41	19	9	3	6	1
Otherwise	1	1	2	3	3	-	6	-	13	-	8	4	-	-	-	-
Execution.																
Hanging	-	-	-	-	-	-	-	-	3	-	1	-	1	-	-	-
Ill-Defined and Not Specified Causes.																
Dropsy	19	23	19	17	10	15	13	15	106	122	61	73	12	13	3	11
Debility, Atrophy, Inanition	182	165	312	230	157	129	309	284	1981	1845	1023	927	189	157	166	150
Mortification	4	2	3	1	3	2	7	8	25	26	25	11	5	2	5	3
Tumour	4	4	3	6	-	4	3	9	15	22	9	22	4	2	3	3
Abscess	9	2	2	4	2	7	6	8	50	59	29	37	5	3	4	8
Hæmorrhage	-	-	2	3	1	3	2	3	32	7	8	5	3	1	-	-
Sudden (Cause unascertained)	2	-	1	1	7	7	6	3	62	32	24	13	2	4	1	-
Other ill-defined and not specified Causes	52	34	42	38	36	25	96	92	319	238	62	54	19	14	29	18

DEATHS from different Causes registered in each of the REGISTRATION COUNTIES in the Year 1882—*cont.*

CAUSES OF DEATH.	Division X. Northern Counties.								Division XI. Monmouthshire and Wales.					
	Durham.		Northumberland.		Cumberland.		Westmorland.		Monmouthshire.		South Wales.		North Wales.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
DISEASES OF URINARY SYSTEM.														
Acute Nephritis	29	19	13	9	5	4	3	3	10	10	22	15	13	8
Bright's Disease	71	66	37	39	25	18	8	3	24	35	114	74	53	56
Uræmia	7	13	1	4	2	1	-	1	1	-	7	6	8	5
Suppression of Urine	3	1	-	1	-	1	-	-	2	1	3	1	3	-
Calculus	2	2	4	-	-	-	-	-	1	-	3	-	4	-
Hæmaturia	4	2	-	2	-	-	-	1	-	-	3	-	4	1
Diseases of Bladder and of Prostate	37	5	32	6	15	3	5	-	20	3	55	6	37	5
Other Diseases of Urinary System	15	15	10	8	7	7	3	-	7	3	21	8	12	9
DISEASES OF ORGANS OF GENERATION.														
Ovarian Disease	-	14	-	11	-	5	-	-	-	2	-	22	-	3
Diseases of Uterus and Vagina	-	22	-	16	-	6	-	1	-	3	-	18	-	7
Disorders of Menstruation	-	3	-	2	-	-	-	-	-	-	-	8	-	2
Pelvic Abscess	-	3	-	3	-	1	1	-	-	1	2	4	1	4
Perineal Abscess	-	-	1	-	-	-	-	-	-	1	2	-	-	-
Diseases of Testes, Penis, Scrotum, &c.	1	-	3	-	1	-	-	-	1	-	4	-	-	-
DISEASES OF PARTURITION.														
Abortion, Miscarriage	-	3	-	1	-	1	-	-	-	-	-	6	-	6
Puerperal Mania	-	3	-	2	-	-	-	-	-	1	-	3	-	4
Puerperal Convulsions	-	21	-	15	-	6	-	1	-	3	-	24	-	12
Placenta Prævia, Flooding	-	30	-	10	-	8	-	-	-	9	-	27	-	14
Phlegmasia Dolens	-	2	-	6	-	1	-	-	-	-	-	1	-	3
Other Accidents of Childbirth	-	28	-	9	-	4	-	-	-	6	-	27	-	16
DISEASES OF ORGANS OF LOCOMOTION.														
Caries, Necrosis	17	11	9	7	6	3	1	-	4	3	19	15	8	8
Arthritis, Ostitis, Periostitis	5	4	2	2	-	1	-	-	-	1	1	2	4	2
Other Diseases of Organs of Locomotion	21	17	15	16	6	2	-	2	2	10	33	14	16	6
DISEASES OF INTEGUMENTARY SYSTEM.														
Carbuncle	4	1	-	1	1	3	-	-	1	2	7	1	-	-
Phlegmon, Cellulitis	2	5	2	-	1	5	-	1	-	1	2	8	2	1
Lupus	-	1	1	2	-	-	-	1	1	1	-	2	-	2
Ulcer, Bedsore	4	6	2	10	4	6	-	1	1	2	6	10	2	4
Eczema	3	1	3	2	2	1	-	-	2	-	4	8	4	1
Pemphigus	1	3	-	1	-	-	-	-	-	-	2	4	-	-
Other Diseases of Integumentary System	4	2	1	-	1	2	1	-	-	1	5	2	-	1
ACCIDENT OR NEGLIGENCE.														
Fractures, Contusions	298	31	139	28	68	16	12	3	101	9	358	37	141	21
Gunshot Wounds	2	-	-	-	1	-	1	-	-	-	4	-	4	-
Cut, Stab	1	3	2	-	2	3	-	1	-	-	2	2	5	-
Burn, Scald	114	26	12	18	13	7	1	1	23	14	45	36	18	17
Poison	8	11	6	5	5	1	1	-	1	-	11	1	-	2
Drowning	78	12	63	9	40	3	5	-	28	9	124	26	34	7
Suffocation	74	17	20	18	5	12	1	1	7	1	11	9	5	2
Otherwise	11	5	17	9	38	4	2	-	20	5	29	7	13	1
HOMICIDE.														
Murder, Manslaughter	6	7	3	6	1	2	-	1	1	1	2	3	5	1
Wounds in Battle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUICIDE.														
Gunshot Wounds	3	-	2	-	-	-	1	-	2	-	2	-	2	-
Cut, Stab	8	1	4	1	-	-	2	-	1	-	5	2	-	-
Poison	2	6	1	2	1	2	-	-	-	-	1	2	1	-
Drowning	7	1	3	4	-	4	-	-	1	-	4	4	3	2
Hanging	24	1	11	2	10	2	3	-	1	-	12	5	10	-
Otherwise	2	-	-	-	3	-	-	-	3	3	4	3	1	-
EXECUTION.														
Hanging	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.														
Dropsy	23	31	13	14	3	9	-	2	8	6	32	72	12	39
Debility, Atrophy, Inanition	665	573	269	240	150	133	26	22	110	112	404	341	150	149
Mortification	2	5	4	3	-	3	-	-	-	2	1	8	5	6
Tumour	5	2	2	7	-	-	-	-	-	1	4	8	1	4
Abscess	8	16	3	3	2	1	-	-	3	3	8	13	4	3
Hæmorrhage	1	1	-	-	2	1	-	-	7	-	3	4	-	2
Sudden (Cause unascertained)	13	3	3	1	-	-	-	-	6	3	6	10	3	-
Other ill-defined and not specified Causes	56	40	37	28	27	21	1	2	38	18	81	54	43	28

Deaths from several Causes, and Inquest Cases in the Year 1882 in Registration Divisions, Counties, and Districts.

Divisions.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
	CAUSES OF DEATH. (*See Note.*)																								
ENGLAND.																									
Persons - - -	1317	12711	13732	3992	15259	940	6036	1016	17185	351	14057	8246	48715	10999	69827	36238	98485	29618	10404	1533	2564	1960	17689	93780	27367
Males - - - -	758	6628	6904	1867	6898	499	3173	496	8967	201	4685	4455	24934	6094	36863	17271	52404	15012	6594	138	-	-	13077	47849	-
Females - - -	559	6083	6828	2125	8361	441	2863	520	8218	150	9372	3791	23781	4905	32964	18967	46081	14606	3810	1395	2564	1960	4612	45931	-
Div. I. LONDON.																									
Persons - - -	430	2338	2006	857	4682	53	975	95	2144	79	2461	1436	8619	2159	9318	5175	18073	4457	1764	314	333	237	2928	11980	5639
Males - - - -	250	1171	1018	416	2119	28	522	44	1117	44	779	811	4938	1210	4768	2442	9138	2158	1120	17	-	-	1982	6000	-
Females - - -	180	1167	988	441	2563	25	453	51	1027	35	1682	625	3681	949	4550	2733	8935	2299	644	297	333	237	946	5980	-
II. SOUTH EASTERN.																									
Persons - - -	88	1110	641	616	1387	17	466	82	999	12	1466	582	4485	927	5884	3648	7155	2661	998	119	223	143	1423	7845	1975
Males - - - -	62	584	319	255	658	11	245	39	531	4	451	307	2380	519	3115	1810	3926	1303	676	10	-	-	1071	4112	-
Females - - -	26	526	322	361	729	6	221	43	468	8	1015	275	2105	408	2769	1838	3229	1358	322	109	223	143	352	3733	-
III. SOUTH MIDLAND.																									
Persons - - -	59	531	797	299	752	13	247	42	687	10	950	337	2531	530	3795	2210	4835	1591	613	85	126	104	861	5917	1473
Males - - - -	44	285	402	157	332	7	122	19	356	6	330	183	1262	286	2059	1064	2589	791	387	8	-	-	627	3081	-
Females - - -	15	246	395	142	420	6	125	23	331	4	620	154	1269	244	1736	1146	2246	800	226	77	126	104	234	2836	-
IV. EASTERN.																									
Persons - - -	75	473	438	269	628	9	181	36	694	10	821	320	2289	556	3154	1921	3966	1346	480	79	111	73	733	5570	929
Males - - - -	42	251	209	130	284	4	83	10	385	6	269	160	1096	319	1663	964	2108	682	329	10	-	-	568	2801	-
Females - - -	33	222	229	139	344	5	98	26	309	4	552	160	1193	237	1491	957	1858	664	151	69	111	73	165	2769	-
V. SOUTH WESTERN.																									
Persons - - -	5	431	414	253	501	11	273	58	638	15	1205	346	3111	551	4496	2995	5706	2003	787	119	131	148	983	7013	1695
Males - - - -	1	254	203	115	226	6	139	25	334	6	421	186	1489	300	2277	1357	3056	1017	526	8	-	-	734	3457	-
Females - - -	4	177	211	138	275	5	134	33	304	9	784	160	1622	251	2219	1638	2650	986	261	111	131	148	249	3556	-

Note.—The Total Deaths from All Causes in each Division, County, and District, will be found at pp. 30-91. For Tables showing the number of deaths of Males and Females from *each* cause in the Counties of England, see pp. 154-177.

Deaths from several Causes, and Inquest Cases in the Year 1882 in Registration Divisions, Counties, and Districts—*continued.*

DIVISIONS.	CAUSES OF DEATH.																									
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
Div. VI. WEST MIDLAND.																									
Persons - - -	167	1287	1450	348	1440	35	686	110	2224	19	1620	904	4623	963	7737	4126	10527	3300	1258	160	280	225	2076	11747	3086
Males - - - -	91	661	754	159	632	17	362	51	1140	9	552	477	2393	512	4057	1958	5729	1722	785	21	-	-	1472	6124	-
Females - - -	76	626	696	189	808	18	324	59	1084	10	1068	427	2230	451	3680	2168	4798	1578	473	139	280	225	604	5623	-
VII. NORTH MIDLAND.																									
Persons - - -	93	524	1585	265	526	17	315	50	1294	17	858	525	2606	635	4449	2211	5184	1772	555	83	152	133	1059	6436	1635
Males - - - -	57	268	773	117	250	8	158	24	679	8	302	274	1213	358	2400	1075	2876	926	376	4	-	-	791	3378	-
Females - - -	36	256	812	148	276	9	157	26	615	9	556	251	1393	277	2049	1136	2308	846	179	79	152	133	268	3058	-
VIII. NORTH WESTERN.																									
Persons - - -	171	3629	1957	424	2522	593	1192	214	4023	73	1748	1633	8442	1885	12685	5686	20233	5561	1672	238	532	377	3106	15221	4704
Males - - - -	87	1921	957	200	1126	322	630	110	2073	46	557	889	4312	1048	6719	2583	10581	2856	982	25	-	-	2279	7726	-
Females - - -	84	1708	1000	224	1396	271	562	104	1950	27	1191	744	4130	837	5966	3103	9652	2705	690	213	532	377	827	7495	-
IX. YORK.																									
Persons - - -	76	1521	1934	292	1332	27	750	166	2540	67	1399	1032	5709	1361	8810	3918	11749	3362	1032	157	299	207	1819	10363	2738
Males - - - -	37	781	963	135	591	14	397	85	1348	39	473	562	2847	742	4773	1852	6387	1713	648	18	-	-	1370	5317	-
Females - - -	39	740	971	157	741	13	353	81	1192	28	926	470	2862	619	4037	2066	5362	1649	384	139	299	207	449	5046	-
X. NORTHERN.																									
Persons - - -	140	582	1139	121	886	148	481	103	1445	34	753	806	3072	842	4752	2333	5574	1947	572	94	214	151	1424	6425	1833
Males - - - -	77	312	590	62	385	73	234	60	733	24	256	423	1451	477	2542	1197	2964	1010	338	7	-	-	1138	3317	-
Females - - -	63	270	549	59	501	75	217	43	712	10	497	383	1621	365	2210	1136	2610	937	234	87	214	151	286	3108	-
XI. WELSH.																									
Persons - - -	13	285	1371	248	603	17	470	60	497	15	776	325	3228	590	4747	2015	5483	1618	673	85	163	162	1277	5263	1660
Males - - - -	10	140	716	121	295	9	251	29	271	9	295	183	1553	323	2490	969	3050	834	427	10	-	-	1045	2536	-
Females - - -	3	145	655	127	308	8	219	31	226	6	481	142	1675	267	2257	1046	2433	784	246	75	163	162	232	2727	-

Deaths from several Causes, and Inquest Cases in the Year 1882 in Registration Divisions, Counties, and Districts—*continued.*

	REGISTRATION COUNTIES.	CAUSES OF DEATH.																									
		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
	I.—LONDON.																										
	MDDLSX. (*pt. of*).																										
	Persons - - -	106	1393	1388	586	3103	34	672	66	1438	60	1698	963	5978	1494	6030	3618	12297	3013	1268	228	234	143	2100	7996	4316
	Males - - - -	59	701	725	269	1408	18	352	34	757	32	532	542	3445	855	3081	1732	6232	1449	811	13	-	-	1410	3986	-
	Females - - -	47	692	663	317	1695	16	320	32	681	28	1166	421	2533	639	2949	1886	6065	1564	457	215	234	143	690	4010	-
	SURREY (*part of*).																										
	Persons - - -	86	804	475	217	1368	16	236	26	569	16	590	394	2035	546	2658	1208	4792	1120	395	75	77	73	660	3141	1084
	Males - - - -	43	398	227	121	606	7	130	9	292	9	193	226	1154	286	1391	541	2398	543	244	4	-	-	445	1595	-
	Females - - -	43	406	248	96	762	9	106	17	277	7	397	168	881	260	1267	667	2394	577	151	71	77	73	215	1546	-
	KENT (*part of*).																										
	Persons - - -	238	141	143	54	211	3	67	3	137	3	173	79	606	119	630	349	984	324	101	11	22	21	168	843	239
	Males - - - -	148	72	66	26	105	3	40	1	68	3	54	43	339	69	296	169	508	166	65	-	-	-	127	419	-
	Females - - -	90	69	77	28	106	-	27	2	69	-	119	36	267	50	334	180	476	158	36	11	22	21	41	424	-
	II.—SOUTH EASTERN.																										
1	**SURREY** (*ex.-met.*)																										
	Persons - - -	43	191	70	84	235	-	61	13	177	1	282	90	801	179	1216	625	1252	476	198	24	42	24	224	1337	371
	Males - - - -	30	96	34	35	109	-	33	4	100	1	100	38	472	95	645	332	674	236	124	1	-	-	172	695	-
	Females - - -	13	95	36	49	126	-	28	9	77	-	182	52	329	84	571	293	578	240	74	23	42	24	52	642	-
2	**KENT** (*extra-metro.*)																										
	Persons - - -	20	238	234	185	352	8	125	25	260	6	378	204	1201	290	1670	1082	2069	787	272	29	66	38	464	2335	472
	Males - - - -	15	134	129	73	177	4	60	12	122	2	142	115	607	157	886	538	1157	370	181	2	-	-	366	1220	-
	Females - - -	5	104	105	112	175	4	65	13	138	4	236	89	594	133	781	544	912	417	91	27	66	38	98	1115	-
3	**SUSSEX.**																										
	Persons - - -	18	284	152	87	358	5	72	11	191	1	312	105	931	179	1046	697	1326	518	204	34	40	36	283	1597	359
	Males - - - -	12	145	77	32	170	4	36	6	105	-	95	50	473	96	540	315	728	259	154	5	-	-	205	829	-
	Females - - -	6	139	75	55	188	1	36	5	86	1	217	55	458	83	506	382	598	259	50	29	40	36	78	768	-

Deaths from several Causes, and Inquest Cases in the Year 1882 in Registration Divisions, Counties, and Districts—*continued.*

	REGISTRATION COUNTIES.	CAUSES OF DEATH.																								
		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
	II.—SOUTH EASTERN —*continued.*																									
4	**HAMPSHIRE.**																									
	Persons - - -	-	296	93	204	282	3	182	29	268	4	343	138	1150	199	1394	867	1776	646	229	19	61	32	329	1724	526
	Males - - - -	-	150	40	88	131	2	106	15	140	1	105	79	617	123	734	447	956	310	146	1	-	-	235	890	-
	Females - - -	-	146	53	116	151	1	76	14	128	3	238	59	533	76	660	420	820	336	83	18	61	32	94	834	-
5	**BERKSHIRE.**																									
	Persons - - -	7	101	92	56	160	1	26	4	103	-	151	45	402	80	558	377	732	234	95	13	14	13	123	852	247
	Males - - - -	5	59	39	27	71	1	10	2	64	-	39	25	211	48	310	178	411	128	71	1	-	-	93	478	-
	Females - - -	2	42	53	29	89	-	16	2	39	-	112	20	191	32	248	199	321	106	24	12	14	13	30	374	-
	III.—SOUTH MIDLAND.																									
6	**MDDLSX.** (*ex.met.*)																									
	Persons - - -	15	211	180	106	257	2	78	5	184	5	212	118	602	154	980	524	1368	367	153	21	36	28	218	1251	455
	Males - - - -	10	119	90	54	108	2	45	2	95	4	60	68	328	89	551	243	745	174	89	2	-	-	158	632	-
	Females - - -	5	92	90	52	149	-	33	3	89	1	152	50	274	65	429	281	623	193	64	19	36	28	60	619	-
7	**HERTFORDSH.**																									
	Persons - - -	6	74	39	44	59	1	23	3	75	2	136	18	316	41	506	326	620	172	81	13	15	14	94	645	131
	Males - - - -	6	42	23	21	33	1	14	2	41	-	44	7	156	17	283	159	328	90	54	3	-	-	68	332	-
	Females - - -	-	32	16	23	26	-	9	1	34	2	92	11	160	24	223	167	292	82	27	10	15	14	26	313	-
8	**BUCKINGHAMS.**																									
	Persons - - -	5	23	74	17	100	1	27	1	57	-	76	33	227	50	378	185	475	165	66	13	12	14	81	676	172
	Males - - - -	5	11	40	9	44	-	12	-	26	-	30	19	101	38	201	79	243	79	44	-	-	-	58	361	-
	Females - - -	-	12	34	8	56	1	15	1	31	-	46	14	126	12	177	106	232	86	22	13	12	14	23	315	-
9	**OXFORDSHIRE.**																									
	Persons - - -	1	33	152	24	51	-	22	6	59	-	111	31	250	52	423	257	455	190	73	6	10	10	98	722	197
	Males - - - -	1	10	76	15	23	-	14	3	29	-	34	15	133	24	216	129	265	98	49	-	-	-	72	385	-
	Females - - -	-	23	76	9	28	-	8	3	30	-	77	16	117	28	207	128	190	92	24	6	10	10	26	337	-

Deaths from several Causes, and Inquest Cases in the Year 1882 in Registration Divisions, Counties, and Districts—*continued.*

	REGISTRATION COUNTIES.	CAUSES OF DEATH.																								
		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
	III.—SOUTH MIDLAND —*continued.*																									
10	**NORTHAMPTNS.**																									
	Persons - - -	10	130	99	22	91	3	59	6	141	1	165	46	450	96	654	364	790	311	88	10	34	16	169	1083	245
	Males - - - -	8	72	49	10	42	1	29	2	66	-	60	21	223	51	359	172	392	156	56	1	-	-	119	551	-
	Females - - -	2	58	50	12	49	2	30	4	75	1	105	25	227	45	295	192	398	155	32	9	34	16	50	532	-
11	**HUNTINGDONS.**																									
	Persons - - -	-	1	15	4	18	-	7	7	29	1	41	6	92	17	98	87	119	39	19	2	1	2	39	181	42
	Males - - - -	-	1	8	3	4	-	3	3	17	1	19	3	36	10	59	53	60	22	9	-	-	-	25	92	-
	Females - - -	-	-	7	1	14	-	4	4	12	-	22	3	56	7	39	34	59	17	10	2	1	2	14	89	-
12	**BEDFORDSHIRE.**																									
	Persons - - -	19	26	93	44	68	4	16	7	71	-	79	42	258	45	367	215	469	160	59	7	8	14	66	663	83
	Males - - - -	13	12	42	25	33	2	2	3	44	-	29	24	107	22	186	110	261	83	37	1	-	-	46	360	-
	Females - - -	6	14	51	19	35	2	14	4	27	-	50	18	151	23	181	105	208	77	22	6	8	14	20	303	-
13	**CAMBRIDGESH.**																									
	Persons - - -	3	33	145	38	108	2	15	7	71	1	130	43	336	75	389	252	539	187	74	13	10	6	96	696	148
	Males - - - -	1	18	74	20	45	1	3	4	38	1	54	26	178	35	204	119	295	89	49	1	-	-	81	368	-
	Females - - -	2	15	71	18	63	1	12	3	33	-	76	17	158	40	185	133	244	98	25	12	10	6	15	328	-
	IV.—EASTERN.																									
14	**ESSEX.**																									
	Persons - - -	62	224	276	170	413	5	86	20	277	3	281	134	893	237	1382	765	1854	534	167	34	37	24	304	1910	342
	Males - - - -	33	114	134	85	196	2	43	5	157	2	112	69	457	142	749	388	992	274	115	4	-	-	238	962	-
	Females - - -	29	110	142	85	217	3	43	15	120	1	169	65	436	95	633	377	862	260	52	30	37	24	66	948	-
15	**SUFFOLK.**																									
	Persons - - -	12	75	48	44	108	-	39	7	177	3	211	86	653	165	798	498	923	361	143	18	35	17	188	1512	263
	Males - - - -	9	45	18	24	47	-	15	3	99	2	64	43	291	98	404	243	503	176	98	1	-	-	144	776	-
	Females - - -	3	30	30	20	61	-	24	4	78	1	147	43	362	67	394	255	420	185	45	17	35	17	44	736	-

Deaths from several Causes, and Inquest Cases in the Year 1882 in Registration Divisions, Counties, and Districts—*continued.*

	REGISTRATION COUNTIES.	CAUSES OF DEATH.																								
		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
	IV.—EASTERN—*cont.*																									
16	**NORFOLK.**																									
	Persons - - -	1	174	114	55	107	4	56	9	240	4	329	100	743	154	974	658	1189	451	170	27	39	32	241	2148	324
	Males - - - -	-	92	57	21	41	2	25	2	129	2	93	48	348	79	510	333	613	232	116	5	-	-	186	1063	-
	Females - - -	1	82	57	34	66	2	31	7	111	2	236	52	395	75	464	325	576	219	54	22	39	32	55	1085	-
	V.—SOUTH WESTERN.																									
17	**WILTSHIRE.**																									
	Persons - - -	-	60	45	16	61	1	18	6	64	4	158	48	400	54	629	473	754	262	115	16	25	21	112	837	303
	Males - - - -	-	29	26	10	28	-	5	2	33	3	54	28	186	27	324	215	391	145	79	-	-	-	79	402	-
	Females - - -	-	31	19	6	33	1	13	4	31	1	104	20	214	27	305	258	363	117	36	16	25	21	33	435	-
18	**DORSETSHIRE.**																									
	Persons - - -	-	22	37	23	52	-	23	5	66	2	119	32	246	48	421	294	555	208	62	16	4	12	106	553	111
	Males - - - -	-	15	19	14	23	-	11	3	39	-	50	16	114	21	232	140	300	105	41	-	-	-	76	300	-
	Females - - -	-	7	18	9	29	-	12	2	27	2	69	16	132	27	189	154	255	103	21	16	4	12	30	253	-
19	**DEVONSHIRE.**																									
	Persons - - -	1	183	147	60	161	6	122	18	241	7	415	99	1106	229	1513	938	1915	627	258	39	49	52	321	2229	480
	Males - - - -		107	79	25	68	2	66	9	121	3	140	50	522	132	749	424	1038	319	174	2	-	-	240	1073	-
	Females - - -	1	76	68	35	93	4	56	9	120	4	275	49	584	97	764	514	877	308	84	37	49	52	81	1156	-
20	**CORNWALL.**																									
	Persons - - -	1	122	71	55	66	2	51	12	109	-	214	77	632	82	757	448	988	359	126	17	15	26	170	1575	366
	Males - - - -	1	76	26	22	33	2	32	7	63	-	84	39	309	44	372	217	510	177	83	3	-	-	137	763	-
	Females - - -	-	46	45	33	33	-	19	5	46	-	130	38	323	38	385	231	478	182	43	14	15	26	33	812	-
21	**SOMERSETSH.**																									
	Persons - - -	3	44	114	99	161	2	59	17	158	2	299	90	727	138	1176	842	1494	547	226	31	38	37	274	1819	435
	Males - - - -	-	27	53	44	74	2	25	4	78	-	93	53	358	76	600	261	817	271	149	3	-	-	202	919	-
	Females - - -	3	17	61	55	87	-	34	13	80	2	206	37	369	62	576	481	677	276	77	28	38	37	72	900	-

Deaths from several Causes, and Inquest Cases in the Year 1882 in Registration Divisions, Counties, and Districts—*continued.*

	REGISTRATION COUNTIES.	CAUSES OF DEATH.																									Inquests.
		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	
	VI.—WEST MIDLAND.																										
22	**GLOUCESTERSH.**																										
	Persons - - -	4	235	364	26	235	11	87	10	242	3	341	131	824	172	1299	805	1738	511	229	25	42	35	299	1980	473
	Males - - - -	4	126	193	14	119	4	44	6	106	2	102	65	431	91	683	370	894	262	139	2	-	-	216	997	-
	Females - - -	-	109	171	12	116	7	43	4	136	1	239	66	393	81	616	435	844	249	90	23	42	35	83	983	-
23	**HEREFORDSH.**																										
	Persons - - -	1	76	58	16	52	1	6	3	28	1	83	20	157	25	281	229	325	108	41	6	14	11	61	472	83
	Males - - - -	1	41	26	7	20	1	4	2	13	-	29	11	66	13	176	103	179	56	31	-	-	-	45	256	-
	Females - - -	-	35	32	9	32	-	2	1	15	1	54	9	91	12	105	126	146	52	10	6	14	11	16	216	-
24	**SHROPSHIRE.**																										
	Persons - - -	-	34	109	78	91	4	46	6	97	-	165	51	378	71	592	454	771	296	113	13	19	25	163	902	208
	Males - - - -	-	16	60	32	27	1	22	3	46	-	67	29	179	35	314	205	437	169	79	1	-	-	130	463	-
	Females - - -	-	18	49	46	64	3	24	3	51	-	98	22	199	36	278	249	334	127	34	12	19	25	33	439	-
25	**STAFFORDSH.**																										
	Persons - - -	142	467	406	85	496	10	315	41	888	7	451	376	1466	310	2847	1196	3833	1195	396	44	107	69	778	4304	1029
	Males - - - -	76	242	197	40	209	5	159	15	472	3	156	207	751	173	1496	602	2160	614	245	12	-	-	568	2252	-
	Females - - -	66	225	209	45	287	5	156	26	416	4	295	169	715	137	1351	594	1673	581	151	32	107	69	210	2052	-
26	**WORCESTERSH.**																										
	Persons - - -	1	236	162	47	124	5	102	20	231	3	173	113	555	137	906	499	1129	436	158	19	29	34	202	1352	295
	Males - - - -	-	115	81	19	53	4	61	11	123	2	54	57	277	75	483	243	595	234	91	2	-	-	139	727	-
	Females - - -	1	121	81	28	71	1	41	9	108	1	119	56	278	62	423	256	534	202	67	17	29	34	63	625	-
27	**WARWICKSH.**																										
	Persons - - -	19	239	351	96	442	4	130	30	738	5	407	213	1243	248	1812	943	2731	754	321	53	69	51	573	2737	998
	Males - - - -	10	121	197	47	204	2	72	14	380	2	144	108	689	125	905	435	1464	387	200	4	-	-	374	1429	-
	Females - - -	9	118	154	49	238	2	58	16	358	3	263	105	554	123	907	508	1267	367	121	49	69	51	199	1308	-

Deaths from several Causes, and Inquest Cases in the Year 1882 in Registration Divisions, Counties, and Districts—*continued.*

	REGISTRATION COUNTIES.	CAUSES OF DEATH.																									
		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
	VII.—NORTH MIDLAND.																										
28	**LEICESTERSH.**																										
	Persons - - -	7	118	257	21	65	5	59	5	382	3	151	91	438	126	888	428	1003	305	136	12	28	32	197	1372	394
	Males - - - -	5	53	143	9	34	2	24	1	182	2	47	49	219	66	479	215	565	154	94	-	-	-	144	692	-
	Females - - -	2	65	114	12	31	3	35	4	200	1	104	42	219	60	409	213	438	151	42	12	28	32	53	680	-
29	**RUTLANDSH.**																										
	Persons - - -	1	8	8	2	7	-	2	-	1	-	12	6	27	4	45	33	63	25	11	-	2	4	6	90	9
	Males - - - -	1	4	4	1	3	-	1	-	1	-	8	3	11	2	22	20	38	9	10	-	-	-	5	41	-
	Females - - -	-	4	4	1	4	-	1	-	-	-	4	3	16	2	23	13	25	16	1	-	2	4	1	49	-
30	**LINCOLNSH.**																										
	Persons - - -	20	76	403	79	157	7	80	19	305	4	284	103	721	156	1231	624	1255	501	166	23	36	26	285	1694	347
	Males - - - -	14	38	195	35	70	4	35	10	168	1	112	53	325	98	677	329	691	264	119	1	-	-	210	871	-
	Females - - -	6	38	208	44	87	3	45	9	137	3	172	50	396	58	554	295	564	237	47	22	36	26	75	823	-
31	**NOTTINGHAMS.**																										
	Persons - - -	57	193	599	134	144	3	103	9	375	8	238	206	833	204	1203	584	1539	467	144	28	51	40	281	1928	420
	Males - - - -	33	105	290	61	61	2	55	4	209	4	79	109	393	107	643	249	837	242	93	-	-	-	208	1033	-
	Females - - -	24	88	309	73	83	1	48	5	166	4	159	97	440	97	560	335	702	225	51	28	51	40	73	895	-
32	**DERBYSHIRE.**																										
	Persons - - -	8	129	318	29	153	2	71	17	231	2	173	119	587	145	1082	542	1324	474	98	20	35	31	290	1352	465
	Males - - - -	4	68	141	11	82	-	43	9	119	1	56	60	265	85	579	262	745	257	60	3	-	-	224	741	-
	Females - - -	4	61	177	18	71	2	28	8	112	1	117	59	322	60	503	280	579	217	38	17	35	31	66	611	-
	VIII.—NORTH WESTERN.																										
33	**CHESHIRE.**																										
	Persons - - -	3	297	288	77	300	38	146	24	411	7	284	199	1128	225	1708	845	2243	850	245	37	61	57	404	2410	710
	Males - - - -	2	162	141	39	140	21	73	12	227	2	98	97	545	124	879	387	1197	440	141	2	-	-	305	1164	-
	Females - - -	1	135	147	38	160	17	73	12	184	5	186	102	583	101	829	458	1046	410	104	35	61	57	99	1246	-

Deaths from several Causes, and Inquest Cases in the Year 1882 in Registration Divisions, Counties, and Districts—*continued.*

	REGISTRATION COUNTIES.	CAUSES OF DEATH.																									
		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
	VIII.—NORTH WESTERN—*continued.*																										
34	**LANCASHIRE.**																										
	Persons - - -	168	3332	1669	347	2222	555	1046	190	3612	66	1464	1434	7314	1660	10977	4841	17990	4711	1427	201	471	320	2702	12811	3994
	Males - - - -	85	1759	816	161	986	301	557	98	1846	44	459	792	3767	924	5840	2196	9384	2416	841	23	-	-	1974	6562	-
	Females - - -	83	1573	853	186	1236	254	489	92	1766	22	1005	642	3547	736	5137	2645	8606	2295	586	178	471	320	728	6249	-
	IX.—YORK.																										
35	**WEST RIDING.**																										
	Persons - - -	60	1250	1336	211	1064	21	566	121	1845	58	1032	789	4543	1120	6697	2917	9340	2579	768	123	210	165	1336	7684	1979
	Males - - - -	29	623	670	100	473	12	293	61	981	35	337	436	2291	609	3636	1363	5031	1318	472	16	-	-	995	3935	-
	Females - - -	31	627	666	111	591	9	273	60	864	23	695	353	2252	511	3061	1554	4309	1261	296	107	210	165	341	3749	-
36	**E. RIDING** (WITH YORK).																										
	Persons - - -	16	186	483	41	94	3	91	31	437	3	192	132	661	138	1181	544	1197	411	142	20	36	13	246	1438	386
	Males - - - -	8	105	235	17	41	-	53	17	217	2	71	71	315	80	636	268	668	214	98	-	-	-	194	762	-
	Females - - -	8	81	248	24	53	3	38	14	220	1	121	61	346	58	545	276	529	197	44	20	36	13	52	676	-
37	**NORTH RIDING.**																										
	Persons - - -	-	85	115	40	174	3	93	14	258	6	175	111	505	103	932	457	1212	372	122	14	53	29	237	1241	373
	Males - - - -	-	53	58	18	77	2	51	7	150	2	65	55	241	53	501	221	688	181	78	2	-	-	181	620	-
	Females - - -	-	32	57	22	97	1	42	7	108	4	110	56	264	50	431	236	524	191	44	12	53	29	56	621	-
	X.—NORTHERN.																										
38	**DURHAM.**																										
	Persons - - -	45	382	759	66	506	111	304	66	915	19	343	528	1601	526	2665	1124	3259	1119	291	43	132	87	760	3576	1028
	Males - - - -	25	200	394	32	228	55	161	36	443	14	104	280	720	299	1444	572	1741	569	168	1	-	-	639	1871	-
	Females - - -	20	182	365	34	278	56	143	30	472	5	239	248	881	227	1221	552	1518	550	123	42	132	87	121	1705	-
39	**NORTHUMBERL.**																										
	Persons - - -	94	87	213	37	238	33	111	33	366	12	229	209	889	185	1303	688	1329	489	166	36	51	43	385	1669	542
	Males - - - -	51	42	113	21	92	15	67	21	195	8	81	105	440	105	678	363	708	271	97	4	-	-	283	845	-
	Females - - -	43	45	100	16	146	18	44	12	171	4	148	104	449	80	625	325	621	218	69	32	51	43	102	824	-

Deaths from several Causes, and Inquest Cases in the Year 1882 in Registration Divisions, Counties, and Districts—*continued.*

	REGISTRATION COUNTIES.	CAUSES OF DEATH.																								
		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
	X.—NORTHERN—*cont.*																									
40	**CUMBERLAND.**																									
	Persons - - -	1	107	150	15	134	4	55	3	145	2	142	57	473	102	636	423	829	264	88	13	19	20	243	977	223
	Males - - - -	1	65	75	6	59	3	32	2	80	1	59	31	239	57	344	224	426	129	54	1	-	-	187	504	-
	Females - - -	-	42	75	9	75	1	23	1	65	1	83	26	234	45	292	199	403	135	34	12	19	20	56	473	-
41	**WESTMORLD.**																									
	Persons - - -	-	6	17	3	8	-	11	1	19	1	39	12	109	29	148	98	157	75	27	2	12	1	36	203	40
	Males - - - -	-	5	8	3	6	-	4	1	15	1	12	7	52	16	76	38	89	41	19	1	-	-	29	97	-
	Females - - -	-	1	9	-	2	-	7	-	4	-	27	5	57	13	72	60	68	34	8	1	12	1	7	106	-
	XI.—WELSH.																									
42	**MONMOUTHSH.**																									
	Persons - - -	7	79	442	50	135	3	51	8	78	3	109	77	364	98	661	363	1034	259	117	8	19	19	231	825	361
	Males - - - -	5	44	251	25	72	2	32	2	34	1	44	46	164	47	369	188	602	138	65	1	-	-	189	419	-
	Females - - -	2	35	191	25	63	1	19	6	44	2	65	31	200	51	292	175	432	121	52	7	19	19	42	406	-
43	**SOUTH WALES.**																									
	Persons - - -	3	146	779	94	355	7	250	35	303	10	397	154	1891	353	2583	1057	2999	822	338	60	96	88	751	3021	961
	Males - - - -	2	69	383	40	171	4	131	17	179	6	157	85	934	197	1365	499	1633	419	228	8	-	-	614	1444	-
	Females - - -	1	77	396	54	184	3	119	18	124	4	240	69	957	156	1218	558	1366	403	110	52	96	88	137	1577	-
44	**NORTH WALES.**																									
	Persons - - -	3	60	150	104	113	7	169	17	116	2	270	94	973	139	1503	595	1450	537	218	17	48	55	295	1417	338
	Males - - - -	3	27	82	56	52	3	88	10	58	2	94	52	455	79	756	282	815	277	134	1	-	-	242	673	-
	Females - - -	-	33	68	48	61	4	81	7	58	-	176	42	518	60	747	313	635	260	84	16	48	55	53	744	-

Deaths from several Causes, and Inquest Cases in the Year 1882, in Registration Districts.

I.—LONDON.

No.	DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
	MIDDLESEX (*part of*)																									
1	*Kensington { Paddington	–	71	22	17	73	–	27	2	39	3	85	14	182	49	214	158	367	145	68	15	11	5	91	288	167
	*Kensington { Kensington	–	79	50	26	121	1	22	6	67	–	110	49	466	58	332	215	661	170	100	9	10	9	73	440	165
2	Fulham	–	63	96	28	209	–	26	4	76	2	46	44	229	55	272	151	502	145	48	5	13	6	86	394	165
3	Chelsea	1	74	33	13	126	2	15	1	57	3	88	35	247	62	240	141	415	108	40	5	10	4	52	285	147
4	St. George Hanover Square	2	59	28	28	134	–	49	5	63	3	129	40	361	100	311	254	622	179	118	20	9	9	127	436	188
5	Westminster	1	40	8	15	42	–	13	–	18	1	18	11	105	15	86	68	214	50	29	19	2	–	14	121	28
6	Marylebone	–	95	19	37	130	2	32	6	77	–	180	41	311	95	304	216	684	169	94	40	18	5	96	464	212
7	Hampstead	1	20	14	13	22	–	8	2	12	–	40	3	87	16	74	49	115	44	24	4	5	2	18	93	32
8	Pancras	3	114	58	52	293	2	65	2	116	1	176	97	587	151	568	341	1063	282	119	31	23	15	188	790	429
9	Islington	27	158	170	61	300	1	79	2	155	6	174	83	614	159	637	393	1195	308	119	12	21	10	139	820	388
10	Hackney	42	64	201	61	190	18	99	6	97	11	114	56	366	115	381	245	738	200	88	12	10	9	98	462	206
11	St. Giles	–	39	13	11	24	–	7	2	35	2	20	11	119	25	95	63	269	60	20	1	6	2	29	158	79
12	Strand	–	15	5	22	28	–	9	1	23	1	32	14	97	27	76	85	195	80	40	5	2	3	73	102	114
13	Holborn	1	143	88	42	206	1	41	3	108	1	48	60	308	100	338	177	749	155	37	6	13	10	92	458	260
14	London City	1	19	9	54	38	3	22	–	15	–	78	7	158	44	128	133	256	110	53	11	9	–	132	190	199
15	Shoreditch	1	61	110	20	235	1	27	5	85	5	69	75	306	57	398	156	838	158	30	6	15	9	95	485	195
16	Bethnal Green	2	60	132	11	232	–	23	4	87	8	52	70	345	52	387	154	730	129	45	3	10	10	78	464	205
17	Whitechapel	1	47	20	17	92	1	24	3	61	1	79	43	222	33	247	168	563	125	68	9	9	10	221	280	323
18	St. George-in-the-East	1	25	24	5	49	–	10	–	40	–	21	24	111	47	139	83	342	36	16	–	9	4	40	171	99
19	Stepney	7	29	62	21	122	–	9	1	47	2	22	37	99	38	148	50	331	63	24	3	8	7	75	150	133
20	Mile End Old Town	2	48	107	20	166	1	22	7	61	5	59	53	230	55	273	107	568	109	26	1	7	5	52	402	142
21	Poplar	13	70	119	32	269	1	43	4	99	5	58	96	428	141	442	221	880	188	62	11	14	9	231	543	440
	SURREY (*part of*).																									
22	St. Saviour Southwark	20	204	72	32	418	2	35	1	132	3	102	108	479	103	598	217	1172	213	64	8	16	16	105	634	223
23	St. Olave Southwark	13	144	67	26	259	3	26	2	99	4	102	54	331	94	364	177	814	156	73	15	9	8	105	479	271
24	Lambeth	36	172	140	47	345	8	94	10	137	3	190	67	532	154	664	353	1193	325	104	32	20	21	170	868	279
25	Wandsworth	2	113	119	52	168	2	42	9	118	4	94	78	338	94	503	261	806	221	87	11	14	16	113	580	177
26	Camberwell	15	171	77	60	178	1	39	4	83	2	102	87	355	101	529	200	807	205	65	9	18	12	77	580	134
	KENT (*part of*).																									
27	Greenwich	232	93	98	30	136	3	44	1	81	2	85	42	314	55	313	167	541	160	42	3	9	12	91	472	134
28	Lewisham	5	22	15	14	29	–	10	–	29	–	45	9	100	27	153	88	212	94	32	3	5	4	14	104	28
29	Woolwich	1	26	30	10	46	–	13	2	27	1	43	28	192	37	164	94	231	70	27	5	8	5	63	207	77

* 1.—The Registration District of Kensington comprises the two Poor Law Unions of Paddington and Kensington.

Deaths from several Causes, and Inquest Cases in the Year 1882, in Registration Districts—*continued.*

II.—SOUTH EASTERN COUNTIES.

No.	DISTRICTS.	CAUSES OF DEATH. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
	1.-SURREY (*ex.-metrop.*)																									
30	Epsom	3	14	9	8	12	-	2	1	15	1	27	5	81	16	240	56	106	39	18	3	6	4	7	117	13
31	Chertsey	2	18	6	4	16	-	2	1	4	-	17	3	48	8	50	30	59	30	12	1	1	1	16	66	16
32	Guildford	1	10	2	14	10	-	2	2	7	-	25	9	84	16	132	67	102	31	23	4	1	2	14	123	73
33	Farnham	2	15	1	7	39	-	14	-	36	-	16	13	88	16	108	46	141	37	14	3	6	5	22	108	40
34	Hambledon	-	1	-	5	8	-	1	1	3	-	8	2	12	4	29	29	41	14	8	-	2	1	8	50	9
35	Dorking	-	-	-	-	5	-	5	1	1	-	16	-	21	9	28	26	33	11	7	2	2	2	14	53	13
36	Reigate	3	18	3	2	14	-	-	1	6	-	12	4	41	9	71	40	69	36	13	1	2	-	15	89	24
37	Godstone	6	2	3	-	6	-	3	-	7	-	17	3	35	4	92	20	42	12	1	-	1	-	6	54	12
38	Croydon	25	47	27	18	76	-	14	4	54	-	69	30	207	41	243	163	366	123	53	4	11	6	51	365	79
39	Kingston	1	47	13	14	32	-	11	-	23	-	58	18	132	43	158	105	183	96	31	5	5	2	46	219	60
40	Richmond	-	19	6	12	17	-	7	2	21	-	17	3	52	13	65	43	110	47	18	1	5	1	25	93	32
	2.—KENT (*ex.-metrop.*)																									
41	Bromley	4	8	23	8	49	-	7	1	12	1	17	3	69	12	99	70	133	41	10	-	4	-	32	104	40
42	Dartford	3	28	9	10	26	4	10	3	12	-	24	16	70	19	155	78	163	67	15	4	7	6	36	144	48
43	Gravesend	-	2	5	8	4	-	1	1	5	-	18	8	43	7	51	36	89	21	11	1	3	1	10	70	24
44	North Aylesford	2	11	3	5	5	1	1	3	13	1	14	16	45	16	58	41	94	35	1	-	1	1	33	99	36
45	Hoo	-	-	-	2	-	-	1	-	2	-	2	1	9	-	6	7	14	5	1	-	-	-	1	13	2
46	Medway	1	17	48	1	17	2	14	3	27	1	27	21	117	36	142	85	153	79	28	1	7	2	51	240	63
47	Malling	2	2	3	8	3	-	4	1	9	2	10	4	40	17	58	40	87	19	10	1	3	1	17	79	14
48	Sevenoaks	1	7	2	5	10	-	1	-	7	-	13	7	41	11	49	45	58	32	11	4	2	2	17	74	10
49	Tunbridge	2	4	1	8	24	-	8	-	14	1	38	11	109	23	117	78	121	43	18	1	3	5	22	142	15
50	Maidstone	2	10	16	8	36	-	11	1	23	-	30	16	110	25	178	76	157	53	23	2	3	5	34	162	40
51	Hollingbourn	-	4	-	7	2	-	-	-	3	-	4	2	14	2	31	24	35	11	5	-	2	-	9	62	8
52	Cranbrook	-	1	-	7	4	-	-	-	5	-	7	-	12	3	36	22	48	18	8	1	2	3	8	34	6
53	Tenterden	-	-	-	4	7	-	1	1	-	-	5	6	24	3	46	9	41	6	2	-	2	-	5	44	3
54	West Ashford	-	3	1	3	8	-	1	1	16	-	10	6	27	7	35	23	51	12	6	-	2	1	12	70	10
55	East Ashford	-	1	-	4	10	-	4	1	6	-	4	3	24	3	18	22	39	16	5	2	-	1	4	40	4
56	Bridge	-	1	-	7	9	-	1	-	4	-	8	2	22	1	40	21	34	12	8	1	-	1	3	60	4
57	Canterbury	-	28	1	2	21	-	2	-	3	-	19	10	39	8	42	28	89	20	15	-	1	1	7	65	12
58	Blean	-	11	1	11	6	-	2	-	3	-	5	11	36	17	46	41	63	29	7	2	-	-	5	59	6
59	Faversham	3	12	13	5	7	-	8	5	9	-	6	16	37	6	35	44	74	30	6	1	5	2	10	114	4
60	Milton	-	10	40	4	11	-	9	1	5	-	11	13	22	9	50	30	70	17	8	-	5	2	11	89	11
61	Sheppey	-	2	24	-	5	-	5	1	6	-	5	2	32	4	39	26	57	23	6	1	3	-	14	50	14
62	Thanet	-	37	4	7	42	-	15	-	36	-	43	5	97	28	108	64	143	62	23	2	6	1	44	205	29
63	Eastry	-	10	2	-	22	-	10	1	7	-	21	7	34	9	69	52	64	30	8	2	1	-	20	85	16
64	Dover	-	22	5	3	9	1	5	1	19	-	14	5	43	6	90	54	94	55	9	2	1	3	33	116	30
65	Elham	-	2	33	58	10	-	4	-	14	-	22	13	71	13	79	58	85	40	16	-	3	-	20	93	19
66	Romney Marsh	-	5	-	-	5	-	-	-	-	-	1	-	14	5	22	8	13	11	2	1	-	-	6	22	4

Deaths from several Causes, and Inquest Cases in the Year 1882, in Registration Districts—*continued.*

II.—SOUTH EASTERN COUNTIES—*continued.*

No.	DISTRICTS.	CAUSES OF DEATH. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
	3.—SUSSEX.																									
67	Rye	-	7	-	2	7	-	1	1	5	-	5	3	21	1	25	19	32	11	-	1	1	-	11	48	9
68	Hastings	1	42	5	5	42	-	2	-	23	-	34	17	108	21	124	76	116	54	22	4	3	2	24	152	30
69	Battle	-	7	2	-	5	1	2	1	5	-	10	1	30	4	27	21	49	11	7	-	-	2	6	42	7
70	Eastbourne	-	6	-	5	16	-	3	-	13	-	22	11	52	14	49	31	59	34	13	2	2	2	15	95	26
71	Hailsham	-	4	-	1	5	-	-	-	-	-	7	2	28	2	29	16	31	10	6	-	1	1	8	79	10
72	Ticehurst	2	8	5	5	6	-	1	-	4	-	10	1	38	3	31	21	48	11	12	-	4	-	6	62	9
73	Uckfield	-	1	2	2	9	-	4	-	5	-	8	6	33	3	31	34	64	16	10	2	2	3	11	57	13
74	East Grinstead	-	7	2	8	4	-	9	-	6	-	10	5	13	5	29	20	70	12	11	3	3	-	12	40	15
75	Cuckfield	2	8	6	-	8	-	2	1	6	-	9	3	28	10	33	27	34	14	7	2	10	1	15	49	16
76	*Lewes — Chailey	-	1	-	3	3	-	-	-	3	-	5	-	25	5	54	31	37	11	3	-	-	4	6	39	11
	*Lewes — Lewes	-	-	1	-	4	-	-	-	6	-	11	6	23	11	30	19	28	12	3	-	1	1	6	43	9
	*Lewes — West Firle	-	1	-	-	-	-	-	-	1	-	2	-	3	1	3	6	2	2	1	-	-	1	2	5	2
	*Lewes — Newhaven	-	6	3	-	3	-	4	-	-	-	7	4	20	4	10	8	18	7	3	-	-	-	12	19	14
77	Brighton	-	146	91	9	118	1	15	1	59	1	100	18	223	51	253	143	570	129	46	7	4	5	60	361	89
78	Steyning	13	19	17	13	63	-	9	3	23	-	24	6	77	18	97	52	92	57	15	5	4	2	18	142	29
79	Horsham	-	4	7	6	7	-	1	3	6	-	12	2	34	13	43	25	44	16	7	1	1	1	14	76	13
80	Petworth	-	-	-	1	3	-	1	-	3	-	5	2	14	3	22	15	16	9	3	-	-	-	2	27	2
81	Thakeham	-	1	1	2	-	2	1	-	-	-	5	1	12	-	19	8	18	8	1	2	-	-	3	18	1
82	East Preston (Worthing)	-	4	1	2	21	-	3	-	9	-	13	6	46	1	45	44	60	27	12	2	2	6	12	77	14
83	Westhampnett	-	1	1	5	12	1	5	1	3	-	4	1	38	4	31	30	49	24	8	1	-	3	16	68	17
84	Chichester	-	5	-	1	15	-	6	-	6	-	5	2	30	2	19	17	33	8	8	1	2	1	11	24	10
85	Midhurst	-	5	7	9	6	-	2	-	3	-	7	7	24	2	29	16	38	14	4	1	-	1	11	54	9
86	Westbourne	-	1	1	8	4	-	1	-	2	-	-	1	11	1	13	15	18	15	2	-	-	3	2	20	4
	4.—HAMPSHIRE.																									
87	Havant	-	3	3	4	3	-	4	-	3	-	6	2	19	7	22	17	24	13	4	-	3	2	11	27	12
88	Portsea Island	-	162	41	106	40	-	100	11	117	2	82	71	284	35	383	181	518	146	50	3	19	9	84	334	149
89	Alverstoke	-	4	2	5	1	1	16	3	22	1	10	8	53	9	51	37	76	28	13	-	1	1	17	78	24
90	Fareham	-	8	1	1	3	-	9	1	2	-	9	2	43	10	94	19	37	21	5	2	1	1	12	55	20
91	Isle of Wight	-	40	13	24	46	-	15	3	22	-	39	10	164	31	134	111	202	74	24	3	4	5	34	189	41
92	Lymington	-	-	2	1	8	-	1	-	2	-	11	1	15	2	21	12	34	17	2	-	2	-	7	43	8
93	Christchurch	-	13	1	7	40	-	5	-	4	-	21	8	116	14	60	44	88	41	14	1	5	2	10	75	15
94	Ringwood	-	-	-	-	2	1	-	-	-	-	3	1	8	1	7	14	11	4	1	-	-	-	3	19	3
95	Fordingbridge	-	-	1	-	-	-	-	-	2	-	2	1	7	-	18	5	11	3	-	-	-	-	2	32	2
96	New Forest	-	3	2	1	4	-	2	2	-	-	12	1	18	4	27	18	40	14	5	-	-	-	5	35	9

* 76.—The District of Lewes comprises the four Poor Law Unions of Chailey, Lewes, West Firle, and Newhaven.

Deaths from several Causes, and Inquest Cases in the Year 1882, in Registration Districts—*continued.*

II.—SOUTH EASTERN COUNTIES—*continued.*

No.	DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
	4.—HAMPSHIRE— *continued.*																									
97	SOUTHAMPTON	-	1	7	5	25	1	9	3	27	-	27	8	110	27	141	69	201	74	30	3	11	3	34	201	64
98	SOUTH STONEHAM	-	3	5	18	17	-	10	2	31	-	24	5	83	13	87	61	113	51	15	2	2	1	27	115	29
99	ROMSEY	-	-	2	3	4	-	2	1	7	1	2	1	9	3	28	25	19	9	8	-	-	-	9	25	15
100	STOCKBRIDGE	-	-	-	-	3	-	1	-	2	-	2	1	7	1	17	13	14	6	3	1	1	3	3	23	9
101	*WINCHESTER { NEW WINCHESTER	-	21	2	5	14	-	3	-	9	-	22	5	51	10	69	61	80	28	11	1	2	-	21	81	37
	WINCHESTER { HURSLEY	-	-	-	-	1	-	1	-	-	-	-	-	3	-	9	3	3	4	-	-	-	-	-	10	-
102	DROXFORD	-	6	-	10	5	-	-	1	1	-	4	2	6	7	23	16	34	14	12	1	-	-	4	25	5
103	CATHERINGTON	-	-	1	2	2	-	1	-	2	-	2	-	5	2	3	3	11	4	2	-	-	-	1	11	1
104	PETERSFIELD	-	7	1	4	5	-	-	-	-	-	6	2	11	3	26	26	22	8	3	-	1	-	6	49	7
105	ALRESFORD	-	-	-	-	4	-	-	-	2	-	4	-	7	-	13	9	17	5	5	1	-	1	3	21	3
106	ALTON	-	9	2	1	-	-	1	1	2	-	8	1	19	3	34	22	43	13	7	-	4	1	6	47	12
107	HARTLEY WINTNEY	-	9	1	1	16	-	1	-	5	-	11	1	32	7	27	16	52	26	3	-	1	-	14	60	18
108	BASINGSTOKE	-	3	2	-	23	-	-	-	1	-	15	3	28	7	38	37	47	16	3	-	2	1	4	78	17
109	WHITCHURCH	-	1	1	5	1	-	-	-	2	-	6	-	7	-	16	14	12	7	3	-	-	-	2	14	5
110	ANDOVER	-	2	-	-	7	-	1	1	1	-	9	2	24	3	36	22	38	14	5	-	1	1	5	47	11
111	KINGSCLERE	-	1	3	1	8	-	-	-	2	-	6	2	11	-	10	12	29	6	1	1	1	1	5	30	10
	5.—BERKSHIRE.																									
112	NEWBURY	-	-	31	17	11	-	3	-	5	-	18	4	20	6	39	34	76	16	9	1	1	2	5	81	7
113	HUNGERFORD	-	1	18	1	8	-	-	-	6	-	8	11	16	3	44	25	49	19	9	1	1	2	13	65	16
114	FARINODON	-	4	-	-	2	1	1	1	5	-	11	2	25	2	34	19	27	17	5	1	-	-	7	50	11
115	ABINGDON	-	-	11	-	16	-	2	-	6	-	17	3	34	6	33	24	60	19	13	2	-	-	8	76	24
116	WANTAGE	1	11	6	2	13	-	2	1	12	-	9	1	31	7	27	48	46	19	3	1	2	1	7	68	21
117	WALLINGFORD	-	9	-	1	16	-	1	-	6	-	5	1	24	6	75	20	42	15	3	-	1	-	5	73	14
118	BRADFIELD	-	1	8	2	6	-	1	-	6	-	10	3	17	8	27	31	51	13	2	3	1	-	8	42	12
119	READING	-	41	10	8	35	-	9	1	30	-	27	9	99	12	99	66	159	37	18	2	5	-	24	137	37
120	WOKINGHAM	-	4	3	9	8	-	-	1	7	-	7	1	29	5	42	29	63	23	3	1	1	4	12	73	35
121	COOKHAM	4	5	2	6	23	-	2	-	3	-	11	1	24	10	51	26	39	13	6	-	2	-	12	57	18
122	EASTHAMPSTEAD	-	4	-	5	6	-	2	-	2	-	6	2	17	2	27	14	30	12	5	1	-	2	3	35	25
123	WINDSOR	2	21	3	5	16	-	3	-	15	-	22	7	66	13	60	41	99	31	19	-	-	2	19	95	27

* 101.—The District of Winchester comprises the two Poor Law Unions of New Winchester and Hursley.

Deaths from several Causes, and Inquest Cases in the Year 1882, in Registration Districts—*continued.*

III.—SOUTH MIDLAND COUNTIES.

No.	DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
	6.—MIDDLSX. (*ex.-met.*)																									
124	Staines	1	13	9	2	12	-	6	1	13	-	18	11	36	5	44	28	81	27	9	2	8	-	14	69	25
125	Uxbridge	1	3	4	-	4	-	6	-	8	-	14	3	56	9	102	55	117	21	19	-	6	2	29	98	45
126	Brentford	4	53	26	13	70	2	25	2	51	-	51	21	157	45	234	147	361	108	37	7	7	9	50	336	125
127	Hendon	3	57	15	24	46	-	11	-	44	1	33	22	68	20	123	74	197	57	25	-	7	4	30	171	70
128	Barnet	5	18	9	7	17	-	4	-	12	-	22	9	46	12	176	51	105	34	12	2	1	1	23	93	49
129	Edmonton	1	67	117	60	108	-	26	2	55	4	74	49	239	63	301	169	507	120	51	10	12	12	72	484	141
	7.—HERTFORDSH.																									
130	Ware	-	2	3	6	2	-	3	-	7	-	8	1	28	6	52	16	46	13	9	2	2	-	12	49	11
131	Bishop Stortford	1	2	1	-	17	-	3	3	8	-	22	2	23	2	50	32	54	21	6	2	1	1	11	49	11
132	*Royston { Buntingford	2	2	3	1	-	-	1	-	-	-	5	-	13	1	12	11	14	2	2	1	-	3	2	27	4
	*Royston { Royston	1	4	6	26	6	-	1	-	2	2	11	2	27	5	35	27	66	14	8	-	1	1	2	68	10
133	Hitchin	-	3	5	7	8	-	2	-	18	-	12	7	33	5	57	44	78	21	6	3	1	2	14	105	15
134	Hertford	-	3	1	1	4	-	6	-	8	-	4	1	22	1	29	17	42	17	6	1	1	-	8	50	9
135	†Hatfield { Hatfield	1	2	1	-	3	-	-	-	1	-	5	-	10	5	22	8	28	3	3	-	-	1	4	19	6
	†Hatfield { Welwyn	-	-	-	-	-	-	-	-	-	-	1	-	5	1	4	7	5	2	1	-	-	1	1	3	1
136	St. Albans	-	7	3	-	1	-	1	-	15	-	17	1	36	6	59	45	68	24	9	-	1	3	11	72	13
137	Watford	1	37	5	1	1	1	4	-	6	-	25	2	63	5	141	59	111	29	20	2	2	1	9	94	14
138	Hemel Hempstead	-	-	6	1	4	-	2	-	5	-	12	2	21	3	21	35	39	13	6	-	4	1	10	58	21
139	Berkhampstead	-	12	5	1	13	-	-	-	5	-	14	-	30	1	24	25	69	13	5	2	2	-	10	51	16
	8.—BUCKINGHAMS.																									
140	Amersham	-	3	-	2	17	-	1	-	2	-	8	3	23	5	59	24	63	17	11	1	2	-	9	59	16
141	Eton	5	2	15	-	16	1	3	-	4	-	12	1	45	8	62	42	68	27	15	1	-	5	28	84	45
142	Wycombe	-	8	9	1	18	-	5	-	12	-	24	12	47	10	94	47	134	46	13	5	4	4	12	187	42
143	Aylesbury	-	6	33	7	19	-	4	1	14	-	9	5	46	14	56	19	97	24	9	3	-	1	12	129	35
144	Winslow	-	-	-	-	7	-	-	-	6	-	2	2	13	-	12	4	24	6	3	-	-	2	3	47	4
145	Newport Pagnell	-	2	4	1	12	-	11	-	9	-	14	9	29	9	61	30	51	37	10	3	4	1	14	101	20
146	Buckingham	-	2	13	6	11	-	3	-	10	-	7	1	19	4	34	19	38	8	5	-	2	1	3	69	10
	9.—OXFORDSHIRE.																									
147	Henley	-	12	7	13	13	-	2	-	4	-	10	3	27	4	47	34	40	18	7	-	2	1	8	50	8
148	Thame	-	2	-	3	7	-	1	-	3	-	8	1	5	2	32	22	32	13	3	1	-	-	9	67	9
149	Headington	-	2	42	2	10	-	3	2	14	-	26	2	54	23	83	39	70	29	13	-	3	2	16	155	56
150	Oxford	-	3	52	5	6	-	5	1	15	-	12	2	31	10	47	22	54	21	5	1	-	1	19	80	49

* 132.—The District of Royston comprises the two Poor Law Unions of Buntingford and Royston.

† 135.—The District of Hatfield comprises the two Poor Law Unions of Hatfield and Welwyn.

Deaths from several Causes, and Inquest Cases in the Year 1882, in Registration Districts—*continued.*

III.—SOUTH MIDLAND COUNTIES—*continued.*

No.	DISTRICTS.	CAUSES OF DEATH. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
	9.—OXFORDSHIRE— *continued.*																									
151	Bicester	-	1	7	-	5	-	-	1	4	-	13	6	16	1	28	16	33	16	6	1	1	2	8	53	12
152	Woodstock	-	2	5	-	4	-	2	-	4	-	6	5	19	2	32	15	40	21	4	-	-	-	5	41	13
153	Witney	-	3	32	-	4	-	3	-	6	-	15	4	31	3	45	38	70	26	9	2	2	1	7	95	24
154	Chipping Norton	1	6	5	-	-	-	4	2	5	-	5	3	26	4	47	30	37	14	13	1	1	1	11	67	22
155	Banbury	-	2	2	1	2	-	2	-	4	-	16	5	41	3	60	41	79	32	13	-	1	2	15	114	24
	10.—NORTHAMPTN.																									
156	Brackley	-	7	7	1	1	1	3	1	5	-	10	4	18	4	41	24	35	13	6	1	-	-	3	42	10
157	Towcester	-	1	2	1	-	-	-	-	5	-	8	2	14	2	23	14	37	24	3	-	1	-	11	48	13
158	Pottersbury	1	-	2	4	3	-	2	-	2	-	7	3	19	7	27	13	19	8	4	1	2	1	8	55	10
159	Hardingstone	-	9	3	-	6	-	2	-	8	-	1	1	15	2	18	11	31	10	6	-	2	-	6	41	15
160	Northampton	7	26	18	1	28	-	7	3	48	-	36	11	136	27	219	84	195	84	23	3	10	2	53	266	70
161	Daventry	1	-	-	1	6	-	-	-	11	-	14	6	22	3	36	32	37	32	9	1	6	-	10	75	20
162	Brixworth	-	7	6	-	2	-	-	1	3	-	8	1	15	5	26	15	27	20	3	1	-	3	3	41	9
163	Wellingborough	-	18	8	-	16	2	14	-	10	-	13	6	62	15	69	56	132	37	13	1	6	4	18	111	29
164	Kettering	1	51	7	-	8	-	3	1	15	1	16	2	42	11	49	16	67	32	5	-	2	1	15	120	14
165	Thrapston	-	4	1	4	9	-	5	-	3	-	8	6	14	3	23	27	53	10	2	-	-	1	12	52	13
166	Oundle	-	3	1	-	6	-	5	-	2	-	11	1	23	3	32	24	40	11	3	-	1	1	7	49	9
167	Peterborough	-	4	44	10	6	-	18	-	29	-	33	3	170	14	91	48	117	30	11	2	4	3	23	183	33
	11.—HUNTINGDON.																									
168	Huntingdon	-	-	2	1	5	-	6	5	19	-	21	-	37	6	39	31	38	16	7	-	1	1	15	65	16
169	St. Ives	-	-	2	2	10	-	-	2	2	-	10	2	27	4	32	26	39	10	7	-	-	1	14	62	13
170	St. Neots	-	1	11	1	3	-	1	-	8	1	10	4	28	7	27	30	42	13	5	2	-	-	10	54	13
	12.—BEDFORDSH.																									
171	Bedford	-	5	10	18	14	2	4	-	13	-	25	6	66	12	103	64	120	34	21	3	1	2	30	161	33
172	Biggleswade	-	13	17	16	10	2	-	3	7	-	9	12	53	7	74	46	89	40	11	-	1	5	10	115	10
173	Ampthill	19	-	4	5	9	-	1	-	6	-	6	2	18	1	33	24	37	13	2	-	2	-	6	87	9
174	Woburn	-	-	-	-	1	-	-	-	2	-	4	4	16	6	20	11	29	9	4	2	-	-	5	52	5
175	Leighton Buzzard	-	2	-	1	8	-	4	1	2	-	7	8	33	5	36	18	76	16	7	1	3	3	7	73	12
176	Luton	-	6	62	4	26	-	7	3	41	-	28	10	72	14	91	52	118	48	14	1	1	4	8	175	14

Deaths from several Causes, and Inquest Cases in the Year 1882, in Registration Districts—*continued.*

III.—SOUTH MIDLAND COUNTIES—*continued.*

No.	DISTRICTS.	CAUSES OF DEATH. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
	13.—CAMBRIDGES.																									
177	Caxton	-	-	5	3	1	-	-	-	-	-	7	1	18	6	14	9	26	10	1	-	1	-	5	35	14
178	Chesterton	-	2	6	6	27	-	1	-	13	-	15	1	51	14	78	38	97	35	14	-	2	-	13	79	25
179	Cambridge	-	-	16	-	35	1	3	-	11	-	33	4	92	20	64	48	118	34	17	7	-	-	18	107	29
180	Linton	-	3	13	5	4	-	2	-	2	-	5	5	19	2	19	24	32	9	5	1	-	-	3	55	8
181	Newmarket	-	3	6	1	15	-	2	-	7	-	17	12	48	7	56	40	77	26	2	-	1	3	15	122	19
182	Ely	3	1	7	8	10	-	-	2	7	-	15	8	44	4	43	26	43	27	12	2	4	-	13	77	17
183	North Witchford	-	1	2	2	16	1	1	3	2	-	3	4	20	6	33	19	33	13	5	-	1	1	10	69	10
184	Whittlesey	-	-	12	1	-	-	-	-	8	1	2	1	10	2	11	9	23	9	1	-	-	-	3	18	3
185	Wisbech	-	23	78	12	-	-	6	2	21	-	33	7	34	14	71	39	90	24	17	3	1	2	16	134	23

IV.—EASTERN COUNTIES.

No.	DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
	14.—ESSEX.																									
186	West Ham	45	113	225	77	227	2	41	5	141	3	68	86	348	119	558	211	864	178	46	8	14	7	97	634	120
187	Epping	-	1	2	19	17	1	5	2	6	-	8	1	27	12	41	40	69	29	11	-	1	-	9	72	9
188	Ongar	5	2	1	2	5	-	1	-	4	-	5	1	7	1	11	14	38	12	3	1	-	-	4	36	4
189	Romford	3	18	10	7	37	-	5	1	33	-	23	5	54	6	110	25	126	31	15	7	3	2	25	139	25
190	Orsett	1	5	4	8	2	-	1	3	11	-	5	2	25	3	31	19	45	15	8	-	1	-	24	57	22
191	Billericay	-	15	7	12	19	-	3	1	5	-	5	-	27	5	81	32	51	15	4	1	1	-	8	81	10
192	Chelmsford	1	10	-	6	10	-	3	1	3	-	27	9	49	10	61	47	79	39	10	1	1	-	20	100	22
193	Rochford	-	11	11	-	9	-	1	-	10	-	11	2	33	8	49	28	68	12	10	3	6	3	16	69	14
194	Maldon	-	1	-	7	15	-	4	1	11	-	11	3	37	6	52	33	52	22	3	2	1	1	12	97	11
195	Tendring	-	1	6	15	13	1	7	2	8	-	17	9	52	21	68	52	92	42	9	2	3	2	23	137	26
196	Colchester	4	22	1	3	7	1	8	1	16	-	27	4	60	19	79	58	105	29	11	1	-	-	21	86	31
197	Lexden	-	6	2	7	21	-	1	2	6	-	19	1	45	5	49	32	64	22	10	2	1	1	9	70	9
198	Halstead	2	1	2	1	6	-	1	1	8	-	9	2	29	2	40	27	42	16	8	1	-	1	10	62	9
199	Braintree	-	1	1	5	10	-	1	-	7	-	24	7	45	12	65	55	65	36	5	2	1	4	12	130	12
200	Dunmow	-	9	3	1	8	-	1	-	5	-	12	-	29	2	39	47	38	21	6	1	3	2	9	79	11
201	Saffron Walden	1	8	1	-	7	-	3	-	3	-	10	2	26	6	48	35	56	15	8	2	1	1	5	61	7

Deaths from several Causes, and Inquest Cases in the Year 1882, in Registration Districts—*continued.*

IV.—EASTERN COUNTIES—*continued.*

No.	DISTRICTS.	CAUSES OF DEATH. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
	15.—SUFFOLK.																									
202	Risbridge	1	1	-	1	18	-	-	1	8	-	15	5	34	5	36	15	48	25	3	-	3	2	9	57	9
203	Sudbury	2	13	5	1	6	-	3	-	8	-	16	4	57	13	76	45	83	29	14	-	6	-	10	135	14
204	Cosford	-	1	2	1	5	-	-	-	7	-	6	1	24	2	32	21	50	15	9	2	-	2	4	75	4
205	Thingoe	3	-	1	1	4	-	1	1	1	-	12	5	32	10	32	27	39	12	9	-	2	2	10	60	7
206	Bury St. Edmunds	-	1	3	1	1	-	-	-	1	-	13	4	45	12	41	18	41	15	9	2	3	1	9	62	10
207	Mildenhall	-	19	8	-	3	-	-	-	4	-	10	-	19	5	14	12	25	8	2	1	2	-	5	49	4
208	Stow	3	-	3	5	21	-	4	-	5	1	15	-	31	13	25	38	37	25	4	1	2	3	7	100	12
209	Hartismere	-	-	2	10	3	-	3	-	11	-	6	4	19	5	47	27	34	21	5	-	2	1	7	88	9
210	Hoxne	-	1	-	-	-	-	2	-	2	-	9	2	15	5	23	18	30	15	7	-	1	-	7	36	7
211	Bosmere	2	-	1	1	5	-	2	-	4	1	4	2	19	3	30	30	42	11	5	1	2	-	5	72	10
212	Samfrd	-	2	1	1	6	-	1	2	3	1	5	3	18	7	27	12	22	10	5	1	1	1	8	41	9
213	Ipswich	-	13	12	3	15	-	8	2	54	-	27	17	125	34	142	74	197	53	23	3	3	1	22	238	51
214	Wogdbridge	-	7	4	7	6	-	2	-	15	-	5	7	48	6	65	27	67	37	16	2	2	-	21	96	30
215	Plomesgate	-	5	3	-	-	-	5	-	9	-	19	10	39	8	38	34	37	23	8	2	2	1	16	81	24
216	Blything	1	-	1	2	8	-	1	-	15	-	16	4	50	9	45	26	62	23	3	2	-	-	15	124	19
217	Wangford	-	-	-	2	4	-	2	-	4	-	8	6	26	5	37	30	25	14	2	-	-	-	9	44	11
218	Mutford	-	12	2	8	3	-	5	1	26	-	25	12	52	23	85	44	84	25	19	1	4	3	24	154	33
	16.—NORFOLK.																									
219	Yarmouth	-	10	7	2	13	-	8	-	61	2	49	16	59	28	107	54	136	35	9	1	5	2	33	179	48
220	Flegg	-	3	-	-	1	-	1	1	7	-	7	8	21	1	19	14	27	8	2	-	-	-	5	37	5
221	Smallburgh	-	4	2	2	3	-	1	-	8	-	4	3	28	5	31	15	27	20	5	2	2	1	6	73	7
222	Erpingham	-	6	6	-	1	-	5	-	7	-	12	6	28	3	43	41	40	17	15	1	1	-	8	92	7
223	Aylsham	-	2	2	1	4	-	8	-	3	-	11	8	29	6	33	39	48	19	3	-	2	1	8	89	11
224	St. Faiths	-	3	1	2	3	-	-	-	6	-	5	3	26	-	26	19	28	9	5	-	1	1	4	58	8
225	Norwich	-	98	8	5	35	-	7	1	76	1	56	19	176	34	209	97	270	96	31	11	6	9	50	525	98
226	Freehoe	-	2	1	-	1	-	-	-	3	-	10	-	19	7	28	21	26	7	7	-	-	-	9	58	11
227	Henstead	-	2	1	-	-	-	2	-	6	-	4	5	10	1	9	17	18	7	2	-	3	5	3	51	4
228	Blofield	-	3	3	1	2	-	1	1	3	-	4	-	17	6	43	28	30	22	4	-	1	1	8	52	9
229	Loddon	-	-	3	-	4	-	1	-	1	-	14	5	14	3	23	20	30	10	7	-	3	1	7	62	9
230	Depwade	1	1	-	2	4	1	3	-	5	-	17	7	33	8	40	32	50	23	8	-	-	1	9	108	8
231	Guiltcross	-	-	3	-	-	-	-	-	4	-	7	1	17	3	22	15	12	5	1	1	2	1	2	51	3
232	Wayland	-	1	2	2	-	-	3	2	4	-	10	1	18	-	25	11	27	11	5	-	-	1	2	38	1
233	Mitford	-	4	6	9	9	1	3	1	5	-	19	2	43	5	50	39	77	33	11	1	3	5	9	138	13
234	Walsingham	-	11	-	3	3	-	1	-	5	-	24	1	37	2	54	43	65	11	6	4	-	-	11	76	12
235	Docking	-	3	-	1	8	-	-	-	6	-	10	2	33	4	32	26	42	19	5	1	1	1	16	90	9

Deaths from several Causes, and Inquest Cases in the Year 1882, in Registration Districts—*continued.*

IV.—EASTERN COUNTIES—*continued.*

No.	Districts.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
	16.—NORFOLK— *continued.*																									
236	Freebridge Lynn	-	3	12	5	5	-	3	-	5	-	7	2	18	6	20	19	35	13	3	2	1	1	7	73	9
237	Kings Lynn	-	11	8	6	6	-	1	1	9	-	21	4	31	8	56	30	47	22	10	1	2	1	16	115	22
238	Downham	-	4	31	9	-	2	3	1	11	-	11	5	35	8	42	31	71	25	16	1	3	-	13	71	14
239	Swaffham	-	-	17	4	3	-	5	1	1	-	13	-	16	5	23	22	41	8	10	-	2	-	6	49	9
240	Thetford	-	3	1	1	2	-	-	-	4	1	16	2	32	11	39	25	42	31	5	1	1	-	9	63	7

V.—SOUTH WESTERN COUNTIES.

No.	Districts.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
	17.—WILTSHIRE.																									
241	Highworth	-	12	1	-	3	-	3	3	10	-	15	10	75	16	67	36	131	40	17	1	7	2	19	99	36
242	Cricklade	-	9	-	2	-	1	4	-	3	-	5	6	16	2	29	21	43	12	2	-	1	2	5	57	20
243	Malmesbury	-	19	9	6	-	-	3	-	8	-	6	1	16	-	25	26	54	11	4	3	4	-	8	61	13
244	Chippenham	-	1	2	-	1	-	2	-	5	1	12	2	32	5	53	40	65	27	12	1	-	2	10	87	29
245	Calne	-	12	9	1	6	-	-	-	1	-	3	-	15	-	20	18	27	7	2	-	-	2	2	40	7
246	Marlborough	-	6	4	-	-	-	-	-	1	-	4	2	20	4	20	19	22	16	3	-	-	-	2	29	9
247	Devizes	-	-	2	-	2	-	-	-	3	-	20	4	39	3	72	63	52	20	11	-	-	4	6	56	23
248	Melksham	-	-	-	1	14	-	2	-	5	1	13	6	29	3	41	35	67	22	6	1	3	-	10	53	36
249	Bradford-on-Avon	-	-	-	-	5	-	1	-	4	-	6	-	12	1	29	18	29	15	5	3	1	-	7	42	24
250	Westbury	-	-	2	-	2	-	-	-	3	-	12	4	11	3	19	29	33	9	5	1	1	2	5	22	15
251	Warminster	-	1	-	-	10	-	2	1	6	-	7	1	17	4	34	22	33	15	8	1	1	1	8	55	21
252	Pewsey	-	-	1	1	-	-	-	-	2	-	8	1	21	3	28	25	24	13	7	1	2	-	5	36	19
253	Amesbury	-	-	-	2	2	-	-	-	1	1	5	-	12	-	19	16	22	12	5	-	-	1	4	24	7
254	*Alderbury { Alderbury	-	-	-	1	1	-	1	-	4	1	15	3	37	2	81	38	63	13	9	3	3	1	7	71	20
	*Alderbury { Salisbury	-	-	1	-	-	-	-	-	5	-	6	1	18	1	23	8	21	8	9	-	-	-	3	29	5
255	Wilton	-	-	1	2	8	-	-	1	1	-	12	-	9	4	24	16	17	4	6	1	-	-	5	33	11
256	Tisbury	-	-	-	-	1	-	-	-	-	-	5	5	10	1	29	30	26	6	3	-	1	3	4	22	5
257	Mere	-	-	13	-	6	-	-	1	2	-	4	2	11	2	16	13	25	12	1	-	1	1	2	21	3

* 254.—The Registration District and Poor Law Union of Alderbury prior to 21st May 1869 consisted of two Registration Districts, Alderbury and Salisbury.

Deaths from several Causes, and Inquest Cases in the Year 1882, in Registration Districts—*continued.*

V.—SOUTH WESTERN COUNTIES—*continued.*

No.	DISTRICTS.	CAUSES OF DEATH. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
	18.—DORSETSHIRE.																									
258	Shaftesbury	-	-	17	1	9	-	-	2	2	-	16	-	9	4	20	30	51	16	5	3	-	-	9	31	6
259	Sturminster	-	3	3	-	4	-	3	-	3	-	5	3	19	1	20	13	36	8	5	-	1	-	2	29	3
260	Blandford	-	-	2	-	5	-	2	-	3	-	8	1	21	1	27	16	42	19	5	1	-	-	5	40	5
261	Wimborne	-	1	1	1	8	-	-	1	3	-	16	-	21	3	33	30	49	16	8	3	-	3	5	39	6
262	Poole	-	15	4	1	12	-	-	-	9	-	14	3	23	6	56	14	54	23	2	-	-	2	9	78	4
263	Wareham	-	1	1	9	3	-	3	-	6	-	9	7	20	4	32	27	40	22	4	-	-	1	12	48	11
264	Weymouth	-	2	5	2	1	-	1	1	18	2	15	8	41	10	76	36	98	23	15	4	-	2	19	62	28
265	*Dorchester, Dorchester	-	-	1	5	5	-	6	-	8	-	7	4	38	9	59	36	58	21	5	1	-	1	10	63	13
	*Dorchester, Cerne	-	-	-	-	-	-	1	-	3	-	1	-	13	-	17	17	12	3	2	-	1	1	6	20	5
266	Sherborne	-	-	-	3	3	-	2	1	8	-	9	2	15	1	28	23	24	25	5	2	2	-	7	51	11
267	Beaminster	-	-	-	-	2	-	5	-	2	-	8	2	9	4	20	30	33	18	1	1	-	1	6	46	5
268	Bridfort	-	-	3	1	-	-	-	-	1	-	11	2	17	5	33	22	58	14	5	1	-	1	16	46	14
	19.—DEVONSHIRE.																									
269	Axminster	-	-	1	1	-	1	3	1	5	-	10	3	21	3	35	26	55	26	1	-	3	1	20	77	20
270	Honiton	-	-	4	4	1	-	6	1	5	-	18	1	37	1	52	28	53	21	8	1	1	4	12	91	9
271	St. Thomas	-	11	7	2	19	1	15	2	17	1	32	9	86	7	142	84	146	49	18	3	5	4	27	176	28
272	Exeter	-	10	5	4	15	1	8	3	43	-	36	13	82	29	121	53	140	51	26	6	7	3	27	161	47
273	Newton Abbot	-	1	2	8	15	-	10	1	25	-	45	13	140	32	176	102	235	89	36	5	5	6	25	233	31
274	Totnes	-	1	1	-	11	-	8	4	12	-	25	-	44	5	86	64	77	33	12	6	3	4	26	145	27
275	Kinosbridge	-	-	-	1	2	-	3	-	8	-	13	3	29	4	58	41	47	9	10	1	-	4	9	49	10
276	Plympton St. Mary	-	6	1	-	6	-	1	-	4	-	12	1	47	15	59	41	82	24	8	2	2	5	11	65	14
277	Plymouth	-	62	5	9	39	2	16	1	38	5	56	25	154	51	216	109	321	67	31	5	4	5	34	317	91
278	East Stonehouse	-	35	-	2	12	-	15	-	7	-	12	3	50	7	47	25	89	14	6	1	1	5	9	40	13
279	Stoke Damerel	-	14	4	9	14	-	8	-	25	1	35	4	103	18	128	61	130	50	17	2	4	2	15	174	35
280	Tavistock	-	38	2	2	1	-	4	2	7	-	17	8	61	11	60	49	101	25	14	-	2	2	25	103	42
281	Okehampton	-	2	-	1	-	-	1	-	7	-	10	2	21	9	37	35	57	10	7	-	-	-	12	53	14
282	Crediton	-	1	3	4	5	-	7	-	5	-	6	1	24	1	31	26	37	24	6	-	-	1	11	69	14
283	Tiverton	1	-	6	1	4	1	13	1	3	-	17	2	46	6	52	43	87	33	14	2	3	2	13	115	11
284	South Molton	-	-	5	2	4	-	2	1	2	-	11	1	31	3	39	21	30	20	5	-	3	1	5	54	13
285	Barnstaple	-	-	82	5	3	-	2	1	15	-	36	3	53	13	90	60	94	35	18	3	3	2	24	107	33
286	Torrington	-	1	3	-	4	-	-	-	5	-	10	1	29	6	30	31	41	16	10	1	1	1	2	49	5
287	Bideford	-	-	16	5	3	-	-	-	5	-	11	3	29	2	38	27	55	23	6	1	1	-	12	67	18
288	Holsworthy	-	1	-	-	-	-	-	-	3	-	3	3	19	6	16	12	38	8	5	-	1	-	2	34	5

* 265.—The District of Dorchester comprises the two Poor Law Unions of Dorchester and Cerne.

Deaths from several Causes, and Inquest Cases in the Year 1882, in Registration Districts—*continued.*

V.—SOUTH WESTERN COUNTIES—*continued.*

No.	Districts.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
	20.—CORNWALL.																									
289	Stratton	-	-	1	3	1	-	-	-	1	-	3	1	13	-	12	11	12	8	6	-	-	1	2	37	7
290	Camelford	-	2	-	-	-	-	-	-	1	-	3	3	9	4	18	16	10	6	-	1	4	2	8	37	15
291	Launceston	-	4	3	5	3	-	1	1	1	-	14	2	26	6	36	21	51	19	7	1	-	2	4	78	31
292	St. Germans	-	23	4	4	15	-	3	-	8	-	7	1	42	2	38	26	57	20	11	-	2	-	12	65	22
293	Liskeard	-	11	3	4	4	1	7	1	5	-	29	4	54	2	72	40	114	32	12	1	1	3	14	91	34
294	Bodmin	-	5	7	3	3	-	3	1	2	-	11	8	42	2	50	36	44	21	7	2	-	2	12	100	45
295	St. Columb	-	-	2	-	3	-	5	-	5	-	7	10	27	2	25	25	51	21	5	1	1	1	7	63	22
296	St. Austell	-	2	8	10	-	-	2	1	3	-	18	4	54	8	63	38	106	36	13	2	1	2	14	137	30
297	Truro	-	16	14	10	15	-	10	2	3	-	25	5	71	12	73	56	106	36	12	3	1	1	19	193	30
298	Falmouth	1	19	-	1	20	-	2	-	10	-	12	4	37	5	62	34	66	26	9	1	-	2	15	83	23
299	Helston	-	15	2	1	1	-	4	2	4	-	13	3	55	3	55	20	84	36	5	-	1	3	8	163	25
300	Redruth	-	2	19	12	1	-	8	3	27	-	30	9	96	25	107	64	165	42	16	2	-	3	40	245	46
301	Penzance	-	22	8	2	-	1	6	1	36	-	40	23	103	11	133	54	139	54	23	3	4	4	15	273	36
302	Scilly Islands	-	1	-	-	-	-	-	-	3	-	2	-	3	-	13	7	3	2	-	-	-	-	-	10	-
	21.—SOMERSETSH.																									
303	Williton	-	-	1	2	3	-	-	1	4	-	10	2	26	4	35	30	66	19	9	2	2	2	10	64	13
304	Dulverton	-	-	1	-	1	-	-	1	-	-	7	1	8	2	11	8	10	11	-	-	-	-	6	20	5
305	Wellington	-	-	-	4	-	-		1	3	-	14	1	21	10	47	41	61	16	4	-	-	2	6	64	8
306	Taunton	-	2	13	55	13	-	7	-	13	-	28	7	67	12	84	60	114	53	25	3	2	4	16	140	23
307	Bridgwater	-	-	1	-	10	-	4	-	7	-	16	12	49	13	69	42	83	39	18	-	2	4	28	94	35
308	Langport	-	-	1	4	2	-	2	3	6	1	3	8	20	1	41	23	40	18	5	-	4	3	6	62	11
309	Chard	-	-	5	2	2	1	5	1	6	1	13	1	25	13	37	44	79	27	7	2	1	2	9	126	13
310	Yeovil	-	-	2	1	7	-	2	1	4	-	18	3	35	10	47	47	76	30	10	5	-	-	13	106	21
311	Wincanton	-	-	9	2	3	-	1	-	12	-	15	6	34	6	51	27	71	17	6	1	2	-	8	72	19
312	Frome	-	-	-	-	10	-	2	1	6	-	16	3	20	4	64	42	74	27	15	3	2	-	13	81	29
313	Shepton Mallet	-	-	-	5	2	-	2	1	3	-	10	2	20	5	44	30	34	19	2	1	-	1	9	64	16
314	Wells	3	2	1	3	-	-	8	-	3	-	10	4	35	2	73	43	94	31	24	2	2	3	13	82	22
315	Axbridge	-	11	11	1	8	1	4	2	13	-	26	14	64	8	83	91	104	49	16	1	2	2	23	115	34
316	Clutton	-	-	11	7	7	-	2	1	9	-	9	3	24	4	56	43	70	29	10	4	1	2	15	92	26
317	Bath	-	1	32	5	12	-	8	3	25	-	56	7	124	15	191	151	231	66	47	4	7	8	52	263	73
318	Keynsham	-	-	1	1	14	-	3	-	14	-	12	7	49	7	57	30	85	26	8	1	5	-	17	116	15
319	Bedminster	-	28	25	7	67	-	6	1	30	-	36	9	106	22	186	90	202	70	20	2	6	4	30	258	72

Deaths from several Causes, and Inquest Cases in the Year 1882, in Registration Districts—*continued.*

VI.—WEST MIDLAND COUNTIES.

No.	DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
	22.—GLOUCESTRSH.																									
320	Bristol (*part of City*)	-	6	14	1	64	1	9	1	35	-	46	12	128	27	154	102	226	76	47	5	4	4	88	219	151
321	Barton Regis (*including part of Bristol City*)	-	43	79	6	125	9	23	3	85	1	95	37	299	72	426	227	573	122	55	5	13	9	49	593	100
322	Chipping Sodbury	-	5	5	-	6	-	1	-	3	-	12	1	11	4	43	33	66	25	5	-	3	1	12	65	9
323	Thornbury	-	1	23	-	3	-	8	-	1	-	10	6	23	2	38	32	55	14	7	-	2	-	8	61	8
324	Dursley	-	-	7	4	3	-	-	-	3	1	12	3	14	3	30	20	44	16	10	1	-	3	11	55	8
325	Westbury-on-Severn	1	-	5	5	5	1	2	1	5	-	14	15	21	7	56	30	87	23	6	1	3	3	13	71	23
326	Newent	-	4	5	-	-	-	-	2	5	-	3	2	18	3	19	15	40	8	2	-	-	1	4	41	6
327	Gloucester	-	10	194	1	5	-	9	1	28	-	27	12	89	10	141	56	133	54	21	1	8	2	35	210	43
328	Wheatenhurst	2	2	1	4	-	-	3	-	5	-	5	1	13	2	11	9	8	8	5	2	-	-	5	37	7
329	Stroud	-	32	15	-	1	-	3		19	-	25	16	52	10	97	86	129	40	13	3	2	3	17	141	30
330	Tetbury	-	5	3	-	1	-	1	-	1	-	4	-	6	1	14	8	9	5	-	-	1	-	2	17	1
331	Cirencester	-	3	5	-	7	-	1	-	5	-	24	5	24	8	42	41	81	20	18	-	2	1	14	79	15
332	Northleach	-	5	1	-	2	-	4	2	2	-	6	3	9	3	17	8	17	9	3	-	1	2	7	36	8
333	Stow-on-the-Wold	-	14	2	-	4	-	2	-	2	-	4	2	9	1	19	18	30	13	6	-	-	2	6	34	12
334	Winchcomb	1	6	1	1	-	-	5	-	5	-	2	1	7	2	20	15	21	6	2	-	-	2	-	48	4
335	Cheltenham	-	85	3	2	6	-	8	-	30	1	46	11	75	13	137	79	183	58	26	5	3	1	24	219	37
336	Tewkesbury	-	14	1	2	3	-	3	-	8	-	6	4	26	4	35	26	36	14	3	2	-	1	4	54	11
	23.—HEREFORDSH.																									
337	Ledbury	1	1	7	4	1	-	-	-	3	-	10	1	15	2	29	26	35	9	4	-	-	-	1	47	6
338	Ross	-	12	-	1	7	-	2	2	-	-	9	2	21	5	30	34	56	15	2	1	3	4	11	85	15
339	*Hereford { Hereford	-	51	29	5	21	-	1	1	10	-	28	6	59	6	102	55	87	29	16	2	5	-	21	134	28
	*Hereford { Dore	-	6	2	2	1	-	-	-	2	1	8	-	14	3	18	17	28	12	1	-	-	-	7	45	8
340	Weobly	-	5	14	-	4	-	1	-	3	-	5	3	6	-	15	29	15	11	6	2	-	-	2	37	8
341	Bromyard	-	-	2	1	1	1	-	-	3	-	7	3	7	-	19	18	36	8	5	1	3	4	5	43	3
342	Leominster	-	1	2	-	-	-	1	-	3	-	7	4	18	2	41	27	35	15	5	-	2	3	8	39	6
343	Kington	-	-	2	3	17	-	1	-	4	-	9	1	17	7	27	23	33	9	2	-	1	-	6	42	9
	24.—SHROPSHIRE.																									
344	Ludlow	-	4	3	2	12	1	2	1	2	-	6	4	26	2	48	28	55	22	6	1	-	2	7	53	11
345	Clun	-	-	4	1	2	-	2	1	-	-	10	2	13	2	17	16	30	13	2	-	1	1	4	43	7
346	Church Stretton	-	1	1	-	-	-	-	-	2	-	4	-	7	1	9	8	8	8	4	-	-	1	3	12	3
347	Cleobury Mortimer	-	-	-	2	2	-	-	-	4	-	2	1	6	-	16	11	16	8	1	-	2	1	5	30	6
348	Bridgnorth	-	1	3	3	13	-	-	-	5	-	7	1	12	1	30	29	37	23	13	-	-	-	11	62	14
349	Shifnal	-	2	6	2	1	-	2	-	3	-	5	1	14	9	22	20	47	13	6	-	3	2	10	31	7

* 339.—The District of Hereford comprises the two Poor Law Unions of Hereford and Dore.

Deaths from several Causes, and Inquest Cases in the Year 1882, in Registration Districts—*continued.*

VI.—WEST MIDLAND COUNTIES—*continued.*

No.	DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
	24.—SHROPSHIRE— *continued.*																									
350	Madeley	-	-	9	24	11	-	7	1	12	-	20	5	30	9	61	45	102	23	9	-	2	4	19	103	26
351	*Atcham { Atcham	-	3	2	5	-	1	2	-	4	-	16	-	23	7	41	39	47	24	7	1	1	1	8	53	14
	*Atcham { Shrewsbury	-	22	-	8	8	-	7	1	17	-	30	9	61	13	86	65	112	37	20	4	6	7	25	109	40
352	Oswestry	-	-	36	3	12	-	2	2	3	-	17	12	47	9	92	43	85	24	13	-	1	3	22	95	23
353	Ellesmere	-	1	-	-	7	-	1	-	5	-	7	1	24	4	24	29	19	10	7	1	1	1	8	49	11
354	Wem	-	-	5	-	1	-	-	-	4	-	3	1	19	-	15	12	26	7	5	2	-	1	6	34	9
355	Whitchurch	-	-	4	-	7	-	2	-	3	-	2	-	17	3	26	28	16	14	2	1	-	-	6	33	9
356	Market Drayton	-	-	1	3	1	1	2	-	4	-	8	2	19	4	23	31	32	20	3	-	-	-	4	46	8
357	Wellington	-	-	26	24	9	1	12	-	23	-	16	8	42	6	56	32	91	50	11	3	-	1	15	87	12
358	Newport	-	-	9	1	5	-	5	-	6	-	12	4	18	1	23	18	48	20	4	-	2	-	10	62	8
	25.—STAFFORDSH.																									
359	Stafford	-	4	5	9	14	1	2	-	9	-	15	2	82	14	151	49	89	34	7	2	-	1	28	151	34
360	Stone	-	2	4	4	13	-	4	2	17	-	15	9	53	6	85	43	85	35	4	2	3	3	23	109	18
361	Newcastle-under-Lyme	9	10	11	1	23	-	9	2	26	-	20	6	40	9	96	22	113	37	11	1	7	3	22	164	27
362	Wolstanton	1	51	65	2	44	1	32	6	92	-	35	45	117	35	315	75	344	93	20	6	18	4	49	353	55
363	Stoke-upon-Trent	-	4	53	10	36	1	53	4	128	1	50	42	235	31	381	146	548	158	47	7	17	16	97	464	114
364	Leek	-	7	12	1	14	-	6	-	27	-	17	11	61	13	91	59	119	39	18	1	4	4	17	127	17
365	Cheadle	-	14	9	1	7	-	2	-	8	1	15	7	37	5	55	33	67	23	8	-	1	1	11	93	19
366	Uttoxeter	-	-	1	3	3	-	1	-	7	-	10	4	16	7	35	23	37	16	3	1	-	2	9	50	13
367	Burton-upon-Trent	4	37	28	5	20	1	25	1	33	-	50	19	133	33	183	73	215	73	25	-	6	3	43	248	70
368	Tamworth	-	9	5	7	12	-	1	-	13	-	10	3	24	12	38	25	40	15	10	-	3	2	14	58	15
369	Lichfield	1	29	13	6	18	3	6	-	10	-	20	4	73	15	135	65	103	34	7	2	4	2	30	158	33
370	Cannock	-	20	15	-	11	-	7	4	8	2	13	9	38	10	85	37	91	41	16	1	3	3	23	139	30
371	†Wolverhampton { Seisdon	-	2	7	-	6	1	3	1	7	-	4	1	20	1	26	19	52	19	15	-	2	1	10	57	14
	†Wolverhampton { Wolverhampton	11	128	40	8	100	1	31	5	145	-	55	49	168	37	307	180	571	163	75	4	11	5	102	577	151
372	Walsall	15	26	24	12	45	1	22	5	97	1	30	66	115	18	191	87	329	88	35	6	6	2	79	323	129
373	West Bromwich	64	56	64	12	38	-	48	9	104	-	46	56	131	30	331	132	462	156	52	4	12	8	111	541	153
374	Dudley	37	68	50	4	92	-	63	2	157	2	46	43	120	34	344	137	568	171	43	7	10	9	110	692	137
	26.—WORCESTRSH.																									
375	Stourbridge	-	67	64	8	46	-	30	8	58	-	34	51	82	21	216	95	265	102	20	3	8	9	51	368	60
376	Kidderminster	-	34	10	4	7	2	5	2	31	-	18	12	68	15	86	50	123	40	14	3	4	2	24	151	31
377	Tenbury	-	-	-	-	2	-	2	-	-	-	5	1	4	1	16	17	5	11	1	-	-	1	5	22	5

* 351.—The Registration District and Poor Law Union of Atcham prior to 1st October 1871 consisted of two Registration Districts, Atcham and Shrewsbury.
† 371.—The District of Wolverhampton comprises the two Poor Law Unions of Seisdon and Wolverhampton.

Deaths from several Causes, and Inquest Cases in the Year 1882, in Registration Districts—*continued.*

VI.—WEST MIDLAND COUNTIES—*continued.*

No.	DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
	26.—WORCESTRSH. *—continued.*																									
378	Martley	-	1	-	1	1	-	-	-	4	-	6	-	22	2	32	20	42	11	6	-	3	1	11	49	16
379	Worcester	-	21	2	1	8	1	1	-	41	-	17	18	82	11	72	38	114	50	25	1	2	3	20	130	43
380	Upton-on-Severn	-	4	5	-	5	-	4		5	1	13	-	46	5	95	60	47	28	14	-	-	2	11	67	13
381	Evesham	-	6	5	1	-	-	20	-	7	-	9	1	14	-	26	22	46	19	7	-	-	2	3	42	7
382	Pershore	-	9	-	-	-	-	4	-	10	-	5	-	24	1	24	26	40	10	6	-	-	-	6	40	4
383	Droitwich	1	22	17	13	7	-	6	4	11	1	10	8	31	23	62	36	79	27	4	3	4	-	18	90	24
384	Bromsgrove	-	58	17	2	22	-	5	2	16	-	16	4	51	26	72	38	107	32	14	1	1	1	13	114	19
385	Kings Norton	-	14	42	17	26	2	25	4	48	1	40	18	131	32	205	97	261	106	38	8	7	13	40	279	64
	27.—WARWICKSH.																									
386	Birmingham	17	99	186	44	196	2	48	12	365	1	162	86	548	97	651	325	1159	283	116	21	35	23	279	960	542
387	Aston	-	82	95	24	166	-	30	9	252	2	71	53	321	60	483	223	778	189	66	8	19	12	112	774	229
388	Meriden	-	1	2	1	2	-	3	-	3	-	11	-	16	2	27	27	36	8	5	1	-	1	7	36	13
389	Atherstone	-	4	3	-	3	-	4	-	11	-	7	5	19	4	36	17	36	19	4	-	2	2	30	50	38
890	Nuneaton	-	3	8	-	1	-	3	-	10	-	5	8	13	5	30	23	42	16	6	1	-	1	7	73	15
391	Foleshill	-	4	3	-	6	1	1	1	11	-	11	21	18	4	38	15	65	15	13	-	2	1	11	91	19
392	Coventry	-	19	21	5	7	-	12	1	30	-	37	21	70	27	125	65	166	41	17	2	2	2	34	136	44
393	Rugby	-	8	9	2	15	-	5	1	9	-	23	2	36	10	66	32	62	25	13	1	3	2	22	81	24
394	Solihull	-	4	3	6	12	-	3	-	2	1	10	5	18	8	44	27	50	28	17	10	1	-	10	76	6
395	Warwick	2	12	8	3	13	-	4	2	25	-	31	5	88	14	146	89	137	65	29	6	3	3	24	196	25
396	Stratford-on-Avon	-	-	2	2	-	1	6	-	4	-	12	1	22	4	45	33	61	21	14	2	-	2	12	82	12
397	Alcester	-	1	5	6	15	-	6	2	7	-	12	1	29	4	43	28	69	13	8	1	1	-	8	66	8
398	Shipston-on-Stour	-	1	5	-	6	-	3	1	6	-	10	4	23	7	48	28	44	25	5	-	-	2	13	66	18
399	Southam	-	1	1	3	-	-	2	1	3	1	5	1	17	2	30	11	26	6	8	-	1	-	4	50	5

VII.—NORTH MIDLAND COUNTIES.

No.	DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
	28.—LEICESTERSH.																									
400	Lutterworth	-	4	14	-	3	-	1	-	4	-	8	1	15	2	30	30	41	14	3	-	1	2	11	51	16
401	Market Harborough	-	7	2	-	2	-	4	-	8	-	10	7	24	2	33	21	47	14	2	-	-	1	11	57	15
402	Billesdon	-	1	7	1	-	-	3	-	8	-	5	1	8	3	39	11	30	11	2	1	-	-	5	47	10

Deaths from several Causes, and Inquest Cases in the Year 1882, in Registration Districts—*continued.*

VII.—NORTH MIDLAND COUNTIES—*continued.*

No.	DISTRICTS.	CAUSES OF DEATH. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
	28.—LEICESTERSH. *—continued.*																									
403	Blaby	5	3	45	1	-	-	5	-	12	1	9	7	25	9	48	29	75	17	7	-	-	2	8	97	22
404	Hinckley	-	-	15	2	5	..	7	-	24	-	9	6	21	6	44	28	60	18	10	1	3	-	6	87	15
405	Market Bosworth	-	1	10	1	5	1	5	2	14	-	8	2	15	3	40	21	38	21	8	-	2	-	12	52	15
406	Ashby-de-la-Zouch	1	4	12	-	17	-	5	1	8	-	19	12	23	14	79	52	101	25	13	2	6	2	20	122	28
407	Loughborough	-	1	7	3	3	3	1	1	31	1	14	14	43	10	66	38	85	26	8	-	3	6	25	112	31
408	Barrow-upon-Soar	-	13	42	1	3	-	1	-	25	-	12	2	32	13	86	25	71	24	12	4	-	4	18	107	30
409	Leicester	1	83	51	8	21	1	23	1	237	1	45	36	206	58	378	148	421	106	67	3	11	15	65	546	191
410	Melton Mowbray	-	1	52	4	6	-	4	-	11	-	12	3	26	6	45	25	34	29	4	1	2	-	16	94	21
	29.—RUTLANDSH.																									
411	Oakham	-	4	7	1	7	-	-	-	-	-	2	4	15	2	25	18	34	11	3	-	1	1	-	47	2
412	Uppingham	1	4	1	1	-	-	2	-	1	-	10	2	12	2	20	15	29	14	8	-	1	3	6	43	7
	30.—LINCOLNSH.																									
413	Stamford	2	-	-	2	14	-	-	-	9	-	17	2	23	8	52	27	38	21	11	4	-	-	19	51	14
414	Bourn	-	1	5	5	-	-	2	-	4	-	13	3	27	7	40	30	48	14	4	-	-	-	8	75	9
415	Spalding	-	1	15	-	6	-	3	-	11	-	15	2	35	7	52	28	64	17	6	-	2	1	8	99	13
416	Holbeach	-	-	5	8	1	-	1	-	5	1	13	1	22	5	39	27	33	22	14	1	1	2	15	61	16
417	Boston	-	2	2	3	6	-	6	-	23	-	23	5	72	16	100	44	100	38	6	3	4	3	20	183	26
418	Sleaford	2	-	25	2	7	-	8	-	26	-	15	4	31	6	55	37	71	29	15	1	-	1	14	86	11
419	Grantham	-	23	17	8	7	-	5	-	22	-	24	16	58	16	68	47	90	34	14	1	-	1	11	111	14
420	Lincoln	16	17	66	13	51	1	15	6	52	-	43	18	123	28	225	96	202	71	21	5	6	8	42	261	57
421	Horncastle	-	4	4	5	14	2	4	-	7	-	17	-	30	7	50	41	49	23	7	-	3	-	7	99	15
422	Spilsby	-	2	15	-	1	-	1	-	10	-	30	7	48	8	79	31	66	29	16	1	1	1	7	102	16
423	Louth	-	-	2	1	15	-	3	1	16	1	19	7	54	14	89	52	81	39	10	2	2	2	28	134	32
424	Caistor	-	21	110	6	26	1	16	6	57	1	25	19	105	18	184	73	205	74	18	3	11	4	60	144	61
425	Glanford Brigg	-	-	34	11	4	1	8	2	25	-	16	11	51	9	109	51	113	38	11	-	2	3	21	188	31
426	Gainsborough	-	5	103	15	5	2	8	4	38	1	14	8	42	7	89	40	95	52	13	2	4	-	25	100	32
	31.—NOTTINGHAM.																									
427	East Retford	-	2	25	5	3	1	3	-	9	-	20	4	38	7	50	31	51	25	6	2	2	1	15	89	14
428	Worksop	-	-	83	3	18	-	3	-	10	-	10	6	35	15	92	43	94	29	5	2	5	6	13	95	19
429	Mansfield	-	17	56	55	5	-	5	-	17	-	17	21	70	18	142	60	149	51	9	1	3	4	33	171	43

Deaths from several Causes, and Inquest Cases in the Year 1882, in Registration Districts—*continued.*

VII.—NORTH MIDLAND COUNTIES—*continued.*

No.	DISTRICTS.	CAUSES OF DEATH. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
	31.—NOTTINGHAM. *—continued.*																									
430	BASFORD	4	27	149	37	34	1	34	1	111	1	45	54	186	45	315	144	446	125	31	9	15	7	65	518	100
431	NOTTINGHAM	50	130	223	17	65	-	50	5	190	3	103	107	373	96	461	194	635	170	71	9	22	14	115	816	195
432	SOUTHWELL	-	2	15	9	1	1	1	2	5	-	17	4	37	7	55	33	43	22	10	1	2	3	12	78	13
433	NEWARK	3	15	14	5	7	-	5	1	22	4	16	8	58	13	63	56	34	32	8	3	1	3	24	106	27
434	BINGHAM	-	-	34	3	11	-	2	-	11	-	10	2	36	3	25	23	37	13	4	1	1	2	4	55	9
	32.—DERBYSHIRE.																									
435	SHARDLOW	-	21	20	4	6	-	3	1	15	-	20	8	62	14	107	65	114	44	14	-	12	3	24	158	40
436	DERBY	-	31	62	3	31	-	26	5	30	1	33	27	137	17	240	108	256	94	24	2	8	9	44	253	114
437	BELPER	2	24	19	4	22	-	5	4	49	-	21	19	90	15	150	84	192	72	12	6	6	8	44	258	72
438	ASHBORNE	-	2	4	1	2	-	3	-	4	-	13	1	19	11	48	33	65	27	10	-	-	1	6	53	14
439	CHESTERFIELD	6	28	205	7	52	1	14	5	79	-	37	51	143	57	284	116	349	102	11	6	3	5	124	310	135
440	BAKEWELL	-	1	2	6	12	-	5	1	10	-	19	4	37	11	79	53	111	38	9	2	4	1	23	134	39
441	CHAPEL-EN-LE-FRITH	-	10	1	2	9	-	4	-	13	-	15	3	33	5	58	26	60	40	7	2	2	1	10	76	21
442	HAYFIELD	-	12	5	2	19	1	11	1	31	1	15	6	66	15	116	57	177	57	11	2	-	3	15	110	30

VIII.—NORTH WESTERN COUNTIES.

No.	DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
	33.—CHESHIRE.																									
443	STOCKPORT	2	59	44	5	34	4	47	6	111	2	64	40	237	46	371	151	571	199	44	4	14	12	84	487	176
444	MACCLESFIELD	-	7	100	8	8	-	9	5	34	-	41	24	135	31	229	116	261	81	31	4	4	4	27	240	68
445	ALTRINCHAM	-	33	14	15	16	-	8	5	34	-	11	11	108	16	157	84	171	72	21	5	6	4	33	168	57
446	RUNCORN	1	43	37	8	6	-	4	2	46	1	21	14	53	8	77	70	107	45	11	-	3	6	31	143	35
447	NORTHWICH	-	19	6	5	28	-	11	-	11	-	19	34	65	9	115	56	157	48	14	-	5	1	25	184	34
448	CONGLETON	-	4	8	8	27	3	7	-	17	1	23	14	76	33	79	46	107	43	15	3	4	2	25	171	32
449	NANTWICH	-	18	18	6	35	-	15	-	31	1	25	28	80	8	158	78	190	66	14	6	9	4	22	216	46
450	*CHESTER { TARVIN	-	-	1	-	-	-	2	-	6	-	4	-	18	2	28	17	16	10	1	-	1	-	8	44	17
	CHESTER	-	40	6	6	28	-	14	2	20	1	22	5	113	30	144	66	148	82	27	4	4	4	32	212	52
	HAWARDEN	-	13	-	5	1	3	-	1	4	-	7	5	27	5	31	14	35	17	2	1	3	1	6	62	7
451	WIRRAL	-	13	10	3	14	1	3	-	18	-	8	6	47	4	50	25	58	18	19	1	2	7	24	64	29
452	BIRKENHEAD	-	48	44	8	103	27	26	3	79	1	39	18	164	33	269	122	422	169	46	9	6	12	87	419	162

* 450.—The District of Chester comprises the three Poor Law Unions of Tarvin, Chester, and Hawarden.

Deaths from several Causes, and Inquest Cases in the Year 1882, in Registration Districts—*continued.*

VIII.—NORTH WESTERN COUNTIES—*continued.*

No.	DISTRICTS.	CAUSES OF DEATH. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
	34.—LANCASHIRE.																									
453	Liverpool	1	147	155	18	155	303	63	18	299	1	116	81	619	112	686	409	1733	298	151	22	20	13	346	1015	447
454	Toxteth Park	-	69	93	12	76	75	31	17	127	1	56	71	287	51	369	203	551	159	74	9	14	8	87	444	99
455	West Derby	5	235	178	46	297	63	129	14	297	4	153	181	800	206	1131	483	1721	508	140	19	40	30	309	1274	394
456	Prescot	-	305	64	14	93	2	46	12	158	1	35	37	194	51	315	128	603	122	33	5	17	12	101	496	149
457	Ormskirk	-	28	36	15	11	2	18	-	29	-	36	15	153	23	195	104	236	122	30	5	3	4	60	236	85
458	Wigan	2	184	59	11	96	3	42	6	173	1	42	63	191	44	346	172	752	187	39	2	27	11	204	525	247
459	Warrington	2	146	70	9	40	4	9	6	52	6	28	30	111	38	188	68	320	86	27	1	12	7	73	262	101
460	Leigh	13	42	34	3	19	-	21	2	67	2	21	36	78	22	131	71	263	95	13	4	4	11	49	151	66
461	Bolton	27	255	55	15	96	14	39	8	233	2	53	66	353	59	611	237	902	243	63	9	23	17	135	622	195
462	Bury	7	68	40	3	39	6	30	21	171	-	49	31	250	39	397	200	633	161	42	4	20	13	95	392	109
463	Barton-upon-Irwell	9	28	18	20	19	-	15	8	50	2	34	17	130	29	176	81	304	80	36	4	4	5	43	230	60
464	Chorlton	4	294	74	25	226	14	45	6	231	7	102	95	565	165	810	830	1227	270	96	17	27	15	108	915	343
465	Salford	7	174	92	22	153	12	41	3	218	3	78	101	459	126	615	212	902	211	69	8	23	19	103	757	204
466	Manchester	1	104	28	16	160	6	24	6	185	9	85	79	337	97	495	207	898	214	71	20	19	7	176	563	433
467	Prestwich	23	78	81	17	81	34	63	9	120	2	49	39	390	61	494	185	735	154	72	7	29	9	73	567	148
468	Ashton-under-Lyne	-	80	38	8	90	1	43	5	136	1	65	45	321	48	474	199	799	186	60	5	23	17	87	669	140
469	Oldham	5	120	94	12	133	1	37	5	102	5	75	82	407	101	626	229	995	263	62	9	38	16	100	577	107
470	Rochdale	49	83	49	12	76	4	35	9	51	2	52	39	239	74	336	249	537	170	48	4	14	9	76	355	82
471	Haslingden	-	48	185	6	24	-	31	5	82	1	56	15	162	39	300	138	389	114	49	6	14	12	36	278	60
472	Burnley	1	86	16	14	82	4	31	4	142	4	41	50	203	43	399	179	631	224	42	7	15	17	70	416	84
473	Clitheroe	-	9	11	4	1	-	4	-	13	1	8	3	37	2	62	44	75	22	3	1	3	3	15	107	16
474	Blackburn	9	264	112	7	87	2	63	8	193	4	62	115	239	65	616	213	1023	305	56	14	15	30	101	583	155
475	Chorley	-	20	6	1	11	-	29	1	27	-	22	29	80	14	113	66	225	71	19	3	11	4	42	184	43
476	Preston	3	146	27	6	95	1	70	5	274	-	68	49	313	58	498	228	791	178	55	10	28	15	63	474	81
477	Fylde	-	40	19	11	5	1	12	-	36	4	21	9	77	19	109	57	169	82	29	1	11	4	30	169	35
478	Garstang	-	13	12	1	12	-	3	1	10	-	3	5	10	4	20	14	45	12	5	1	2	2	7	34	4
479	Lancaster	-	77	1	2	5	-	12	-	37	-	17	15	86	23	165	57	159	44	16	-	2	3	32	148	37
480	Lunesdale	-	3	1	-	1	-	1	-	-	-	3	1	15	1	14	8	96	8	1	1	-	-	3	23	4
481	Ulverston	-	88	11	11	13	1	12	2	30	2	22	12	74	19	128	58	156	57	13	3	8	2	33	163	31
482	Barrow-in-Furness	-	98	10	6	26	2	41	11	39	1	12	23	75	27	148	42	150	65	13	-	5	5	45	122	35

Deaths from several Causes, and Inquest Cases in the Year 1882, in Registration Districts—*continued.*

IX.—YORKSHIRE.

No.	DISTRICTS.	CAUSES OF DEATH. Small pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
	35.—WEST RIDING.																									
483	Sedbergh	-	-	-	-	1	-	-	-	-	-	1	1	9	-	9	5	14	4	-	-	1	-	2	22	2
484	Settle	-	9	7	3	3	-	1	1	3	-	5	4	19	10	33	28	46	12	3	-	1	1	10	57	8
485	Skipton	1	5	15	2	2	2	12	4	17	2	20	13	76	8	116	52	139	43	20	1	2	7	17	133	20
486	Pateley Bridge	-	10	4	4	5	-	1	-	1	-	4	2	13	3	20	15	35	11	1	1	-	2	5	45	6
487	Ripon	-	1	1	-	3	-	2	-	2	-	8	1	23	3	46	22	52	21	6	1	1	3	6	59	10
488	Great Ouseburn	-	2	4	-	8	-	1	-	6	-	6	6	15	5	26	31	34	12	3	1	2	1	5	43	13
489	Knaresborough	1	-	21	1	4	-	2	1	7	-	15	13	34	8	55	43	69	37	18	2	3	-	13	74	17
490	Wetherby	-	5	10	4	4	-	4	1	5	-	18	3	32	5	40	21	48	10	6	-	1	-	7	65	11
491	Wharfedale	-	30	20	14	27	-	6	4	14	-	18	15	84	22	128	70	130	43	14	3	2	4	15	167	19
492	Keighley	-	21	86	2	9	1	11	2	25	-	27	10	151	34	163	92	291	75	28	2	1	1	25	178	23
493	Todmorden	-	35	8	4	33	-	9	1	24	2	21	6	52	18	105	51	133	64	7	2	3	3	12	111	17
494	Saddleworth	-	16	16	-	13	-	16	1	13	-	7	7	52	8	60	42	84	28	12	-	5	1	11	73	11
495	Huddersfield	-	132	33	8	70	2	25	6	78	5	62	36	406	92	455	214	623	206	64	6	16	11	95	538	109
496	Halifax	-	56	46	11	51	3	42	18	74	4	69	46	384	90	561	228	727	226	50	6	10	13	101	468	112
497	Bradford	2	320	109	16	129	2	69	28	295	10	142	86	684	195	909	402	1336	387	79	19	20	16	154	1086	241
498	Hunslet	1	35	57	12	50	1	23	8	96	7	21	47	102	23	203	68	290	55	16	3	3	11	48	264	86
499	Holbeck	-	5	19	3	15	-	15	1	34	-	13	23	50	7	89	27	114	18	5	1	3	2	11	89	19
500	Bramley	6	17	9	5	15	-	25	7	48	3	28	18	115	32	189	68	222	51	10	-	4	1	29	186	65
501	Leeds	24	112	115	18	97	2	81	10	262	6	121	85	426	104	562	272	1023	219	93	24	18	11	159	750	278
502	Dewsbury	20	145	60	20	119	3	53	5	108	5	57	67	348	102	525	167	725	188	55	10	13	13	78	511	161
503	Wakefield	-	52	104	10	65	-	25	1	81	-	36	35	162	26	307	109	388	114	26	3	6	8	60	303	150
504	Pontefract	-	30	54	10	5	-	14	1	66	-	24	14	82	14	158	52	142	47	18	3	2	4	35	172	37
505	Hemsworth	1	7	5	1	9	-	3	1	3	-	2	7	17	5	28	17	45	18	2	-	-	-	10	31	11
506	Barnsley	-	6	54	2	51	-	22	1	97	2	26	9	156	56	215	114	278	82	23	1	8	5	71	292	93
507	Wortley	-	3	21	6	16	-	13	-	16	2	19	10	99	27	195	79	213	51	22	2	15	5	34	154	35
508	Ecclesall Bierlow	-	23	53	11	51	1	15	3	102	2	58	41	251	66	352	151	397	124	44	9	18	10	31	336	52
509	Sheffield	4	56	156	12	119	3	35	9	211	8	86	127	405	109	597	241	1060	190	72	10	36	15	137	676	187
510	Rotherham	-	69	69	6	22	1	22	4	54	-	36	20	124	26	231	73	271	109	25	3	8	6	70	269	76
511	Doncaster	-	24	74	6	23	-	3	1	40	-	40	23	75	12	155	80	202	52	27	3	4	2	32	188	44
512	Thorne	-	1	64	10	6	-	4	1	8	-	7	1	28	3	38	13	38	26	5	1	1	3	7	78	10
513	Goole	-	17	19	1	21	-	9	-	18	-	14	2	23	2	40	25	60	19	3	2	2	2	17	90	21
514	Selby	-	1	3	2	5	-	1	-	16	-	7	5	12	4	41	24	43	18	3	-	-	1	10	61	15
515	Tadcaster	-	5	20	7	10	-	2	1	21	-	14	6	34	1	46	21	68	19	8	4	1	3	19	115	20

Deaths from several Causes, and Inquest Cases in the Year 1882, in Registration Districts—*continued.*

IX.—YORKSHIRE—*continued.*

No.	DISTRICTS.	CAUSES OF DEATH. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
	36.—EAST RIDING (WITH YORK).																									
516	York	-	50	23	5	50	1	16	1	92	1	38	22	136	39	265	106	252	97	40	3	5	4	54	331	109
517	Pocklington	-	1	17	2	1	-	4	2	6	-	6	-	25	3	44	29	37	17	5	-	1	-	6	74	13
518	Howden	-	6	2	4	1	-	3	-	10	-	8	7	29	6	29	18	38	14	8	-	1	1	16	60	17
519	Beverley	-	1	24	1	3	-	8	2	7	-	10	7	47	3	77	43	62	23	13	1	1	2	17	100	28
520	Sculcoates	12	78	188	7	18	1	19	8	168	1	49	47	174	25	284	128	365	104	26	5	12	2	54	347	79
521	Hull	4	47	141	7	21	-	31	14	123	1	47	37	154	46	351	142	313	96	32	8	9	3	68	304	76
522	Patrington	-	-	37	3	-	-	2	-	3	-	6	1	14	1	26	10	12	12	2	-	2	-	3	36	9
523	Skirlaugh	-	-	30	-	-	-	2	-	4	-	5	-	12	3	22	15	21	5	5	-	-	-	2	43	4
524	Driffield	-	-	17	9	-	-	5	4	13	-	12	7	19	7	50	30	61	19	7	2	-	1	16	86	34
525	Bridlington	-	3	4	3	-	1	1	-	11	-	11	4	21	5	33	23	36	24	4	1	5	-	10	57	17
	37.—NORTH RIDING.																									
526	Scarborough	-	2	4	8	18	-	8	1	41	-	38	11	87	18	125	79	132	52	27	2	4	2	20	134	49
527	Malton	-	1	12	7	8	-	3	2	5	-	9	1	42	8	60	38	50	26	8	-	2	1	7	90	15
528	Easingwold	-	-	8	-	1	-	3	-	6	-	6	1	11	1	14	13	24	8	5	1	1	-	9	31	10
529	Thirsk	-	1	3	4	3	-	1	-	9	-	12	1	19	-	27	21	63	11	3	-	1	1	11	45	10
530	*Helmsley { Helmsley	-	1	-	1	1	-	-	-	-	1	3	-	8	1	12	13	17	3	1	-	1	-	3	24	7
	*Helmsley { Kirkby Moorside	-	-	2	4	-	-	1	-	6	-	5	-	9	1	11	12	17	6	2	-	1	1	1	14	10
531	Pickering	-	-	13	1	2	1	-	1	4	-	4	3	18	1	34	18	14	23	4	1	-	2	3	37	12
532	Whitby	-	17	2	2	6	1	2	-	19	-	15	11	38	6	67	24	110	37	6	4	3	2	16	108	21
533	Guisborough	-	1	21	3	26	1	19	3	20	3	12	12	39	13	107	43	119	52	11	1	5	6	33	136	40
534	Middlesbrough	-	60	38	1	98	-	40	4	134	2	40	61	145	28	309	110	485	81	32	2	31	8	106	359	142
535	Stokesley	-	1	3	1	-	-	-	2	2	-	4	5	11	2	37	17	25	21	3	1	2	3	5	37	16
536	Northallerton	-	-	-	3	2	-	6	1	5	-	5	-	14	6	39	18	37	12	3	-	1	1	7	53	15
537	Bedale	-	-	3	2	-	-	4	-	-	-	4	-	6	6	20	10	23	11	4	1	1	-	2	38	6
538	Leyburn	-	1	2	2	-	-	4	-	4	-	5	1	10	1	19	11	20	10	-	1	-	1	5	43	5
539	Aysgarth	-	-	-	-	1	-	2	-	1	-	6	3	13	2	12	8	14	5	2	-	-	-	2	22	3
540	Reeth	-	-	-	-	-	-	-	-	1	-	2	-	9	1	4	7	13	4	2	-	-	-	3	24	5
541	Richmond	-	-	4	1	8	-	-	-	1	-	5	1	26	8	35	15	43	10	9	-	-	1	4	46	7

* 530.—The District of Helmsley comprises the two Poor Law Unions of Helmsley and Kirkby Moorside.

Deaths from several Causes, and Inquest Cases in the Year 1882, in Registration Districts—*continued.*

X.—NORTHERN COUNTIES.

No.	DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
	38.—DURHAM.																									
542	DARLINGTON	-	-	16	7	9	-	11	-	44	1	18	22	87	22	114	60	139	45	13	1	3	3	27	149	28
543	*STOCKTON { STOCKTON	-	19	30	3	25	1	19	2	44	2	18	18	92	28	129	73	184	53	9	1	6	6	46	209	95
	*STOCKTON { SEDGEFIELD	-	2	12	-	14	-	7	-	20	1	5	19	40	6	110	30	45	25	3	-	2	1	87	64	92
544	HARTLEPOOL	-	36	100	2	32	1	16	2	62	2	19	25	78	32	162	53	223	69	19	4	6	4	35	227	66
545	AUCKLAND	-	12	93	6	34	4	29	7	88	-	22	56	139	36	273	89	313	106	20	2	10	9	57	306	55
546	TEESDALE	-	-	11	2	2	-	3	4	2	-	10	6	34	2	62	41	52	26	7	1	2	-	12	65	14
547	WEARDALE	1	-	2	-	1	1	5	-	5	-	5	7	46	8	26	30	61	30	4	1	3	1	8	62	8
548	LANCHESTER	1	12	38	7	23	2	17	1	47	1	30	19	100	37	120	54	189	82	24	4	10	6	46	198	49
549	DURHAM	-	14	36	1	36	3	28	10	60	-	18	47	101	26	171	68	213	84	17	6	7	13	86	266	110
550	EASINGTON	1	1	23	1	21	4	21	7	41	3	14	50	57	21	124	53	138	53	16	3	12	5	40	185	47
551	HOUGHTON-LE-SPRING	-	8	11	-	17	1	15	7	61	1	11	37	49	15	102	33	104	45	15	-	2	3	25	145	31
552	CHESTER-LE-STREET	1	17	32	1	18	3	10	3	43	1	13	41	67	25	105	51	161	49	8	2	9	6	31	215	38
553	SUNDERLAND	1	208	189	20	132	43	58	11	169	4	70	63	284	109	516	186	615	185	60	11	22	11	105	596	166
554	SOUTH SHIELDS	2	23	139	12	62	-	31	2	91	1	51	55	186	61	278	164	400	136	28	4	16	8	75	429	121
555	GATESHEAD	38	30	27	4	80	48	34	10	138	2	39	63	241	98	373	139	422	131	48	3	22	11	80	460	108
	39.—NORTHUMBRL.																									
556	NEWCASTLE-UPON-TYNE	57	15	86	6	109	30	31	5	190	7	90	64	345	73	528	229	520	175	70	13	19	18	166	643	261
557	TYNEMOUTH	2	28	88	16	83	1	40	9	94	2	48	83	209	53	339	162	359	136	42	12	12	12	96	481	137
558	CASTLE WARD	1	4	3	-	4	1	5	4	13	1	8	6	33	7	51	24	65	22	4	-	5	-	19	59	22
559	HEXHAM	-	7	3	7	5	1	4	-	18	-	17	18	71	17	77	61	100	35	10	6	2	2	20	105	25
560	HALTWHISTLE	-	2	-	-	3	-	3	-	4	-	5	3	10	2	19	13	25	5	5	-	-	2	6	23	6
561	BELLINGHAM	-	2	-	1	1	-	2	1	2	-	7	-	12	2	15	11	13	10	2	1	-	-	2	16	2
562	MORPETH	25	6	2	1	14	-	12	7	17	1	8	27	87	14	114	62	83	36	13	-	7	5	28	143	32
563	ALNWICK	7	1	20	1	9	-	4	-	9	-	13	4	45	6	63	37	55	21	5	-	1	3	21	61	27
564	BELFORD	-	1	3	-	-	-	1	-	2	1	2	1	7	1	18	6	17	1	2	-	2	-	6	17	5
565	BERWICK	1	16	3	2	8	-	5	4	11	-	19	2	42	3	51	43	54	25	5	4	2	1	14	60	16
566	GLENDALE	-	3	-	-	1	-	4	2	4	-	6	-	14	2	10	30	24	12	7	-	-	-	2	38	5
567	ROTHBURY	1	2	5	3	1	-	-	1	2	-	6	1	14	5	18	10	14	11	1	-	1	-	5	23	4

543.—The District of Stockton comprises the two Poor Law Unions of Stockton and Sedgefield.

Deaths from several Causes, and Inquest Cases in the Year 1882, in Registration Districts—*continued.*

X.—NORTHERN COUNTIES—*continued.*

No.	DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
	40.—CUMBERLAND.																									
568	Alston	-	-	-	-	1	-	-	-	-	-	3	-	9	5	12	6	12	4	1	1	-	1	7	25	5
569	Penrith	-	4	5	5	12	-	2	-	2	-	8	4	39	5	56	45	61	31	7	2	2	1	12	79	6
570	Brampton	-	1	6	-	4	-	2	1	4	-	9	1	19	7	26	19	30	8	4	-	-	2	3	41	4
571	Lonotown	-	-	3	1	7	-	1	-	1	-	3	2	18	2	13	10	19	8	2	2	2	-	4	28	3
572	Carlisle	-	46	91	2	67	-	13	1	23	-	49	5	135	23	140	137	171	48	26	3	5	7	47	171	43
573	Wioton	-	6	3	2	10	-	6	-	12	-	18	6	41	12	51	45	47	18	11	-	3	1	19	85	16
574	Cockermouth	-	47	5	1	4	4	12	-	39	1	26	24	68	32	167	82	220	73	23	3	2	3	61	262	53
575	Whitehaven	-	2	35	4	19	-	15	-	57	1	21	12	115	16	144	68	235	64	14	-	4	5	73	237	74
576	Bootle	1	1	2	-	10	-	4	1	7	-	5	3	29	-	27	11	34	10	-	2	1	-	17	49	19
	41.—WESTMORL.																									
577	East Ward	-	1	9	-	-	-	1	-	6	-	4	-	18	9	39	16	21	14	8	-	2	-	11	67	10
578	West Ward	-	-	1	-	2	-	2	-	3	1	8	2	14	4	17	23	17	7	2	-	2	-	2	27	3
579	Kendal	-	5	7	3	6	-	8	1	10	-	27	10	77	16	92	59	119	54	17	2	8	1	23	109	27

XI.—MONMOUTHSHIRE AND WALES.

No.	DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
	42.—MONMOUTHS.																									
580	Chepstow	-	4	2	4	8	-	4	-	4	-	13	8	18	7	59	42	50	13	17	3	-	-	18	57	22
581	Monmouth	-	18	5	-	6	-	2	1	12	-	23	5	41	7	59	47	124	30	14	1	2	2	22	90	35
582	Abergavenny	-	17	10	2	9	-	2	-	9	-	12	9	44	12	82	45	107	27	17	-	2	3	29	134	61
583	Bedwelty	1	16	346	34	49	2	29	6	13	-	26	26	94	33	187	96	378	71	29	3	7	10	71	221	77
584	Pontypool	-	2	35	1	12	-	3	-	15	-	10	7	49	11	91	48	120	40	12	-	1	2	32	120	67
585	Newport	6	22	44	9	51	1	11	1	25	3	25	22	113	28	183	85	255	78	28	1	7	2	59	223	99
	43.—SOUTH WALES.																									
	GLAMORGANSHIRE.																									
586	Cardiff	1	37	76	28	50	1	22	5	116	2	44	16	236	62	293	151	369	90	44	7	6	11	104	360	174
587	Pontypridd	-	17	179	4	94	1	42	2	43	1	28	31	145	33	398	91	440	80	33	5	23	14	127	241	166
588	Merthyr Tydfil	-	59	243	12	82	-	12	1	24	2	45	17	225	51	341	153	412	116	38	5	10	7	111	294	149
589	Bridgend	-	2	81	2	21	-	13	3	8	2	11	5	80	21	139	46	112	36	14	4	3	5	42	155	53
590	Neath	-	1	23	4	11	1	27	-	9	-	26	5	118	20	151	61	166	42	19	4	5	5	52	176	68
591	Pontardawe	-	-	7	1	8	-	5	1	3	-	10	1	55	9	39	22	57	12	7	2	1	-	17	52	15
592	Swansea	-	11	32	7	19	-	23	11	31	-	29	19	175	31	237	77	371	104	43	3	13	8	90	294	122
593	Gower	-	-	-	1		-	1	-	1	-	5	4	20	3	27	16	21	11	4	1	1	1	5	46	10

Deaths from several Causes, and Inquest Cases in the Year 1882, in Registration Districts—*continued.*

MONMOUTHSHIRE AND WALES—*continued.*

No.	DISTRICTS.	CAUSES OF DEATH. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
	43.—SOUTH WALES *—continued.*																									
	CARMARTHENSHIRE.																									
594	LLANELLY	-	1	14	-	7	-	30	-	12	-	18	11	117	23	122	47	139	35	16	1	7	6	22	172	28
595	LLANDOVERY	1	-	6	1	1	-	5	3	4	-	5	-	34	4	51	12	46	15	10	-	-	1	5	57	4
596	LLANDILOFAWR	-	-	28	-	4	-	10	1	2	-	9	1	48	5	58	23	43	16	4	-	3	2	13	64	12
597	CARMARTHEN	-	-	14	-	11	-	8	-	6	-	32	1	84	8	106	43	126	33	19	2	2	5	13	114	24
	PEMBROKESHIRE.																									
598	NARBERTH	-	1	-	4	3	-	7	-	2	-	10	-	68	8	49	21	48	16	4	4	1	1	6	98	1
599	PEMBROKE	-	9	-	7	3	1	10	1	8	-	17	8	50	13	78	55	80	21	8	5	-	3	18	96	15
600	HAVERFORDWEST	-	3	1	2	5	2	10	3	10	1	14	10	70	7	102	42	66	25	7	1	4	5	28	156	9
	CARDIGANSHIRE.																									
601	CARDIGAN	-	-	2	-	3	-	-	1	-	-	6	3	46	1	37	17	34	16	7	4	3	3	5	81	3
602	NEWCASTLE-IN-EMLYN	-	1	2	2	3	-	6	-	3	1	10	3	45	12	40	16	67	28	11	3	-	1	17	66	8
603	LAMPETER	-	-	1	-	5	-	-	-	1	-	12	3	23	3	30	3	36	2	7	1	1	-	6	21	5
604	ABERAYRON	-	-	2	4	1	-	2	-	5	-	8	1	26	4	34	17	20	11	5	1	3	2	3	49	3
605	ABERYSTWITH	-	-	4	-	1	1	2	-	3	-	16	3	55	4	72	29	66	29	5	4	1	3	12	73	12
606	TREGARON	-	-	-	-	2	-	1	-	-	-	4	1	39	4	19	10	19	12	2	-	1	-	5	47	8
	BRECKNOCKSHIRE.																									
607	BUILTH	-	-	3	1	3	-	3	-	2	-	9	2	19	2	21	7	19	6	4	-	-	-	3	39	8
608	BRECKNOCK	-	1	9	5	-	-	1	-	2	-	13	1	29	3	28	20	50	17	8	-	2	2	15	61	26
609	CRICKHOWELL	1	3	45	1	10	-	6	2	3	-	2	2	24	9	53	28	94	27	14	2	3	2	15	67	20
610	HAY	-	-	5	1	1	-	1	1	2	-	4	5	24	1	21	19	30	7	3	-	2	-	4	60	6
	RADNORSHIRE.																									
611	KNIGHTON	-	-	2	4	6	-	2	-	2	1	4	1	22	8	19	26	40	9	2	-	1	1	12	60	9
612	RHAYADER	-	-	-	3	1	-	1	-	1	-	6	-	14	4	18	5	28	6	3	1	-	-	1	22	3

Deaths from several Causes, and Inquest Cases in the Year 1882, in Registration Districts—*continued.*

MONMOUTHSHIRE AND WALES—*continued.*

	DISTRICTS.	CAUSES OF DEATH.																								
		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Tabes Mesenterica.	Phthisis.	Other Tubercular and Scrofulous Diseases.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Puerperal Fever.	Childbirth.	Violence.	Other Causes.	Inquests.
	44.-NORTH WALES.																									
	MONTGOMERYSHIRE.																									
613	Machynlleth	-	-	7	1	-	-	-	-	1	-	13	1	34	2	34	17	35	11	3	1	5	1	12	30	14
614	Newtown	-	-	16	1	19	-	9	-	2	-	18	4	43	4	75	38	56	22	11	-	4	4	8	90	14
615	Forden (Montgomery)	1	2	3	-	6	-	2	-	3	-	11	4	28	3	50	28	43	25	13	-	1	2	12	45	15
616	Llanfyllin	-	-	3	3	18	-	3	-	3	-	12	3	37	11	46	24	81	23	16	-	5	3	13	77	13
	FLINTSHIRE.																									
617	Holywell	-	26	34	6	12	-	11	-	16	1	25	15	87	19	154	50	152	52	16	-	8	7	42	146	45
	DENBIGHSHIRE.																									
618	Wrexham	-	5	25	27	13	-	8	5	16	-	23	18	100	11	181	74	245	80	20	3	5	7	38	192	55
619	Ruthin	-	-	4	3	1	-	2	-	1	-	9	2	34	1	44	27	35	14	1	1	1	1	9	46	7
620	St. Asaph	-	1	2	1	4	-	5	1	4	-	19	4	49	6	121	58	92	55	24	3	-	1	17	101	9
621	Llanrwst	-	11	1	1	-	1	3	2	3	-	8	1	35	3	52	23	27	15	6	-	1	5	10	42	9
	MERIONETHSHIRE.																									
622	Corwen	-	-	8	-	3	-	1	-	3	-	9	2	25	4	45	20	45	15	6	1	2	3	6	57	6
623	Bala	-	-	-	-	-	-	1	1	4	-	7	1	10	2	21	13	20	10	5	-	1	1	1	17	3
624	Dolgelly	1	1	10	4	5	-	2	-	4	-	14	6	32	5	30	18	44	14	8	-	1	1	8	23	6
625	Festiniog	-	-	-	4	7	-	8	3	6	1	13	7	73	16	96	26	94	24	8	3	1	5	31	79	33
	CARNARVONSHIRE.																									
626	Pwllheli	1	-	-	17	1	1	1	-	3	-	12	3	47	6	72	27	54	23	16	1	1	2	9	74	13
627	Carnarvon	-	9	25	14	12	-	17	1	12	-	20	4	125	10	153	53	159	51	20	2	6	3	29	138	33
628	Bangor	-	3	8	6	3	-	87	1	20	-	25	7	77	10	161	35	148	48	29	2	2	3	18	107	28
629	Conway	-	1	3	2	7	1	5	3	7	-	9	4	41	10	56	22	32	19	7	-	-	2	13	39	12
	ANGLESEY.																									
630	*Anglesey { Anglesey	-	-	1	5	1	2	2	-	1	-	13	2	41	6	50	17	39	20	2	-	1	1	9	66	11
	*Anglesey { Holyhead	-	1	-	9	1	2	2	-	7	-	10	6	55	10	62	25	58	14	7	-	3	3	10	48	12

* 630.—The District of Anglesey comprises the two Poor Law Unions of Anglesey and Holyhead.

VIOLENT DEATHS, 1882.

ENGLAND.—DEATHS FROM ACCIDENT AND NEGLIGENCE at DIFFERENT PERIODS OF LIFE, in the YEAR 1882—**Males.**

No.	Causes or Character of Accident.	All Ages.	Ages at Death. Total under 1 Year. Infants under 1 Month.	Others.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	TOTAL - - - -	11406	296	639	372	344	287	251	2189	764	658	860	729	1482	1445	1278	1007	650	293	51
1	IN MINES—																			
	(*a*) Coal Mines - -	1023	-	-	-	-	-	-	-	4	91	160	119	217	193	137	79	22	1	-
	(*b*) Other Mines - -	87	-	-	-	-	-	-	-	-	2	14	19	23	15	8	1	5	-	-
2	VEHICLES AND HORSES—																			
	(*a*) On Railways - -	951	-	-	1	2	4	5	12	34	42	91	109	193	159	132	110	52	17	-
	(*b*) Vehicles other than Railway - - -	1025	-	2	30	34	37	37	140	118	62	51	44	135	134	132	95	82	29	3
	(*c*) Horses - - -	198	-	-	-	3	3	3	9	12	20	24	17	24	32	27	16	13	4	-
3	MACHINERY - - -	277	-	-	-	2	2	6	10	9	33	50	21	48	41	35	21	7	2	-
4	WEAPONS AND IMPLEMENTS - - - -	182	-	-	1	-	4	1	6	13	23	18	14	17	32	18	21	18	2	-
5	FALLS AND BLOWS -	1881	1	15	30	28	24	25	123	93	87	104	111	240	292	297	256	176	84	18
6	BURNS, SCALDS, EXPLOSIONS - - -	984	2	50	184	159	150	95	640	119	18	27	10	31	29	29	30	23	26	2
7	WEATHER AGENCIES -	161	7	5	1	-	2	1	16	10	5	12	4	16	20	21	28	24	4	1
8	ASPHYXIA (*Deaths from Poisonous Gases included*)—																			
	(*a*) Drowning - -	2369	22	8	63	81	43	56	273	293	200	221	201	366	275	262	162	84	32	-
	(*b*) Suffocation - -	967	168	535	29	6	4	4	746	9	15	15	13	35	44	27	36	20	5	2
9	POISON - - - -	246	5	13	9	14	6	4	51	10	2	11	7	33	52	35	29	13	2	1
10	OTHER AND ILL-DEFINED CAUSES - - - -	1055	91	11	24	15	8	14	163	40	58	62	40	104	127	118	123	111	85	24
1	IN MINES.																			
	(*a*) COAL MINES.																			
	Fall of Coal, Stone, &c. on -	424	-	-	-	-	-	-	-	1	21	44	50	105	98	60	39	6	-	-
	Crushing - - - -	15	-	-	-	-	-	-	-	-	1	4	4	2	1	3	-	-	-	-
	Fall in Pit or Shaft - -	58	-	-	-	-	-	-	-	-	5	3	5	14	12	12	4	3	-	-
	Rope, &c. breaking - -	11	-	-	-	-	-	-	-	-	2	3	-	3	1	2	-	-	-	-
	Machinery - - - -	21	-	-	-	-	-	-	-	2	4	3	-	2	7	2	1	-	-	-
	Waggon, Tram, &c. - -	112	-	-	-	-	-	-	-	1	25	31	7	15	7	10	7	8	1	-
	Tub - - - - -	50	-	-	-	-	-	-	-	-	15	14	5	4	4	5	2	1	-	-
	Blasting - - - -	9	-	-	-	-	-	-	-	-	-	-	2	2	2	3	-	-	-	-
	Explosion of Fire-damp -	223	-	-	-	-	-	-	-	-	9	40	34	47	43	31	15	4	-	-
	Burn or Scald (*manner not stated*) - - - -	6	-	-	-	-	-	-	-	-	-	1	-	1	-	3	1	-	-	-
	Drowning - - - -	9	-	-	-	-	-	-	-	-	3	1	-	3	1	1	-	-	-	-
	Choke-damp - - - -	62	-	-	-	-	-	-	-	-	5	11	11	14	11	3	7	-	-	-
	Strangled - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Suffocation (*manner not stated*) - - - -	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-
	Otherwise, or not stated how -	19	-	-	-	-	-	-	-	-	1	4	1	4	5	2	2	-	-	-

ENGLAND.—DEATHS from ACCIDENT and NEGLIGENCE at different Periods of Life, in the Year 1882—**Males**—*continued.*

No.	Causes or Character of Accident.	All Ages.	Ages at Death. Total under 1 Year. Infants under 1 Month.	Others.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
1 cont	MINES—*continued.*																			
	(*b*) OTHER MINES.																			
	Fall of Stone, Wood, &c. on	39	-	-	-	-	-	-	-	-	-	-	8	16	9	2	1	3	-	-
	Crushing	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Fall in Shaft	12	-	-	-	-	-	-	-	-	-	5	3	2	2	-	-	-	-	-
	Fall from Kibble, Ladder, &c.	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	Machinery	6	-	-	-	-	-	-	-	-	1	2	1	-	1	1	-	-	-	-
	Waggon, Tram, &c.	7	-	-	-	-	-	-	-	-	1	3	1	-	-	1	-	1	-	-
	Blasting	9	-	-	-	-	-	-	-	-	-	2	3	-	1	3	-	-	-	-
	Drowning	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Otherwise, or not stated how	8	-	-	-	-	-	-	-	-	-	-	1	3	2	1	-	1	-	-
2	VEHICLES AND HORSES.																			
	(*a*) ON RAILWAYS.																			
	Run over on Line	659	-	-	1	2	3	5	11	25	33	53	64	124	104	96	91	45	13	-
	Collision	17	-	-	-	-	-	-	-	-	-	1	4	-	6	2	2	1	1	-
	Carriage, &c. off Rail,	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
	Fall from Carriage or Engine	58	-	-	-	-	1	-	1	2	2	5	8	16	8	6	6	3	1	-
	Crushing by Carriage or Engine	133	-	-	-	-	-	-	-	4	7	23	22	24	23	18	8	3	1	-
	Locomotive Machinery	5	-	-	-	-	-	-	-	-	-	2	-	2	1	-	-	-	-	-
	Explosion of Boiler	7	-	-	-	-	-	-	-	-	-	-	-	5	1	1	-	-	-	-
	Burn, Scald	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	Striking against Bridge	6	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-	-
	Fall of Bridge	7	-	-	-	-	-	-	-	-	-	-	2	3	1	1	-	-	-	-
	Fall of Heavy Substance on	5	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-
	Otherwise, or not stated how	49	-	-	-	-	-	-	-	3	-	7	6	11	13	5	3	-	1	-
	(*b*) VEHICLES OTHER THAN RAILWAY.																			
	Carriage	69	-	-	-	1	3	1	5	6	1	1	3	12	13	9	7	8	4	-
	Omnibus	26	-	-	-	-	-	-	-	5	2	2	3	1	3	3	3	4	-	-
	Tram-car	41	-	1	-	4	2	3	10	9	3	2	1	2	5	2	6	1	-	-
	Cab	51	-	-	-	2	1	4	7	10	3	-	-	7	7	7	4	4	1	1
	Van, Waggon	269	-	-	9	9	9	12	39	28	17	17	12	46	57	33	22	15	3	-
	Dray	27	-	-	1	-	2	1	4	5	1	1	1	5	5	2	-	2	1	-
	Cart	474	-	1	18	16	16	12	63	47	33	25	20	50	56	69	48	45	18	-
	Bicycle, tricycle, &c.	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	Traction Engine	17	-	-	-	-	-	-	-	-	-	2	2	4	5	2	-	2	-	-
	Fire-Engine	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Others	48	-	-	2	2	3	4	11	7	2	1	1	8	3	5	5	1	2	2
	(c) HORSES	198	-	-	-	3	3	3	9	12	20	24	17	24	32	27	16	13	4	-
3	MACHINERY.																			
	Explosion of Steam Boiler	24	-	-	-	-	-	-	-	-	-	2	3	4	6	4	3	2	-	-
	Machinery in Factory, Cotton Mill	104	-	-	-	1	-	1	2	2	12	25	8	19	16	13	6	1	-	-
	Machinery, Agricultural	42	-	-		-	2	3	5	2	7	5	6	4	4	3	3	1	2	-
	Machinery, Marine	6	-	-	-	-	-	-	-	-	1	-	-	3	1	-	1	-	-	-
	Other Machinery, or kind not stated	101	-	-	-	1	-	2	3	5	13	18	4	18	14	15	8	3	-	-
4	WEAPONS AND IMPLEMENTS.																			
	Gun-shot Wound	71	-	-	-	-	1	1	2	6	17	10	8	11	11	4	2	-	-	-
	Cut, Stab	47	-	-	1	-	3	-	4	5	2	4	2	2	6	4	11	6	1	-
	Other Wounds, &c.	64	-	-	-	-	-	-	-	2	4	4	4	4	15	10	8	12	1	-
5	FALLS AND BLOWS.																			
	Fall from Scaffold, Ladder	163	-	-	-	-	1	-	1	3	2	11	9	24	29	31	32	17	3	1
	Fall from Window	38	-	-	3	3	2	4	12	3	1	4	1	3	4	4	1	4	1	-
	Fall down Stairs	280	-	2	5	7	2	-	16	10	2	2	6	20	41	55	46	57	21	4
	Fall in Ships and Boats	115	-	-	-	-	-	-	-	1	7	15	13	23	22	18	13	2	1	-
	Fall from Height	458	-	6	9	8	6	4	33	24	23	33	36	62	75	67	51	36	16	2
	Fall (*otherwise, or not stated how*)	391	1	6	6	5	9	8	35	25	11	11	8	33	44	59	68	48	38	11
	Fall of Slate or Stone in Quarry	39	-	-	-	-	-	-	-	-	-	1	4	9	7	11	5	2	-	-
	Fall of Heavy Substance on	312	-	-	7	5	3	8	23	22	24	16	23	59	55	43	34	9	4	-
	Blow, &c.	85	-	1	-	-	1	1	3	5	17	11	11	7	15	9	6	1	-	-

ENGLAND.—DEATHS from ACCIDENT and NEGLIGENCE at different Periods of Life, in the Year 1882—**Males**—*continued.*

No.	Causes or Character of Accident.	All Ages.	Ages at Death. Total under 1 Year. Infants under 1 Month.	Others.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
6	BURNS, SCALDS, EXPLOSIONS.																			
	BURN by—																			
	Clothes taking Fire	205	–	8	16	21	42	45	132	56	5	2	–	1	2	2	3	1	1	–
	Conflagration	16	–	–	2	1	2	2	7	1	–	1	–	3	1	–	1	2	–	–
	Otherwise, or not stated how	327	–	13	24	42	57	31	167	41	8	10	4	12	10	16	19	16	23	1
	SCALD by—																			
	Drinking Hot Water	32	1	–	8	12	8	2	31	1	–	–	–	–	–	–	–	–	–	–
	Otherwise, or not stated how	368	1	27	134	83	41	15	301	20	3	8	3	8	7	6	5	4	2	1
	EXPLOSION—																			
	Gunpowder	7	–	1	–	–	–	–	1	–	1	2	–	–	1	2	–	–	–	–
	Fireworks	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Steam	10	–	–	–	–	–	–	–	–	–	4	–	2	4	–	–	–	–	–
	Gas	6	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	–	–	–
	Paraffin	2	–	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	Other kind or kind not stated	6	–	–	–	–	–	–	–	–	–	–	–	3	1	1	1	–	–	–
	At Blast Furnace	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	At Quarry (Blasting)	3	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
7	WEATHER AGENCIES.																			
	Lightning	19	–	–	1	–	–	–	1	2	3	5	1	4	1	1	–	1	–	–
	Sunstroke	28	–	2	–	–	2	–	4	6	1	2	2	3	3	3	8	1	–	–
	Gelatio and Exposure to Cold	114	7	3	–	–	–	1	11	2	1	5	1	9	16	17	25	22	4	1
8	ASPHYXIA.																			
	(*Deaths from Poisonous Gases included.*)																			
	(*a*) DROWNING.																			
	Bathing	175	–	–	–	–	–	–	–	24	52	48	24	16	3	5	1	2	–	–
	Fall overboard	126	–	–	–	–	–	–	–	7	15	33	18	25	13	4	5	6	–	–
	Shipwreck	10	–	–	–	–	–	–	–	–	–	1	2	3	3	1	–	–	–	–
	Sliding and Skating	8	–	–	–	–	–	–	–	1	4	3	–	–	–	–	–	–	–	–
	Boat upsetting	101	–	–	–	–	1	–	1	–	7	23	23	27	9	8	1	1	1	–
	Collision	11	–	–	–	–	–	–	–	1	–	2	1	2	2	3	–	–	–	–
	Found drowned	927	19	4	3	12	6	7	51	52	25	42	72	177	166	163	113	45	21	–
	Otherwise, or not stated how	1011	3	4	60	69	36	49	221	208	97	69	61	116	79	78	42	30	10	–
	(*b*) SUFFOCATION.																			
	Strangulation	28	7	2	–	–	–	–	9	1	6	4	2	2	1	2	–	1	–	–
	Food, &c.	70	–	10	6	2	–	1	19	1	–	1	3	2	9	7	19	7	2	–
	Foreign Body in Air Passages	7	–	1	1	1	–	1	4	1	1	–	–	–	–	–	–	1	–	–
	Bed Clothes	563	110	411	16	1	2	–	540	1	1	2	3	8	3	1	1	2	1	–
	Overlying	79	22	57	–	–	–	–	79	–	–	–	–	–	–	–	–	–	–	–
	Chloroform Vapour	22	–	–	–	–	–	–	–	1	1	–	1	7	4	6	2	–	–	–
	Ether Vapour	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Fumes of Charcoal	3	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–
	" Kiln	7	–	–	–	–	–	–	–	–	–	–	–	5	1	1	–	–	–	–
	" Blast Furnace	4	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	1	–	–
	Smoke	6	–	–	–	2	–	–	2	–	–	–	–	–	1	–	1	1	1	–
	Conflagration	8	–	–	–	–	2	–	2	2	–	–	–	2	2	–	–	–	–	–
	Gas	3	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–
	Poisonous Gases	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Carbonic Acid Gas	9	–	–	1	–	–	1	2	–	–	–	1	1	2	–	1	1	1	–
	Fall of Heavy Substance on	18	–	–	–	–	–	–	–	2	3	2	1	1	3	2	3	1	–	–
	Otherwise, or not stated how	137	29	54	5	–	–	1	89	–	2	4	1	6	14	7	8	4	–	2
9	POISON.																			
	Arsenic	4	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–
	Mercury	3	–	1	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–
	Lead	63	–	–	–	–	–	–	–	–	–	4	1	11	18	14	12	3	–	–
	Copper	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Antimony	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	Caustic Potash	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	Ammonia	4	–	1	–	–	–	–	1	–	–	–	–	–	–	–	2	1	–	–
	Lime	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Phosphorus	5	–	–	3	–	–	–	3	–	1	1	–	–	–	–	–	–	–	–
	Sulphuric Acid	3	–	–	–	2	–	1	3	–	–	–	–	–	–	–	–	–	–	–
	Nitric Acid	3	–	–	–	1	–	–	1	–	–	–	–	–	1	1	–	–	–	–
	Hydrochloric Acid	7	–	–	1	–	1	–	2	2	–	–	–	–	1	2	–	–	–	–
	Oxalic Acid	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	Carbolic Acid	13	–	–	–	3	2	–	5	2	–	1	–	2	–	1	1	–	1	–

ENGLAND.—DEATHS from ACCIDENT and NEGLIGENCE at different Periods of Life, in the Year 1882—**Males**—*continued.*

No.	Causes or Character of Accident.	All Ages.	Ages at Death. Total under 1 Year. Infants under 1 Month.	Others.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
9 *cont*	POISON—*continued.*																			
	Paraffin	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Opium, Laudanum, Morphia	56	2	7	1	-	-	-	10	-	-	-	1	8	14	9	9	5	-	-
	Godfrey's Cordial	2	1	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	Winslow's Soothing Syrup	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Soothing Syrup	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Paregoric	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Chlorodyne	3	1	-	-	1	-	-	2	-	-	-	-	-	1	-	-	-	-	-
	Alcohol	18	-	-	-	1	2	1	4	1	-	1	2	4	5	1	-	-	-	-
	Chloroform	3	-	1	-	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-
	Chloral	9	-	-	-	-	-	-	-	-	-	-	1	2	3	2	-	-	1	-
	Belladonna	3	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-
	Prussic Acid and Oil of Almonds	3	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-
	Cyanide of Potassium	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
	Aconite	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	Digitalis	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Tobacco	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Strychnia Nux Vomica	3	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	Vermin Killer	4	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	1	-	-
	Water Hemlock	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Lobelia	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	Putrid Meat	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Poisonous Fish	4	-	-	1	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-
	Liniment	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Overdose of Medicine	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Kind not stated	12	1	-	2	1	-	-	4	1	-	1	-	1	2	-	2	-	-	1
10	OTHER AND ILL-DEFINED CAUSES.																			
	Injury at Birth	25	25	-	-	-	-	-	25	-	-	-	-	-	-	-	-	-	-	-
	Navel Hæmorrhage	52	52	-	-	-	-	-	52	-	-	-	-	-	-	-	-	-	-	-
	Neglect	19	11	4	2	-	-	-	17	1	-	-	-	-	-	-	-	1	-	-
	Operation *	3	1	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
	Traumatic Stricture	3	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
	Traumatic Tetanus *	43	-	-	-	-	-	-	-	3	10	5	3	4	7	3	3	4	-	1
	Swallowing Foreign Body	10	-	-	1	2	-	1	4	2	1	-	1	-	2	-	-	-	-	-
	Sting of Insect	2	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	Bite of Animal	4	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-
	Injury by Bull, &c.	15	-	-	-	-	-	-	-	-	1	1	-	2	2	2	5	2	-	-
	Injury by Elephant	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Strain	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Inhaling Lime	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Accident (*not otherwise described*)	237	-	1	3	4	4	5	17	12	24	26	15	36	23	32	25	19	7	1
	Injury or Fracture (*how caused or of what kind not stated*)	639	2	5	16	9	4	8	44	22	21	30	21	58	90	78	90	85	78	22

* When a person dies from an operation, performed on account of any disease or injury the nature of which is stated in the certificate, the death is classed under that disease or injury. The same is done with deaths attributed to Traumatic Tetanus. The figures above refer, therefore, only to those deaths from operation and those deaths from Traumatic Tetanus concerning which no further information was obtained.

OF the above 11,406 ACCIDENTS, 94 are stated to have occurred to Persons in a state of INTOXICATION, and 10 to Persons suffering from DELIRIUM TREMENS. And in 335 other cases Death was accelerated by the supervention of ERYSIPELAS, MORTIFICATION, PYÆMIA, or TETANUS. Here follow the details:—

Causes inducing or accelerating Deaths from Accident.	All Ages.	Total under 1 Year. Infants under 1 Month.	Others.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
Intoxication at time of Accident	94	-	-	-	-	-	-	-	-	-	-	9	19	26	22	14	3	1	-
Delirium Tremens ditto	10	-	-	-	-	-	-	-	-	-	-	-	4	2	4	-	-	-	-
Acceleration by Erysipelas	78	1	1	1	-	1	1	5	3	-	1	-	6	18	15	13	10	7	-
Acceleration by Mortification	32	-	-	-	-	-	-	-	-	-	2	2	1	3	6	8	5	3	2
Acceleration by Pyæmia	111	-	-	-	2	1	1	4	8	4	11	5	14	19	14	17	11	3	1
Acceleration by Tetanus	114	-	-	2	-	3	1	6	10	17	18	5	11	16	14	8	8	1	-

ENGLAND.—DEATHS FROM ACCIDENT AND NEGLIGENCE at DIFFERENT PERIODS OF LIFE, in the YEAR 1882—**Females.**

No.	Causes or Character of Accident.	All Ages.	Ages at Death. Total under 1 Year. Infants under 1 Month.	Others.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	TOTAL - - - -	3944	283	610	274	210	165	138	1680	296	131	113	81	200	190	268	303	294	293	95
2	VEHICLES AND HORSES—																			
	(*a*) On Railways - -	70	-	1	1	2	-	1	5	4	6	8	4	11	5	7	9	7	4	-
	(*b*) Vehicles other than Railway - -	218	-	2	23	21	21	14	81	28	9	4	6	11	11	17	20	18	11	2
	(*c*) Horses - - -	13	-	-	2	1	1	1	5	2	-	-	-	-	1	-	2	2	1	-
3	MACHINERY - - -	16	-	-	-	-	2	1	3	3	3	3	1	2	-	1	-	-	-	-
4	WEAPONS AND IMPLEMENTS - - - -	60	-	-	1	1	2	1	5	5	4	6	1	5	6	6	12	5	5	-
5	FALLS AND BLOWS -	646	7	12	24	16	13	8	80	40	26	12	5	31	48	93	105	103	76	27
6	BURNS, SCALDS, EXPLOSIONS - - -	924	1	50	128	112	93	86	470	138	31	22	14	25	36	46	39	46	49	8
7	WEATHER AGENCIES -	54	3	4	3	3	1	-	14	2	3	-	2	5	6	6	7	7	2	-
8	ASPHYXIA (*Deaths from Poisonous Gases included*)—																			
	(*a*) Drowning - -	483	12	7	47	32	24	12	134	47	41	38	35	62	34	44	27	18	3	-
	(*b*) Suffocation - -	791	174	511	28	4	2	4	723	2	1	4	4	13	14	12	9	6	3	-
9	POISON - - - -	120	3	5	7	8	4	6	33	7	2	9	8	21	4	13	9	5	9	-
10	OTHER AND ILL-DEFINED CAUSES - - - -	549	83	18	10	10	2	4	127	18	5	7	1	14	25	23	64	77	130	53
2	VEHICLES AND HORSES.																			
	(*a*) ON RAILWAYS.																			
	Run over on Line - - -	46	-	-	1	2	-	1	4	3	3	6	2	7	2	6	5	5	3	-
	Collision - - - -	6	-	1	-	-	-	-	1	-	1	1	-	2	-	-	1	-	-	-
	Fall from Carriage or Engine	14	-	-	-	-	-	-	-	1	1	1	2	-	3	1	3	2	-	-
	Crushed by Carriage or Engine	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Otherwise or not stated how -	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-
	(*b*) VEHICLES OTHER THAN RAILWAY.																			
	Carriage - - - -	25	-	1	1	2	-	1	5	2	-	1	-	4	4	3	1	2	3	-
	Omnibus - - - -	5	-	-	-	-	1	-	1	-	-	-	-	1	1	1	-	1	-	-
	Tram-car - - - -	25	-	-	1	3	2	4	10	4	2	-	1	1	1	1	3	2	-	-
	Cab - - - - -	17	-	-	-	1	1	1	3	2	-	-	1	1	1	-	3	3	3	-
	Van, Waggon - - -	43	-	-	4	5	4	2	15	6	3	-	2	1	-	6	3	5	-	2
	Dray - - - - -	2	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-
	Cart - - - - -	83	-	1	14	10	8	5	38	13	1	3	2	2	3	5	8	4	4	-
	Others - - - - -	18	-	-	3	-	4	-	7	1	3	-	-	1	1	1	2	1	1	-
	(*c*) HORSES - -	13	-	-	2	1	1	1	5	2	-	-	-	-	1	-	2	2	1	-
3	MACHINERY.																			
	Explosion of Steam Boiler -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Machinery in Factory, Cotton Mill - - - - -	6	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-	-	-
	Machinery, Agricultural -	5	-	-	-	-	-	-	-	3	1	-	1	-	-	-	-	-	-	-
	Other Machinery, or kind not stated - - - - -	4	-	-	-	-	2	1	3	-	-	-	-	-	-	1	-	-	-	-
4	WEAPONS AND IMPLEMENTS.																			
	Gun-shot Wound - - -	11	-	-	-	-	-	-	-	1	2	3	-	-	1	1	2	1	-	-
	Cut, Stab - - - -	16	-	-	-	1	-	1	2	2	2	1	-	2	3	1	2	-	1	-
	Other Wounds, &c. - -	33	-	-	1	-	2	-	3	2	-	2	1	3	2	4	8	4	4	-

ENGLAND.—DEATHS from ACCIDENT and NEGLIGENCE at different Periods of Life, in the Year 1882—**Females**—*continued.*

No.	Causes or Character of Accident.	All Ages.	Ages at Death. Total under 1 Year. Infants under 1 Month.	Others.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
5	FALLS AND BLOWS.																			
	Fall from Scaffold, Ladder	2	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	Fall from Window	25	-	-	1	3	-	-	4	2	1	3	1	4	1	2	1	4	2	-
	Fall down Stairs	248	-	2	6	2	1	2	13	6	6	7	1	10	26	46	57	50	18	8
	Fall in Ships and Boats	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Fall from Height	75	1	6	7	4	3	1	22	11	3	-	1	2	5	9	7	5	7	3
	Fall (*otherwise, or not stated how*)	260	5	4	9	5	5	5	33	10	7	2	2	12	16	33	38	42	49	16
	Fall of Heavy Substance on	17	-	-	1	2	2	-	5	8	-	-	-	1	-	1	1	1	-	-
	Blow, &c.	18	1	-	-	-	1	-	2	3	8	-	-	2	-	1	1	1	-	-
6	BURNS, SCALDS, EXPLOSIONS.																			
	BURN by—																			
	Clothes taking Fire	301	-	4	11	26	29	29	99	79	11	8	8	8	19	24	13	15	14	3
	Conflagration	10	-	2	-	-	1	-	3	1	1	1	-	1	1	-	1	-	1	-
	Otherwise, or not stated how	340	-	14	26	29	28	39	136	42	16	11	5	15	12	18	24	28	29	4
	SCALD by—																			
	Drinking Hot Water	7	-	-	4	2	1	-	7	-	-	-	-	-	-	-	-	-	-	-
	Otherwise, or not stated how	253	1	30	87	54	32	18	222	15	2	2	-	1	3	-	1	2	4	1
	EXPLOSION of—																			
	Gunpowder	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Fireworks	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Fog signals	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Gas	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Paraffin	3	-	-	-	-	1	-	1	-	-	-	-	-	1	1	-	-	-	-
	Benzoline	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
	Petroleum	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Mineral Oil	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Lamp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
7	WEATHER AGENCIES.																			
	Lightning	5	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	1	-
	Sunstroke	13	-	-	1	3	-	-	4	2	1	-	1	1	-	3	1	-	-	-
	Gelatio and Exposure to Cold	36	3	4	2	-	1	-	10	-	1	-	1	4	5	1	6	7	1	-
8	ASPHYXIA.																			
	(*Deaths from Poisonous Gases included.*)																			
	(*a*) DROWNING.																			
	Bathing	3	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	Fall overboard	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Boat upsetting	8	-	-	-	-	-	-	-	-	1	4	2	1	-	-	-	-	-	-
	Collision	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Found Drowned	228	10	2	5	7	2	-	26	6	11	25	27	44	22	35	20	10	2	-
	Otherwise, or not stated how	242	2	5	42	25	22	12	108	41	28	8	5	17	11	8	7	8	1	-
	(*b*) SUFFOCATION.																			
	Strangulation	18	8	2	1	1	-	-	12	-	-	2	1	-	-	1	1	-	1	-
	Food, &c.	32	1	8	4	2	-	3	18	1	-	-	-	3	2	2	1	3	2	-
	Foreign Body in Air Passages	3	-	-	2	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-
	Bed Clothes	509	105	378	14	-	1	1	499	-	-	1	1	3	4	1	-	-	-	-
	Overlying	78	19	58	-	1	-	-	78	-	-	-	-	-	-	-	-	-	-	-
	Cat on Face	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Chloroform Vapour	8	-	-	1	-	-	-	1	1	-	-	1	1	2	2	-	-	-	-
	Fumes of Paraffin Stove	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Smoke	2	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	Conflagration	4	-	-	2	-	1	-	3	-	-	-	-	-	-	-	1	-	-	-
	Gas	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Fall of Heavy Substance on	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Otherwise, or not stated how	133	41	64	3	-	-	-	108	-	-	-	1	5	5	5	6	3	-	-

ENGLAND.—DEATHS from ACCIDENT and NEGLIGENCE at different Periods of Life, in the Year 1882—**Females**—*continued.*

No.	Causes or Character of Accident.	All Ages.	Ages at Death. Total under 1 Year. Infants under 1 Month.	Others.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
9	POISON.																			
	Arsenic	5	–	–	1	–	–	–	1	–	–	–	–	2	–	1	–	1	–	–
	Lead	15	–	–	–	–	–	–	–	–	–	4	5	3	2	–	–	–	1	–
	Soda	3	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–
	Ammonia	3	–	–	1	1	–	–	2	–	–	–	–	–	–	1	–	–	–	–
	Phosphorus	6	–	–	2	1	1	1	5	–	–	1	–	–	–	–	–	–	–	–
	Sulpuric Acid	5	–	–	–	1	–	–	1	1	–	1	–	–	–	1	–	–	1	–
	Nitric Acid	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Carbolic Acid	2	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–
	Savin	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Ergot of Rye	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Opium, Laudanum, Morphia	28	1	2	1	–	–	–	4	–	–	1	1	3	1	4	7	4	3	–
	Poppy Tea	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Alcohol	6	–	–	–	–	–	3	3	–	–	–	–	1	–	1	1	–	–	–
	Ether	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Chloroform	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	Chlorodyne	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–
	Chloral	5	–	–	–	–	–	–	–	–	–	–	–	3	1	1	–	–	–	–
	Belladonna	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	Prussic Acid and Oil of Almonds	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Strychnia, Nux Vomica	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Fool's Parsley	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Camphor	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Laburnum Seeds	2	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
	Yew Berries	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Poisonous Fish	3	–	–	–	1	–	–	1	1	–	–	–	–	–	1	–	–	–	–
	Sweet Nitre	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Oil of Tar	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Gripe Water	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Crayons	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	Kind not stated	18	2	1	–	3	1	–	7	1	1	1	2	3	–	2	–	–	1	–
10	OTHER AND ILL-DEFINED CAUSES.																			
	Injury at Birth	7	7	–	–	–	–	–	7	–	–	–	–	–	–	–	–	–	–	–
	Navel Hæmorrhage	51	51	–	–	–	–	–	51	–	–	–	–	–	–	–	–	–	–	–
	Neglect	22	14	4	2	–	–	–	20	–	–	–	–	1	–	1	–	–	–	–
	Operation*	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Traumatic Tetanus*	9	–	–	–	1	1	–	2	1	–	–	–	1	1	1	1	–	2	–
	Swallowing Foreign Body	3	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–
	Sting of Insect	4	–	1	–	–	–	–	1	–	–	–	–	–	–	–	3	–	–	–
	Injury by Bull, &c.	3	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–
	Injury by Dog	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Injury by Gamecock	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Accident (*not otherwise described*)	40	2	–	2	–	1	–	5	2	3	3	–	2	3	2	5	6	6	3
	Injury or Fracture (*how caused or of what kind not stated*)	407	9	13	5	9	–	4	40	13	2	3	1	9	19	19	55	70	121	55

* *See* note, p. 214.

OF the above 3944 ACCIDENTS, 47 are stated to have occurred to Persons in a state of INTOXICATION. And in 104 other cases Death was accelerated by the supervention of ERYSIPELAS, MORTIFICATION, PYÆMIA, or TETANUS. Here follow the details:—

Causes inducing or accelerating Deaths from Accident.	All Ages.	Total under 1 Year. Infants under 1 Month.	Others.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
Intoxication at time of Accident	47	–	–	–	–	–	–	–	–	–	1	–	8	12	14	10	2	–	–
Acceleration by Erysipelas	43	1	1	1	–	2	–	5	–	–	–	1	5	4	9	7	5	6	1
Acceleration by Mortification	11	–	1	–	–	–	–	1	–	–	–	–	–	–	1	1	3	2	3
Acceleration by Pyæmia	29	–	2	–	–	–	1	3	4	2	2	–	1	2	4	5	4	1	1
Acceleration by Tetanus	21	–	–	–	–	1	–	1	4	1	5	1	3	2	1	2	1	–	–

ENGLAND.—DEATHS from **Suicide** at different PERIODS OF LIFE in the YEAR 1882
Males.

No.	METHOD OF SUICIDE.	ALL AGES.	AGES AT DEATH. 5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
	TOTAL	1446	–	7	40	72	200	273	307	308	177	59	3
1	IN MINES—												
	(a) Coal Mines	1	–	–	–	1	–	–	–	–	–	–	–
2	VEHICLES AND HORSES—												
	(a) Railways	51	–	–	2	5	9	10	14	6	4	1	–
	(b) Vehicles other than Railway	1	–	–	–	–	–	–	–	–	–	1	–
3	MACHINERY	1	–	–	–	–	1	–	–	–	–	–	–
4	WEAPONS AND IMPLEMENTS	408	–	–	1	17	59	89	91	86	46	18	1
5	FALLS AND BLOWS	20	–	–	–	2	4	3	3	3	4	1	–
6	BURNS, SCALDS, EXPLOSIONS	5	–	–	–	–	1	–	2	1	1	–	–
8	ASPHYXIA—												
	(a) Drowning	240	–	3	8	14	42	50	50	37	29	7	–
	(b) Suffocation	558	–	4	24	27	55	84	108	151	76	27	2
9	POISON	117	–	–	5	3	25	28	30	17	7	2	–
10	OTHER AND ILL-DEFINED CAUSES	44	–	–	–	3	4	9	9	7	10	2	–
1	MINES.												
	(a) COAL MINES.												
	Fall in Pit or Shaft	1	–	–	–	1	–	–	–	–	–	–	–
2	VEHICLES AND HORSES.												
	(a) RAILWAYS.												
	Run over on Line	50	–	–	2	4	9	10	14	6	4	1	–
	Fall from Carriage or Engine	1	–	–	–	1	–	–	–	–	–	–	–
	(b) VEHICLES OTHER THAN RAILWAY.												
	Otherwise, or not stated how	1	–	–	–	–	–	–	–	–	–	1	–
3	MACHINERY.												
	Machinery in Factory, Cotton Mill	1	–	–	–	–	1	–	–	–	–	–	–
4	WEAPONS AND IMPLEMENTS.												
	Gun-shot Wound	121	–	–	1	11	24	31	24	22	6	2	–
	Cut Throat	264	–	–	–	4	31	55	62	58	38	15	1
	Cut, Stab	23	–	–	–	2	4	3	5	6	2	1	–
5	FALLS AND BLOWS.												
	Fall from Window	14	–	–	–	1	2	3	3	2	2	1	–
	Fall from Height	6	–	–	–	1	2	–	–	1	2	–	–
6	BURNS, SCALDS, EXPLOSIONS.												
	BURNS by—												
	Otherwise, or not stated how	1	–	–	–	–	1	–	–	–	–	–	–
	SCALDS by—												
	Drinking Hot Water	2	–	–	–	–	–	–	1	–	1	–	–
	Otherwise, or not stated how	1	–	–	–	–	–	–	1	–	–	–	–
	EXPLOSION of—												
	Gunpowder	1	–	–	–	–	–	–	–	1	–	–	–
8	ASPHYXIA.												
	(a) DROWNING	240	–	3	8	14	42	50	50	37	29	7	–
	(b) SUFFOCATION—												
	Hanging	528	–	4	21	26	52	73	106	145	73	26	2
	Strangulation	30	–	–	3	1	3	11	2	6	3	1	–
9	POISON.												
	Arsenic	4	–	–	–	–	1	1	2	–	–	–	–
	Mercury	4	–	–	–	–	–	2	1	1	–	–	–
	Phosphorus	1	–	–	–	–	–	–	–	1	–	–	–
	Sulphuric Acid	2	–	–	–	–	–	1	–	–	1	–	–
	Nitric Acid	1	–	–	–	–	–	1	–	–	–	–	–
	Hydrochloric Acid	8	–	–	–	–	–	1	4	1	1	1	–
	Oxalic Acid	13	–	–	1	–	3	3	3	2	1	–	–
	Carbolic Acid	6	–	–	1	1	2	–	1	1	–	–	–
	Opium, Laudanum, Morphia	20	–	–	1	–	2	3	7	5	1	1	–
	Alcohol	1	–	–	–	–	1	–	–	–	–	–	–
	Chloroform	1	–	–	–	–	–	1	–	–	–	–	–
	Chloral	1	–	–	–	–	1	–	–	–	–	–	–
	Aconite and Belladonna	1	–	–	–	–	–	1	–	–	–	–	–
	Prussic Acid and Oil of Almonds	8	–	–	–	–	2	1	3	1	1	–	–
	Cyanide of Potassium	10	–	–	1	–	5	3	1	–	–	–	–
	Benzoline	1	–	–	–	–	1	–	–	–	–	–	–
	Strychnia, Nux Vomica	8	–	–	–	–	1	3	1	1	2	–	–
	Vermin Killer	7	–	–	–	–	–	2	4	1	–	–	–
	Disinfecting Fluid	1	–	–	–	1	–	–	–	–	–	–	–
	Kind not stated	19	–	–	1	1	6	5	3	3	–	–	–
10	OTHER AND ILL-DEFINED CAUSES.												
	Otherwise, or not stated how	44	–	–	–	3	4	9	9	7	10	2	–

ENGLAND.—DEATHS from **Suicide** at different PERIODS OF LIFE in the YEAR 1882—**Females.**

No.	METHOD OF SUICIDE.	ALL AGES.	AGES AT DEATH. 10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
	TOTAL	519	6	38	46	83	103	104	77	45	15	2
2	VEHICLES AND HORSES— (*a*) Railways	5	–	–	–	1	–	2	2	–	–	–
4	WEAPONS AND IMPLEMENTS	61	–	1	1	9	13	17	10	8	2	–
5	FALLS AND BLOWS	21	–	–	1	4	7	4	2	1	2	–
8	ASPHYXIA—											
	(*a*) Drowning	179	5	19	24	25	31	33	20	16	6	–
	(*b*) Suffocation	129	–	4	2	19	27	28	31	12	5	1
9	POISON	111	1	13	17	22	22	18	11	6	–	1
10	OTHER AND ILL-DEFINED CAUSES	13	–	1	1	3	3	2	1	2	–	–
2	VEHICLES AND HORSES.											
	(*a*) RAILWAYS—											
	Run over on Line	5	–	–	–	1	–	2	2	–	–	–
4	WEAPONS AND IMPLEMENTS.											
	Gun-shot Wound	2	–	–	–	1	–	1	–	–	–	–
	Cut Throat	56	–	1	1	8	12	16	9	7	2	–
	Cut, Stab	3	–	–	–	–	1	–	1	1	–	–
5	FALLS AND BLOWS.											
	Fall from Window	19	–	–	1	3	6	4	2	1	2	–
	Fall from Height	2	–	–	–	1	1	–	–	–	–	–
8	ASPHYXIA.											
	(*a*) DROWNING	179	5	19	24	25	31	33	20	16	6	–
	(*b*) SUFFOCATION—											
	Hanging	120	–	3	2	16	24	26	31	12	5	1
	Strangulation	9	–	1	–	3	3	2	–	–	–	–
9	POISON.											
	Arsenic	2	–	1	1	–	–	–	–	–	–	–
	Mercury	3	–	–	1	1	–	–	–	–	–	1
	Ammonia	1	–	–	–	–	1	–	–	–	–	–
	Phosphorus	5	–	1	–	2	–	2	–	–	–	–
	Sulphuric Acid	1	–	1	–	–	–	–	–	–	–	–
	Nitric Acid	3	–	1	–	2	–	–	–	–	–	–
	Hydrochloric Acid	2	–	–	1	–	1	–	–	–	–	–
	Oxalic Acid	11	–	–	3	–	2	4	2	–	–	–
	Carbolic Acid	13	1	1	1	3	1	2	1	3	–	–
	Opium, Laudanum, Morphia	12	–	–	2	2	4	1	3	–	–	–
	Alcohol	1	–	–	–	–	–	–	1	–	–	–
	Belladonna	1	–	–	–	1	–	–	–	–	–	–
	Prussic Acid and Oil of Almonds	3	–	–	1	1	–	–	1	–	–	–
	Cyanide of Potassium	4	–	1	–	3	–	–	–	–	–	–
	Aconite	2	–	1	–	–	–	1	–	–	–	–
	Strychnia, Nux Vomica	11	–	1	1	1	4	3	–	1	–	–
	Vermin Killer	17	–	2	2	2	5	3	1	2	–	–
	Lotion	1	–	–	–	–	1	–	–	–	–	–
	Kind not stated	18	–	3	4	4	3	2	2	–	–	–
10	OTHER AND ILL-DEFINED CAUSES.											
	Swallowing Needles	1	–	–	–	1	–	–	–	–	–	–
	Otherwise, or not stated how	12	–	1	1	2	3	2	1	2	–	–

ENGLAND.—DEATHS from **Murder** at DIFFERENT PERIODS OF LIFE in the YEAR 1882—**Males.**

No.	METHOD OF MURDER.	ALL AGES.	AGES AT DEATH. Total under 1 Year. Infants under 1 Month.	Others.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	TOTAL - - - -	83	32	6	1	3	-	3	45	5	1	4	2	8	8	7	2	1	-	-
2	VEHICLES AND HORSES— (*a.*) Railways - - -	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
4	WEAPONS AND IMPLEMENTS - - - -	16	2	1	-	2	-	1	6	1	-	-	1	3	3	1	1	-	-	-
5	FALLS AND BLOWS -	6	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	1	-	-
6	BURNS, SCALDS, EXPLOSIONS - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
8	ASPHYXIA—																			
	(*a.*) Drowning - -	12	3	2	1	-	-	2	8	3	1	-	-	-	-	-	-	-	-	-
	(*b.*) Suffocation - -	13	12	-	-	1	-	-	13	-	-	-	-	-	-	-	-	-	-	-
9	POISON - - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
10	OTHER AND ILL-DEFINED CAUSES - - - -	32	14	3	-	-	-	-	17	-	-	2	1	3	4	4	1	-	-	-
2	VEHICLES AND HORSES.																			
	(*a.*) RAILWAYS— Fall from Carriage or Engine - - - -	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
4	WEAPONS AND IMPLEMENTS.																			
	Gun-shot Wound - - -	4	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-
	Cut, Stab - - - -	12	2	1	-	2	-	1	6	1	-	-	1	2	1	1	-	-	-	-
5	FALLS AND BLOWS.																			
	Fall from Height - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Blow, &c. - - - -	5	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-
6	BURNS, SCALDS, EXPLOSIONS.																			
	BURN by— Fires - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
8	ASPHYXIA.																			
	(*a.*) DROWNING - - -	12	3	2	1	-	-	2	8	3	1	-	-	-	-	-	-	-	-	-
	(*b.*) SUFFOCATION—																			
	Strangulation - - -	6	6	-	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-
	Otherwise, or not stated how	7	6	-	-	1	-	-	7	-	-	-	-	-	-	-	-	-	-	-
9	POISON.																			
	Cyanide of Potassium - -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Aconite - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
10	OTHER AND ILL-DEFINED CAUSES.																			
	Neglect - - - - -	3	2	1	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
	Fracture (*how or what kind not stated*) - - - -	13	6	1	-	-	-	-	7	-	-	1	1	1	-	3	-	-	-	-
	Otherwise, or not stated how -	16	6	1	-	-	-	-	7	-	-	1	-	2	4	1	1	-	-	-

ENGLAND.—DEATHS from **Murder** at DIFFERENT PERIODS OF LIFE in the YEAR 1882—**Females.**

No.	METHOD OF MURDER.	ALL AGES.	AGES AT DEATH. Total under 1 Year. Infants under 1 Month.	Others.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
	TOTAL - - - -	94	39	10	1	3	2	3	58	2	-	3	4	9	6	5	5	1	1	-
4	WEAPONS AND IMPLEMENTS - - - -	12	1	-	-	1	-	2	4	-	-	1	2	1	1	3	-	-	-	-
5	FALLS AND BLOWS -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
7	WEATHER AGENCIES -	5	4	1	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-
8	ASPHYXIA—																			
	(*a.*) Drowning - -	10	4	2	-	1	1	-	8	-	-	1	1	-	-	-	-	-	-	-
	(*b.*) Suffocation - -	12	10	2	-	-	-	-	12	-	-	-	-	-	-	-	-	-	-	-
9	POISON - - - - -	3	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-
10	OTHER AND ILL-DEFINED CAUSES - - - -	50	20	5	-	1	1	1	28	2	-	1	1	8	5	1	4	-	-	-
4	WEAPONS AND IMPLEMENTS.																			
	Gun-shot Wounds - -	4	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-
	Cut, Stab - - - -	7	-	-	-	1	-	2	3	-	-	1	-	1	1	1	-	-	-	-
	Other Wounds, &c. - -	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
5	FALLS AND BLOWS.																			
	Blow, &c. - - - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
7	WEATHER AGENCIES.																			
	Gelatio and Exposure to Cold	5	4	1	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-
8	ASPHYXIA.																			
	(*a.*) DROWNING - - -	10	4	2	-	1	1	-	8	-	-	1	1	-	-	-	-	-	-	-
	(*b.*) SUFFOCATION—																			
	Strangulation - - -	4	3	1	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
	Otherwise, or not stated how	8	7	1	-	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-
9	POISON.																			
	Lead - - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	Strychnia, Nux Vomica -	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
10	OTHER AND ILL DEFINED CAUSES.																			
	Navel Hæmorrhage - -	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Procuring Abortion - -	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	Injury to Womb - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Injury or Fracture (*how or what kind not stated*) - -	8	6	1	-	1	-	-	8	-	-	-	-	-	-	-	-	-	-	-
	Otherwise, or not stated how -	38	13	4	-	-	1	1	19	2	-	1	1	5	5	1	4	-	-	-

ENGLAND.—DEATHS from **Manslaughter** at DIFFERENT PERIODS OF LIFE in the YEAR 1882—**Males.**

No.	Character of Manslaughter.	All Ages.	Ages at Death. Total under 1 Year. Infants under 1 Month.	Others.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	TOTAL - - - - -	118	3	7	2	1	-	1	14	3	5	10	16	22	20	15	8	3	2	-
1	IN MINES— (a) Coal Mines - -	5	-	-	-	-	-	-	-	-	1	1	-	-	1	2	-	-	-	-
2	VEHICLES AND HORSES— (a) Railway - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	(b) Vehicles other than Railway - -	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-
3	MACHINERY - - -	3	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
4	WEAPONS AND IMPLEMENTS - - - -	16	-	-	-	-	-	-	-	-	2	1	6	3	4	-	-	-	-	-
5	FALLS AND BLOWS -	28	-	-	-	-	-	-	-	1	1	2	2	9	5	4	3	-	1	-
6	BURNS, SCALDS, EXPLOSIONS - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
7	WEATHER AGENCIES -	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
8	ASPHYXIA— (a) Drowning - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	(b) Suffocation - -	2	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
10	OTHER AND ILL-DEFINED CAUSES - - - -	56	2	6	2	1	-	1	12	2	1	4	6	9	10	6	3	2	1	-
1	MINES. (a) COAL MINES.																			
	Fall of Coal, Stone, &c. on -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Fall in Pit or Shaft - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Explosion of Fire-Damp -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Drowned - - - -	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
2	VEHICLES AND HORSES. (a) RAILWAYS.																			
	Run over on Line - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	(b) VEHICLES OTHER THAN RAILWAY.																			
	Carriage - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	Cab - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Van, Waggon - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
3	MACHINERY.																			
	Explosion of Steam Boiler -	3	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
4	WEAPONS AND IMPLEMENTS.																			
	Gun-shot Wound - - -	3	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	Cut, Stab - - - -	9	-	-	-	-	-	-	-	-	2	-	4	2	1	-	-	-	-	-
	Other Wounds, &c. - -	4	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-
	FALLS AND BLOWS.																			
	Fall from Scaffold Ladder -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Fall Downstairs - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Fall (*otherwise, or not stated how*) - - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
	Fall of heavy Substances on -	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	Blow, &c. - - - -	22	-	-	-	-	-	-	-	1	-	2	2	8	4	3	2	-	-	-
6	BURNS, SCALDS, EXPLOSIONS, &c. BURN— *Not stated how* - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
7	WEATHER AGENCIES.																			
	Gelatio and Exposure to Cold	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
8	ASPHYXIA. (a) DROWNING.																			
	Shipwreck - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	(b) SUFFOCATION.																			
	Overlying - - - -	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Manner not stated - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
10	OTHER AND ILL-DEFINED CAUSES.																			
	Starvation - - - -	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Neglect - - - - -	7	1	3	-	-	-	1	5	1	-	-	-	-	-	1	-	-	-	-
	Injury or Fracture (*how caused or of what kind not stated*) - - - -	13	-	-	-	-	-	-	-	1	-	-	2	2	4	1	2	-	1	-
	Otherwise, or not stated how -	35	1	3	1	1	-	-	6	-	1	4	4	7	6	4	1	2	-	-

ENGLAND.—DEATHS from **Manslaughter** at DIFFERENT PERIODS OF LIFE in the Year 1882—**Females.**

No.	Character of Manslaughter.	All Ages.	Ages at Death. Total under 1 Year. Infants under 1 Month.	Others.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	TOTAL - - - -	55	3	1	5	-	2	-	11	1	-	1	5	14	8	10	2	3	-	-
2	VEHICLES AND HORSES—																			
	(*a*) Railways - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	(*b*) Vehicles other than Railway - -	2	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
4	WEAPONS AND IMPLEMENTS - - - -	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-
5	FALLS AND BLOWS -	13	-	-	-	-	1	-	1	-	-	-	1	2	3	5	1	-	-	-
8	BURNS, SCALDS, EXPLOSIONS - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
10	OTHER AND ILL-DEFINED CAUSES - - - -	35	3	1	5	-	-	-	9	1	-	-	3	11	4	4	-	3	-	-
2	VEHICLES AND HORSES.																			
	(*a*) RAILWAYS.																			
	Run over on Line - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	(*b*) VEHICLES OTHER THAN RAILWAY.																			
	Cart - - - - - -	2	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
4	WEAPONS AND IMPLEMENTS.																			
	Gun Shot Wounds - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Cut, Stab - - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
5	FALLS AND BLOWS.																			
	Fall Downstairs - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Fall (*otherwise, or not stated how*) - - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	Blow, &c. - - - -	10	-	-	-	-	1	-	1	-	-	-	1	2	2	3	1	-	-	-
6	BURNS.																			
	Not stated how - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
10	OTHER AND ILL-DEFINED CAUSES.																			
	Starvation - - - -	2	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	Neglect - - - - -	2	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	Fracture (*how or what kind not stated*) - - - -	7	-	-	1	-	-	-	1	-	-	-	-	3	2	-	-	1	-	-
	Otherwise, or not stated how -	24	3	-	1	-	-	-	4	1	-	-	3	8	2	4	-	2	-	-

INDEX OF DISTRICTS.

The following Index furnishes a reference to the *Number* of each REGISTRATION DISTRICT in the topographical arrangement adopted in the Tables of Abstracts contained in the Report.* The alphabetical arrangement places compound names in the order in which they are pronounced: thus, East Ashford will be found under the letter E, and *not* under A.

In consequence of numerous alterations (amalgamations of districts and formations of new districts) since the numerical arrangement, 1 to 623, was adopted in the Abstracts for the year 1847, the districts were re-numbered consecutively from 1 to 630 in the Abstracts for the year 1881.

For names of Towns, such as Leamington, Torquay, &c., which are not found in this "Index of Districts," see the "Index of Sub-districts" (page 228) *and "Index of certain Towns"* (page 238).

A

Aberayron, 604.
Abergavenny, 582.
Aberystwith, 605.
Abingdon, 115.
Alcester, 397.
Alderbury (Salisbury), 254.
Alnwick, 563.
Alresford, 105.
Alston, 568.
Alton, 106.
Altrincham, 445.
Alverstoke, 89.
Amersham, 140.
Amesbury, 253.
Ampthill, 173.
Andover, 110.
Anglesey, 630.
Ashborne, 438.
Ashby-de-la-Zouch, 406.
Ashton-under-Lyne, 468.
Aston, 387.
Atcham (Shrewsbury) 351.
Atherstone, 389.
Auckland, 545.
Axbridge, 315.
Axminster, 269.
Aylesbury, 143.
Aylsham, 223.
Aysgarth, 539.

B

Bakewell, 440.
Bala, 623.
Banbury, 155.
Bangor, 628.
Barnet, 128.
Barnsley, 506.
Barnstaple, 285.
Barrow-in-Furness, 482.
Barrow-upon-Soar, 408.
Barton Regis, 321.
Barton-upon-Irwell, 463.
Basford, 430.
Basingstoke, 108.
Bath, 317.
Battle, 69.
Beaminster, 267.
Bedale, 537.
Bedford, 171.
Bedminster, 319.
Bedwelty, 583.
Belford, 564.
Bellingham, 561.
Belper, 437.
Berkhampstead, 139.
Berwick, 565.
Bethnal Green, 16.
Beverley, 519.
Bicester, 151.
Bideford, 287.
Biggleswade, 172.
Billericay, 191.
Billesdon, 402.
Bingham, 434.
Birkenhead, 452.
Birmingham, 386.
Bishop Stortford, 131.
Blaby, 403.
Blackburn, 474.
Blandford, 260.
Blean, 58.
Blofield, 228.
Blything, 216.
Bodmin, 294.
Bolton, 461.
Bootle, 576.
Bosmere, 211.
Boston, 417.
Bourn, 414.
Brackley, 156.
Bradfield, 118.
Bradford-on-Avon, 249.
Bradford (Yorkshire), 497.
Braintree, 199.
Bramley, 500.
Brampton, 570.
Brecknock, 608.
Brentford, 126.
Bridge, 56.
Bridgend, 589.
Bridgnorth, 348.
Bridgwater, 307.
Bridlington, 525.
Bridport, 268.
Brighton, 77.
Bristol, 320.
Brixworth, 162.
Bromley, 41.
Bromsgrove, 384.
Bromyard, 341.
Buckingham, 146.
Builth, 607.
Burnley, 472.
Burton-upon-Trent, 367.
Bury, 462.
Bury St. Edmunds, 206.

C

Caistor, 424.
Calne, 245.
Camberwell, 26.
Cambridge, 179.
Camelford, 290.
Cannock, 370.
Canterbury, 57.
Cardiff, 586.
Cardigan, 601.
Carlisle, 572.
Carmarthen, 597.
Carnarvon, 627.
Castle Ward, 558.
Catherington, 103.
Caxton, 177.
Chapel-en-le-Frith, 441.
Chard, 309.
Cheadle, 365.
Chelmsford, 192.
Chelsea, 3.
Cheltenham, 335.
Chepstow, 580.
Chertsey, 31.
Chester, 450.
Chesterfield, 439.
Chester-le-Street, 552.
Chesterton, 178.
Chichester, 84.
Chippenham, 244.
Chipping Norton, 154.
Chipping Sodbury, 322.
Chorley, 475.
Chorlton, 464.
Christchurch, 93.
Church Stretton, 346.
Cirencester, 331.
Cleobury Mortimer, 347.
Clitheroe, 473.

* Thus, the number of Marriages in the Aberayron District may at once be ascertained by referring to the "*Abstract of Marriages*," District number 604 (see page 24); and the numbers of Births and Deaths, of Deaths at different Ages, &c. will be found by referring to the same district number in the respective Tables.

Clun, 345
Clutton, 316.
Cockermouth, 574.
Colchester, 196.
Congleton, 448.
Conway, 629.
Cookham, 121.
Corwen, 622.
Cosford, 204.
Coventry, 392.
Cranbrook, 52.
Crediton, 282.
Crickhowell, 609.
Cricklade, 242.
Croydon, 38.
Cuckfield, 75.

D

Darlington, 542.
Dartford, 42.
Daventry, 161.
Depwade, 230.
Derby, 436.
Devizes, 247.
Dewsbury, 502.
Docking, 235.
Dolgelly, 624.
Doncaster, 511.
Dorchester, 265.
Dorking, 35.
Dover, 64.
Downham, 238.
Driffield, 524.
Droitwich, 383.
Droxford, 102.
Dudley, 374.
Dulverton, 304.
Dunmow, 200.
Durham, 549.
Dursley, 324.

E

Easington, 550.
Easingwold, 528.
East Ashford, 55.
Eastbourne, 70.
East Grinstead, 74.
Easthampstead, 122.
East Preston (Worthing), 82.
East Retford, 427.
Eastry, 63.
East Stonehouse, 278.
East Ward, 577.
Ecclesall Bierlow, 508.
Edmonton, 129.
Elham, 65.
Ellesmere, 353.
Ely, 182.
Epping, 187.
Epsom, 30.
Erpingham, 222
Eton, 141.
Evesham, 381.
Exeter, 272.

F

Falmouth, 298.
Fareham, 90.
Faringdon, 114
Farnham, 33.
Faversham, 59.
Festiniog, 625.
Flegg, 220.
Foleshill, 391.
Forden (Montgomery), 615.
Fordingbridge, 95.
Forehoe, 226.
Freebridge Lynn, 236.
Frome, 312.
Fulham, 2.
Fylde, 477.

G

Gainsborough, 426.
Garstang, 478.
Gateshead, 555.
Glanford Brigg, 425.
Glendale, 566.
Gloucester, 327.
Godstone, 37.
Goole, 513.
Gower, 593.
Grantham, 419.
Gravesend, 43.
Great Ouseburn, 488.
Greenwich, 27.
Guildford, 32.
Guiltcross, 231.
Guisbrough, 533.

H

Hackney, 10.
Hailsham, 71.
Halifax, 496.
Halstead, 198.
Haltwhistle, 560.
Hambledon, 34.
Hampstead, 7.
Hardingstone, 159.
Hartismere, 209.
Hartlepool, 544.
Hartley Wintney, 107.
Haslingden, 471.
Hastings, 68.
Hatfield, 135.
Havant, 87.
Haverfordwest, 600.
Hay, 610.
Hayfield, 442.
Headington, 149.
Helmsley, 530.
Helston, 299.
Hemel Hempstead, 138.
Hemsworth, 505.
Hendon, 127.
Henley, 147.
Henstead, 227.
Hereford, 339.
Hertford, 134.
Hexham, 559.
Highworth, 241.
Hinckley, 404.
Hitchin, 133.
Holbeach, 416.
Holbeck, 499.
Holborn, 13.
Hollingbourn, 51.
Holsworthy, 288.
Holywell, 617.
Honiton, 270.
Hoo, 45.
Horncastle, 421.
Horsham, 79.
Houghton-le-Spring, 551.
Howden, 518.
Hoxne, 210.
Huddersfield, 495.
Hull, 521.
Hungerford, 113.
Hunslet, 498.
Huntingdon, 168.

I

Ipswich, 213.
Isle of Wight, 91.
Islington, 9.

K

Keighley, 492.
Kendal, 579.
Kensington, 1.
Kettering, 164.
Keynsham, 318.
Kidderminster, 376.
Kingsbridge, 275.
Kingsclere, 111.
Kings Lynn, 237.
Kings Norton, 385.
Kingston, 39.
Kington, 343.
Knaresborough, 489.
Knighton, 611.

L

Lambeth, 24.
Lampeter, 603.
Lancaster, 479.
Lanchester, 548.
Langport, 308.
Launceston, 291.
Ledbury, 337.
Leeds, 501.
Leek, 364.
Leicester, 409.
Leigh, 460.
Leighton Buzzard, 175.
Leominster, 342.
Lewes, 76.
Lewisham, 28.
Lexden, 197.
Leyburn, 538.

Lichfield, 369.
Lincoln, 420.
Linton, 180.
Liskeard, 293.
Liverpool, 453.
Llandilofawr, 596.
Llandovery, 595.
Llanelly, 594.
Llanfyllin, 616.
Llanrwst, 621.
Loddon, 229.
London City, 14.
Longtown, 571.
Loughborough, 407.
Louth, 423.
Ludlow, 344.
Lunesdale, 480.
Luton, 176.
Lutterworth, 400.
Lymington, 92.

M

Macclesfield, 444.
Machynlleth, 613.
Madeley, 350.
Maidstone, 50.
Maldon, 194.
Malling, 47.
Malmesbury, 243.
Malton, 527.
Manchester, 466.
Mansfield, 429.
Market Bosworth, 405.
Market Drayton, 356.
Market Harborough, 401.
Marlborough, 246.
Martley, 378.
Marylebone, 6.
Medway, 46.
Melksham, 248.
Melton Mowbray, 410.
Mere, 257.
Meriden, 388.
Merthyr Tydfil, 588.
Middlesbrough, 534.
Midhurst, 85.
Mildenhall, 207.
Mile End Old Town, 20.
Milton, 60.
Mitford, 233.
Monmouth, 581.
Morpeth, 562.
Mutford, 218.

N

Nantwich, 449.
Narberth, 598.
Neath, 590.
Newark, 433.
Newbury, 112.
Newcastle-in-Emlyn, 602.
Newcastle-under-Lyme, 361.
Newcastle-upon-Tyne, 556.
Newent, 326.
New Forest, 96.
Newmarket, 181.
Newport (Monmouth), 585.
Newport (Salop), 358.
Newport Pagnell, 145.
Newton Abbot, 273.
Newtown, 614.
Northallerton, 536.
Northampton, 160.
North Aylesford, 44.
Northleach, 332.
Northwich, 447.
North Witchford, 183.
Norwich, 225.
Nottingham, 431.
Nuneaton, 390.

O

Oakham, 411.
Okehampton, 281.
Oldham, 469.
Ongar, 188.
Ormskirk, 457.
Orsett, 190.
Oswestry, 352.
Oundle, 166.
Oxford, 150.

P

Pancras, 8.
Pateley Bridge, 486.
Patrington, 522.
Pembroke, 599.
Penrith, 569.
Penzance, 301.
Pershore, 382.
Peterborough, 167.
Petersfield, 104.
Petworth, 80.
Pewsey, 252.
Pickering, 531.
Plomesgate, 215.
Plymouth, 277.
Plympton St. Mary, 276.
Pocklington, 517.
Pontardawe, 591.
Pontefract, 504.
Pontypool, 584.
Pontypridd, 587.
Poole, 262.
Poplar, 21.
Portsea Island, 88.
Potterspury, 158.
Prescot, 456.
Preston, 476.
Prestwich, 467.
Pwllheli, 626.

R

Reading, 119.
Redruth, 300.
Reeth, 540.
Reigate, 36.
Rhayader, 612.
Richmond (Surrey), 40.
Richmond (Yorkshire), 541.
Ringwood, 94.
Ripon, 487.
Risbridge, 202.
Rochdale, 470.
Rochford, 193.
Romford, 189.
Romney Marsh, 66.
Romsey, 99.
Ross, 338.
Rothbury, 567.
Rotherham, 510.
Royston, 132.
Rugby, 393.
Runcorn, 446.
Ruthin, 619.
Rye, 67.

S

Saddleworth, 494.
Saffron Walden, 201.
St. Albans, 136.
St. Asaph, 620.
St. Austell, 296.
St. Columb, 295.
St. Faiths, 224.
St. George Hanover Sq., 4.
St. George in-the-East, 18.
St. Germans, 292.
St. Giles, 11.
St. Ives, 169.
St. Neots, 170.
St. Olave Southwark, 23.
St. Saviour Southwark, 22.
St. Thomas, 271.
Salford, 465.
Samford, 212.
Scarborough, 526.
Scilly Islands, 302.
Sculcoates, 520.
Sedbergh, 483.
Selby, 514.
Settle, 484.
Sevenoaks, 48.
Shaftesbury, 258.
Shardlow, 435.
Sheffield, 509.
Sheppey, 61.
Shepton Mallet, 313.
Sherborne, 266.
Shifnal, 349.
Shipston-on-Stour, 398.
Shoreditch, 15.
Skipton, 485.
Skirlaugh, 523.
Sleaford, 418.
Smallburgh, 221.
Solihull, 394.
Southam, 399.
Southampton, 97.
South Molton, 284.

South Shields, 554.
South Stoneham, 98.
Southwell, 432.
Spalding, 415.
Spilsby, 422.
Stafford, 359.
Staines, 124.
Stamford, 413.
Stepney, 19.
Steyning, 78.
Stockbridge, 100.
Stockport, 443.
Stockton, 543.
Stoke Damerel, 279.
Stokesley, 535.
Stoke-upon-Trent, 363.
Stone, 360.
Stourbridge, 375.
Stow, 208.
Stow-on-the-Wold, 333.
Strand, 12.
Stratford-on-Avon, 396.
Stratton, 289.
Stroud, 329.
Sturminster, 259.
Sudbury, 203.
Sunderland, 553.
Swaffham, 239.
Swansea, 592.

T

Tadcaster, 515.
Tamworth, 368.
Taunton, 306.
Tavistock, 280.
Teesdale, 546.
Tenbury, 377.
Tendring, 195.
Tenterden, 53.
Tetbury, 330.
Tewkesbury, 336.
Thakeham, 81.
Thame, 148.
Thanet, 62.
Thetford, 240.
Thingoe, 205.
Thirsk, 529.
Thornbury, 323.
Thorne, 512.
Thrapston, 165.
Ticehurst, 72.
Tisbury, 256.
Tiverton, 283.
Todmorden, 493.
Torrington, 286.
Totnes, 274.
Towcester, 157.
Toxteth Park, 454.
Tregaron, 606.
Truro, 297.
Tunbridge, 49.
Tynemouth, 557.

U

Uckfield, 73.
Ulverston, 481.
Uppingham, 412.
Upton-on-Severn, 380.
Uttoxeter, 366.
Uxbridge, 125.

W

Wakefield, 503.
Wallingford, 117.
Walsall, 372.
Walsingham, 234.
Wandsworth, 25.
Wangford, 217.
Wantage, 116.
Ware, 130.
Wareham, 263.
Warminster, 251.
Warrington, 459.
Warwick, 395.
Watford, 137.
Wayland, 232.
Weardale, 547.
Wellingborough, 163.
Wellington (Salop), 357.
Wellington (Somerset), 305.
Wells, 314.
Wem, 354.
Weobly, 340.
West Ashford, 54.
Westbourne, 86.
West Bromwich, 373.
Westbury, 250.
Westbury-on-Severn, 325.
West Derby, 455.
West Ham, 186.
Westhampnett, 83.
Westminster, 5.
West Ward, 578.
Wetherby, 490.
Weymouth, 264.
Wharfedale, 491.
Wheatenhurst, 328.
Whitby, 532.
Whitchurch (Hants), 109.
Whitchurch (Salop), 355.
Whitechapel, 17.
Whitehaven, 575.
Whittlesey, 184.
Wigan, 458.
Wigton, 573.
Williton, 303.
Wilton, 255.
Wimborne, 261.
Wincanton, 311.
Wincheomb, 334.
Winchester, 101.
Windsor, 123.
Winslow, 144.
Wirral, 451.
Wisbech, 185.
Witney, 153.
Woburn, 174.
Wokingham, 120.
Wolstanton, 362.
Wolverhampton, 371.
Woodbridge, 214.
Woodstock, 152.
Woolwich, 29.
Worcester, 379.
Worksop, 428.
Wortley, 507.
Wrexham, 618.
Wycombe, 142.

Y

Yarmouth, 219.
Yeovil, 310.
York, 516.

INDEX OF SUB-DISTRICTS.

[This alphabetical arrangement places the Registration Sub-Districts (or Registrars' Districts) having *compound names* in the order indicated by the usual pronunciation of those names; thus, East Grinstead will be found under the letter E, and not under G; St. James under the letter S, and not as "James, St." The number against each Sub-District, in the third column, refers to its numerical place in the Tables of Abstracts; thus, Abbey Holme (573; 2) is the 2d Sub-District of the Wigton District, No. 573.]

Sub-District.	District.	No.
A		
Abbey Holme	Wigton	573; 2
Abbots Bromley	Uttoxeter	366; 2
Abbotsbury	Weymouth	264; 4
Abbots Langley	Watford	137; 4
Aberdare	Merthyr Tydfil	588; 4
Aberdaron	Pwllheli	626; 3
Aberford	Tadcaster	515; 1
Abergavenny	Abergavenny	582; 3
Abergele	St. Asaph	620; 2
Abergwessin	Builth	607; 1
Aberystruth	Bedwelty	583; 1
Aberystwith	Aberystwith	605; 2
Abingdon	Abingdon	115; 2
Abthorpe	Towcester	157; 1
Accrington	Haslingden	471; 5
Acton	Brentford	126; 5
Addingham	Skipton	485; 6
Alberbury	Atcham	351; 4
Albrighton	Shifnal	349; 1
Albury	Guildford	32; 3
Alcester	Alcester	397; 2
Aldbrough	Richmond (Yrks.)	541; 4
Aldbrough	Skirlaugh	523; 3
Aldeburgh	Plomesgate	215; 3
Aldeby	Loddon	229; 1
Alderbury	Alderbury	254; 1
Alderley	Macclesfield	444; 8
Aldgate	Whitechapel	17; 6
Aldington	East Ashford	55; 1
Aldridge	Walsall	372; 4
Alford	Spilsby	422; 5
Alfreton	Belper	437; 5
Allendale	Hexham	559; 3
Allerston	Pickering	531; 4
Allhallows, Barking.	London City	14; 5
All Saints	Birmingham	386; 5
All Saints	Hastings	68; 2
All Saints	Maldon	194; 3
All Saints	Newcastle-on-Tyne.	556; 4
All Saints	Northampton	160; 2
All Souls	Marylebone	6; 1
Almondbury	Huddersfield	495; 6
Almondsbury	Thornbury	323; 1
Alnwick	Alnwick	563; 2
Alphington	St. Thomas	271; 8
Alresford	Alresford	105; 2
Alston	Alston	568; 1
Alston	Preston	476; 6
Altarnun	Launceston	291; 1
Alton	Alton	106; 1
Alton	Cheadle	365; 1
Altrincham	Altrincham	445; 2
Alverstoke	Alverstoke	89; 1
Alverthorpe	Wakefield	503; 6
Ambleside	Kendal	579; 1
Amersham	Amersham	140; 3
Amesbury	Amesbury	253; 2
Amlwch	Anglesey	630; 4
Amport	Andover	110; 2
Ampthill	Ampthill	173; 2
Amroth	Narberth	598; 3
Amwell	Holborn	13; 5
Ancoats	Manchester	466; 1
Andover	Andover	110; 3
Anston	Worksop	428; 3
Antony	St. Germans	292; 1
Appleby	East Ward	577; 1
Appleton Roebuck	Tadcaster	515; 3
Appleton-upon-Wisk.	Northallerton	536; 1
Ardleigh	Tendring	195; 4
Ardsley	Wakefield	503; 7
Ardwick	Chorlton	464; 3
Arkholme	Lunesdale	480; 4
Arncliffe	Settle	484; 5
Arnold	Basford	430; 5
Arundel	East Preston (Worthing).	82; 3
Ashborne	Ashborne	438; 3
Ashburton	Newton Abbot	273; 4
Ashby-de-la-Zouch.	Ashby-de-la-Zouch.	406; 3
Ashford	West Ashford	54; 2
Ashley	Barton Regis	321; 2
Ashover	Chesterfield	439; 1
Ashton-in-Makerfield.	Wigan	458; 7
Ashton Town	Ashton-under-Lyne.	468; 2
Askrigg	Aysgarth	539; 1
Aslackby	Bourn	414; 2
Aspull	Wigan	458; 2
Aston Clinton	Aylesbury	143; 3
Aswarby	Sleaford	418; 5
Atcham	Atcham	351; 7
Atherstone	Atherstone	389; 1
Atherton	Leigh	460; 4
Attercliffe	Sheffield	509; 6
Attleborough	Wayland	232; 1
Audenshaw	Ashton-under-Lyne.	468; 3
Audley	Newcastle-under-Lyme.	361; 3
Aughton	Ormskirk	457; 2
Axbridge	Axbridge	315; 4
Axminster	Axminster	269; 2
Aycliffe	Darlington	542; 2
Aylesbury	Aylesbury	143; 2
Aylesford	Malling	47; 1
B		
Bacton	Smallburgh	221; 4
Bainton	Driffield	524; 3
Bakewell	Bakewell	440·1
Bala	Bala	623; 1
Baldock	Hitchin	133; 1
Balsham	Linton	180; 3
Bampton	Tiverton	283; 6
Bampton	Witney	153; 2
Banbury	Banbury	155; 4
Bangor	Bangor	628; 2
Banham	Guiltcross	231; 1
Banwell	Axbridge	315; 3
Barford	Bedford	171; 7
Barham	Bridge	56; 2
Barking Town	Romford	189; 3
Barmbrough	Doncaster	511; 2
Barmouth	Dolgelly	624; 2
Barnack	Stamford	413; 2
Barnard Castle	Teesdale	546; 2
Barnet	Barnet	128; 2
Barnoldswick	Skipton	485; 3
Barnsley	Barnsley	506; 2
Barnstaple	Barnstaple	285; 1
Barrow-upon-Soar.	Barrow-upon-Soar.	408; 1
Barrow-in-Furness.	Barrow-in-Furness.	482; 1
Barrowden	Uppingham	412; 3
Barton	Barton-upon-Irwell.	463; 2
Barton	Glanford Brigg	425; 3
Baschurch	Ellesmere	353; 4
Basford	Basford	430; 3
Basingstoke	Basingstoke	108; 1
Bassingham	Newark	433; 2
Batheaston	Bath	317; 6
Bathwick	Bath	317; 2
Batley	Dewsbury	502; 2
Battersea	Wandsworth	25; 2
Battle	Battle	69; 3
Battlefield	Atcham	351; 6
Bawdeswell	Mitford	233; 3
Bawtry	Doncaster	511; 5
Beaconsfield	Amersham	140; 5
Beaminster	Beaminster	267; 3
Beaumaris	Bangor	628; 1
Beccles	Wangford	217; 2
Beckley	Rye	67; 2
Bedale	Bedale	537; 1
Bedford and Cardington.	Bedford	171; 6
Bedford and Kempston.	Bedford	171; 5
Bedlington	Morpeth	562; 2
Bedminster	Bedminster	319; 1
Begelly	Narberth	598; 6
Beighton	Rotherham	510; 1
Belbroughton	Bromsgrove	384; 2
Belford	Belford	564; 1
Belgrave	St. George Hanover-sq.	4; 3
Bellingham	Bellingham	561; 1
Belper	Belper	437; 3
Bennington	Boston	417; 2
Bennington	Newark	433; 4
Bentham	Settle	484; 1
Bere Regis	Wareham	263; 4
Berkeley	Thornbury	323; 3
Berkhampstead	Berkhampstead	139; 1
Berwick Street	Westminster	5; 2
Berwick-upon-Tweed.	Berwick	565; 1
Bettwsycoed	Llanrwst	621; 2
Beverley	Beverley	519; 2
Bewdley	Kidderminster	376; 5
Bexhill	Battle	69; 1
Bexley	Dartford	42; 1
Bibury	Northleach	332; 1
Bicester	Bicester	151; 2
Bickerstaffe	Ormskirk	457; 1
Bideford	Bideford	287; 1
Bidford	Alcester	397; 4
Biggleswade	Biggleswade	172; 2
Billesdon	Billesdon	402; 1
Billinghay	Sleaford	418; 1
Billington	Blackburn	474; 1
Bilston	Wolverhampton	371; 7
Binbrooke	Louth	423; 3
Bingham	Bingham	434; 1
Bingley	Keighley	492; 1
Binstead	Alton	106; 2
Birkenhead	Birkenhead	452; 1
Birtle	Bury	462; 4
Bishop Auckland	Auckland	545; 1
Bishops Castle	Clun	345; 2
Bishops Frome	Bromyard	341; 2
Bishops Lydeard	Taunton	306; 5
Bishops Tawton	Barnstaple	285; 6
Bishopstone	Wilton	255; 2
Bishop Stortford	Bishop Stortford	131; 3
Bishops Waltham	Droxford	102; 1
Bisley	Stroud	329; 3
Bitton	Keynsham	318; 1
Blackawton	Kingsbridge	275; 1
Blackburn	Blackburn	474; 4

Sub-District.	District.	No.
Blackley	Prestwich	467; 4
Black Torrington	Holsworthy	288; 3
Blackwell	Mansfield	429; 3
Blaenavon	Abergavenny	582; 4
Blagdon	Axbridge	315; 5
Blandford	Blandford	260; 2
Blatchinworth	Rochdale	470; 9
Bletchington	Bicester	151; 1
Blidworth	Mansfield	429; 6
Blofield	Blofield	228; 1
Bloxham	Banbury	155; 1
Bloxwich	Walsall	372; 2
Blyth	Tynemouth	557; 6
Bobbingworth	Ongar	188; 1
Bocking	Braintree	199; 2
Bockleton	Tenbury	377; 2
Bodenham	Leominster	342; 2
Bodmin	Bodmin	294; 3
Bollington	Macclesfield	444; 2
Bolsover	Chesterfield	439; 3
Bolton Eastern	Bolton	461; 11
Bolton Western	Bolton	461; 12
Bootham	York	516; 2
Bootle	Bootle	576; 2
Boroughbridge	Gt. Ouseburn	488; 1
Borough Road	St. Saviour Southwark.	22; 4
Boscastle	Camelford	290; 1
Boston	Boston	417; 4
Boston	Wetherby	490; 2
Botesdale	Hartismere	209; 2
Bottisham	Newmarket	181; 3
Boughton	Faversham	59; 1
Bourn	Bourn	414; 3
Bourton-on-the-Water.	Stow-on-the-Wold.	333; 1
Bow	Crediton	282; 2
Bow	Poplar	21; 1
Bowling	Bradford (Yrks.)	497; 4
Boxgrove	Westhampnett	83; 5
Brabourne	East Ashford	55; 2
Brackley	Brackley	156; 1
Bracknell	Easthampstead	122; 1
Bradfield	Wortley	507; 6
Bradford Abbas	Sherborne	266; 3
Bradford East-End.	Bradford (Yrks.)	497; 5
Bradford North Western.	Bradford-on-Avon.	249; 2
Bradford South Eastern.	Bradford-on-Avon.	249; 1
Bradford West-End.	Bradford (Yrks.)	497; 6
Bradley	Westbury	250; 1
Bradwell	Maldon	194; 2
Bradworthy	Bideford	287; 5
Brafield	Hardingstone	159; 1
Brailsford	Ashborne	438; 1
Braintree	Braintree	199; 6
Bramley	Basingstoke	108; 2
Bramley	Bramley	500; 1
Brampton	Brampton	570; 2
Brandsburton	Skirlaugh	523; 5
Brassington	Ashborne	438; 6
Bratton Clovelly	Okehampton	281; 1
Braughing	BishopStortford	131; 4
Braunton	Barnstaple	285; 5
Bray	Cookham	121; 1
Breage	Helston	299; 4
Brecknock	Brecknock	608; 3
Brenchley	Tunbridge	49; 3
Brentford	Brentford	126; 3
Brentwood	Billericay	191; 1
Bretton	Wakefield	503; 1
Brewood	Cannock	370; 2
Bridgend	Bridgend	589; 3
Bridlington	Bridlington	525; 2
Bridgnorth	Bridgnorth	348; 2
Bridgwater	Bridgwater	307; 4
Bridport	Bridport	268; 2
Brigg	Glanford Brigg	425; 1
Brighouse	Halifax	496; 2
Brightside	Sheffield	509; 5
Brill	Thame	148; 3
Brilley	Kington	343; 1
Brindle	Chorley	475; 1
Britford	Alderbury	254; 3
Brixham	Totnes	274; 2
Brixton	Lambeth	23; 7
Brixworth	Brixworth	162; 1
Broad-Clist	St. Thomas	271; 4
Broad Street	London City	14; 6
Broadway	Evesham	381; 2
Broadwood-widger.	Holsworthy	288; 4
Brockhampton.	Bromyard	341; 3
Bromley	Bromley	41; 1
Bromley	Poplar	21; 2
Bromsgrove	Bromsgrove	384; 1
Brompton	Kensington	1; 4
Bromyard	Bromyard	341; 1
Broseley	Madeley	350; 3
Broughton	Preston	476; 7
Broughton	Salford	465; 2
Broughton	Stockbridge	100; 1
Bruton	Wincanton	311; 4
Bryngwran	Anglesey	630; 2
Bubwith	Howden	518; 2
Buckfastleigh	Totnes	274; 5
Buckingham	Buckingham	146; 2
Buckland	Faringdon	114; 3
Bucklebury	Bradfield	118; 1
Budworth	Runcorn	446; 1
Bugbrooke	Northampton	160; 3
Builth	Builth	607; 3
Bulmer	Malton	527; 5
Bulmer	Sudbury	203; 1
Bulwell	Basford	430; 4
Bunbury	Nantwich	449; 3
Bungay	Wangford	217; 1
Buntingford	Royston	132; 1
Burbage	Hinckley	404; 1
Bures	Sudbury	203; 2
Burford	Witney	153; 4
Burgh	Carlisle	572; 5
Burgh	Spilsby	422; 4
Burghill	Hereford	339; 3
Burnham	Axbridge	315; 2
Burnham	Docking	235; 1
Burnham	Eton	141; 3
Burnley	Burnley	472; 1
Burslem	Wolstanton	362; 3
Burton Bradstock.	Bridport	268; 1
Burton-upon-Trent.	Burton-upon-Trent.	367; 4
Bury St. Edmunds.	Bury St. Edmunds.	206; 1
Bushey	Watford	137; 1
Butterworth	Rochdale	470; 1
Butterworth Freeholdside.		
Butterworth Lordshipside.	Rochdale	470; 2
Buxton	Aylsham	223; 2
Buxton	Chapel-en-le-Frith.	441; 1
Byker	Newcastle-upon-Tyne.	556; 5
Byron	Nottingham	431; 7
Bywell	Hexham	559; 1
C		
Cadoxton	Neath	590; 4
Caerleon	Newport(Monm.)	585; 1
Cainham	Ludlow	344; 3
Caistor	Caistor	424; 2
Calbourne	Isle of Wight	91; 5
Caldbeck	Wigton	573; 3
Calehill	West Ashford	54; 1
Callington	Liskeard	293; 1
Calne	Calne	245; 1
Calstock	Tavistock	280; 1
Calton	Ashborne	438; 4
Calverley	Bradford(Yorks.)	497; 12
Camberwell	Camberwell	26; 2
Camborne	Redruth	300; 4
Camden Town	Pancras	8; 5
Camelford	Camelford	290; 2
Campden	Shipston-on-Stour.	398; 1
Campsall	Doncaster	511; 4
Canford	Poole	262; 1
Cannock	Cannock	370; 3
Canterbury	Canterbury	57; 1
Capel	Dorking	35; 1
Capel St. Mary	Samford	212; 1
Carburton	Worksop	428; 4
Cardiff	Cardiff	583; 2
Cardigan	Cardigan	601; 2
Carlford	Woodbridge	214; 1
Carlton	Basford	430; 6
Carlton	Selby	514; 1
Carlton	Worksop	428; 2
Carmarthen	Carmarthen	597; 3
Carnarvon	Carnarvon	627; 3
Carshalton	Epsom	30; 1
Cartmel	Ulverston	481; 1
Castle Cary	Wincanton	311; 1
Castle Combe	Chippenham	244; 1
Castle Donington.	Shardlow	435; 1
Castleford	Pontefract	504; 4
Castle Precincts	Bristol	320; 2
Castle Rising	Freebridge Lynn.	236; 4
Castleton Nearer	Rochdale	470; 4
Castleton Further	Rochdale	470; 3
Caton	Lunesdale	480; 1
Catterick	Richmond (Yorks.)	541; 2
Cavendish-sq.	Marylebone	6; 2
Cawthorne	Wortley	507; 1
Caxton	Caxton	177; 1
Central	Manchester	466; 2
Cerne	Dorchester	265; 4
Chadderton	Oldham	469; 3
Chaddesley Corbett.	Kidderminster	376; 1
Chagford	Okehampton	281; 4
Chailey	Lewes	76; 2
Chalfont	Amersham	140; 4
Chapel-en-le-Frith.	Chapel-en-le-Frith.	441; 2
Chapeltown	Leeds	501; 5
Chard	Chard	309; 3
Chardstock	Axminster	269; 3
Charlbury	Chipping Norton.	154; 1
Charles	Plymouth	277; 1
Charlton	Woolwich	29; 1
Charlton Kings	Cheltenham	335; 1
Chartham	Bridge	56; 1
Chatteris	North Witchford.	183; 1
Cheadle	Cheadle	365; 4
Cheadle	Stockport	443; 6
Chedworth	Northleach	332; 2
Cheetham	Prestwich	467; 2
Chelmsford	Chelmsford	192; 2
Chelsea North East.	Chelsea	3; 3
Chelsea North West.	Chelsea	3; 2
Chelsea South	Chelsea	3; 1
Cheltenham	Cheltenham	335; 2
Chepstow	Chepstow	580; 2
Cheriton Fitzpaine.	Crediton	282; 4
Chertsey	Chertsey	31; 2
Chesham	Amersham	140; 2
Cheshunt	Edmonton	129; 6
Chesterfield	Chesterfield	439; 2
Chester Castle	Chester	450; 2
Chester Cathedral.	Chester	450; 3
Chester-le-Street	Chester-le-Street	552; 1
Chetton	Bridgnorth	348; 1
Cheveley	Newmarket	181; 1
Chew Magna	Clutton	316; 2
Chichester	Chichester	84; 1
Chigwell	Epping	187; 1
Chippenham	Chippenham	244; 3
Chipping	Clitheroe	473; 3
Chipping Norton	Chipping Norton	154; 2
Chipping Ongar	Ongar	188; 2
Chipping Sodbury.	Chipping Sodbury.	322; 1
Chirbury	Forden (Montgomery).	615; 2
Chislehurst	Bromley	41; 2
Chiswick	Brentford	126; 4
Chobham	Chertsey	31; 3
Chollerton	Hexham	559; 4
Cholsey	Wallingford	117; 1

Sub-District.	District.	No.
Chorley	Chorley	475; 4
Chorlton-upon-Medlock.	Chorlton	464; 3
Christchurch	Christchurch	93; 1
Christchurch	Marylebone	6; 5
Christchurch	St. Saviour Southwark.	22; 1
Christian Malford	Chippenham	244; 4
Christow	St. Thomas	271; 9
Chudleigh	Newton Abbot	273; 2
Chulmleigh	South Molton	284; 2
Church	Bethnal Green	16; 3
Church Hulme.	Congleton	448; 1
Church Stretton	Church Stretton	346; 1
Cilycwm	Llandovery	595; 7
Cirencester	Cirencester	331; 2
City Road	Holborn	13; 9
Claines	Droitwich	383; 1
Clapham	Wandsworth	25; 1
Clarborough	East Retford	427; 2
Clare	Risbridge	202; 3
Clawson	Melton Mowbray	410; 3
Clawton	Holsworthy	288; 5
Claypole	Newark	433; 5
Cleckheaton	Bradford(Yrk.)	497; 1
Cleeve	Winchcomb	334; 2
Cleobury Mortimer.	Cleobury Mortimer.	347; 1
Clifton	Barton Regis	321; 1
Clitheroe	Clitheroe	473; 4
Clodock	Hereford	339; 7
Clun	Clun	345; 1
Clutton	Clutton	316; 3
Clyro	Hay	610; 2
Cockermouth	Cockermouth	574; 2
Coddenham	Bosmere	211; 1
Coggeshall	Braintree	199; 3
Coker	Yeovil	310; 1
Colchester 1st Ward.	Colchester	196; 1
Colchester 2nd Ward.	Colchester	196; 2
Colchester 3rd Ward.	Colchester	196; 3
Coleford	Monmouth	581; 1
Coleshill	Meriden	388; 1
Collingbourne	Pewsey	252; 2
Colne	Burnley	472; 3
Colneis	Woodbridge	214; 2
Colton	Ulverston	481; 2
Colwich	Stafford	359; 2
Colwyn	Builth	607; 2
Colyton	Axminster	269; 4
Combe St. Nicholas.	Chard	309; 2
Combmartin	Barnstaple	285; 3
Condover	Atcham	351; 1
Congleton	Congleton	448; 2
Conisford	Norwich	225; 3
Constantine	Falmouth	298; 4
Conway	Conway	629; 1
Conwil	Carmarthen	597; 4
Conwil-Cayo	Llandovery	595; 8
Cookham	Cookham	121; 2
Corby	Bourn	414; 1
Corby	Kettering	164; 3
Corfe Castle	Wareham	263; 2
Corsham	Chippenham	244; 2
Corwen	Corwen	622; 1
Coslany	Norwich	225; 1
Costessey	Forehoe	226; 1
Cotswold	Cirencester	331; 1
Cottingham	Sculcoates	520; 2
Cowbridge	Bridgend	589; 2
Cowes	Isle of Wight	91; 1
Coxwold	Easingwold	528; 3
Cranborne	Wimborne	261; 1
Cranbrook	Cranbrook	52; 1
Cranfield	Ampthill	173; 3
Cranleigh	Hambledon	34; 2
Crediton	Crediton	282; 3
Creuddyn	Conway	629; 2
Crewe	Nantwich	449; 1
Crewkerne	Chard	309; 4
Criccieth	Pwllheli	626; 1
Crick	Rugby	393; 2
Crickhowell	Crickhowell	609; 5
Cricklade	Cricklade	242; 2
Cripplegate	London City	14; 2
Cromer	Erpingham	222; 2
Crompton	Oldham	469; 6
Cropredy	Banbury	155; 3
Croston	Chorley	475; 5
Crowan	Helston	299; 5
Crowland	Peterborough	167; 3
Crowle	Thorne	512; 3
Croydon	Croydon	38; 1
Cuckfield	Cuckfield	75; 2
Culcheth	Leigh	460; 2
Cullompton	Tiverton	283; 2
Culmstock	Wellington(Som.)	305; 4
Cumnor	Abingdon	115; 3
Curry-Rivel	Langport	308; 3
Cwmdû	Crickhowell	609; 1

D

Sub-District.	District.	No.
Dacre Banks	Pateley Bridge	486; 4
Dale Street	Liverpool	453; 3
Dalston	Carlisle	572; 6
Dalton	Ulverston	481; 4
Danby	Guisbrough	533; 4
Daresbury	Runcorn	446; 2
Darfield	Barnsley	506; 3
Darlaston	Walsall	372; 1
Darlington	Darlington	542; 1
Darowen	Machynlleth	613; 3
Dartford	Dartford	42; 2
Dartmouth	Totnes	274; 3
Darton	Barnsley	506; 1
Darwen	Blackburn	474; 6
Daventry	Daventry	161; 2
Dawley	Madeley	350; 1
Deal	Eastry	63; 4
Deddington	Woodstock	152; 1
Dedham	Lexden	197; 5
Deeping	Bourn	414; 4
Deeping Saint Nicholas.	Spalding	415; 6
Delph	Saddleworth	494; 1
Denbigh	St. Asaph	620; 3
Dennington	Hoxne	210; 2
Dent	Sedbergh	483; 3
Denton	Ashton-under-Lyne.	468; 4
Derby	Derby	436; 1
Deritend	Aston	387; 1
Devizes	Devizes	247; 1
Devynnock	Brecknock	608; 2
Dewchurch	Hereford	339; 1
Dewsbury	Dewsbury	502; 6
Diddlebury	Ludlow	344; 5
Didmarton	Tetbury	330; 1
Didsbury	Chorlton	464; 1
Dilhorne	Cheadle	365; 3
Dilwyn	Weobly	340; 2
Dingestow	Monmouth	581; 2
Dishforth	Ripon	487; 4
Diss	Depwade	230; 2
Ditchling	Lewes	76; 1
Docking	Docking	235; 3
Dolton	Torrington	286; 3
Doncaster	Doncaster	511; 3
Donhead	Tisbury	256; 1
Donington	Spalding	415; 2
Dorchester	Dorchester	265; 1
Dorking	Dorking	35; 2
Downham	Downham	238; 2
Downton	Alderbury	254; 2
Driffield	Driffield	524; 2
Drighlington	Bradford (Yrksh.)	497; 2
Droitwich	Droitwich	383; 3
Dronfield	Chesterfield	439; 5
Drypool	Sculcoates	520; 6
Dudley	Dudley	374; 4
Duddeston	Aston	387; 2
Duffield	Belper	437; 1
Dukinfield	Ashton-under-Lyne.	468; 6
Dulverton	Dulverton	304; 1
Dulwich	Camberwell	26; 1
Dummer	Basingstoke	108; 3
Dunchurch	Rugby	393; 3
Dunmow	Dunmow	200; 2
Dunnington	York	516; 6
Dunstable	Luton	176; 1
Dunster	Williton	303; 2
Dursley	Dursley	324; 3
Duxford	Linton	180; 1

E

Sub-District.	District.	No.
Earls Barton	Wellingborough	163; 1
Earl Shilton	Hinckley	404; 3
Earsdon	Tynemouth	557; 5
Easington	Easington	550; 1
Easingwold	Easingwold	528; 2
Eastbourne	Eastbourne	70; 2
East Budleigh	St. Thomas	271; 1
Eastchurch	Sheppey	61; 2
East Dereham	Mitford	233; 4
East Flegg	Flegg	220; 1
East Grinstead	East Grinstead	74; 2
Eastham	Wirral	451; 2
East Leicester	Leicester	409; 1
East Macclesfield	Macclesfield	444; 4
East Maidstone	Maidstone	50; 5
Eastmeon	Petersfield	104; 2
East Peckham	Malling	47; 2
East Retford	East Retford	427; 3
East Sculcoates	Sculcoates	520; 7
East Stamford Bridge.	Pocklington	517; 1
East Stonehouse	East Stonehouse	278; 1
East Sunderland	Sunderland	553; 3
East Wymer	Norwich	225; 2
Eckington	Chesterfield	439; 4
Eckington	Pershore	382; 1
Ecclesall Bierlow.	Ecclesall Bierlow	508; 4
Ecclesfield	Wortley	507; 5
Eccleshall	Stone	360; 2
Edenfield	Haslingden	471; 3
Edgbaston	Kings Norton	385; 2
Edgware	Hendon	127; 2
Edgeworth	Bolton	461; 8
Edlesborough	Leighton Buzzard	175; 4
Edmonton	Edmonton	129; 3
Egham	Windsor	123; 1
Egloshayle	Bodmin	294; 4
Egremont	Whitehaven	575; 4
Egton	Whitby	532; 1
Elham	Elham	65; 2
Eling	New Forest	96; 3
Elland	Halifax	496; 5
Ellel	Lancaster	479; 1
Ellesmere	Ellesmere	353; 3
Elsdon	Rothbury	567; 2
Eltham	Lewisham	28; 1
Elton	Bury	462; 8
Ely	Ely	182; 3
Embleton	Alnwick	563; 3
Enderby	Blaby	403; 2
Enfield	Edmonton	129; 4
Ensham	Witney	153; 1
Epping	Epping	187; 2
Epsom	Epsom	30; 2
Epworth	Thorne	512; 1
Ercall Magna	Wellington(Salop)	357; 1
Erdington	Aston	387; 3
Escrick	York	516; 5
Esher	Kingston	39; 3
Eton	Eton	141; 2
Evercreech	Shepton Mallet	318; 2
Evershot	Beaminster	267; 1
Everton	West Derby	455; 1
Evesham	Evesham	381; 1
Ewhurst	Battle	69; 2
Exchange	Nottingham	431; 8
Exeter Eastern	Exeter	272; 1
Exeter Western	Exeter	272; 2
Exmouth	St. Thomas	271; 2
Eynsford	Aylsham	223; 1
Eythorn	Eastry	63; 3

Sub-District.	District.	No.
F		
Failsworth	Prestwich	467; 3
Fairford	Cirencester	331; 3
Fakenham	Walsingham	234; 1
Falmouth	Falmouth	298; 2
Fareham	Fareham	90; 1
Faringdon	Faringdon	114; 2
Farnborough	Hartley Wintney	107; 2
Farnham	Farnham	33; 2
Farningham	Dartford	42; 3
Farnworth	Bolton	461; 1
Farnworth	Prescot	456; 4
Faversham	Faversham	59; 2
Fawley	New Forest	96; 2
Fazeley	Tamworth	368; 2
Feckenham	Alcester	397; 3
Fenny Stratford	Newport Pagnell	145; 1
Fenton	Stoke-upon-Trent	363; 4
Fernhurst	Midhurst	85; 2
Ferriby	Sculcoates	520; 3
Festiniog	Festiniog	625; 2
Fewston	Wharfedale	491; 2
Filey	Scarborough	526; 1
Fincham	Downham	238; 3
Finchingfield	Braintree	199; 1
Finchley	Barnet	128; 3
Finsbury	Holborn	13; 11
Fishguard	Haverfordwest	600; 4
Flamstead	Hemel Hempstead	138; 3
Flaxton	York	516; 7
Flint	Holywell	617; 3
Foleshill	Foleshill	391; 1
Folkestone	Elham	65; 1
Fontmell	Shaftesbury	258; 2
Ford	Glendale	566; 1
Fordham	Lexden	197; 4
Fordingbridge	Fordingbridge	95; 1
Formby	Ormskirk	457; 4
Forncett	Depwade	230; 4
Fornham	Thingoe	205; 2
Foston	Driffield	524; 1
Fotheringhay	Oundle	166; 3
Fowey	St. Austell	296; 1
Fownhope	Hereford	339; 2
Framfield	Uckfield	73; 2
Framlingham	Plomesgate	215; 1
Frampton	Wheatenhurst	328; 2
Frant	Ticehurst	72; 4
Frimley	Farnham	33; 1
Frodsham	Runcorn	446; 4
Frome	Frome	312; 2
Fulbourn	Chesterton	178; 2
Fulham	Fulham	2; 3
Fyfield	Abingdon	115; 1
G		
Gainsborough	Gainsborough	426; 4
Gargrave	Skipton	485; 2
Garsdale	Sedbergh	483; 2
Garstang	Garstang	478; 3
Gateshead	Gateshead	555; 2
Gawsworth	Macclesfield	444; 7
Gayton	Freebridge Lynn	236; 2
Gazeley	Newmarket	181; 4
Gedney Hill	Holbeach	416; 1
Gelligaer	Merthyr Tydfil	588; 1
Geneurglynn	Aberystwith	605; 3
Gildersome	Bramley	500; 2
Gillingham	Medway	46; 2
Gillingham	Shaftesbury	258; 3
Gisburn	Clitheroe	473; 1
Glastonbury	Wells	314; 2
Glossop	Hayfield	442; 1
Gnosall	Newport (Salop)	358; 2
Godalming	Guildford	32; 5
Godshill	Isle of Wight	91; 4
Godstone	Godstone	37; 1
Golcar	Huddersfield	495; 10
Golden Square	Westminster	5; 1
Gomersal	Dewsbury	502; 3
Goodman's-fields	Whitechapel	17; 5
Goole	Goole	513; 2
Gorleston	Mutford	218; 3
Gosberton	Spalding	415; 3
Goswell Street	Holborn	13; 7
Gower Eastern	Gower	593; 1
Gower Western	Gower	593; 2
Grampound	St. Austell	296; 4
Grantham North	Grantham	419; 2
Grantham South	Grantham	419; 1
Grassington	Skipton	485; 7
Gravesend	Gravesend	43; 1
Grayrigg	Kendal	579; 2
Grays	Orsett	190; 1
Gray's Inn-lane	Pancras	8; 3
Greasley	Basford	430; 1
Great Baddow	Chelmsford	192; 5
Great Burstead	Billericay	191; 2
Great Crosby	West Derby	455; 4
Great Easton	Uppingham	412; 2
Great Grimsby	Caistor	424; 1
Great Marlow	Wycombe	142; 2
Great Torrington	Torrington	286; 5
Great Wakering	Rochford	193; 4
Great Waltham	Chelmsford	192; 4
Green	Bethnal Green	16; 2
Greengate	Salford	465; 3
Greenwich East	Greenwich	27; 4
Greenwich West	Greenwich	27; 3
Gresley	Burton-upon-Trent	367; 3
Greystoke	Penrith	569; 2
Gringley	East Retford	427; 1
Guildford	Guildford	32; 4
Guisbrough	Guisbrough	533; 3
Guiting	Winchcomb	334; 1
Gwennap	Redruth	300; 1
Gwennws	Tregaron	606; 1
Gyffylliog	Ruthin	619; 4
H		
Hackney	Hackney	10; 4
Hackney Road	Bethnal Green	16; 1
Haddenham	Aylesbury	143; 1
Haddenham	Ely	182; 1
Hadleigh	Cosford	204; 2
Haggerston	Shoreditch	15; 5
Hailsham	Hailsham	71; 1
Hale	Prescot	456; 1
Halesowen	Stourbridge	375; 1
Halesworth	Blything	216; 2
Halford	Shipston-on-Stour.	398; 4
Halifax	Halifax	496; 4
Halliwell	Bolton	461; 4
Halsall	Ormskirk	457; 3
Halstead	Halstead	198; 1
Haltwhistle	Haltwhistle	560; 1
Hambledon	Droxford	102; 3
Hampstead	Hampstead	7; 1
Hampton	Kingston	39; 4
Hamsterley	Auckland	545; 2
Handsworth	Sheffield	509; 7
Handsworth	West Bromwich	373; 1
Hanley	Stoke-upon-Trent	363; 1
Hanley Castle	Upton-on-Severn	380; 1
Hanmer	Ellesmere	353; 2
Hanover Square	St. George Hanover-sq.	4; 1
Harberton	Totnes	274; 7
Harborne	Kings Norton	386; 3
Hardingstone	Hardingstone	159; 2
Haresfield	Wheatenhurst	328; 1
Harleston	Depwade	230; 1
Harlow	Epping	187; 3
Harpenden	St. Albans	136; 1
Harptree	Clutton	316; 1
Harraton	Chester-le-Street	552; 2
Harrington	Whitehaven	575; 1
Harrogate	Knaresborough	489; 2
Harrold	Bedford	171; 3
Harrow	Hendon	127; 1
Hartest	Sudbury	203; 5
Harting	Midhurst	85 3
Hartington	Ashborne	438; 5
Hartland	Bideford	287; 4
Hartlepool	Hartlepool	544; 1
Hartley Wintney	Hartley Wintney	107; 3
Hartshead	Ashton-under-Lyne.	468; 7
Hartshorn	Ashby-de-la-Zouch.	406; 2
Harwich	Tendring	195; 2
Harwood	Blackburn	474; 2
Haslingden	Haslingden	471; 4
Hatfield	Dunmow	200; 3
Hatfield	Hatfield	135; 1
Hatherleigh	Okehampton	281; 2
Havant	Havant	87; 1
Haverfordwest	Haverfordwest	600; 2
Haverhill	Risbridge	202; 1
Hawarden	Chester	450; 4
Hawes	Aysgarth	539; 2
Hawkesbury	Chipping Sodbury	322; 3
Hawkhurst	Cranbrook	52; 2
Hawkshead	Ulverston	481; 6
Haworth	Keighley	492; 3
Hay	Hay	610; 3
Hayes	Uxbridge	125; 3
Hayfield	Hayfield	442; 2
Hayton	Brampton	570; 1
Hazelgrove	Stockport	443; 7
Headcorn	Hollingbourn	51; 3
Heaton	Lancaster	479; 2
Heaton Norris	Stockport	443; 3
Heavitree	St. Thomas	271; 6
Hebden Bridge	Todmorden	493; 1
Heckington	Sleaford	418; 4
Hedingham	Halstead	198; 2
Hedon	Sculcoates	520; 5
Hellingley	Hailsham	71; 2
Helmsley	Helmsley	530; 1
Helston	Helston	299; 2
Hemel Hempstead.	Hemel Hempstead.	138; 2
Hemsworth	Hemsworth	505; 1
Hendon	Hendon	127; 4
Hendred	Wantage	116; 3
Henley	Henley	147; 1
Henstead	Henstead	227; 2
Hereford City	Hereford	339; 4
Herne	Blean	58; 2
Hertford	Hertford	134; 2
Hessle	Sculcoates	520; 4
Hetton-le-Hole	Houghton-le-Spring.	551; 2
Heworth	Gateshead	555; 1
Hexham	Hexham	559; 2
Heytesbury	Warminster	251; 3
Heywood	Bury	462; 5
Higham Ferrers	Wellingborough	163; 2
High Bickington	Torrington	286; 1
Highclere	Kingsclere	111; 1
High Hoyland	Wortley	507; 2
High Longtown	Longtown	571; 1
Highworth	Highworth	241; 1
High Wycombe	Wycombe	142; 1
Hillingdon	Uxbridge	125; 1
Hillington	Freebridge Lynn	236; 1
Hinckley	Hinckley	404; 2
Hindley	Wigan	458; 4
Hindon	Tisbury	256; 3
Hitchin	Hitchin	133; 2
Hoddesdon	Ware	130; 1
Hodnet	Market Drayton	356; 3
Holbeach	Holbeach	416; 3
Holbeck	Holbeck	499; 1
Holbrook	Samford	212; 2
Holcombe	Bury	462; 1
Hollingbourn	Hollingbourn	51; 1
Holme	Howden	518; 1
Holmfirth	Huddersfield	495; 3
Holsworthy	Holsworthy	288; 2
Holt	Erpingham	222; 3
Holt	Martley	378; 3
Holt	Wrexham	618; 1
Holyhead	Anglesey	630; 6
Holy Trinity	Coventry	392; 2
Holywell	Holywell	617; 2
Holywell	Shoreditch	15; 1
Honiton	Honiton	270; 1
Honley	Huddersfield	495; 2
Hoo	Hoo	45; 1

Sub-District.	District.	No.
Horbury	Wakefield	503; 5
Horley	Reigate	36; 2
Horncastle	Horncastle	421; 2
Hornchurch	Romford	189; 4
Horndean	Catherington	103; 1
Hornsea	Skirlaugh	523; 4
Hornsey	Edmonton	129; 1
Horsforth	Wharfedale	491; 1
Horsley	Belper	437; 2
Horsley	Stroud	329; 7
Horton	Bradford (Yrks.)	497; 7
Horwich	Bolton	461; 5
Hougham	Dover	64; 3
Houghton-le-Spring.	Houghton-le-Spring.	551; 1
Hovingham	Malton	527; 4
Howard Street	Liverpool	453; 2
Howden	Howden	518; 3
Hoxton New Town.	Shoreditch	15; 3
Hoxton Old Town.	Shoreditch	15; 4
Huddersfield	Huddersfield	495; 8
Hulme	Chorlton	464; 4
Hulton	Bolton	461; 2
Humber	Hull	521; 1
Humbleton	Skirlaugh	523; 1
Humbleyard	Henstead	227; 1
Hungerford	Hungerford	113; 2
Hunmanby	Bridlington	525; 3
Hunslet	Hunslet	493; 1
Huntingdon	Huntingdon	168; 4
Huntley	Westbury-on-Severn.	325; 2
Huntspill	Bridgwater	307; 5
Hursley	Winchester	101; 5
Hurstbourne Tarrant.	Andover	110; 4
Hurstpierpoint	Cuckfield	75; 3
Hutton	Stokesley	535; 2
Hutton Bushell	Scarborough	526; 3
Huyton	Prescot	456; 3
Hyde	Stockport	443; 2
Hythe	Elham	65; 3

I

Sub-District.	District.	No.
Ibstock	Market Bosworth.	405; 2
Idle	Bradford (Yrks.)	497; 11
Ilchester	Yeovil	310; 5
Ilford	Romford	189; 2
Ilfracombe	Barnstaple	285; 4
Ilkeston	Basford	430; 2
Illogan	Redruth	300; 3
Ilminster	Chard	309; 1
Ilsley	Wantage	116; 2
Ingatestone	Chelmsford	192; 1
Ipstones	Cheadle	365; 2
Iron Acton	Chipping Sodbury	322; 4
Isfield	Uckfield	73; 3
Isleworth	Brentford	126; 1
Islington	Liverpool	453; 7
Islington East	Islington	9; 2
Islington West	Islington	9; 1
Iver	Eton	141; 1
Ivinghoe	Leighton Buzzard	175; 3
Ixworth	Thingoe	205; 3

K

Sub-District.	District.	No.
Kea	Truro	297; 6
Keighley	Keighley	492; 2
Kelvedon	Braintree	199; 4
Kempsey	Upton-on-Severn	380; 3
Kemptown	Brighton	77; 1
Kenarth	Newcastle-in-Emlyn.	602; 1
Kendal	Kendal	579; 4
Kenilworth	Warwick	395; 3
Kenninghall	Guiltcross	231; 2
Kennington First.	Lambeth	24; 5
Kennington Second.	Lambeth	24; 6
Kensington Town	Kensington	1; 3
Kentchurch	Hereford	339; 6
Kentish Town	Pancras	8; 6
Kenton	St. Thomas	271; 10
Kent Road	St. Saviour Southwark.	22; 3
Kenwyn	Truro	297; 5
Kerry	Newtown	614; 4
Kessingland	Mutford	218; 1
Keswick	Cockermouth	374; 1
Kettering	Kettering	164; 1
Kettlewell	Skipton	485; 1
Keynsham	Keynsham	318; 4
Kidderminster	Kidderminster	376; 3
Kildwick	Skipton	485; 4
Kilkhampton	Stratton	289; 1
Kilmersdon	Frome	312; 4
Kimberworth	Rotherham	510; 3
Kimbolton	St. Neots	170; 2
Kineton	Stratford-on-Avon.	396; 1
Kingsbridge	Kingsbridge	275; 4
Kingsclere	Kingsclere	111; 2
Kinsham	Kington	343; 4
Kingsholm	Gloucester	327; 1
Kingsland	Leominster	342; 3
Kings Langley	HemelHempstead	138; 1
Kings Lynn	Kings Lynn	237; 1
Kings Norton	Kings Norton	383; 1
Kingston	Kingston	39; 2
Kingston	Portsea Island	88; 1
Kingswinford	Stourbridge	375; 3
Kington	Kington	343; 3
Kintbury	Hungerford	113; 1
Kinver	Wolverhampton	371; 2
Kirkburton	Huddersfield	495; 5
Kirkby Lonsdale	Kendal	579; 3
Kirkby Malham	Settle	484; 4
Kirkby Malzeard	Ripon	487; 2
Kirkby Moorside	Helmsley	530; 3
Kirkby Stephen	East Ward	577; 2
Kirkdale	West Derby	455; 2
Kirkham	Fylde	477; 1
Kirkheaton	Huddersfield	495; 7
Kirkoswald	Penrith	569; 3
Kirkstall	Leeds	501; 4
Kirkwhelpington	Bellingham	561; 2
Kirton-in-Holland.	Boston	417; 1
Knaresborough	Knaresborough	489; 1
Knayton	Thirsk	529; 5
Kneesall	Southwell	432; 2
Knighton	Knighton	611; 2
Knockin	Oswestry	352; 1
Knottingley	Pontefract	504; 1
Knott-lanes	Ashton-under-Lyne.	468; 1
Knowle	Solihull	394; 2
Knutsford	Altrincham	445; 4

L

Sub-District.	District.	No.
Lady Wood	Birmingham	386; 1
Lakenheath	Mildenhall	207; 2
Lambeth Church 1st.	Lambeth	24; 3
Lambeth Church 2d.	Lambeth	24; 4
Lambourn	Hungerford	113; 3
Lampeter	Lampeter	603; 3
Lancaster	Lancaster	479; 3
Lanchester	Lanchester	548; 2
Landport	Portsea Island	88; 4
Langport	Langport	308; 2
Langtoft	Driffield	524; 4
Lanlivery	Bodmin	294; 1
Lansdown	Bath	317; 5
Lastingham	Pickering	531; 1
Latchford	Warrington	459; 5
Lathom	Ormskirk	457; 9
Launceston	Launceston	291; 4
Lavenham	Cosford	204; 1
Lavington	Devizes	247; 2
Leadenham	Sleaford	418; 3
Leake	Loughborough	407; 2
Leamington	Warwick	395; 2
Leatherhead	Epsom	30; 3
Leather Market	St. Olave Southwark.	23; 3
Leckhampstead	Buckingham	146; 1
Ledbury	Ledbury	337; 1
Lee	Lewisham	28; 2
Leek	Leek	364; 2
Leek-Frith	Leek	364; 3
Leigh	Martley	378; 4
Leighton Buzzard	Leighton Buzzard	175; 1
Leintwardine	Ludlow	344; 1
Lenham	Hollingbourn	51; 2
Lenton	Nottingham	431; 1
Leominster	Leominster	342; 1
Lerrin	Liskeard	293; 4
Leven	Beverley	519; 4
Lever	Bolton	461; 13
Leverington	Wisbech	185; 1
Lewes	Lewes	76; 3
Lewisham	Lewisham	28; 3
Lewknor	Thame	148; 1
Leyburn	Leyburn	538; 2
Leyland	Chorley	475; 2
Leyton	West Ham	186; 3
Lichfield	Lichfield	369; 1
Lidney	Chepstow	580; 3
Lifton	Tavistock	280; 4
Limehouse	Stepney	19; 3
Lincoln Home	Lincoln	420; 2
Lincoln North-east.	Lincoln	420; 3
Lincoln South-west.	Lincoln	420; 1
Lindfield	Cuckfield	75; 1
Linton	Linton	180; 2
Liskeard	Liskeard	293; 2
Litcham	Mitford	233; 5
Litherland	West Derby	455; 5
Little Bolton	Bolton	461; 10
Littlehampton	East Preston (Worthing).	82; 2
Littleport	Ely	182; 4
Liversedge	Dewsbury	502; 4
Llanarmon	Ruthin	619; 1
Llanarth	Abergavenny	532; 1
Llanbister	Knighton	611; 3
Llanboidy	Narberth	598; 1
Llanddansaint	Anglesey	630; 5
Llanddausaint	Llandovery	595; 1
Llandebie	Llandilofawr	596; 5
Llandilo	Llandilofawr	596; 4
Llandilotalybont	Swansea	592; 1
Llandingat	Llandovery	595; 4
Llandisilio	Aberayron	604; 1
Llandissilio	Narberth	598; 2
Llandwrog	Carnarvon	627; 1
Llandyfrydog	Anglesey	630; 3
Llandygwidd	Cardigan	601; 3
Llandyrnog	Ruthin	619; 6
Llandyssil	Newcastle-in-Emlyn.	602; 3
Llanelidan	Ruthin	619; 3
Llanelly	Crickhowell	609; 4
Llanelly	Llanelly	594; 2
Llanfair	Llanfyllin	616; 1
Llanfairarybryn	Llandovery	595; 5
Llanfihangel-ytraethau.	Festiniog	625; 1
Llanfynydd	Llandilofawr	596; 2
Llangadock	Llandovery	595; 2
Llangafelach	Swansea	592; 2
Llangathen	Llandilofawr	596; 3
Llangattock	Crickhowell	609; 3
Llangefni	Anglesey	630; 1
Llangeitho	Tregaron	606; 2
Llangendeirne	Carmarthen	597; 1
Llangibby	Pontypool	584; 2
Llangollen	Corwen	622; 2
Llangorse	Brecknock	608; 5
Llangunider	Crickhowell	609; 2
Lastingham	Pickering	531; 1
Latchford	Warrington	459; 5
Lathom	Ormskirk	457; 9
Launceston	Launceston	291; 4
Lavenham	Cosford	204; 1
Lavington	Devizes	247; 2
Leadenham	Sleaford	418; 3
Leake	Loughborough	407; 2
Leamington	Warwick	395; 2
Leatherhead	Epsom	30; 3
Leather Market	St. Olave Southwark.	23; 3
Leckhampstead	Buckingham	146; 1
Ledbury	Ledbury	337; 1
Lee	Lewisham	28; 2
Leek	Leek	364; 2
Leek-Frith	Leek	364; 3
Leigh	Martley	378; 4
Leighton Buzzard	Leighton Buzzard	175; 1
Leintwardine	Ludlow	344; 1
Lenham	Hollingbourn	51; 2
Lenton	Nottingham	431; 1
Leominster	Leominster	342; 1
Lerrin	Liskeard	293; 4
Leven	Beverley	519; 4
Lever	Bolton	461; 13
Leverington	Wisbech	185; 1
Lewes	Lewes	76; 3
Lewisham	Lewisham	28; 3
Lewknor	Thame	148; 1
Leyburn	Leyburn	538; 2
Leyland	Chorley	475; 2
Leyton	West Ham	186; 3
Lichfield	Lichfield	369; 1
Lidney	Chepstow	580; 3
Lifton	Tavistock	280; 4
Limehouse	Stepney	19; 3
Lincoln Home	Lincoln	420; 2
Lincoln North-east.	Lincoln	420; 3
Lincoln South-west.	Lincoln	420; 1
Lindfield	Cuckfield	75; 1
Linton	Linton	180; 2
Liskeard	Liskeard	293; 2
Litcham	Mitford	233; 5
Litherland	West Derby	455; 5
Little Bolton	Bolton	461; 10
Littlehampton	East Preston (Worthing).	82; 2
Littleport	Ely	182; 4
Liversedge	Dewsbury	502; 4
Llanarmon	Ruthin	619; 1
Llanarth	Abergavenny	532; 1
Llanbister	Knighton	611; 3
Llanboidy	Narberth	598; 1
Llanddansaint	Anglesey	630; 5
Llanddausaint	Llandovery	595; 1
Llandebie	Llandilofawr	596; 5
Llandilo	Llandilofawr	596; 4
Llandilotalybont	Swansea	592; 1
Llandingat	Llandovery	595; 4
Llandisilio	Aberayron	604; 1
Llandissilio	Narberth	598; 2
Llandwrog	Carnarvon	627; 1
Llandyfrydog	Anglesey	630; 3
Llandygwidd	Cardigan	601; 3
Llandyrnog	Ruthin	619; 6
Llandyssil	Newcastle-in-Emlyn.	602; 3
Llanelidan	Ruthin	619; 3
Llanelly	Crickhowell	609; 4
Llanelly	Llanelly	594; 2
Llanfair	Llanfyllin	616; 1
Llanfairarybryn	Llandovery	595; 5
Llanfihangel-ytraethau.	Festiniog	625; 1
Llanfynydd	Llandilofawr	596; 2
Llangadock	Llandovery	595; 2
Llangafelach	Swansea	592; 2
Llangathen	Llandilofawr	596; 3
Llangattock	Crickhowell	609; 3
Llangefni	Anglesey	630; 1
Llangeitho	Tregaron	606; 2
Llangendeirne	Carmarthen	597; 1
Llangibby	Pontypool	584; 2
Llangollen	Corwen	622; 2
Llangorse	Brecknock	608; 5
Llangunider	Crickhowell	609; 2

Sub-District.	District.	No.
Llanidan	Carnarvon	627; 4
Llanllechid	Bangor	628; 3
Llannon	Llanelly	594; 4
Llanrhaiadr	Llanfyllin	616; 3
Llanrhaiadr	Ruthin	619; 5
Llanrhystyd	Aberystwith	605; 1
Llanrug	Carnarvon	627; 2
Llanrwst	Llanrwst	621; 1
Llansadwrn	Llandovery	595; 3
Llansaintffraid	Aberayron	604; 2
Llansaintffraid	Llanfyllin	616; 2
Llansamlet	Swansea	592; 4
Llansilin	Oswestry	352; 2
Llantrisaint	Pontypridd	587; 2
Llanvihangel	Abergavenny	582; 2
Llanwenog	Lampeter	603; 4
Llanwnog	Newtown	614; 3
Llanwrtyd	Llandovery	595; 6
Llanybyther	Lampeter	603; 1
Lockington	Beverley	519; 3
Lockton	Pickering	531; 5
Lockwood	Huddersfield	495; 9
Loddon	Loddon	229; 2
Lofthouse	Guisbrough	533; 1
London Road	St. Saviour Southwark.	22; 5
Long Ashton	Bedminster	319; 2
Longbenton	Tynemouth	557; 4
Longbridge Deverill.	Warminster	251; 2
Long Buckby	Daventry	161; 3
Longnor	Leek	364; 4
Longparish	Andover	110; 1
Long Preston	Settle	484; 3
Long Sutton	Holbeach	416; 2
Longton	Preston	476; 1
Longton	Stoke-upon-Trent	363; 5
Looe	Liskeard	293; 3
Loose	Maidstone	50; 3
Loughborough	Loughborough	407; 1
Loughor	Llanelly	594; 1
Louth	Louth	423; 2
Lower Llanidloes	Newtown	614; 2
Lower Merthyr Tydfil.	Merthyr Tydfil	588; 2
Lower Mitton	Kidderminster	376; 4
Lowestoft	Mutford	218; 2
Low Longtown	Longtown	571; 2
Lowther	West Ward	578; 2
Lowton	Leigh	460; 1
Luddenden	Halifax	496; 8
Ludham	Smallburgh	221; 1
Ludlow	Ludlow	344; 2
Luton	Luton	176; 2
Lutterworth	Lutterworth	400; 1
Lydbury	Clun	345; 4
Lydd	Romney Marsh	66; 2
Lydney	Chepstow	580; 3
Lyme	Axminster	269; 1
Lymington	Lymington	92; 1
Lymm	Altrincham	445; 3
Lyncombe	Bath	317; 3
Lyndhurst	New Forest	96; 1
Lytchett	Poole	262; 3
Lytham	Fylde	477; 2
Lythe	Whitby	532; 3

M

Sub-District.	District.	No.
Machynlleth	Machynlleth	613; 1
Madeley	Madeley	350; 2
Madley	Hereford	339; 5
Maesteg	Bridgend	589; 1
Maiden Newton	Dorchester	265; 3
Malmesbury Eastern.	Malmesbury	243; 1
Malmesbury Western.	Malmesbury	243; 2
Malpas	Whitchurch (Salop).	355; 2
Maltby	Rotherham	510; 5
Malton	Malton	527; 3
Mancroft	Norwich	225; 4
Manhood	Westhampnett	83; 1
Manningtree	Tendring	195; 4
Mansfield	Mansfield	429; 5
Marazion	Penzance	301; 3
March	North Witchford.	183; 2
Marden	Maidstone	50; 2
Maresfield	Uckfield	73; 4
Margam	Neath	590; 1
Margate	Thanet	62; 2
Market Bosworth.	Market Bosworth	405; 1
Market Drayton	Market Drayton	356; 2
Market Harborough.	Market Harborough.	401; 1
Market Rasen	Caistor	424; 3
Market Weighton	Pocklington	517; 3
Marlborough	Marlborough	246; 1
Marple	Stockport	443; 1
Marshfield	Chipping Sodbury	322; 2
Marske	Guisbrough	533; 2
Martley	Martley	378; 1
Martock	Yeovil	310; 3
Marton	Gainsborough	426; 6
Maryport	Cockermouth	574; 4
Masham	Bedale	537; 2
Matlock	Bakewell	440; 2
Mattishall	Mitford	233; 2
Mayfair	St. George Hanover-sq.	4; 2
Mayfield	Ashborne	438; 2
Measham	Ashby-de-la-Zouch.	406; 1
Melbourn	Royston	132; 3
Melbourne	Shardlow	435; 2
Melksham	Melksham	248; 1
Mellor	Blackburn	474; 3
Melton Mowbray	Melton Mowbray	410; 2
Mendlesham	Hartismere.	209; 1
Mere	Mere	257; 1
Meriden	Meriden	388; 2
Merthyr-Cynog	Brecknock	608; 1
Methwold	Thetford	240; 1
Mevagissey	St. Austell	296; 3
Michelmersh	Romsey	99; 2
Micklegate	York	516; 3
Middleham	Leyburn	538; 1
Middlesbrough	Middlesbrough	534; 1
Middleton	FreebridgeLynn	236; 3
Middleton	Oldham	469; 4
Middleton	Teesdale	546; 3
Middlewich	Northwich	447; 4
Middlezoy	Bridgwater	307; 3
Midhurst	Midhurst	85; 1
Midsomer Norton	Clutton	316; 4
Milborne Port	Wincanton	311; 2
Mile-end New Town.	Whitechapel	17; 2
Mile-end Old Town Eastern	Mile End Old Town.	20; 2
Mile-end Old Town Western	Mile End Old Town.	20; 1
Milford	Haverfordwest	600; 1
Milford	Lymington	92; 2
Millbrook	SouthStoneham	98; 3
Milnthorpe	Kendal	579; 5
Milton	Hardingstone	159; 3
Milton	Milton	60; 1
Milton Abbas	Blandford	260; 1
Milton Abbot	Tavistock	280; 3
Milton Damerel	Holsworthy	288; 1
Milverton	Wellington (Somerset).	305; 2
Minchinhampton	Stroud	329; 6
Minchead	Williton	303; 1
Minster	Sheppey	61; 1
Minster	Thanet	62; 1
Mirfield	Dewsbury	502; 5
Missenden	Amersham	140; 1
Misterton	Beaminster	267; 2
Misterton	Gainsborough	426; 3
Mitcham	Croydon	38; 2
Mitcheldever	Winchester	101; 1
Modbury	Kingsbridge	275; 5
Mold	Holywell	617; 4
Monk Wearmouth	Sunderland	553; 5
Monmouth	Monmouth	581; 3
Montford	Atcham	351; 5
Montgomery	Forden (Montgomery).	615; 1
Morchard Bishop	Crediton	282; 1
Moreton	Shipston-on-Stour	398; 2
Moreton Hampstead.	Newton Abbot	273; 3
Moreton Say	Market Drayton	356; 1
Morice	Stoke Damerel	279; 2
Morland	West Ward	578; 1
Morley	Dewsbury	502; 1
Morpeth	Morpeth	562; 1
Mortimer	Bradfield	118; 2
Mortlake	Richmond (Surr.)	40; 2
Mottram	Ashton-under-Lyne.	468; 8
Moulton	Brixworth	162; 2
Moulton	Spalding	415; 5
Mount Pleasant	Liverpool	453; 6
Much Wenlock	Madeley	350; 4
Much Woolton	Prescot	456; 2
Muker	Reeth	540; 1
Muncaster	Bootle	576; 1
Munslow	Ludlow	344; 4
Mylor	Falmouth	298; 1
Mynyddyslwyn	Newport(Monm.)	585; 4
Myton	Hull	521; 3

N

Sub-District.	District.	No.
Nantmel	Rhayader	612; 2
Nantwich	Nantwich	449; 2
Narberth	Narberth	598; 4
Neath	Neath	590; 2
Needham-Market	Bosmere	211; 2
Neston	Wirral	451; 1
Netheravon	Pewsey	252; 1
Netherbury	Beaminster	267; 2
Nether Hallam	Ecclesall Bierlow	508; 1
Nevin	Pwllheli	626; 4
Newark	Newark	433; 3
Newbury	Newbury	112; 2
Newcastle-under-Lyme.	Newcastle-under-Lyme.	361; 2
Newchurch	Haslingden	471; 1
Newent	Newent	326; 1
Newhaven	Lewes	76; 5
Newlyn	St. Columb	295; 3
Newmarket	Newmarket	181; 2
Newmill	Huddersfield	495; 4
Newnham	Westbury-on-Severn.	325; 1
Newport	Cardigan	601; 1
Newport	Newport(Monm.)	585; 2
Newport	Newport(Salop)	358; 1
Newport	Saffron Walden	201; 1
Newport	Isle of Wight	91; 2
Newport Pagnell	Newport Pagnell	145; 2
New Romney	Romney Marsh	66; 1
Newsham	Richmond (Yrks.)	541; 3
Newton	Ashton-under-Lyne.	468; 5
Newton	Keynsham	318; 3
Newton	Prestwich	467; 1
Newton	Warrington	459; 1
Newton Abbot	Newton Abbot	273; 5
Newtown	Newtown	614; 5
Norbury	Clun	345; 3
Norham and Islandshire.	Berwick	565; 2
Northallerton	Northallerton	536; 2
Northam	Bideford	287; 2
North Bierley	Bradford (Yrks.)	497; 3
North Bishop-Wearmouth.	Sunderland	553; 1
North Bury	Bury	462; 7
North Collingham	Newark	433; 1
North Curry	Taunton	306; 2
North Elmham	Mitford	233; 6
Northfleet	North Aylesford	44; 1
North Horsham	Horsham	79; 2
Northill	Launceston	291; 5
North Leeds	Leeds	501; 2

Sub-District.	District.	No.
North Meols	Ormskirk	457; 5
Northowram	Halifax	496; 10
North Petherton	Bridgwater	307; 2
North Petherwin	Launceston	291; 2
North Sheffield	Sheffield	509; 2
North Shields	Tynemouth	557; 2
North Tawton	Okehampton	281; 5
North Walsham	Erpingham	222; 1
Northwich	Northwich	147; 2
North Worcester	Worcester	379; 2
Norton	Eccelesall Bierlow	508; 3
Norton	Leek	364; 1
Norwood	Lambeth	24; 8
Nuneaton	Nuneaton	390; 1
Nuneham Courtney	Abingdon	115; 3
Nunney	Frome	312; 1
O		
Oakham	Oakham	411; 1
Odiham	Hartley Wintney	107; 1
Okehampton	Okehampton	281; 3
Oldbury	WestBromwich	373; 2
Oldham above Town.	Oldham	469; 2
Oldham below Town.	Oldham	469; 1
Oldland	Keynsham	318; 2
Old Stratford	Stratford-on-Avon	396; 4
Old Street	Holborn	13; 8
Olney	Newport Pagnell	145; 3
Ombersley	Droitwich	383; 2
Orcheston	Amesbury	253; 1
Ore	Hastings	68; 1
Orford	Plomesgate	215; 2
Ormesby	Middlesbrough	534; 2
Ormskirk	Ormskirk	457; 8
Orsett	Orsett	190; 2
Orton	East Ward	577; 3
Ossett	Dewsbury	502; 8
Oswaldkirk	Helmsley	530; 2
Oswaldtwisle	Blackburn	474; 5
Oswestry	Oswestry	352; 3
Otley	Wharfedale	491; 3
Ottery St. Mary	Honiton	270; 2
Oundle	Oundle	166; 1
Ovenden	Halifax	496; 9
Over	Northwich	147; 3
Overbury	Tewkesbury	336; 2
Overton	Ellesmere	353; 1
Owston	Gainsborough	426; 1
Oxford	Oxford	150; 1
P		
Padiham	Burnley	472; 2
Padstow	St. Columb	295; 1
Paignton	Totnes	274; 1
Painswick	Stroud	329; 2
Palace	Brighton	77; 3
Park	Nottingham	431; 9
Parkham	Bideford	287; 3
Parracombe	Barnstaple	285; 2
Pateley Bridge	Pateley Bridge	486; 2
Patrington	Patrington	522; 1
Peckham	Camberwell	26; 3
Peldon	Lexden	197; 2
Pemberton	Wigan	458; 5
Pembrey	Llanelly	594; 3
Pembroke	Pembroke	599; 2
Penbryn	Newcastle-in-Emlyn.	602; 2
Pencarreg	Lampeter	603; 2
Pendle	Burnley	472; 4
Pendleton	Salford	465; 1
Penkelly	Brecknock	608; 4
Penistone	Wortley	507; 3
Penkridge	Cannock	370; 1
Pennal	Machynlleth	613; 2
Penrith	Penrith	569; 1
Penryn	Falmouth	298; 3
Penshurst	Sevenoaks	48; 3
Pentonville	Holborn	13; 6
Penzance	Penzance	301; 4
Pershore	Pershore	382; 2
Peterborough	Peterborough	167; 2
Petersfield	Petersfield	104; 1
PetworthNorthern.	Petworth	80; 1
PetworthSouthern.	Petworth	80; 2
Phillack	Redruth	300; 5
Pickering	Pickering	531; 2
Pickhill	Thirsk	529; 2
Pilkington	Bury	462; 10
Pinchbeck	Spalding	415; 1
Pitminster	Taunton	306; 1
Pleasley	Mansfield	429; 2
Plumstead East	Woolwich	29; 5
Plumstead West	Woolwich	29; 4
Plympton	Plympton St. Mary.	276; 2
Pocklington	Pocklington	517; 2
Polden Hill	Bridgwater	307; 6
Pontardawe	Pontardawe	591; 1
Pontefract	Pontefract	504; 3
Ponteland	Castle Ward	558; 1
Pontesbury	Atcham	351; 2
Pontypool	Pontypool	584; 1
Pontypridd	Pontypridd	587; 1
Poole	Poole	262; 2
Poplar	Poplar	21; 3
Poppleton	Great Ouseburn	488; 3
Portland	Weymouth	264; 3
Portsea Town	Portsea Island	88; 2
Portsmouth Town	Portsea Island	88; 3
Potterspury	Potterspury	158; 1
Potton	Biggleswade	172; 1
Poulton-le-Fylde	Fylde	477; 3
Prees	Wem	354; 2
Prescot	Prescot	456; 5
Prestbury	Macclesfield	444; 1
Presteigne	Knighton	611; 1
Prestwich	Prestwich	467; 5
Princes Risborough.	Wycombe	142; 5
Prittlewell	Rochford	193; 2
Probus	Truro	297; 1
Puddletown	Dorchester	265; 2
Pudsey	Bradford (Yrks.)	497; 13
Pulborough	Thakeham	81; 1
Putney	Wandsworth	25; 4
Pwllheli	Pwllheli	626; 2
Q		
Quorndon	Barrow-upon-Soar.	408; 2
R		
Radcliffe	Bury	462; 9
Radford	Nottingham	431; 2
Radford	Warwick	395; 4
Radnor	Kington	343; 2
Radwinter	Saffron Walden	201; 3
Rainford	Prescot	456; 7
Rainow	Macclesfield	444; 3
Ramsey	Huntingdon	168; 1
Ramsgate	Thanet	62; 3
Ramsgill	Pateley Bridge	486; 1
Rastrick	Halifax	496; 1
Ratcliff	Stepney	19; 2
Ratcliffe-on-Trent	Bingham	434; 2
Rattlesden	Stow	208; 2
Raunds	Thrapston	165; 2
Rayleigh	Rochford	193; 1
Rectory	Marylebone	6; 3
Redmarley	Newent	326; 2
Redruth	Redruth	300; 2
Reeth	Reeth	540; 2
Regent Road	Salford	465; 4
Regent's Park	Pancras	8; 1
Reigate	Reigate	36; 1
Repton	Burton-upon-Trent.	367; 2
Rhayader	Rhayader	612; 1
Rheidol	Aberystwith	605; 4
Riccall	Selby	514; 3
Richmond	Richmond (Surr.)	40; 1
Richmond	Richmond (Yrks.)	541; 1
Rickmansworth	Watford	137; 3
Rillington	Malton	527; 1
Ringwood	Ringwood	94; 1
Ripley	Belper	437; 4
Ripley	Guildford	32; 2
Ripon	Ripon	487; 1
Ripponden	Halifax	496; 6
Riseley	Bedford	171; 1
Rivington	Chorley	475; 3
Rixton	Warrington	459; 6
Road	Frome	312; 3
Rochester	Medway	46; 1
Rochford	Rochford	193; 3
Rock Bedwelty	Bedwelty	583; 3
Rodborough	Stroud	329; 5
Rolvenden	Tenterden	53; 1
Romford	Romford	189; 1
Romsey	Romsey	99; 1
Roose	Pembroke	599; 3
Ropley	Alresford	105; 1
Ross	Ross	338; 2
Rossendale	Haslingden	471; 2
Rothbury	Rothbury	567; 1
Rotherfield	Uckfield	73; 1
Rotherham	Rotherham	510; 2
Rotherhithe	St. Olave South-wark.	23; 6
Rothley	Barrow-upon-Soar.	408; 3
Rothwell	Kettering	164; 2
Rothwell	Hunslet	498; 3
Rottingdean	Lewes	76; 6
Rougham	Thingoe	205; 1
Rowley Regis	Dudley	374; 1
Royston	Royston	132; 2
Royton	Oldham	469; 5
Ruabon	Wrexham	618; 2
Rugby	Rugby	393; 1
Rugeley	Lichfield	369; 3
Runcorn	Runcorn	446; 3
Ruthin	Ruthin	619; 2
Ryde	Isle of Wight	91; 3
Rye	Rye	67; 1
S		
Saffron Hill	Holborn	13; 3
Saffron Walden	Saffron Walden	201; 2
St. Agnes	Truro	297; 3
St. Albans	St. Albans	136; 2
St. Andrew	Newcastle-upon-Tyne.	556; 2
St. Andrew	Plymouth	277; 2
St. Andrew Eastern.	Holborn	13; 2
St. Andrew the Great.	Cambridge	179; 3
St. Andrew the Less.	Cambridge	179; 1
St. Ann	Nottingham	431; 6
St. Anne Soho	Westminster	5; 3
St. Asaph	St. Asaph	620; 1
St. Aubyn	Stoke Damerel	279; 1
St. Augustine	Bristol	320; 5
St. Austell	St. Austell	296; 2
St. Bees	Whitehaven	575; 3
St. Botolph	London City	14; 1
St. Bride	London City	14; 4
St. Buryan	Penzance	301; 6
St. Chad Shrewsbury.	Atcham	351; 9
St. Clears	Carmarthen	597; 2
St. Clement	Headington	149; 2
St. Clement	Ipswich	213; 2
St. Clement	Truro	297; 4
St. Clement Danes	Strand	12; 3
St. Columb	St. Columb	295; 2

Sub-District.	District.	No.
St. Cuthbert	Carlisle	572; 2
St. Davids	Haverfordwest	600; 3
St. Faiths	St. Faiths	224; 1
St. George	Bedminster	319; 4
St. George	Birmingham	386; 4
St. George	Camberwell	26; 4
St. George	Barton Regis	321; 3
St. George	Liverpool	453; 4
St. George	Manchester	466; 3
St. George Bloomsbury.	St. Giles.	11; 1
St. George the Martyr.	Holborn	13; 1
St. Germans	St. Germans	292; 2
St. Giles	Cambridge	179; 4
St. Giles	Northampton	160; 1
St. Giles	Reading	119; 3
St. Giles North.	St. Giles	11; 3
St. Giles South.	St. Giles	11; 2
St. Helens	Prescot	456; 6
St. Ives	Penzance	301; 2
St. Ives	St. Ives	169; 4
St. James	Bristol	326; 4
St. James	Dover	64; 1
St. James Bermondsey.	St.Olave South-wark.	23; 5
St. James Clerkenwell.	Holborn	13; 4
St. John	Coventry	392; 1
St. John	Marylebone	6; 6
St. John	Preston	476; 4
St. John	St. George-in-the-East.	18; 3
St. John	Weardale	547; 1
St. John Horsleydown.	St.Olave South-wark.	23; 2
St. John Paddington.	Kensington	1; 2
St. John the Baptist.	Gloucester	327; 3
St. John Westminster.	St.George Hanover Square.	4; 4
St. Just	Truro	297; 2
St. Just-in-Penwith.	Penzance	301; 5
St. Keverne	Helston	299; 3
St. Lawrence	Reading	119; 2
St. Leonard	Shoreditch	15; 2
St. Mabyn	Bodmin	294; 2
St. Margaret	Ipswich	213; 3
St. Margaret Westminster.	St.George Hanover Square.	4; 5
St. Martin	Birmingham	386; 3
St. Martin	Liverpool	453; 1
St. Martin	Oswestry	352; 4
St. Martin-in-Fields.	Strand	12; 1
St. Mary	Carlisle	572; 3
St. Mary	Dover	64; 2
St. Mary	Hull	521; 2
St. Mary	Marylebone	6; 4
St. Mary	Nottingham	431; 5
St. Mary	Reading	119; 1
St. Mary	St. George-in-the-East.	18; 1
St. Mary Extra.	South Stoneham.	98; 1
St. Mary-in-the-Castle.	Hastings	68; 3
St.Mary-le-Strand	Strand	12; 2
St. Mary Magdalen.	St.Olave South-wark.	23; 4
St. Mary Newington.	St. Saviour Southwark.	22; 8
St. Mary Paddington.	Kensington	1; 1
St. Mary Redcliffe	Bristol	320; 1
St. Mary Shrewsbury.	Atcham	351; 8
St. Mary the Great.	Cambridge	179; 2
St. Matthew	Ipswich	213; 1
St. Michael	Garstang	478; 2
St. Neots	St. Neots	170; 1
St. Nicholas	Cardiff	583; 3
St. Nicholas	Durham	519; 2
St. Nicholas	Gloucester	327; 2
St. Nicholas	Newcastle-upon-Tyne.	556; 3
St. Nicholas Deptford.	Greenwich	27; 2
St. Olave	St.Olave South-wark.	23; 1
St. Oswald	Durham	549; 1
St. Paul	Bristol	320; 3
St. Paul	St. George-in-the-East.	18; 2
St. Paul Deptford.	Greenwich	27; 1
St. Paul Hammersmith.	Fulham	2; 2
St. Peter	Brighton	77; 2
St. Peter	Maldon	194; 4
St. Peter	Preston	476; 3
St. Peter Hammersmith.	Fulham	2; 1
St. Peter Walworth.	St. Saviour Southwark.	22; 7
St. Philip and Jacob.	Barton Regis	321; 4
St. Saviour	St. Saviour Southwark.	22; 2
St. Sepulchre	London City	14; 3
St. Stephen	Launceston	291; 3
St. Thomas	Birmingham	386; 2
St. Thomas	Liverpool	453; 5
St. Thomas	St. Thomas	271; 7
St. Weonards	Ross	338; 3
St. Woollos	Newport (Monm.)	585; 3
Salehurst	Ticehurst	72; 2
Salisbury	Alderbury	254; 4
Saltash	St. Germans	292; 3
Saltfleet	Louth	423; 4
Sandal	Wakefield	503; 2
Sandbach	Congleton	448; 3
Sandhurst	Easthampstead	122; 2
Sandwich	Eastry	63; 1
Sankey	Warrington	459; 3
Sawbridgeworth	Bishop Stortford	131; 1
Sawtry	Huntingdon	168; 2
Saxmundham	Plomesgate	215; 4
Scarborough	Scarborough	526; 2
Scarisbrick	Ormskirk	457; 7
Scilly Islands	Scilly Islands	302; 1
Scotter	Gainsborough	426; 2
Sedbergh	Sedbergh	483; 1
Sedgefield	Stockton	543; 2
Sedgley	Dudley	374; 3
Selby	Selby	514; 2
Settle	Settle	484; 2
Sevenoaks	Sevenoaks	48; 2
Shadwell	Stepney	19; 1
Shaftesbury	Shaftesbury	258; 1
Shardlow	Shardlow	435; 3
Sharnbrook	Bedford	171; 2
Sharples	Bolton	461; 9
Shebbear	Torrington	286; 4
Sheffield Park	Sheffield	509; 4
Shelford	Chesterton	178; 3
Shelton	Stoke-upon-Trent	363; 2
Shepton Mallet	Shepton Mallet	313; 1
Sherborne	Sherborne	266; 2
Sherburn	Scarborough	526; 4
Sherwood	Nottingham	431; 4
Shifnal	Shifnal	349; 2
Shillington	Ampthill	173; 1
Shipdham	Mitford	233; 1
Shipley	Bradford (Yrks.)	497; 10
Shipston-on-Stour.	Shipston-on-Stour.	398; 3
Shire-Newton	Chepstow	580; 1
Shoreham	Sevenoaks	48; 1
Shoreham	Steyning	78; 1
Shrivenham	Faringdon	114; 1
Sibsey	Boston	417; 3
Silverton	Tiverton	283; 1
Singleton	Westhampnett	83; 6
Sinnington	Pickering	531; 3
Skelton	York	516; 1
Skipsea	Bridlington	525; 1
Skipton	Skipton	485; 5
Skirlaugh	Skirlaugh	523; 2
Slaidburn	Clitheroe	473; 2
Slaithwaite	Huddersfield	495; 1
Sleaford	Sleaford	418; 2
Slebech	Narberth	598; 5
Smallburgh	Smallburgh	221; 2
Snaith	Goole	513; 3
Snenton	Nottingham	431; 3
Snettisham	Docking	235; 2
Soham	Newmarket	181; 5
Solihull	Solihull	394; 1
Sollershope	Ross	338; 1
Somerby	Melton Mowbray	410; 1
Somersham	St. Ives	169; 2
Somers Town	Pancras	8; 4
Somerton	Langport	308; 1
Soothill	Dewsbury	502; 7
Southam	Southam	399; 1
Southampton	Southampton	97; 1
South Bersted	Westhampnett	83; 3
South Bishop-Wearmouth.	Sunderland	553; 2
South Bury	Bury	462; 6
South Cave	Beverley	519; 1
South-East Leeds	Leeds	501; 1
South Hackney	Hackney	10; 5
South Hamlet	Gloucester	327; 4
South Horsham	Horsham	79; 1
South Mimms	Barnet	128; 1
Southminster	Maldon	194; 1
South Molton	South Molton	284; 3
Southowram	Halifax	496; 3
South Petherton	Yeovil	310; 2
South Sheffield.	Sheffield	509; 3
South Shields	South Shields	554; 2
South Stoneham	South Stoneham	98; 2
South Walsham	Blofield	228; 2
Southwell	Southwell	432; 1
South Worcester	Worcester	379; 3
Sowe	Foleshill	391; 2
Sowerby	Halifax	496; 7
Spalding	Spalding	415; 4
Spaldwick	Huntingdon	168; 3
Speen	Newbury	112; 3
Spilsby	Spilsby	422; 3
Spitalfields	Whitechapel	17; 1
Spondon	Shardlow	435; 5
Spotland Further Side.	Rochdale	470; 6
Spotland Nearer Side.	Rochdale	470; 5
Sprowston	St. Faiths	224; 2
Stafford	Stafford	359; 1
Staindrop	Teesdale	546; 1
Staines	Staines	124; 2
Stalbridge	Sturminster	259; 1
Stalham	Smallburgh	221; 3
Stalmine	Garstang	478; 1
Stamford	Stamford	413; 1
Stamfordham	Castle Ward	558; 2
Stamford Hill	Hackney	10; 2
Standish	Wigan	458; 1
Standon	Ware	130; 4
Stanhope	Weardale	547; 2
Stanley	Wakefield	503; 3
Stanstead	Ware	130; 2
Stansted	Bishop Stortford	131; 2
Stanway	Lexden	197; 3
Stanwix	Carlisle	572; 4
Stapleford	Shardlow	435; 4
Stapleton	Barton Regis	321; 6
Stayley	Ashton-under-Lyne.	468; 9
Stebbing	Dunmow	200; 1
Steyning	Steyning	78; 2
Stickney	Spilsby	422; 1
Stillington	Easingwold	528; 1
Stilton	Peterborough	167; 1
Stockbridge	Stockbridge	100; 2
Stockport First	Stockport	443; 4
Stockport Second	Stockport	443; 5
Stockton	Stockton	543; 1
Stogumber	Williton	303; 5
Stogursey	Williton	303; 4
Stoke	Stoke Damerel	279; 3
Stoke Newington	Hackney	10; 1
Stokenham	Kingsbridge	275; 2
Stokesley	Stokesley	535; 1
Stoke-upon-Trent.	Stoke-upon-Trent.	363; 3
Stone	Stone	360; 1
Stonehouse	Stroud	329; 1
Stottesden	Cleobury Mortimer.	347; 2
Stourbridge	Stourbridge	375; 2
Stowey	Bridgwater	307; 1

Sub-District.	District.	No.
Stowmarket	Stow	208; 3
Stow-on-the-Wold	Stow-on-the-Wold	333; 2
Stradbroke	Hoxne	210; 1
Stratford	West Ham	186; 1
Stratford-on-Avon	Stratford-on-Avon	396; 3
Stratton	Depwade	230; 3
Stratton	Stratton	289; 2
Streatham	Wandsworth	25; 5
Stretford	Barton-upon-Irwell.	463; 3
Strood	North Aylesford	44; 2
Stroud	Stroud	329; 4
Studley	Alcester	397; 1
Sturminster	Sturminster	259; 2
Sturry	Blean	58; 1
Sudbury	Sudbury	203; 3
Sudbury	Uttoxeter	366; 3
Sulgrave	Brackley	156; 2
Sunbury	Staines	124; 1
Sutton	Ely	182; 2
Sutton	Macclesfield	444; 6
Sutton	Sculcoates	520; 1
Sutton	Thirsk	529; 4
Sutton Coldfield	Aston	387; 4
Sutton Courtney	Abingdon	115; 5
Sutton-in-Ashfield	Mansfield	429; 4
Swaffham	Swaffham	239; 1
Swalcliffe	Banbury	155; 2
Swanage	Wareham	263; 1
Swansea	Swansea	592; 3
Swavesey	St. Ives	169; 3
Swindon	Highworth	241; 2
Swinefleet	Goole	513; 1
Swineshead	Boston	417; 5
Sydenham	Lewisham	28; 4
Syston	Barrow-upon-Soar.	408; 4

T

Sub-District.	District.	No.
Tadcaster	Tadcaster	515; 2
Talgarth	Hay	610; 1
Talley	Llandilofawr	596; 1
Talyllyn	Dolgelly	624; 1
Tamar	Stoke Damerel	279; 4
Tamworth	Tamworth	368; 1
Tanfield	Lanchester	548; 1
Tanworth	Solihull	394; 3
Tardebigg	Bromsgrove	384; 3
Tarleton	Ormskirk	457; 6
Tattenhall	Chester	450; 1
Tattershall	Horncastle	421; 4
Taunton St. James	Taunton	306; 4
Taunton St. Mary Magdalen	Taunton	306; 3
Tavistock	Tavistock	280; 2
Teignmouth	Newton Abbot	273; 1
Tenbury	Tenbury	377; 1
Tenby	Pembroke	599; 1
Tenterden	Tenterden	53; 2
Terrington St. Clement.	Wisbech	185; 4
Tetbury	Tetbury	330; 2
Tetford	Horncastle	421; 3
Tetney	Louth	423; 5
Tettenhall	Wolverhampton	371; 1
Tewkesbury	Tewkesbury	336; 1
Teynham	Faversham	59; 3
Thame	Thame	148; 2
Thatcham	Newbury	112; 1
Thaxted	Dunmow	200; 4
Thetford	Thetford	240; 2
Thirsk	Thirsk	529; 3
Thornaby	Middlesbrough	534; 3
Thornbury	Thornbury	323; 2
Thorne	Thorne	512; 2
Thorney	Peterborough	167; 4
Thornhill	Dewsbury	502; 9
Thornthwaite	Pateley Bridge	486; 3
Thornton	Bradford (Yrks.)	497; 8
Thorpe	Tendring	195; 1
Thrapston	Thrapston	165; 1
Ticehurst	Ticehurst	72; 1
Tickhill	Doncaster	511; 1
Tideswell	Bakewell	440; 3
Tilehurst	Bradfield	118; 3
Tingewick	Buckingham	146; 3
Tipton	Dudley	374; 2
Tisbury	Tisbury	256; 2
Titchfield	Fareham	90; 2
Tiverton	Tiverton	283; 4
Toddington	Woburn	174; 2
Todmorden	Todmorden	493; 2
Tollesbury	Maldon	194; 5
Tonge-with-Haulgh.	Bolton	461; 6
Topcliffe	Thirsk	529; 1
Topsham	St. Thomas	271; 5
Torquay	Newton Abbot	273; 6
Totnes	Totnes	274; 4
Tottenham	Edmonton	129; 2
Tottenham Court	Pancras	8; 2
Tottington Lower End.	Bury	462; 2
Towcester	Towcester	157; 2
Town	Bethnal Green	16; 4
Toxteth Park	Toxteth Park	454; 1
Tranmere	Birkenhead	452; 2
Tredegar	Bedwelty	583; 2
Tregaron	Tregaron	606; 3
Tregynon	Newtown	614; 6
Trelleck	Monmouth	581; 4
Tremadoc	Festiniog	625; 3
Trentham	Stone	360; 3
Tring	Berkhampstead	139; 2
Trinity	Preston	476; 2
Trinity Newington.	St. Saviour Southwark.	22; 6
Trowbridge	Melksham	248; 2
Tunbridge	Tunbridge	49; 2
Tunbridge Wells	Tunbridge	49; 1
Tunstal	Lunesdale	480; 3
Tunstall	Wolstanton	362; 2
Turton	Bolton	461; 7
Turvey	Bedford	171; 4
Tutbury	Burton-upon-Trent.	367; 1
Tuxford	East Retford	427; 4
Twerton	Bath	317; 1
Twickenham	Brentford	126; 2
Twyford	Winchester	101; 4
Tynemouth	Tynemouth	557; 3

U

Sub-District.	District.	No.
Uffculme	Tiverton	283; 3
Ugborough	Totnes	274; 6
Uley	Dursley	324; 2
Ulverston	Ulverston	481; 3
Uny-Lelant	Penzance	301; 1
Upholland	Wigan	458; 6
Upper Hallam	Ecclesall Bierlow	508; 2
Upper Llanidloes	Newtown	614; 1
Upper Merthyr Tydfil.	Merthyr Tydfil	588; 3
Upper Mill	Saddleworth	494; 2
Uppingham	Uppingham	412; 1
Upton-on-Severn.	Upton-on-Severn	380; 2
Upton Snodsbury	Pershore	382; 3
Upway	Weymouth	264; 1
Upwell	Wisbech	185; 6
Usk	Pontypool	584; 3
Uttoxeter	Uttoxeter	366; 1
Uxbridge	Uxbridge	125; 2

W

Sub-District.	District.	No.
Waddesdon	Aylesbury	143; 4
Wadhurst	Ticehurst	72; 3
Wainfleet	Spilsby	422; 2
Wakefield	Wakefield	503; 4
Walcot	Bath	317; 4
Wall	Church Stretton	346; 2
Wallasey	Birkenhead	452; 3
Wallingfen	Howden	518; 4
Wallingford	Wallingford	117; 2
Wallsend	Tynemouth	557; 1
Walmersley	Bury	462; 3
Walmgate	York	516; 4
Walpole St. Peter.	Wisbech	185; 3
Walsall	Walsall	372; 3
Walsham-le-Willows.	Stow	208; 1
Walsingham	Walsingham	234; 2
Walsoken	Wisbech	185; 5
Waltham	Melton Mowbray	410; 4
Waltham Abbey	Edmonton	129; 5
Walthamstow	West Ham	186; 4
Walton	Brampton	570; 3
Walton	Chertsey	81; 1
Walton	West Derby	455; 3
Walton-le-Dale	Preston	476; 5
Wandsworth	Waudsworth	25; 3
Wantage	Wantage	116; 1
Warboys	St. Ives	169; 1
Wardleworth	Rochdale	470; 7
Ware	Ware	130; 3
Wareham	Wareham	263; 3
Wargrave	Wokingham	120; 2
Warkworth	Aluwick	563; 1
Warminster	Warminster	251; 1
Warrington	Warrington	459; 4
Warsop	Mansfield	429; 1
Warton	Lancaster	479; 4
Warwick	Warwick	395; 1
Washfield	Tiverton	283; 5
Washington	Thakeham	81; 2
Waterloo-road 1st.	Lambeth	24; 1
Waterloo-road 2d.	Lambeth	24; 2
Watford	Watford	137; 2
Wath	Ripon	487; 3
Wath	Rotherham	510; 4
Watlington	Henley	147; 2
Watton	Hertford	134; 1
Wattou	Wayland	232; 2
Wavertree	West Derby	455; 8
Weaverham	Northwich	447; 1
Wedmore	Axbridge	315; 1
Wednesbury	West Bromwich	373; 5
Weedon	Daventry	161; 1
Week St. Mary	Stratton	289; 3
Weldon	Oundle	166; 2
Wellesbourne	Stratford-on-Avon	396; 2
Wellingborough	Wellingborough	163; 3
Wellington	Wellington (Salop).	357; 2
Wellington	Wellington (Somerset).	305; 3
Wells	Walsingham	234; 3
Wells	Wells	314; 1
Welshpool	Forden (Montgomery).	615; 3
Welwyn	Hatfield	135; 2
Wem	Wem	354; 1
Wendover	Wycombe	142; 4
Wendron	Helston	299; 1
Wenhaston	Blything	216; 3
Weobly	Weobly	340; 1
West Alvington	Kingsbridge	275; 3
Westbourne	Westbourne	86; 1
West Bromwich North-east.	West Bromwich.	373; 4
West Bromwich South-west.	West Bromwich.	373; 3
West Broughton	Ulverston	481; 5
Westbury	Atcham	351; 3
Westbury	Barton Regis	321; 5
Westbury	Westbury	250; 2
West Derby Municipal.	West Derby	455; 6
West Derby Rural.	West Derby	455; 7
Westfirle	Lewes	76; 4
West Flegg	Flegg	220; 2
Westgate	Newcastle-upon-Tyne.	556; 1
West Hackney	Hackney	10; 3
Westham	Eastbourne	70; 1
West Ham	West Ham	186; 2
West Horsham	Horsham	79; 3
Westhoughton	Bolton	461; 3
West Leeds	Leeds	501; 3
West Leicester	Leicester	409; 2
Westleigh	Leigh	460; 3
Westleton	Blything	216; 1
West Macclesfield	Macclesfield	444; 5
West Maidstone	Maidstone	50; 4
Westmeon	Droxford	102; 2

Sub-District.	District.	No.
Westoe	South Shields	534; 1
Westow	Malton	527; 2
West Sculcoates	Sculcoates	520; 8
West Sheffield	Sheffield	509; 1
West Sunderland.	Sunderland	553; 4
West Worcester	Worcester	379; 1
West Wycombe	Wycombe	142; 3
West Wymer	Norwich	225; 5
Wetheral	Carlisle	572; 1
Wetherby	Wetherby	490; 1
Weymouth	Weymouth	264; 2
Whalley	Clitheroe	473; 5
Wheatley	Headington	149; 1
Whickham	Gateshead	555; 3
Whitby	Whitby	532; 2
Whitchurch	Cardiff	586; 1
Whitchurch	Whitchurch (Hants).	109; 1
Whitchurch	Whitchurch (Salop).	355; 1
Whitchurch Canonicorum.	Bridport	268; 3
Whitechapel Church.	Whitechapel	17; 4
Whitechapel North	Whitechapel	17; 3
Whitecross Street	Holborn	13; 10
Whitehaven	Whitehaven	575; 2
Whitford	Holywell	617; 1
Whitkirk	Hunslet	498; 2
Whitley	Pontefract	504; 2
Whitmore	Newcastle-under-Lyme.	361; 1
Whitstable	Blean	58; 3
Whittlesey	Whittlesey	184; 1
Whitwick	Ashby-de-la-Zouch.	406; 4
Whitworth	Rochdale	470; 10
Whixley	Great Ouseburn	488; 2
Wickford	Billericay	191; 3
Wickhambrook	Risbridge	202; 2
Wigan	Wigan	458; 3
Wiggenhall	Downham	238; 1
Wigston	Blaby	403; 1
Wigton	Wigton	573; 1
Wilford	Basford	430; 7
Willenhall	Wolverhampton	371; 6
Willesden	Hendon	127; 3
Willingham	Chesterton	178; 1
Willingham	Gainsborough	426; 5
Williton	Williton	303; 3
Wilmslow	Altrincham	445; 1
Wilsden	Bradford (Yrks.)	497; 9
Wilton	Wilton	255; 1
Wimbledon	Kingston	39; 1
Wimborne	Wimborne	261; 3
Wincanton	Wincanton	311; 3
Winchester	Winchester	101; 3
Windsor	Windsor	123; 2
Wing	Leighton Buzzard	175; 2
Wingham	Eastry	63; 2
Winkleigh	Torrington	286; 2
Winlaton	Gateshead	555; 4
Winslow	Winslow	144; 1
Winterbourne	Amesbury	253; 3
Winterton	Glanford Brigg	425; 2
Winwick	Warrington	459; 2
Wirksworth	Belper	437; 6
Wisbech	Wisbech	185; 2
Witchampton	Wimborne	261; 2
Witham	Braintree	199; 5
Witheridge	South Molton	284; 1
Withern	Louth	423; 1
Withyham	East Grinstead	74; 1
Witley	Hambledon	34; 1
Witley	Martley	378; 2
Witney	Witney	153; 3
Witton	Blackburn	474; 7
Wiveliscombe	Wellington (Somerset).	305; 1
Wivenhoe	Lexden	197; 1
Woburn	Woburn	174; 1
Woking	Guildford	32; 1
Wokingham	Wokingham	120; 1
Wolsingham	Weardale	547; 3
Wolstanton	Wolstanton	362; 1
Wolverhampton Eastern.	Wolverhampton.	371; 5
Wolverhampton Western.	Wolverhampton.	371; 4
Wolverley	Kidderminster	376; 2
Wombourn	Wolverhampton	371; 3
Wombridge	Wellington (Salop).	357; 3
Woodbridge and Wilford.	Woodbridge	214; 3
Woodbury	St. Thomas	271; 3
Woodchurch	Wirral	451; 3
Woodstock	Woodstock	152; 2
Woodton	Loddon	229; 3
Wooler	Glendale	566; 2
Woolwich Arsenal	Woolwich	29; 3
Woolwich Dockyard.	Woolwich	29; 2
Wootton Basset	Cricklade	242; 1
Wootton Wawen	Stratford-on-Avon	396; 5
Worfield	Bridgnorth	348; 3
Workington	Cockermouth	574; 3
Worksop	Worksop	428; 1
Worlington	Mildenhall	207; 1
Worsbrough	Barnsley	506; 4
Worsley	Barton-upon-Irwell.	463; 1
Worth	East Grinstead	74; 3
Worthing	East Preston (Worthing).	82; 1
Worthys	Winchester	101; 2
Wortley	Bramley	500; 3
Wortley	Wortley	507; 4
Wotton-under-Edge.	Dursley	324; 1
Wragby	Horncastle	421; 1
Wray	Lunesdale	480; 2
Wrenbury	Nantwich	449; 4
Wrexham	Wrexham	618; 3
Writtle	Chelmsford	192; 3
Wrotham	Malling	47; 3
Wuerdle	Rochdale	470; 8
Wye	East Ashford	55; 3
Wyke	Westhampnett	83; 2
Wymondham	Forehoe	226; 2

Y

Sub-District.	District.	No.
Yalding	Maidstone	50; 1
Yapton	Westhampnett	83; 4
Yarkhill	Ledbury	337; 2
Yarmouth Northern.	Yarmouth	219; 2
Yarmouth Southern.	Yarmouth	219; 1
Yatton	Bedminster	319; 3
Yeadon	Wharfedale	491; 4
Yealmpton	Plympton St. Mary	276; 1
Yeovil	Yeovil	310; 4
Yetminster	Sherborne	266; 1
Yoxall	Lichfield	369; 2
Ypsytty	Llanrwst	621; 3
Ystradvelltey	Neath	590; 3
Ystradyfodwg	Pontypridd	587; 3

INDEX OF CERTAIN TOWNS,

The NAMES of which differ from those of the REGISTRATION DISTRICT and SUB-DISTRICT in which they are respectively situated.

NAME OF TOWN.	REGISTRATION DISTRICT.	SUB-DISTRICT.	District and Sub-district Numbers.
Aberavon	Neath	Margam	590; 1
Abersychan	Pontypool	Pontypool	584; 1
Aldershot	Farnham	Frimley	33; 1
Bacup	Haslingden	Newchurch	471; 1
	Rochdale	Whitworth	470; 10
Balsall	Kings Norton	Kings Norton	385; 1
Bedworth	Foleshill	Foleshill	391; 1
Blackpool	Fylde	Poulton-le-Fylde	477; 3
Bognor	Westhampnett	South Bersted	83; 3
Bootle cum Linacre	West Derby	Walton	455; 3
Brandon	Thetford	Methwold	240; 1
Brierley Hill	Stourbridge	Kingswinford	375; 3
Chatham	Medway	Rochester and Gillingham	46; 1, 2
Church (*Lanc.*)	Blackburn	Oswaldtwisle	474; 5
Claycross	Chesterfield	Ashover	439; 1
Dawlish	Newton Abbot	Teignmouth	273; 1
Dereham	Mitford	East Dereham	233; 4
Devonport	East Stonehouse	Comprises the whole of the Sub-districts	278; 1
	Stoke Damerel		279; 1–4
Droylesden	Ashton-under-Lyne	Audenshaw	468; 3
Fleetwood	Fylde	Poulton-le-Fylde	477; 3
Godmanchester	Huntingdon	Huntingdon	168; 4
Gorton	Chorlton	Ardwick	464; 2
Gosport	Alverstoke	Alverstoke	89; 1
Great Malvern	Upton-on-Severn	Hanley Castle	380; 1
Guiseley	Wharfedale	Yeadon	491; 4
Heckmondwike	Dewsbury	Liversedge	502; 4
Hounslow	Brentford	Isleworth	126; 1
Ince in Makerfield	Wigan	Hindley	458; 4
Ironbridge	Madeley	Madeley	350; 2
Jarrow	South Shields	South Shields	554; 2
Llandudno	Conway	Creuddyn	629; 2
Llanidloes	Newtown	Llanidloes, Upper and Lower	614; 1, 2
Maidenhead	Cookham	Bray and Cookham	121; 1, 2
Melcombe Regis	Weymouth	Upway and Weymouth	264; 1, 2
Mossley	Ashton-under-Lyne	Hartshead, Stayley	468; 7, 9
	Saddleworth	Delph, Upper Mill	494; 1, 2

NAME OF TOWN.	REGISTRATION DISTRICT.	SUB-DISTRICT.	District and Sub-district Numbers.
New Brighton	Birkenhead	Wallasey	452 ; 3
Openshaw	Chorlton	Ardwick	464 ; 2
Redditch	Bromsgrove	Tardebigg	384 ; 3
	Alcester	Studley	397 ; 1
Seaham Harbour	Easington	Easington	550 ; 1
Sheerness	Sheppey	Minster	61 ; 1
Shrewsbury	Atcham	St. Mary and St. Chad	351 ; 8, 9
Sidmouth	Honiton	Ottery St. Mary	270 ; 2
Slough	Eton	Eton and Burnham	141 ; 2, 3
Smethwick	Kings Norton	Harborne	385 ; 3
Southport	Ormskirk	North Meols	457 ; 5
Southwold	Blything	Wenhaston	216 ; 3
Stalybridge	Ashton-under-Lyne	Dukinfield and Hartshead	468 ; 6, 7
Staveley	Chesterfield	Eckington	439 ; 4
Swinton and Pendlebury	Barton-upon-Irwell	Worsley	463 ; 1
	Salford	Pendleton	465 ; 1
Tyldesley	Leigh	Atherton	460 ; 4
Ventnor	Isle of Wight	Godshill	91 ; 4
Welshpool	Forden (Montgomery)	Montgomery and Pool	615 ; 1, 3
	Llanfyllin	Llansaintffraid	616 ; 2
Weston-super-Mare	Axbridge	Banwell	315 ; 3
Widnes	Prescot	Farnworth	456 ; 4

ALPHABETICAL INDEX

TO

REGISTRAR-GENERAL'S FORTY-FIFTH ANNUAL REPORT.

	PAGES
ACCIDENT; Male mortality from, exceeds the Female after the first year of life	xx
deaths from, at various Ages	211–217
AGES; Mean Age at Marriage of Men, Women, Bachelors, Spinsters, Widowers, and Widows, 1867–82. (Table C.)	viii
Marriages of Bachelors and of Spinsters per 1000 living at successive life periods 1870–71–72 compared with 1880–81–82. (Table D.)	ix
Minors married in 1882, and the per-centage to total marriages	ix
at Death	xiii
Death-rates at successive life-periods, 1876–82. (Table F.)	xiv
Deaths under one year	xiv
Deaths over 100 years	xiv
Deaths at School Ages. (Table G.)	xiv–xv
at Death, of Males and Females in each year, 1838–82. (Tables 21, 22.)	xlviii–xlix
Mortality of Males and Females at 12 groups of, 1838–82. (Tables 23–25.)	l–lii
Mortality in Counties, at 12 groups of, in 1882. (Table 26.)	liii
of 348,338 Persons married, distinguishing Bachelors, Spinsters, Widowers, and Widows	26–28
at Death, of Males and Females registered in Divisions, Counties, and Districts	115–136
at Death, of Males and Females from different Causes	137–145
at Death, of Males and Females, in London, from different Causes	146–153
ALCOHOLISM; increase of, probably only apparent	xviii
AREA in Acres and Hectares of the United Kingdom and its parts. (Table 49.)	lxxxi
in Acres of the Islands in the British Seas—Man, Jersey, Guernsey, &c. (Table 51.)	lxxxii
in Acres of each Division, County, and District	2–24
in Acres of each District and Sub-district	32–91
ARMY; Strength and Mortality of, in 1882	xxi
Average Strength of, at Home in 1882. (Table 54.)	lxxxiv
Average Strength and Distribution of, in different parts of the United Kingdom and Abroad in each Year, 1863–82. (Table 55.)	lxxxiv
Average Strength, Deaths, and Death-rate in the United Kingdom. (Table 56.)	lxxxiv
Average Strength Abroad in each Year 1879–82. (Table 57.)	lxxxv
Deaths in, in Great Britain, Ireland, and Abroad in each Year, 1879–82. (Table 58.)	lxxxv

PAGES

ARMY—*continued.*

Death-rate at Home and Abroad in each Year, 1859–82. (Table 59.) lxxxv

Nationality of, in 1861–71–81. (Table 60.) lxxxvi

Deaths in, in each Year, 1858–82, and the estimated Proportions belonging to England, Scotland, Ireland, and foreign parts. (Table 61.) lxxxvi

AURORÆ BOREALES in 1882 xxv

AUSTRIA; Marriage, Birth, and Death-rates in each Year, 1861–82. (Table 73.) ci

Estimated Population; Number, and Proportion to Population, of Persons married, of Births, and of Deaths, in each Year, 1853–82. (Table 78.) civ

ATMOSPHERIC PRESSURE in 1882 xxiv

BANKERS' CLEARING HOUSE; amount cleared per head of population, 1868–82. (Table A.) vi

BELGIUM; Marriage, Birth, and Death-rates in each Year, 1861–82. (Table 73.) ci

Estimated Population; Number and Proportion to Population, of Persons married, of Births, and of Deaths, in each Year, 1853–82. (Table 84.) cvii

BIRTHS in 1882 x

Sex proportions of xi

Illegitimate, Proportion to total Births and to Population . . xi

Illegitimate in Workhouses. (Table E.) . . . . . xi–xii

of British Subjects at Sea xxii

registered, and excess over Deaths, in each Year, 1838–82. (Table 1.) xxviii

in each Quarter of the Years 1838–82. (Table 12.) . . . xxxix

in each Year 1838–82; Legitimate and Illegitimate in 1842 and 1845–82, and Proportion of Males and Females. (Table 13.) xl

proportion of Illegitimate Children to every 100 Births in Counties in each Year 1872–82, and the mean of 10 Years, 1872–81. (Table 14.) xli

in Counties, in 1882. Numbers, Sex, Legitimate and Illegitimate; Proportions of Males to Females. (Table 15.) . . . xlii

proportion of Males and Females born in Counties in each Year, 1872–82, and the mean of 1872–81. (Table 16.) . . xliii

in the United Kingdom and its parts. (Table 49.) . . . lxxxi

of British Subjects at Sea in each Year, 1856–82. (Table 62.) . lxxxvii

in Divisions and Counties, distinguishing sex, Legitimate and Illegitimate 30–31

in Divisions, Counties, Districts, and Sub-districts, distinguishing sex, Legitimate and Illegitimate 30–91

excess over Deaths, in Divisions, Counties, Districts, and Sub-districts 30–91

Illegitimate. (*See* ILLEGITIMATE BIRTHS.)

BIRTH-RATE in 1882 the lowest since 1853 x

disparity in several Counties, and apparent causes . . . x

Illegitimate, slight decline of xi

average annual Illegitimate, per 1000 unmarried women, aged 15–45. 1880–81–82. (Table E.) xii

in each Year, 1838–82, and the mean of 45 Years. (Table 2.) . xxix

PAGES

BIRTH-RATE—*continued.*

means of 45 years 1838–82, and of decennial and quinquennial periods 1838–80: (Table 3.) xxx

in each Quarter of the Year 1838–82. (Table 12.) . . . xxxix

in each Year, 1838–82, and Legitimate and Illegitimate rates in 1842 and in 1845–82. (Table 13.) xl

in Counties in each Year 1872–82, and the mean of 1872–81. (Table 17.) xliv

in the United Kingdom and its several parts. (Table 50.) . . lxxxi

BRAIN DISEASES, in Children of School Ages, 5–15 years. (Table G.) . xiv–xvi

(*See* CAUSES of DEATHS Tables.)

BRONCHITIS. (*See* CAUSES of DEATHS Tables.)

BUILDINGS registered for the Solemnization of Marriages x

BURNS AND SCALDS. (*See* CAUSES of DEATHS Tables.)

CANCER, unprecedentedly fatal in 1882 xix

(*See also* CAUSES of DEATHS Tables.)

CAUSES of DEATH; Registered xvi

continued inadequate Certification of, and result of correspondence with Medical Practitioners in respect thereto . . . xvii

Mortality from the various Classes, 1882. (Table H.) . . xvii

Ill-defined and Non-specified xxi

Certification of, by Medical Practitioners and Coroners . . xxi

further decline of uncertified Causes in 1882 xxi

in the Navy in 1882 xxii

of 71 reputed Centenarians in 1882. (Table 28.) . . . lv

in the twenty-four years 1859–82. (Table 29.) . . . . lvi–lvii

Mortality from, to 1,000,000 persons living in the twenty-four 1859–82. (Table 30.) . . . . . lviii–lix

Mean annual mortality from various causes to 1,000,000 living, in groups of ages, in quinquenniads 1858–80, and in 1880–81–82. (Table 31.) . . . . . lx–lxi

Mortality from certain, in Counties, in 1882. (Table 34.) . . lxvi–lxvii

of Males and Females in 1882; Deaths from each Cause to 1,000,000 living of each Sex. (Table 35.) lxviii

proportional Number dying from each Cause. (Table 36.) . . lxix

of 4,659 Sailors in 1882. (Table 64.) lxxxix

in England, at different Periods of Life, Males and Females. . 137–145

in London at different Periods of Life of Males and Females . . 146–153

in each of the Registration Counties, Males and Females . . 154–177

and Inquest Cases in Divisions, Counties, and Districts . . 178–210

Accidental, Suicidal, and Homicidal. 211–223

CENTENARIANS; Deaths of reputed xiv

Occupations, Ages at, and Causes of Death in 1882. (Table 28.) . lv

CERTIFIED PLACES OF WORSHIP; Aggregate Number in 1882; the Number registered; and Certificates cancelled during the Year . . x

CERTIFICATION of the Causes of Death xxi

CHANGES in the Constitution of Districts in 1882. (Table 72.) . . c

PAGES

CHILDBIRTH; inadequate certification of Deaths from, in 1882; addition of 428 deaths to the certified number as the result of correspondence with Medical Practitioners xvii

Deaths at different Ages of Women after Childbearing, assigned to other Causes than Childbirth or Puerperal Fever. (Table 41.) lxxiii

Deaths of Women returned as pregnant, with the assigned Cause. (Table 42.) lxxiv

Deaths referred to, in each Year, 1847–82. (Table 43.) . . lxxv

Deaths referred to, and Mortality of Mothers per 1,000 Children born alive, in Counties. (Table 44.) lxxvi

CHILDREN under One Year of Age, Mortality among, in Counties in each Year, 1872–82. (Table 27.) liv

Mortality of Infants under One Year of Age to 1000 births, in each Year 1838–82. (Table 32.) . . . . . lxii–lxiii

Ditto in London. (Table 33.) . . . . . lxiv–lxv

CIRCULATORY ORGANS. (*See* CAUSES of DEATHS Tables.)

COALS; Average price of, in each Year 1852–82, and in each Quarter of 1875–82. (Table 45.) lxxvii

CONSOLS; average price of, 1852–82, and in each Quarter of 1875–82. (Table 45.) lxxvii

CONSTITUTIONAL DISEASES; Deaths from, in 1882, and Mortality in 1881–82, and 1871–80. (Table H.) xvii

remarks upon xix

CONVULSIONS; continual decline of deaths, from xx

CROUP. (*See* CAUSES of DEATHS Tables.)

DEATHS in 1882 xiii

as affected by the Ages of the Population xiii

of Infants and of Centenarians xiv

at School Ages xiv

of each Sex xvi

In Town and Country xvi

Registered Causes of xvi

from various classes of Causes in 1882. (Table H.) . . . xvii

from Zymotic or Specific Febrile Diseases xvii

from Parasitic Diseases xviii

from Dietic Diseases xviii

from Constitutional Diseases xix

from Delevopmental Diseases xix

from Local Diseases xx

from Violence xx

from Ill-defined and Non-specified Causes xxi

Certification of Causes of xxi

in the Army in 1882 xxi

in the Navy in 1882 xxii

of British Subjects at Sea xxii

in the Mercantile Marine in 1882 xxii

registered in each Year 1838–82. (Table 1.) xxviii

of Males to 100 Deaths of Females in each Year, 1838–82. (Table 18.) xlv

of Males to 1000 Deaths of Females, in equal Populations of the Sexes, 1838–82. (Table 18.) xlv

PAGES

DEATHS—*continued.*

in each quarter of the Years 1838–82. (Table 19.) . . . xlvi
of Males at different Ages in each Year 1838–82. (Table 21.) . xlviii
of Females at different Ages in each Year 1838–82. (Table 22.) . xlix
of 71 reputed Centenarians in 1882. (Table 28.) . . . lv
from various causes in each Year, 1859–82. (Table 29.) . . lvi–lvii
from Zymotic Diseases in each Year, 1838–42 and 1847–82. (Table 32.) lxii
from Zymotic Diseases in each Year, 1838–82, in London. (Table 33.) lxiv
proportional number from each cause in 1882. (Table 36.) . . lxix
from Scarlet Fever in Counties in each Year, 1872–82, and the annual average, 1872–81. (Table 37.) lxx
from Fever at several Groups of Ages, in each Year, 1866–82. (Table 38.) lxxi
from Fever, and proportional number to 1,000 Deaths, in each Year, 1850–82. (Table 39.) lxxi
from Fever in Counties in each Year, 1872–82, and the annual average, 1872–81. (Table 40.) lxxii
of Women at different Ages after Child-bearing, assigned to various Causes other than Childbirth or Puerperal Fever. (Table 41.) lxxiii
of Women returned as Pregnant, with the assigned Causes. (Table 42.) lxxiv
from Puerperal Fever and Child-birth in each Year, 1847–82, and Proportional Deaths of Mothers to Children born alive. (Table 43.) lxxv
in Counties, referred to Childbirth and Puerperal Fever. (Table 44.) lxxvi
in the United Kingdom and its Parts. (Table 49.) . . . lxxxi
in Islands in the British sea, 1851–82. (Table 51.) . . . lxxxii
in the British Army. (Tables 56, 58, 61.) . . . . . lxxxiv–lxxxvi
of British Subjects at Sea, in each Year, 1856–82. (Table 62.) . lxxxvii
of Merchant Seamen at Sea, in each Year, 1852–82. (Table 63.) . lxxxviii
of 4659 Merchant Sailors and the Causes. (Table 64.) . . lxxxix
in Divisions, Counties, Districts, and Sub-districts, Males and Females 30–91
excess of Births over, in Divisions, Counties, Districts, and Sub-districts 30–91
in Public Institutions 93–114
of Males and Females at different Ages in Divisions and Counties . 115–125
at different Ages, in Districts 126–136
causes of, at different Ages, Males and Females 137–145
causes of, at different Ages, in London, Males and Females . . 146–153
causes of, in each of the Registration Counties, Males and Females 154–177
causes of, and Inquest Cases in Divisions, Counties, and Districts . 178–210
from Accident at different Ages, Males and Females . . . 211–217
from Suicide, at different Ages, Males and Females . . . 218–219
from Murder and Manslaughter, at different Ages, Males and Females 220–223

DEATH-RATE; in 1882, lowest but one on record xiii
affected by Age-distribution of Population xiii
Annual at successive Life-periods, 1876–82. (Table F.) . . xiv
great decline of, among Infants xiv
at School Ages, 5 to 15 Years. (Table G.) . . . . xiv–xvi
of each sex xvi

PAGES

DEATH-RATE—*continued.*

in Urban and Rural Districts xvi

Decline per cent. in 1881 and 1882 as compared with mean annual, 1871–80. (Table H.) xvii

per 1,000,000 living from the various Classes of Diseases in 1881 and 1882, and mean annual, 1871–80. (Table H.) . . xvii

in the British Army at Home and Abroad, in 1882 . . . xxi

in the Navy in 1882 xxii

per 1,000 strength in the Mercantile Marine in 1882 . . . xxii

in each Year, 1838–82, and the mean of 45 Years. (Table 2.) . xxix

mean of 45 Years, 1838–82, and of decennial and quinquennial periods, 1838–80. (Table 3.) xxx

Persons, Males and Females, in each Year, and the mean of 45 Years, 1838–82. (Table 18.) xlv

in each Quarter of the Years 1838–82. (Table 19.) . . . xlvi

in Counties in each Year 1872–82, and the mean of 1872–81. (Table 20.) xlvii

of Males at different Ages in each Year, and the mean of 45 Years, 1838–82. (Table 23.) l

of Females at different Ages in each Year, and the mean of 45 Years, 1838–82. (Table 24.) li

of Males and Females at different Ages in Decenniads and Quinquenniads, 1841–80. (Table 25.) lii

at 12 Groups of Ages in Counties in 1882. (Table 26.) . . liii

of Children under One Year of Age to 1,000 births in Counties in the Years 1872–82, and the mean of 1872–81. (Table 27.) . liv

from various Causes in each Year, 1859–82. (Table 30.) . . lviii–lix

from various Causes, in Groups of Years, 1858–80, and in 1880, 1881, and 1882. (Table 31.) . . . . . lx–lxi

from the Principal Zymotic Diseases, 1838–42 and 1847–82. (Table 32.) lxiii

from the Principal Zymotic Diseases in London, 1838–82. (Table 33.) lxv

from certain Causes in Counties in 1882. (Table 34.) . . lxvi–lxvii

from each Cause to 1,000,000 living of each Sex, in 1882. (Table 35.) lxviii

from Fever, in each Year 1850–82. (Table 39.) . . . lxxi

of Mothers from Puerperal Fever and Accidents of Childbirth per 1000 children born alive in each Year, 1847–82. (Table 43.) . lxxv

ditto in Registration Counties in 1882. (Table 44.) . . . lxxvi

in England and in Town and Country Districts in each Year, 1851–82, and the mean of 1851–82. (Table 46.) . . lxxviii

in Town and Country Districts in each Quarter of 1872–82. (Table 47.) lxxix

in the United Kingdom and its several parts. (Table 50.) . . lxxxi

in the British Army. (Tables 56–59.) . . . . lxxxiv–lxxxv

of Merchant Seamen at Sea in each Year, 1852–82. (Table 63.) . lxxxviii

DELIRIUM TREMENS. (*See* CAUSES of DEATHS Tables.)

DENMARK; Marriage, Birth, and Death Rates in each Year 1861–82. (Table 73.) ci

Estimated Population; Number and Proportion to Population of Persons married, of Births, and of Deaths in each Year, 1850–82. (Table 75.) cii

DENSITY; Persons to a square Mile in each Year, 1851–82. (Table 46.) . lxxviii

Acres and Hectares to a Person in the United Kingdom and its Parts. (Table 50.) lxxxi

PAGES

DEVELOPMENTAL DISEASES; Deaths in 1882, and Mortality from in 1881 and 1882. (Table H.) xvii
remarks upon xix

DIABETES. (*See* CAUSES of DEATHS Tables.)

DIARRHŒA. (*See* CAUSES of DEATHS Tables.)

DIETIC DISEASES; Deaths in 1882, and Mortality from in 1881 and 1882. (Table H.) xvii
remarks upon xviii

DIPHTHERIA; increase of Mortality from, probably only apparent . . xviii
(*See also* CAUSES of DEATHS Tables.)

DISTRICTS; changes in the constitution of, in 1882. (Table 72.) . . c
Alphabetical Index of 224–227

DIVORCE; remarriages of Divorced Persons in 1882 viii

DROPSY. (*See* CAUSES of DEATHS Tables.)

DROWNING. (*See* CAUSES of DEATHS Tables.)

EMIGRATION and IMMIGRATION in 1882 and their effect upon Population . v
from the United Kingdom, with the Destinations of the Emigrants, in each Year 1873–82. (Table 52.) lxxxiii
Number and Destination of Emigrants of English Origin in each Year 1873–82. (Table 53.) lxxxiii

ENGLAND AND WALES; Area in Acres and Hectares; estimated Population, and Marriages, Births, and Deaths. (Table 49.) . . lxxxi
Density, and Marriage, Birth and Death Rates. (Table 50.) . . lxxxi
Number and Proportion of the British Army recruited from. (Table 60.) lxxxvi
Deaths in the British Army abroad of Officers and Men belonging to, in each Year, 1858–82. (Table 61.) lxxxvi
Population, Persons, Males, and Females, estimated to the middle of each Year, 1801–84. (Table 71.) . . . . . xcvi–xcviii
Population, Number, and Proportion per 1,000, of Persons married, of Births, and of Deaths, in each Year. 1853–82. (Table 74.) . cii

EUROPEAN STATES; Marriage, Birth, and Death Rates in 1882. . . xxiii
Annual Rates per 1,000 of Persons married, of Births, and of Deaths, for series of Years. (Tables 73–87.) . . . ci–cviii

EXECUTIONS; and Ages at 138–139
in London 146–147

EXPORTS; Value of, per head, compared with Imports and Marriage-rates, 1860–82. (Table A.) vii

FEVER; Decline of mortality from xii
Deaths from, at several Groups of Ages in each Year, 1866–82. (Table 38.) lxxi
Deaths and Mortality from, in each Year, 1850–82. (Table 39) . lxxi
Deaths from, in Counties, in each Year, 1872–82, and average number, 1872–81. (Table 40.) lxxii
(*See also* CAUSES of DEATHS Tables.)

FOG in 1882 xxv

PAGES

FRANCE; Marriage, Birth, and Death Rates, in each Year, 1861-82. (Table 73.) ci

Estimated Population; Number, and Proportion to Population, of Persons married, of Births, and of Deaths, in each Year 1853-82. (Table 85.) cvii

GERMANY; Marriage, Birth, and Death Rates, in each Year, 1872-82. (Table 73.) ci

Estimated Population; Number, and Proportion to Population, of Persons married, of Births, and of Deaths, in each Year, 1872-82. (Table 81.) cv

GLAISHER, JAMES, Esq., F.R.S.; remarks upon the Meteorology of 1882, with Tables . . . . . xxiv, xc-xcv

GOUT. (*See* CAUSES OF DEATHS Tables.)

GREAT BRITAIN; Area in Acres and Hectares; Estimated Population, and Marriages, Births, and Deaths. (Table 49.) . . . lxxxi

Density, and Marriage, Birth, and Death Rates. (Table 50.) . lxxxi

GUERNSEY. (*See* ISLANDS in the BRITISH SEAS.)

HAIL in 1882 xxv

HALOS; Solar and Lunar in 1882 xxv

HOSPITALS and INFIRMARIES, Deaths in. (*See* INSTITUTIONS.)

HUNGARY; Marriage, Birth, and Death-rates in each Year 1866-82. (Table 73.) ci

Estimated Population; Number, and Proportion to Population, of Persons married, of Births and of Deaths in each Year 1866-82. (Table 79.) civ

ILLEGITIMATE BIRTHS; slight decline of, in 1882 xi

numerically various in three zones of the country . . . xi

large Proportion of, occur in Workhouses xi

Annual rate of, per 1000 Unmarried Women aged 15-45, in 1880-82, and Proportion of total registered in Workhouses in 1882; in Counties. (Table E.) xii

in 1842, and in each Year 1845-82, Proportion of Males to Females, and Proportion to total Births. (Table 13.) . . xl

Proportion to 100 Births in Counties in each Year 1872-82, and the mean of 1872-81. (Table 14.) xli

Males and Females in Counties in 1882, and Proportion of Males to Females. (Table 15.) xlii

in Divisions and Counties, Male and Female 30-31

in Districts, and Sub-districts, Male and Female 32-91

IMMIGRATION and EMIGRATION in 1882 v

IMPORTS; value of, per head of population, compared with Exports and Marriage-rates. (Table A.) vi

INDEXES of Marriages, Births, and Deaths, the aggregate Number of Names upon. (Table 48, p. lxxx.) xxi

INFANTICIDE and MURDER; Deaths from, at different Ages . . . 220-221

INQUESTS; value of, for statistical purposes, much vitiated by inadequate verdicts xxi

in Divisions, Counties, and District 178-210

PAGES

INSANITY. (*See* CAUSES of DEATHS Tables.)

INSTITUTIONS; Deaths in 93–114

INTEMPERANCE; increase of Mortality from, in 1882 xviii
(*See also* CAUSES of DEATHS Tables.)

INTOXICATION; Violent Deaths while in a state of 214, 217

IRELAND; Area in Acres and Hectares; Estimated Population; and Marriages, Births, and Deaths. (Table 49.) lxxxi
Density, and Marriage, Birth, and Death-rates. (Table 50.) . lxxxi
Strength of Army stationed in, in each Year 1863–82. (Tables 54, 55.) lxxxiv
Deaths and Mortality of Army stationed in. (Table 56.) . . lxxxiv
Deaths in the Army stationed in, in each Year 1879–82. (Table 58.) lxxxv
Proportion of the Army recruited from. (Table 60.) . . . lxxxvi
Estimated number of Deaths in the Army of Irish soldiers, 1858–82. (Table 61.) lxxxvi
Population, Persons, Males and Females, estimated to the middle of each Year, 1801–1884. (Table 71.) . . . . . xcvii–xcix

ISLANDS in the BRITISH SEAS; Births and Deaths in each Year 1851–82, Population at each Census 1851–61–71–81, and Area in Acres. (Table 51.) lxxxii

ITALY; Marriage, Birth, and Death-rates in each Year 1863–82. (Table 73.) ci
Estimated Population; Number, and Proportion to Population, of Persons Married, of Births, and of Deaths, in each Year 1864–82. (Table 87.) cviii

JERSEY. (*See* ISLANDS in the BRITISH SEAS.)

LEGITIMATE BIRTHS. (*See* BIRTHS.)

LOCAL DISEASES; Deaths and Mortality from, in 1882. (Table H.) . . xvii
remarks upon xx

LONDON; Mortality from the principal Zymotic Diseases, and Infant Mortality in each year, 1838–82. (Table 33.) . . . . lxiv–lxv
Marriages in 2–3, 6–7
Births in, Legitimate and Illigiti mate 30, 32–35
Deaths in 30, 32–35, 94, 96, 97
Causes of Death of Males and Females at different Ages . . 146–153
Deaths from several causes, and Inquests 178–188

LUNATIC ASYLUMS; Deaths in. (*See* INSTITUTIONS.)

MAN, ISLE OF. (*See* ISLANDS in the BRITISH SEAS.)

MANSLAUGHTER; Deaths from, at different Ages, Males and Females . . 222–223

MARINE REGISTER BOOK; entries in, during 1882 xxii

MARKS; Signatures by, in the Marriage Registers, in recent Years . . ix
Signatures by, in Marriage Registers, in each Year 1841–82. (Table 6.) xxxiii
Proportions of Signatures by, of Males and Females, in each Year 1841–82. (Table 7.) xxxiv
Proportions of Signatures by, of Males and Females, in Counties in 1882. (Table 10.) xxxvii

PAGES

MARRIAGES in 1882 vi
forms of celebration of vii
in the Established Church, and the proportions per cent. by Special License, License, Banns, and by Certificate, in Quinquenniads 1841–80, and in 1881 and 1882. (Table B.) . . . vii
and Re-marriages, Males and Females viii
Re-marriage after Divorce viii
Ages at in 1882, and Mean Age at, of Persons of each Civil Condition in each Year, 1867–82. (Table C.) . . . viii
of Minors in 1882 ix
Register, Signatures in ix
Buildings registered for Solemnization of x
registered in each Year, 1838–82. (Table 1.) xxviii
in each Year 1841–82, solemnized according to, and not according to, the rites of the Established Church. (Table 4.) . . . xxxi
Proportion per cent. by License, Banns, Certificate, Civil Rites, and Not stated, in each Year 1841–82. (Table 5.) . . . xxxii
civil condition of Persons married; number of Minors married, and of Signatures by Mark. (Table 6.) xxxiii
in each Year 1841–82; proportions of Minors, of Signatures by Mark, and of Re-marriages, distinguishing Sex. (Table 7.) . xxxiv
in each Quarter of the Years 1838–82. (Table 8.) . . . xxxv
in Counties in 1882; showing the proportions of Signatures by Mark, of Minors, and of Re-marriages, to Total Marriages of Men and Women. (Table 10.) xxxvii
Number and Classification of Buildings registered for the solemnization of, in 1882, in England, its Divisions and Counties. (Table 11.) xxxviii
in the United Kingdom and its parts. (Table 49.) . . . lxxxi
in European States. (Tables 73–87.) . . . . . ci–cviii
in Divisions, Counties, and Districts; distinguishing the form, and whether according, or not according to, the Rites of the Established Church; the seasons of Marriage, conjugal Condition, Minority, and Signature of the Register by Marks . 2–25
Ages of 348,338 Persons Married, distinguishing Bachelors, Spinsters, Widowers, Widows 26–28

MARRIAGE-RATE; further recovery in 1882 vi
fluctuations in, correspond with fluctuations in value of Exports, Imports, Wheat, and Banking. (Table A.) vi
Counties in which there was no recovery vii
of Bachelors and Spinsters at successive life periods in 1870–1–2, and in 1880–1–2. (Table D.) ix
in each Year 1838–82, and the Mean of 45 Years. (Table 2.) . xxix
Mean of 45 Years, and of decennial and quinquennial Periods 1838–80. (Table 3.) xxx
in each Quarter of the Years 1838–82. (Table 8.) . . . xxxv
in Counties in each Year 1872–82, and Mean of 10 Years 1872–81. (Table 9.) xxxvi
in the United Kingdom and its several parts. (Table 50.) . . lxxxi
in European States. (Tables 73–87.) . . . . . ci–cviii

MEASLES; increased Mortality from, in 1882 . . . . . xvii–xviii
(*See also* CAUSES of DEATHS Tables.)

MEAT; Average Prices of Beef and Mutton, in each Year 1852–82, and in each Quarter 1875–82. (Table 45.) lxxvii

MERCANTILE MARINE; Strength and Mortality of, in 1882 . . . xxii

MERCHANT SEAMEN. (*See* SEAMEN.)

PAGES

METEOROLOGY of 1882; Remarks upon, by James Glaisher, Esq., F.R.S. xxiv–xxv
Mean Annual Value of Meteorological Elements in 1882 at 39 stations of Observation. By James Glaisher, Esq., F.R.S. (Table 66.) . . . . . xc–xci
Mean Annual Values of Meteorological Elements in 1882 for different Parallels of Latitude. (Table 67.) . . . xcii–xciii
of Greenwich, in each Year 1849–82. (Table 68.) . . . xcii–xciii
Greenwich Monthly in 1882. (Table 69.) . . . . . xciv–xcv
Greenwich Quarterly in 1882. (Table 70.) . . . . . xciv–xcv

MINORS; married in 1882, and the per-centage to total Marriages . . ix
Number and Sex married in each Year 1841–82. (Table 6.) . xxxiii
Percentage of, Persons, Males and Females, married in each Year, 1841–82. (Table 7.) xxxiv
proportional Numbers of each sex married in Counties in 1882. (Table 10.) xxxvii

MINES; Deaths from Violence in. (*See* VIOLENT DEATHS.)

MURDER; Deaths of Males and Females from, at different Ages . . 220–221

NAVY; Strength of and Mortality and Causes of death in, in 1882 . . xxii
Mortality in the Service afloat in each year 1856–82. (Table 65.) lxxxix

NETHERLANDS, THE; Marriage, Birth, and Death-rates in each Year 1861–82. (Table 73.) ci
Estimated Population; Number, and Proportion to Population, of Persons Married, of Births, and of Deaths in each Year 1853–82. (Table 83.) cvi

NORWAY; Marriage, Birth, and Death-rates in each Year 1871–82. (Table 73.) ci
Estimated Population; Number, and Proportion to Population, of Persons Married, of Births, and of Deaths, in each Year 1871–82. (Table 76.) ciii

OLD AGE; Decline in the mortality among persons of xix

PARASITIC DISEASES; Deaths in 1882, and Mortality from, in 1881 and 1882. (Table H.) xvii
diminished Mortality from xviii

PAUPERISM; Average number of Paupers relieved on the last day of each week 1857–82, and in each Quarter of 1875–82. (Table 45.) lxxvii

PHTHISIS; Declining mortality from. (Table 31, p. lx.) . . . xix
(*See* CAUSES of DEATHS Tables.)

POPULATION; Increase of, in 1882 v
of England and Wales in 1882, Persons, Males and Females . v
of England estimated to the middle of each Year 1838–82. (Table 1.) xxviii
Persons living to one person Married, to one Birth and to one Death. (Table 2.) xxix
Males and Females, estimated for each Year 1838–82. (Table 18.) xlv
estimated to middle of 1882 in Counties. (Table 34.) . . lxvi–lxvii
Persons to a Square Mile in England and Wales, in each Year 1851–82. (Table 46.) lxxviii
estimated to middle of 1882, in the United Kingdom, and its Parts. (Table 49.) lxxxi

PAGES

POPULATION—*continued.*

enumerated at each Census, 1851-61-71-81, of the Islands in the British Seas—Man, Jersey, Guernsey, &c. (Table 51.) . lxxxii

of the United Kingdom, England and Wales, Scotland, and Ireland, Persons, Males, and Females, estimated to the middle of each Year 1801-84. (Table 71.) . . . . . xcvi-xcix

in 1882, of each Division, County, and District 2-25

in 1882, of each District and Sub-district 32-91

POTATOES; Average Price of, 1852 to 1880, and in each Quarter 1875-80. (Table 45.) lxxvii

PREMATURE BIRTH; apparent increase of mortality from . . . xix

PRICES; of Consols, Wheat, Meat, Coal, and Potatoes in each Year 1852-82, and in each Quarter of 1875-82. (Table 45.) . lxxvii

PRUSSIA; Marriage, Birth, and Death-rates, in each Year 1861-82. (Table 73.) ci

Estimated Population; Number, and Proportion to Population, of Persons married, of Births, and of Deaths, in each Year 1852-82. (Table 82.) cvi

PROGRESS of REGISTRATION xxi

PUBLIC INSTITUTIONS. (*See* INSTITUTIONS.)

PUERPERAL FEVER; increase of mortality from, and inadequate certification of xviii

Deaths from, and Mortality of Mothers per 1000 births, in each Year, 1847-82. (Table 43.) lxxv

Ditto in Counties in 1882. (Table 44.) lxxvi

(*See also* CHILDBIRTH.)

RAILWAYS; Deaths upon. (*See* VIOLENT DEATHS Tables.)

RAINFALL in 1882 xxv

REGISTERED BUILDINGS FOR MARRIAGES in England, its Divisions, and Counties, 1882. (Table 11, p. xxxviii.) x

REGISTERS; Aggregate number of Names upon the xxi

Aggregate number of Names upon, in each year, 1837-82. (Table 48.) lxxx

REGISTRATION; Progress of xxi

RE-MARRIAGES. (*See* MARRIAGES.)

RESPIRATORY ORGANS; Decline of Mortality from diseases of, in 1882 . xix

(*See also* CAUSES of DEATHS Tables.)

SCARLET FEVER; Deaths from, in Counties in each Year, 1872-82, and the Annual Average, 1872-81. (Table 37.) lxx

(*See also* CAUSES of DEATHS Tables.)

SCOTLAND; Area, in Acres and Hectares; estimated Population, and Marriages, Births, and Deaths. (Table 49.) lxxxi

Density, and Marriage, Birth, and Death-rates. (Table 50.) . lxxxi

Strength of the Army stationed in, in each Year, 1863-82. (Tables 54, 55.) lxxxiv

Proportion of the Army recruited from. (Table 60) lxxxvi

Deaths of Scotchmen in the Army in each Year, 1858-82. (Table 61.) lxxxvi

Population, Persons, Males, and Females, estimated to the middle of each Year, 1801-84. (Table 71.) . . . . . xcvii-xcix

PAGES

SEA; Births and Deaths of British Subjects at, 1856–82. (Table 65.) . lxxxvii

SEAMEN; Strength, Deaths, and Mortality of the Merchant Service in each Year, 1852–82. (Table 63.) lxxxviii

Causes of 4,659 Deaths in the Merchant Service in 1882. (Table 64.) lxxxix

Mortality in the Royal Navy in each Year, 1856–82. (Table 65.) lxxxix

SEARCHES; and Amount of Fees paid for, in 1882 xxi

Numbers of, in each Year, 1843–82, and Amount of Fees received therefor in each Year, 1838–82. (Table 48.) . . . lxxx

SEX; Proportional Numbers of Males and Females born xi

Proportional Numbers of Males and Females dying . . . xvi

(*See also* BIRTHS and DEATHS.)

SKIN DISEASES. (*See* CAUSES of DEATHS Tables.)

SMALL-POX. (*See* CAUSES of DEATHS Tables.)

SNOW in 1882 xxv

SOLEMNIZATION OF MARRIAGE; Buildings certified for. (Table 11, p. xxxviii.) x

SPAIN; Marriage, Birth, and Death-rates in each Year, 1861–70. (Table 73.) ci

Estimated Population; Number, and Proportion to Population, of Persons married, of Births, and of Deaths in each Year, 1861–70. (Table 86.) cviii

SPECIFIC FEBRILE DISEASES. (*See* ZYMOTIC DISEASES.)

STARVATION. (*See* CAUSES of DEATHS Tables.)

SUB-DISTRICTS; changes in the constitution of, in 1882. (Table 72.) . c

Alphabetical List of 228–237

SUDDEN DEATHS. (*See* CAUSES of DEATHS Tables.)

SUFFOCATION. (*See* CAUSES of DEATHS Tables.)

SUICIDE; of Males and Females at various Ages in England . . 138–139, 144–145

Ditto in London 146–147, 152–153

of Males and Females in Divisions and Counties . . 154–159, 172–177

of Males and Females, at different Ages, classified as to Method . 218–219

SWEDEN; Marriage, Birth, and Death-rates in each Year, 1861–82. (Table 73.) ci

Estimated Population; Number, and Proportion to Population, of Persons married, of Births, and of Deaths, in each Year, 1850–82. (Table 77.) ciii

SWITZERLAND; Marriage, Birth, and Death-rates in each Year, 1868–82. (Table 73.) ci

Estimated Population; Number, and Proportion to Population, of Persons married, of Births, and of Deaths, in each Year, 1868–82. (Table 80.) cv

TEMPERATURE of 1882 xxiv

(*See also* METEOROLOGY Tables.)

THUNDERSTORMS in 1882 xxv

TOWNS; Index of certain Towns whose names differ from those of the District and Sub-district in which they are respectively situated . 238–239

PAGES.

TOWN AND COUNTRY DISTRICTS; Mortality in, in each Year, 1851–82. (Table 46.) lxxviii

Deaths in Urban Districts to 100 in Rural Districts, in equal Numbers living. (Table 46.) lxxviii

Mortality in each Quarter of 1872–82. (Table 47.) . . . lxxix

Registration Districts and Sub-districts comprising the Town Districts lxxix

TUBERCULAR DISEASES; continued decline of Mortality from . . . xix

UNITED KINGDOM; Area in Acres and Hectares; Estimated Population, and Marriages, Births, and Deaths. (Table 49.) . . . lxxxi

Density, and Marriage, Birth, and Death-rates. (Table 50.) . lxxxi

Emigration from, in each Year, 1873–82. (Table 52.) . . lxxxiii

Average Strength of, and Deaths and Mortality in the Army in, in 1882. (Table 56.) lxxxiv

Population, Persons, Males, and Females, estimated to the middle of each Year, 1801–82. (Table 71.) . . . . . xcvi–xcviii

VIOLENT DEATHS; decline of, in 1882 xx

ratio of Male, as compared with Female, liability to, after first year of life xx

of Males and Females, at different Ages 211–223

of Males and Females from Accident or Negligence . . . 211–217

of Males and Females from Suicide, Murder, and Manslaughter . 218–223

WHEAT; Price of, in each Year, 1860–82. (Table A.) vi

Price of, in each Year 1852–1882, and in each quarter of 1875–82. (Table 45.) lxxvii

WHOOPING-COUGH; Increased Mortality from, in 1882 . . . . xvii–xviii

(*See also* CAUSES of DEATHS Tables.)

WORKHOUSES, DEATHS in. (*See* INSTITUTIONS.)

WORSHIP; Places certified for, in 1882, and the Aggregate Number upon the Registers x

ZYMOTIC DISEASES; Death-rate among children aged 5–15, in two decades, 1861–70, 1871–80. (Table G.) xv

Deaths from, in 1882; and Mortality in 1881 and 1882, and mean of 1871–80. (Table H.) xvii

Deaths from various, in each Year, 1859–82. (Table 29.) . . lvi

Mortality from various, in each Year, 1859–82. (Table 30.). . lviii

Mortality from various, in quinquenniads, 1858–80, in 1880–81–82. (Table 31.) lx

Deaths and Mortality from, in each Year, 1838–82. (Table 32.) . lxii–lxiii

Deaths and Mortality from, in London, in each Year, 1838–82. (Table 33.) . . . . . lxiv–lxv

Mortality from, in Counties, in 1882. (Table 34.) . . . lxvi–lxvii

Deaths from, at different Ages, Males and Females . . . 138–141

Deaths from, at different Ages, in London, Males and Females . 146–149

Deaths from, in Registration Counties 154–165

Deaths from, in Divisions, Counties, and Districts . . . 178–210

(*See also* CAUSES of DEATHS Tables.)

LONDON: Printed by EYRE and SPOTTISWOODE,
Printers to the Queen's most Excellent Majesty.
For Her Majesty's Stationery Office.

SUPPLEMENT

TO THE

FORTY-FIFTH ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES

IN ENGLAND.

Presented to both Houses of Parliament by Command of Her Majesty.

LONDON:
PRINTED BY EYRE AND SPOTTISWOODE.

To be purchased, either directly or through any Bookseller, from any of the following Agents, viz.:
Messrs. Hansard and Son, 13, Great Queen Street, W.C., and 32, Abingdon Street, Westminster;
Messrs. Eyre and Spottiswoode, East Harding Street, Fleet Street, and
Sale Office, House of Lords;
Messrs. Adam and Charles Black, of Edinburgh
Messrs. Alexander Thom and Co., Limited, or Messrs. Hodges, Figgis, and Co., of Dublin.

[C.-4564.] *Price* 2*s.* 9*d.* 1885.

CONTENTS.

REPORT.

	PAGES
Report on the Mortality in England and Wales during the Ten Years 1871–80	iii–lxiv
Changes in the Death-rates	iv
Probable causes of Changes in the Death-rates	iv–v
Whether the Changes in the Death-rates have been advantageous to the Community	v–vi
A new English Life Table	vi–ix
Balance of Loss and Gain from Changes in the Death-rates	ix–xi
Increase or Decrease in the Mortality from Special Causes since the Previous Decennium	xi–xvi
Differences in Death-rates in different Parts of the Country	xvi–xvii
Causes of Differences in the Death-rates	xvii
Effect of Differences in Age and Sex Distribution upon the General Death-rate	xvii–xix
Relation of Aggregation of Population to Death-rates	xx
Direct and Indirect Effects of aggregation	xxi
Mortality of Males engaged in Different Occupations	xxi–lvii
Influence of Fresh or Foul Air	lvii
Influence of Dust	lviii–lx
Influence of Alcoholic Excess	lx–lxii
Effects of Exposure to Chronic Lead-poisoning	lxii–lxiii
General Summary	lxiii–lxiv

TABLES.

List and Explanation of Preliminary Tables	lxvi–lxvii
Preliminary Tables	lxviii–cxxiii

B R 2605. Wt. 5273.

PAGES

Mean Population, Marriages, Births, Deaths, with Annual Rates per 1,000, during the Ten Years 1871–80, in England and Wales, and in Registration Counties and Districts 1–370

Changes in the Constitution of Registration Counties, Districts, and Sub-districts, During the Ten Years 1871–80 371–8

Alphabetical Index of Registration Districts 379–82

Alphabetical Index of Certain Towns 383

General Alphabetical Index 384–96

LETTER

TO

THE REGISTRAR-GENERAL on the MORTALITY in the REGISTRATION DISTRICTS of ENGLAND and WALES during the TEN YEARS **1871–80**; by WILLIAM OGLE, Esq., M.D.

General Register Office, Somerset House.
28th February, 1885.

SIR,

IN your Annual Reports account is given, among other matters, of the numbers of deaths registered, in successive years, in each of the districts into which England and Wales are divided for registration purposes. The comparatively small size and population of these districts causes no inconsiderable amount of fluctuation in their mortality, when thus recorded for single years; and consequently it is not thought worth while in your Annual Reports to reduce the figures for districts into the form of rates, though this is done in the case of larger areas, such as counties. Moreover, the calculation of death-rates for small areas, such as the registration districts, in single years would necessarily be untrustworthy, owing to the want of accurate knowledge as to the population of such small areas in each of the ten successive years that follow each Census. In the case of a large and populous area a sufficiently approximative estimate of the population can as a rule be formed, by supposing its growth to continue in the same ratio as prevailed in the interval between the two previous enumerations; but in the case of a small area with small population such an estimate would usually deserve but little confidence. These difficulties, however, and these sources of fallacy are to a very considerable extent obviated when the deaths in an entire decennium are taken into account, and when the period covered begins and ends with a Census, so that the mean population can be estimated with but slight risk of such an amount of error as would practically affect the result.

Considerations of this kind led my distinguished predecessor Dr. W. Farr, at the close of each of the two decennia that terminated respectively with 1860 and 1870, to compile with great labour a decennial supplement to the Annual Reports of the Registrar-General; and these decennial supplements have been found of the greatest use by all those whom business or scientific interest has led to study the vital statistics of this country. The volume, to which this letter forms a kind of introduction, is a continuation of the works of 1851–60 and 1861–70; and is supplemental to your Annual Reports for the years 1871–80.

The main portion of this volume has been drawn up in almost the same from as that adopted in the two previous decennial supplements. The figures, however, in the district Tables (pp. 1–370) now relate to persons, and are not given, as was previously the case, for males and females separately. This change has been made not merely to economise space, but to give a broader and therefore more secure basis for the calculation of rates, and also in order to meet the practical requirements of the Medical Department of the Local Government Board.

Another change introduced into this part of the volume is the addition to each District Table of a vertical column, in which the annual death-rate from each disease is entered; and of a horizontal column, in which is shown the annual death-rate at each age-period.

A further alteration in this volume is the incorporation with it of what had previously been a separate parliamentary* return, made at the instance and for the use of the Local Government Board. This addition to the volume (p. lxxxvi–c.) gives the death-rate of children under five years of age from each of several selected zymotic diseases; and the death-rates of males and females separately from phthisis and from diseases of the respiratory organs.

Changes in the Death-rates. — The mean annual death-rate in England and Wales in the decennium 1871–80 was 21·27 per 1000, and was lower than in any preceding decennium since civil registration began. The decline in the rate was shared by both sexes, but unequally; the male death-rate having fallen by 4·24 per cent. and the female death-rate by 6·02 per cent., since the immediately preceding decennium.

The fall was also by no means equally shared by persons of all ages; and, speaking generally, the rates fell for the earlier age-periods, while they rose for the later periods of life. This was the case with both sexes, but with a notable difference; for, as is shown in the following table, the male death-rate was higher than in the previous decennium at each period after 35 years of age, while the female death-rate did not show an increase until after 45 years of age.

Table A.—**Annual Mortality** per **1000** of **Males** and **Females** in successive Decennia.

—	Males.				Females.			
	1841–50.	1851–60.	1861–70.	1871–80.	1841–50.	1851–60.	1861–70.	1871–80.
All Ages -	23·11	23·05	23·61	22·61	21·58	21·32	21·28	20·00
Under 5 years	71·20	72·43	73·16	68·14	61·09	62·74	63·43	58·10
5— - -	9·16	8·51	8·15	6·67	8·89	8·42	7·76	6·20
10— - -	5·12	4·88	4·46	3·69	5·42	5·06	4·48	3·70
5— - -	7·05	6·69	6·16	5·23	7·88	7·38	6·62	5·43
20— - -	9·50	8·83	8·45	7·32	9·08	8·53	7·96	6·78
25— - -	9·94	9·57	9·90	9·30	10·55	9·92	9·68	8·58
35— - -	12·85	12·48	13·46	13·74	12·91	12·15	12·03	11·58
45— - -	18·22	17·96	19·16	20·05	16·04	15·20	15·55	15·59
55— - -	31·81	30·85	33·00	34·76	28·44	27·01	27·77	28·54
65— - -	67·51	65·33	66·69	69·57	60·97	58·66	58·80	60·82
75 & upwds.	168·56	165·40	164·64	169·08	157·89	155·45	154·28	155·83

Probable Causes of the Changes in the Death-rates.—To what cause or causes are these remarkable changes in the death-rates—changes which it will be noted are only continuations of similar changes in the immediately preceding decennium 1861–70—to be ascribed? No certain answer can be given to this question; but there are some causes that can be pointed out as having at any rate contributed to the result, and as not very improbably having produced the whole of it. Let us in the first place consider the effects of the ever increasing efforts to improve the sanitary condition of the country. There can be no reasonable doubt that the very marked and progressive decrease in the general death-rate is due to these

* Usually known, from the name of the Member of Parliament who originally moved for it, as "Lowe's Return."

efforts; and that sanitation should have more distinctly affected the mortality of the young than of elder persons is only what might be naturally anticipated; for it is against noxious influences to which the young are more especially sensitive that the weapons of sanitary reform have been chiefly directed. That the death-rates, then, at the earlier age-periods of life should fall without any corresponding decline in the death-rates at the later ages is intelligible. But it is also not impossible, nor indeed improbable, that sanitation, while it has reduced the death-rates at the earlier, may actually have caused a rise in the death-rates at the later, stages of life. A vast number of children of permanently unsound constitutions, who under former conditions would have perished in youth, are now saved from early death by sanitary interference. These grow up to adult life and diminish the average healthiness of the adult classes, and so add to their death-rates.

Doubtlessly this tendency to a diminution in the average vitality of the adult classes is more or less counterbalanced by influences that act in a contrary direction and that tend to increase that vitality. For, in the first place, it must be remembered that sanitation, though its chief operation may be the preservation of young lives, does also, if in a less degree, act directly as a preservative of persons more advanced in life; for fevers and other preventible diseases are by no means exclusively confined to the young. Secondly, if it be true, as doubtlessly it is, that sanitation preserves a number of sickly children from death and so adds a contingent of weakly members to the adult population, it is also true that it prevents a number of children, who under the former conditions would have had their strength broken and have grown up into weak adults, from undergoing this physical deterioration, and, therefore, will thus add to the healthiness of the adult ranks. Still it is very possible that these counterbalancing influences may have been inadequate to make up more than partially for the first mentioned effect of sanitation, and that the mean vitality of the adult classes may really have been diminished in the way described.

A second cause which may be assumed with much confidence to have conduced to a rise in the adult mortality without producing a corresponding change in the mortality at the earlier age-periods is the increasing severity of competition among adults. That the struggle for existence is daily becoming more and more severe, and that feverish excitement and reckless expenditure of energy are rapidly encroaching on repose and leisure, are matters of common observation. The wear and tear of life are greater, and vitality is sooner exhausted.

A third cause may also be pointed out, as probably in some small measure raising the adult mortality without affecting the death-rates at the earlier ages; namely, the ever-increasing tendency of the adult population to migrate from the rural districts into the towns, where the mortality is always higher. The effect of this cause, however, on the aggregate mortality of the country can scarcely be very great. It is found, moreover, that the rise in the death-rates in the later age-periods of life has not been confined to the urban population, but has extended also to the purely rural communities. This latter fact may, however, be partly explained by the gradual deterioration of the rural population owing to the constant migration of its more vigorous adults to the towns.

Whether the Changes in the Death-rates have been advantageous to the Community.—It is a question fairly open to discussion whether the changes in the death-rates that have now been described have conferred any real benefit upon the community at large; for it may be said, that, if the mortality has only fallen for the earlier age-periods while it has actually risen for the later stages of life, the country will have been

no gainer on the whole, but the contrary; for the lives which it has gained will have been lives in the unproductive period of existence, while the lives which it has lost, though fewer in number, will have been lives at the most valuable and productive stage. This question, therefore, will now be examined, and in order to do so in a satisfactory way it is first necessary to construct a new Life Table for comparison with the former English Life Table, which was based on the mortality of the 17 years, 1838–54.

A NEW ENGLISH LIFE TABLE.—The Life Table (see Table B. pp. vii–viii), starts with a million males and a million females, all born at one and the same time; and shows in Columns 2 and 6 how many survivors there would be, with the death-rates of 1871–80, at the end of each subsequent year of life. For example, it shows that of the million males born there would be 630,038 still alive at the end of 30 years from birth; and that of the million females there would be 658,418 survivors at the same age. Side by side with these columns are two other columns 1 and 5, which give the survivors at each year according to the former English Life Table, based on the mortality of 1838–54.

In Columns 4 and 8 is given the Mean After-lifetime, or Expectation of Life, of males and females respectively at the end of each year of existence. For example, in Column 4 it is shown that the Mean After-lifetime of males who have completed their 35th year of life is 28·64 years; and in Column 8 it is shown that the Mean After-lifetime of females at that age is 30·90 years. Side by side with these columns again are two other columns, Columns 3 and 7, giving for comparison the Mean After-lifetime according to the former English Life Table.

Having now briefly explained the form of the Table, let us to proceed to compare the old and the new Life Tables; and we will begin with Columns 1 and 2, which give the annual surviving males in the two Tables.

Male Life Table.—By the old Table one half of the million males would be dead before the end of the 45th year; by the new Table half would not have died till after the end of the 47th year.

Again, comparing the two columns with each other, year by year, it will be seen that the survivors at the end of each year by the new Life Table exceed the survivors at the same age by the old Life Table at every date up to the 67th year, and that at the end of this 67th year from birth the surviving males by the new Life Table would be 267,829, while the survivors by the old Life Table would be 267,160. After that date there is a change, and the survivors at the end of each subsequent year are more numerous by the old than by the new Table.

In other words a male infant, subject to the rates that prevailed in 1871–80, would have a better chance of living 67 years than a male infant subject to the rates that prevailed in 1838–54, but a smaller chance of living more than 67 years; and, by way of example, his chance of living to complete 90 years would be fully one ninth less than what it was previously, or more precisely would be only in the proportion of 8015 to 9321.

It will now be sufficiently plain that the mere fact that the male death-rate has increased after the 25–35 period of life must not be interpreted as implying that the number of males surviving from a given number at the start will be less after that age, as hasty reasoners might possibly suppose; for, as has been shown, the contrary is the case up to the end of the 67th year; the explanation, of course, being that the death-rates before the 35–45 period of life have gone down so greatly since 1838–54, and the survivors at the end of the 45th year are so much more numerous than they were under the older rates, that they can support the higher mortality of after years for a considerable period and yet retain their numerical superiority.

TABLE B.—**Old and New English Life Tables,** based respectively upon the **Mortality** in **1838–54,** and in **1871–80.**

AGE.	MALES.				FEMALES.				AGE.
	Of 1,000,000 Born, the Number surviving at the end of each Year of Life.		Mean Afterlifetime (Expectation of Life).		Of 1,000,000 Born, the Number surviving at the end of each Year of Life.		Mean Afterlifetime (Expectation of Life).		
	1838-54.	1871-80.	1838-54.	1871-80.	1838-54.	1871-80.	1838-54.	1871-80.	
Column	1.	2.	3.	4.	5.	6.	7.	8.	Column.
0	1,000,000	1,000,000	39·91	41·35	1,000,000	1,000,000	41·85	44·62	0
1	836,405	841,417	46·65	48·05	865,288	871,266	47·31	50·14	1
2	782,626	790,201	48·83	50·14	811,711	820,480	49·40	52·22	2
3	754,849	763,737	49·61	50·86	782,990	793,359	50·20	52·99	3
4	736,845	746,587	49·81	51·01	764,060	775,427	50·43	53·20	4
5	723,716	734,068	49·71	50·87	750,550	762,622	50·33	53·08	5
6	713,881	726,815	49·39	50·38	740,584	755,713	50·00	52·56	6
7	703,156	721,103	48·92	49·77	732,771	750,276	49·53	51·94	7
8	699,688	716,309	48·37	49·10	726,116	745,631	48·98	51·26	8
9	694,346	712,337	47·74	48·37	720,537	741,727	48·35	50·53	9
10	689,857	708,990	47·05	47·60	715,769	738,382	47·67	49·76	10
11	685,982	706,146	46·31	46·79	711,581	735,405	46·95	48·96	11
12	682,512	703,595	45·54	45·96	707,770	732,697	46·20	48·13	12
13	679,256	701,200	44·76	45·11	704,155	730,122	45·44	47·30	13
14	676,057	698,849	43·97	44·26	700,581	727,571	44·66	46·47	14
15	672,776	696,419	43·18	43·41	696,917	724,956	43·90	45·63	15
16	669,296	693,695	42·40	42·58	693,050	722,084	43·14	44·81	16
17	665,529	690,746	41·64	41·76	688,894	718,993	42·40	44·00	17
18	661,402	687,507	40·90	40·96	684,378	715,622	41·67	43·21	18
19	656,868	683,941	40·17	40·17	679,433	711,946	40·97	42·43	19
20	651,903	680,033	39·48	39·40	674,119	707,949	40·29	41·66	20
21	646,502	675,769	38·80	38·64	668,345	703,616	39·63	40·92	21
22	641,028	671,344	38·13	37·89	662,474	699,141	38·98	40·18	22
23	635,486	666,754	37·46	37·15	656,509	694,521	38·33	39·44	23
24	629,882	661,997	36·79	36·41	650,463	689,759	37·68	38·71	24
25	624,221	657,077	36·12	35·68	644,342	684,858	37·04	37·98	25
26	618,503	651,998	35·44	34·96	638,148	679,822	36·39	37·26	26
27	612,731	646,757	34·77	34·24	631,891	674,651	35·75	36·54	27
28	606,906	641,353	34·10	33·52	625,575	669,372	35·10	35·83	28
29	601,026	635,778	33·43	32·81	619,201	663,959	34·46	35·11	29
30	595,089	630,038	32·76	32·10	612,774	658,418	33·81	34·41	30
31	589,094	624,124	32·09	31·40	606,296	652,747	33·17	33·70	31
32	583,036	618,056	31·42	30·71	599,769	646,957	32·53	33·00	32
33	576,912	611,827	30·74	30·01	593,196	641,045	31·88	32·30	33
34	570,716	605,430	30·07	29·33	586,575	635,003	31·23	31·60	34
35	564,441	598,860	29·40	28·64	579,908	628,842	30·59	30·90	35
36	558,083	592,107	28·73	27·96	573,192	622,554	29·94	30·21	36
37	551,634	585,167	28·06	27·29	566,431	616,144	29·29	29·52	37
38	545,084	578,019	27·39	26·62	559,619	609,599	28·64	28·83	38
39	538,428	570,656	26·72	25·96	552,758	602,924	27·99	28·15	39
40	531,657	563,077	26·06	25·30	545,844	596,113	27·34	27·46	40
41	524,761	555,254	25·39	24·65	538,876	589,167	26·69	26·78	41
42	517,734	547,283	24·73	24·00	531,849	582,104	26·03	26·10	42
43	510,567	539,161	24·07	23·35	524,765	574,919	25·38	25·42	43
44	503,247	530,858	23·41	22·71	517,617	567,612	24·72	24·74	44
45	495,770	522,374	22·76	22·07	510,403	560,174	24·06	24·06	45
46	488,126	513,702	22·11	21·44	503,122	552,602	23·40	23·38	46
47	480,303	504,836	21·46	20·80	495,768	544,892	22·74	22·71	47
48	472,306	495,761	20·82	20·18	488,339	537,043	22·08	22·03	48
49	464,114	486,479	20·17	19·55	480,833	529,048	21·42	21·36	49

TABLE B.—**Old and New English Life Tables,** based respectively upon the **Mortality** in **1838–54,** and in **1871–80**—*continued.*

Age.	Males.				Females.				Age.
	Of 1,000,000 Born, the Number surviving at the end of each Year of Life.		Mean Afterlifetime (Expectation of Life).		Of 1,000,000 Born, the Number surviving at the end of each Year of Life.		Mean Afterlifetime (Expectation of Life).		
	1838–54.	1871–80.	1838–54.	1871–80.	1838–54.	1871–80.	1838–54.	1871–80.	
Column	1.	2.	3.	4.	5.	6.	7.	8.	Column.
50	455,727	476,980	19·54	18·93	473,245	520,901	20·75	20·68	50
51	447,139	467,254	18·90	18·31	465,572	512,607	20·09	20·01	51
52	438,099	457,022	18·28	17·71	457,814	504,188	19·42	19·34	52
53	428,801	446,510	17·67	17·12	449,966	495,645	18·75	18·66	53
54	419,256	435,729	17·06	16·53	442,027	486,973	18·08	17·98	54
55	409,460	424,677	16·45	15·95	433,331	477,440	17·43	17·33	55
56	399,408	413,351	15·86	15·37	424,239	467,443	16·79	16·69	56
57	389,088	401,740	15·26	14·80	414,761	456,992	16·17	16·06	57
58	378,481	389,827	14·68	14·24	404,895	446,079	15·55	15·45	58
59	367,570	377,591	14·10	13·68	394,636	434,695	14·94	14·84	59
60	356,330	365,011	13·53	13·14	383,974	422,835	14·34	14·24	60
61	344,744	352,071	12·96	12·60	372,895	410,477	13·75	13·65	61
62	332,789	338,820	12·41	12·07	361,387	397,644	13·17	13·08	62
63	320,451	325,256	11·87	11·56	349,436	384,319	12·60	12·51	63
64	307,720	311,368	11·34	11·05	337,031	370,495	12·05	11·96	64
65	294,588	297,156	10·82	10·55	324,165	356,165	11·51	11·42	65
66	281,064	282,638	10·32	10·07	310,833	341,326	10·98	10·90	66
67	267,160	267,829	9·83	9·60	297,048	325,988	10·47	10·39	67
68	252,901	252,763	9·36	9·14	282,819	310,170	9·97	9·89	68
69	238,328	237,487	8·90	8·70	268,177	293,899	9·48	9·41	69
70	223,490	222,056	8·45	8·27	253,161	277,225	9·02	8·95	70
71	208,453	206,539	8·03	7·85	237,822	260,207	8·57	8·50	71
72	193,297	190,971	7·62	7·45	222,230	242,934	8·13	8·07	72
73	178,114	175,449	7·22	7·07	206,464	225,497	7·71	7·65	73
74	163,003	160,074	6·85	6·70	190,620	208,003	7·31	7·25	74
75	148,076	144,960	6·49	6·34	174,800	190,566	6·93	6·87	75
76	133,453	130,227	6·15	6·00	159,126	173,316	6·56	6·51	76
77	119,251	115,986	5·82	5·68	143,722	156,392	6·21	6·16	77
78	105,592	102,359	5·51	5·37	128,711	139,927	5·88	5·82	78
79	92,587	89,449	5·21	5·07	114,229	124,065	5·56	5·50	79
80	80,343	77,354	4·93	4·79	100,394	108,935	5·26	5·20	80
81	68,946	66,153	4·66	4·51	87,323	94,662	4·98	4·90	81
82	58,471	55,842	4·41	4·26	75,119	81,305	4·71	4·63	82
83	48,970	46,489	4·17	4·01	63,862	68,966	4·45	4·37	83
84	40,471	38,132	3·95	3·58	53,615	57,723	4·21	4·12	84
85	32,979	30,785	3·73	3·56	44,419	47,631	3·98	3·88	85
86	26,476	24,436	3·53	3·36	36,284	38,710	3·76	3·66	86
87	20,926	19,054	3·34	3·17	29,202	30,958	3·56	3·46	87
88	16,268	14,576	3·16	2·99	23,135	24,338	3·36	3·26	88
89	12,428	10,926	3·00	2·82	18,027	18,788	3·18	3·08	89
90	9,321	8,015	2·84	2·66	13,802	14,225	3·01	2·90	90
91	6,859	5,748	2·69	2·51	10,376	10,553	2·85	2·74	91
92	4,946	4,025	2·55	2·37	7,650	7,658	2·70	2·58	92
93	3,492	2,749	2·41	2·24	5,526	5,429	2·55	2·44	93
94	2,411	1,828	2·29	2·12	3,908	3,756	2·42	2·30	94
95	1,628	1,183	2·17	2·01	2,704	2,533	2·29	2·17	95
96	1,071	742	2·06	1·90	1,827	1,661	2·17	2·11	96
97	688	452	1·95	1·81	1,204	1,057	2·06	2·03	97
98	430	266	1·85	1·72	774	653	1·96	1·83	98
99	262	151	1·76	1·65	483	389	1·86	1·73	99
100	154	82	1·68	1·61	295	225	1·76	1·62	100

Let us now look at Columns 3 and 4, which give the Mean After-lifetimes at each year by the old and new Tables respectively. The Mean After-lifetime of an average male at birth is by the new Table 41·35 years; by the old Table it was only 39·91 years, showing an average gain for each male of 1·44 years, or nearly a year and a half. Going on down the columns, year by year, it will be seen that the After-lifetime is longer by the new than by the old Table at each year till the 19th; at the close of this 19th year the Expectation of Life is exactly the same in each Table, viz., 40·17 years. From that time onwards the After-lifetime is shorter by the new than by the old Table. The individual male lives on an average a shorter time after his 19th year is over than he did formerly; but it must be remembered that the number of individuals, out of equal numbers at the start, who survive to live these shorter lives is so very much greater than before, that the aggregate life of the whole is very considerably increased.

Female Life Table.—Let us now turn to the figures relating to female life. In Column 5 it is seen that by the old Life Table half of the million women born would have died before the end of the 47th year from birth; whereas by the new Table half would still be surviving at the end of the 52nd year.

It is not until almost the very end of life that the surviving females by the new Table become fewer than by the old; and even at the end of the 92nd year of life there are as many survivors by the new as by the old Table; and this, notwithstanding the fact that the female death-rate has increased after the 45–55 years period. A female born in 1871–80 had a better chance of living to be 92 than one born in 1838–54, but a slightly less chance of living longer than that.

Turning to Columns 7 and 8, which give the Mean After-lifetime it will be seen that the Expectation of Life at birth for females is 44·62 years by the new Tables, and was only 41·85 by the old Table, a gain of 2·77 years on an average for each female. Going down the columns, year by year, it will also be seen that the After-lifetime by the new Table is longer than by the old Table at each year to the completion of the 45th. Then the expectation is exactly the same in the two tables, viz., 24·06 years. After this age the Expectation of Life is shorter in the new Table than in the old.

Balance of Loss and Gain from the Changes in the Death-rates.—The importance of these changes in the death-rates, and consequently in the expectation of life, in regard to insurance, is of course self-evident. It is manifest that if a series of insurance premiums were calculated on the basis of the older English Life Table, those premiums would according to the new Table be too high in the earlier years and too low in the later years of life. Insurance, however, is a matter with which we are not now concerned; the object of the present inquiry being merely to ascertain what amount of lifetime has been added to the community by the diminution in the death-rates since 1838–54, and to what age-periods or stages of life these additional years belong. The figures in the Table which we have been discussing supply a basis which enables us with a little calculation to answer this question in the following manner.

The mean life-time of males is by the new Life Table 41·35 years, whereas by the old Table it was only 39·91 years. According, therefore, to the new Life Table, a million males would live 1,439,139 more years than would be the case according to the old Table. Similarly a million females would live 2,777,584 additional years. The years thus gained would be divided between the different periods of life in the following manner shown in the following Table:—

TABLE C.—**Additional Years** lived by a **Million Males** and a **Million Females.**

Age Periods.	Males.	Females.
0—15 -	255,340	288,226
15—25 -	281,872	339,933
25—35 -	344,906	453,221
35—45 -	310,746	499,471
45—55 -	211,040	474,009
55—65 -	86,920	385,257
65—75 -	—10,464	239,617
75—85 -	—27,770	89,568
85 and upwards	—13,451	8,282
Total years gained -	1,439,139	2,777,584

This Table shows plainly how erroneous is the conclusion sometimes drawn that because the death-rates have fallen only in the earlier age-periods, while they have risen in the later age-periods, the aggregate gain to the community from the changes is confined to the unproductive years of life. We may fairly take the period which intervenes between 25 and 65 years of age to be the most valuable part of life, and of the aggregate years saved, 66 per cent. in the case of males and 65 per cent. in the case of females are lived in this period.*

Before finally quitting this subject one other calculation is desirable. The mean annual number of births in England and Wales in 1871–80 was 858,878; and of these births 437,492 were of male, and 421,386 of female, infants. The additional years lived by this annual number of children, if subject to the reduced rates in the new Life-Table, would be as follows :—

TABLE D.—**Additional Lifetime** of **Children** born annually.

—	Additional Lifetime, in Years, of		
	437,492 Males.	421,386 Females.	858,878 Persons.
0—15 -	111,709	121,454	233,163
15—25 -	123,317	143,243	266,560
25—35 -	150,894	190,981	341,875
35—45 -	135,949	210,470	346,419
45—55 -	92,328	199,741	292,069
55—65 -	38,027	162,342	200,369
65—75 -	— 4,578	100,971	96,393
75—85 -	—12,149	37,743	25,594
85 and upwards	— 5,885	3,490	—2,395
—	629,612	1,170,435	1,800,047

* The question dealt with above has been already handled by Mr. Noel A. Humphreys in an interesting paper read before the Statistical Society in April 1883. Mr. Humphreys, however, took the death-rates for the quinquennium 1876–80 as his basis, whereas in the above calculation and new Life-Table the basis is supplied by the mortality for the decennium 1871–80. Moreover, when Mr. Humphreys' paper was written the results of the census of 1881 were not fully known, and these turned out somewhat differently from what had been anticipated; consequently the death-rates used by Mr. Humphreys were not quite correct. Essentially, however, the conclusion arrived at by Mr. Humphreys was the same as that arrived at above.

The changes in the death-rates therefore have given to the community an annual addition of 1,800,047 years of life shared among its members; and, allowing that the changes in the death-rates are the direct consequences of sanitary interference, we must regard this addition of nearly two million years of life as an annual income derived from money invested in sanitation.

Increase or Decrease in the Mortality from Special Causes since the previous Decennium.—In 1861–70 there were on an average 22,416 deaths annually to a million persons living; in 1871–80 the proportion of deaths was only 21,272, a saving of 1,144 lives annually to each million persons living. The following Table, which is a summary of the more detailed Tables given later on (pp. cxii–cxvi), shows under what headings this saving was effected.

Table E.—**Annual Deaths** per **Million Persons Living.**

——	1861-70.	1871-80.	Annual Decrease in 1871-80.	Annual Increase in 1871-80.
Small-pox	163	236	—	73
Measles	440	378	62	—
Scarlet Fever	972	716	256	—
Diphtheria	185	121	64	—
Whooping-cough	527	512	15	—
Fever	885	484	401	—
Diarrhœal Diseases	1,076	935	141	—
Cancer	387	473	—	86
Phthisis	2,475	2,116	359	—
Hydrocephalus	347	317	30	—
Other Tubercular Diseases	437	445	—	8
Diseases of the Nervous System	2,785	2,770	15	—
„ Circulatory System and Dropsy	1,349	1,477	—	128
„ Respiratory System	3,364	3,760	—	396
„ Digestive System	981	978	3	—
„ Urinary System	298	392	—	94
Puerperal Fever, Childbirth	165	167	—	2
Violence	765	733	32	—
All other and Unstated Causes	4,815	4,262	553	—
All Causes	22,416	21,272	1,931	787
Balance of Decrease and Increase	—	—	1,144	—

The mortality from zymotic diseases in the aggregate as shown in this Table fell very considerably.

There is, however, one zymotic disease which exceptionally shows an increase, namely, *small-pox*. Under this heading the mortality rose from 163 per million living to 236. This rise was entirely due to the very serious outbreak which marked the two first years of the decennium, 1871 and 1872, and which led to the compulsory appointment of vaccination officers by Boards of Guardians, and consequently to a more stringent enforcement of infant vaccination.* The question of vaccination and its results was discussed at length in the 43rd Annual Report, for 1880, and it was there shown that when the statistics of small-pox are given not by artificial periods, such as decennia, but by natural periods, that is to say, by

* The Act was passed in 1871, but did not come into operation until 1872.

periods that coincide with the successive improvements in the enforcement of the Vaccination Acts, there has been a gradual and notable decline in the mortality from this disease. It was further shown that this decline has been entirely due to diminished mortality of children, and especially of children under five years of age ; and that in the later periods of life the mortality has not only not decreased but has actually risen, slightly among young persons between 10 and 15 years of age, but very greatly among persons older than this; and lastly, that this increase has been the greater the more advanced the time of life. It will be seen on referring to the table at p. cxii, that even when the decennial period is taken, instead of the natural period which only includes the years since the compulsory appointment of vaccination officers, the above statement referring to the changed incidence of small-pox upon the successive age-periods still holds good. There is still, notwithstanding the rise in the total mortality from this disease, a great fall in the deaths caused by it in the first age-period, and a rise, increasing with the advance of age, in the later periods. There is, as was pointed out in your 43rd Annual Report, only one adequate explanation of this curious alteration,—an alteration to which no parallel is furnished by the other zymotic diseases—and that explanation is that vaccination confers a considerable immunity from small-pox, but an immunity, which is not only less than that conferred by an attack of small-pox itself, but much less permanent; its protective influence gradually dying out and requiring renovation. The results of this difference between vaccination and small-pox itself, as regards their protective action, were stated in the 43rd Annual Report, which has already been cited, in the following words, which I cannot do better than repeat: "Before "vaccination came into use, few persons escaped having small-pox at some "or other time in their lives. The great majority had it when young, "and of these a large proportion died, causing a very high death-rate in "the earlier age-periods. But those who survived the attack enjoyed a "practically complete immunity for the rest of their lives, and, as they "formed a considerable proportion of the population at the later age-"periods, the small-pox death-rates at these later periods of life were very "low. But when vaccination came into use, and in proportion as its use "became more and more general, the relative conditions of the different "age-periods, as regards immunity, were materially altered and partially "inverted. Childhood, previously altogether unprotected, now received a "very considerable immunity; while the later ages, previously much "protected, now had their immunity considerably diminished, and the "more so the later the period of life and the more remote therefore the "date of vaccination."

The decline in the mortality from *scarlet fever* was very considerable, the annual deaths per million having fallen from 972 to 716. The decline under the heading *measles* was much less considerable, being only from 440 to 378. It can scarcely be doubted that a considerable share in these declines was attributable to sanitary measures, and especially to the improved facilities for separating the infected from the healthy, and to the removal of conditions which, though they may not actually generate the disease, yet add greatly to its virulence and largely diminish the chances of recovery from its attacks ; but at the same time it must not be forgotten that these diseases appear in epidemics at irregular periods, determined by conditions as yet not ascertained, and that consequently the mortality in any one decennium as compared with another depends to a considerable extent upon what we may call the chance of its containing more or fewer of these irregular visitations. Thus, in the decennium 1861–70 there were two periods of such visitations from scarlet fever, namely, 1863–64 and 1868–70, covering between them half the entire decennium; whereas in the next ten years, 1871–80, the disease was only widely epidemic in a single year, namely 1874. It may of course be that the frequency with

which these epidemic years recur may itself be largely determined by sanitary conditions; but of this there is, at any rate at present, no certainty.

The registered deaths from *diphtheria* fell from an annual average of 185 per million to 121; but so much uncertainty attaches to the use of the term "diphtheria" by medical men, and there is such confusion in their certificates between diphtheritic and simple spasmodic croup, that the returns under this heading are extremely untrustworthy.

The mortality from *whooping-cough* remained practically unchanged from that of the preceding decennium, the fall being only from 527 to 512. Owing to the very early age at which whooping-cough usually occurs, and the consequent impossibility of removing the sick from the healthy, this disease is less amenable than most other zymotic ailments to sanitary control. As was said in speaking of measles and scarlet fever, the mortality from whooping-cough in a given decennium is determined mainly by the number of epidemical years that occur within the period; and there was one such year in each of the two last decennia, viz., 1866 in the earlier and 1878 in the later decennium.

The deaths from *fever*, including typhus, enteric fever, and ill-defined forms of continued fever, fell from an annual average of 885 per million to 484, a decline of no less than 45 per cent. This is the most satisfactory of all the declines shown in the table; not only because it is the greatest in amount, but because enteric fever, to which is due the main bulk of the deaths attributed to fever, is of all diseases, putting aside the effect of vaccination upon small-pox, the one which is most directly and largely affected by sanitary measures; so that the decline in mortality under this heading is the best test available of the efficacy of sanitary administration. Doubtlessly there are for typhus and for enteric fever, as for other zymotic diseases, epidemical years, when meteorological or other uncontrollable conditions favour the development of the specific virus to which these fevers are due; but on examining the figures in the successive Annual Reports, the irregular fluctuations of mortality caused by the recurrence of such years are almost entirely obliterated by the continuous and progressive fall which has been produced by more careful sewerage, better water-supply, and other sanitary improvements.

The deaths from *diarrhœa* fell from an annual rate of 1076 per million to 935, showing an annual gain of 141 lives for each million persons living. But as the mortality from diarrhœa is more directly and manifestly affected by meteorological conditions than that from any other zymotic disease, it may be questioned whether the decline was not due to a series of comparatively favourable summers in the one decennium as compared with the other, rather than to any sanitary measures that may have been adopted. In order to test this we must compare the summers of 1861–70 with those of 1871–80; and as the great bulk of fatal diarrhœa occurs in the interval between mid June and mid September, we may confine our comparison to that trimestrial period. Speaking generally, it appears from the returns of mortality in London that the diarrhœa mortality becomes high when the mean weekly temperature rises to about 63° F. Now in the ten years 1861–70 there were altogether 317 days in the three summer months in which the mean temperature recorded at Greenwich was above 63° F., while in the next decennium the number of such days was 325. Adding together the excesses above 63° F. of the 317 days in the first decennium, we have a total excess of 1153 degrees; while the total excess of the 325 hot days in the second decennium was 1178 degrees. Measured, therefore, in this somewhat rough manner, the two decennia were practically on an equality as regards such temperature as may be supposed to raise the mortality from diarrhœa; and such slight difference as the figures indicate is against the healthiness in this respect of the later decennium. We may,

therefore, infer with much probability that the decline in the diarrhœal mortality in 1871–80, as compared with 1861–70, was not due to a lucky succession of cooler summers, but to improvement in cleanliness and other sanitary conditions.

The deaths ascribed to *malignant disease* in the decennium 1851–60 amounted to 317 annually per million persons living; in the next decennium, 1861–70, the mortality had risen to 387; and it again rose in 1871–80 to 473; so that in the course of twenty years the mortality under this heading apparently increased by nearly 50 per cent. The increase, moreover, as is shown in the successive Annual Reports, was steady and progressive; year by year the number of deaths under this heading has increased; and the increase, it may be added, is still going on. There can be very little doubt that a considerable part in this apparent increase is simply due to improved diagnosis and more careful statement of cause on the part of medical men. Year by year the number of deaths ascribed to tumour, abdominal disease, or other similarly imperfectly stated causes has been undergoing diminution, and there has been of course a corresponding addition to the mortality under the more definite headings. Moreover, the increase of mortality from cancer has been much greater among males than among females; the rate for males having risen 62 per cent. in twenty years, while the rate for females has only risen 43 per cent. Now, were the rise not merely apparent but real, being due to general physical deterioration of the people or other similar causes, there would seem no reason why the male sex should have suffered more than the female; whereas the difference is readily intelligible on the hypothesis that the rise has been at any rate in great measure only apparent, and due to better diagnosis. For the cancerous affections of males are in much larger proportion internal or inaccessible than are those of females, and consequently are more difficult of recognition, so that any improvement in medical diagnosis would add more to the male than to the female reckoning.

The mortality from *phthisis* showed a very remarkable diminution, there being an annual gain of 359 lives to a million living. This gain, however, was more than counterbalanced by a loss of 396 lives from *diseases of the respiratory system.* Knowing how vague has been the use of the term "phthisis," it is tempting to assume that the apparent changes were simply due to transference from one heading to the other, and that the mortality really underwent little change. And probably to some extent this is true, for the term phthisis or consumption is not now used in quite so vague a manner as it was in former years, when any undiagnosed chronic affection of the lungs was likely to be so designated. Still this can hardly be supposed to be the explanation of the whole matter, for while the registered mortality from phthisis fell at every one of the successive age-periods, the registered mortality from diseases of the respiratory organs remained practically unaltered in the periods of life between the 5th and 26th years of age, and only rose among young children under 5 and among persons over 25 years of age.

How much of the fall in the registered mortality from phthisis was real, and how much was merely due to transference, it is impossible to say; but it must be noted that the mortality ascribed to other forms of tuberculosis, with the exception of hydrocephalus, showed no decline. Under "other forms of tuberculosis" are comprised a certain number of deaths simply ascribed to tubercular disease without further specification, but the great bulk consists of deaths from tabes mesenterica and tubercular peritonitis.

The mortality ascribed to "*diseases of the nervous system*" remained practically without change in its total amount. It will be seen, however, on referring to the detailed table (p. cxv), that the age-incidence of the

mortality underwent very notable alterations. The deaths in the earliest age-period (0–5) fell very greatly, probably in great part because of the increasing carefulness in statement of cause by medical men, who are no longer so generally contented as they formerly were to refer the death of an infant to "convulsions," but prefer, when possible, to give the primary cause of which the convulsions were a symptom; but this diminution in the deaths at the earliest age-period was fully counterbalanced by the great increase of mortality in the more advanced stages of life, from 35 years of age onwards, an increase which, though in some slight degree to be accounted for by greater carefulness of statement, yet, doubtlessly, was in great measure real, and is probably to be explained by the constantly increasing strain upon the nervous system involved in the keener competition and other conditions of modern life.

There was a considerable increase of mortality under the heading *diseases of the organs of circulation*, with which, in order to make fair comparison with the preceding decennia, it was found necessary to combine *dropsy*. In the earlier age-periods, under 15 years of age, the mortality declined; between 15 and 35 years the mortality remained practically unaltered; while at each age-period after this there was a large increase, which was especially great in the last period of life, viz., after 75 years of age, when the rate advanced more than 18 per cent. Probably part of this increase was real, part only apparent and due to greater precision of statement in the certificates of deaths of aged persons, which it is no longer thought sufficient to ascribe generally to "old age" without further specification.

The mortality from *diseases of the digestive organs* remained unaltered. Under this heading are, however, included diseases that differ very greatly from each other when viewed ætiologically, and there is especially one group of diseases among them, viz., diseases of the liver, that is of great interest, inasmuch as the fluctuations in the mortality caused by it afford probably the best available measure of the extent to which alcoholic excess prevails in the country. The deaths attributed directly to chronic alcoholism or to delirium tremens supply a very unsatisfactory measure of such excess, not only because these deaths form a very insignificant proportion of the total mortality due to drink, but because the wish to spare the feelings of surviving relatives prevents the returns of such deaths being at all trustworthy.

But cirrhosis of the liver is a term which the certifying practitioner can use without fear of giving offence, and as this disease is one of the commonest consequences of alcoholic excess, and is also one of the chief contributors to the mortality from liver disease generally, the value of this group of diseases for the purpose mentioned is evident. It will be seen later on, when the mortality in different trades comes under review, that the mortality from liver disease among men engaged in the liquor trades is six times the average for males generally. It is, therefore, very desirable to separate, if possible, the mortality from liver diseases from the mortality from other diseases of the digestive organs. In this decennial supplement they have not been thus separated; by referring, however, to the separate annual reports it is possible to get the necessary data; and the following is the result as regards males.

TABLE F.—**Annual Mortality** of **Males** per **Million living** from **Diseases** of the **Liver** and **Ascites** at successive Age-periods.

PERIOD.	ALL AGES.	Under 5	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
1861-70	435	342	37	34	49	79	208	529	993	1,638	2,281	2,030
1871-80	441	361	29	28	35	63	192	531	1,054	1,736	2,364	2,166

It appears from this table that the mortality at all ages together remained practically unaltered. There were, however, some alterations in the rates at the different age-periods; for while the mortality fell at each of the earlier periods of life, excluding infancy, it rose somewhat, but not very much, at each age-period after the 45th year of life; and, as these are the age-periods when the deleterious effects of alcoholic habits upon the liver would be most distinctly felt, it is not impossible that the rise of hepatic mortality at this end of life may indicate some increase of intemperance.

In the decennium, 1851–60, the deaths ascribed to *diseases of the urinary organs* were in the proportion of 214 annually to a million persons living; in the next decennium, 1861–70, the proportion rose to 298, again to be increased to 392 in 1871–80. Thus in the course of 20 years the registered mortality from these diseases rose no less than 83 per cent. The increase was common to each age-period, as is shown in the detailed Table (p. cxvi), but was proportionally greatest in the earlier stages of life, and notably among children under 5 years of age, where the increase of mortality in the 20 years was almost 200 per cent. Reference to the successive Annual Reports shows that the increase has been going on steadily year by year, in practically unbroken continuity, ever since civil registration began in 1837. That year was also the date of the publication by Dr. Bright of his discovery of the very common diseases which ever since have borne his name; and there can be no reasonable doubt that the apparent increase of mortality from renal disease is attributable to the gradual extension of the knowledge of Dr. Bright's discoveries, and the recognition of cases as renal that previously were attributed to other causes. It is possible of course that there may also have been some real increase; but there is no evidence whatsoever that such has been the case.

The mortality from *Puerperal Fever and Childbirth* per million persons living has remained practically unaltered for three successive decennia, having been 164 in 1851–60, 165 in 1861–70, and 167 in 1871–80. It is better, however, to measure the mortality from these causes by the proportion of the deaths to births, rather than by the proportion of the deaths to the total population, regardless of sex, age, and civil condition.

The general result, however, of this better method is much the same as that of the less accurate plan. In 1851–60 the deaths of mothers from these causes were 4·80 per 1000 children born alive, in 1861–70 they were 4·69, and in 1871–80 they were 4·75; rates which may be regarded as practically identical.

The deaths ascribed to *Violence*, including accidents, homicides, and suicides, were in the proportion of 733 per million persons living, whereas in the preceding decennium the proportion had been 765. On referring to Table 5 at page cxvi, it will be seen that the rate fell at each age-period under 55, whereas the mortality from violence after that age showed an increase at each age-period.

Differences in the Death-rates in different Parts of the Country.—The mean annual death-rate varied very greatly in different districts, the extreme limits having been 14·13 and 33·57 per 1000. Among the 647 districts into which England and Wales are divided there were 8 in which the mean annual rate was under 15·0 per 1000; 31 more in which it was under 16·0; and again 62 others in which it did not exceed 17·0. These 101 districts together constitute what are called in some of the Tables the Selected Healthy Districts, and form a convenient standard for comparison.

In 326 other districts the mean annual death-rate was between 17·0 and 20·0; in 195 it was from 20·0 to 25·0; in 23 from 25·0 to 30·0, and in the remaining 2 it exceeded this high figure.

The death-rate in a district is frequently raised unduly by the presence of a large hospital or asylum which receives patients from outside the district itself. In Table 1 (pp. lxviii–lxxxv) notes will be found, making correction, so far as practicable, for such disturbing influences. Excepting, however, in some few cases, such correction does not make any very material alteration ; and the differences between one district and another are not to be thus explained.

Causes of the differences in the Death-rates.—To what cause or causes then are these wide differences between districts in regard to their death-rates to be ascribed ? It is very common indeed to hear and to read statements in which the speaker or writer assumes without any appearance of doubt that the differences of mortality are simply and wholly due to differences in the thoroughness with which the sanitary authorities carry out the provisions of the Public Health Acts ; and these persons would lead one to suppose that, if all sanitary authorities were equally vigilant, the death-rates would be in all parts practically equal, excepting that some slight differences might be caused by climatic and generally by geographical conditions.

That sanitary administration can do much to lower the mortality of a given place is indisputable. The very great general decline in the death-rates since the commencement of active efforts to ensure more efficient sanitation is sufficient evidence of this ; as also is the further notable fact, that the decline in the death-rate has been greatest in those parts in which the sanitary administration has been most active, that is to say, it has been greater in the urban than in the rural districts. But to attribute the whole or even the greater part of the difference of death-rates between one district and another to this cause is to ignore factors of the very greatest importance, which exert influences over which sanitary authorities have practically little or no control. The evils and the diminished vitality that are caused by poverty, crime, personal uncleanliness, drink, and excess of all kinds, as also by the close aggregation of human beings in places that offer the best chance of lucrative employment, and especially by the unhealthiness of certain occupations, are such as can at best be mitigated by the sanitary authorities, and often lie entirely outside their power of interference. Yet there is good reason to believe that these are the causes to which the main part of the difference between one part of the country and another, in the matter of mortality, is due.

Effect of Differences in Age and Sex Distribution upon the general Death-rate.—Some of the above-mentioned causes, namely, the close aggregation of inhabitants in a given area, and the unhealthiness of certain occupations, will presently be considered. But before discussing these questions, it is necessary to point out that two places might be on a perfect equality with each other as regards their climate, their sanitary arrangements, their closeness of aggregation, as also the habits and the occupations of their inhabitants, and yet might have very different general death-rates, owing to differences in the age and sex distribution of their respective populations. Such a supposed case is, of course, scarcely likely to present itself; for when the prevalent occupations are the same in two places, the age and sex distribution is almost certain to be the same also. But in places where the prevalent occupations are not the same, there are often very great differences in the age and sex distribution of the populations, and such as seriously affect the general death-rates. It is unsafe, therefore, to base any comparison between two areas upon their general death-rates, until it has been first ascertained that the populations of the two are practically identical as regard their age and sex distribution.

The age and sex distribution in any town or other considerable area is determined mainly by the nature of the prevalent occupations, and as these are generally fixed and do not change materially even in long periods, the age and sex distribution also remains practically unaltered. The general

death-rate, therefore, of any town or other large area in one year is fairly comparable with the death-rate of the same town or area in other years, without correction for age and sex. But not so, as explained, when one town or area is compared with another. Here corrections are required; and, if strict accuracy be necessary, corrections must be made not only for age but for sex distribution. The differences, however, due to variations in sex distribution are usually so small that it is practically sufficient to correct merely for age distribution, and thus save half the labour. In the following table such correction has been made for the recorded death-rates in each of the registration counties. The rates in column 2 are the mean annual death-rates as recorded; the rates in column 3 are these death-rates corrected for age differences; that is to say, they are the death-rates that would have been recorded had the age distribution of the population in each county been identical with the age distribution of the whole population of England and Wales.*

The great differences in mortality that exist between one county and another, and between the individual counties and England and Wales as a whole, may perhaps be more readily apprehended if the mortality in England and Wales be represented by 1,000 and that in each county, after correction for age distribution, by its proportional figure. This has been done, and the figures are given in column 4.

TABLE G.—**Mean Annual Death-rates** per **1000** in **Registration Counties, &c.** during the Ten Years **1871–80,** as recorded, and as corrected for Variations of Age Distribution.

Counties, &c., in Order of corrected Death-rate.	Recorded Death-rate.	Corrected Death-rate.	Comparative Mortality Figure.	Counties, &c., in Order of corrected Death-rate.	Recorded Death-rate.	Corrected Death-rate.	Comparative Mortality Figure.
Columns: 1.	2	3	4	Columns: 1.	2.	3.	4.
England and Wales -	21·27	—	1000	Middlesex (ex.-met.)	17 96	18·29	860
				Worcestershire -	18·95	18·58	874
Dorsetshire - -	17·46	15·97	751	Northamptonshire -	19·56	18·71	880
Sussex - -	17·05	16·36	769	Bedfordshire - -	19·37	18·79	883
Herefordshire - -	18·36	16·40	771	North Riding -	19·68	18·88	888
Rutlandshire -	18·46	16·44	773	Gloucestershire -	19·82	19·02	894
Huntingdonshire -	18·47	16·45	773	North Wales -	20·59	19·04	895
Westmorland -	17·72	16·63	782	Cornwall - -	20·32	19·08	897
Suffolk - - -	18·79	16·68	784	Derbyshire - -	20·54	20·40	959
Wiltshire - -	18·69	16·77	788	South Wales - -	21·09	20·72	974
Berkshire - -	18·01	16·93	796	Nottinghamshire -	21·23	20·81	978
Cambridgeshire -	18·76	17·10	804	Leicestershire -	21·61	20·83	979
Lincolnshire - -	18·55	17·10	804	Cumberland - -	21·49	20·86	981
Surrey (ex-met.) -	16·77	17·15	806	East Riding - -	21·36	21·07	991
Hertfordshire - -	18·37	17·18	808	Cheshire - -	21·04	21·58	1015
Shropshire - -	18·80	17·21	809	Monmouthshire -	21·88	21·76	1023
Buckinghamshire -	18·62	17·24	811	Warwickshire -	21·90	22·17	1042
Essex - - -	17·94	17·25	811	Staffordshire - -	22·44	22·73	1069
Kent (ex.-met.) -	17·81	17·27	812	Northumberland -	22·74	22·96	1079
Somerset - -	19·09	17·31	814	London - -	22·37	23·66	1112
Norfolk - - -	19·80	17·50	823	West Riding - -	23·24	24·29	1142
Oxford - -	19·00	17·56	826	Durham - -	23·77	24·32	1143
Hampshire - -	18·26	17·75	835	Lancashire - -	25·17	26·87	1263
Devonshire - -	19·67	18·10	851				

It will be noticed that in by far the greatest number of counties the corrected rate is somewhat lower than the recorded rate, but that in ten instances the contrary is the case, the corrected rates being the higher.

* For recorded death-rates in Registration Counties in the ten years 1871–80 (persons, males, and females), at various age-periods, see Table 3, pp. ci–iii.

It will be noticed moreover that these ten exceptional counties are all (save the extra-metropolitan portions of Surrey and Middlesex) industrial counties, where the death-rates even before correction were already extremely high, while all the agricultural counties are comprised in the majority, and have their death-rates, which already were low, made still lower by correction. Thus the differences of mortality between the several counties are greater after correction than before; the extreme limits of variation before correction being between 16·77 and 25·17, whereas after correction the rates range from 15·97 to 26·87. When a similar method of correction is applied to a great town and to a purely rural district respectively, the changes produced in the recorded rates are even greater than those produced in counties; and the general rule is that correction raises the rates of towns and industrial centres, but lowers the rate of rural districts; the explanation being that the population of a town or industrial centre contains a much smaller proportion of persons of advanced age, and a much larger proportion of persons in the prime of life than does a strictly rural population.

This question is of so much importance, and its right comprehension so necessary for those who would wish to avoid drawing false conclusions from comparisons of recorded death-rates, that it may be well to illustrate the statement that has been made still further.

England and Wales are divided out, as is well known, into urban and rural sanitary districts. We may take the urban sanitary districts in the aggregate to represent the towns, and the rural sanitary districts to represent the country. The age and sex distribution of the population of these contrasted groups of districts is given in the Census Returns for 1881. Now if we apply to each such constituted population the mean (1871–80) annual death-rates in England and Wales at each age-period, the death-rate in the urban population will be 20·40 per 1000, while the death-rate in the rural population will be 22·83. Such would be their respective death-rates on the hypothesis that the urban districts and the rural districts were equally healthy. We know, however, as a matter of fact that the urban death-rates instead of being lower than rural death-rates are much higher. The difference of healthiness, therefore, between the two is much greater than the difference as shown by their recorded death-rates.

Still one more example before finally quitting the subject. The general death-rate in England and Wales in 1881 was 18·9 per 1000 persons of all ages, while the general rate in France was 22·0, or no less than 3·1 higher than in England. But much of this difference was simply due to differences in the age-distribution of the two populations. For had the age-distribution of the French population been identically the same as that of the English population, the French general death-rate would have been 20·9 and not 22·0 as recorded. Thus of the 3·1 which was the difference between the general rates as recorded 2·0 was due to difference of health conditions, while 1·1 was due to difference in age-distribution.

In this Decennial Supplement the general death-rate given for each Registration District is of course the actual or recorded death-rate, without correction. Inasmuch, however, as the death-rates are given for each successive age-period in each district, the correction for age-distribution can be readily made by applying these death-rates to a population of 1000 persons having the same age-distribution as the population of England and Wales. The age-distribution of this 1000 persons is as follows:—

TABLE H.—**Age-distribution of Population** (PERSONS) of **England and Wales.** (Mean of 1871 and 1881.)

All Ages.	AGE-PERIODS.										
	Under 5	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
1000	136	120	107	97	89	147	113	86	59	33	13

Relation of Aggregation of Population to Death-rates.—It is notorious that the mortality is far higher in towns than in rural parts; and it has been shown in the preceding section that the difference between the two is even greater than might be inferred from their recorded death-rates. Why should this be? Why are towns less healthy than the country? The most notable difference in the conditions under which the urban and the rural populations live is of course the difference they present in regard to aggregation; and consequently it will be well to bring out in greater detail the relation between such aggregation and mortality; a relation, be it said, that was put prominently forward by Dr. Farr in the two preceding decennial supplements.

In order to display this relation as fully as possible, all those districts in which the mean annual death-rate was under 15 per 1000 have in the following Table been grouped together, and the density of these populations in their aggregate areas has been determined. Another similar group has been made of the districts with death-rates over 15 but under 16, and so on for each successive unit of death-rate. If the death-rates were determined simply by density, the series of figures in Column 7 would of course increase regularly from the top downwards, as do the rates in Column 5; and it will be seen that this is actually the case for the last and much greater part of the Column, but that there is considerable irregularity in the first few terms of the series. It is not apparently until the density has reached a certain degree of intensity that it begins to exercise any appreciable effect. This indeed might have been anticipated. For though we can readily understand that in crowded communities it may be a matter of vital importance whether there are 500 or 1000, or 2000, or more persons living on a square mile, yet it can scarcely make any difference, so far as health goes, whether in rural districts there be two acres or three acres on an average to each inhabitant. The differences in the death-rates in these sparse populations are determined by other conditions than aggregation.

Table I.—**Area, Population, Death-rates,** and **Density,** in Groups of Districts, **1871–80.**

Annual Death-Rate per 1,000.	Number of Districts.	Area in Acres.	Ten Years 1871–80.		Mean Annual Death-rate per 1000.	Mean Density (Acres to a Person).	Persons to a Square Mile.
			Mean Population.	Deaths.			
Cols. - - -	1.	2.	3.	4.	5.	6.	7.
14 and under 15 -	8	432,480	171,244	24,804	14·48	2·53	253
15 „ „ 16 -	31	1,612,844	503,594	78,570	15·60	3·20	200
16 „ „ 17 -	62	3,423,169	1,379,250	229,301	16·63	2·48	258
17 „ „ 18 -	102	6,586,426	2,166,690	380,980	17·58	3·04	211
18 „ „ 19 -	129	9,197,922	2,787,836	516,671	18·53	3·30	194
19 „ „ 20 -	95	6,797,350	2,308,721	449,736	19·43	2·94	217
20 „ „ 21 -	50	3,421,448	2,450,483	503,702	20·56	1·40	458
21 „ „ 22 -	46	2,412,654	2,551,807	549,573	21·54	0·95	677
22 „ „ 23 -	42	1,324,840	2,692,101	607,008	22·55	0·49	1,301
23 „ „ 24 -	30	938,134	2,666,484	627,660	23·54	0·35	1,819
24 „ „ 25 -	27	617,059	2,088,340	509,661	24·41	0·30	2,166
25 „ „ 26 -	14	312,350	1,375,652	351,318	25·54	0·23	2,819
26 „ „ 27 -	5	73,227	350,681	92,092	26·26	0·22	2,944
27 „ „ 34 -	6	88,669	850,906	257,247	30·23	0·10	6,144

Direct and Indirect Effects of Aggregation.—It must not be supposed that the higher death-rates, which go hand in hand with increased density of population, are simply the direct results of such aggregation. Doubtlessly where people are crowded together certain injurious conditions are produced which directly affect the mortality; the air, the soil, and often the water are liable to be fouled; and infectious diseases, having a shorter average distance to travel from individual to individual, are more readily spread abroad. But these direct consequences of close aggregation are probably as nothing in comparison with its indirect consequences or concomitants. The more crowded a community, the greater, speaking generally, is the amount of abject want, of filth, of crime, of drunkenness,* and of other excesses, the more keen is the competition, and the more feverish and exhausting the conditions of life; moreover, and perhaps more than all, it is in these crowded communities that almost all the most dangerous and unhealthy industries are carried on. It is not so much the aggregation itself, as these other factors which are associated with aggregation, that produce the high mortality of our great towns or other thickly populated areas. Our next business, therefore, should be to investigate the action of each of these several factors separately, and to see to what extent and in what manner they respectively add to the mortality of towns. There is, however, only one among them, but that the most important, that lends itself at all readily to statistical examination, namely, the influence of occupation, and consequently this is the only one of the factors with which it will be attempted to deal; the remaining and larger part of this introduction being devoted to its study.

Mortality of Males engaged in different Occupations.

In each of the two former decennial supplements† an attempt was made to estimate the comparative mortality of males engaged in different professions and trades. The numbers of males engaged in each occupation and their ages were taken from the Census returns; while the numbers of deaths at each age-period were abstracted from the death-registers. The calculations in the Supplement for 1851–60 were based upon the Census numbers for 1861, and the deaths in 1860 and 1861; in the Supplement for 1861–70, upon the Census numbers for 1871, and the deaths in the same year. The attempt has been renewed on the present occasion, and on a larger scale, the deaths in combination with ages and occupations having been abstracted for three entire consecutive years, namely, 1880, 1881, and 1882. In order to ensure as great accuracy as was possible, the deaths in these three years were abstracted by the same clerks, and on occupation sheets of the same form, as had served for the abstraction of the living in the Census of 1881, and the same rules as to the details of the process were observed in each case.

The inquiry was limited, as on the previous occasions, to males, and for the same reason; namely, that the uncertainty attaching to the statement both of occupation and of age is very much greater in the case of women than of men. Males under 15 years of age were also excluded; inasmuch as the influence of occupation, which was the object of inquiry, is practically inappreciable at that early period of life.

The total number of males, 15 years of age or upwards, living in England and Wales at the date of the Census was 7,911,436, and the total number of deaths of males at those ages abstracted from the registers of the three years, of which the Census year was the centre, was 418,214. With so wide a basis of observation as this, and with the

* See 4th Report of Select Committee on Intemperance (1878), p. 585. "On the "whole, in the towns where the drunkenness is greatest the population is most dense."

† Supplements to the 25th and 35th Annual Reports of the Registrar General.

precautions that were taken to ensure, so far as possible, uniformity in the abstraction of the living and the dead, a very high degree of trustworthiness may fairly be claimed for the results. There are, however, numerous difficulties and causes of error that practically interfere with what might at first sight appear to be a simple though highly laborious process; and some of these difficulties and causes of error it is important to set forth, so that each person who interests himself in the results may be able to form an estimate as to the amount of confidence he should place in them.

In the first place then, although the aggregate numbers, both of the living and the dead, that were abstracted were, as we have seen, very great, yet the numbers of persons in many of the individual trades, and still more the numbers at each age-period in such trades, were but small.

The amount of confidence in the results is of course, *cæteris paribus*, proportionate to the number of observations, which depends on the number of persons engaged in the occupation. The figures therefore which relate to small trades, or to age-periods where the numbers are few, should be received with due hesitation.

A second and still more serious difficulty and cause of error is due to the vagueness with which the occupation is oftentimes stated both in the returns made for the Census and in the death-registers, and especially in the latter. As the same rules for dealing with doubtful cases were adopted, as already mentioned, in abstracting the living from the Census returns and the dead from the death-registers, it might be supposed that this cause of error would be practically immaterial, as indeed it would be, were the vagueness of statement similar in amount and character in the two cases. But there is reason to believe that the vagueness of statement as to occupation was much more considerable in the death-registers than in the Census returns, inasmuch as special precautions had been taken in the case of the Census to ensure great precision in the statement of trade or profession, while no such special precautions had been taken in the case of the death-registers.

In order to obviate to some extent the evils arising from this vagueness, and also at the same time to increase the numerical basis of the calculation, occupations that are likely to be confounded with each other to any considerable extent have been grouped together, and in some cases it has been found necessary to do this, even when an occupation is of such a definite character that apparently it is not likely to be confounded with another. For instance, no occupation would seem at first to be more definite than that of a Coalminer; and as there were at the date of the Census no fewer than 355,363 male coalminers over 15 years of age, it might naturally be supposed that here at any rate was an industry in which the death-rate could be calculated with much certainty. But it was soon discovered that a very considerable number of Coalminers who die are simply described in the death-registers as Miners without further specification; and consequently it became necessary to group all miners together; or rather to divide them, as will be explained further on, geographically, and not directly by the character of the minerals. Again, in the death-registers there is often a confusion between General and Agricultural Labourer; and in consequence it was found necessary to group these together; while, in order to diminish the disturbing influence of the intermixture of general with agricultural labour, the calculation was based on the returns and registers for ten* selected counties, in which the great mass of labour was agricultural.

Similarly Hosiery-manufacture and Hosiery-selling were found to be practically indistinguishable in the death-registers, and have been therefore

* These counties were Hertfordshire, Oxfordshire, Bedfordshire, Cambridgeshire, Suffolk, Wiltshire, Dorsetshire, Devonshire, Herefordshire, and Lincolnshire.

grouped together, the effect of the intermixture being reduced, so far as possible, to a minimum, by basing the calculation on the returns and registers for the counties of Leicester and Nottingham, which are the main seats of the hosiery manufacture.

A similar process of grouping, with or without limitation to a special selected area, has been adopted in several other cases, as will be seen hereafter; while in those cases, where it was thought probable that the vagueness of statement as to occupation had seriously affected the results, these have been entirely discarded, and no statements as to the death-rates in such industries are given in the tables.

We come now to a difficulty of a different kind, and of a still more serious character, inasmuch as it appears to be one for which there is no remedy, and which must always occasion a great flaw in all calculations of the death-rates in different industries. There are many trades and occupations which require a considerable standard of muscular strength and vigour to be maintained by those who follow them; such occupations for instance as those of a Blacksmith, of a Miner, and the like; and, so soon as from any cause the health and strength of a man fall below this standard, he must of necessity give up the occupation and either take to some lighter kind of labour or, if his health be too much impaired for this, retire altogether from work. And even in those industries, where no excessive amount of muscular strength is required, there must nevertheless be always a certain line below which continuance in the business becomes an impossibility.

The weaker individuals, and those whose health is failing them, are thus being constantly drafted out of each industrial occupation, and especially out of those which require much vigour; and the consequence is that the death-rates in these latter occupations are unfairly lowered, as compared with the death-rates in occupations of an easier character, and still more as compared with the death-rates among those persons who are returned as having no occupation at all. A very considerable proportion of those who are forced to give up harder labour take to odd jobs of a more or less indefinite character, and are returned both on the Census schedule, and eventually in the death-registers, as General Labourers, as Messengers, or as Costermongers, Street-sellers, &c.; and thus it comes about that the death-rates of General Labourers, of Messengers, and of Street-sellers, as shown in the table, appear to be of appalling magnitude, as also do those of persons returned as having no occupation. Under these headings, however, are comprised the broken down and the crippled who have fallen out of the ranks from all the various industries, as well as those who have been throughout life debarred by natural infirmities or other causes from following any definite occupation.

Another very serious flaw in these death-rates, when taken as measures of the relative healthiness of different industries, is due to the fact that these several industries do not start on equal terms as regards the vitality of those who follow them. A weakling will hardly adopt the trade of a Blacksmith, a Miner, or a Railway Navvy, but will preferentially take to some lighter occupation such as that of a Tailor, a Weaver, or a Shopman. This defect in the death-rates, as measures of comparative healthiness of occupations, tells in the same direction as the defect previously noticed; it gives an unfair advantage to such industries as demand much strength or activity in those that follow them. Such industries are in fact carried on by a body of comparatively picked men; stronger in the beginning, and maintained at a high level by the continual drafting out of those whose strength falls below the mark.

It is plain then that much caution must be used in drawing inferences from the death-rates in different industries. The data are sometimes scarcely sufficient in amount or precise enough in character for full con-

fidence to be placed in the rigid accuracy of the rates based upon them; and, secondly, the differences presented by the rates, even when the accuracy of these is indisputable, are not invariably due to differences in the comparative healthiness of the occupations, but, often at any rate, to differences in the constitution of the groups of workmen severally engaged in them.

Still, after the fullest weight has been allowed to all the defects which have now been mentioned, there can be no reasonable doubt but that the death-rates do in reality furnish valuable indications of the comparative salubrity of different industrial occupations. Small differences between them must, it is true, be ignored, as falling within the limits of possible disturbing influences; but large differences, such as are presented in numerons cases, must be accepted as betokening real and substantial differences of healthiness.

The headings, under which the occupations of the living in 1881 and of those who died in 1880–1–2 were abstracted, numbered about 400. It has not, however, been thought worth while to print the figures for all those numerous headings. A selection has been made of those which seemed of most importance, and in which the distinctness of the occupation, and the number of persons following it, gave fair reason for believing that the results would be of closely approximate accuracy.

The figures relating to these selected occupations are given in Table 6., which will be found on pp. cxvii–cxxiii.

The rates have been calculated for five age-periods; but of these, the two which include the main working part of life, namely, the forty years which intervene between the 26th and 66th birthdays, are far more valuable and more trustworthy than the others; for not only are these the age-periods in which the numerical basis is as a rule the largest, but they are also the periods in which the influence of occupation is most marked. In the earlier age-periods the effect of occupation is not as yet fully developed; and the last age-period, 65 years of age and upwards, is that which is more especially affected by the disturbing cause previously noted, namely, the retirement from the industry of such men as have become too weakly to follow it. Although therefore the rates for each of the five age-periods are given in the fuller Table, pp. cxvii–cxxiii, in the following remarks and Tables (Tables J., K., L.) the rates for the two periods into which the great working part of life has been divided will alone be taken into consideration; and the differences presented by the several occupations within this restricted portion of life will be held to represent approximately the differences between them in regard to healthiness.

In the following Table (Table J.) the third and fourth columns of figures give the mean annual death-rates for these two age-periods for 1880–1–2. The first and second columns give for comparison the corresponding death-rates, as calculated from the data in the two previous decennial supplements.

The fifth column of figures, which is headed Comparative Mortality Figure, requires some little explanation. There was in 1880–1–2 an annual mortality in England and Wales of 1000 deaths per 64,641 males between 25 and 65 years of age; and of such 64,641 males, 41,920 were under, and 22,721 were over, 45 years of age. The figures in Column 5 are the numbers of deaths that would have occurred in the several occupations out of 64,641 males, of whom 41,920 were under, and 22,721 were over, 45 years of age. For instance 41,920 barristers and solicitors in the earlier age-period, and 22,721 in the later period would, with death-rates respectively of 7·54 and 23·13 per 1000, give 842 deaths. This figure is therefore set in the fifth column against the heading "Barrister, Solicitor," and represents the mean mortality of males in that profession between 25 and 65 years of age, as compared with the mortality of all males of similar ages in England and Wales, this latter being taken as 1000.

TABLE J.—**Death-rates of Males, 25–65** YEARS of AGE, in DIFFERENT **Occupations,** in **1860–1–1871** and in **1880–2**; and their COMPARATIVE MORTALITY FIGURES in **1880–2.**

Reference Number.	OCCUPATION.	MEAN ANNUAL DEATH-RATES PER 1000 LIVING. 1860–1–1871. Years of Age. 25–45	45–65	1880–1–2. Years of Age. 25–45	45–65	Comparative Mortality Figure, 1880–1–2. Years of Age. 25–65
	ALL MALES	11·27	23·98	10·16	25·27	1000
	OCCUPIED MALES	—	—	9·71	24·63	967
	UNOCCUPIED MALES	—	—	32·43	36·20	2182
	MALES IN SELECTED HEALTHY DISTRICTS*	—	—	8·47	19·74	804
1	Clergyman, Priest, Minister	5·96	17·31	4·64	15·93	556
2	Barrister, Solicitor	9·87	22·97	7·54	23·13	842
3	Physician, Surgeon, General Practitioner	13·81	24·55	11·57	28·03	1122
4	Schoolmaster, Teacher	9·82	23·56	6·41	19·84	719
5	Artist, Engraver, Sculptor, Architect	11·73	22·91	8·39	25·07	921
6	Musician, Music Master	18·94	34·76	13·78	32·39	1314
7	Farmer, Grazier	7·66	17·32	6·09	16·53	631
8	Labourer in Agricultural Counties†	—	—	7·13	17·68	701
9	Gardener, Nurseryman	6·74	17·54	5·52	16·19	599
10	Fisherman	11·26	15·84	8·32	19·74	797
11	Cab, Omnibus, Service	15·94	35·28	15·39	36·83	1482
12	Bargeman, Lighterman, Waterman	14·99	30·78	14·25	31·13	1305
13	Carter, Carrier, Haulier	—	—	12·52	33·00	1275
14	Groom, Domestic Coachman	—	—	8·53	23·28	887
15	Commercial Traveller	12·28	29·00	9·04	25·03	948
16	Brewer	19·26	36·86	13·90	34·25	1361
17	Innkeeper, Publican Spirit, Wine, Beer-Dealer.	18·01	34·14	18·02	33·68	1521
18	Inn, Hotel, Servant	21·91	42·19	22·63	55·30	2205
19	Maltster	7·04	22·26	7·28	23·11	830
20	Law Clerk	18·75	37·05	10·77	30·79	1151
21	Commercial Clerk and Insurance Service	14·28	28·88	10·48	24·49	996
22	Bookseller, Stationer	10·84	21·36	8·53	20·57	825
23	Chemist, Druggist	13·92	23·56	10·58	25·16	1015
24	Tobacconist	13·19	21·76	11·14	23·46	1000
25	Grocer	9·49	17·15	8·00	19·16	771
26	Draper and Manchester Warehouseman	14·34	26·33	9·70	20·96	883
27	Ironmonger	10·38	22·95	8·42	23·87	895
28	Coal Merchant	8·83	22·59	6·90	20·62	758
29	General Shopkeeper	—	—	9·12	21·23	865
30	Cheesemonger, Milk, Butter-man	—	—	9·48	26·90	1009
31	Greengrocer, Fruiterer	11·41	24·51	10·04	26·57	1025
32	Fishmonger, Poulterer	15·62	29·21	10·53	23·45	974
33	Shopkeepers as represented by the above eleven (22–32).	—	—	9·04	21·90	877
34	Butcher	13·19	28·37	12·16	29·08	1170
35	Baker, Confectioner	10·72	26·39	8·70	26·12	958
36	Corn Miller	9·32	26·65	8·40	26·62	957
37	Hatter	12·81	31·76	10·78	26·95	1064
38	Hairdresser	15·11	30·10	13·64	33·25	1327
39	Tailor	12·92	24·79	10·73	26·47	1051
40	Shoemaker	10·39	22·30	9·31	23·36	921
41	Tanner, Fellmonger	10·43	26·57	7·97	25·37	911
42	Currier	11·32	25·09	8·56	24·07	906
43	Saddler, Harness Maker	12·29	25·21	9·19	26·49	987
44	Tallow Chandler, Soap-boiler	11·75	27·24	7·74	26·19‡	920
45	Tallow, Soap, Glue, Manure Manufacture	—	—	7·31	27·57	933
46	Printer	13·02	29·38	11·12	26·60	1071
47	Bookbinder	12·76	31·56	11·73	29·72‡	1167
48	Watch and Clock Maker	10·78	24·90	9·26	22·64	903
49	Watch, Clock, Phil. Instrument Maker, and Jeweller.	—	—	9·22	23·99	932

* The selected healthy districts are all those Registration Districts in which the mean annual death-rates for persons (males and females together) was under 17·00 per 1,000 in 1871–80.

† Labourer in ten agricultural counties, viz., Hertfordshire, Oxfordshire, Bedfordshire, Cambridgeshire, Suffolk, Wiltshire, Dorsetshire, Devonshire, Herefordshire, and Lincolnshire.

‡ This rate is based on less than 5,000 years of life.

TABLE J. (*continued*). — **Death-rates of Males, 25–65** YEARS of AGE, in DIFFERENT **Occupations,** in **1860–1–1871** and in **1880–2**; and their COMPARATIVE MORTALITY FIGURES in **1880–2.**

Reference Number.	Occupation.	Mean Annual Death-Rates per 1000 Living. 1860-1-1871. Years of Age. 25–45	45–65	1880-1-2. Years of Age. 25–45	45–65	Comparative Mortality Figure, 1880-1-2. Years of Age. 25–65
50	Paper Manufacture	10·33	20·19	6·48	19·62	717
51	Glass Manufacture	13·19	29·32	11·21	31·71	1190
52	Earthenware Manufacture	12·59	41·75	13·70	51·39	1742
53	Cotton, Linen, Manufacture (Lancashire)	10·65*	27·20*	9·99	29·44	1088
54	Silk Manufacture	9·89	20·08	7·81	22·79	845
55	Wool, Worsted, Manufacture (West Riding.)	9·35*	23·26*	9·71	27·50	1032
56	Carpet, Rug-Manufacture	9·92	25·57	9·48	24·10	945
57	Lace Manufacture	—	—	6·78	20·71	755
58	Hosiery Manufacture (Leicestershire, Notts).	—	—	6·69	19·22	717
59	Dyer, Bleacher, Printer, &c. of Textile Fabrics.	11·19	25·99	9·46	27·08	1012
60	Rope, Twine, Cord-Maker	9·19	29·35	7·95	22·25	839
61	Builder, Mason, Bricklayer	11·43	27·16	9·25	25·59	969
62	Slater, Tiler	10·66	30·76	8·97	24·93†	942
63	Plasterer, Whitewasher	9·59	27·90	7·79	25·07	896
64	Plumber, Painter, Glazier	12·48	34·66	11·07	32·49	1202
65	Upholsterer, Cabinet Maker, French Polisher.	11·09	24·09	9·55	24·77	963
66	Carpenter, Joiner	9·44	21·36	7·77	21·74	820
67	Sawyer	8·67	21·27	7·46	23·74	852
68	Wood Turner, Box Maker, Cooper	11·80	26·13	10·56	28·55	1091
69	Coach Builder	10·43	29·57	9·13	24·72	944
70	Wheelwright	8·40	21·17	6·83	19·21	723
71	Shipbuilder, Shipwright	10·68	26·26	6·95	21·29	775
72	Locksmith, Bellhanger, Gasfitter	11·04	27·90	9·15	25·66	967
73	Gunsmith	10·62	25·32	10·62	25·78	1031
74	Cutler, Scissors Maker	—	—	12·30	34·94	1309
75	File Maker	16·27	42·30	15·29	45·14†	1667
76	Cutler. Scissors, File, Needle, Saw, Tool-Maker.	11·88‡	32·74‡	11·71	34·42	1273
77	Engine, Machine-Maker, Fitter. Millwright.	—	—	7·97	23·27	863
78	Boiler Maker	—	—	9·27	26·65	994
79	Last two together (Nos. 77–78)	10·61	23·81	8·23	23·89	888
80	Blacksmith	10·07	23·88	9·29	25·67	973
81	Other Iron and Steel Workers	—	—	8·36	22·84	869
82	Tin Workers	10·36	23·67	8·00	24·17	885
83	Copper, Lead, Zinc, Brass, &c. Workers	10·74	26·17	9·15	26·79	992
84	Metal Workers (Nos. 72–83)	—	—	8·80	25·03	938
	Miner:					
85	Durham, Northumberland	11·30§	22·01§	7·79	24·04	873
86	Lancashire	—	—	7·91	26·30	929
87	West Riding	—	—	6·59	21·80	772
88	Derbyshire, Nottinghamshire	—	—	6·54	20·23	734
89	Staffordshire	11·33§	30·45§	7·81	26·50	929
90	South Wales, Monmouthshire	14·72§	29·66§	9·05	30·87	1081
91	Coal Miners as represented by the above six (Nos. 85–90).	—	—	7·64	25·11	891
92	Miner (North Riding and other Ironstone Districts).	—	—	8·05	21·85	834
93	Miner, Cornwall	11·94§	41·73§	14·77	53·69	1839
94	Stone, Slate Quarrier	10·88	28·67	9·95	31·04	1122
95	Railway, Road, Clay, Sand, &c. Labourer	—	—	11·01	24·80	1025
96	Coalheaver	—	—	10·22	23·77	968
97	Chimney Sweep	17·53	42·87	13·73	41·54†	1519
98	Messenger, Porter, Watchman (not Government).	—	—	17·07	37·37	1565
99	Costermonger, Hawker, Street Seller	20·09	37·82	20·26	45·33	1879
100	General Labourer (London)	18·35	40·64	20·62	50·85	2020

* These figures relate to England and Wales, and not only to Lancashire and the West Riding respectively as do the figures for 1880–1–2.

† This rate is based on less than 5,000 years of life. ‡ In 1871 only.

§ These rates are based on a return made to the Commissioners appointed to inquire into the condition of all miners in Great Britain, of the miners living at the census of 1861, and of the deaths registered in the three years, 1860–2, in certain mining districts in the respective counties. *See* Appendix B. to Report of Commissioners, p. 164.

The death-rates in the several industries will come under special consideration later on; but there are certain general remarks to be made as to the preceding Table which it will be convenient to introduce here.

It will be seen that there are vast differences as regards mortality between the several industries, the comparative mortality figure being three or four times as high in some industries as in others; and it will also be noticed that those industries in which the death-rates were exceptionally high or exceptionally low in the three years 1880–1–2 showed, as a rule, similarly exceptional rates in the earlier experience.

Again, it will be noted that the death-rate at the first of the two age-periods, 25–45 years, has in almost every case declined. There are in the Table altogether 73 industries, for which rates are given both for 1880–2 and also for earlier experience. In 65 of these 73 industries the death-rate in the 25–45 age-period has fallen, in one it has remained stationary, and in only 7 has it gone up. In the second age-period, 45–65 years of age, the case is very different. Only in 35 industries has there been a fall, while in the remaining 38 the rate has risen. That some such difference as this should be found to exist between the two age-periods might have been anticipated, for it is in strict accordance with the fact already discussed, and shown, moreover, in the first line of figures in Table J., namely, that there has been a fall in the death-rate of all males independently of occupation in the earlier age-period, and a not inconsiderable rise in the later.

Another feature in the Table that requires notice is the fact that in more than three-fifths of the industries to which it relates the death-rates are below those of "All Males," that is to say, the comparative mortality figure is below 1000. The comparative mortality figure of "All Males" is, however, a very unsatisfactory standard by which to estimate healthiness, for among "All Males" is of course included an enormous number of persons who are permanently enfeebled in health and unfit for work of any kind. Even, however, if we exclude all such persons as are unemployed, and take the death-rates of those persons only who were returned at the Census as following some occupation, we still have a comparative mortality figure (967), which is higher than the figure in more than half the industries. It appears, therefore, that the comparative mortality figure of "Occupied Males" is very considerably raised by the inclusion of a minority of occupations with excessively high rates. Thus neither "All Males," nor "Occupied Males" furnish a good basis for comparison. The standard for comparison should be one of excellence; it should be taken either from the healthiest occupation, or, if a geographical basis be preferred, from the healthiest districts. If the former be preferred, as I think it should, we may take as our standard the mean of the mortality figures for farmers, agricultural labourers, and gardeners, which would be 644; if the latter be selected, we may take the figure for males in all those districts in which the mean annual death-rate for persons (males and females) of all ages in 1871–80 was under 17·00, which we call the "Selected Healthy Districts." These give a comparative mortality figure of 804, but it must be remembered that in this are included the deaths of those sick and unoccupied males who live in the selected districts. The excess of the comparative mortality figure of an industry above these standards measures its departure from the healthiness attainable, under present conditions, in this country.

Having ascertained and set forth in Table J. what is the comparative mortality from all causes in the various industries, the next step is to distribute this mortality to the registered diseases or causes by which it was occasioned, that is to say, to ascertain what is the comparative mortality in the several industries from each separate disease or group of diseases.

To do this thoroughly it would be necessary to go through the death-registers for the three years 1880–2, and abstract all the deaths of males by ages, occupations, and causes of death in combination, a task of such complexity and magnitude as to be practically impossible, and which, therefore, has not been attempted. It appeared possible, however, to obtain adequate data by a shorter plan, laborious enough, but still practicable, namely, by abstracting from the registers a considerable sample of the causes of deaths in each industry, and dividing out the total mortality in the industry to the several causes by the proportions existing in the sample. For, supposing the sample to be of sufficient size and to be fairly taken, there seemed no reason why it should not be considered truly representative of the bulk. This plan, therefore, was adopted.

The first question in regard to the sample is how large it should be. To this question no more definite answer can be given than that the larger the sample the better. It was, however, determined that 500 deaths with causes should be considered a minimum, and that when the number of deaths abstracted in any one industry fell short of this they should not be used as a basis for calculation. It will be seen in Table K., which gives the results of the abstraction, that in most cases this minimum was not only reached but considerably exceeded. In some industries, however, it was found impossible to get 500 recorded deaths of males between 25 and 65 years of age, without running through the registers for more than three years; in these cases, therefore, either the minimum was not reached and rates were not calculated, or the search was extended to the registers of additional years.*

More important than the mere size of the sample is its freedom from local peculiarities, which might detract from its representative value. It is very possible, for instance, that if 1000 deaths, say of tailors, were abstracted with the registered causes in the North of England, and a second 1000 similarly abstracted in the South, the distribution of the two samples by causes might be very different; there might, for instance, be a much larger proportion of diseases of the respiratory system in the Northern than in the Southern sample; and such differences would most certainly be found to exist, if one sample were taken from large towns and a second from rural districts. It was necessary, therefore, in order to ensure the sample being a fair one, that it should be taken from a considerable number of districts in different parts of the country, and especially necessary that town and country should in each case be represented in the sample in proper proportions, which proportions had first to be ascertained separately for each industry.

There are some industries, of course, from which the element of locality is inseparable, as they are only carried on in more or less circumscribed areas. Such for instance is the cotton industry of Lancashire, the hosiery manufacture of Leicestershire and Nottinghamshire, the manufacture of cutlery and files, practically confined to the West Riding, and other similar local industries. It is conceivable that if the cotton manufacture were carried on in some other totally different part of England, the mortality from all and several causes in that industry might be different from what it is at present; but, as things stand, whatever influence on mortality may belong to the geographical position of Lancashire attaches inseparably to the cotton industry. To meet this, as far as possible, the mortality figures for Lancashire are given in the same Table as contains the mortality figures for the cotton industry, and similarly with the other chief local industries, so that instead of comparing the mortality of such an industry with that of All England it may be compared, if such be desired, with that of the county in which it is carried on.

* This was done in the case of fishermen, file makers, hosiery manufacture, ironstone miners, and miners in Cornwall.

Another disturbing element which might interfere with the value of the sample for comparative purposes, and which it was therefore necessary to exclude, was seasonal influence. The causes of 500 deaths in any industry in winter would doubtlessly be different from those of 500 deaths taken in summer. This possible source of error, however, was easily guarded against. Whatever districts were chosen as suitable areas for examination, their death-registers were invariably gone through for the three complete years 1880–1–2, so that the seasons of the year were all equally represented, and the samples in all the industries were so far strictly on an equality. In the few cases where the registers for more than three years had to be searched, as before mentioned, the additional registers used were also registers for complete years, the years taken being 1879 and 1883.

The number of minute precautions that it was found necessary to observe in order to secure the fair character of the samples added very considerably to the difficulty of the task. It is believed, however, that their adoption has made the samples truly representative of the bulk. The samples themselves are given in Table K., while in Table L. the comparative rates of mortality based on these samples are given.

Clergy, Lawyers, Medical Men (Nos. 1, 2, 3).—Of the learned professions and indeed of all the occupations in our Table, the Church enjoys the lowest death-rate; its comparative mortality figure is even lower than that of agriculturists, being only 556. Moreover, the death-rates in the clerical profession have fallen considerably since 1860–61–71, and at both of the two age-periods. When, therefore, an insurance society states in its prospectus that of its assured a large proportion consists of clergymen, it doubtlessly states a fact much in its favour, supposing the premiums paid to be those based on the average lifetime of all professional men. The comparative mortality figure for the legal profession is much higher, being 842; and still higher again is that of the medical profession, which is no less than 1122, and exactly as high as that of slate and stone quarrymen. In each of these two professions, Law and Medicine, the death-rate in the earlier age period (25–45 years) has fallen from the previous record, while the death-rate in the second age-period (45–65 years) has gone up; changes, which, as already pointed out, are common to a very large proportion of the occupations.

Schoolmasters (No. 4).—The death-rates of schoolmasters and teachers are somewhat higher than those of the clergy, but considerably below those of the lawyers and still more below those of the doctors; their comparative mortality figure being 719. It must, however, be borne in mind that a very considerable proportion of these teachers are in the public service as certificated masters, and that these constitute a body of specially healthy men, inasmuch as many constitutional imperfections or infirmities are held to be positive disqualifications to persons entering into the profession through the training colleges. "I do not know," writes Dr. Crichton-Browne, "any profession that is more jealously protected against the intrusion into "it of maimed or infirm persons or of those who have in them the seeds of "constitutional diseases, than is that of a teacher in this country at pre-"sent." The death-rates of teachers and schoolmasters have declined, and very considerably, since the previous record, at both age-periods, probably in consequence of the improved status which the profession has been gradually acquiring.

Artists, Musicians (Nos. 5–6).—Art is represented in the Table by two headings; viz., Artists, Engravers, Sculptors, Architects, with a comparative mortality figure of 921, and death-rates that follow the common rule of increase in the second and decrease in the earlier age-period; and Musicians, among whom there has been a decline in both age-periods, but whose comparative mortality figure is nevertheless still 1314. It must be remembered that under this heading are comprised all sorts and conditions of men, and

(*continued on page* xxxiv.)

TABLE K.—**Causes of Deaths** of **Males,** aged **25-65 Years,** in DIFFERENT **Industries;** being samples abstracted from the **Death Registers** of **1880-1-2.**

Reference Number.	Occupations.	Diseases of Nervous System.	Suicide.	Diseases of the Circulatory System.	Phthisis.	Diseases of the Respiratory System.	Diseases of the Urinary System.	Liver Diseases.	Other Diseases of the Digestive System.	Alcoholism.	Gout.	Plumbism.	Accident.	All other Causes.	TOTAL.
7	Farmer, Grazier - - - -	254	54	264	325	313	99	131	95	18	5	–	94	340	1,992
8	Labourer in ten Agricultural Counties - - - - -	274	32	332	418	533	74	68	147	3	2	–	111	400	2,394
9	Gardener, Nurseryman - -	67	12	87	128	118	41	19	23	2	1	–	25	112	635
10	Fisherman - - - - -	56	9	106	75	62	10	22	24	3	–	–	105	80	552
11	Cab, Omnibus, Service - -	86	10	103	231	219	42	35	20	21	7	–	54	125	953
15	Commercial Traveller - -	97	22	70	168	103	31	43	18	16	4	–	25	66	663
16	Brewer - - - - - -	63	5	72	146	103	24	42	20	11	4	–	28	77	595
17	Innkeeper, Publican, Spirit, Wine, Beer-Dealer - - -	164	21	115	242	178	68	197	30	45	11	–	37	138	1,246
22	Bookseller, Stationer - - -	23	1	19	51	28	12	4	2	3	–	–	3	23	169
23	Chemist, Druggist - - -	35	4	27	48	37	10	18	10	6	2	–	7	38	242
24	Tobacconist - - - - -	13	2	12	38	19	3	10	9	4	1	–	5	25	141
25	Grocer - - - - - -	109	17	109	170	118	49	53	32	10	2	–	14	102	785
26	Draper, Manchester Warehouseman - - - - - -	65	3	45	180	77	22	21	23	5	1	–	14	72	528
34	Butcher - - - - - -	134	22	127	251	200	53	92	32	22	5	–	34	153	1,125
35	Baker, Confectioner - - -	89	17	86	139	122	26	30	17	10	1	–	14	78	629
37	Hatter - - - - - -	24	6	18	40	24	1	9	1	3	–	–	3	20	149
38	Hairdresser - - - - -	57	15	45	98	53	14	17	20	13	2	–	11	26	371
39	Tailor - - - - - -	157	18	139	311	203	49	53	46	12	4	–	20	137	1,149
40	Shoemaker - - - - -	217	31	203	451	278	79	57	54	7	1	–	30	227	1,635
46	Printer - - - - -	57	5	59	292	105	19	18	20	2	–	3	15	83	678
47	Bookbinder - - - - -	11	2	6	30	12	1	3	3	–	1	–	2	6	77
52	Earthenware Manufacture -	71	*	81	239	326	25	25	17	4	–	5	12	76	881

* The deaths from Suicide were in this case not separated from the deaths from Nervous Diseases.

TABLE K.—**Causes of Deaths of Males, aged 25–65 Years, in DIFFERENT Industries;** being samples abstracted from the **Death Registers of 1880–1–2**—*continued.*

Reference Number.	Occupations.	Diseases of Nervous System.	Suicide.	Diseases of the Circulatory System.	Phthisis.	Diseases of the Respiratory System.	Diseases of the Urinary System.	Liver Diseases.	Other Diseases of the Digestive System.	Alcoholism.	Gout.	Plumbism.	Accident.	All other Causes.	TOTAL.
53	Cotton, Linen, Manufacture (Lancashire) - - - -	167	*	131	320	319	38	51	37	3	-	-	35	177	1,278
55	Wool Manufacture (West Riding)	157	19	176	318	254	44	45	49	5	-	-	33	178	1,278
58	Hosiery Manufacturer (Leicestershire & Nottinghamshire)	84	16	77	124	85	31	12	17	1	-	-	12	70	529
61	Builder, Mason, Bricklayer -	142	22	183	405	323	79	48	55	8	5	-	72	217	1,559
64	Plumber, Painter, Glazier - -	162	20	136	239	180	97	47	37	12	10	20	71	138	1,169
66	Carpenter, Joiner - - -	138	27	161	317	206	61	56	46	6	3	-	59	194	1,274
74	Cutler, Scissors Maker - -	135	*	79	263	276	25	21	22	2	-	-	12	93	928
75	File Maker - - - - - -	83	*	57	137	111	39	13	10	1	-	13	2	62	528
80	Blacksmith - - - - - -	85	10	108	194	183	39	28	31	7	-	-	44	143	872
85	Miner (Durham and Northumberland) - - - - -	140	8	167	216	195	42	53	54	6	-	-	313	200	1,394
86	Miner (Lancashire) - - -	89	*	103	134	246	26	19	34	3	-	-	213	131	998
87	Miner (West Riding) - - -	60	5	88	111	172	23	21	31	1	-	-	161	101	774
88	Miner (Derbyshire and Notts) -	49	4	45	90	105	14	13	26	3	-	-	124	85	558
89	Miner (Staffordshire) - -	87	3	112	110	281	41	22	30	1	-	-	186	130	1,003
90	Miner (South Wales and Monmouthshire) - - - - -	46	3	92	127	224	26	18	27	4	-	-	175	84	826
92	Miner (North Riding, and other Ironstone Districts) -	37	8	47	103	150	17	10	10	6	-	-	150	70	608
93	Miner (Cornwall) - - -	59	2	56	348	231	19	20	28	1	-	-	59	104	927
94	Stone, Slate, Quarrier - -	83	11	91	309	275	24	25	38	5	-	-	148	115	1,124
96	Coalheaver - - - - - -	23	-	29	50	46	7	7	14	3	-	-	23	28	230
97	Chimney Sweep - - - -	24	4	25	51	43	8	4	6	5	-	-	7	65	242
99	Costermonger, Hawker, Street Seller - - - - -	75	16	82	172	152	25	17	24	7	1	-	19	90	680

* The deaths from Suicide were in this case not separated from the deaths from Nervous Diseases.

TABLE L.—**Comparative Mortality of Males, 25–65** YEARS OF AGE, in DIFFERENT **Industries**; from ALL and SEVERAL CAUSES.*

Reference Number.	Occupations.	Diseases of Nervous System.	Suicide.	Diseases of the Circulatory System.	Phthisis.	Diseases of the Respiratory System.	Diseases of the Urinary System.	Liver Diseases.	Other Diseases of the Digestive System.	Alcoholism.	Gout.	Plumbism.	Accident.	All other Causes.	All Causes (Comparative Mortality Figure).
	All Males (England and Wales)	119	14	120	220	182	41	39	38	10	3	1	67	146	1,000
7	Farmer, Grazier	81	17	84	103	99	31	41	30	6	2	–	30	107	631
8	Labourer in Ten Agricultural Counties	80	9	97	122	156	22	20	43	1	1	–	33	117	701
9	Gardener, Nurseryman	63	11	82	121	111	39	18	22	2	1	–	24	105	599
10	Fisherman	81	13	153	108	90	14	32	35	4	–	–	152	115	797
11	Cab, Omnibus, Service	134	16	160	359	341	65	54	31	33	11	–	84	194	1,482
15	Commercial Traveller	139	31	100	240	147	44	61	26	23	6	–	36	95	948
16	Brewer	144	11	165	334	236	55	96	46	25	9	–	64	176	1,361
17	Innkeeper, Publican, Spirit, Wine, Beer-Dealer	200	26	140	295	217	83	240	37	55	13	–	45	170	1,521
25	Grocer	107	17	107	167	116	48	52	31	10	2	–	14	100	771
26	Draper, Manchester Warehouseman	109	5	75	301	129	37	35	38	8	2	–	23	121	883
34	Butcher	139	23	132	261	208	55	96	33	23	5	–	35	160	1,170
35	Baker, Confectioner	136	26	131	212	186	40	46	26	15	2	–	21	117	958
39	Tailor	144	16	127	285	186	45	48	42	11	4	–	18	125	1,051
40	Shoemaker	122	17	114	254	157	44	32	30	4	1	–	17	129	921
46	Printer	90	8	93	461	166	30	28	32	3	–	5	24	131	1,071
52	Earthenware Manufacture	140	†	160	473	645	49	49	34	8	–	10	24	150	1,742
53	Cotton, Linen, Manufacture (Lancashire)	142	†	112	272	271	32	43	32	3	–	–	30	151	1,088
55	Wool Manufacture (Yorkshire)	127	15	142	257	205	36	36	40	4	–	–	27	143	1,032
58	Hosiery Manufacture (Leicestershire & Nottinghamshire)	114	22	104	168	115	42	16	23	1	–	–	16	96	717
	All Males - Ditto	*100*	*17*	*107*	*164*	*141*	*37*	*35*	*28*	*7*	*1*	–	*51*	*141*	*829*

* The figures in this Table are the numbers of deaths that would occur annually in each industry out of 64,641 males from 25 to 65 years of age, of whom 41,920 were under and 22,721 were over 45 years of age.

† The deaths from suicide were not separated in this case from the deaths from nervous diseases.

TABLE L.—**Comparative Mortality** of **Males, 25-65** YEARS OF AGE, in DIFFERENT **Industries**; from ALL and SEVERAL CAUSES*—*continued.*

Reference Number.	Occupations.	Diseases of Nervous System.	Suicide.	Diseases of the Circulatory System.	Phthisis.	Diseases of the Respiratory Organs.	Diseases of the Urinary System.	Liver Diseases.	Other Diseases of the Digestive System.	Alcoholism.	Gout.	Plumbism.	Accident.	All other Causes.	All Causes (Comparative Mortality Figure).
61	Builder, Mason, Bricklayer -	88	14	114	252	201	49	30	34	5	3	-	45	134	969
64	Plumber, Painter, Glazier - -	167	21	140	246	185	100	48	38	12	10	21	73	141	1,202
66	Carpenter, Joiner - - -	89	17	104	204	133	39	36	30	4	2	-	38	124	820
74	Cutler, Scissors Maker - -	190	†	111	371	389	35	30	31	3	-	-	17	132	1,309
75	File Maker - - - - - -	262	†	180	433	350	123	41	32	3	-	41	6	196	1,667
80	Blacksmith - - - - - -	95	11	121	216	204	44	31	35	8	-	-	49	159	973
85	Miner (Durham and Northumberland) - - - - - -	88	5	105	135	122	26	33	34	4	-	-	196	125	873
	All Males - Ditto - -	*114*	*13*	*135*	*178*	*155*	*30*	*36*	*41*	*13*	-	-	*98*	*145*	*958*
86	Miner (Lancashire) - - -	83	†	96	125	229	24	18	32	3	-	-	198	121	929
	All Males - Ditto - -	*142*	*15*	*133*	*250*	*307*	*43*	*42*	*45*	*17*	*1*	-	*82*	*172*	*1,249*
87	Miner (West Riding) - - -	60	5	88	111	172	23	21	31	1	-	-	161	99	772
	All Males - Ditto - -	*118*	*16*	*126*	*235*	*213*	*36*	*37*	*39*	*7*	*1*	-	*63*	*140*	*1,031*
88	Miner (Derbyshire and Nottinghamshire) - - - - -	64	5	59	118	138	18	17	34	4	-	-	163	114	734
	All Males - Ditto - -	*99*	*15*	*103*	*166*	*148*	*30*	*41*	*33*	*9*	*1*	-	*66*	*135*	*846*
89	Miner (Staffordshire) - -	81	3	104	102	260	38	20	28	1	-	-	172	120	929
	All Males - Ditto - -	*117*	*13*	*119*	*174*	*226*	*37*	*43*	*39*	*9*	*2*	-	*75*	*153*	*1,007*
90	Miner (South Wales and Monmouthshire) - - - - -	60	4	120	166	293	34	24	35	5	-	-	229	111	1,081
	All Males - Ditto - -	*97*	*8*	*114*	*202*	*209*	*39*	*37*	*39*	*7*	*1*	-	*123*	*130*	*1,006*
92	Miner (North Riding and other Ironstone Districts) - -	51	11	64	141	206	23	14	14	8	-	-	206	96	834
93	Miner (Cornwall) - - -	117	4	111	690	458	38	40	56	2	-	-	117	206	1,839
	All Males - Ditto - -	*99*	*13*	*89*	*203*	*165*	*29*	*27*	*36*	*4*	*1*	-	*59*	*162*	*887*
94	Stone, Slate Quarrier - -	83	11	91	308	274	24	25	38	5	-	-	148	115	1,122
99	Costermonger, Hawker, Street Seller - - - - - -	207	44	227	475	420	69	47	66	19	3	-	53	249	1,879

* The figures in this Table are the numbers of deaths that would occur annually in each industry out of 64,641 males from 25 to 65 years of age; of whom 41,920 were under and 22,721 were over 45 years of age.

† The deaths from suicide were not separated in this case from the deaths from nervous diseases.

that a large proportion of them are organ-grinders, ballad-singers, and street musicians generally, many of whom are of intemperate habits and exposed by their mode of life to cold and to want, while no few have merely taken to the occupation as a refuge, after their health has broken down in more regular occupations.

Farmers (No. 7); *Agricultural Labourers* (No. 8); *Gardeners, &c.* (No. 9).—The agricultural class is represented in the Table by three groups, Farmers, Gardeners, and Agricultural Labourers. In each group the death-rates are excessively low, the mortality figure being 599 for Gardeners, 631 for Farmers, and 701 for Agricultural Labourers. Probably the figure assigned to this last group is somewhat too high; for, owing to possible confusion in the returns between different kinds of labourers, it was thought safer to base the calculation of the death-rates upon all labourers, whether called agricultural or simply styled labourers without any prefix, in ten selected counties,* in which an overwhelming proportion of the labourers would indisputably be agricultural. Still even in these counties there must have been some intermixture of general labourers, and this intermixture would almost certainly raise the rates. Turning from the general mortality to the mortality from individual causes, it will be seen that the higher general mortality of the labourers, as compared with the farmers and the gardeners, is mainly due to their greater liability to phthisis with diseases of the respiratory system. Their mortality from these causes is represented by 278, that of farmers by 202, and that of gardeners by 232. This is what might have been naturally anticipated; seeing that the labourer is of the three the worst housed and the most exposed to cold and wet, while the farmer is in these respects far the best off, and the gardener intermediate to the two.

On the other hand, the farmer, less abstemious in his habits than the labourer or the gardener, as having more means for indulgence, suffers from a higher mortality under such headings as Gout, Alcoholism, and Liver Disease. That the mortality of farmers from these causes is not higher than is shown in the Table is probably due to the open-air life which they lead, and the amount of active muscular exercise which they take, conditions which enable them to indulge with comparative immunity in excesses, which would be much more deleterious to men of sedentary habits.

Another heading under which the mortality of farmers exceeds that of the two other agricultural groups is Suicide. Where the figures are small, as under this heading, too much importance must not be attached to them. But it may be noted that the differences in this case are such as might rationally be expected, for suicide increases generally with education, and is therefore comparatively uncommon among the labouring classes, and also increases with habits of intemperance—many suicides being committed during fits of alcoholic delirium.

Fishermen (No. 10).—The figures relating to fishermen must be accepted with some degree of hesitation, for some uncertainty attaches both to the number of living and to the number of deceased fishermen. The uncertainty as to the living arises from the fact that besides the regular and permanent fishermen there is also a considerable number of men who engage irregularly in the fishing industry, and there is no certainty how such men may have returned themselves at the Census. The uncertainty as to the fishermen who die arises from the possibility that some few of those who are drowned and whose bodies are not recovered may escape registration. It is not probable, however, that these causes will have affected the figures in any serious degree. Taking them as they stand in the Table, it will be seen that fishermen are a remarkably healthy set of men, rivalling in this respect the agriculturists, whom they resemble in their specially out-door life.

---

* See note on page xxv.

Indeed, if deaths from accident be put on one side, the death-rates of fishermen and their mortality from the several causes resemble very closely those of farmers. In both cases the mortality figures for nervous diseases, for phthisis, and for diseases of the respiratory organs, are remarkably low, the figures for the two latter causes together being 198 for fishermen and 202 for farmers, and considerably below the figure for any other occupation in the Table. The main differences between the two are these: the farmer, living a life of less exertion, and perhaps being of less abstemious habits, has the higher mortality from alcoholism, gout, liver diseases, and diseases of the urinary system, while the fisherman, probably because his occupation subjects him to sudden muscular efforts and strains, and exposes him to cold and wet and therefore to rheumatic affections, and perhaps also in consequence of the frequent and prolonged periods of anxiety that beset his life of peril, has a much higher mortality than the farmer from diseases of the heart and other organs of circulation. Indeed under this heading his mortality figure is 153, which is not only much above the average of all males, but higher than in most of the occupations in the Table.

The mortality of fishermen from accidents is exceedingly high, and rivals that of coal-miners, while it is higher than that of the Cornish tin-miners or that of quarrymen. The main form of accident to which fishermen are liable is, of course, drowning. Out of 105 deaths of fishermen from accident, 79 were thus occasioned. The remainder were mostly due to blows from spars, &c.

Cabmen, &c. (No. 11); *Bargemen* (No. 12); *Carters* (No. 13); *Costermongers, Street Sellers* (No. 99).—That life in the open air is not in itself sufficient to ensure healthiness, is shown by the death-rates of those who are engaged in traffic by land or water, in cab-driving, and in street hawking. In each of these occupations the rates are excessively high. The comparative mortality figure for bargemen, lightermen, watermen, is 1305; for carters, carriers, hauliers, 1275; for cab and omnibus service, 1482; and for hawkers, costermongers, and street sellers, 1879. As regards the first two of these groups our Tables give no further information, excepting that the high mortality of the bargemen and watermen, noted on the present occasion, tallies very closely with the record of previous experience. But as regards the cab and omnibus service, and the costermongers, particulars of causes are given in Tables K. and L. It should, however, be observed, before considering such particulars, that these two occupations do not start on equal terms with most other occupations in regard to the physical condition of the men engaged in them respectively. Doubtlessly, both among cabmen and among street hawkers, there are men of good health and steady habits who have taken to the occupations as their original means of living; but there is also most certainly in both of them a very considerable proportion of men who have only taken to the occupation as a refuge, having fallen from some superior status in consequence of ill health and evil ways. The high mortality, therefore, in these occupations is not attributable, or at any rate is not wholly attributable, to the nature of the occupation itself, which for all that appears to the contrary may be a very healthy one, but to the physical condition of the men who engage in it. Unhealthiness drives them into the occupation, not the occupation them into unhealthiness. In both these occupations the mortality due to drink is in great excess, as shown by the figures under the headings Alcoholism, Liver Diseases, and Diseases of the Urinary Organs, as also in the cab and omnibus service under the heading Gout, and among the street sellers under the heading Suicide. But the headings under which the greatest excess of mortality occurs are Phthisis and Diseases of the Respiratory Organs, which is doubtlessly attributable to the effect of exposure to all kinds of weather of bodies already enfeebled by previous disease and intemperance. The comparative mortality figures

under these two headings together are, for cabmen 700, and for the street sellers 895, the corresponding figure for all males being only 402.

Cabmen are, of course, from the nature of their employment, specially liable to accident, and consequently their mortality figure for accident, which is 84, is higher than that of men in any other occupation in Table L., excepting miners, quarrymen, and fishermen.

Grooms, Private Coachmen (No. 14).—That the mere fact of having to do with horses and carriages, with the consequent liability to accident and to exposure, is not itself enough to cause any very high death-rate, is shown by the comparatively low mortality of grooms and private coachmen, for whom the comparative mortality figure is only 887.

Commercial Travellers (No. 15).—Another occupation of a very different kind, but so far resembling those we have now been considering as that it involves much out-of-door existence, is that of commercial travellers. The death-rates in this occupation have fallen very considerably since the previous experience, but still are high, the comparative mortality figure being 948, which is nearly 50 per cent. above that of those engaged in agricultural pursuits. A very considerable proportion of the mortality of commercial travellers is due to intemperance, as is at once visible in Table L., where it will be noted that under the headings Alcoholism, Liver Disease, Gout, and Suicide, the mortality figures for this occupation come very high up on the list. Indeed, under the heading Suicide the commercial traveller stands second on the list. The mortality from Nervous Affections is also in excess in this occupation, whereas the mortality from Tubercular Diseases and Affections of the Respiratory Organs together is somewhat below the mean; the mortality, however, from the former by itself being rather in excess, as is the general rule with occupations which are accompanied by much intemperance.

Brewers (No. 16); *Innkeepers, Publicans* (No. 17); *Inn, Hotel Servants* (No. 18); *Maltsters* (No. 19).—The mortality of men who are directly concerned in the liquor trade is appalling; the comparative mortality figure for brewers being 1361; for innkeepers, publicans, and generally all dealers in spirits, wines, or beer, 1521; and for inn and hotel servants no less than 2205; whereas for maltsters, who only are concerned with the materials and not with the liquor itself, the figure is only 830. The death-rates for inn and hotel servants were much higher in 1880–82 than in the former experience, whereas the death-rates of the brewers and the publicans, high as they are, nevertheless show a not inconsiderable reduction.

It is well, whenever the opportunity offers itself, to test the accuracy of our death-rates by comparison with data derived from independent sources, and in the case of the innkeepers and publicans such comparison is possible. By the experience of the Scottish Amicable Life Assurance Society* (1826–1876), the mortality of males occupied in this business was 68 per cent. in excess of the Actuaries or Healthy Male Table, and 49 per cent. in excess of the English Life Table (No. 2., Males). This result tallies very closely with the figures in Table L., where it appears that the mortality of the innkeepers and publicans is 52 per cent. above the present mortality of all males.

That this terrible mortality is attributable to drink might be safely assumed *à priori*, but the figures in Table L. render it incontestable. The mortality attributed to alcoholism itself is far higher for innkeepers and publicans than for any other industry, and more than five times as high as the average; that for brewers falls far short of this, but nevertheless is

* "On the Mortality among Publicans, &c.," by John Stott, Journal of Institute of Actuaries, 1876.

the next highest to that of innkeepers, with the single exception of cabmen. Under the heading Liver Diseases the mortality of innkeepers is no less than six times as high as the average, and more than twice as high as that of brewers and of butchers, who come next in order in this respect to innkeepers. The innkeepers, again, show the highest mortality in the Table from gout, and, putting aside trades in which there is lead-poisoning, from diseases of the urinary organs. The brewers also show great excess of mortality, though in a less degree, under these headings. So also is it under the headings Suicide, Diseases of the Nervous System, Diseases of the Organs of Circulation, Phthisis, and Diseases of the Respiratory Organs; there are, in short, no organs apparently that are not more or less seriously damaged by the excessive use of alcoholic drinks, though the liver appears to suffer most. The mortality of the brewers, from all causes, though greatly in excess of that of most industries, is considerably lower than that of the innkeepers and publicans. This is probably due to the fact that, whereas the brewers chiefly consume malt liquor, the innkeepers and publicans take not only beer but spirits. The occupation of the brewers, moreover, entails much more muscular exercise than does the sedentary business of the other occupation. This difference of mortality between brewers and innkeepers accords with the results of the inquiries and calculations made by Mr. Neison, who found that the annual mortality among persons who were given to intemperate indulgence in fermented liquors was very considerably less than among those who indulged similarly in distilled liquors.* It may also be worth noting that a comparison between Mr. Neison's figures† and our own comparative mortality figures shows that a large proportion of the innkeepers and publicans and the brewers must be of temperate habits; for whereas the comparative mortality figure of innkeepers in our table is 1521, and that of brewers is 1361, that for recognised intemperate persons, according to Mr. Neison's data, would be 3240. If we suppose innkeepers and publicans, as also brewers, to be entirely made up of such intemperate persons as were the basis of Mr. Neison's calculations and of persons resembling the average of all males, then it would follow that 23 per cent. of the innkeepers and publicans, and 16 per cent. of the brewers, were of intemperate habits.

Law Clerks (No. 20) *Commercial Clerks* (No. 21).—The death-rates of clerks, both commercial and law, and especially of the latter, are high: the comparative mortality for the former being 996, and for the latter no less than 1151. Clerks work in close offices, and lead an almost exclusively town life, with its attendant evils. High, however, as their death-rates are, they have declined very greatly since the previous record; probably because the increased competition for employment has enabled employers to fill their offices with a better class of assistants. The increased attention given to athletic sports and generally to out-door pursuits may also have had some part in this improvement.

Shopkeepers (No. 22–33).—Of the occupations in the Table, eleven may be taken as fairly representative of the great class of shopkeepers. The comparative mortality figure for the aggregate group thus formed is 877, which cannot be considered high, when it is borne in mind how large a proportion of shopkeepers live in towns, how little out-door exercise they get as a rule, and what long hours they spend in the more or less vitiated atmosphere of a shop. The mortality differs not inconsiderably in different shop businesses, and arranging the eleven in the order of their comparative mortality figures, we have the following sequence:—coal merchant 758; grocer 771; bookseller and stationer 825; general shopkeeper 865;

* "Contribution to Vital Statistics." F. G. P. Neison, 3rd edition, p. 218.

† Mr. Neison's figures are for all males over 15 years, whereas ours are for males between 25 and 65. He found that 357 deaths occurred among intemperate males, whereas there should, by the average of all males, only have been 110·2; in other words, there were 3240 instead of 1000.

draper 883; ironmonger 895; fishmonger and poulterer 974; tobacconist 1000; milk, butter, cheesemonger 1009; chemist 1015; greengrocer 1025. For nine of these 11 occupations we have death-rates from previous experience; and, if we calculate the comparative mortality figures by the previous death-rates, we find that in every one of the nine the figure has fallen, the decline being greatest in the cases of the drapers and of the fishmongers.

Samples of the registered causes of death were taken for five of these trades, and the figures are given in Table K.; but for only two, the grocers and the drapers, did the samples abstracted come up to 500 deaths, which was fixed as the minimum required for calculation of rates. Comparing the mortality from different causes in these two trades, it will be seen that the drapers suffer much more than the grocers from phthisis and diseases of the respiratory organs, and especially from the former; whereas the grocers have the higher rate of mortality from diseases of the organs of circulation, as also, in a smaller degree, from alcoholism, liver disease, diseases of the urinary organs, and suicide.

Independently of the fact that many grocers deal in spirituous drinks, they differ from drapers in a way which very possibly may account for the differences between their death-rates from those alcoholic causes and from diseases of the circulatory system. The grocers are as a body of men older than the drapers. A draper's assistant is required to be a young man, and so soon as he reaches a certain age he must go. This is at once seen on consulting the Tables in the Census Reports. It will be found on reference to these that for every 100 grocers between 25 and 45 years of age there are 54 between 45 and 65; whereas for every 100 drapers of the former age there are only 33 of the latter. But both cardiac and hepatic diseases become much more frequent as age advances; and consequently we should expect to find, as we in fact do find, a greater mortality under these headings among the grocers than among the drapers. For it must be remembered that our rates are but imperfectly corrected for differences of age distribution.*

The contrast between drapers and grocers in regard to their respective mortalities from phthisis and tuberculosis is not improbably referable in part to the very great differences observable between an ordinary draper's and an ordinary grocer's shop. The latter has, as a rule, the door wide open, and not being usually of great size, is thoroughly well ventilated. The drapers shop generally has the door shut, or at any rate not so widely opened as has the grocers, inasmuch as dust would damage the goods; it is of considerable depth and crammed with wares that are constantly being moved about, and that give off fluffy dust during the process; the air is further fouled by numerous gas-lights required to show off the goods; and this vitiation is in most cases distinctly perceptible to the nose. Thus probably it comes about that the drapers' mortality from phthisis is one of the highest, while the grocers' is one of the lowest in our list.

Butchers (No. 34). — From simple shopkeepers we pass on to those occupations or handicrafts that involve manual labour, though often in combination with shopkeeping. The death-rates in these lighter handicrafts are on the average higher than among shopkeepers, and the comparative mortality figure rarely falls to 900, whereas the mean for the shopkeepers was 877.

The butchers have now, and had in the previous record, very high death-rates, and their comparative mortality figure is as high as 1170. The rate, as in so many other trades, has declined in the earlier and risen in the later

* The Comparative Mortality Figure is so far corrected as that it is based in each trade upon equal numbers living under and above 45 years of age, viz., 41,920 in the former age-period, and 22,721 in the latter; but even within the limits of a single age-period of 20 years there is room for much diversity. Moreover, in abstracting the causes of death, no distinction was made between the two age-periods, all deaths between 25 and 65 being taken indiscriminately.

age period, but in neither to any great extent. The high mortality of butchers is manifestly due to excessive indulgence. Their mortality from alcoholism, liver diseases, and urinary diseases, respectively, is almost identically the same as that of brewers. So also is their mortality from diseases of the nervous system. But under the headings Phthisis and Diseases of the Respiratory System their mortality falls far short of that of the brewers. Still, even under these headings their mortality is high, and especially under the heading Phthisis.

This is noteworthy, for all writers who touch on the question of the diseases of trades ascribe to butchers a very considerable immunity from tubercular diseases, following Dr. Beddowes, who made this statement in his work on consumption at the close of the last century.* Thackrah† goes so far as to say that "if we see a phthisical youth in the fraternity, we shall "generally find that his parents, aware of an hereditary disposition to "consumption, brought him up in the business with the hope of averting "this formidable malady." So strongly has this opinion as to the immunity of butchers from phthisis been held, that a medical man at Montpelier wrote a treatise in 1788 on the question, "*Utrum in carnario commoratio* "*phthisicis prodesse possit?*" Our figures in no wise tally with this very generally held opinion. The mortality of butchers from phthisis as given in the Table is high, the figure being 261 against an average of 220 for all males; and in this respect butchers agree with other trades in which there is evidence of alcoholic excess. It may, of course, be said that deaths are frequently ascribed to phthisis that are not really tubercular, and that should be put under respiratory diseases. But there is no apparent reason why such transference should occur in the case of butchers more than in the case of other males. Moreover, the writers who ascribe to butchers the supposed immunity from phthisis give no figures, but apparently have formed their conclusion on the insecure basis of general impression. The only precise figures that are to be found as to mortality from phthisis in different trades are those put out by the Swiss authorities‡ as the result of investigations in 1879–82, and these figures coincide with our own. For of the 27 trades concerning which particulars are given in the Swiss returns, that of butchers comes fifth when the trades are ranged in the order of their mortalities from phthisis, beginning with the highest.

Bakers and Confectioners (No. 35); *Millers* (No. 36).—The death-rates of bakers and confectioners have not altered materially since the previous record; they are still rather high, though far short of those of butchers, and the comparative mortality figure is 958, being almost exactly the same as that of millers, who in one respect resemble bakers, viz., in their exposure to flour-dust, though otherwise their lives are very different. There is some indication in the Table of Mortality by Causes, Table L., of abuse of alcoholic drinks by bakers; for the mortality in this trade directly ascribed to alcohol is high, and that ascribed to suicide very high, while the mortality from liver disease is also somewhat above the average. In spite of the high temperature in which bakers work, and the inhalation of flour-dust that their craft entails, their mortality from phthisis and from diseases of the respiratory organs hardly departs from the average for all males. Judging from the death-rates of millers and bakers, the inhalation of flour-dust would seem to be innocuous; probably little, if any, of the dust inhaled by them reaches the lungs.

Hatters (No. 37).—The death-rates of hatters have fallen since the previous record, but are still high, the mortality figure being 1064. In making hats the workman "at the plank" is exposed to considerable

---

* "Causes, Early Signs, and Prevention of Pulmonary Consumption." London 1799, pp. 33, 39, 44.

† "The Effects of the Principal Arts, &c." London, 1831, p. 9.

‡ "Mouvement de la Population de la Suisse," 1882, p. xviii.

variations of temperature, working over a stove and in steam. To judge from the sample of deaths and causes in Table K., which is, however, too small to give a secure basis for calculation of rates, the conditions under which hatters work lead to excessive drinking and its consequences, liver disease, suicide, and also to phthisis and tubercular affections.

Hairdressers (No. 38).—The death-rates of hairdressers, though the mortality has fallen at the earlier age-period since the previous record, are still excessively high, and give a comparative mortality figure of no less than 1327. Judging from the deaths abstracted with their causes, which however only amounted to 371, and thus were below the minimum fixed for calculation of rates, the high mortality of hair-dressers is due to phthisis and to the diseases caused by drink. The life of hairdressers, speaking generally, is a town life; and their work is entirely indoors, and carried on in a heated atmosphere; moreover, the air in which they work must necessarily be more or less dusty, being charged with particles of hair and other substances.

Tailors (No. 39); *Shoemakers* (No. 40).—The death-rates of tailors and of shoemakers have declined since the previous record in the earlier, and gone up in the later, of the two age-periods. In both trades the mortality must be considered high, the comparative figure for tailors being 1051 and for shoemakers 921. Tailors are proverbially unhealthy men; and probably, owing to the work requiring no great strength, and being of a sedentary character and carried on entirely indoors, more than an average proportion of weakly youths enter the trade. The chief heading under which the mortality of tailors exceeds that of shoemakers is phthisis, where the figure for tailors is 285, while that for shoemakers is only 254 and not very much above the average. The difference is readily explained by the closer and more confined air in which tailors habitually carry on their business. Under diseases of the respiratory organs neither tailors nor shoemakers depart widely from the average.

The death-rate of tailors from alcoholism and from diseases of the liver is high, and above that of shoemakers, and in both trades the suicide figure is in excess; still the figures under these headings in Table L. are hardly such as to justify us in speaking of tailors in the words quoted by Thackrah as "the most intemperate set of men in London." That they drink more than is good for them is manifest, but it must be remembered that their work is purely sedentary, and that an amount of drink that can be borne with impunity by those whose lives are spent in active out-of-door occupation is seriously injurious to those who lead sedentary lives. The mortality of tailors and of shoemakers from diseases of the organs of circulation is very nearly that of all males; but their mortality from diseases of the nervous system is high, that of the tailors being higher than that of the shoemakers, probably in consequence of their being more intemperate.

"Consumption and other forms of chest disease," wrote Dr. E. Smith of tailors in 1863, in the Sixth Report of the Medical Officer of the Privy Council, p. 429, "are the most frequent causes of death, and constitute "two thirds of all the causes of death." Dr. Smith gives no precise figures, and his conclusions seem rather founded on general impressions than on accurate statistical data; nor does it appear whether heart diseases are included by him among chest diseases in the above quotation. But the mortality from phthisis and diseases of the respiratory and of the circulatory organs altogether do not at present constitute nearly two thirds of the total mortality. The conditions, therefore, under which tailors work, and which lead to the production of these diseases, have apparently undergone much improvement.

Curriers (No. 42); *Saddlers, Harness Makers* (No. 43).—The death-rate of curriers has fallen at both age periods since the previous record; their comparative mortality figure is 906, while that of saddlers and

harness makers is 987, the death-rate in this latter industry having fallen in the earlier, but gone up in the later, of the two age-periods.

Tanners, Fellmongers (No. 41); *Tallow Chandlers, Soap Boilers, &c.* (Nos. 44–45).—The workers in these industries are exposed to sickening exhalations, but apparently their mortality is not so seriously affected by it as might be expected *à priori*. The comparative mortality figure for the tanners is 911, and for the tallow chandlers and soap boilers 920, or, if glue and manure makers be included, 933. The death-rates in each of these industries have fallen at both age-periods since the earlier record.

Printers (No. 46); *Bookbinders* (No. 47).—The death-rates in these industries have fallen from the previous record, and at each of the two age-periods, but they are still very high, the mortality figure for the printers being 1071, and for the bookbinders as much as 1167. Both industries are carried on under notoriously unhealthy conditions, in ill-ventilated rooms, and in an atmosphere unduly heated by engines, stoves, and flaring gas-lights. The decline in the death-rates may be fairly attributed to the improvements effected by the factory inspectors since these trades came under supervision, while the high mortality which still prevails in them shows how much there yet remains to be done.

It will be seen in Table L. that the high mortality of printers is entirely due to phthisis, their mortality figure under this heading being no less than 461, against an average of 220 for all males; that is to say, the mortality of printers from this cause is more than twice as high as the average. What an appalling mortality this is will be seen at once on running the eye down the column which gives the comparative figures for phthisis in the several trades and industries. Excepting costermongers, whose special circumstances have already come under discussion, and those industries in which the workman is exposed to the inhalations of dust, such as file-makers, potters, and Cornish miners, there is no industry in the Table in which the mortality from phthisis approaches to that of printers.* As for bookbinders the data in Table K. are too scanty for any certain statement; but, so far as can be judged from the 77 deaths of which the causes are recorded, in this industry also the high mortality is due to phthisis, for of the 77 deaths no less than 30 were caused by this disease.

Printing is one of the occupations which renders those engaged in it liable to lead-poisoning. Of the 678 deaths of printers (Table K.) of which the causes were abstracted, 3 were attributed to this affection. The amount of lead-poisoning, however, in a given industry is not to be measured so well by the deaths directly attributed to this cause, for these would probably be only the cases of acute poisoning, as by the deaths attributed to diseases of those organs which are known to suffer from chronic exposure to the influence of lead, and especially by the deaths from diseases of the kidneys and of the nervous system (see *file makers, painters*). Measured by this test, the amount of lead-poisoning among printers can be but insignificant,† for their mortality figure is below the average under both of those headings. It may, however, be well to note that Hirt believes that the high mortality of printers from phthisis is in some degree to be attributed to lead-poisoning, an opinion which is

---

* A long report on printers in London, by Dr. E. Smith, will be found in the 6th Report of the Medical Officer of the Privy Council. That report agrees with the results in the text so far as regards consumption, which Dr. Smith found to be "twice as "prevalent among printers as among the members of the whole community." But diseases of the lungs and of the heart appear to have been much more common among printers at that date, 1863, than is now the case.

† The above statement as to the rarity of lead poisoning among printers tallies with the result of the inquiry into the matter made by Dr. Whitely, and published in the 6th Report of the Medical Officer of the Privy Council, 1863, p. 354.

not shared by Tanquerel des Planches, who, on the contrary states, as the result of his own experience, that lead confers a certain degree of protection against phthisis.*

Watch and Clock Makers (Nos. 48–49).—The death-rate in this industry has fallen at each of the two age-periods since the previous record, and the comparative mortality figure is 903. The rates, however, are not very trustworthy, owing to possible confusion between watchmakers and jewellers. If these latter be included, and also makers of philosophical instruments, the comparative mortality figure will be 932. This somewhat high mortality figure is probably attributable to the injurious influences of confinement to indoor life and in a small degree to the inhalation of metallic dust. For, though the amount of such dust given off may not be very great, yet the bent attitude which watchmakers habitually assume in order to see their work brings their mouths into such a position of proximity as to favour its inhalation. The cramped attitude itself, moreover, by hindering free expansion of the chest must injuriously affect the organs of respiration. Our Table gives no account of the causes of mortality in this business; it may, however, be noted that the Swiss returns show a somewhat high mortality among the watchmakers, and an especially high mortality from phthisis. A French writer also, M. Perron,† stated, some twenty years ago, that in the district of Besançon no less than 60 per cent. of the mortality of watchmakers is caused by phthisis, which he attributes to the inhalation of the dust of copper filings.

Paper Manufacture (No. 50).—The death-rates in this industry have fallen since the previous record, very considerably in the earlier, and slightly in the later, age-period; and the comparative mortality figure is only 717, being among the lowest. The only unwholesome processes in paper manufacture are the preliminary operations of cutting, sorting, and generally dealing with the rags, which give off clouds of dust, and moreover sometimes serve as transmitters of infectious diseases such as small-pox‡; but these preliminary processes are almost exclusively in the hands of women, while our figures relate solely to males.

Glass Manufacture (No. 51).—The death-rate in this industry is very high at both age-periods, having risen in the later and fallen in the earlier period since the previous record. The comparative mortality figure is no less than 1190. Glass-working is carried on in an excessively high temperature; and in some of the operations fine, hard, and sharp-pointed dust is given off. Glass-blowers also are reputed to be very liable to emphysema. It would probably, therefore, be found that the high mortality in this industry is due to lung affection, but glass manufacture is not one of the industries in which the causes of death have been abstracted.

Earthenware and China Manufacture (No. 52).—This industry, wrote Dr. Farr in the last decennial supplement, "is one of the unhealthiest "trades in the country." The death-rates on which that statement was based were excessively high, and since the statement was made the rates have increased at each of the two age-periods, and give now a comparative mortality figure of no less than 1742, which is only exceeded in the Table by the figures for costermongers, Cornish miners, and inn and hotel servants. This excessive mortality is in greatest part due to phthisis and diseases of the respiratory organs, the deaths from these two causes being represented by 1118, while the number for all males is only 402; so that the mortality under these two headings is almost three times as great in

* Hirt. i. 93, iii. 139.
† Ann. d'Hygiene, 2nd Ser. xvi., p. 70.
‡ Supplement to 11th Report of Local Government Board (1881), p. 107, and 8th Report of Medical Officer to Privy Council (1865), p. 196.

this industry as among average males. There is only one occupation in Table L., viz., mining in Cornwall, in which the mortality from these two causes is higher; and scarcely any other in which it comes near this. The mortality from diseases of the circulatory system is also extremely high, almost the highest in the Table; the inhalation of dust induces emphysema and chronic bronchitis, or "potters' asthma," and this in turn gives rise to heart disease. The various processes of the manufacture differ very greatly as regards their unhealthiness; and full particulars concerning them individually are given by Dr. Greenhow* in his report upon the industry as carried on at Wolstanton and Stoke-upon-Trent. Taking, however, the aggregate industry, the two main conditions that produce this terrible mortality are the inhalation of air charged with fine irritating dust, and exposure to great vicissitudes of temperature. The mortality ascribed to alcoholism and to liver disease seems to imply a certain but not very great amount of intemperance; and this tallies with the statement made by Dr. Greenhow that the potters are said to be of intemperate habits, but much less so than formerly. In one branch of the industry, viz., the "dipping," the workman is exposed to the chance of lead-poisoning, and among the 881 deaths of which the causes were abstracted 5 were attributed to this poison. But, taking the industry in the aggregate, there is no evidence, either under the headings Diseases of the Nervous System or Diseases of the Urinary System, of any considerable amount of chronic lead-poisoning, such as we find among painters and file-makers.

Textile Manufactures (Nos. 53–58).—Among the textile industries there are two in which the death-rates are high, and unfortunately these are the two in which by far the largest number of persons are engaged, viz., the cotton industry of Lancashire (No. 53) and the woollen and worsted industries† of the West Riding (No. 55). The comparative mortality figures in these industries are 1088 and 1032 respectively. After these comes carpet manufacture (No. 56) with a figure of 945; while the silk manufacture (No. 54), the lace manufacture (No. 57), and the hosiery manufacture of Leicestershire and Nottinghamshire (No. 58), all have low death-rates, their respective mortality figures being 845, 755, and 717. Some part of these differences may possibly be due to differences of locality; for, high as is the cotton mortality, it is lower than the mortality of males in Lancashire generally, and the high figure which denotes the woollen and worsted mortality corresponds almost exactly to that of the whole of the West Riding; while the low mortality figure of the hosiery manufacture may be partly due to the low mortality in Leicestershire and Nottinghamshire generally, as shown in Table L., where the rates for those counties are given for the sake of comparison. But it can scarcely be doubted that the main cause of the differences is to be found in the conditions under which the industries are severally carried on, and especially in the differences that they present in regard to the dustiness and the temperature of their respective working-places. In the cotton factories the temperature of the weaving sheds is described in a recent (October, 1883) report by Dr. Bridges to the Home Secretary as "tropical and relaxing," and dust, composed partly of filamentous particles of cotton and partly of mineral substances used for sizing, is stated to be a notable feature in most of the sheds. In the woollen industries the temperature is not so high as in the cotton factories, nor is the dust evolved in most of the processes nearly so great, owing to the wool being treated with oil. There are, it is true, some preliminary processes, such as willying and teazing, in which considerable dust is given off; but even in these processes it is said‡ that owing to "the dust being drawn away into a flue connected with a fan, which

* Third Report of Medical Officer of Privy Council, pp. 102–113.

† It was found practically impossible to separate the mortality in the Woollen and Worsted Industries, and they have therefore been grouped together.

‡ Dr. Greenhow in 3rd Report of Medical Officer of the Privy Council, p. 166.

"produces a powerful indraught, but little of it escapes into the atmo-"sphere of the workroom." But both as regards dust and as regards temperature, the silk mills, as I am informed by Mr. Lakeman, the Senior Inspector of Factories, contrast most favourably with the cotton and with the woollen factories; inasmuch as both dust and high temperature have to be scrupulously avoided, as injurious to the costly material. "The only "process of the silk manufacture of Leek and Macclesfield," says Dr. Greenhow,* "in which dust is evolved is the manufacture of silk waste, "in which comparatively few persons are engaged." Neither in the hosiery nor in the lace manufacture is there any necessary evolution of dust, though it is said that a small and almost imperceptible quantity is given off in the process of making stockings; nor are the workmen exposed by any necessary conditions of their industry to high temperature; the factories, which of recent years have been gradually, to a great extent, superseding the former domestic labour, being as a rule lofty and tolerably well ventilated.†

It is to differences of this kind that we must attribute in the main the great diversity in the mortalities of the several textile industries; and it is strictly in harmony with this view, that the chief share in that diversity, so far as the three industries for which the causes of death have been abstracted are concerned, is due to differences in the mortality from phthisis and from diseases of the respiratory organs. The mortality figure for these two together is for the cotton industry 543, for the woollen and worsted industry 462, and for the hosiery manufacture only 283, the figure for all males being 402. There are no similarly wide differences between these industries under other headings. Thus the mortality from diseases of the nervous system, together with suicide, is represented for the cotton industry by 142, for the woollen and worsted industry also by 142, and for the hosiery manufacture by 136, or practically the same figure. Under diseases of the organs of circulation the figure for the cotton industry is very slightly higher than that for the hosiery manufacture, while for some unexplained cause the figure for the woollen industry is in considerable excess.

In none of these three industries does there appear to be any seriously injurious amount of intemperance, to judge from the mortality attributed to alcoholism and to diseases of the liver. The figures indeed for the hosiery manufacture under these headings are exceptionally low.

There is one ailment to which certain workmen in the woollen industries are exposed from which the other textile industries are free, namely, anthrax or woolsorters' disease. Of the 1278 deaths of wool and worsted workers, of which the causes were abstracted, 10 were ascribed to this disease.

Dyers, Bleachers, Printers, of Textile Fabrics (No. 59).—The death-rate in this group of industries, as in so many others, has fallen in the earlier and gone up in the later of the two age-periods. The mortality is high and the comparative figure 1012. The causes of death have not been abstracted, but the high mortality not improbably is connected with the fact that many of these industries are carried on in places where the amount of steam is such as "frequently to produce the effect of a dense fog."‡

Rope, Cord, Twine, Makers (No. 60).—The death-rates in this industry have fallen very considerably at each age-period since the previous record, and the comparative mortality figure is now only 839.

Builders, Masons, Bricklayers (No. 61), *Slaters, Tilers* (No. 62), *Plasterers, Whitewashers* (No. 63).—The death-rate of slaters has fallen

---

* Op. cit., p. 157.
† Op. cit., pp. 169–70.
‡ Report by Dr. Bridges to Home Secretary, October 1833, p. 6.

considerably at each age-period since the previous record, but still is high, giving a comparative mortality figure of 942; the rates are, however, based on comparatively scanty data, the years of life for the second period being under 5000. The death-rates of plasterers and whitewashers, and of builders, &c., have also fallen very considerably at each of the two age-periods, but the comparative mortality figure for the former is still 896, and for the latter is 969. Builders, masons, and bricklayers are of course exposed by the nature of their work to the inhalation of dust, but in a mitigated degree, inasmuch as their work is carried on mainly in the open air; and consequently their mortality is somewhat high from phthisis and diseases of the respiratory organs, but not excessively so, the figures being 252 under the former and 201 under the latter heading, figures which, though not inconsiderably above the average, are yet low as compared with those of workers similarly exposed to dust in trades not carried on in the open air. Bricklayers are commonly reputed to be intemperate, but so far as can be judged from their mortality from alcoholism, diseases of the liver, and diseases of the nervous system, under each of which headings the figure is below the average, the amount of intemperance is not such as to do serious mischief; if they drink in excess the ill effects on the body are counterbalanced by hard muscular exertion. Working often on scaffoldings these men are liable to falls from heights, and consequently the mortality from accident is rather high, its figure being 45. This is considerably below the figure for All Males, which is 67, but the figure for All Males is no true standard for comparison, being raised very greatly by the inclusion of a few terribly dangerous industries, such as mining, quarrying, fishing, &c., &c.

Plumbers, Painters, Glaziers (No. 64).—The death-rates in these extensive industries, which it was found impossible to separate accurately from each other, and which have therefore been grouped, has fallen considerably from the previous record at each of the two age-periods; but the rates are still very high, and give a comparative mortality figure of 1202. The main condition, apparently, that determines this high mortality is liability to lead-poisoning, while auxiliary conditions are liability to accident and habits of intemperance. The mortality from lead-poisoning is higher than in any other industry in the Table excepting file-making, and probably the figure under this heading, which is 21, would be still higher than it is were painters taken by themselves, which, as before stated, was found impracticable. In association with this mortality directly attributed to lead, there is an excessively high rate of mortality from diseases of the urinary organs, and also a high rate under the headings Diseases of the Nervous System and Diseases of the Organs of Circulation. The mortality figure for urinary diseases is no less than 100, and is only exceeded in the Table by that of file-makers, who also, as before said, exceed in their liability to lead-poisoning. There seems, therefore, to be scarcely room for reasonable doubt that the views entertained by most English medical men, though apparently not yet fully accepted by foreign writers, as to the production of certain renal diseases by lead are correct. At the same time it must be admitted that, though there is a certain amount of lead-poisoning in the earthenware manufacture and also among printers, the mortality from renal disease is apparently scarcely above the mean in the former, and is below the mean in the latter, industry. The effect of lead in producing disease of the nervous system is of course notorious. Whether the high mortality from diseases of the circulatory system is also to be attributed to lead may be more doubtful; but, as heart disease is frequently a result of renal disease, it is not improbable that this also may be the explanation of the high figure under this heading; and it may be noted, as confirmatory of this supposition, that the mortality from diseases of the circulation is exceptionally high among file-makers, among whom lead-poisoning is most frequent. Another heading in the Table under which there is a high figure for

painters and plumbers is Gout. That chronic lead-poisoning is productive of gout was pointed out in 1854* by Dr. Garrod, who found that of his hospital patients who suffered from gout no less than 30 per cent. had been subjected to the influence of lead. It is curious, however, that among file-makers, in spite of their great liability to lead-poisoning, there was not a single death attributed to gout out of the 528 deaths of which the causes were abstracted.

The effects of chronic lead-poisoning upon the mortality of painters and plumbers from gout, and from diseases of the nervous system and of the urinary and circulatory organs, are increased by the intemperance which apparently prevails amongst this group of workmen; for alcoholic excess resembles lead-poisoning in adding to the mortality under these same headings; and that such excess is common among painters and plumbers is shown by their high mortality under the headings Alcoholism, Liver Disease, and Suicide. Their mortality is also somewhat but not greatly in excess under the heading Phthisis; while their mortality from diseases of the respiratory organs only equals the average.

The remaining heading under which there is excess of mortality is Accident, the figure here being the highest in the Table after that for cab and omnibus service, and of course for miners, quarrymen, and fishermen, who in this matter are scarcely comparable with workers in other industries.

The form of accident to which this high mortality of plumbers, painters, and glaziers is due, is falling from scaffolding or ladders, or through sky-lights.

Upholsterers, Cabinet Makers, French Polishers (No. 65).—The death-rate has fallen in the earlier and risen slightly in the later age-period. The comparative mortality figure is high, being 963.

Carpenters, Joiners (No. 66), *Sawyers* (No. 67), *Wood Turners, Box Makers, Coopers* (No. 68).—In each of these three groups of workers in wood the death-rate has fallen in the earlier and gone up in the later of the two age-periods. The mortality of the carpenters and of the sawyers is low, but not so that of the turners, box makers, and coopers, whose comparative mortality figure is as high as 1091. Why these last workers should be so much less healthy than the carpenters and sawyers is not very apparent; possibly it may be in part attributable to their not having so much out-of-door work, but more probably it is due to coopers being brought by their business into tempting relations with drink; and it may be noted that in Switzerland also coopers are found to have an excessively high mortality, which is similarly explained by the statisticians of that country.

The only one of these industries in which the causes of death have been abstracted is that of carpenters and joiners, and it will be seen in Table L. that their mortality is low under all the main headings; they are healthy all round.

Coachmakers (No. 69); *Wheelwrights* (No. 70); *Shipbuilders, Shipwrights* (No. 71).—The death-rates have declined since the previous record at both age-periods in each of these industries. The mortality figure for the coachbuilders is still high, being 944, while the figures for the other two are low, 723 for the wheelwrights and 775 for the shipbuilders and shipwrights.

Locksmiths, Bellhangers, Gasfitters (No 72); *Gunsmiths* (No. 73).—Both gunsmiths and locksmiths are exposed more or less to the inhalation of metallic dust, and probably this is the explanation of the rather high mortality in these industries; the comparative figure for locksmiths, &c. being 967, and for gunsmiths 1031. The death-rates for the latter have hardly altered since the previous record, while the rates for the former have gone down considerably at each of the two age-periods. The Swiss returns also show a high mortality for locksmiths.

---

* Med. Chir. Trans. xxxvii, p. 211.

Cutlers (No. 74); *File-makers* (No. 75).—The death-rates in these two industries are terribly high, and give a mortality figure of 1309 for the cutlers, and of no less than 1667 for the file-makers. The main cause of these high figures is of course the inhalation of metallic dust mixed with stone dust given off from the grindstones. The result of this inhalation is that the mortality from phthisis and diseases of the respiratory organs is represented in the table by 760 in the case of cutlers, and of 783 in the case of file-makers, against an average for all males of only 402. The mortality of cutlers is also high under the heading Diseases of the Nervous System; for what reason is not apparent, for so far as can be judged from the mortality from alcoholism or from liver diseases there is no great amount of intemperance among them.

The file-makers, in addition to the inhalation of metallic dust, to which they are exposed in common with the cutlers, suffer from another serious evil from which the cutlers are free, namely, liability to lead-poisoning.

This comes about from their using a cushion of lead on which to strike their file. This liability has been previously noticed by Dr. Greenhow,* but it does not appear that the serious extent to which it exists has been fully recognized. It will be seen, however, that out of the 528 deaths in which the causes of decease were abstracted, 13 were directly attributed to lead; and that the mortality figure under this heading is higher for file-makers than for any other industry in Table L, even than for painters, plumbers, and glaziers. The mortality of file-makers from diseases of the urinary organs is also the highest in the Table, and is only approached by that of painters, plumbers, and glaziers, as was previously pointed out. The same is the case as regards diseases of the nervous system and diseases of the organs of circulation, under both of which headings the mortality figure for file-makers is the highest in the list (costermongers excepted), while plumbers and painters come almost next in order.

The high figure under the heading Diseases of the Organs of Circulation is to be accounted for in part by the high mortality from diseases of the respiratory system, heart disease following on chronic lung affection, as among the potters. But seeing how much higher the mortality from this cause is among file-makers than among cutlers, who also suffer greatly from lung affection, it is probable that some part at any rate in the mortality is due to some other cause not common to cutlers, such as lead poisoning; and this view is strengthened by the high mortality under this heading among painters.

The mortality of file-makers from liver disease is rather high, and therefore some contribution may possibly have been made by intemperance to the figures under Diseases of the Nervous and of the Circulatory System, but there can be no doubt that the greatest share in the former, and not improbably some share in the latter, is due to lead; and it becomes a question that demands the attention of those who are practically acquainted with the industry, whether some substitute for the lead cushion cannot be devised.

Cutlery, Saw, Needle, Pin, Tool Makers, &c. (No. 76).—Besides cutlery and files, there are numerous other implements and tools the manufacture of which constitutes separate industries, which are, however, too small to give a trustworthy basis for calculating mortality. Grouping the workers in all these industries together and joining them to cutlers and file-makers, it is found that the death-rate has very slightly declined since the former record in the earlier age-period, and gone up not inconsiderably in the later, the comparative mortality figure for the united group being 1273.

---

* Third Report of Medical Officer of Privy Council, page 126.

Engine, Machine Makers (No. 77); *Boiler Makers* (No. 78); *Blacksmiths* (No. 80); *Other Iron and Steel Workers* (No. 81).—The death-rates in these industries, so far as we have means of comparison, have fallen in the earlier and gone up in the later age-period. Seeing how rough is the character of the work in most of these industries, and to what risk of accident they would appear to be subject, the mortality can scarcely be considered high; but it is probably lowered by the men who undertake this kind of hard labour being above the average artisan in strength. The mortality is higher for the blacksmiths and the boiler-makers than for the other two groups, the comparative mortality figure being 973 for the blacksmiths and 994 for the boiler-makers, whereas for the engine and machine makers it is only 863, and for the other iron and steel workers (exclusive of all previously dealt with), 869. Of these four groups the only one for which the causes of death have been abstracted is that of the blacksmiths. Their mortality from accident it will be seen is rather high, as might be expected; but the only heading under which their mortality figure is at all notably in excess of the average for all males is Diseases of the Respiratory Organs; here the mortality is represented by 204, while the figure for all males is 182. This is probably to be explained by the nature of the blacksmith's work, which exposes him to great heat and to rapid alternations of temperature. The mortality from diseases of the circulatory system, though only just above the average, must be considered somewhat high, considering the necessarily picked character of the men who become blacksmiths, and it is considerably above that of miners and of quarrymen, who also are picked men. This may be because the blacksmith's labour involves much more sudden effort than does that of the miner or quarryman. The blacksmith's figure under the heading Alcoholism is rather high, but not so the figure under Liver Disease, the heavy muscular exercise probably preserving that organ from the effects of liberal potations.

Tin Workers (No. 82); *Copper, Lead, Zinc, Brass, &c. Workers* (No. 83).—In each of these groups, which include the remainder of the metal workers, the death-rate has declined in the earlier and gone up in the later of the two age-periods. The workers in copper, lead, &c., as might be expected, are less healthy than the workers in tin; the comparative mortality figure for the former being 992, while for the latter it is only 885.

Metal Workers generally (No. 84).—The great bulk of workers in metal are included in the groups numbered from 72 to 83. Putting all these together, we have an enormous body of workmen, with a comparative mortality figure of 938.

Miners (No. 85–93).—Mining constitutes so important an industry in this country, one in every 19 males between 25 and 65 years of age being a miner, that the mortality under this heading requires special attention. At the Census of 1881, great pains were taken to secure accurate returns of miners, distinguished from each other by the character of the minerals or metals with which they were engaged, and it was hoped that it would thus be possible to estimate the death-rate of each group of miners more closely than could be done with the vaguer data of former Censuses; that is to say, to estimate the death-rates of coal miners, tin miners, ironstone miners, copper miners, &c. separately. But, after all, it was unfortunately found that this was impossible, owing to the very imperfect manner in which the speciality of occupation of deceased miners is stated in the death registers. This was found to be especially the case with those deaths which are caused by accident, and on which inquests are held. The coroners in their certificates very commonly neglect to distinguish one kind of miner from another, and simply describe the deceased as "miner," without further specification. As at least a fifth of the deaths of miners are due to accident of one kind or another, it is plain that this negligence on the part of

coroners renders the separate estimation of the mortality of the several kinds of miners an impossibility.*

The best practicable substitute that offered itself was to divide out the miners geographically, and estimate their death-rates by counties or other convenient areas; and this may be accepted as a rough approximation to a division of the miners by the nature of the material in which they work. For in the West Riding, in Durham with Northumberland, in Derbyshire with Nottinghamshire, in Monmouthshire with South Wales, in Lancashire, and in Staffordshire respectively, more than 90 per cent. of the miners are coal miners; in the North Riding and in the districts† that have been grouped with it, 90 per cent. are ironstone miners; while in Cornwall, 79 per cent. are tin miners, the remainder being almost all lead and copper miners. The first group of counties, therefore, may be taken to represent coal miners; the North Riding, with the associated districts, to represent ironstone miners; while Cornwall will represent tin miners. The lead miners and the copper miners must be left without estimated death-rates.

Coal Miners (No. 85–90).—The death-rates of coal miners are surprisingly low. In spite of their terrible liability to accident, and their constant exposure to an atmosphere vitiated by coal-dust, by foul air, and by an excessively high temperature, the comparative mortality figure of these labourers is considerably below that of all males; nor is this only true of coal miners in the aggregate, but it is true, with one single exception, for the miners in each great coal area taken separately. It holds good for Durham with Northumberland, for Lancashire, for Derbyshire with Nottinghamshire, for the West Riding, and for Staffordshire. In each of these areas, as is shown in Table L., the comparative mortality figure of all males within the area is higher than that of the miners. The one exception to the rule is furnished by South Wales with Monmouthshire; here the mortality figure for the miners is slightly higher than that of all males within the same area; but even here, if deaths from accident be left out of account, the rule holds good; the mortality of the miners from all other causes together is below that of the general male population.

Again, if in each case we exclude accidents, it will be found that the mortality of the coal miners only slightly exceeds that of the most healthy class of men in our Table, viz., the agriculturists, that is to say, the farmers, the agricultural labourers, and the gardeners.

This low mortality of coal miners is not now noted for the first time. "Whilst lead and copper and tin mining," wrote Dr. Greenhow ‡ in 1858, "are certainly dangerous to health, coal mining appears to be at least not "unhealthy."

It has of course to be borne in mind that miners are a body of picked men. No very weakly man is likely to take to the occupation, and moreover, as much strength is necessary, many men who become weakly must abandon this form of labour for lighter work. On the other hand, the general male population, with which miners have just been put in comparison, comprises the sick and weakly of all sorts, and the men who have fallen out of the ranks of all industries. This objection, however, ceases to be of much weight if we compare coal miners with such other labourers as quarrymen or blacksmiths, who also require to maintain a high standard of vigour; and a glance at the Table shows that, again excluding accidents, the mortality of the coal miners is considerably below that of these two

---

* Complaint as to the unsatisfactory certificates given by coroners in mining districts was also made by the Commissioners on Condition of Miners (1864) in their Report (p. xxi.). The complaint then made was that the nature of the accident which caused death was not stated in the verdict, but merely "Accidental death."

† Namely, the districts of Ulverston and Barrow, with the sub-districts of Harrington and Egremont in Whitehaven.

‡ "Papers relating to the Sanitary State of the People of England." Board of Health, 1858, p. 65.

groups of workers. Making, then, all due allowance for the picked character of coal miners, their extremely low mortality figure cannot but remain a matter of surprise.

Turning to Table L., which gives the comparative mortality figures for the several causes, it will be seen that under the heading Accident the mortality of the coal miners is of appalling magnitude, there being no other industries in the Table at all comparable to coal mining in this respect, excepting other forms of mining, stone and slate quarrying, and fishing.

Under all the other headings, however, the mortality figure for coal miners, taking the mean of the figures for the six great coal areas (No. 85 to 90), is far below the average with one important exception; viz, Diseases of the Respiratory Organs. The mean mortality of coal miners under this heading is 202, while the figure for all males in England and Wales is 182. Moreover, there can be no doubt that the mortality of coal miners under this heading is considerably understated, owing to a number of deaths which are not of veritably tubercular character being designated by the popular term "miners' phthisis," and so being transferred from the heading Diseases of the Respiratory Organs to the heading Phthisis. It must, therefore, be admitted that coal miners, in spite of their being picked men, and in contrast with their low mortality from other diseases, suffer from diseases of the respiratory organs to a greater extent than those engaged in most other industries. What is the precise excess above the average cannot be stated, because of the confusion already noticed between phthisis and diseases of the respiratory organs, but it is plain that the excess is but small as compared with that which occurs in occupations where the workmen are exposed to the inhalation of other kinds of dust than that of coal; for instance, in the quarrying of slate and stone, in the manufacture of pottery, or in the making of cutlery and files.

This comparative innocuity of coal-dust, as compared with stone-dust or with metallic dust, is probably to be explained by the microscopical character of its particles, which are comparatively free from sharp points and corners,* and therefore do not cause such acute irritation to the lungs when inhaled.

The understatement of the mortality of miners from diseases of the respiratory organs implies, of course, a corresponding overstatement of their mortality from phthisis. But the mortality figure under this heading is already extremely low, the mean figure for the miners in the six coal areas being only 126, and being only raised even so high as this by the inclusion of South Wales and Monmouthshire, where the miners for some local reason have a higher mortality generally than the miners in the remaining coal districts. To what extent this figure of 126 should be still further reduced, on account of the inclusion of non-tubercular cases of miners' phthisis, it is impossible to say, but in all probability the reduction would bring the figure down at least to the level of the figures for farmers and for fishermen, which are the lowest in the Table.

It is much to be regretted that there should be this confusion in the case of miners between phthisis and other affections of the respiratory organs, because it prevents a definite answer being given to the question whether coal miners enjoy any special immunity from tubercular disease. If the figures as they stand in the Table were correct—if, that is to say, no transference had to be made from the heading Phthisis to the heading Diseases of the Respiratory System—then, low as the mortality from the former would be, it would not be much lower in proportion to the average for all males than the mortality under other headings. For instance the mortality figure of coal miners from phthisis in the Table is some 43 per cent. below the average for all males, but so also, or nearly so, is their mortality from diseases of the nervous system. The conclusion, therefore,

* Hirt. i., 144.

as to phthisis would simply be that the low mortality of coal miners from this malady is part and parcel of their general healthiness and exemption from disease of all kinds. But if, as is most probable, a large transference should be made from the heading Phthisis to the heading Diseases of the Respiratory System, then the inference from the figures would be quite different. We should have to conclude that coal miners add to their low mortality from all diseases a special immunity from phthisical affections; and that there is some condition or other in their life, possibly the inhalation of coal-dust, that renders them comparatively proof against tuberculosis.

At any rate, be the explanation what it may, there can be no possible doubt that the mortality of coal miners from phthisis is remarkably low, especially when their liability to irritation of the lungs from dust, and the alternations of temperature and other conditions to which their work subjects them, are taken into account.

And this statement is in strict harmony with the observations of those medical practitioners who in this and in other countries have had opportunity of studying the ailments to which coal miners are subject. "The miners of Durham and Northumberland," says Dr. R. Wilson, "are not prone to phthisis."* "Il est incontestable," says Dr. Boens Boisseau,† "que la phthisie pulmonaire est moins frequente dans la classe des char-"bonniers que dans la plupart des autres classes laborieuses;" and Dr. Schoenfeld, who, like Dr. Boisseau, practised in the Belgian colliery districts speaks of this immunity of coal miners in even stronger terms. Similar conclusions have been arrived at in Germany ‡ from the data furnished by the coalfields of Upper Silesia.

This general concurrence § of evidence, English, Belgian, and German, leaves no room for doubt, but that for some reason or other the mortality of coal miners from phthisical disease is excessively low as compared with that of other workers. But the question can scarcely be said to be as yet answered beyond all cavil or doubt, whether the reason for this apparent comparative immunity consists merely in the picked character of the men engaged in coal mining or in some special preservative condition attaching to their industry. The latter is the view adopted by foreign writers, such as Hirt; and, inasmuch as the most notable of the special conditions under which coal miners work is the inhalation of coal-dust, their apparent immunity has been usually attributed to this cause, though some writers have exceptionally sought an explanation in other conditions of the miner's life, such as the warmth and moisture of the atmosphere in which he works. "It is in the highest degree probable," says Dr. Hirt, "that coal dust possesses "the property of hindering the development of tuberculosis, and of arresting "its progress."

Not impossibly it may eventually turn out that this is really the case; but it must be admitted that the data at present forthcoming are hardly sufficient to establish the conclusion beyond all possibility of fair doubt, and there are certainly some facts which must make us at any rate for the present hold our judgment in suspense. In the first place there is the uncertainty, already expressed, whether the immunity of coal miners from phthisis is really greater than their immunity from other disease, and not merely a part of their general healthiness. Secondly, the figures in Table L., which relate to the North Riding miners are hardly consistent with

---

* Report of the British Association for the Advancement of Science, 1863, p. 126.

† Maladies des Houilleurs. Bruxelles, 1862, p. 110.

‡ Hirt, Die Staubinhalations Krankheiten. Breslau, 1871, p. 150.

§ To the authorities already cited may be added the following: Levy (Traité d'Hygiene ii. 918), who says that "la phthisie pulmonaire est rare chez les mineurs," and who cites to that effect Hervier, Gaz. Méd. de Lyon, 1859, iii. 516; François, Bulletins de l'Acad de Belgique, 1857, c. xvi.; and Riembault, Hygiène des Ouvriers Mineurs dans les exploitations houillières. Paris, 1861, p. 209.

the view that the supposed immunity of coal miners is due to coal-dust. For the miners in the North Riding, and in the other districts that have been grouped with it, work almost exclusively in ironstone, and are in no wise exposed to the inhalation of coal-dust or coal-gas or other product of coal mines. Yet their mortality from tubercular disease is also extremely low, and, though somewhat higher than that of most coal miners, is actually lower than that of the coal miners in South Wales and Monmouthshire. The low mortality of these ironstone miners, which is not limited to phthisis but extends to the other headings in the Table, can hardly be referable to any other cause than the picked character of these miners; and the natural inference certainly would be that the similarly low mortality of the coal miners was due to a similar cause. Again, if coal-dust really possess the supposed preservative influence, we should expect that coalheavers, who, though in a less degree than coal miners, are also exposed to the inhalation of such dust, would also present an exceptionally low mortality from phthisis, but the figures in Table K. (No. 96), scarcely answer to this expectation. The comparative mortality figure for coalheavers (*see* Table J.) is 968, and, judging from the 230 deaths of which the causes were abstracted, the mortality of this group of coal workers from phthisis was very little below the average of all males. Departing for once from the general rule laid down previously, that no rates for individual diseases should be calculated on less than 500 deaths with known causes, the phthisis rate for coalheavers would be 210, while the rate for all males is 220, and the mean of the six figures for coal miners is 126.

Another element in the question must not be altogether neglected. Whenever the mortality from any one cause in any industry is in abnormally great excess, the mortality from other causes must be to a certain extent thereby reduced. A man who is killed by an accident cannot also die of phthisis or other disease. Now, among miners the mortality from accident is appallingly high; and the mortality from all other causes must be by that fact more or less reduced.

On the whole, then, we must be content to leave the question of the supposed protective action of coal-dust undecided. The most that we can say with certainty is that the inhalation of coal-dust does not seem to increase the liability to phthisis, and that both in this respect and in respect to its effect in producing disease of the respiratory organs it contrasts favourably with many other kinds of dust.

The mortality of coal miners from alcoholism, or from the diseases which are specially connected with habitual alcoholic excess, is low. This is in accordance with the description of their habits given by various observers; for though "many of them indulge periodically in great excesses," says Dr. Wilson,* "the régime of a colliery is so strict that, however much they "may exceed on receipt of their wages, they must resume work at the "proper time, and thus habitual drunkenness is prevented, and conse-"quently the specific diseases induced by alcohol are extremely rare."

The mortality of the coal miners differs considerably in different areas, and arranging these in the order of mortality, beginning with the lowest, the sequence is as follows: Derbyshire with Nottinghamshire, 734; the West Riding, 772; Durham with Northumberland, 873; Lancashire, 929; Staffordshire 929; South Wales with Monmouthshire, 1081. Possibly some of these differences might vanish if a larger basis were taken than the mortality of only three years; but, as regards the three areas concerning which alone we have previous experience, the order remains unchanged from the previous record, for in 1860–2 the mortality of miners was higher in South Wales and Monmouthshire than in Staffordshire, and in Staffordshire than in Durham and Northumberland. In each of these three areas

* On the Coal miners of Durham and Northumberland. Report of British Association, 1863, p. 126.

the mortality of the miners decreased very considerably in the interval between 1860–2 and 1880–2 in the earlier age-period, 25–45 years, but in the second age-period, 45–65 years, it rose both in Durham with Northumberland and in South Wales with Monmouthshire, while it fell only in Staffordshire.

So large a share of the mortality of coal miners is attributable to accident that it may be well to give a summary view of the deaths thus occasioned. In the ten years 1871–80 the total number of deaths ascribed to accidents in coal mines was 9678, and these deaths were distributed by ages and causes in the manner shown in the following Table.

TABLE M.—DEATHS from ACCIDENTS in COAL MINES, 1871–80.

——	Under 15	15–	20–	25–	35–	45–	55–	65 and over.	All Ages.	Per 1000 accidental Deaths.
Crushing, Fall of Coal, Stone, &c.	291	605	688	1120	871	667	344	102	4688	485
Fall in Shaft, Pit - - -	53	83	91	211	152	100	67	27	784	81
Machinery, Explosion of Boiler	23	31	13	23	21	16	9	4	140	14
Waggon, Tram, Tub - - -	413	307	120	151	117	114	85	43	1350	139
Drowning - - - - - -	8	13	11	28	13	14	3	2	92	10
Blasting - - - - - -	4	15	27	66	41	15	10	2	180	19
Fire-damp - - - - - -	128	331	336	606	358	221	82	22	2084	215
Choke-damp, Suffocation - -	19	50	45	88	49	29	11	3	294	30
Otherwise, or not state - -	13	13	6	7	16	2	6	3	66	7
	952	1448	1337	2300	1638	1178	617	208	9678	1000

Nearly half the deaths, it will be seen, are caused by falling in of the sides or roofs, and a quarter by fire-damp or by choke-damp. After these forms of accident, which are shared equally by miners of all ages, that is to say, shared pretty nearly in proportion to the numbers employed at the several ages, come accidents from the waggons and tubs in which the coals are carried from the underground workings to the shaft; this form of accident falls especially on the young lads who are engaged in "tramming and hurrying" the coals. The remaining and less common forms of accident, viz., falls in the shaft, accidents with machinery and boilers, explosions of blasting powder, and drowning from the irruption of water into the mine, affect miners of all ages alike. Putting, however, all causes together, it is plain that the lads and younger miners suffer considerably more from accident than do the elder workmen, and consequently that the figures in Table L., which are based on the mortality of males between 25 and 65 years of age, understate the liability to fatal accident of coal miners in the aggregate and independently of age.

Ironstone Miners (No. 92).—The miners in the North Riding and in certain selected districts have been grouped together to represent ironstone miners, being almost exclusively engaged in that form of mining. Their mortality is very much the same in its general features as that of coal miners. For in both groups of miners the mortality is somewhat in excess under the heading Diseases of the Respiratory Organs, while it is considerably below the average under all the other main headings, with, of course, the exception of Accident. Here the mortality figure for ironstone miners is even higher than that for coal miners. This seems strange, inasmuch as there is neither fire-damp nor choke-damp in the iron mines. Possibly the apparent anomaly would disappear if a larger basis were taken, for

accident is, of course, a very fluctuating element in the death-rate; but it must not be forgotten that the main cause of mining accidents, namely, the falling-in of roofs and walls, is shared alike by iron miners and coal miners. The low mortality of ironstone miners from disease can scarcely be attributed to other causes than the picked character of the men who alone are able to undertake such hard labour.

Cornish Miners (No. 93).—The mortality of the Cornish miners, who may practically be considered to be tin-miners, for the proportion of lead and copper miners to the whole is but small, contrasts in a most extraordinary degree with that of coalminers or of ironstone miners. So strange indeed seemed the contrast, that it was thought expedient to go a second time through both the Census returns and the death registers to see whether some great error had not been made in the abstraction. It was found, however, that the figures had been correctly given. While the mortality of the other miners is, as has been shown, lower than that of males generally in the corresponding areas, the mortality of the Cornish miners is more than double that of Cornish males in the aggregate. For while the comparative mortality figure for all Cornish males is 887, that for Cornish miners is no less than 1839, and is almost the highest in the Table. Moreover the death-rates have risen very considerably since the previous record, and at each of the two age-periods. This exceptional rise may very probably be explained in the following manner. In the decennium 1871–80, the mining industry in Cornwall was in a state of decadence; and the miners in that county at the Census of 1881 were 44 per cent. fewer than they had been in 1871. A similar falling off moreover, but on a smaller scale, had also occurred in the previous decennium, the miners in 1871 being 27 per cent. fewer than in 1861. These successive decreases in the number of the miners in Cornwall were due to their emigration into countries where mining was more prosperous, and offered better chances of employment; and it is only reasonable to suppose that the miners who had the energy to emigrate would be the more vigorous and healthy, while those who remained behind would be the comparative weaklings.

Thus the very opposite process has been going on among the Cornish miners to that which has been going on among coal miners. The latter, as before explained, have been kept at a high standard of healthiness by the constant elimination of the least vigorous; the former have been undergoing deterioration by the constant emigration of the strongest.

The notable increase of the death-rates of Cornish miners in the interval between 1860–2 and 1880–2 may be explained with much probability by the foregoing hypothesis; but, after allowing all due weight to these considerations, it is still unquestionable that mining in Cornwall is for some reason or other very considerably more unhealthy than mining in other parts; for the death-rates of the Cornish miners in 1860–2 (which rates it may be noted were almost identically the same as those of 1849–53, though much lower than those of 1880–2) were vastly in excess of the death-rates of the coal miners; and yet these rates apply to a period when the decadence had not yet set in. Allowing all the increase in the mortality since 1860–2 to be explained by emigration of the strongest, and taking the death-rates at that date to be the normal rates for Cornish miners, their comparative mortality figure would still be 1449, while that of the miners in the six colliery areas is only 886.

The great bulk of the excess of mortality among the Cornish miners comes under the headings Phthisis and Diseases of the Respiratory Organs. The mortality figures from these two causes amount together to no less than 1148, while the figure for all males in Cornwall is only 368, and the figure for the least healthy group of miners outside Cornwall, namely, the miners of South Wales and Monmouthshire, is only 459. The Cornish miners suffer therefore from these diseases more than three times as much as Cornish males in the aggregate, and more than twice as much as the

miners in any other great mining area. In the whole list of industries in Table L. there is only one that at all approximates to these Cornish miners in this respect, namely, the earthenware and china manufacture. Here the mortality figure from the two causes is 1118, while that of the Cornish miners, as already stated, is 1148. It is under the heading Phthisis that the mortality of these Cornish miners is most appallingly in excess; the mortality attributed to this one cause alone is actually greater than the mortality of either farmers or gardeners from all causes together. In the case of miners, however, as also in the case of earthenware makers, the word phthisis has to be looked on with suspicion, owing to the unfortunate use of the terms "miner's phthisis" and "potter's phthisis" for non-tubercular affections, so that it is safer in these industries not to separate phthisis from diseases of the respiratory organs. Still it is curious to note that, if we compare the figure for the potters with those for the Cornish miners, the relative proportions of the phthisis and the respiratory mortalities are almost exactly inverted, while the sum of the two is practically the same in each case. The Cornish miners, therefore, are more liable than the pottery makers to tubercular disease, or to diseases likely to be confounded with tubercular disease of the lungs, while they are less liable to other affections of the respiratory organs.

Of the total mortality of the Cornish miners nearly two-thirds is attributed to phthisis and respiratory diseases; and practically the same proportion marked their mortality* both in 1849–53, and in 1860–62. Under the headings Diseases of the Nervous System and Diseases of the Organs of Circulation their mortality, though higher than that of other miners, and also higher than that of all males in Cornwall, shows no such enormous excess as that under the two headings already considered, and is less than the mean mortality for England and Wales. Neither do these Cornish miners show any excess of mortality from alcoholism or its consequences; a fact which tallies with the account of their habits given long since by the Royal Commissioners, who stated that "as a class they are well conducted "and temperate; large numbers have taken the pledge and kept it, and "whatever may be the causes of the diseases to which they are liable, the "habit of intoxication cannot be assigned as one of them."† Under the heading Diseases of the Digestive Organs the mortality figure is unusually high; possibly this may be connected with the nature of their diet, which according to the Report of the Royal Commissioners was considered by the doctors to be unwholesome for men, whose digestions are already weakened by working in foul air and in high temperature.

The mortality from accident falls far short of that of other miners, and even than that of quarrymen or of fishermen. As compared with all other occupations, however, it is very high, the figure being 117, while that for cab-drivers, which comes next highest, is only 84.

Slate and Stone Quarriers (No. 94).—The death-rates of these workmen, though much lower than those of the miners in Cornwall, are extremely high, as also they were in the previous record, and give a comparative mortality figure of 1122. The excess is due partly to accident, under which heading the mortality approximates to that of coal miners and is almost the same as that of fishermen, but mainly to phthisis and diseases of the respiratory system, under which headings together the mortality is 582, and not far from double that of coal-miners; on the other hand it is not much more than half that of the Cornish miners, this difference being probably due to the advantages enjoyed by the quarrymen who, though exposed to the inhalation of stone-dust, like the Cornish miners, yet work much more in the open air, and not in the ill-ventilated and overheated atmosphere of deep mines. Their mortality from diseases of the nervous

---

* See Report of Royal Commission on Condition of Miners, 1864, p. xiv.
† See Report of Royal Commission on Condition of Miners, 1864, p. xxv.

and of the circulatory systems, and generally from other causes than accident and lung disease, is low, and rivals that of coal miners and of agriculturists. Like coal-mining, quarry-work is an occupation to which, as a rule, only robust men betake themselves.

Railway, Road, Clay, Sand, &c., Labourers (No. 95).—The mortality figure for these diggers and delvers is lower than that of quarrymen, probably because they are less liable to fatal accident, but still is high, being 1025.

Coalheavers (No. 96).—The comparative mortality figure for these men is 968, and above that of coal miners. Judging from the 230 deaths, of which the causes were ascertained, coalheavers are very liable to accident, though, of course, not in anything like the same degree as miners. The question of their liability to phthisis has been already discussed, when coal miners were under consideration. Putting phthisis and diseases of the respiratory organs together coalheavers would appears to have a liability considerably above that of coal miners, but not far from the average of all males.

Chimney Sweeps (No. 97).—The death-rates in this industry are lower at both age-periods than in the previous record, but still are excessively high, and give a comparative mortality figure of no less than 1519. It is true that the rates are based on comparatively small numbers, but the agreement of the testimony of the previous with that of the present record leaves no fair doubt that the mortality of chimney-sweeps is terribly high. Judging from the 242 deaths of which the causes were ascertained, an excess of mortality prevails under nearly all the chief headings, but the number is too small for trustworthy inference. There is, however, one cause of death, which, though it does not appear as a separate heading in the Table, yet requires special mention, as being notoriously common among chimney sweeps, namely cancer. Of the 242 deaths of chimney-sweeps, of which the causes were ascertained, no less than 49 were due to some or other form of malignant disease; this gives 202 deaths from this cause to 1000 deaths from all causes, whereas the proportion of deaths from malignant disease to deaths from all causes among all males of from 25 to 65 years of age in England and Wales is only 36 in 1000; so that even if the total mortality of sweeps were simply equal to that of all males, their mortality from malignant disease would be more than five times as much as the average. But the total mortality of chimney sweeps, as shown by their comparative mortality figure, is 50 per cent. higher than the average, so that the liability of chimney-sweeps to malignant disease is about eight times as great as the average liability for all males. These figures scarcely support the belief expressed by some authorities that improvements in the art and habits of sweeps have caused this disease to be comparatively infrequent among them.

The organs affected in the 49 cases of malignant disease, the precise nature and site of which were not always stated, were as follows:—

Scrotum, penis, testis, groin	23
Lip	1
Face	2
Orbit	1
Palate	1
Neck	1
Stomach, liver	7
Organ affected not stated	13
	49

Messengers, Porters, Watchmen (No. 98) ; *Costermongers, Street-sellers*; (No. 99); *General Labourers in London* (No. 100).—In each of these three groups the death-rates are very high, and in the two latter, concerning which alone the rates at an earlier date are obtainable, have increased at both age-periods since the previous record. These high rates of mortality are, however, probably not to be attributed to any special unhealthiness of the occupations themselves, but to the kind and condition of a large proportion of the men who adopt these somewhat vague and ill-defined modes of livelihood, which are the refuge of the broken down out-casts from more definite occupations. The only one of these groups for which the registered causes of death have been abstracted is that of the costermongers and street-sellers, who have already come under consideration with other out-of-door workers (*see* page xxxv).

The several industries have now been passed successively in review, and their respective mortalities considered. It remains to sum up very briefly the results of this review, so far as they indicate the effects exercised on health by certain conditions of life, such as living in fresh or close atmosphere, inhalation of various kinds of dust, liability to lead poisoning or to alcoholic excess, and the like.

Influence of Fresh or Foul Air.—The difference between an out-of-door life in fresh country air and an indoor life in a town is readily shown by comparing the mortality of agriculturists or fishermen with that of shopkeepers, or, going a step further in the scale of vitiated atmosphere, with the mortality of tailors, hatters, printers, and bookbinders. The agriculturists on the average have a comparative mortality figure of 644, the shopkeepers of 877, and the tailors, hatters, printers, and bookbinders of 1088. The damage done by living in the vitiated atmosphere, though it is not confined to any one set of organs, nevertheless specially affects the organs of respiration. The mortality from diseases of these organs and from phthisis, taken together, is 198 for the fishermen and averages 237 for the agriculturists, while for drapers and grocers it averages 357, and for tailors and printers 549. Moreover, drapers live habitually in a more vitiated air than do grocers, and printers in a more vitiated air than do tailors, and the mortality in these several trades corresponds in each case to these differences. If we arrange the several industries in the order of purity of air, the order will also be that of mortality from phthisis together with diseases of respiratory organs, beginning with the lowest.

TABLE N.—**Comparative Mortality** of **Males** WORKING in AIR of DIFFERENT DEGREES of PURITY, from **Phthisis** and **Diseases of the Respiratory Organs.**

——	Phthisis.	Diseases of Respiratory System.	The two together.
Fishermen - - - -	108	90	198
Agriculturists - - - -	115	122	237
Grocers - - - -	167	116	283
Drapers - - - -	301	129	430
Tailors - - - -	285	186	471
Printers - - - -	461	166	627

Influence of Dust.—The effect of exposure to inhalation of dust, speaking generally, is of course to increase the mortality from diseases of the respiratory organs and phthisis, but the effect differs very greatly not only according to the amount but according also to the character of the dust, that which consists of hard and of sharp pointed particles naturally doing more mischief to the air-passages than that of which the particles are soft or rounded. It is, however, unfortunately impossible to estimate accurately the comparative effects of different kinds of dust, independently of all other conditions, because the several industries concerned differ from each other materially in many other important respects besides the nature of the dust to which those who are engaged in them are exposed; some for instance being carried on in the country, others in towns, some in the open-air, others in the close and heated atmosphere of factories or in underground passages and the like. Nevertheless, if we arrange those dust-inhaling occupations, for which Table L. gives the necessary data, in the order of their mortalities from phthisis and diseases of the lungs, we have some valuable indications of the differences between different dusts in the production of such diseases. Of all occupations the one which is most completely free from exposure to dust is that of fishermen, and consequently the mortality figures for this industry have been added to the table as a standard for comparison.

TABLE O.—**Comparative Mortality** of **Males** in certain DUST-INHALING OCCUPATIONS from **Phthisis** and **Diseases of the Respiratory Organs.**

—	Phthisis.	Diseases of Respiratory Organs.	Phthisis and Diseases of the Respiratory Organs.
Coal Miner - - - -	126	202	328
Carpenter, Joiner - - -	204	133	337
Baker, Confectioner - -	212	186	398
Mason, Builder, Bricklayer - -	252	201	453
Wool Manufacture - - -	257	205	462
Cotton Manufacture - - -	272	271	543
Quarryman - - -	308	274	582
Cutler - - - -	371	389	760
File Maker - - -	433	350	783
Earthenware Manufacture - -	473	645	1,118
Cornish Miner - - -	690	458	1,148
Fisherman - - - -	108	90	198

It will be noted that in every one of these dust-inhaling occupations, the mortality from phthisis and from diseases of the respiratory organs is higher than among fishermen. Of the various dusts the least injurious, to judge from the table, is coal-dust; for, though the mortality of coal-miners from diseases of the respiratory organs is higher than that of several other industries in the list, their registered mortality from phthisis is by far the lowest, and indeed not so very much higher than that of fishermen; and, therefore, as has been explained at length in a previous page, it is believed by many that coal-dust acts as a preservative from this form of disease.

The dust of ordinary wood does not appear to be very baneful, for carpenters and joiners stand nearly on a level with coal miners as regards mortality from the two causes taken together; the mortality figures, however, for the two causes when taken separately are almost exactly inverted, the carpenters having a higher rate than the coal miners from phthisis and and a considerably lower rate from diseases of the respiratory organs. Carpenters and joiners, however, work to a great extent in the open-air, and very possibly the mortality figures for cabinet makers, or for wood-turners, who work indoors in a much thicker atmosphere of wood-dust, might tell a different tale; nor is this improbable, seeing that their comparative mortality figure from all causes together is considerably higher than that of carpenters (see Table J.). Moreover, many of the harder woods which are used by cabinet makers are said to give off a much more injurious dust than the ordinary timber used by carpenters and joiners.

Bakers and confectioners, who inhale the dust of flour, have a considerably higher mortality from diseases of the respiratory organs than carpenters, but it may be doubted whether this is due to the flour-dust so much as to the heated atmosphere of the bakehouse. For, though much flour-dust may be inspired into the mouth of the baker, it is extremely doubtful whether much or any of it would get as far as the air passages, and not be arrested on the way by inter-mixture with the saliva and adherence to the wet surface of the tongue and pharynx. The mortality of bakers from phthisis is scarcely higher than that of carpenters, which accords with the observation of Hirt* that the inhalation of flour-dust rarely conduces to that disease.

More injurious than either coal-dust, wood-dust, or the dust of flour, appear to be the filaments and fluff and other dusts that are given off in textile factories; the mortality both from phthisis and from diseases of the respiratory organs being higher among workers in cotton and workers in wool than among persons exposed to either of the previously mentioned kinds of dust. The workers in cotton factories fare worse than the workers in wool; the comparative mortality from the diseases in question being 543 for the former, and 462 for the latter. It must be remembered, however, that the air in the weaving sheds of cotton factories contains not only flocculent matter, but also a large amount of dust from mineral substances of various kinds used in sizing, and that the inhalation of mineral substances, judging from industries presently to be considered, is much more injurious than the inhalation of textile filaments.

The deleterious effects of dust upon the air-passages is increased both in the cotton and in the wool factories, and especially in the former, by the high temperature in which the work is carried on (see p. xliii), and it is impossible to say how much of the lung mortality is due to the latter cause and how much to the dust.

But all the dusts as yet mentioned seem to be insignificant in their injurious action when compared with the dust of stone and the dust of metal. There are two industries in the Table, those of cutlers and of file-makers, in which the workman is exposed to metallic dust. In the former the comparative mortality from the diseases in question is 760, and in the latter it is 783; and, doubtlessly, had not the subsidiary operations, such as hafting, been included in the cutlery manufacture, the mortality figure for cutlers would have been still higher. Even as it is, it is almost four times as high as that of fishermen.

Still more appalling seems the effect on the air-passages of stone dust. There are four industries in the Table that are exposed more or less to this source of disease. Two of the four, namely, masons with builders and bricklayers, and quarrymen, work mainly in the open air, and though their mortality from lung diseases is very high, being between two and

* Op. cit., pp. 142 and 214.

three times as high as that of fishermen, yet it is nothing as compared with that of Cornish miners and pottery makers, who work in more confined space, and consequently inhale the stone-dust in much larger amount. For these workers the lung mortality is from five to six times as high as that of fishermen.

Influence of Alcoholic Excess.—The effects of intemperance are best exhibited by the mortality figures of innkeepers, including publicans and generally all dealers in the liquor trade, and of brewers. In both groups the general death-rates are excessively high, and the mortality figures under the heading Alcoholism are higher for these two trades than for any others in the list with the single exception of cabdrivers, who in this respect come between the two.

The mortality directly ascribed to alcoholism is, however, a very imperfect measure of the intemperance prevailing in different industries, for there can be no doubt that the desire to spare the feelings of surviving relatives practically limits the statement of this cause of decease to those cases where no disguise is possible. A better measure is the mortality from diseases of those organs which are known to be seriously affected by alcoholic excess, and which can be stated in certificates of death to have been diseased without fear of offence.

Pre-eminent among such organs is the liver; for, though alcoholic excess appears to affect injuriously every tissue and organ in the body, it is upon the liver that its effect is most marked, the mortality from hepatic diseases being six times as high among innkeepers and publicans, and two and a half times as high among brewers, as among the generality of males. The following Table (Table P.) shows this very clearly. Certain causes of death have been taken, and under each of them those trades in which the mortality exceeds or equals the average have been arranged in order, beginning with the one in which the mortality is highest. There are seven headings in the Table, and it will be noticed that under no less than three of these, viz., Alcoholism, Liver Disease, and Gout, innkeepers head the list, while they stand as high as third in three of the four remaining columns, viz., under Diseases of the Nervous System, Diseases of the Urinary System, and Suicide. Moreover, in one of these three, viz., Diseases of the Urinary Organs, the list would be headed by innkeepers were it not that file-makers and painters, who stand above them, suffer from another special cause of renal disease, viz., lead-poisoning, of which presently. The Table tells its own story so unmistakeably that it is scarcely necessary to do more than point out that the same occupations recur again and again in the several successive columns, and that very generally an occupation that stands high in one column stands also high in the others; leaving no reasonable doubt that a very large proportion of the mortality from the several diseases included in the Table is due to drink. Phthisis has not been included in the Table, because the mortality under this heading is affected much more seriously by other causes than by alcoholic excess; still, if the figures in Table L. be carefully examined, there will probably be little doubt felt that alcohol is not without its contributory share in the mortality from this disease. At any rate the mortality from phthisis is, with one exception, above the average for each of the occupations in which there is also a mortality above the average from alcoholism; and though in some of these occupations, such as those of cabdrivers, costermongers, and tailors, this high mortality from phthisis may very possibly be attributable in larger proportion to other causes than to drink, yet there seems no other equally probable interpretation of the high phthisical mortality of brewers, innkeepers and publicans, butchers, and commercial travellers. There is no similar evidence of any serious addition by alcohol to the mortality from diseases of the respiratory system, or to diseases of the digestive organs other than the liver; but under the heading Accident,

if we put aside those occupations which from their nature subject those engaged in them to considerable risk, there are few, if any, left in which the mortality figure is so high as for brewers, innkeepers and publicans, and butchers.

TABLE P.—**Industries** with **Highest Mortalities** from certain SELECTED CAUSES.

Alcoholism.		Liver Disease.		Gout.		Diseases of the Nervous System.	
Innkeeper	55	Innkeeper	240	Innkeeper	13	File-maker*	262
Cab, Omnibus Service.	33	Brewer	96	Cab, Omnibus Service.	11	Costermonger	207
Brewer	25	Butcher	96	Painter, Plumber, Glazier.	10	Innkeeper	200
Butcher	23	Commercial Traveller	61	Brewer	9	Cutler*	190
Commercial Traveller	23	Cab, Omnibus Service.	54	Commercial Traveller	6	Plumber, Painter, Glazier.	167
Costermonger	19	Grocer	52	Butcher	5	Brewer	144
Baker	15	Earthenware Manufacturer.	49	Tailor	4	Tailor	144
Painter, Plumber, Glazier.	12	Painter, Plumber, Glazier.	48	Costermonger	3	Cotton Manufacture*	142
Tailor	11	Tailor	48	Builder, Mason, &c.	3	Earthenware Manufacture.*	140
Grocer	10	Costermonger	47			Butcher	139
		Baker	46			Commercial Traveller	139
		Cotton Manufacture	43			Baker	136
		Farmer	41			Cab, Omnibus Service	134
		File-maker	41			Woollen Manufacture	127
		Cornish Miner	40			Shoemaker	122
ALL MALES	10	ALL MALES	39	ALL MALES	3	ALL MALES	119

Suicide.		Diseases of the Urinary System.		Diseases of the Circulatory System.	
Costermonger, &c.	44	File-maker	123	Costermonger	227
Commercial Traveller	31	Painter, Plumber, Glazier	100	File-maker	180
Innkeeper, &c.	26	Innkeeper	83	Brewer	165
Baker	26	Costermonger	69	Cab, Omnibus Service	160
Butcher	23	Cab, Omnibus Service	65	Earthenware Manufacture	160
Hosiery Manufacture	22	Brewer	55	Fishermen	153
Painter	21	Butcher	55	Woollen Manufacture	142
Farmer	17	Builder	49	Innkeeper	140
Carpenter	17	Earthenware Manufacture	49	Plumber, Painter, Glazier	140
Shoemaker	17	Grocer	48	Butcher	132
Grocer	17	Tailor	45	Baker	131
Cab, Omnibus Service	16	Commercial Traveller	44	Tailor	127
Tailor	16	Shoemaker	44	Blacksmith	121
Wool Manufacture	15	Blacksmith	44	Miner (South Wales)	120
Builder, Mason, &c.	14	Hosiery Manufacture	42		
ALL MALES	14	ALL MALES	41	ALL MALES	120

* The deaths from Suicide in this industry are included among deaths from Diseases of the Nervous System.

Before leaving this subject there is one more remark to be made. It will be noticed that the occupations in which the injurious effects of intemperance are most marked are those in which to alcoholic excess is added absence of severe muscular exercise. The miners, the quarrymen, the blacksmiths, the masons and bricklayers, the carpenters and joiners, and the agricultural labourers, if they indulge in drink, counterbalance its ill effects on their health by strong exercise, whereas the innkeepers and publicans lead a sedentary life, and the commercial travellers and the cabmen do their work on wheels; and though brewers, and costermongers, and still more butchers, have not quite so quiescent a life, yet the exercise which their several occupations entail upon them is far short of that of the industrial groups first enumerated.

Effects of Exposure to Chronic Lead-poisoning.—There are four headings in Table L. in which there is evidence of lead poisoning, viz., printers, earthenware makers, painters with plumbers and glaziers, and file-makers. It is only, however, in the two latter, that plumbism prevails to any very great extent, and it is consequently in the mortality figures for those two industries that the best evidence is to be had as to the effect of lead on the several organs. The file-makers, according to the Table, suffer more than the painters, plumbers, and glaziers, probably because among the latter are included a considered number of subsidiary workers who do not come directly or habitually into contact with lead. Had painters and plumbers formed a single group by themselves, without intermixture of other allied trades, their lead poisoning would probably have been marked by a much higher mortality figure. The most striking feature in the mortality figures for these two lead-poisoned industries is the extremely high mortality from diseases of the urinary organs, corroborating the opinion held by English writers, that renal disease is a common consequence of chronic lead-poisoning. There are no other industries in the Table in which the mortality from urinary diseases approaches to that of these two trades (*see* Table L.). There is, as already noticed, some amount of lead-poisoning among earthenware makers, and a slight amount among printers; but in neither of these industries is there any similarly notable excess of mortality from urinary diseases; indeed the mortality from these diseases is below the mean among printers, and, though it is not inconsiderably above the mean among the pottery workers, yet their figure is exceeded by those of several industries which are not concerned with lead, and especially of those industries where there is evidence of excessive indulgence in drink (*see* Table L.). Lead, as is well known, conduces to gout; and the mortality from this disease is higher for painters, plumbers, and glaziers, than for any other trades in Table L, excepting innkeepers and publicans, and cab-drivers. It is curious, however, that, though file-makers in other respects show such unmistakeable tokens of lead-poisoning, not one death among them was attributed to gout out of 528 deaths of which the causes were abstracted. Possibly, had the sample of deaths abstracted been larger, this anomaly would have disappeared; for the mortality of a disease, comparatively so rarely fatal as gout, would require for its proper estimation a very much larger basis than 528 deaths from all causes. The effect of lead on the brain and nervous system generally is shown by the high mortality under this heading in both trades, and especially among the file-makers. Both also have very high figures, and again the file-makers the higher, under the heading Diseases of the Organs of Circulation, probably owing to the injurious action of lead upon the muscular substance of the heart and on the walls of the blood-vessels, which parts share in the general cachexia produced by this mineral. It is believed by Hirt, that chronic lead-poisoning conduces to phthisis; but though the mortality of file-makers under this heading is enormous, that of painters, plumbers, and glaziers is not very greatly above the average; and the phthisical mortality of the file-makers has of course a sufficient explanation in the

metallic dust to which they are exposed, independently of any presumable effect of lead.

Lead-poisoning is luckily not a very common cause of death in this country; and, so far as it is due to occupation, is confined to a small number of trades. In the course of four years (1879–1882) the deaths of males ascribed directly to this cause were only 229; but this number would of course be very largely raised were it possible to include the deaths from renal, nervous, and other affections that originated in lead-poisoning. The 229 deaths were distributed as follows:—

House-painter	91	Whitesmith	2
Plumber	28	Earthenware maker	16
Glazier	1	Printer	6
Coach-painter	3	File-cutter	14
Artist	1	Glass-cutter	2
Paint, colour maker	2	Iron-moulder	2
Lead (? white lead) worker	8	Calico printer, dyer	2
Lead roller	1	Caulker	1
Lead miner	3	Children (under 15)	6
Lead mine agent	1	Others	36
Gas fitter	3		

The annual mortality from lead-poisoning among males over 15 years of age, as deduced from a comparison of these figures with the Census returns of 1881 would be as follows: rates, however, based on such small numbers of deaths are, of course, not very trustworthy:

File-maker	466	per million living.	
Painter, plumber, glazier	224	,,	,,
Earthenware maker	152	,,	,,
Gas-fitter	62	,,	,,
Printer	27	,,	,,
All other males	4	,,	,,

And now, Sir, in bringing this introductory letter to a close, it will perhaps be convenient if the main subjects that have come under consideration be very summarily enumerated with page references to the places where they have been severally discussed. It has been shown (pp. iv–vi) that very considerable changes have occurred of late years in this country in the death-rates of both sexes, the mortality having risen at some age-periods and fallen at others; and inquiry has been made by means of a new Life Table, constructed on the basis of the fresh death-rates (pp. vi–ix), into the balance of gain and loss accruing to the community from these changes (pp. ix–xi). Inquiry has also been made as to the diseases under which there has been diminution, and under which there has been on the other hand increase of mortality (pp. xi–xvi).

It has been shown that the death-rates vary greatly in different parts of the country (pp. xvi–xvii); and the question why these differences exist has been taken into consideration (p. xvii).

It has been shown that, independently of all differences in sanitary administration or in geographical position, the death-rates are seriously affected by differences in the age and sex distribution of the population (pp. xvii–xix); in the closeness of its aggregation (pp. xx–xxi); and above all in the character of the occupations in which it is engaged (pp. xxi–lxiii). To this latter element in the question, viz., the influence of occupation, a very considerable space, and indeed the larger part of this introduction, has been allotted, and not only have the death-rates been calculated for the males engaged in each of some hundred different industries, but for some score of these an attempt has been made to calculate the share in such

death-rates that is due to individual diseases. I can but think that the results of this latter inquiry, now undertaken for the first time in the Statistical Branch of your office, will be found to be of much interest by those who give attention to vital and social statistics ; and I would further express my hope that the experience which has been gained in this first attempt may render it possible, when the next Decennial Supplement comes to be undertaken, to conduct a similar inquiry upon a wider basis, and for a larger number of industries, and thus to give statistical results of still greater value and of increased accuracy.

I am, Sir,
Your obedient servant,

WILLIAM OGLE.

To
The Registrar General.

PRELIMINARY TABLES.

LIST AND EXPLANATION

OF

PRELIMINARY TABLES.

PAGES

TABLE 1.—DENSITY of POPULATION and MORTALITY, in the FOUR DECENNIA 1841–50, 1851–60, 1861–70, and 1871–80, in REGISTRATION DIVISIONS, COUNTIES, and DISTRICTS . . . . lxviii–lxxxv

NOTE.—The populations used in constructing this Table are the arithmetical means of the Census populations at the beginning and end of each decennium. These means, multiplied by ten, give with sufficient closeness the Years of Life exposed to risk, and form, with the registered deaths, the data from which the death-rates are calculated.

In all cases of change in the constitution of a registration district in the course of a decennium, due correction has been made in the population, the death-rates being calculated from the Years of Life actually exposed to risk.

A list of the changes in the constitution of registration districts during the decennium 1871–80, will be found on pages 371–8. In the cases of such changes during the ten years 1871–80, involving either the union or partition of registration districts, the rates in the first three decennia have been, whenever practicable, corrected in order that the rates in the four periods may be fairly comparable.

The annual deaths to 1000 persons living in the three decennia 1841–50, 1851–60, and 1861–70, were given in the Supplement to the Registrar-General's 35th Annual Report (and are here reprinted) in whole numbers; for instance, any rate of mortality from 21·50 to 22·49, was given as 22. Under the recently improved sanitary condition of the country, however, the range of death-rates in registration districts has been considerably contracted, and it has been thought desirable to add a decimal place to the death-rates for the last decennium, 1871–80.

The registered mortality in many registration districts is unduly raised by the presence therein of public institutions, such as lunatic asylums, hospitals, &c. This is especially the case in London. The death-rates in the London districts, however, have been corrected by distributing the deaths in public institutions to the several districts in the proportions determined by the respective numbers of deaths recorded in such districts, exclusive of deaths in public institutions.

As the deaths in public institutions (excepting those in the Metropolis) were not abstracted before 1869, it was not possible to correct district deaths for this disturbing element of mortality previously to that date. Thus, no satisfactory basis exists for correcting the district mortality in the two earlier decennia, 1841–50 and 1851–60; and, since it was desirable for purposes of comparison that the rates should be calculated on a uniform plan, the rates shown in this Table (excepting for Metropolitan Districts as already explained) are uncorrected for all four decennia.

Corrected rates for the last decennium, 1871–80, are, however, inserted in notes for all districts containing workhouses not belonging to the district, or county or other large lunatic asylums, or hospitals.

TABLE 2.—ANNUAL DEATH-RATE per 100,000 LIVING, among CHILDREN under FIVE YEARS of AGE from ALL CAUSES and SEVERAL CAUSES, and among MALES and FEMALES at ALL AGES from PHTHISIS and from DISEASES of the RESPIRATORY ORGANS lxxxvi–c

NOTE.—This Table was specially prepared for the use of the Medical Department of the Local Government Board, in continuation (with certain modifications) of a Parliamentary Return based upon the Decennial Supplement for the ten years 1861–70, and usually known, from the name of the Member of Parliament who originally moved for it, as "Lowe's Return."

PAGES

TABLE 3.—ANNUAL DEATH-RATE per 1,000 LIVING, at ALL AGES, and at ELEVEN GROUPS of AGES, in REGISTRATION COUNTIES; PERSONS, MALES, and FEMALES . . . . . ci–ciii

NOTE.—The rates for persons are reprinted from the Tables on pages 2-49 to afford the means for more convenient comparison; the rates for males and females are not given elsewhere.

TABLE 4.—ANNUAL RATE of MORTALITY per 1,000 LIVING from SEVERAL CAUSES in REGISTRATION COUNTIES in the TEN YEARS 1871–80; PERSONS, MALES, and FEMALES . . . . civ–cxi

NOTE.—The rates for persons are reprinted from the Tables on pages 2-49 to afford the means for more convenient comparison; the rates for males and females do not appear elsewhere.

TABLE 5.—ANNUAL RATE of MORTALITY from SEVERAL CAUSES per MILLION LIVING at ALL AGES and at TWELVE GROUPS of AGES, among PERSONS, MALES, and FEMALES, in each of the last THREE DECENNIA . . . . . cxii–cxvi

TABLE 6.—MEAN ANNUAL RATE of MORTALITY in the THREE YEARS 1880–1–2 AT SUCCESSIVE PERIODS of LIFE, of MALES engaged in VARIOUS OCCUPATIONS . . . . . cxvii–cxxiii

NOTE.—This Table gives the mean annual death-rates of males over 15 years of age, in 100 selected occupations, or groups of occupations, at five successive age-periods. The number of deaths in each occupation, at each age-period, were obtained by abstraction from the Death Registers for the whole of England and Wales, for the three years 1880-1-2; and the Years of Life exposed to risk in each case were obtained by multiplying by three the number of males returned as employed in the occupation at the Census of 1881.

TABLE 1.—**Density** OF POPULATION and ANNUAL **Mortality** in FOUR DECENNIA, in REGISTRATION DIVISIONS, COUNTIES, and DISTRICTS.

	REGISTRATION DIVISIONS AND COUNTIES.	ACRES TO A PERSON.				ANNUAL MORTALITY. DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1871-80	1841-50	1851-60	1861-70	1871-80
	ENGLAND -	2·21	1·96	1·74	1·53	22	22	22	21·3
No.	DIVISIONS.								
I.	LONDON - - -	0·04	0·03	0·02	0·02	25	24	24	22·4
II.	SOUTH EASTERN - -	2·62	2·34	1·99	1·72	20	20	19	17·6
III.	SOUTH MIDLAND - -	2·69	2·53	2·34	2·13	21	20	20	18·7
IV.	EASTERN - - -	2·98	2·85	2·72	2·45	20	21	20	18·8
V.	SOUTH WESTERN - -	2·82	2·74	2·68	2·67	20	20	20	19·3
VI.	WEST MIDLAND - -	1·91	1·69	1·50	1·38	22	22	22	20·9
VII.	NORTH MIDLAND - -	3·04	2·83	2·62	2·32	21	21	21	20·3
VIII.	NORTH WESTERN - -	0·88	0·74	0·63	0·52	27	26	26	24·5
IX.	YORK - - -	2·17	1·92	1·68	1·40	23	23	24	22·4
X.	NORTHERN - - -	3·89	3·29	2·77	2·36	22	22	23	23·3
XI.	WELSH - - -	4·63	4·18	3·79	3·40	20	21	21	21·1
	II.—SOUTH EASTERN.								
1	**SURREY** (*extra-metropolitan*)	2·44	2·00	1·47	1·10	18	18	18	16·8
2	**KENT** (*extra-metropolitan*) -	2·18	1·97	1·67	1·45	21	20	20	17·8
3	**SUSSEX** - - - - - -	2·96	2·69	2·41	2·07	18	19	19	17·1
4	**HAMPSHIRE** - - -	2·81	2·47	2·11	1·90	20	20	19	18·3
5	**BERKSHIRE** - - -	2·90	2·79	2·61	2·42	20	20	20	18·0
	III.—SOUTH MIDLAND.								
6	**MIDDLESEX** (*extra-metrop.*)	1·21	1·04	0·79	0·55	19	20	20	18·0
7	**HERTFORDSHIRE** - -	2·55	2·44	2·30	2·22	20	19	19	18·4
8	**BUCKINGHAMSHIRE** -	2·86	2·77	2·67	2·64	21	21	20	18·6
9	**OXFORDSHIRE** - - -	2·87	2·81	2·72	2·73	21	21	20	19·0
10	**NORTHAMPTONSHIRE**	3·06	2·84	2·64	2·41	22	21	21	19·0
11	**HUNTINGDONSHIRE** -	3·54	3·44	3·49	3·68	22	20	20	18·5
12	**BEDFORDSHIRE** - -	2·52	2·26	2·09	2·01	22	21	21	19·4
13	**CAMBRIDGESHIRE** -	3·16	3·07	3·07	3·00	23	21	20	18·8
	IV.—EASTERN.								
14	**ESSEX** - - - - - -	2·96	2·72	2·38	1·82	20	20	19	17·[illegible]
15	**SUFFOLK** - - - -	2·86	2·77	2·72	2·64	20	20	20	18·[illegible]
16	**NORFOLK** - - - -	3·10	3·02	3·05	3·01	21	21	21	19·[illegible]

ABLE I. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FOUR DECENNIA, in REGISTRATION DIVISIONS, COUNTIES, and DISTRICTS.

No.	REGISTRATION COUNTIES.	Acres to a Person.				Annual Mortality. Deaths to 1000 Living.			
		1841-50	1851-60	1861-70	1871-80	1841-50	1851-60	1861-70	1871-80
	V.—SOUTH WESTERN.								
.7	**WILTSHIRE** - - - -	3·22	3·26	3·23	3·22	21	21	19	18·6
8	**DORSETSHIRE** - - -	3·57	3·43	3·29	3·27	20	19	19	17·5
.9	**DEVONSHIRE** - - -	3·08	2·81	2·75	2·71	20	20	20	19·7
0	**CORNWALL** - - - -	2·52	2·48	2·45	2·57	19	20	21	20·3
.1	**SOMERSETSHIRE** - -	2·23	2·34	2·25	2·19	20	20	20	19·1
	VI.—WEST MIDLAND.								
2	**GLOUCESTERSHIRE** -	1·76	1·66	1·54	1·38	22	21	21	19·8
3	**HEREFORDSHIRE** - -	4·35	4·13	3·94	4·35	21	20	20	18·4
4	**SHROPSHIRE** - - -	3·72	3·63	3·50	3·50	21	20	20	18·8
5	**STAFFORDSHIRE** - -	1·30	1·08	0·91	0·81	24	25	23	22·4
6	**WORCESTERSHIRE** -	1·77	1·57	1·38	1·21	21	20	20	18·9
7	**WARWICKSHIRE** - -	1·38	1·17	1·02	0·90	23	23	23	21·9
	VII.—NORTH MIDLAND.								
8	**LEICESTERSHIRE** - -	2·34	2·23	2·06	1·78	22	22	22	21·6
9	**RUTLANDSHIRE** - -	4·54	4·51	4·58	4·63	19	18	19	18·5
0	**LINCOLNSHIRE** - -	4·60	4·32	4·16	3·89	20	19	19	18·6
1	**NOTTINGHAMSHIRE** -	2·12	1·94	1·77	1·52	21	22	22	21·2
2	**DERBYSHIRE** - - -	2·23	2·01	1·82	1·57	21	22	22	20·5
	VIII.—NORTH WESTERN.								
3	**CHESHIRE** - - - -	1·75	1·53	1·35	1·11	23	22	22	21·0
4	**LANCASHIRE** - - -	0·70	0·58	0·49	0·41	28	26	27	25·2
	IX.—YORK.								
5	**WEST RIDING** - - -	1·34	1·19	1·05	0·88	23	24	25	23·2
5	**EAST RIDING** (WITH YORK)	3·07	2·73	2·40	2·08	24	22	23	21·4
7	**NORTH RIDING** - -	6·49	6·09	5·54	4·42	19	19	20	19·7
	X.—NORTHERN.								
8	**DURHAM** - - - -	2·04	1·58	1·22	0·94	22	23	23	23·8
9	**NORTHUMBERLAND** -	4·53	3·99	3·54	3·14	22	22	23	22·7
0	**CUMBERLAND** - - -	5·19	4·84	4·56	4·12	21	21	22	21·5
1	**WESTMORLAND** - -	8·75	8·43	7·98	7·77	19	18	18	17·7
	XI.—WELSH.								
2	**MONMOUTHSHIRE** - -	2·64	2·31	2·08	1·88	23	23	22	21·9
3	**SOUTH WALES** - - -	4·96	4·31	3·81	3·25	20	22	21	21·1
4	**NORTH WALES** - - -	4·99	4·81	4·60	4·43	20	20	21	20·6

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FOUR DECENNIA, in REGISTRATION DISTRICTS.

I.—LONDON.

No.	DISTRICTS.	Acres to a Person. 1841-50	1851-60	1861-70	1871-80	Annual Mortality. Deaths to 1000 Living. 1841-50	1851-60	1861-70	1871-80
1	PADDINGTON	·076	·048	·014	·012	20	19	21	19·5
	KENSINGTON			·023	·015			21	20·6
2	FULHAM			·075	·044			25	22·5
3	CHELSEA	·018	·014	·012	·011	27	26	26	23·4
4	ST. GEORGE HANOVER SQUARE	·017	·014	·013	·012	19	19	21	18·4
	WESTMINSTER	·015	·014	·012	·013	27	26	26	23·3
5	ST. JAMES WESTMINSTER (*a*)	·004	·005	·004	·004	22	23	23	21·6
6	MARYLEBONE	·010	·009	·009	·010	24	24	25	22·3
7	HAMPSTEAD	·204	·145	·087	·058	18	17	16	16·6
8	PANCRAS	·018	·015	·013	·012	23	22	23	22·1
9	ISLINGTON	·041	·025	·017	·013	19	21	22	21·9
10	HACKNEY	·078	·055	·038	·025	19	19	20	20·9
11	ST. GILES	·005	·005	·005	·005	26	28	29	23·6
12	ST. MARTIN-IN-THE-FIELDS	·012	·012	·013	·015	24	23	23	22·6
	STRAND (*a*)	·004	·004	·005	·006	24	24	26	24·1
13	HOLBORN	·004	·004	·004	·005	26	26	27	24·0
	CLERKENWELL	·006	·006	·006	·006	24	23	25	23·8
	ST. LUKE	·004	·004	·004	·005	27	27	28	24·9
14	LONDON CITY	·005	·006	·007	·010	25	24	26	21·8
15	SHOREDITCH	·007	·005	·005	·005	27	24	26	24·0
16	BETHNAL GREEN	·009	·008	·007	·006	25	23	27	24·4
17	WHITECHAPEL	·005	·005	·005	·005	29	28	30	23·6
18	ST. GEORGE-IN-THE-EAST	·005	·005	·005	·005	29	29	30	24·5
19	STEPNEY	·012	·010	·008	·008	25	27	28	24·8
20	MILE END OLD TOWN		·011	·008	·007		24	25	24·2
21	POPLAR	·060	·037	·024	·017	22	24	26	23·9
22	ST. SAVIOUR SOUTHWARK	—	—	·006	·007	—	—	25	25·8
	ST. GEORGE SOUTHWARK	·006	·005	·005	·005	30	27	27	25·2
	NEWINGTON	·010	·009	·007	·006	26	24	24	24·1
23	ST. OLAVE	—	—	·007	·009	—	—	26	26·0
	BERMONDSEY	·017	·013	·009	·008	28	26	25	24·8
	ROTHERHITHE	·056	·042	·030	·024	28	25	26	23·9
24	LAMBETH	·031	·027	·021	·017	25	23	23	22·6
25	WANDSWORTH	·258	·183	·118	·068	19	20	19	20·4
26	CAMBERWELL	·092	·069	·049	·030	24	23	23	21·0
27	GREENWICH	·060	·047	·035	·030	27	24	26	22·0
28	LEWISHAM	·595	·342	·217	·183	17	18	19	18·1
29	WOOLWICH	—	—	—	·084	—	—	—	21·8

II.—SOUTH EASTERN COUNTIES.

	1.—SURREY (*Extra-metropolitan*).								
30	EPSOM	2·27	1·99	1·59	1·18	18	16	17	16·5 (b)
31	CHERTSEY	2·80	2·50	2·02	1·68	18	18	17	15·9
32	GUILDFORD	2·72	2·41	2·12	1·73	19	19	20	19·4 (c)
33	FARNHAM	3·79	2·19	1·38	1·03	18	16	17	16·3 (d)
34	HAMBLEDON	4·58	4·40	4·17	3·89	16	17	17	15·1
35	DORKING	3·58	3·36	3·02	2·72	17	17	17	15·3
36	REIGATE	3·58	2·98	2·16	1·78	16	17	17	15·4
37	GODSTONE	4·94	4·74	3·79	2·81	17	17	16	25·8 (e)
38	CROYDON	1·10	0·84	0·50	0·32	20	19	19	16·3 (f)
39	KINGSTON (inc. Teddington and Hampton)	0·89	0·71	0·54	0·38	18	18	18	15·7
40	RICHMOND	0·29	0·25	0·22	0·17	20	20	19	17·3 (g)

(*a*) For the purposes of this Table the parish of St. Anne Soho is included with STRAND, 1841-60, and with ST. JAMES WESTMINSTER, 1861-80.

(*b*) This death-rate would be reduced to 14·5 by the exclusion of the deaths recorded in the Middlesex County Lunatic Asylum.

(*c*) " " " 15·0 " " " Woking Invalid Convict Prison, i the Surrey County Lunatic Asylun and in the Surrey County Hospita

(*d*) " " " 15·6 " " " Cambridge and Station Hospitals.

(*e*) " " " 12·1 " " " Metropolitan District Asylum for Imbeciles.

(*f*) " " " 16·1 " " " General Hospital.

(*g*) " " " 16·9 " " " Richmond Hospital.

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FOUR DECENNIA, in REGISTRATION DISTRICTS.

II.—SOUTH-EASTERN COUNTIES—*continued.*

DISTRICTS.	Acres to a Person.				Annual Mortality. Deaths to 1000 Living.			
	1841-50	1851-60	1861-70	1871-80	1841-50	1851-60	1861-70	1871-80
2.—KENT (*Extra-Metropolitan*).								
BROMLEY	2·37	2·10	1·54	0·99	17	16	16	14·6
DARTFORD	2·02	1·78	1·40	1·09	19	18	19	17·1(*a*)
GRAVESEND	0·08	0·07	0·06	0·06	25	23	22	19·3
NORTH AYLESFORD (inc. Northfleet and Strood)	2·40	2·10	1·84	1·53	22	20	20	18·2
HOO	7·04	6·96	6·62	6·07	24	25	23	18·0
MEDWAY (inc. Rochester and Chatham)	0·36	0·31	0·22	0·20	25	23	22	18·9(*b*)
MALLING	2·53	2·31	2·12	1·92	21	19	20	17·6
SEVENOAKS	3·05	3·06	2·91	2·62	18	18	18	15·7
TUNBRIDGE (inc. pt. of Tunbridge Wells)	1·76	1·47	1·18	0·97	20	20	18	17·1
MAIDSTONE	1·11	1·02	0·96	0·89	23	23	23	22·4(*c*)
HOLLINGBOURN	4·14	4·17	4·17	4·10	20	19	19	17·9
CRANBROOK	3·07	3·04	3·02	2·98	19	17	17	15·5
TENTERDEN	4·21	4·22	4·34	4·44	20	19	17	16·8
WEST ASHFORD	3·40	2·95	2·67	2·43	18	20	19	16·7
EAST ASHFORD	4·64	4·50	4·31	4·11	17	18	17	15·1
BRIDGE	3·74	3·68	3·69	3·60	18	18	18	19·6(*d*)
CANTERBURY	0·21	0·20	0·19	0·19	24	23	24	22·7(*e*)
BLEAN (inc. Whitstable, Herne Bay, and pt. of Canterbury City)	2·27	2·09	1·87	1·53	17	18	20	17·3
FAVERSHAM	2·85	2·61	2·12	1·89	19	20	19	17·4
MILTON (inc. Sittingbourne)	2·71	2·38	1·88	1·50	21	21	20	17·8
SHEPPEY (inc. Sheerness)	1·85	1·41	1·21	1·22	24	19	19	15·5
THANET (inc. Ramsgate and Margate)	0·94	0·93	0·80	0·56	19	21	20	19·0(*f*)
EASTRY (inc. Deal, Walmer, and Sandwich)	2·07	1·99	1·90	1·68	19	19	19	17·3
DOVER	1·13	1·00	0·87	0·81	21	20	20	17·9
ELHAM (inc. Folkestone and Hythe)	2·58	1·89	1·52	1·35	19	18	17	16·7
ROMNEY MARSH (inc. New Romney)	8·44	8·05	7·61	7·24	19	21	18	16·8
3.—SUSSEX.								
RYE (inc. Winchelsea)	3·26	3·24	3·24	3·17	18	20	19	18·0
HASTINGS	0·78	0·59	0·45	0·33	18	18	20	17·5(*g*)
BATTLE	4·11	4·01	4·08	3·82	16	17	17	15·3
EASTBOURNE	4·67	3·99	2·88	1·68	15	17	17	14·2
HAILSHAM	4·23	4·19	4·23	4·17	17	17	17	16·4
TICEHURST (inc. part of Tunbridge Wells)	3·48	3·43	3·31	3·09	19	19	17	16·4
UCKFIELD	4·36	4·25	4·06	3·83	17	19	17	15·7
EAST GRINSTEAD	4·75	4·49	4·05	3·53	17	17	16	15·4
CUCKFIELD	3·96	3·77	3·31	2·87	16	18	16	14·3
LEWES	3·37	3·23	2·99	2·72	19	19	20	18·8(*h*)
BRIGHTON	0·03	0·02	0·02	0·02	21	22	22	20·5(*i*)
STEYNING (inc. New Shoreham)	2·84	2·17	1·62	1·19	16	16	16	14·4
HORSHAM	4·16	3·89	3·56	3·39	18	18	18	15·8
PETWORTH	4·07	4·13	4·13	4·63	17	19	19	17·0
THAKEHAM	4·68	4·75	4·77	4·83	18	18	16	15·8
EAST PRESTON (inc. Worthing, Littlehampton, and Arundel)	2·34	2·25	1·96	1·45	17	18	18	15·9
WESTHAMPNETT (inc. Bognor)	5·03	4·98	4·94	3·67	19	18	17	16·2
CHICHESTER	1·59	1·44	1·43	0·23	21	21	19	21·3(*k*)
MIDHURST	4·88	5·02	5·13	4·93	17	18	18	15·7
WESTBOURNE	4·83	4·73	4·64	4·38	18	17	19	15·5

) This death-rate would be reduced to 16·5 by the exclusion of the deaths recorded in the City of London Lunatic Asylum and the Metropolitan Asylum for Imbeciles.

) " " " 17·6 " " " St. Bartholomew's Hospital, Fort Pitt Hospital, and Melville Hospital.

) " " " 19·0 " " " County Lunatic Asylum and the West Kent General Hospital.

) " " " 17·4 " " " East Kent County Lunatic Asylum.

) " " " 20·5 " " " Kent and Canterbury Hospital.

) " " " 18·7 " " " Royal Sea Bathing Infirmary.

) " " " 17·3 " " " East Sussex Infirmary.

) " " " 15·9 " " " County Lunatic Asylum.

) " " " 19·4 " " " County Hospital.

) " " " 19·7 " " " General Infirmary and Dispensary.

TABLE 1. (*continued*).—**Density** of POPULATION and ANNUAL **Mortality** in FOUR DECENNIA, in REGISTRATION DISTRICTS.

II.—SOUTH EASTERN COUNTIES—*continued.*

No.	DISTRICTS.	Acres to a Person. 1841-50	1851-60	1861-70	1871-80	Annual Mortality. Deaths to 1000 living. 1841-50	1851-60	1861-70	1871-80
	4.—HAMPSHIRE.								
87	HAVANT	2·05	1·97	1·85	1·70	18	19	19	17·6
88	PORTSEA ISLAND (inc. Portsmouth)	0·08	0·06	0·05	0·04	25	23	21	19·9(a)
89	ALVERSTOKE (inc. Gosport)	0·25	0·19	0·17	0·17	29	26	23	23·9(b)
90	FAREHAM	2·64	2·62	2·38	2·24	19	21	23	21·3(c)
91	ISLE OF WIGHT (inc. Ryde, Newport, Cowes, Shanklin, and Ventnor)	2·15	1·89	1·54	1·33	17	17	17	17·0(d)
92	LYMINGTON	3·57	3·48	3·26	3·19	17	18	17	15·4
93	CHRISTCHURCH (inc. Bournemouth)	4·51	3·89	2·39	1·40	16	18	17	16·8(e)
94	RINGWOOD	6·07	6·04	6·50	6·42	17	18	17	15·8
95	FORDINGBRIDGE	5·19	5·32	5·48	5·46	20	20	19	16·4
96	NEW FOREST	5·18	5·13	5·14	5·19	17	17	17	16·5
97	SOUTHAMPTON	0·04	0·03	0·03	0·03	23	24	23	21·4(f)
98	SOUTH STONEHAM	1·85	1·28	0·92	0·72	18	17	19	17·7(g)
99	ROMSEY	2·58	2·61	2·89	2·93	21	19	20	16·0
100	STOCKBRIDGE	6·22	6·14	6·23	6·61	20	19	18	16·8
101	WINCHESTER	3·23	3·01	2·79	2·63	21	20	19	17·6(h)
102	DROXFORD	4·60	4·52	4·36	4·26	18	18	17	15·5
103	CATHERINGTON	5·42	5·27	4·99	4·77	17	19	16	14·8
104	PETERSFIELD	5·25	5·12	4·89	4·61	18	19	17	16·2
105	ALRESFORD	5·48	5·45	5·90	5·99	17	16	17	15·9
106	ALTON	4·57	4·43	4·24	4·09	19	18	19	16·7
107	HARTLEY WINTNEY	3·83	3·70	3·79	2·75	18	19	18	15·0
108	BASINGSTOKE	4·33	4·23	4·16	4·06	20	19	19	16·6
109	WHITCHURCH	5·31	5·30	5·30	5·67	19	22	19	17·7
110	ANDOVER	4·88	4·86	4·89	4·85	19	18	18	16·9
111	KINGSCLERE	5·39	5·37	5·47	5·32	19	19	20	16·9
	5.—BERKSHIRE.								
112	NEWBURY	2·11	2·10	2·11	2·13	21	21	20	18·5
113	HUNGERFORD	4·88	4·88	5·01	5·23	20	20	19	17·7
114	FARINGDON	4·10	4·09	4·10	4·50	20	21	21	18·2
115	ABINGDON	2·84	2·70	2·66	2·62	23	23	22	20·5
116	WANTAGE	4·42	4·36	4·37	4·45	19	20	19	18·0
117	WALLINGFORD	2·91	2·90	2·85	2·93	20	20	18	20·1(i)
118	BRADFIELD	3·89	3·87	3·93	3·89	19	19	18	15·8
119	READING	0·23	0·20	0·16	0·13	24	22	22	19·3(k)
120	WOKINGHAM	3·19	3·00	2·75	2·40	17	18	18	16·5
121	COOKHAM (inc. Maidenhead)	2·59	2·39	2·11	1·88	19	18	18	16·4
122	EASTHAMPSTEAD	4·10	3·65	2·79	2·32	16	16	16	14·1(l)
123	WINDSOR	1·16	1·10	0·95	0·77	20	20	20	17·8

III.—SOUTH MIDLAND COUNTIES.

	6.—MIDDLESEX (*Extra-metro.*)								
124	STAINES	1·83	1·66	1·35	1·11	19	19	18	16·9
125	UXBRIDGE	1·35	1·22	1·10	1·01	23	22	25	22·9(m)

(*a*) This death-rate would be reduced to 19·4 by the exclusion of the deaths recorded in the Royal Portsmouth, Portsea, and Gosport Hospital and in the Garrison Station Hospital.

(*b*) " " " 18·6 " " " Naval Hospital at Haslar, and in the Station Hospital at Gosport.

(*c*) " " " 16·7 " " " County Lunatic Asylum.

(*d*) " " " 16·8 " " " National Consumption Hospital.

(*e*) " " " 16·2 " " " Firs Bank Home Consumption Hospital,

(*f*) " " " 20·3 " " " Royal South Hampshire Infirmary

(*g*) " " " 16·0 " " " Royal Victoria Hospital, and in the Military Lunatic Hospital at Netley.

(*h*) " " " 16·5 " " " Royal County Hospital.

(*i*) " " " 18·0 " " " County Lunatic Asylum.

(*k*) " " " 18·0 " " " Royal Berkshire Hospital.

(*l*) " " " 12·8 " " " Broadmoor Criminal Lunatic Asylum.

(*m*) " " " 16·9 " " " County Lunatic Asylum (Hanwell).

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FOUR DECENNIA, in REGISTRATION DISTRICTS.

III.—SOUTH MIDLAND COUNTIES—*continued.*

No.	DISTRICTS.	Acres to a Person. 1841-50	1851-60	1861-70	1871-80	Annual Mortality. Deaths to 1000 Living. 1841-50	1851-60	1861-70	1871-80
	6.—MIDDLESEX (*Extra-Metro.*) —*cont.*								
126	BRENTFORD (inc. Hounslow and Twickenham)	0·52	0·44	0·34	0·24	21	22	20	17·5(*a*)
127	HENDON (inc. Harrow)	2·11	1·88	1·19	0·73	17	18	18	16·7
128	BARNET	1·81	1·52	1·15	0·87	18	25	24	21·8(*b*)
129	EDMONTON (inc. Waltham Abbey and Enfield)	1·06	0·89	0·66	0·42	19	18	19	16·9(*c*)
	7.—HERTFORDSHIRE.								
130	WARE	2·24	2·17	2·10	2·01	19	18	18	16·2
131	BISHOP STORTFORD	2·70	2·65	2·57	2·51	21	18	19	16·8
132	ROYSTON	3·46	3·46	3·47	3·53	21	19	18	16·8
133	HITCHIN	2·76	2·58	2·44	2·42	21	19	20	18·5(*d*)
134	HERTFORD	2·35	2·26	2·20	2·15	20	17	19	16·7(*e*)
135	HATFIELD	3·57	3·49	3·46	3·45	18	18	18	17·3
136	ST. ALBANS	1·98	1·87	1·73	1·87	20	19	19	18·2
137	WATFORD	1·98	1·87	1·54	1·26	20	20	19	23·1(*f*)
138	HEMEL HEMPSTEAD	2·07	1·88	1·78	1·75	20	21	20	19·2(*g*)
139	BERKHAMPSTEAD	2·04	1·91	1·80	1·73	22	21	20	18·3
	8.—BUCKINGHAMSHIRE.								
140	AMERSHAM	2·71	2·70	2·71	2·58	22	22	21	19·1
141	ETON (inc. Slough)	1·99	1·90	1·80	1·62	18	18	18	16·2
142	WYCOMBE (inc. Great Marlow)	2·83	2·37	2·22	2·11	21	21	20	18·8
143	AYLESBURY	3·25	3·14	3·04	2·99	21	22	22	20·2 (*h*
144	WINSLOW	3·77	3·59	3·64	4·06	21	22	20	18·0
145	NEWPORT PAGNELL	2·98	2·86	2·77	2·97	22	21	20	19·2
146	BUCKINGHAM	3·66	3·72	3·85	4·15	23	22	20	18·7
	9.—OXFORDSHIRE.								
147	HENLEY	—	3·42	3·32	3·14	—	19	18	17·0
148	THAME	3·52	3·55	3·63	3·87	22	21	19	18·6
149	HEADINGTON (inc. pt. of Oxford City)	0·82	1·56	1·30	1·17	23	22	21	21·1 (*i*
150	OXFORD		0·15	0·14	0·07		22	22	18·7 (*k*
151	BICESTER	4·17	4·12	4·12	4·41	21	21	20	17·9
152	WOODSTOCK	3·44	3·34	3·31	3·50	21	20	20	18·7
153	WITNEY	3·02	3·00	3·02	3·51	22	20	20	19·5
154	CHIPPING NORTON	4·55	4·40	4·24	4·04	19	19	19	19·0
155	BANBURY	2·58	2·51	2·45	2·54	22	21	20	19·3
	10.—NORTHAMPTONSHIRE.								
156	BRACKLEY	4·33	4·32	4·36	4·61	22	21	20	18·6
157	TOWCESTER	3·33	3·27	3·25	3·30	22	23	20	18·8
158	POTTERSPURY	2·19	2·01	1·92	1·88	22	20	19	16·9
159	HARDINGSTONE	3·64	3·40	3·15	3·07	21	20	20	18·8
160	NORTHAMPTON	0·67	0·56	0·44	0·35	24	25	25	22·7 (*l*
161	DAVENTRY	2·92	2·98	3·16	3·33	20	20	20	19·1

(*a*) This death-rate would be reduced to 17·4 by the exclusion of the deaths recorded in the Royal India Lunatic Asylum.
(*b*) " " " 14·6 " " " Middlesex County Lunatic Asylum (Colney Hatch).
(*c*) " " " 15·8 " " " Training Hospital, and in the Strand Union Workhouse.
(*d*) " " " 18·4 " " " North Hertfordshire and South Bedfordshire Infirmary.
(*e*) " " " 16·3 " " " Hertfordshire General Infirmary.
(*f*) " " " 17·2 " " " Metropolitan Asylum for Imbeciles.
(*g*) " " " 18·6 " " " West Hertfordshire Infirmary.
(*h*) " " " 18·7 " " " County Lunatic Asylum.
(*i*) " " " 17·2 " " " Oxford Workhouse, the Radcliffe Infirmary, and the Oxfordshire and Berkshire Counties Lunatic Asylum.

(*k*) The rate in Oxford would be increased to 20·4 by the inclusion of the deaths in the Oxford Union Workhouse situated in Headington District.
(*l*) This death-rate would be reduced to 21·1 by the exclusion of the deaths recorded in the General Infirmary, St. Andrews Hospital (Lunatic Asylum), and the County Lunatic Asylum.

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FOUR DECENNIA, in REGISTRATION DISTRICTS.

III.—SOUTH MIDLAND COUNTIES—*continued.*

No.	DISTRICTS.	Acres to a Person. 1841-50	1851-60	1861-70	1871-80	Annual Mortality. Deaths to 1000 Living. 1841-50	1851-60	1861-70	1871-80
	10.—NORTHAMPTONSHIRE —*cont.*								
162	BRIXWORTH	3·27	3·98	4·13	4·44	22	20	19	18·0
163	WELLINGBOROUGH		2·43	2·09	1·63		22	21	19·3
164	KETTERING	3·04	2·98	2·83	2·42	20	20	21	18·9
165	THRAPSTON	4·11	3·80	3·60	3·47	19	20	20	19·0
166	OUNDLE	4·56	4·49	4·64	4·86	21	19	19	18·2
167	PETERBOROUGH	3·69	3·24	2·86	2·55	21	20	20	18·7
	11.—HUNTINGDONSHIRE.								
168	HUNTINGDON (inc. Godmanchester)	3·92	3·73	3·71	3·80	22	20	20	18·2 (*a*)
169	ST. IVES	3·17	3·13	3·27	3·54	22	20	21	18·8
170	ST. NEOTS	3·54	3·45	3·48	3·68	21	19	19	18·5
	12.—BEDFORDSHIRE.								
171	BEDFORD	2·89	2·64	2·44	2·30	23	20	20	18·5 (*b*)
172	BIGGLESWADE	2·63	2·38	2·18	2·10	21	21	22	21·4 (*c*)
173	AMPTHILL	2·58	2·48	2·41	2·46	22	21	21	19·0
174	WOBURN	2·53	2·49	2·55	2·77	20	22	20	19·7
175	LEIGHTON BUZZARD	2·10	2·19	2·09	2·13	21	22	20	19·3
176	LUTON (inc. Dunstable)		1·46	1·26	1·11		20	21	19·0
	13.—CAMBRIDGESHIRE.								
177	CAXTON	4·72	4·53	4·41	4·53	19	19	19	17·2
178	CHESTERTON	3·28	3·05	2·89	2·69	21	20	20	18·1 (*d*)
179	CAMBRIDGE	0·13	0·13	0·12	0·10	23	20	22	19·7 (*e*)
180	LINTON	3·53	3·46	3·54	3·66	20	19	19	16·8
181	NEWMARKET	3·36	3·28	3·35	3·37	20	20	20	18·3
182	ELY	3·72	3·57	3·67	3·77	23	21	20	19·6
183	NORTH WITCHFORD	3·86	3·86	3·94	3·85	27	21	20	18·9
184	WHITTLESEY	3·45	3·43	3·60	3·73	25	23	21	20·0
185	WISBECH	3·89	3·78	3·90	3·95	25	22	20	19·3

IV.—EASTERN COUNTIES.

	14.—ESSEX.								
186	WEST HAM (inc. Stratford and Walthamstow)	0·64	0·42	0·24	0·13	18	20	20	17·8
187	EPPING	2·97	2·89	2·53	2·29	18	18	18	16·9
188	ONGAR	4·01	4·10	4·16	4·26	17	18	18	17·0
189	ROMFORD (inc. Barking)	2·06	1·87	1·64	1·40	20	20	20	18·7
190	ORSETT	3·96	3·70	3·32	2·78	24	21	18	16·6
191	BILLERICAY (inc. Brentwood)	5·37	3·53	3·11	2·76	21	21	19	20·0 (*f*)
192	CHELMSFORD	2·67	2·58	2·52	2·57	20	19	19	17·9
193	ROCHFORD (inc. Southend)	—	6·32	5·51	2·81	—	21	19	16·5
194	MALDON	4·99	4·79	4·61	3·63	21	21	19	17·5
195	TENDRING (inc. Harwich)	3·33	3·28	3·15	2·76	20	20	19	18·1
196	COLCHESTER	0·60	0·52	0·45	0·41	24	22	21	19·9 (*g*)
197	LEXDEN	3·47	3·31	3·14	2·93	19	19	18	16·6
198	HALSTEAD	2·10	2·06	2·11	2·21	20	22	20	18·8
199	BRAINTREE	2·30	2·23	2·25	2·31	21	21	21	18·8
200	DUNMOW	3·69	3·61	3·68	3·90	21	20	19	17·8
201	SAFFRON WALDEN	3·17	3·10	3·19	3·38	21	19	19	18·0

(*a*) This death-rate would be reduced to 17·7 by the exclusion of the deaths recorded in the County Hospital.
(*b*) " " " 17·6 " " " General Infirmary and in the Fever Hospital.
(*c*) " " " 18·5 " " " Bedfordshire, Hertfordshire, and Huntingdonshire Counties Lunatic Asylum.
(*d*) " " " 16·9 " " " County Lunatic Asylum.
(*e*) " " " 17·8 " " " Addenbrooke's Hospital.
(*f*) " " " 15·6 " " " County Lunatic Asylum.
(*g*) " " " 18·9 " " " Essex and Colchester Hospital, and the Camp and Lock Hospitals.

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FOUR DECENNIA, in REGISTRATION DISTRICTS.

IV.—EASTERN COUNTIES—*continued.*

	DISTRICTS.	Acres to a Person.				Annual Mortality. Deaths to 1000 Living.			
		1841-50	1851-60	1861-70	1871-80	1841-50	1851-60	1861-70	1871-80
	15.—SUFFOLK.								
2	RISBRIDGE	3·02	3·02	2·98	3·03	22	20	20	18·3
3	SUDBURY	2·57	2·52	2·48	2·57	20	20	20	18·4
4	COSFORD (inc. Hadleigh)	2·90	2·97	3·06	3·20	21	20	19	18·6
5	THINGOE	4·45	4·43	4·60	4·85	18	20	18	16·2 (*a*)
6	BURY ST. EDMUNDS	0·22	0·22	0·21	0·19	24	22	23	22·1 (*b*)
7	MILDENHALL	6·27	6·14	6·51	6·74	20	20	19	18·9
8	STOW (inc. Stowmarket)	2·71	2·63	2·64	2·69	18	19	19	18·3
9	HARTISMERE (inc. Eye)	2·89	2·95	3·15	3·33	21	20	20	18·4
0	HOXNE	3·35	3·47	3·63	3·91	21	20	19	18·0
1	BOSMERE	3·43	3·47	3·63	3·71	18	19	19	17·9
2	SAMFORD	4·13	3·98	4·00	4·05	18	20	19	17·8
3	IPSWICH	0·29	0·24	0·21	0·18	23	22	22	22·2 (*c*)
4	WOODBRIDGE	3·51	3·53	3·64	3·42	21	20	21	19·7 (*d*)
5	PLOMESGATE	3·53	3·56	3·62	3·69	19	20	18	17·2
6	BLYTHING (inc. Southwold and Halesworth)	3·34	3·37	3·46	3·53	18	20	19	17·8
7	WANGFORD (inc. Bungay)	2·52	2·54	2·54	2·46	19	21	19	18·7
8	MUTFORD (inc. Lowestoft and Gorleston)	1·94	1·61	1·28	1·00	17	20	18	17·4
	16.—NORFOLK.								
9	YARMOUTH (GREAT)	0·06	0·05	0·05	0·04	23	25	24	22·9 (*e*)
0	FLEGG	3·60	3·40	3·23	3·05	20	20	18	18·5
1	SMALLBURGH	4·03	4·16	4·33	4·35	20	21	19	17·0
2	ERPINGHAM (inc. North Walsham)	3·43	3·40	3·56	3·45	20	21	20	18·2
3	AYLSHAM	3·40	3·49	3·67	3·77	21	21	19	18·0
4	ST. FAITH'S	4·12	4·09	4·35	4·33	20	18	19	17·5
5	NORWICH	0·11	0·10	0·10	0·09	24	25	24	23·3 (*f*)
6	FOREHOE	2·79	2·87	3·01	3·12	21	20	20	17·4
7	HENSTEAD	3·78	3·80	3·94	4·06	17	19	19	17·4
8	BLOFIELD	3·99	3·83	3·87	3·85	20	20	21	22·2 (*g*)
9	LODDON	4·02	4·05	4·26	4·34	18	19	18	17·4
0	DEPWADE	2·80	2·81	2·94	3·04	20	20	20	17·9
1	GUILTCROSS	3·61	3·70	3·91	4·09	21	22	20	18·9
2	WAYLAND	4·38	4·31	4·51	4·68	19	20	20	19·4
3	MITFORD (inc. East Dereham)	3·64	3·67	3·79	3·83	20	20	19	18·4
4	WALSINGHAM (inc. Wells-next-the-Sea)	4·08	4·06	4·24	4·53	21	20	22	18·6
5	DOCKING	5·77	5·66	5·80	5·81	20	21	21	18·8
6	FREEBRIDGE LYNN	6·03	5·83	5·85	6·11	18	18	20	18·6
7	KING'S LYNN	0·30	0·30	0·34	0·33	23	22	22	20·9 (*h*)
8	DOWNHAM (inc. Downham Market)	4·16	4·06	4·10	4·19	22	21	20	18·9
9	SWAFFHAM	5·93	5·79	5·94	6·14	19	19	19	16·8
0	THETFORD (inc. Brandon)	6·44	6·24	6·56	6·76	21	20	21	19·0

V.—SOUTH WESTERN COUNTIES.

	17.—WILTSHIRE.								
1	HIGHWORTH (inc. Swindon)	3·02	2·72	2·23	1·66	21	21	18	17·7
2	CRICKLADE (inc. Wootton Bassett)	3·65	3·63	3·52	3·69	20	20	19	17·9
3	MALMESBURY	3·75	3·90	3·93	4·05	19	19	18	17·0
4	CHIPPENHAM	2·80	2·76	2·66	2·71	19	21	19	17·8
5	CALNE	3·09	3·17	3·21	3·26	20	20	18	17·6
6	MARLBOROUGH	4·32	4·20	4·17	4·18	20	19	19	16·8

a) The death-rate in Thingoe would be increased to 17·8 by the inclusion of the deaths in the Thingoe Union Workhouse uated in Bury St. Edmunds district.
b) This death-rate would be reduced to 19·5 by the exclusion of the deaths recorded in the Suffolk General Hospital, and in the Thingoe Union Workhouse.
c) " " " 21·1 " " " Borough Lunatic Asylum and in the East Suffolk and Ipswich Hospital.
d) " " " 17·3 " " " County Lunatic Asylum.
e) " " " 22·2 " " " Royal Naval Lunatic Hospital.
f) " " " 22·7 " " " Norfolk and Norwich Hospital.
g) " " " 17·3 " " " County Lunatic Asylum.
h) " " " 20·1 " " " West Norfolk and Lynn Hospital.

TABLE I. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FOUR DECENNIA, in REGISTRATION DISTRICTS.

V.—SOUTH WESTERN COUNTIES—*continued.*

No.	DISTRICTS.	Acres to a Person. 1841-50	1851-60	1861-70	1871-80	Annual Mortality. Deaths to 1000 Living. 1841-50	1851-60	1861-70	1871-80
	17.—WILTSHIRE—*cont.*								
247	DEVIZES	2·86	2·89	2·96	3·04	22	21	21	21·1 (a
248	MELKSHAM (inc. Trowbridge)	0·94	0·99	1·00	0·97	22	22	22	20·3
249	BRADFORD-ON-AVON	1·50	1·70	1·78	1·75	20	22	19	18·9
250	WESTBURY	2·39	2·55	2·67	2·80	22	22	21	19·5
251	WARMINSTER	3·30	3·41	3·61	3·87	21	20	18	18·9
252	PEWSEY	5·30	5·26	5·39	5·80	20	19	20	19·1
253	AMESBURY	7·82	7·62	7·76	8·17	18	20	18	16·8
254	ALDERBURY (inc. Downton)	3·68	3·55	3·43	3·20	22	23	22	19·9 (b
	SALISBURY	0·05	0·05	0·05	0·05	28	24	20	20·8
255	WILTON	5·25	5·16	5·13	5·28	21	21	18	17·5
256	TISBURY	3·99	4·04	4·10	4·22	20	19	18	16·9
257	MERE	3·92	4·03	4·07	4·26	19	21	19	17·9
	18.—DORSETSHIRE.								
258	SHAFTESBURY	2·79	2·81	2·79	2·83	20	20	19	17·0
259	STURMINSTER	3·64	3·62	3·58	3·63	19	20	18	18·1
260	BLANDFORD	4·02	3·89	3·89	3·96	19	17	18	15·8
261	WIMBORNE	4·88	4·69	4·69	4·73	19	18	18	15·8
262	POOLE	1·97	1·84	1·72	1·47	20	20	21	17·9
263	WAREHAM	5·67	5·58	5·62	5·64	18	19	17	16·4
264	WEYMOUTH (inc. Melcombe Regis)	1·83	1·51	1·17	1·10	19	18	17	16·3
265	DORCHESTER	4·77	4·63	4·55	4·56	20	21	19	18·4 (c
266	SHERBORNE	3·16	3·02	2·92	3·00	20	20	19	18·4
267	BEAMINSTER	3·66	3·86	4·03	4·37	21	20	19	19·7
268	BRIDPORT	1·98	1·97	1·98	2·10	22	21	21	19·7
	19.—DEVONSHIRE.								
269	AXMINSTER (inc. Lyme Regis)	3·02	3·08	3·07	3·15	19	20	19	18·6
270	HONITON (inc. Ottery St. Mary & Sidmouth)	3·39	3·47	3·59	3·73	18	19	19	18·8
271	ST. THOMAS (inc. Exmouth, Topsham, and Suburbs of Exeter	2·71	2·68	2·66	2·64	18	19	20	20·1 (d
272	EXETER	0·06	0·05	0·05	0·05	25	24	25	25·0 (e
273	NEWTON ABBOT (inc. Dawlish, Torquay, and East and West Teignmouth)	2·43	2·11	1·85	1·64	19	18	20	17·7
274	TOTNES (inc. Dartmouth, Brixham, and Paignton)	2·89	2·94	2·86	2·71	19	19	20	18·1
275	KINGSBRIDGE	3·40	3·58	3·76	3·81	17	18	19	18·2
276	PLYMPTON ST. MARY	3·82	3·76	3·49	3·22	18	19	19	16·8
277	PLYMOUTH	0·04	0·03	0·02	0·02	25	24	23	22·6 (f
278	EAST STONEHOUSE (inc. part of Devonport)	0·02	0·01	0·01	0·01	29	27	27	28·3 (g
279	STOKE DAMEREL (inc. pt. of Devonport)	0·05	0·04	0·04	0·04	26	23	21	20·4 (h
280	TAVISTOCK	5·88	4·69	4·79	5·27	19	20	19	17·4
281	OKEHAMPTON	5·98	6·51	6·70	7·00	16	18	17	18·1
282	CREDITON	4·20	4·37	4·63	4·92	17	18	19	18·3
283	TIVERTON	4·64	3·29	3·40	3·54	20	21	20	19·6
284	SOUTH MOLTON	5·93	6·20	7·48	8·05	18	18	18	17·7
285	BARNSTAPLE (inc. Ilfracombe and Lynton)	3·97	4·02	4·06	3·96	17	18	18	18·8 (i
286	TORRINGTON	4·57	4·74	4·91	5·23	17	17	19	17·8
287	BIDEFORD (inc. Northam.)	3·75	3·52	3·42	3·34	17	19	19	18·9
288	HOLSWORTHY	7·32	7·94	8·55	8·95	16	18	18	18·2

(*a*) This death rate would be reduced to 18·5 by the exclusion of the deaths recorded in the County Lunatic Asylum.
(*b*) " " " 15·2 " " " General Infirmary, and in Fisherto House Lunatic Asylum.
(*c*) " " " 16·6 " " " County Hospital, Old County Lu natic Asylum, and New Count Lunatic Asylum.
(*d*) " " " 18·7 " " " County Lunatic Asylum and Wester Counties Idiot Asylum.
(*e*) " " " 23·5 " " " Devon and Exeter Hospital.
(*f*) " " " 22·2 " " " South Devon and East Cornwa Hospital.
(*g*) " " " 23·8 " " " Royal Naval Hospital.
(*h*) " " " 19·4 " " " Royal Albert Hospital and Eye Ir firmary, and in the Military Hos pital.
(*i*) " " " 18·5 " " " North Devon Infirmary.

TABLE I. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FOUR DECENNIA, in REGISTRATION DISTRICTS.

V.—SOUTH WESTERN COUNTIES—*continued.*

	DISTRICTS.	ACRES TO A PERSON.				ANNUAL MORTALITY. DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1871-80	1841-50	1851-60	1861-70	1871-80
o.	**20.—CORNWALL.**								
89	STRATTON	6·04	6·55	6·86	7·12	17	20	19	17·3
90	CAMELFORD	6·28	6·39	6·40	6·47	17	19	18	18·9
91	LAUNCESTON	5·25	5·76	5·91	6·08	17	19	18	18·4
92	ST. GERMANS	2·89	2·76	2·49	2·46	21	21	20	19·0
93	LISKEARD	3·76	3·41	3·17	3·41	18	20	19	17·4
94	BODMIN	4·31	4·43	4·52	4·53	18	20	20	21·7 (*a*)
95	ST. COLUMB (inc. Padstow)	4·69	4·61	4·69	4·74	17	18	19	19·1
96	ST. AUSTELL	1·81	1·74	1·77	1·90	19	20	20	21·0
97	TRURO	2·16	2·16	2·17	2·30	20	20	22	20·4 (*b*)
98	FALMOUTH (inc. Penryn)	1·28	1·23	1·15	1·00	21	20	22	19·9
99	HELSTON	2·38	2·48	2·48	2·82	18	20	21	22·0
00	REDRUTH (inc. Camborne and Gwennap)	0·79	0·73	0·73	0·81	20	21	23	21·4
01	PENZANCE (inc. St. Ives and Marazion)	1·26	1·20	1·19	1·24	20	21	22	21·4
02	SCILLY ISLANDS	1·37	1·41	1·58	1·61	19	18	20	22·1
	21.—SOMERSETSHIRE.								
03	WILLITON	5·56	5·49	5·50	5·67	17	18	18	17·3
04	DULVERTON	—	12·21	9·69	10·30	—	16	17	16·0
05	WELLINGTON (inc. Wiveliscombe)	2·75	2·84	2·93	3·02	19	18	18	17·6
06	TAUNTON	2·06	1·99	1·98	1·97	20	20	19	18·2 (*c*)
07	BRIDGWATER	2·84	2·73	2·63	2·66	20	19	19	18·7
08	LANGPORT	3·24	3·24	3·32	3·58	18	19	19	18·0
09	CHARD (inc. Ilminster and Crewkerne)	2·29	2·34	2·32	2·33	19	20	19	19·5
10	YEOVIL	1·85	1·84	1·83	1·84	21	21	19	19·6
11	WINCANTON	3·10	3·09	3·11	3·24	20	20	19	18·1
12	FROME	2·35	2·09	2·13	2·16	22	22	20	18·7
13	SHEPTON MALLET		2·96	3·04	3·10		20	19	18·0
14	WELLS (inc. Glastonbury)	3·09	3·00	2·93	2·94	20	21	22	20·3 (*d*)
15	AXBRIDGE (inc. Weston-super-Mare)	3·24	3·06	2·81	2·64	18	17	19	17·4 (*e*)
16	CLUTTON (inc. Midsomer Norton)	1·87	1·92	1·98	1·99	19	19	19	18·4
17	BATH	0·44	0·44	0·44	0·43	24	22	22	21·5 (*f*)
18	KEYNSHAM	1·54	1·54	1·49	1·37	19	19	20	18·4
19	BEDMINSTER (inc. Clevedon, and pt. of Bristol City)	1·53	1·44	1·20	0·94	20	20	20	20·4 (*g*)

VI.—WEST MIDLAND COUNTIES.

	22.—GLOUCESTERSHIRE.								
20	BRISTOL	0·01	0·01	0·01	0·01	29	28	29	25·5 (*h*)
21	BARTON REGIS	0·41	0·34	0·26	0·19	23	20	20	20·0 (*i*)
22	CHIPPING SODBURY	3·30	3·34	3·33	3·49	20	19	20	19·1
23	THORNBURY	4·00	4·00	3·89	3·27	18	17	17	17·2
24	DURSLEY (inc. Wotton-under-Edge)	1·69	1·89	2·01	2·02	21	21	20	20·0
25	WESTBURY-ON-SEVERN	2·55	2·26	2·02	1·78	19	18	19	19·0
26	NEWENT	3·73	3·62	3·71	3·93	19	19	19	17·6
27	GLOUCESTER	1·09	0·96	0·84	0·73	24	22	22	20·9 (*k*)

(*a*) This death-rate would be reduced to 19·4 by the exclusion of the deaths recorded in the County Lunatic Asylum.
(*b*) " " " 20·2 " " " Royal Cornwall Infirmary.
(*c*) " " " 17·3 " " " Taunton and Somersetshire Hospital.
(*d*) " " " 17·3 " " " County Lunatic Asylum.
(*e*) " " " 17·2 " " " Weston-super-Mare Hospital.
(*f*) " " " 20·2 " " " Royal United Hospital.
(*g*) " " " 19·7 " " " Bristol General Hospital.
(*h*) " " " 24·3 " " " General Hospital and in the Royal Infirmary, and by the inclusion of the deaths recorded in the Bristol City Workhouse situated in Clifton District.
(*i*) " " " 18·7 " " " Bristol Lunatic Asylum and the Bristol Union Workhouse.
(*k*) " " " 18·2 " " " County Lunatic Asylum and in the General Infirmary.

TABLE I. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FOUR DECENNIA, in REGISTRATION DISTRICTS.

VI.—WEST MIDLAND COUNTIES—*continued.*

No.	DISTRICTS.	Acres to a Person. 1841-50	1851-60	1861-70	1871-80	Annual Mortality. Deaths to 1000 Living. 1841-50	1851-60	1861-70	1871-80
	22.—GLOUCESTERSHIRE— *cont.*								
328	WHEATENHURST	3·07	3·10	3·25	3·11	20	19	17	17·5
329	STROUD (inc. Bisley)	1·15	1·18	1·12	1·06	21	22	21	19·0 (*a*)
330	TETBURY	4·22	4·15	4·19	4·27	18	18	19	15·8
331	CIRENCESTER	4·06	4·04	4·02	4·01	20	20	18	17·7
332	NORTHLEACH	6·25	6·18	6·30	6·58	18	19	18	16·9
333	STOW-ON-THE-WOLD	4·23	4·19	4·26	4·39	18	18	20	17·2
334	WINCHCOMB	5·71	5·69	5·63	5·79	17	18	18	17·0
335	CHELTENHAM	0·59	0·53	0·50	0·48	20	19	19	17·9 (*b*)
336	TEWKESBURY	2·59	2·59	2·69	2·87	21	21	20	18·9
	23.—HEREFORDSHIRE.								
337	LEDBURY	3·75	3·48	3·49	3·80	19	18	17	17·1
338	ROSS	3·67	3·49	3·38	3·37	20	20	20	18·0
339	HEREFORD	4·17	3·90	3·54	3·38	22	21	21	19·5 (*c*)
340	WEOBLY	5·69	5·52	5·43	5·69	20	20	18	16·9
341	BROMYARD	5·32	5·25	5·19	5·36	20	20	19	17·9
342	LEOMINSTER	4·48	4·32	4·17	4·29	22	21	20	18·8
343	KINGTON	7·08	7·10	6·92	7·30	19	19	20	17·3
	24.—SHROPSHIRE.								
344	LUDLOW	4·82	4·79	4·65	4·54	20	19	20	18·8
345	CLUN (inc. Bishops Castle)	8·23	8·00	7·75	7·94	20	18	18	17·9
346	CHURCH STRETTON	7·55	7·42	7·36	7·74	19	18	18	17·2
347	CLEOBURY MORTIMER	6·30	6·45	6·58	6·61	19	18	18	18·0
348	BRIDGNORTH	4·44	4·43	4·47	4·56	21	19	18	17·0
349	SHIFNAL	4·09	3·92	3·72	3·60	21	18	19	17·1
350	MADELEY (inc. Ironbridge and Much Wenlock)	1·09	1·01	0·97	1·02	23	21	22	21·0
351	ATCHAM	5·48	5·39	5·52	5·80	18	18	17	17·1
	SHREWSBURY	0·81	0·74	0·68	0·63	26	25	26	22·1 (*d*)
352	OSWESTRY	3·36	3·31	3·04	3·04	19	19	21	18·9
353	ELLESMERE	4·60	4·76	4·89	5·20	20	19	19	18·2
354	WEM	3·86	4·81	4·90	4·89	20	20	19	16·3
355	WHITCHURCH		3·45	3·44	3·56		20	21	19·2
356	MARKET DRAYTON	4·83	4·78	4·70	4·43	20	20	18	17·1
357	WELLINGTON	1·65	1·50	1·37	1·36	21	22	22	19·8
358	NEWPORT	3·13	3·06	3·03	3·11	20	20	18	17·1
	25.—STAFFORDSHIRE.								
359	STAFFORD	2·42	2·20	2·04	2·00	22	22	23	23·0 (*e*)
360	STONE	3·59	3·32	2·94	2·59	21	20	20	20·0
361	NEWCASTLE-UNDER-LYME	1·33	1·18	0·98	0·84	26	23	22	21·4
362	WOLSTANTON (inc. Burslem and Tunstall)	0·37	0·28	0·22	0·19	26	26	25	24·3
363	STOKE-UPON-TRENT (inc. Hanley and Longton)	0·23	0·19	0·15	0·13	27	26	26	25·8 (*f*)
364	LEEK	3·29	3·05	2·66	2·37	21	24	21	21·2
365	CHEADLE	3·06	2·82	2·61	2·51	21	21	21	19·4
366	UTTOXETER	4·18	4·20	4·32	4·54	18	20	20	18·1
367	BURTON-UPON-TRENT	2·99	2·49	1·87	1·37	20	21	21	19·8 (*g*)
368	TAMWORTH	3·48	3·17	2·81	2·51	19	20	20	18·4
369	LICHFIELD	2·90	2·71	2·44	2·18	19	20	20	19·5 (*h*)
370	CANNOCK (PENKRIDGE)	4·30	3·99	3·38	2·41	19	20	18	19·3

(*a*) This death-rate would be reduced to 18·7 by the exclusion of the deaths recorded in the General Hospital.
(*b*) " " " 17·5 " " " General Hospital and Dispensary.
(*c*) " " " 18·4 " " " County and City Lunatic Asylum and in the General Infirmary.
(*d*) " " " 18·4 " " " Shropshire Infirmary and in the Shropshire and Montgomeryshire Counties Lunatic Asylum.
(*e*) " " " 18·8 " " " General Infirmary and in the County Lunatic Asylum.
(*f*) " " " 25·0 " " " North Staffordshire Infirmary.
(*g*) " " " 18·7 " " " Derby County Lunatic Asylum and in the Infirmary.
(*h*) " " " 17·9 " " " County Lunatic Asylum.

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FOUR DECENNIA, in REGISTRATION DISTRICTS.

VI.—WEST MIDLAND COUNTIES—*continued.*

	DISTRICTS.	Acres to a Person.				Annual Mortality. Deaths to 1000 Living.			
		1841–50	1851–60	1861–70	1871–80	1841–50	1851–60	1861–70	1871–80
	25.—STAFFORDSHIRE—*cont.*								
1	WOLVERHAMPTON	0·58	0·47	0·42	0·39	27	28	24	22·8 (*a*)
2	WALSALL (inc. Darlaston)	0·56	0·42	0·33	0·28	24	26	24	22·8
3	WEST BROMWICH (inc. Oldbury and Wednesbury)	0·32	0·24	0·19	0·17	23	24	22	21·6 (*b*)
4	DUDLEY (inc. Tipton, Rowley, and Sedgley)	0·19	0·15	0·14	0·13	25	26	25	24·2 (*c*)
	26.—WORCESTERSHIRE.								
5	STOURBRIDGE (inc. Halesowen)	0·31	0·26	0·23	0·21	24	23	22	21·4
6	KIDDERMINSTER (inc. Bewdley)	1·20	1·18	1·14	0·99	22	21	21	19·3
7	TENBURY	5·09	4·99	4·73	4·66	19	17	18	18·2
8	MARTLEY	3·99	3·72	3·42	3·29	19	18	17	16·6
9	WORCESTER	0·24	0·23	0·21	0·21	24	23	25	23·1 (*d*)
0	UPTON-ON-SEVERN (inc. Great Malvern)	3·03	2·71	2·39	2·27	18	20	20	18·5 (*e*)
1	EVESHAM	3·29	3·19	3·08	3·03	20	19	18	17·4
2	PERSHORE	3·88	3·81	3·73	3·77	19	17	17	16·8
3	DROITWICH	3·17	3·02	2·65	2·26	19	18	19	17·3
4	BROMSGROVE (inc. Redditch)	2·01	1·86	1·76	1·61	22	20	21	19·4
5	KINGS NORTON (inc. pt. of Birmingham Borough)	1·08	0·73	0·50	0·35	17	17	17	16·5
	27.—WARWICKSHIRE.								
6	BIRMINGHAM	0·02	0·01	0·01	0·01	26	27	27	25·8
7	ASTON (inc. pt. of Birmingham Borough)	0·53	0·37	0·25	0·18	21	21	21	20·7
8	MERIDEN	4·32	4·31	4·36	4·34	20	18	18	17·0
9	ATHERSTONE	2·50	2·37	2·32	2·11	21	20	20	19·4
0	NUNEATON	1·58	1·54	1·60	1·56	27	23	23	22·1
1	FOLESHILL (inc. Bedworth)	1·26	1·01	1·04	1·09	25	25	23	23·1
2	COVENTRY	0·16	0·14	0·13	0·13	27	25	21	21·6 (*f*)
3	RUGBY	3·67	3·37	3·26	3·09	19	19	18	17·0
4	SOLIHULL	3·86	3·66	3·25	2·58	18	18	16	15·2
5	WARWICK (inc. Leamington)	1·68	1·55	1·44	1·31	20	21	21	19·8 (*g*)
6	STRATFORD-ON-AVON	3·86	3·76	3·60	3·50	20	19	18	17·5
7	ALCESTER	3·06	3·05	2·99	2·79	21	21	19	19·3
8	SHIPSTON-ON-STOUR	3·91	3·90	3·99	4·20	20	20	18	17·6
9	SOUTHAM	4·94	4·82	4·82	4·85	21	19	18	17·5

VII.—NORTH MIDLAND COUNTIES.

	28.—LEICESTERSHIRE.								
0	LUTTERWORTH	3·66	3·72	3·97	4·28	18	19	19	17·9
1	MARKET HARBOROUGH	4·05	4·02	3·99	3·97	20	20	19	18·8
2	BILLESDON	7·34	7·10	6·84	5·75	18	16	16	18·5 (*h*)
3	BLABY	2·45	2·41	2·36	1·87	20	21	20	18·7 (*i*)
4	HINCKLEY	1·56	1·70	1·73	1·67	22	23	22	22·3
5	MARKET BOSWORTH	3·93	3·96	3·91	3·74	19	19	19	19·3
6	ASHBY-DE-LA-ZOUCH (inc. Whitwick)	2·00	1·85	1·73	1·63	20	21	20	19·8
7	LOUGHBOROUGH	1·82	1·84	1·81	1·68	22	23	23	22·6
3	BARROW-UPON-SOAR	2·41	2·40	2·32	1·90	21	22	21	20·2
9	LEICESTER	0·07	0·06	0·04	0·03	27	25	26	24·5 (*k*)
0	MELTON MOWBRAY	4·92	4·82	4·89	4·85	17	19	19	19·5

a) This death-rate would be reduced to 22·1 by the exclusion of the deaths recorded in the South Staffordshire Hospital.
b) " " " 21·5 " " " West Bromwich District Hospital.
c) " " " 24·0 " " " Guest Hospital.
d) " " " 21·7 " " " Infirmary.
e) " " " 15·4 " " " County and City Lunatic Asylum.
f) " " " 21·2 " " " Coventry and Warwick Hospital.
g) " " " 18·2 " " " County Lunatic Asylum and in the Warneford Hospital.
h) " " " 14·0 " " " Leicester Borough Lunatic Asylum.
i) " " " 18·2 " " " Leicester Borough Hospital for Infectious Diseases.
k) " " " 23·0 " " " General Infirmary, and in the Leicester and Rutland Counties Lunatic Asylum.

TABLE I. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FOUR DECENNIA, in REGISTRATION DISTRICTS.

VII.—NORTH MIDLAND COUNTIES—*continued.*

No.	DISTRICTS.	Acres to a Person. 1841-50	1851-60	1861-70	1871-80	Annual Mortality. Deaths to 1000 Living. 1841-50	1851-60	1861-70	1871-80
	29.—RUTLANDSHIRE.								
411	OAKHAM	4·84	4·86	4·95	4·98	20	19	20	18·9
412	UPPINGHAM	4·27	4·19	4·25	4·31	19	18	18	18·1
	30.—LINCOLNSHIRE.								
413	STAMFORD	2·87	2·78	2·93	2·92	19	20	19	19·1 (*a*)
414	BOURN	5·00	4·90	4·52	4·66	18	19	19	19·4
415	SPALDING	3·40	3·32	3·82	3·75	22	20	19	18·9
416	HOLBEACH	5·94	5·72	5·68	5·56	21	21	19	18·8
417	BOSTON	3·43	3·29	3·31	3·27	21	19	19	18·6
418	SLEAFORD	5·52	5·33	5·19	5·11	19	19	18	17·1
419	GRANTHAM	3·75	3·54	3·50	3·23	18	19	19	18·1
420	LINCOLN	4·07	3·57	3·20	2·72	21	20	21	21·0 (*b*)
421	HORNCASTLE	4·70	4·56	4·69	4·97	19	19	18	17·6
422	SPILSBY	5·04	4·86	4·83	4·92	18	19	18	16·9
423	LOUTH	5·43	5·01	4·91	4·97	21	20	19	17·8
424	CAISTOR (inc. Grimsby and Market Rasen)	5·68	4·85	4·03	3·01	18	19	19	18·2
425	GLANFORD BRIGG (inc. Barton-upon-Humber)	5·20	4·83	4·66	4·33	19	19	20	18·2
426	GAINSBOROUGH	4·09	4·08	4·08	3·80	22	20	21	18·7
	31.—NOTTINGHAMSHIRE.								
427	EAST RETFORD	4·15	4·03	4·01	3·96	19	19	19	18·4
428	WORKSOP	4·35	4·06	3·40	2·94	18	20	20	19·0
429	MANSFIELD	1·94	1·84	1·68	1·41	20	21	22	21·7
430	BASFORD (inc. Ilkeston)	1·41	1·27	1·11	0·89	21	23	22	21·2
431	RADFORD (inc. part of Suburbs of Nottingham)	0·28	0·24	0·21	0·06	22	25	23	22·9
	NOTTINGHAM	0·03	0·03	0·02		26	27	24	
432	SOUTHWELL	4·64	4·70	4·97	5·45	17	19	19	18·6
433	NEWARK	3·25	3·10	3·16	3·14	20	20	20	20·1
434	BINGHAM	4·20	4·27	4·48	4·63	18	19	19	18·5
	32.—DERBYSHIRE.								
435	SHARDLOW (inc. Melbourne)	2·26	2·31	2·30	1·85	20	20	19	18·8
436	DERBY	0·08	0·06	0·06	0·05	24	24	23	21·3 (*d*)
437	BELPER (inc. Alfreton and Ripley)	1·43	1·35	1·26	1·21	21	21	22	20·4
438	ASHBORNE	4·35	4·86	5·03	4·78	20	20	20	19·4
439	CHESTERFIELD (inc. Claycross and Staveley)	2·23	1·76	1·36	1·02	21	22	22	21·3
440	BAKEWELL (inc. Matlock)	—	3·36	3·38	3·47	—	20	21	19·6
441	CHAPEL-EN-LE-FRITH (inc. Buxton)	—	5·30	4·54	4·74	—	20	21	19·1
442	HAYFIELD	1·82	1·58	1·51	1·13	22	23	22	21·5

VIII.—NORTH WESTERN COUNTIES.

	33.—CHESHIRE.								
443	STOCKPORT (inc. Hyde)	0·35	0·33	0·32	0·26	25	26	25	24·7 (*e*)
444	MACCLESFIELD	1·37	1·31	1·36	1·42	26	25	23	23·3 (*f*)
445	ALTRINCHAM (inc. Sale)	2·26	1·98	1·63	1·39	21	20	19	17·9
446	RUNCORN	1·79	1·74	1·60	1·46	22	21	23	20·8

(*a*) This death-rate would be reduced to 18·5 by the exclusion of the deaths recorded in the Stamford and Rutland General Infirmary.

(*b*) " " " 19·1 " " " " County Hospital, and in the County Lunatic Asylum.

(*c*) " " " 22·0 " " " " County Lunatic Asylum and in the General Hospital.

(*d*) " " " 20·0 " " " " Derbyshire and General Infirmary.

(*e*) " " " 24·6 " " " " Manchester Royal Lunatic Hospital.

(*f*) " " " 22·1 " " " " General Infirmary and in the County Lunatic Asylum.

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FOUR DECENNIA, in REGISTRATION DISTRICTS.

VIII.—NORTH WESTERN COUNTIES—*continued.*

DISTRICTS.	Acres to a Person.				Annual Mortality. Deaths to 1000 Living.			
	1841-50	1851-60	1861-70	1871-80	1841-50	1851-60	1861-70	1871-80
33.—CHESHIRE—*cont.*								
NORTHWICH	2·17	2·03	1·78	1·54	21	22	22	21·0
CONGLETON (inc. Sandbach)	1·78	1·63	1·55	1·51	22	23	22	20·7
NANTWICH (inc. Crewe)	3·37	2·89	2·35	1·96	21	20	20	18·6
CHESTER	2·14	1·93	1·71	1·63	23	22	23	21·0 (*a*)
WIRRAL	2·52	1·64	4·21	1·77	20	19	18	15·7
BIRKENHEAD (inc. Tranmere)			0·33	0·10			23	20·4
34.—LANCASHIRE.								
LIVERPOOL	0·01	0·01	0·01	0·01	36*	33	39	33·6
WEST DERBY (inc. pt. of Liverpool Borough)	0·34	0·22	0·14	0·10	26	23	26	23·4
PRESCOT (inc. Widnes,)	1·14	0·88	0·67	0·53	23	24	24	22·9 (*b*)
ORMSKIRK (inc. Southport)	2·47	2·14	1·72	1·27	20	19	22	20·6
WIGAN (inc. Hindley)	0·66	0·55	0·47	0·38	28	27	29	25·8
WARRINGTON	0·80	0·75	0·63	0·50	26	24	26	22·2 (*c*)
LEIGH (inc. Tyldesley)		0·67	0·61	0·50		25	25	23·7
BOLTON (inc. Farnworth)	0·41	0·36	0·32	0·26	27	27	26	24·3
BURY (inc. Heywood)	0·40	0·35	0·32	0·28	25	23	24	23·5
BARTON-UPON-IRWELL (inc. Stretford)	0·27	0·66	0·54	0·39	25	22	22	21·0
CHORLTON (inc. pt. of Manchester City)		0·08	0·06	0·05		24	25	23·6
SALFORD	0·08	0·06	0·05	0·04	28	26	27	27·7
MANCHESTER	0·06	0·05	0·05	0·01	33	31	33	32·9 †
PRESTWICH				0·11				26·4 (*d*)
ASHTON-UNDER-LYNE (inc. Stalybridge)	0·35	0·30	0·29	0·27	26	27	25	25·2
OLDHAM	0·21	0·17	0·14	0·12	26	25	26	25·1
ROCHDALE (inc. pt. of Bacup)	0·52	0·42	0·35	0·30	24	24	24	23·5
HASLINGDEN (inc. pt. of Bacup)	0·58	0·44	0·36	0·30	22	22	23	22·1
BURNLEY	1·08	0·91	0·78	0·62	23	24	24	23·4
CLITHEROE	5·25	5·57	5·74	5·35	19	21	20	20·2
BLACKBURN (inc. Oswaldtwisle and Over Darwen)	0·53	0·41	0·35	0·29	25	26	26	25·3
CHORLEY	1·36	1·32	1·29	1·20	22	22	23	22·6
PRESTON	0·78	0·66	0·60	0·55	25	27	28	28·1 (*e*)
FYLDE (inc. Fleetwood-on-Wyre and Blackpool)	2·75	2·48	2·10	1·65	18	19	21	21·3
GARSTANG	4·76	4·87	4·97	4·98	16	18	18	17·9
LANCASTER	4·01	3·97	3·69	1·70	23	23	22	22·8 (*f*)
LUNESDALE				10·73				17·9
ULVERSTON	5·30	4·58	3·34	2·34	18	20	21	23·6
BARROW-IN-FURNESS				3·36				17·9
				0·27				18·3

IX.—YORKSHIRE.

35.—WEST RIDING.								
SEDBERGH	11·24	11·80	11·23	11·61	18	19	16	20·2
SETTLE	10·91	11·56	10·99	10·50	20	20	18	19·2
SKIPTON	5·22	5·22	4·99	4·58	20	21	21	20·4
PATELEY BRIDGE	8·71	7·87	8·24	8·52	19	21	21	19·0
RIPON	4·49	4·44	4·62	4·52	18	20	20	19·3

In calculating the mortality of Liverpool, for the 10 years 1841–50, the year 1847 (the year of the Irish famine and immigra-n) has been omitted; including that year the mortality was 39 annually to every 1000 living.

The union of Prestwich was detached from Manchester, and created a separate Registration District on 1st October 1874. r the purposes of this Table the change has been carried back to 1st January 1871. See also pp. 284–5.

) This death-rate would be reduced to 20·2 by the exclusion of the deaths recorded in the County Lunatic Asylum.
) " " " 22·3 " " " County Lunatic Asylum (Rainhill).
) " " " 21·8 " " " Haydock Lodge Lunatic Asylum.
) " " " 25·5 " " " County Lunatic Asylum.
) " " " 27·4 " " " County Lunatic Asylum (Whittingham).
) " " " 20·0 " " " County Lunatic Asylum (Lancaster Moor) and in the Royal Albert Idiot Asylum.

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FOUR DECENNIA, in REGISTRATION DISTRICTS.

IX.—YORKSHIRE—*continued.*

	DISTRICTS.	ACRES TO A PERSON.				ANNUAL MORTALITY. DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1871-80	1841-50	1851-60	1861-70	1871-80
	35.—WEST RIDING—*cont.*								
488	GREAT OUSEBURN *	3·15	4·37	3·45	5·13	20	18	21	17·7
489	KNARESBOROUGH (inc. Harrogate)		2·45	2·27	1·93		21	21	19·7
490	WETHERBY *		4·36	*	4·24		18	*	18·5
491	WHARFEDALE* (inc. Otley and Guiseley)	2·78	2·60	*	1·65	20	22	*	20·2
492	KEIGHLEY (inc. Bingley)	1·12	1·01	0·77	0·65	21	23	24	22·9
493	TODMORDEN	1·16	1·18	1·13	1·05	21	20	22	22·7
494	SADDLEWORTH	1·06	1·00	0·98	0·89	22	24	23	22·2
495	HUDDERSFIELD (inc. Golcar)	0·61	0·56	0·53	0·48	22	22	24	22·4
496	HALIFAX (inc. Northowram)	0·49	0·46	0·40	0·35	22	24	24	22·6
497	BRADFORD	0·26	0·21	0·18	0·15	25	26	25	23·9
498	HUNSLET	0·47	0·40	0·27	0·23	25	24	26	25·5
499	HOLBECK				0·12				26·6
500	BRAMLEY				0·15				22·0
501	LEEDS	0·02	0·02	0·02	0·08	30	28	30	26·0
502	DEWSBURY (inc. Batley)	0·37	0·30	0·23	0·18	23	25	26	23·5
503	WAKEFIELD	0·85	0·79	0·69	0·53	23	24	26	24·1(*a*)
504	PONTEFRACT (inc. Castleford)	2·69	2·04	1·69	1·31	21	22	23	22·9
505	HEMSWORTH		4·25	4·38	3·62		16	19	17·1
506	BARNSLEY	1·90	0·88	0·68	0·51	23	24	25	23·8
507	WORTLEY		2·65	2·24	1·92		21	21	22·0(*b*)
508	ECCLESALL BIERLOW (inc. pt. of Sheffield Borough)	0·51	0·35	0·23	0·23	22	23	23	21·1
509	SHEFFIELD	0·11	0·09	0·07	0·06	27	28	29	27·4
510	ROTHERHAM (inc. Kimberworth)	1·64	1·31	1·04	0·80	20	22	24	21·8
511	DONCASTER	3·25	2·94	2·68	2·28	21	22	22	21·4
512	THORNE	4·61	4·51	4·31	4·28	21	21	22	19·0
513	GOOLE	3·12	2·84	2·68	2·36	22	21	23	21·4
514	SELBY	3·52	3·54	3·52	3·54	21	21	21	20·3
515	TADCASTER *	3·97	3·84	*	3·24	19	19	*	19·5
	36.—EAST RIDING (WITH YORK).								
516	YORK	1·84	1·46	1·32	1·17	24	24	24	21·6(*c*)
517	POCKLINGTON	7·02	6·74	6·77	7·04	19	19	18	17·7
518	HOWDEN	5·28	5·15	5·18	5·51	19	23	23	18·8
519	BEVERLEY	4·02	3·82	3·78	3·56	20	19	20	19·4 (*d*)
520	SCULCOATES (inc. pt. of Hull Borough)	0·95	0·80	0·64	0·46	25	22	23	21·7
521	HULL	0·02	0·02	0·02	0·01	31	25	26	24·5
522	PATRINGTON	6·87	6·51	6·61	6·96	18	20	19	19·1
523	SKIRLAUGH	7·33	7·08	6·94	6·89	20	19	19	16·7
524	DRIFFIELD	6·34	5·94	5·78	5·66	19	20	21	19·3
525	BRIDLINGTON	4·97	4·74	4·47	4·14	21	20	20	19·5
	37.—NORTH RIDING.								
526	SCARBOROUGH (inc. Filey)	3·84	3·20	2·63	2·21	21	21	22	19·5
527	MALTON	5·18	4·98	5·01	5·05	20	19	20	18·5
528	EASINGWOLD	6·04	6·25	6·45	6·65	17	18	18	16·7
529	THIRSK	5·05	4·98	5·30	5·19	19	18	20	18·8
530	HELMSLEY	10·61	9·66	9·66	9·83	19	19	19	18·1
531	PICKERING		9·65	8·51	8·46		19	20	21·1
532	WHITBY	3·94	3·64	3·33	3·15	21	20	23	19·6
533	GUISBROUGH (inc. pt. of Middlesbrough)	8·52	5·64	2·95	2·00 2·25	16	20	22	24·8 20·5
534	MIDDLESBROUGH	—	—	—	0·28	—	—	—	19·9
535	STOKESLEY	6·97	7·68	7·18	6·82	18	20	19	18·2
536	NORTHALLERTON	9·46	5·55	5·63	5·70	18	19	19	18·7
537	BEDALE	4·96	5·17	5·97	6·61	18	18	19	19·4
538	LEYBURN	8·49	8·42	8·91	9·43	18	17	18	18·7
539	AYSGARTH (formerly ASKRIGG)	14·26	14·36	14·57	14·79	19	20	20	20·0
540	REETH	10·97	11·44	12·88	14·77	20	20	21	20·2
541	RICHMOND	5·94	5·94	6·00	6·00	18	19	18	17·9

* For the 10 years 1861–70 the density of population and mortality in the districts of Wetherby, Wharfedale, and Tadcaster cannot be given separately from that of Great Ouseburn, in consequence of numerous and intricate alterations in the constitution of these four districts.

(*a*) This death-rate would be reduced to 22·2 by the exclusion of the deaths recorded in the West Riding Lunatic Asylum.
(*b*) " " " 20·4 " " " South Yorkshire Lunatic Asylum.
(*c*) " " " 20·2 " " " North Riding Lunatic Asylum, the York Lunatic Hospital, and the County Hospital.
(*d*) " " " 18·2 " " " East Riding Lunatic Asylum.

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FOUR DECENNIA, in REGISTRATION DISTRICTS.

X.—NORTHERN COUNTIES.

No.	DISTRICTS.	Acres to a Person. 1841-50	1851-60	1861-70	1871-80	Annual Mortality. Deaths to 1000 Living. 1841-50	1851-60	1861-70	1871-80
	38.—DURHAM.								
542	DARLINGTON	2·92	2·64	1·96	1·49	20	20	21	20·6
543	STOCKTON (inc. pt. of Middlesbrough)	2·75	1·84	1·30	0·94	21	22	24	26·6 (*a*)
544	HARTLEPOOL			0·62	1·30 / 0·48			22	22·5 (*b*) / 22·5
545	AUCKLAND	1·51	1·47	1·08	0·84	21	23	24	24·5
546	TEESDALE (inc. Barnard Castle)	8·84	8·56	8·64	8·66	20	19	19	19·1
547	WEARDALE	7·95	6·35	5·53	5·36	20	21	21	20·7
548	LANCHESTER*	2·35	1·77	1·37	1·37	23	23	21	21·6
549	DURHAM*				0·76				25·5
550	EASINGTON (inc. Seaham Harbour)	2·05	1·57	1·25	1·02	20	20	22	25·2
551	HOUGHTON-LE-SPRING	0·91	0·78	0·68	0·54	20	21	24	24·1
552	CHESTER-LE-STREET	1·68	1·36	1·14	0·91	20	21	24	23·2
553	SUNDERLAND (inc. Bishopwearmouth and Monkwearmouth)	0·19	0·15	0·11	0·09	24	25	24	24·0
554	SOUTH SHIELDS	0·48	0·38	0·26	0·18	26	24	24	24·1
555	GATESHEAD	0·60	0·48	0·38	0·28	25	26	25	24·9
	39.—NORTHUMBERLAND.								
556	NEWCASTLE-UPON-TYNE	0·09	0·07	0·06	0·05	27	27	28	25·9
557	TYNEMOUTH (inc. North Shields and Blyth)	0·66	0·56	0·45	0·37	24	23	24	22·9
558	CASTLE WARD	6·42	6·33	5·73	4·99	18	19	19	20·9 (*c*)
559	HEXHAM	7·06	6·62	6·40	6·19	18	19	20	19·6
560	HALTWHISTLE	14·56	13·78	14·08	12·94	16	17	17	16·7
561	BELLINGHAM	35·15	36·14	34·80	37·36	17	14	19	17·5
562	MORPETH	5·76	4·53	3·54	2·90	18	19	23	24·4 (*d*)
563	ALNWICK	4·96	4·69	4·84	4·81	19	19	20	19·6
564	BELFORD	5·91	5·99	6·50	6·79	17	16	18	15·7
565	BERWICK	2·36	2·31	2·46	2·50	21	19	20	19·9
566	GLENDALE	10·35	10·73	11·64	12·79	15	15	15	14·7
567	ROTHBURY	22·80	23·04	23·60	24·35	15	15	16	15·8
	40.—CUMBERLAND.								
568	ALSTON	5·74	5·59	6·12	7·18	20	20	21	19·9
569	PENRITH	8·69	8·44	8·17	8·01	18	19	19	18·7
570	BRAMPTON	8·94	8·81	9·10	9·23	17	17	19	18·3
571	LONGTOWN	8·95	8·62	9·42	11·04	17	17	19	19·6
572	CARLISLE	1·82	1·64	1·51	1·39	24	23	24	23·2 (*e*)
573	WIGTON	5·85	5·87	5·99	5·97	19	19	20	19·2
574	COCKERMOUTH (inc. Keswick, Maryport, and Workington)	4·59	4·26	3·87	3·29	21	22	23	21·1
575	WHITEHAVEN (inc. Cleator Moor)	2·77	2·40	2·07	1·70	25	23	25	24·3
576	BOOTLE	15·85	15·36	12·68	8·80	16	16	18	17·9
	41.—WESTMORLAND.								
577	EAST WARD (inc. Appleby)	13·46	12·72	11·43	11·76	17	18	16	18·7
578	WEST WARD	14·95	14·85	14·94	14·80	18	18	18	16·3
579	KENDAL	5·50	5·30	5·07	4·82	20	19	19	17·6

* The Union of Lanchester was detached from Durham District and created a separate Registration District on 1st April 1875. For the purposes of this Table the change has been carried back to 1st January 1871. *See also* pp. 327–8.

(*a*) This death-rate would be reduced to 25·9 by the exclusion of the deaths recorded in the County Lunatic Asylum.
(*b*) " " " 21·0 " " " " " " Newcastle Borough Lunatic Asylum.
(*c*) " " " 19·7 " " " County Lunatic Asylum.
(*d*) " " " 23·2 " " " Cumberland and Westmorland Counties Lunatic Asylum, and in the Cumberland Infirmary.
(*e*) " " " 21·9 " " "

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FOUR DECENNIA, in REGISTRATION DISTRICTS.

XI.—MONMOUTHSHIRE AND WALES.

	DISTRICTS.	Acres to a Person.				Annual Mortality. Deaths to 1000 Living.			
		1841-50	1851-60	1861-70	1871-80	1841-50	1851-60	1861-70	1871-80
	42.—MONMOUTHSHIRE.								
580	CHEPSTOW	4·54	4·39	4·48	3·99	19	20	19	18·5
581	MONMOUTH	3·86	3·53	3·29	3·32	19	19	20	18·5
582	ABERGAVENNY	1·60	1·40	2·84	2·62	25	25	23	23·4 (*a*)
583	BEDWELTY (inc. Tredegar)			0·56	0·52			24	24·8
584	PONTYPOOL	1·94	1·76	1·60	1·49	23	23	22	21·3
585	NEWPORT	2·88	2·32	1·96	1·68	24	22	21	21·8
	43.—SOUTH WALES.								
	GLAMORGANSHIRE.								
586	CARDIFF	2·98	1·95	1·21	0·87	22	23	21	19·8
587	PONTYPRIDD			1·91	1·02			23	23·2
588	MERTHYR TYDFIL (inc. Aberdare)	1·74	1·23	0·71	0·74	28	29	25	24·2
589	BRIDGEND	4·89	4·39	3·77	3·06	19	20	20	21·0 (*b*)
590	NEATH (inc. Aberavon)	4·12	3·10	2·64	2·42	22	22	22	23·0
					2·13				19·7
591	PONTARDAWE	—	—	—	2·93	—	—	—	19·3
592	SWANSEA	2·43	1·95	0·74	0·45	19	20	22	22·4
593	GOWER			6·77	4·00			20	17·3
	CARMARTHENSHIRE.								
594	LLANELLY	3·36	2·85	2·34	1·54	18	20	21	20·9
595	LLANDOVERY	10·38	10·36	10·73	11·45	20	18	19	19·9
596	LLANDILOFAWR	5·54	5·52	5·69	5·50	19	19	19	18·7
597	CARMARTHEN	4·56	4·61	4·77	4·88	20	21	21	21·5 (*c*)
	PEMBROKESHIRE.								
598	NARBERTH	5·69	5·75	5·97	6·24	18	19	19	19·4
599	PEMBROKE (inc. Tenby)	3·00	2·46	2·20	2·15	18	19	19	19·1
600	HAVERFORDWEST (inc. Milford)	4·47	4·45	4·73	4·90	17	21	21	20·2
	CARDIGANSHIRE.								
601	CARDIGAN	4·26	4·41	4·73	4·86	19	19	19	20·0
602	NEWCASTLE-IN-EMLYN	5·52	5·78	5·98	5·99	18	18	18	18·8
603	LAMPETER	7·67	7·62	7·58	7·55	18	18	17	18·9
604	ABERAYRON	5·04	4·91	4·88	5·07	18	20	19	19·8
605	ABERYSTWITH	5·77	5·39	5·01	5·00	18	19	20	20·5
606	TREGARON	11·82	11·55	11·40	11·65	18	18	16	18·3
	BRECKNOCKSHIRE.								
607	BUILTH	12·07	12·37	12·43	12·52	16	18	19	19·2
608	BRECKNOCK	10·97	11·10	11·24	11·28	21	21	20	19·3
609	CRICKHOWELL	2·73	2·43	2·52	2·77	27	25	23	23·0
610	HAY	8·05	8·24	8·50	8·53	20	22	20	19·8
	RADNORSHIRE.								
	PRESTEIGNE	7·08	7·10	6·92	6·94	19	19	20	15·9
611	KNIGHTON	10·76	10·18	9·77	10·07	18	16	19	17·8
					9·66				19·6
612	RHAYADER	15·61	15·51	15·47	15·56	18	18	18	17·6

(*a*) This death-rate would be reduced to 24·3 by the exclusion of the deaths recorded in the Joint Counties Lunatic Asylum.
(*b*) " " " 19·4 " " " Glamorgan County Lunatic Asylum.
(*c*) " " " 20·7 " " Joint Counties Lunatic Asylum.

TABLE 1. (*continued*).—**Density** OF POPULATION and ANNUAL **Mortality** in FOUR DECENNIA, in REGISTRATION DISTRICTS.

XI.—MONMOUTHSHIRE AND WALES—*continued.*

	DISTRICTS.	Acres to a Person.				Annual Mortality. Deaths to 1000 Living.			
		1841-50	1851-60	1861-70	1871-80	1841-50	1851-60	1861-70	1871-80
	44.—NORTH WALES.								
	MONTGOMERYSHIRE.								
613	MACHYNLLETH	9·55	9·52	9·07	9·03	19	21	22	19·0
614	NEWTOWN (inc. Llanidloes)	7·42	7·76	7·83	7·57	21	21	21	19·6 (*a*)
615	FORDEN (formerly MONTGOMERY) (inc. pt. of Welshpool)	4·30	4·74	4·63	4·73	20	19	20	17·9
616	LLANFYLLIN (inc. pt. of Welshpool)	8·65	8·61	8·66	9·01	19	19	20	19·2
	FLINTSHIRE.								
617	HOLYWELL (inc. Flint and Mold)	1·97	1·99	1·93	1·64	21	21	23	21·4
	DENBIGHSHIRE.								
618	WREXHAM (inc. Ruabon)	2·12	1·79	1·54	1·32	23	22	24	21·8
619	RUTHIN	5·55	5·64	5·90	6·69	19	19	20	19·5
620	ST. ASAPH (inc. Rhyl.)	3·85	3·56	3·39	3·46	19	21	23	22·6 (*b*)
621	LLANRWST	8·12	7·97	7·79	8·05	19	19	19	20·4
	MERIONETHSHIRE.								
622	CORWEN (inc. Llangollen)	8·12	7·85	7·61	8·34	17	18	20	18·9
623	BALA	8·52	8·91	9·00	8·74	18	18	18	18·1
624	DOLGELLY	11·09	11·41	10·84	9·85	18	18	21	20·3
625	FESTINIOG	8·77	8·05	6·54	5·17	18	19	22	20·8
	CARNARVONSHIRE.								
626	PWLLHELI	4·30	4·37	4·42	4·22	17	18	18	19·0
627	CARNARVON	3·31	3·11	2·73	2·35	20	22	23	21·9
628	BANGOR	3·26	3·07	2·97	2·89	21	21	22	21·0
629	CONWAY (inc. Llandudno)	5·12	4·48	4·00	3·38	19	18	20	20·0
	ANGLESEY.								
	ANGLESEY (inc. Holyhead)	3·41	3·16	3·36	3·50	17	19	21	20·6

(*a*) This death-rate would be reduced to 19·5 by the exclusion of the deaths recorded in the Montgomeryshire Infirmary.
(*b*) " " " 21·1 " " North Wales Counties Lunatic Asylum.

TABLE 2.—**Annual Death-rate** PER **100,000** LIVING, among CHILDREN under FIVE YEARS of AGE from ALL CAUSES and from SEVERAL CAUSES, and among MALES and FEMALES at ALL AGES from PHTHISIS and from DISEASES of the RESPIRATORY ORGANS.

ENGLAND: DIVISIONS AND COUNTIES.		ANNUAL DEATH-RATE PER 100,000 LIVING.									
		Under 5 Years of Age.						At All Ages.			
								Phthisis.		Diseases of Respiratory Organs.	
		All Causes.	Diarrhœa and Dysentery.	Small-pox.	Scarlet Fever.	Measles.	Whooping-cough.	Males.	Females.	Males.	Females.
	ENGLAND -	6,312	563	53	349	257	365	221	203	412	341
No.	I.—LONDON.										
1	**LONDON** - - - - -	7,276	638	113	307	365	602	300	208	502	424
	II.—SOUTH EASTERN.										
1	**SURREY** (*ex.-metrop.*) -	4,244	357	14	119	176	300	225	159	297	232
2	**KENT** (*ex.-metrop.*) - -	4,627	410	20	151	153	291	188	178	313	253
3	**SUSSEX** - - - - -	4,086	361	9	100	119	257	218	194	296	237
4	**HAMPSHIRE** - - -	4,455	366	38	162	195	253	242	198	315	256
5	**BERKSHIRE** - - -	4,371	354	4	141	158	273	194	190	311	261
	III.—SOUTH MIDLAND.										
6	**MIDDLESEX** (*ex.-metrop.*)	4,832	513	25	151	216	335	197	161	333	288
7	**HERTFORDSHIRE** -	4,401	416	13	130	167	306	182	167	321	259
8	**BUCKINGHAMSHIRE**	4,377	350	4	160	172	317	155	182	317	257
9	**OXFORDSHIRE** - -	4,685	320	9	167	135	203	184	191	330	265
10	**NORTHAMPTONSH.** -	5,510	517	50	193	221	277	176	195	344	281
11	**HUNTINGDONSHIRE**	4,445	384	3	205	92	237	173	213	336	260
12	**BEDFORDSHIRE** - -	5,538	537	11	242	157	331	190	232	331	261
13	**CAMBRIDGESHIRE** -	4,847	425	18	112	146	307	196	201	303	258
	IV.—EASTERN.										
14	**ESSEX** - - - - - -	4,717	421	31	182	144	338	188	179	319	267
15	**SUFFOLK** - - - - -	4,435	354	12	136	92	293	188	216	311	259
16	**NORFOLK** - - - - -	5,110	463	40	217	100	288	186	201	289	245
	V.—SOUTH WESTERN.										
17	**WILTSHIRE** - - -	4,069	230	5	210	140	197	171	177	351	296
18	**DORSETSHIRE** - -	4,007	170	15	152	134	218	163	181	343	289
19	**DEVONSHIRE** - - -	5,066	362	31	179	370	347	207	207	386	294
20	**CORNWALL** - - -	5,701	321	49	268	154	402	236	205	328	245
21	**SOMERSETSHIRE** -	4,579	308	25	230	185	274	170	161	367	295

TABLE 2. (*continued*).—**Annual Death-rate** PER **100,000** LIVING, among CHILDREN under FIVE YEARS of AGE from ALL CAUSES and from SEVERAL CAUSES, and among MALES and FEMALES at ALL AGES from PHTHISIS and from DISEASES of the RESPIRATORY ORGANS.

No.	ENGLAND: DIVISIONS AND COUNTIES.	ANNUAL DEATH-RATE PER 100,000 LIVING.									
		Under 5 Years of Age.						At All Ages.			
		All Causes.	Diarrhœa and Dysentery.	Small-pox.	Scarlet Fever.	Measles.	Whooping-cough.	Phthisis.		Diseases of Respiratory Organs.	
								Males.	Females.	Males.	Females.
	VI.—WEST MIDLAND.										
22	**GLOUCESTERSHIRE** -	5,384	397	25	250	237	284	191	172	387	316
23	**HEREFORDSHIRE** -	3,904	224	5	166	105	197	152	152	327	262
24	**SHROPSHIRE** - - -	4,504	327	12	247	125	204	164	164	343	281
25	**STAFFORDSHIRE** -	7,174	664	89	484	250	320	164	156	457	359
26	**WORCESTERSHIRE** -	5,446	534	49	369	179	233	155	142	369	288
27	**WARWICKSHIRE** -	6,889	835	48	439	226	441	221	171	454	370
	VII.—NORTH MIDLAND.										
28	**LEICESTERSHIRE** -	6,868	963	50	332	265	285	175	179	372	303
29	**RUTLANDSHIRE** - -	4,247	219	-	236	101	257	150	134	322	250
30	**LINCOLNSHIRE** - -	4,790	417	30	229	120	241	152	186	311	257
31	**NOTTINGHAMSHIRE**	6,576	622	65	317	252	268	184	208	383	333
32	**DERBYSHIRE** - - -	5,737	386	14	364	192	250	178	203	383	315
	VIII.—NORTH WESTERN.										
33	**CHESHIRE** - - -	6,051	527	18	429	257	302	195	206	404	339
34	**LANCASHIRE** - - -	8,222	884	45	556	412	442	260	234	549	461
	IX.—YORK.										
35	**WEST RIDING** - -	7,491	687	44	509	262	362	232	220	483	390
36	**EAST RIDING** (WITH YK.)	6,326	867	33	245	182	321	194	199	338	292
37	**NORTH RIDING** - -	5,509	450	29	285	164	259	158	180	334	275
	X.—NORTHERN.										
38	**DURHAM** - - - -	7,847	660	148	579	245	341	180	206	366	319
39	**NORTHUMBERLAND**	6,756	589	77	523	180	331	232	223	324	287
40	**CUMBERLAND** - -	5,687	411	37	363	293	313	208	231	355	314
41	**WESTMORLAND** - -	3,898	130	12	184	132	178	186	220	259	224
	XI.—WELSH.										
42	**MONMOUTHSHIRE** -	6,214	295	86	328	306	341	171	188	488	372
43	**SOUTH WALES** - -	5,811	225	54	420	252	297	251	257	371	288
44	**NORTH WALES** - -	4,869	124	18	321	166	231	244	271	341	281

TABLE 2. (*continued*).—**Annual Death-rate** PER **100,000** LIVING, among CHILDREN under FIVE YEARS OF AGE from ALL CAUSES and from SEVERAL CAUSES, and among MALES and FEMALES at ALL AGES from PHTHISIS and from DISEASES of the RESPIRATORY ORGANS.

No.	DISTRICTS.	ANNUAL DEATH-RATE PER 1,000,000 LIVING. Under 5 Years of Age. All Causes.	Diarrhœa and Dysentery.	Small-pox.	Scarlet Fever.	Measles.	Whooping-cough.	At All Ages. Phthisis. Males.	Phthisis. Females.	Diseases of Respiratory Organs. Males.	Diseases of Respiratory Organs. Females.
	I.—LONDON.										
	MIDDLESEX (*part of*).										
1	KENSINGTON, WITH FULHAM, 1871-74	6,606	772	73	165	392	429	294	187	442	315
1	KENSINGTON, 1875-80	7,214	587	15	276	374	618	309	186	486	321
2	*FULHAM	6,599	669	80	373	313	537	241	180	389	339
3	CHELSEA	7,463	693	52	267	326	530	343	223	569	456
4	ST. GEORGE HANOVER-SQUARE	7,396	665	124	260	373	601	331	203	526	411
5	WESTMINSTER	8,498	658	27	275	397	692	336	239	478	450
6	MARYLEBONE	8,191	785	60	317	423	722	341	214	572	467
7	HAMPSTEAD	5,721	376	912	118	280	421	210	174	342	219
8	PANCRAS	7,297	648	95	265	364	682	334	228	502	441
9	ISLINGTON	6,677	608	69	312	364	601	242	175	429	383
10	HACKNEY	6,086	540	303	325	230	468	276	171	404	328
11	ST. GILES	9,269	942	54	313	479	673	326	229	667	640
12	STRAND	9,997	856	33	353	359	628	463	268	638	546
13	HOLBORN	8,733	730	54	319	505	724	352	261	544	502
14	LONDON CITY	8,248	538	79	363	382	581	380	232	545	469
15	SHOREDITCH	7,704	665	144	334	404	695	300	215	560	512
16	BETHNAL GREEN	7,868	609	190	354	415	698	337	207	540	460
17	WHITECHAPEL	9,583	924	139	336	416	604	448	273	712	576
18	ST. GEORGE-IN-THE-EAST	8,854	894	88	361	498	829	306	264	666	554
19	STEPNEY	8,598	814	101	413	503	717	183	202	530	504
20	MILE END OLD TOWN	7,247	667	105	373	357	625	274	197	509	471
21	POPLAR	7,347	601	119	375	412	573	338	243	533	477
	SURREY (*part of*).										
22	ST. SAVIOUR SOUTHWARK	8,291	702	150	333	413	737	321	234	602	537
23	ST. OLAVE SOUTHWARK	7,618	687	90	359	399	692	328	267	589	513
24	LAMBETH	7,196	577	156	368	324	636	287	205	490	442
25	WANDSWORTH	5,831	500	106	229	273	428	202	172	381	324
26	CAMBERWELL	5,855	495	76	237	268	511	232	164	393	354
	KENT (*part of*).										
27	GREENWICH	6,377	593	107	255	319	459	269	179	470	382
28	LEWISHAM	4,847	410	3	212	178	368	198	130	319	224
29	WOOLWICH	6,128	469	42	300	358	436	278	230	373	319
	II.—SOUTH EASTERN COUNTIES.										
	1.—SURREY (*ex.-metrop.*)										
30	EPSOM	3,924	316	18	159	177	362	183	150	270	211
31	CHERTSEY	3,787	333	9	99	214	242	195	144	309	221
32	GUILDFORD	3,752	237	2	59	95	246	315	213	354	238
33	FARNHAM	5,148	555	12	100	167	228	291	185	278	252
34	HAMBLEDON	2,870	97	–	68	77	145	170	155	268	175
35	DORKING	3,365	200	5	45	80	260	180	124	245	196
36	REIGATE	3,482	215	13	88	163	234	202	161	293	226
37	GODSTONE	3,031	166	5	104	124	228	302	260	321	378
38	CROYDON	4,799	429	33	153	237	329	213	144	299	221
39	KINGSTON	4,221	338	5	119	154	345	229	144	286	233
40	RICHMOND	5,153	574	8	187	231	437	235	147	323	254
	2.—KENT (*ex.-metrop.*)										
41	BROMLEY	4,060	449	11	104	133	282	139	119	286	228
42	DARTFORD	4,521	382	20	243	200	258	145	162	308	258
43	GRAVESEND	5,412	605	37	330	176	399	186	164	334	315
44	NORTH AYLESFORD	5,031	389	39	303	186	267	166	166	330	257
45	HOO	5,031	593	–	41	82	509	164	153	345	219
46	MEDWAY	5,433	433	24	100	195	395	257	229	319	255
47	MALLING	4,382	381	6	237	168	168	162	175	352	295
48	SEVENOAKS	3,315	175	–	75	92	221	175	169	214	177
49	TUNBRIDGE	4,429	341	3	150	182	396	212	192	316	261
50	MAIDSTONE	5,453	486	4	157	183	254	265	222	361	292
51	HOLLINGBOURN	4,440	257	11	137	95	221	174	191	315	249
52	CRANBROOK	3,232	150	–	54	70	327	170	165	326	255
53	TENTERDEN	3,540	109	–	95	54	184	196	217	311	282
54	WEST ASHFORD	4,216	290	–	97	101	273	168	183	331	270

* FULHAM was separated from KENSINGTON and created a Registration District on 1st April 1875. See also notes on pp. 50, 51.

TABLE 2. (*continued*).—**Annual Death-rate** PER **100,000** LIVING, among CHILDREN under FIVE YEARS OF AGE from ALL CAUSES and from SEVERAL CAUSES, and among MALES and FEMALES at ALL AGES from PHTHISIS and from DISEASES of the RESPIRATORY ORGANS.

No.	DISTRICTS.	Annual Death-rate per 100,000 Living. Under 5 Years of Age. All Causes.	Diarrhœa and Dysentery.	Small-pox.	Scarlet Fever.	Measles.	Whooping-cough.	At all Ages. Phthisis. Males.	Phthisis. Females.	Diseases of Respiratory Organs. Males.	Diseases of Respiratory Organs. Females.
	II.—SOUTH-EASTERN COUNTIES—*cont.*										
	2.—KENT—*cont.*										
55	EAST ASHFORD	3,372	264	–	53	90	180	126	173	271	258
56	BRIDGE	3,845	289	6	69	94	138	163	238	362	219
57	CANTERBURY	6,083	492	20	269	193	238	264	226	442	348
58	BLEAN	4,380	312	8	117	70	277	159	175	312	232
59	FAVERSHAM	4,896	401	6	192	180	289	135	178	266	191
60	MILTON	5,038	529	12	192	123	237	160	156	270	228
61	SHEPPEY	4,264	443	4	87	131	309	193	172	269	216
62	THANET	5,116	849	4	170	130	427	189	155	288	243
63	EASTRY	3,800	264	–	79	103	246	204	168	286	236
64	DOVER	4,757	423	209	96	165	261	188	154	352	284
66	ELHAM	4,900	423	8	110	248	295	175	164	302	228
66	ROMNEY MARSH	3,847	160	–	148	23	297	133	174	315	227
	3.—SUSSEX.										
67	RYE	3,582	183	12	43	104	220	189	193	327	234
68	HASTINGS	4,913	425	4	68	191	253	306	230	523	247
69	BATTLE	3,092	189	–	15	40	134	133	164	239	250
70	EASTBOURNE	3,490	312	3	135	90	225	173	164	234	152
71	HAILSHAM	3,253	94	10	73	31	173	191	220	297	220
72	TICEHURST	3,662	162	4	54	75	228	164	181	304	207
73	UCKFIELD	3,410	212	–	110	62	209	152	196	311	206
74	EAST GRINSTEAD	3,507	241	–	67	107	253	146	198	325	274
75	CUCKFIELD	3,209	190	3	102	75	245	174	166	245	194
76	LEWES	3,688	279	5	81	84	239	238	251	251	233
77	BRIGHTON	6,258	787	32	192	217	387	292	212	396	314
78	STEYNING	4,154	487	4	111	144	198	175	187	250	195
79	HORSHAM	3,133	119	–	84	94	174	201	171	326	250
80	PETWORTH	3,044	116	–	39	70	124	181	181	264	284
81	THAKEHAM	3,248	194	–	88	62	503	138	146	265	245
82	EAST PRESTON (*WORTHING*)	3,492	317	13	69	96	248	217	179	208	177
83	WESTHAMPNETT	2,715	137	–	52	52	137	233	208	205	161
84	CHICHESTER	4,330	575	10	48	201	307	337	227	383	250
85	MIDHURST	2,757	118	5	16	39	177	168	163	231	173
86	WESTBOURNE	3,055	221	10	183	38	125	188	154	226	192
	4.—HAMPSHIRE.										
87	HAVANT	3,721	249	9	329	160	373	249	198	304	203
88	PORTSEA ISLAND	5,912	640	91	250	286	297	235	203	315	301
89	ALVERSTOKE	5,702	517	38	339	568	209	469	197	392	308
90	FAREHAM	3,743	262	24	141	112	199	224	243	272	231
91	ISLE OF WIGHT	3,772	289	6	96	130	311	290	201	307	233
92	LYMINGTON	2,803	166	–	37	49	141	179	175	248	181
93	CHRISTCHURCH	4,229	313	4	59	147	338	476	336	261	194
94	RINGWOOD	3,066	73	–	73	88	235	180	191	254	172
95	FORDINGBRIDGE	3,101	81	–	35	58	116	190	189	252	192
96	NEW FOREST	3,361	89	18	149	65	137	146	156	349	251
97	SOUTHAMPTON	5,787	491	128	243	278	359	257	218	422	302
98	SOUTH STONEHAM	4,257	294	20	217	278	187	226	178	314	225
99	ROMSEY	3,529	267	14	123	75	239	129	171	239	197
100	STOCKBRIDGE	3,498	263	–	158	74	221	130	127	332	237
101	WINCHESTER	4,159	445	5	126	136	213	233	168	361	289
102	DROXFORD	3,171	180	7	87	53	253	126	176	236	193
103	CATHERINGTON	3,261	108	–	162	135	54	108	161	244	198
104	PETERSFIELD	2,966	179	–	67	60	171	159	209	291	213
105	ALRESFORD	3,377	120	–	33	–	305	168	183	244	169
106	ALTON	3,613	147	–	24	95	175	218	213	310	265
107	HARTLEY WINTNEY	3,713	258	4	56	186	218	180	177	230	216
108	BASINGSTOKE	3,523	150	–	71	91	143	190	191	307	274
109	WHITCHURCH	3,554	186	–	106	12	146	157	179	240	201
110	ANDOVER	3,374	153	9	72	149	212	147	130	339	275
111	KINGSCLERE	3,220	181	9	112	104	121	83	125	326	262

TABLE 2. (*continued*).—**Annual Death-rate** PER **100,000** LIVING, among CHILDREN under FIVE YEARS OF AGE from ALL CAUSES and from SEVERAL CAUSES, and among MALES and FEMALES at ALL AGES from PHTHISIS and from DISEASES of the RESPIRATORY ORGANS.

No.	DISTRICTS.	Annual Death-rate per 100,000 Living. Under 5 Years of Age. All Causes.	Diarrhœa and Dysentery.	Small-pox.	Scarlet Fever.	Measles.	Whooping-cough.	At All Ages. Phthisis. Males.	Phthisis. Females.	Diseases of Respiratory Organs. Males.	Diseases of Respiratory Organs. Females.
	II.—SOUTH-EASTERN —*cont.*										
	5.—BERKSHIRE.										
112	NEWBURY	4,138	263	-	203	165	183	204	208	303	241
113	HUNGERFORD	3,886	191	8	87	95	145	149	177	308	242
114	FARINGDON	3,900	142	5	142	117	188	225	225	350	254
115	ABINGDON	4,921	384	14	155	212	293	199	237	335	271
116	WANTAGE	4,441	418	-	194	182	220	150	211	258	221
117	WALLINGFORD	4,011	224	5	99	130	140	180	203	350	315
118	BRADFIELD	3,412	288	-	120	146	193	114	148	268	235
119	READING	5,550	513	4	190	218	417	247	195	327	271
120	WOKINGHAM	3,667	246	-	36	101	209	152	149	336	305
121	COOKHAM	4,151	415	-	148	196	339	135	151	290	241
122	EASTHAMSTEAD	2,922	126	-	60	113	259	199	161	263	212
123	WINDSOR	4,929	588	6	150	133	408	267	193	316	284
	III.—SOUTH MIDLAND COUNTIES.										
	6.—MIDDLESEX—(*ex-met.*)										
124	STAINES	4,451	472	21	113	233	270	179	164	285	246
125	UXBRIDGE	4,905	522	21	191	191	287	168	235	429	399
126	BRENTFORD	5,147	570	42	159	245	365	206	147	349	299
127	HENDON	5,451	576	37	173	283	440	178	144	344	278
128	BARNET	4,075	409	3	105	182	326	214	240	291	276
129	EDMONTON	4,554	475	16	144	173	240	181	139	313	269
	7.—HERTFORDSHIRE.										
130	WARE	3,607	354	-	93	118	249	166	130	293	227
131	BISHOP STORTFORD	3,613	183	27	58	125	338	138	133	301	244
132	ROYSTON	4,017	412	12	66	63	296	141	143	277	212
133	HITCHIN	4,944	501	11	196	233	360	169	160	340	242
134	HERTFORD	3,867	525	-	78	268	331	118	124	304	276
135	HATFIELD	3,819	214	-	165	123	214	154	139	334	286
136	ST. ALBANS	4,592	547	17	160	153	258	239	196	322	290
137	WATFORD	4,813	347	14	185	185	292	281	218	368	292
138	HEMEL HEMPSTEAD	5,118	442	21	139	237	273	203	160	345	257
139	BERKHAMPSTEAD	5,275	606	15	147	187	399	162	178	326	277
	8.—BUCKINGHAMSH.										
140	AMERSHAM	4,975	396	12	254	234	265	123	186	331	286
141	ETON	4,215	323	9	120	160	332	180	162	306	228
142	WYCOMBE	5,295	430	-	37	198	328	155	163	330	271
143	AYLESBURY	4,690	409	-	92	144	336	176	181	397	330
144	WINSLOW	4,114	185	9	157	124	314	133	201	230	185
145	NEWPORT PAGNELL	4,676	277	3	423	143	328	150	217	279	221
146	BUCKINGHAM	4,596	205	6	102	157	271	137	195	261	214
	9.—OXFORDSHRE.										
147	HENLEY	3,594	322	-	97	109	233	165	161	348	265
148	THAME	4,737	161	-	229	135	265	148	189	305	250
149	HEADINGTON	4,977	421	22	184	115	156	262	206	289	210
150	OXFORD	6,250	791	41	150	169	240	266	240	350	313
151	BICESTER	4,387	200	-	149	144	149	146	160	333	251
152	WOODSTOCK	4,171	220	-	100	131	184	161	195	371	235
153	WITNEY	4,581	244	3	185	94	250	157	191	345	286
154	CHIPPING NORTON	4,654	163	-	135	127	119	155	181	314	284
155	BANBURY	4,570	261	5	224	176	216	164	182	329	238

TABLE 2. (*continued*).—**Annual Death-rate per 100,000 living**, among CHILDREN under FIVE YEARS of AGE from ALL CAUSES and from SEVERAL CAUSES, and among MALES and FEMALES at ALL AGES from PHTHISIS and from DISEASES of the RESPIRATORY ORGANS.

No.	DISTRICTS.	Annual Death-rate per 100,000 living. Under 5 Years of Age. All Causes.	Diarrhœa and Dysentery.	Small-pox.	Scarlet Fever.	Measles.	Whooping cough.	At All Ages. Phthisis. Males.	Phthisis. Females.	Diseases of Respiratory Organs. Males.	Diseases of Respiratory Organs. Females.
	III.—SOUTH MIDLAND COUNTIES—*cont.*										
	10.—NORTHAMPTNSH.										
156	BRACKLEY	4,446	155	6	232	137	197	123	180	273	233
157	TOWCESTER	4,549	176	6	129	117	211	143	165	301	283
158	POTTERSPURY	4,534	180	–	230	149	193	139	187	240	185
159	HARDINGSTONE	4,872	470	28	152	152	207	189	222	366	297
160	NORTHAMPTON	7,141	1,085	198	207	286	418	241	214	426	363
161	DAVENTRY	4,465	236	13	173	173	173	170	184	332	249
162	BRIXWORTH	3,774	269	12	205	76	140	169	173	311	207
163	WELLINGBOROUGH	6,348	480	–	238	418	319	167	211	357	320
164	KETTERING	5,335	418	3	126	270	333	138	172	304	250
165	THRAPSTON	4,983	277	10	95	138	277	134	180	360	274
166	OUNDLE	4,147	328	–	91	156	312	128	196	271	218
167	PETERBOROUGH	5,242	456	9	262	144	165	185	196	335	249
	11.—HUNTINGDONSH.										
168	HUNTINGDON	4,422	481	7	242	97	224	173	182	329	270
169	ST. IVES	4,426	278	–	130	100	252	181	217	352	270
170	ST. NEOTS	4,489	378	–	236	77	236	164	244	329	240
	12.—BEDFORDSHIRE.										
171	BEDFORD	5,058	537	19	138	134	365	195	230	305	235
172	BIGGLESWADE	5,471	573	16	231	180	443	185	255	377	332
173	AMPTHILL	5,147	273	4	226	119	366	111	189	316	239
174	WOBURN	4,872	203	30	278	128	173	195	224	319	286
175	LEIGHTON BUZZARD	5,266	291	8	198	206	214	145	194	354	281
176	LUTON	6,611	825	–	383	162	498	247	256	324	232
	13.—CAMBRIDGESH.										
177	CAXTON	4,411	286	–	64	121	325	167	210	311	231
178	CHESTERTON	4,248	379	8	142	149	227	194	229	284	242
179	CAMBRIDGE	5,564	734	45	56	192	384	290	188	362	295
180	LINTON	3,174	245	5	80	90	230	159	181	282	257
181	NEWMARKET	4,497	424	16	40	132	175	207	240	304	257
182	ELY	5,462	323	7	172	130	421	194	247	244	220
183	NORTH WITCHFORD	5,171	384	14	187	159	250	149	164	301	301
184	WHITTLESEY	5,204	649	–	121	156	330	201	218	231	212
185	WISBECH	5,280	354	28	154	143	385	147	149	326	264
	IV.—EASTERN COUNTIES.										
	14.—ESSEX.										
186	WEST HAM	5,554	527	65	236	202	390	223	161	354	311
187	EPPING	4,146	373	33	163	116	282	131	139	270	226
188	ONGAR	3,897	233	14	105	91	328	145	124	331	247
189	ROMFORD	5,099	535	24	261	155	282	193	151	342	253
190	ORSETT	4,379	350	–	218	204	282	158	137	283	247
191	BILLERICAY	4,102	397	32	92	102	337	222	212	329	228
192	CHELMSFORD	4,087	232	2	192	113	273	164	174	296	264
193	ROCHFORD	4,225	561	22	121	98	270	127	129	300	251
194	MALDON	4,143	254	18	160	67	342	145	184	281	198
195	TENDRING	4,124	361	15	137	97	299	164	201	255	247
196	COLCHESTER	5,577	720	15	125	222	462	275	221	336	292
197	LEXDEN	3,560	278	9	80	83	231	166	221	297	219
	WITHAM*	3,846	248	10	121	76	374	194	186	308	249
198	HALSTEAD	4,580	264	13	273	98	264	151	272	318	271
199	BRAINTREE	4,726	340	4	106	143	463	206	249	299	280
200	DUNMOW	3,482	169	–	45	70	314	149	198	297	234
201	SAFFRON WALDEN	3,905	259	–	144	56	247	137	180	329	244

* The District of WITHAM was abolished and its parts distributed among several other Districts on 1st July 1880. *See also* notes on pp. 149, 372.

TABLE 2. (*continued*).—**Annual Death-rate per 100,000 living**, among CHILDREN under FIVE YEARS OF AGE from ALL CAUSES and from SEVERAL CAUSES, and among MALES and FEMALES at ALL AGES from PHTHISIS and from DISEASES of the RESPIRATORY ORGANS.

No.	DISTRICTS.	Annual Death-rate per 100,000 Living.									
		Under 5 Years of Age.						At All Ages.			
								Phthisis.		Diseases of Respiratory Organs.	
		All Causes.	Diarrhœa and Dysentery.	Small-pox.	Scarlet Fever.	Measles.	Whooping-cough.	Males.	Females.	Males.	Females.
	IV.—EASTERN COUNTIES—*cont.*										
	15.—SUFFOLK.										
202	Risbridge	4,072	299	20	130	75	366	148	178	310	271
203	Sudbury	4,212	293	7	193	108	235	206	223	355	257
204	Cosford	4,081	192	-	32	69	238	152	210	309	273
205	Thingoe	3,385	167	-	137	85	194	179	232	241	209
206	Bury St. Edmunds	6,072	520	16	345	154	478	259	223	383	297
207	Mildenhall	4,200	143	-	24	56	349	173	201	344	275
208	Stow	4,285	227	-	106	106	380	162	206	241	227
209	Hartismere	3,949	210	5	101	123	302	187	256	296	298
210	Hoxne	4,051	152	-	54	81	190	149	220	269	286
211	Bosmere	4,027	193	-	130	96	275	181	225	280	202
212	Samford	3,707	202	-	63	38	221	170	248	347	273
213	Ipswich	6,325	867	27	202	122	423	278	244	378	305
214	Woodbridge	3,666	265	7	113	65	199	179	196	353	257
215	Plomesgate	3,686	138	-	82	64	336	170	207	279	266
216	Blything	3,712	166	11	115	62	351	189	230	235	228
217	Wangford	4,057	275	11	164	58	117	215	251	278	239
218	Mutford	4,942	616	39	141	125	210	124	149	269	233
	16.—NORFOLK.										
219	Yarmouth	7,537	1,428	56	549	145	263	196	195	338	321
220	Flegg	4,903	507	-	269	67	261	160	187	344	253
221	Smallburgh	3,859	235	-	129	37	188	148	201	183	154
222	Erpingham	3,957	157	4	126	91	276	162	214	221	211
223	Aylsham	3,832	180	9	116	47	231	150	191	264	224
224	St. Faiths	4,229	174	63	91	91	223	139	238	192	208
225	Norwich	7,229	978	135	297	185	470	247	205	338	276
226	Forehoe	3,659	216	20	53	61	182	197	179	232	213
227	Henstead	3,844	224	82	165	30	209	197	204	289	217
228	Blofield	4,120	254	7	367	92	205	187	278	269	229
229	Loddon	3,412	117	-	89	67	201	150	226	266	207
230	Depwade	3,992	173	-	114	62	254	181	170	241	199
231	Guiltcross	3,860	129	-	136	21	200	189	174	222	221
232	Wayland	4,517	123	7	94	51	216	169	201	324	287
233	Mitford	4,128	238	3	91	79	198	176	210	322	211
234	Walsingham	4,091	130	12	114	86	298	181	200	280	213
235	Docking	4,865	193	-	301	45	287	139	189	250	187
236	Freebridge Lynn	5,048	330	-	276	102	336	165	168	277	273
237	Kings Lynn	5,651	336	70	378	131	345	211	156	317	243
238	Downham	5,107	343	8	200	132	230	149	224	303	334
239	Swaffham	3,918	131	12	77	18	178	115	155	299	223
240	Thetford	4,459	260	9	77	94	281	213	260	298	254
	V.—SOUTH-WESTERN COUNTIES.										
	17.—WILTSHIRE.										
241	Highworth	4,936	218	15	365	189	218	159	172	325	279
242	Cricklade	4,047	187	-	106	44	112	163	216	357	289
243	Malmesbury	3,453	134	-	77	69	168	157	179	411	367
244	Chippenham	3,792	179	-	95	137	140	175	161	318	265
245	Calne	3,164	116	-	36	45	276	131	153	320	323
246	Marlborough	3,993	303	8	76	76	177	144	199	243	208
247	Devizes	3,798	197	8	249	139	270	230	238	433	332
248	Melksham	5,080	508	4	315	328	244	177	158	380	307
249	Bradford-on-Avon	3,002	205	-	205	88	278	125	110	344	325
250	Westbury	4,472	326	7	292	243	139	135	134	312	222
251	Warminster	3,673	120	-	223	29	97	190	203	342	307
252	Pewsey *	3,869	130	-	234	78	228	193	217	356	316
253	Amesbury	3,547	142	-	193	81	264	162	166	401	330
254	Alderbury { Alderbury	3,592	238	-	225	112	229	196	187	371	277
	Alderbury { Salisbury	5,364	568	9	350	360	360	294	179	361	372
255	Wilton	3,580	109	7	138	152	123	145	160	283	224
256	Tisbury	3,231	133	8	110	133	78	134	171	344	288
257	Mere	4,010	380	10	160	40	250	98	134	380	305

TABLE 2. (*continued*).—**Annual Death-rate** PER **100,000** LIVING, among CHILDREN under FIVE YEARS OF AGE from ALL CAUSES and from SEVERAL CAUSES, and among MALES and FEMALES at ALL AGES from PHTHISIS and from DISEASES of the RESPIRATORY ORGANS.

No.	DISTRICTS.	Annual Death-rate per 100,000 Living. Under 5 Years of Age. All Causes.	Diarrhœa and Dysentery.	Small-pox.	Scarlet Fever.	Measles.	Whooping-cough.	At All Ages. Phthisis. Males.	Phthisis. Females.	Diseases of Respiratory Organs. Males.	Diseases of Respiratory Organs. Females.
	V.—SOUTH-WESTERN COUNTIES—*cont.*										
	18.—DORSETSHIRE.										
258	SHAFTESBURY	3,243	177	-	153	88	135	120	169	302	255
259	STURMINSTER	3,488	203	7	109	15	167	179	214	289	252
260	BLANDFORD	3,433	115	-	92	138	219	134	179	365	286
261	WIMBORNE	3,306	117	-	67	54	279	116	162	318	272
262	POOLE	4,568	250	-	186	229	216	162	231	362	302
263	WAREHAM	3,502	96	-	109	74	236	196	192	278	295
264	WEYMOUTH	4,439	275	46	169	193	155	149	161	357	330
265	DORCHESTER	4,089	157	-	109	134	246	203	193	357	283
266	SHERBORNE	3,962	154	-	308	101	313	195	136	303	221
267	BEAMINSTER	4,665	154	19	148	142	245	187	178	400	303
268	BRIDPORT	4,773	100	72	239	210	210	150	171	407	317
	19.—DEVONSHIRE.										
269	AXMINSTER	4,209	159	-	142	75	297	151	203	328	237
270	HONITON	4,118	214	4	112	86	270	163	182	349	236
271	ST. THOMAS	4,208	332	12	168	281	237	216	220	366	279
272	EXETER	8,008	772	13	318	707	514	300	240	484	394
273	NEWTON ABBOT	4,583	318	5	173	207	323	223	202	368	266
274	TOTNES	4,269	205	2	215	200	310	133	160	342	249
275	KINGSBRIDGE	4,048	121	-	46	158	403	154	209	403	277
276	PLYMPTON ST. MARY	4,160	290	10	125	162	307	157	179	349	277
277	PLYMOUTH	7,508	714	102	152	892	561	263	248	450	358
278	EAST STONEHOUSE	8,350	680	63	159	1,138	342	486	240	618	408
279	STOKE DAMEREL	6,784	559	84	225	942	529	194	187	358	309
280	TAVISTOCK	4,118	209	14	87	125	244	192	226	380	252
281	OKEHAMPTON	3,794	127	-	136	149	294	149	162	358	264
282	CREDITON	3,448	106	8	89	110	250	149	154	374	262
283	TIVERTON	4,025	189	22	232	200	197	201	182	401	264
284	SOUTH MOLTON	3,651	147	13	191	120	249	172	206	336	256
285	BARNSTAPLE	4,276	424	13	282	164	242	221	203	354	309
286	TORRINGTON	3,721	160	31	258	78	248	177	274	324	299
287	BIDEFORD	4,268	250	119	189	213	344	153	158	353	294
288	HOLSWORTHY	4,126	164	-	112	112	345	146	272	451	379
	20.—CORNWALL.										
289	STRATTON	3,687	131	-	121	131	172	202	198	302	203
290	CAMELFORD	4,407	220	-	67	38	679	173	154	188	172
291	LAUNCESTON	4,357	156	9	151	76	350	158	186	365	316
292	ST. GERMANS	4,623	346	19	128	171	384	195	199	331	245
293	LISKEARD	4,314	168	24	115	173	327	198	184	342	233
294	BODMIN	5,068	124	13	243	159	283	199	251	323	250
295	ST. COLUMB	4,941	176	-	95	157	443	194	188	277	238
296	ST. AUSTELL	6,261	247	25	407	199	456	238	228	317	260
297	TRURO	5,528	279	43	211	119	425	245	208	314	229
298	FALMOUTH	5,947	447	152	376	254	355	186	198	314	278
299	HELSTON	6,142	184	108	238	70	292	334	234	352	225
300	REDRUTH	6,893	427	87	473	112	482	303	204	375	235
301	PENZANCE	6,831	624	43	303	223	453	256	196	329	257
302	SCILLY ISLANDS	3,293	120	-	80	-	120	195	195	167	151
	21.—SOMERSETSHIRE.										
303	WILLITON	3,512	171	-	278	87	290	138	147	354	261
304	DULVERTON	3,196	96	-	110	69	193	107	125	418	279
305	WELLINGTON	3,392	158	-	146	146	219	128	175	365	294
306	TAUNTON	4,026	299	19	200	162	314	200	188	348	252
307	BRIDGWATER	4,198	207	87	282	351	193	167	158	326	273
308	LANGPORT	3,655	223	-	189	155	243	143	181	308	259
309	CHARD	4,854	287	-	241	145	296	168	180	387	278
310	YEOVIL	4,718	227	119	348	208	298	180	179	320	263
311	WINCANTON	3,792	222	-	153	80	207	155	163	388	306
312	FROME	4,014	330	-	75	128	200	138	118	387	287
313	SHEPTON MALLET	3,950	161	-	101	75	151	127	145	320	233
314	WELLS	4,017	265	7	76	127	196	182	174	349	325
315	AXBRIDGE	3,984	251	6	95	113	243	179	158	329	232
316	CLUTTON	4,244	283	3	195	149	228	123	147	310	238
317	BATH	5,615	533	28	295	282	306	240	152	434	371
318	KEYNSHAM	4,664	318	15	157	160	294	160	178	345	284
319	BEDMINSTER	6,148	439	38	412	244	400	159	155	420	358

TABLE 2. (*continued*).—**Annual Death-rate per 100,000 living, among Children under Five Years of Age from All Causes and from Several Causes, and among Males and Females at All Ages from Phthisis and from Diseases of the Respiratory Organs.**

No.	Districts.	Annual Death-rate per 100,000 living. Under 5 Years of Age. All Causes.	Diarrhœa and Dysentery.	Small-pox.	Scarlet Fever.	Measles.	Whooping-cough.	At All Ages. Phthisis. Males.	Phthisis. Females.	Diseases of Respiratory Organs. Males.	Diseases of Respiratory Organs. Females.
	VI.—WEST MIDLAND COUNTIES.										
	22.—GLOUCESTERSH.										
320	Bristol (*part of City*)	7,823	666	35	375	307	425	288	214	565	486
321	Clifton (*including part of Bristol City*)	6,253	477	36	303	307	382	235	195	409	324
322	Chipping Sodbury	4,243	208	8	148	182	165	129	121	331	293
323	Thornbury	3,443	104	13	117	185	187	126	148	366	288
324	Dursley	3,942	220	-	296	176	170	137	154	339	267
325	Westbury-on-Severn	5,171	184	23	313	202	219	119	132	389	311
326	Newent	3,785	95	-	122	115	142	85	113	398	310
327	Gloucester	5,548	563	48	339	278	318	190	180	349	273
328	Wheatenhurst	3,645	234	-	254	152	183	127	177	224	187
329	Stroud	4,698	337	8	157	143	244	147	143	389	292
330	Tetbury	3,058	116	-	77	168	103	174	201	262	221
331	Cirencester	4,188	237	-	94	102	188	162	141	266	258
332	Northleach	3,601	126	-	89	52	97	98	144	283	249
333	Stow-on-the-Wold	3,391	91	-	99	83	272	170	203	304	214
334	Winchcomb	3,331	155	-	139	62	124	132	121	278	247
335	Cheltenham	4,841	484	26	194	321	146	190	151	377	302
336	Tewkesbury	4,116	249	23	191	116	267	148	179	283	221
	23.—HEREFORDSHIRE.										
337	Ledbury	3,264	137	7	124	78	98	135	136	295	230
338	Ross	4,509	218	-	128	133	209	130	137	330	253
339	Hereford	4,201	305	6	218	125	258	183	181	345	271
340	Weobly	2,961	206	-	179	27	134	135	121	302	258
341	Bromyard	4,018	184	7	92	78	134	106	117	386	276
342	Leominster	3,914	209	11	209	143	148	151	141	345	292
343	Kington	3,627	114	-	94	61	236	150	157	250	239
	24.—SHROPSHIRE.										
344	Ludlow	4,467	365	13	200	153	191	123	118	390	311
345	Clun	2,833	66	-	201	66	303	122	165	257	217
346	Church Stretton	3,118	134	27	175	40	228	117	140	231	225
347	Cleobury Mortimer	3,283	158	-	102	65	139	115	116	372	282
348	Bridgnorth	3,763	374	11	100	142	126	123	121	356	280
349	Shifnal	4,322	415	-	316	170	164	133	129	372	304
350	Madeley	6,076	458	5	424	211	235	198	185	384	326
351	Atcham { Atcham	3,205	112	-	181	78	181	167	161	328	228
	Atcham { Shrewsbury	5,373	578	6	264	238	273	248	227	409	361
352	Oswestry	4,251	141	14	332	79	194	190	212	286	169
353	Ellesmere	3,550	124	-	213	77	183	188	156	286	198
354	Wem	3,039	259	-	168	53	168	190	171	219	201
355	Whitchurch	4,802	403	-	184	134	184	182	178	283	244
356	Market Drayton	3,831	244	5	85	48	159	189	138	354	265
357	Wellington	5,751	528	61	311	109	223	183	136	434	335
358	Newport	4,110	291	15	177	94	202	110	147	287	214
	25.—STAFFORDSHIRE.										
359	Stafford	5,325	347	5	368	105	336	281	237	338	235
360	Stone	5,465	488	5	357	148	181	206	203	393	314
361	Newcastle-under-Lyme	6,328	461	46	266	334	249	170	187	382	350
362	Wolstanton	8,573	810	22	479	352	347	172	167	547	389
363	Stoke-upon-Trent	8,076	991	35	574	305	326	238	210	565	417
364	Leek	6,048	453	2	336	289	357	166	223	447	363
365	Cheadle	4,791	332	9	272	133	278	176	226	360	296
366	Uttoxeter	3,508	168	6	184	78	212	157	200	357	250
367	Burton-upon-Trent	5,216	413	34	336	216	232	239	190	305	299
368	Tamworth	4,996	437	37	264	286	202	124	159	362	311
369	Lichfield	4,768	228	14	317	139	214	144	161	353	279
370	Penkridge	5,812	374	41	379	109	226	115	130	389	323
371	Wolverhampton	7,326	786	108	524	225	404	156	138	497	404
372	Walsall	7,843	808	185	572	188	373	157	134	477	382
373	West Bromwich	7,553	659	47	600	223	314	128	109	433	341
374	Dudley	8,491	748	269	579	356	343	101	104	484	377

TABLE 2. (*continued*).—**Annual Death-rate** PER **100,000** LIVING, among CHILDREN under FIVE YEARS OF AGE from ALL CAUSES and from SEVERAL CAUSES, and among MALES and FEMALES at ALL AGES from PHTHISIS and from DISEASES of the RESPIRATORY ORGANS.

No.	DISTRICTS.	Annual Death-rate per 100,000 living. Under 5 Years of Age. All Causes.	Diarrhœa and Dysentery.	Small-pox.	Scarlet Fever.	Measles.	Whooping-cough.	At All Ages. Phthisis. Males.	Phthisis. Females.	Diseases of Respiratory Organs. Males.	Diseases of Respiratory Organs. Females.
	VI.—WEST MIDLAND COUNTIES—*cont.*										
	26.—WORCESTRSHIRE.										
375	Stourbridge	7,148	576	113	541	274	261	119	124	416	331
376	Kidderminster	5,504	638	10	414	245	224	193	163	397	279
377	Tenbury	3,596	165	10	224	136	194	133	105	299	282
378	Martley	3,144	251	5	133	114	137	119	120	326	227
379	Worcester	6,824	1110	61	314	301	210	237	187	435	371
380	Upton-on-Severn	3,341	157	4	124	56	124	159	135	295	219
381	Evesham	4,019	282	10	200	53	158	134	165	328	244
382	Pershore	3,638	292	6	241	79	129	125	119	297	205
383	Droitwich	4,306	391	6	207	92	201	111	137	300	244
384	Bromsgrove	5,581	592	9	465	159	241	181	157	357	296
385	Kings Norton	5,090	519	15	366	122	301	162	134	367	285
	27.—WARWICKSHIRE.										
386	Birmingham	8,616	1178	71	580	298	627	200	197	575	474
387	Aston	7,075	893	33	508	223	480	196	153	430	367
388	Meriden	3,563	225	7	180	67	157	129	148	391	291
389	Atherstone	5,124	635	11	201	286	227	118	176	421	341
390	Nuneaton	6,544	415	144	289	127	156	146	195	425	382
391	Foleshill	6,923	350	48	306	230	161	142	172	375	247
392	Coventry	6,809	1006	116	443	201	356	237	151	413	360
393	Rugby	4,207	281	9	152	121	152	114	143	364	283
394	Solihull	3,432	257	17	124	73	244	123	112	277	201
395	Warwick	5,028	459	5	234	181	225	227	173	337	239
396	Stratford-on-Avon	3,850	269	3	177	112	201	131	152	313	262
397	Alcester	4,788	288	19	304	175	171	185	181	392	288
398	Shipston-on-Stour	3,575	186	4	77	61	235	132	155	325	219
399	Southam	3,903	155	35	162	134	233	107	159	273	233
	VII.—NORTH MIDLAND. COUNTIES.										
	28.—LEICESTERSH.										
400	Lutterworth	3,810	141	-	67	98	128	132	183	318	256
401	Market Harborough	4,534	425	5	135	188	237	156	165	279	226
402	Billesdon	3,797	320	9	156	73	229	180	149	308	211
403	Blaby	5,578	611	38	563	165	169	104	152	352	306
404	Hinckley	6,897	548	-	455	333	375	122	184	370	302
405	Market Bosworth	5,157	408	20	266	192	202	124	130	354	302
406	Ashby-de-la-Zouch	5,587	402	113	384	175	252	121	149	313	276
407	Loughborough	6,717	680	31	416	269	233	221	202	399	342
408	Barrow-upon-Soar	5,779	690	35	185	215	253	152	207	350	288
409	Leicester	9,252	1,781	75	365	382	371	226	188	434	334
410	Melton Mowbray	4,830	417	-	230	161	222	161	182	314	265
	29.—RUTLANDSHIRE.										
411	Oakham	4,448	193	-	337	115	308	137	159	286	225
412	Uppingham	4,061	242	-	141	88	209	117	110	353	274
	30.—LINCOLNSHIRE.										
413	Stamford	4,344	362	-	183	223	210	172	154	410	312
414	Bourn	4,674	283	-	341	149	275	143	191	287	248
415	Spalding	4,874	387	-	210	102	295	142	177	345	292
416	Holbeach	4,790	177	11	151	96	317	140	210	363	274
417	Boston	4,542	350	8	167	129	234	173	177	291	234
418	Sleaford	4,153	403	3	279	104	196	136	168	319	267
419	Grantham	4,730	415	7	282	188	310	149	160	335	281
420	Lincoln	5,964	671	20	320	141	256	183	221	342	283
421	Horncastle	3,941	108	7	160	66	215	171	200	222	167
422	Spilsby	3,758	164	-	105	48	223	166	214	209	184
423	Louth	4,131	295	2	164	73	248	149	174	288	222
424	Caistor	5,479	643	174	2[illegible]8	117	208	126	168	293	264
425	Glanford Brigg	4,655	425	4	233	143	202	125	194	308	261
426	Gainsborough	4,778	449	23	252	88	227	148	183	379	289

TABLE 2. (*continued*).—**Annual Death-rate per 100,000 living**, among CHILDREN under FIVE YEARS OF AGE from ALL CAUSES and from SEVERAL CAUSES, and among MALES and FEMALES at ALL AGES from PHTHISIS and from DISEASES of the RESPIRATORY ORGANS.

No.	DISTRICTS.	Annual Death-rate per 100,000 living. Under 5 Years of Age. All Causes.	Diarrhœa and Dysentery.	Small-pox.	Scarlet Fever.	Measles.	Whooping-cough.	At All Ages. Phthisis. Males.	Phthisis. Females.	Diseases of Respiratory Organs. Males.	Diseases of Respiratory Organs. Females.
	VII.—NORTH MIDLAND COUNTIES—*cont.*										
	31.—NOTTINGHAMSH.										
427	EAST RETFORD	4,252	259	7	206	95	170	138	168	333	287
428	WORKSOP	5,216	317	45	260	132	217	152	163	386	280
429	MANSFIELD	6,834	604	68	411	256	289	155	198	385	325
430	BASFORD	6,840	593	77	334	256	274	152	214	354	324
431	NOTTINGHAM (*including Radford*)	8,001	986	93	348	373	317	238	219	448	385
432	SOUTHWELL	3,720	124	12	189	97	212	175	227	249	248
433	NEWARK	5,088	318	5	281	114	177	185	188	366	291
434	BINGHAM	4,283	172	27	139	118	247	146	235	297	275
	32.—DERBYSHIRE.										
435	SHARDLOW	4,975	270	5	262	193	223	159	170	328	228
436	DERBY	6,391	633	4	448	233	298	231	220	385	325
437	BELPER	5,897	369	10	326	137	219	155	235	367	309
438	ASHBORNE	4,125	153	-	275	95	267	193	228	305	240
439	CHESTERFIELD	6,376	385	35	395	254	248	143	187	415	372
440	BAKEWELL	4,327	119	10	262	44	184	160	183	356	261
441	CHAPEL-EN-LE-FRITH	4,782	299	-	310	91	211	186	170	352	276
442	HAYFIELD	6,487	434	9	443	243	305	227	212	473	378
	VIII.—NORTH WESTERN COUNTIES.										
	33.—CHESHIRE.										
443	STOCKPORT	8,033	905	10	600	306	341	226	229	568	468
444	MACCLESFIELD	6,292	466	4	338	301	269	251	265	471	371
445	ALTRINCHAM	4,677	405	17	280	159	280	180	203	358	293
446	RUNCORN	5,934	586	19	393	264	336	160	194	410	348
447	NORTHWICH	6,155	466	7	432	324	236	140	170	329	315
448	CONGLETON	5,778	333	6	406	228	299	175	260	393	310
449	NANTWICH	5,351	344	19	468	202	189	146	164	341	274
450	CHESTER	5,241	481	24	345	179	287	234	211	345	299
451	WIRRAL	4,022	385	15	288	97	276	182	155	274	233
452	BIRKENHEAD	6,244	503	39	474	346	376	188	172	366	304
	34.—LANCASHIRE.										
453	LIVERPOOL	11,929	1,413	151	663	700	794	405	328	742	669
455	WEST DERBY (*including Toxteth Park* (454) *which was created a Registration District on* 1st Jan. 1881)	7,591	814	97	484	376	499	251	224	466	399
456	PRESCOT	7,051	821	43	548	380	326	175	186	457	394
457	ORMSKIRK	5,518	413	32	334	113	179	265	218	403	301
458	WIGAN	8,728	1,113	19	565	448	397	171	276	592	521
459	WARRINGTON	6,761	662	16	455	376	401	189	189	406	331
460	LEIGH	7,546	659	12	627	409	237	166	211	552	458
461	BOLTON	7,854	913	29	530	430	442	219	204	599	485
462	BURY	7,584	774	8	604	307	254	246	233	519	423
463	BARTON-UPON-IRWELL	6,407	594	33	518	286	281	193	198	520	377
464	CHORLTON	7,782	801	31	463	360	469	304	238	543	468
465	SALFORD	9,596	1,244	101	577	608	607	307	246	598	515
466	MANCHESTER (*including Prestwich*), 1871-73	10,982	1,884	87	684	470	636	360	319	651	577
	MANCHESTER, 1874-80	10,352	1,123	20	596	436	751	396	292	761	673
467	PRESTWICH*	7,894	712	65	593	424	501	271	242	545	453
468	ASHTON-UNDER-LYNE	8,381	854	7	519	319	332	267	219	545	468
469	OLDHAM	8,479	562	21	743	366	461	263	226	582	451
470	ROCHDALE	7,725	596	18	563	510	351	263	232	519	399
471	HASLINGDEN	7,178	545	4	554	336	322	211	199	509	386
472	BURNLEY	8,045	745	18	545	419	298	200	194	509	414
473	CLITHEROE	5,202	322	3	336	253	215	139	195	408	358

* PRESTWICH was separated from MANCHESTER and created a Registration District, 1st October 1874. *See also* notes on pp. 284-5.

TABLE 2. (*continued*).—**Annual Death-rate** PER **100,000** LIVING, among CHILDREN under FIVE YEARS OF AGE from ALL CAUSES and from SEVERAL CAUSES, and among MALES and FEMALES at ALL AGES from PHTHISIS and from DISEASES of the RESPIRATORY ORGANS.

No.	DISTRICTS.	ANNUAL DEATH-RATE PER 100,000 LIVING. Under 5 Years of Age. All Causes.	Diarrhœa and Dysentery.	Small-pox.	Scarlet Fever.	Measles.	Whooping-cough.	At All Ages. Phthisis. Males.	Phthisis. Females.	Diseases of Respiratory Organs. Males.	Diseases of Respiratory Organs. Females.
	VIII.—NORTH WESTERN COUNTIES—*cont.*										
	34.—LANCASHIRE— *continued.*										
474	BLACKBURN	9,033	902	6	759	536	368	231	209	613	500
475	CHORLEY	6,770	420	2	453	246	283	200	227	498	399
476	PRESTON	9,785	1,561	20	683	482	472	279	288	589	499
477	FYLDE	6,085	622	4	490	171	253	204	206	356	289
478	GARSTANG	3,755	206	12	157	79	164	172	212	301	233
479	LANCASTER	5,634	418	12	381	213	309	247	252	463	365
480	LUNESDALE	3,925	330	11	205	114	171	149	229	267	254
481	ULVERSTON (*including Barrow-in-Furness*), 1871-76	7,062	658	92	450	240	291	207	221	429	303
	ULVERSTON, 1876-80	4,372	325	–	77	248	126	182	231	350	249
482	BARROW-IN-FURNESS*	6,553	604	–	309	341	393	143	153	301	282
	IX.—YORKSHIRE.										
	35.—WEST RIDING.										
483	SEDBERGH	4,270	36	18	90	162	162	158	244	358	290
484	SETTLE	4,728	131	71	109	120	185	149	224	316	269
485	SKIPTON	5,400	256	16	260	158	171	215	253	434	371
486	PATELEY BRIDGE	4,127	178	–	169	51	212	209	245	396	334
487	RIPON	4,424	232	35	278	61	121	187	186	319	270
488	GREAT OUSEBURN	3,705	280	7	137	117	248	152	137	259	259
489	KNARESBOROUGH	5,030	349	16	166	118	187	227	177	331	276
490	WETHERBY	3,855	232	–	200	37	121	161	211	336	259
491	WHARFEDALE	5,930	347	–	211	201	312	229	252	419	336
492	KEIGHLEY	7,478	507	100	393	279	372	240	290	532	424
493	TODMORDEN	6,827	372	38	802	279	372	173	179	499	384
494	SADDLEWORTH	6,781	505	11	400	273	269	282	275	465	353
495	HUDDERSFIELD	6,823	450	5	395	301	367	286	263	464	357
496	HALIFAX	7,264	343	6	605	258	334	258	229	531	387
497	BRADFORD	8,371	741	16	546	329	413	255	246	509	398
498	HUNSLET	8,835	1,075	39	436	330	371	200	192	551	446
499	HOLBECK	9,400	1,093	24	534	349	505	212	215	577	471
500	BRAMLEY	7,493	777	14	450	258	411	186	183	448	366
501	LEEDS	8,747	1,502	26	529	279	462	269	213	539	463
502	DEWSBURY	8,327	656	84	568	342	362	223	213	485	371
503	WAKEFIELD	6,973	704	59	483	202	313	230	228	454	400
504	PONTEFRACT	7,439	849	61	408	259	283	169	181	364	310
505	HEMSWORTH	4,093	125	8	234	101	156	133	164	268	234
506	BARNSLEY	7,725	823	11	543	320	273	178	201	416	395
507	WORTLEY	5,879	362	43	394	152	276	196	230	453	361
508	ECCLESALL BIERLOW	6,914	688	39	541	207	382	270	196	466	363
509	SHEFFIELD	9,122	1,096	168	703	302	516	275	212	639	527
510	ROTHERHAM	6,683	498	84	528	187	286	166	172	433	374
511	DONCASTER	6,514	474	48	400	189	268	169	179	415	316
512	THORNE	5,114	342	5	291	178	200	134	193	276	264
513	GOOLE	6,458	920	–	540	190	277	142	158	324	307
514	SELBY	5,535	454	–	478	121	297	137	151	296	231
515	TADCASTER	5,328	380	9	300	116	233	139	190	319	273
	36.—E. RIDING. (*with Yk.*)										
516	YORK	5,947	813	23	194	132	318	230	197	340	310
517	POCKLINGTON	4,271	433	20	214	85	229	129	181	260	202
518	HOWDEN	4,438	289	–	187	80	284	171	209	278	263
519	BEVERLEY	4,615	544	17	162	101	216	160	204	235	201
520	SCULCOATES	7,153	116	37	287	263	365	197	203	345	308
521	HULL	7,789	1,102	64	296	254	400	232	229	436	361
522	PATRINGTON	5,490	486	9	286	113	217	161	181	182	147
523	SKIRLAUGH	4,161	414	8	153	69	184	135	159	270	182
524	DRIFFIELD	5,529	481	7	259	74	237	103	154	308	237
525	BRIDLINGTON	5,045	603	34	177	120	225	157	143	298	264

* BARROW-IN-FURNESS was separated from ULVERSTONE and created a Registration District, 1st July 1876. *See also* notes on pp. 292-3.

TABLE 2. (*continued*).—**Annual Death-rate** PER **100,000** LIVING, among CHILDREN under FIVE YEARS OF AGE from ALL CAUSES and from SEVERAL CAUSES, and among MALES and FEMALES at ALL AGES from PHTHISIS and from DISEASES of the RESPIRATORY ORGANS.

No.	DISTRICTS.	Annual Death-rate per 100,000 living. Under 5 Years of Age. All Causes.	Diarrhœa and Dysentery.	Small-pox.	Scarlet Fever.	Measles.	Whooping-cough.	At All Ages. Phthisis. Males.	Phthisis. Females.	Diseases of Respiratory Organs. Males.	Diseases of Respiratory Organs. Females.
	IX.—YORKSHIRE—*cont.*										
	37.—NORTH RIDING.										
526	SCARBOROUGH	5,605	550	69	101	123	224	182	157	312	265
527	MALTON	4,511	453	42	248	78	127	143	172	269	249
528	EASINGWOLD	3,395	193	-	97	72	105	151	181	288	217
529	THIRSK	4,216	220	12	309	101	178	132	177	374	305
530	HELMSLEY	4,058	250	7	155	68	243	128	182	310	251
531	PICKERING	5,610	268	6	317	122	360	115	140	362	347
532	WHITBY	5,093	350	19	266	203	264	149	176	352	292
533	GUISBROUGH (*including part of Middlesbrough*), 1871-5	8,349	914	142	473	214	371	164	196	379	315
	GUISBROUGH, 1875-80	6,511	583	-	447	239	314	139	181	332	288
534	MIDDLESBROUGH*	7,068	625	1	445	303	312	147	174	380	309
535	STOKESLEY	4,516	222	7	262	81	208	149	186	259	232
536	NORTHALLERTON	3,787	206	13	245	58	245	173	184	331	254
537	BEDALE	3,956	237	9	155	55	246	148	167	287	278
538	LEYBURN	3,839	180	-	218	38	284	201	201	275	203
539	AYSGARTH	4,009	103	-	103	162	147	172	239	340	254
540	REETH	4,155	122	-	152	30	350	311	288	480	†160
541	RICHMOND	3,902	241	11	115	121	230	211	217	330	254
	X.—NORTHERN COUNTIES.										
	38.—DURHAM.										
542	DARLINGTON	6,223	512	88	341	509	256	189	217	288	270
543	STOCKTON (*including part of Middlesbrough*), 1871-5	8,934	845	221	619	256	285	189	215	333	328
	STOCKTON, 1875-80	7,048	502	4	510	239	267	236	218	328	285
544	HARTLEPOOL	7,356	943	61	562	205	389	178	213	341	319
545	AUCKLAND	8,249	511	102	649	281	346	158	205	374	321
546	TEESDALE	4,461	205	15	232	86	217	164	217	408	286
547	WEARDALE	5,716	269	23	322	180	207	210	323	408	293
548	LANCHESTER†	6,666	493	-	518	187	250	135	217	370	332
549	DURHAM (*incldg. Lanchester*), 1871-5	8,716	392	442	564	274	176	161	191	294	233
	DURHAM, 1875-80	8,520	670	-	703	280	276	193	204	365	329
550	EASINGTON	8,593	609	210	600	316	334	118	153	340	273
551	HOUGHTON-LE-SPRING	8,093	866	107	527	283	302	139	188	365	326
552	CHESTER-LE-STREET	7,976	631	93	527	266	209	173	221	345	287
553	SUNDERLAND	7,928	803	232	626	259	458	190	186	373	330
554	SOUTH SHIELDS	7,997	788	221	613	233	461	182	191	401	377
555	GATESHEAD	8,153	671	126	662	246	384	219	226	400	328
	39.—NORTHUMBERL.										
556	NEWCASTLE-UPON-TYNE	8,171	799	144	593	206	399	288	225	409	363
557	TYNEMOUTH	7,387	654	68	597	205	355	186	208	313	287
558	CASTLE WARD	5,585	535	4	437	207	190	204	230	268	230
559	HEXHAM	4,791	309	20	325	79	245	220	250	299	254
560	HALTWHISTLE	3,372	164	-	96	125	202	205	276	240	184
561	BELLINGHAM	3,452	202	12	190	48	119	214	238	220	177
562	MORPETH	7,579	629	48	753	230	395	218	238	290	261
563	ALNWICK	4,394	170	-	328	130	189	282	285	287	261
564	BELFORD	3,186	73	29	59	15	220	164	177	200	184
565	BERWICK	4,679	341	45	442	152	237	192	174	224	171
566	GLENDALE	2,466	57	7	120	57	205	178	149	191	147
567	ROTHBURY	2,797	47	-	140	35	152	210	228	159	151

* The District of MIDDLESBROUGH was formed principally from the Districts of GUISBROUGH and STOCKTON, 1st October 1875. *See also* Notes on pp. 319, 324, 376, 377.

† LANCHESTER was separated from DURHAM, and created a Registration District, 1st April 1875. *See also* Notes on pp. 327, 328.

TABLE 2. (*continued*).—**Annual Death-rate** PER **100,000** LIVING, among CHILDREN under FIVE YEARS OF AGE from ALL CAUSES and from SEVERAL CAUSES, and among MALES and FEMALES at ALL AGES from PHTHISIS and from DISEASES of the RESPIRATORY ORGANS.

No.	DISTRICTS.	ANNUAL DEATH-RATE PER 100,000 LIVING. Under 5 Years of Age. All Causes.	Diarrhœa and Dysentery.	Small-pox.	Scarlet Fever.	Measles.	Whooping-cough.	At All Ages. Phthisis. Males.	Phthisis. Females.	Diseases of Respiratory Organs. Males.	Diseases of Respiratory Organs. Females.
	X.—NORTHERN COUNTIES—*cont.*										
	40.—CUMBERLAND.										
568	ALSTON	4,652	340	15	201	216	185	287	223	570	284
569	PENRITH	4,256	163	3	170	122	231	199	230	312	280
570	BRAMPTON	3,940	316	–	235	57	332	182	202	266	255
571	LONGTOWN	3,853	196	–	451	108	167	304	362	242	180
572	CARLISLE	6,215	629	14	377	258	383	272	257	371	331
573	WIGTON	4,205	181	17	335	205	222	192	235	288	241
574	COCKERMOUTH	5,843	564	48	327	329	328	158	196	335	302
575	WHITEHAVEN	6,972	328	83	495	441	321	200	234	434	407
576	BOOTLE	4,581	362	13	318	241	368	178	195	287	221
	41.—WESTMORLAND.										
577	EAST WARD	4,014	117	35	142	51	182	182	263	215	194
578	WEST WARD	3,060	114	10	219	57	124	173	224	204	169
579	KENDAL	4,017	139	4	192	176	187	190	226	288	246
	XI.—MONMOUTHSHIRE AND WALES.										
	42.—MONMOUTHSH.										
580	CHEPSTOW	4,092	74	17	248	111	285	153	182	291	217
581	MONMOUTH	4,451	171	7	276	164	230	159	174	450	325
582	ABERGAVENNY	6,460	285	46	328	402	345	166	172	446	365
583	BEDWELTY	7,783	334	174	348	562	415	182	185	633	460
584	PONTYPOOL	5,948	278	49	470	241	231	146	175	543	427
585	NEWPORT	6,315	390	98	281	403	376	197	209	422	340
	43.—SOUTH WALES.										
	GLAMORGANSHIRE.										
586	CARDIFF	6,069	560	21	454	336	341	224	283	358	295
587	PONTYPRIDD	7,800	241	85	598	406	353	188	233	461	391
588	MERTHYR TYDFIL	7,518	245	122	430	439	347	250	285	497	379
589	BRIDGEND	5,432	152	51	300	115	224	203	244	369	308
590	NEATH (*including part of Pontardawe*), 1871–75	6,609	192	162	572	286	328	270	283	331	269
590	NEATH, 1875–80	5,893	159	–	475	340	230	241	242	375	258
591	PONTARDAWE*	5,197	167	–	377	198	334	287	291	345	212
592	SWANSEA	6,951	320	53	603	389	332	235	210	440	357
593	GOWER	3,878	153	–	527	167	254	190	225	212	192
	CARMARTHENSHIRE.										
594	LLANELLY	5,782	135	127	591	178	250	248	261	352	279
595	LLANDOVERY	4,684	129	25	203	74	258	335	319	251	177
596	LLANDILOFAWR	3,911	105	13	352	80	155	312	324	234	165
597	CARMARTHEN	4,391	117	46	382	73	224	356	303	313	226
	PEMBROKESHIRE.										
598	NARBERTH	3,495	50	8	288	65	258	316	330	242	172
599	PEMBROKE	4,795	178	3	356	124	248	237	240	264	220
600	HAVERFORDWEST	4,443	176	5	204	94	282	276	270	235	208
	CARDIGANSHIRE.										
601	CARDIGAN	3,437	53	5	257	92	228	319	280	266	200
602	NEWCASTLE-IN-EMLYN	3,367	52	–	297	35	166	423	330	286	218
603	LAMPETER	3,951	33	33	330	41	220	290	212	371	233
604	ABERAYRON	3,583	75	6	512	44	225	328	252	214	183
605	ABERYSTWITH	4,349	71	–	523	134	354	319	269	358	254
606	TREGARON	3,560	31	–	459	46	249	340	260	241	228

* The District of PONTARDAWE was formed principally from the District of NEATH, 1st July 1875. *See also* notes on pp. 349, 356.

TABLE 2. (*continued*).—**Annual Death-rate** PER **100,000** LIVING, among CHILDREN under FIVE YEARS OF AGE from ALL CAUSES and from SEVERAL CAUSES, and among MALES and FEMALES at ALL AGES from PHTHISIS and from DISEASES of the RESPIRATORY ORGANS.

No.	DISTRICTS.	Annual Death-rate per 100,000 living. Under 5 Years of Age. All Causes.	Diarrhœa and Dysentery.	Small-pox.	Scarlet Fever.	Measles.	Whooping-cough.	At All Ages. Phthisis. Males.	Phthisis. Females.	Diseases of Respiratory Organs. Males.	Diseases of Respiratory Organs. Females.
	XI.—MONMOUTHSHIRE AND WALES—*cont.*										
	43.—SOUTH WALES—*continued.*										
	BRECKNOCKSHIRE.										
607	BUILTH	4,182	56	-	372	84	204	214	236	342	262
608	BRECKNOCK	4,228	61	47	206	239	225	196	209	297	280
609	CRICKHOWELL	6,446	303	82	288	229	397	203	202	521	406
610	HAY	4,270	129	8	237	76	275	168	229	357	289
	RADNORSHIRE.										
611	PRESTEIGNE, 1871–77†	3,768	186	-	311	93	289	114	164	334	140
611	KNIGHTON, 1871–77	3,872	145	-	213	67	347	173	202	226	171
611	KNIGHTON (*including part of the abolished District of Presteigne*), 1877–80	5,115	216	-	157	59	335	199	221	422	329
612	RHAYADER	3,642	123	-	201	22	156	184	241	290	226
	44.—NORTH WALES.										
	MONTGOMERYSHIRE.										
613	MACHYNLLETH	4,104	86	6	215	61	270	267	275	334	314
614	NEWTOWN	4,377	160	3	264	98	252	275	262	336	309
615	FORDEN (MONTGOMERY)	3,627	169	-	254	102	195	178	194	301	221
616	LLANFYLLIN	3,736	53	27	153	61	169	220	239	288	255
	FLINTSHIRE.										
617	HOLYWELL	5,240	73	54	411	81	342	191	238	384	261
	DENBIGHSHIRE.										
618	WREXHAM	6,043	249	3	459	205	206	174	196	426	344
619	RUTHIN	3,627	63	11	159	34	108	236	257	175	191
620	ST. ASAPH	4,875	118	45	317	130	290	215	227	355	308
621	LLANRWST	4,421	71	-	236	100	242	252	293	325	240
	MERIONETHSHIRE.										
622	CORWEN	4,117	127	5	201	126	80	205	271	238	197
623	BALA	3,947	120	-	413	80	307	213	200	310	215
624	DOLGELLY	4,330	63	-	276	99	261	260	288	390	256
625	FESTINIOG	5,775	830	5	485	379	236	245	278	388	336
	CARNARVONSHIRE.										
626	PWLLHELI	3,839	49	-	117	83	145	234	306	339	241
627	CARNARVON	5,636	153	11	406	307	196	321	368	378	329
628	BANGOR	5,226	81	2	291	240	276	286	311	386	326
629	CONWAY	4,569	273	5	282	151	292	284	259	232	229
	ANGLESEY.										
630	ANGLESEY	4,344	66	2	234	130	180	328	343	281	232

† The District of Presteigne was abolished, and the greater part of it added to Knighton, 1st July 1877. *See also* notes on pp. 369–1, 378.

TABLE 3.—**Annual Death-rate** PER **1000** LIVING, at ALL AGES, and at ELEVEN GROUPS of AGES, in REGISTRATION COUNTIES.—**Persons.**

——	All Ages.	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
ENGLAND - -	21·27	63·12	6·43	3·70	5·33	7·04	8·93	12·62	17·72	31·49	64·85	161·59
I.—LONDON.												
LONDON - - - - - -	22·37	72·76	7·07	3·51	4·68	6·14	9·00	14·34	21·45	37·47	72·08	165·58
II.—SOUTH EASTERN COUNTIES.												
SURREY (*extra-met.*) - -	16·77	42·44	4·56	3·12	4·01	5·05	7·46	11·89	16·23	28·45	62·75	157·48
KENT (*extra-met.*) - - -	17·81	46·27	5·04	3·15	4·54	6·08	7·72	11·38	14·89	26·45	55·86	148·62
SUSSEX - - - - -	17·05	40·86	4·32	2·85	4·35	5·87	8·15	10·85	14·76	25·06	55·97	148·95
HAMPSHIRE - - - - -	18·26	44·55	5·09	3·23	4·74	6·90	9·36	12·63	15·75	26·52	56·95	156·86
BERKSHIRE - - - - -	18·01	43·71	4·51	2·95	4·56	5·90	7·55	10·67	14·39	26·01	58·62	162·48
III.—SOUTH MIDLAND COUNTIES.												
MIDDLESEX - - - - -	17·96	48·32	4·86	2·84	3·65	4·84	7·54	12·59	18·07	30·97	64·45	152·44
HERTFORDSHIRE - - -	18·37	44·01	4·12	2·88	4·36	6·34	7·98	10·82	14·49	27·54	61·02	161·50
BUCKINGHAMSHIRE - - -	18·62	47·77	4·13	2·77	4·71	6·28	7·48	8·95	12·70	25·69	60·84	167·70
OXFORDSHIRE - - - -	19·00	46·85	4·45	3·33	4·61	6·56	8·03	10·09	14·36	25·15	59·92	171·30
NORTHAMPTONSHIRE - -	19·56	55·10	4·89	3·28	5·16	6·66	7·91	10·29	13·48	25·79	60·70	165·47
HUNTINGDONSHIRE - - -	18·47	44·45	4·64	3·10	4·62	7·31	7·83	9·33	11·93	23·21	54·78	152·48
BEDFORDSHIRE - - - -	19·37	55·38	4·88	3·22	4·49	6·75	8·27	10·26	13·83	26·82	59·59	166·05
CAMBRIDGESHIRE - - -	18·76	48·47	4·49	3·15	4·99	6·43	8·09	10·08	12·81	24·00	52·56	151·91
IV.—EASTERN COUNTIES.												
ESSEX - - - - - -	17·94	47·17	5·06	3·27	4·83	5·90	7·59	10·23	14·12	25·40	55·94	156·27
SUFFOLK - - - - -	18·79	44·35	4·50	2·97	5·02	7·06	8·47	10 27	13·00	23·35	52·62	155·25
NORFOLK - - - - -	19·80	51·10	5·03	3·26	4·97	7·23	8·11	10·05	12·99	23·02	50·84	151·70
V.—SOUTH WESTERN COUNTIES.												
WILTS - - - - - -	18·60	40·69	4·57	3·13	4·91	6·71	7·88	10·72	14·07	26·93	59·19	163·41
DORSETSHIRE - - - -	17·46	40·07	4·31	2·79	4·43	6·65	7·50	10·48	13·04	24·56	55·28	151·71
DEVONSHIRE - - - -	19·67	50·66	5·21	3·52	5·29	7·10	8·46	10·99	14·32	25·38	55·37	154·15
CORNWALL - - - - -	20·32	57·01	6·15	4·04	5·67	7·88	8·33	10·28	13·49	25·22	55·37	155·41
SOMERSETSHIRE - - - -	19·09	45·79	4·84	3·20	4·72	6·51	8·20	10·47	14·82	26·78	56·19	153·33
VI.—WEST MIDLAND COUNTIES.												
GLOUCESTERSHIRE - - -	19·82	53·84	5·16	3·55	4·75	6 37	8·17	11·60	16·41	28·22	60·75	158·73
HEREFORDSHIRE - - -	18·36	39·04	4·30	3·20	4·64	5·97	7·71	10·29	14·18	27·69	60·64	159·64
SHROPSHIRE - - - -	18·80	45·04	5·06	3·12	4·36	6·64	8·02	10·39	13·23	25·86	58·88	164·70
STAFFORDSHIRE - - -	22·44	71·74	6·74	3·52	4·85	6·53	8·23	12·51	18·22	33·48	71·07	170·10
WORCESTERSHIRE - - -	18·95	54·46	5·38	2·80	4·18	5·53	7·02	10·42	15·18	27·73	62·44	161·54
WARWICKSHIRE - - -	21·90	68·89	6·43	3·41	4·92	6·51	8·43	12·66	18·59	32·61	67·90	166·13
VII.—NORTH MIDLAND COUNTIES.												
LEICESTERSHIRE - - -	21·61	63·63	5·00	3·26	4·90	6·74	8·01	11·03	14·83	27·02	61·47	163·14
RUTLANDSHIRE - - - -	18·46	42·47	4·69	2·90	4·37	7·19	7·93	9·00	12·74	24·32	57·38	160·74
LINCOLNSHIRE - - - -	18·55	47·90	5·01	3·40	5·18	7·15	7·87	9·96	12·85	23·24	53·16	149·94
NOTTINGHAMSHIRE - - -	21·23	65·76	5·69	3·63	5·64	7·33	8·41	11·24	15·10	27·44	62·95	159·76
DERBYSHIRE - - - -	20·54	57·37	5·93	3·59	5·68	7·09	8·43	11·49	15·75	31·58	68·62	174·64
VIII.—NORTH WESTERN COUNTIES.												
CHESHIRE - - - - -	21·04	60·51	6·64	3·64	5·23	7·03	8·94	12·60	18·77	35·05	71·93	170·10
LANCASHIRE - - - -	25·17	82·22	8·47	4·54	6·06	7·86	10·44	15·64	23·57	42·62	83·65	176·88
IX.—YORKSHIRE.												
WEST RIDING - - - -	23·24	74·91	7·51	4·16	6·44	7·80	9·18	13·04	19·10	35·79	76·50	178·24
EAST RIDING - - - -	21·36	63·26	5·80	3·78	4·99	7·01	8·95	12·42	17·23	30·44	63·34	165·40
NORTH RIDING - - - -	19·68	55·09	5·67	3·47	5·42	7·25	8·39	10·96	13·74	25·62	57·39	160·82
X.—NORTHERN COUNTIES.												
DURHAM - - - - -	23·77	78·47	8·89	4·64	6·28	8·34	9·36	12·34	17·70	32·90	69·39	169·41
NORTHUMBERLAND - - -	22·74	67·56	7·93	4·66	6·27	8·39	10·01	13·33	18·48	32·86	68·08	166·80
CUMBERLAND - - - -	21·49	56·87	6·78	4·17	6·04	8·44	9·65	12·56	17·94	30·95	65·71	163·93
WESTMORLAND - - - -	17·72	38·98	4 82	3·39	5·39	7·63	7·76	10·79	14·57	24·36	60·06	163·28
XI.—MONMOUTHSHIRE AND WALES.												
MONMOUTHSHIRE - - -	21·88	62·14	6·77	4·31	6·58	8·40	10·34	12·79	17·36	32·56	65·69	160·55
SOUTH WALES - - - -	21·09	58·11	7·38	4·87	7·05	9·24	10·40	12·51	16·37	28·47	57·65	150·49
NORTH WALES - - - -	20·59	48·69	6 93	4·34	6·63	9·48	10·41	11·20	14·81	27·16	57·82	156·04

TABLE 3. (*continued*).—**Annual Death-rate** PER **1000** LIVING, at ALL AGES, and at ELEVEN GROUPS OF AGES, in REGISTRATION COUNTIES.—**Males.**

COUNTIES.	ALL AGES.	Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwrds.
ENGLAND - -	22·61	63·14	6·67	3·69	5·23	7·32	9·30	13·74	20·05	34·76	69·57	169·08
I.—LONDON.												
LONDON - - - - - -	24·38	77·86	7·42	3·57	5·05	6·95	10·13	16·64	25·37	43·20	80·08	176·81
II.—SOUTH EASTERN COUNTIES.												
SURREY (*extra-met.*) - -	18·35	51·54	4·63	3·05	3·95	5·69	8·67	14·19	19·94	31·71	67·84	163·62
KENT (*extra met.*) - - -	18·88	50·81	5·33	3·08	4·26	6·30	8·15	12·71	16·67	28·61	59·54	155·11
SUSSEX - - - - -	18·45	44·86	4·30	2·68	4·00	6·21	8·96	12·25	17·06	28·47	59·95	153·37
HAMPSHIRE - - - -	19·57	48·45	5·29	3·09	4·45	7·76	10·44	15·14	18·18	29·37	60·26	161·15
BERKSHIRE - - - -	18·88	47·39	4·83	2·81	4·08	5·85	7·79	11·66	15·53	28·36	60·06	171·95
III.—SOUTH MIDLAND COUNTIES.												
MIDDLESEX (*extra-met.*) - -	19·58	52·26	4·88	2·91	3·77	5·26	8·46	15·08	21·75	36·00	71·50	163·37
HERTFORDSHIRE - - -	19·42	48·34	3·99	2·68	4·14	6·33	8·52	11·99	16·03	30·16	65·88	166·90
BUCKINGHAMSHIRE - - -	19·42	52·61	4·28	2·61	4·02	5·75	7·46	8·84	13·47	26·61	61·72	171·85
OXFORDSHIRE - - - -	19·94	50·77	4·37	3·12	4·19	6·71	8·24	10·38	15·86	26·94	63·07	173·84
NORTHAMPTONSHIRE - -	20·26	58·88	4·95	3·01	4·52	6·02	7·65	10·61	14·64	28·02	63·05	175·56
HUNTINGDONSHIRE - - -	19·45	50·21	4·70	2·92	3·38	6·24	8·07	9·28	13·87	24·86	62·04	158·25
BEDFORDSHIRE - - - -	20·67	59·92	4·90	3·05	3·69	6·40	8·16	10·62	15·47	29·21	60·55	176·10
CAMBRIDGESHIRE - - -	19·58	52·51	4·64	3·09	4·12	6·35	8·20	10·77	13·74	26·79	56·92	159·55
IV.—EASTERN COUNTIES.												
ESSEX - - - - - -	18·85	51·02	5·35	3·26	4·56	5·85	7·84	11·21	15·61	27·00	60·02	163·73
SUFFOLK - - - - - -	19·65	48·63	4·46	2·80	4·46	6·74	8·51	10·37	13·71	24·99	56·06	160·73
NORFOLK - - - - - -	20·84	55·87	5·25	3·22	4·64	7·40	8·05	10·45	14·17	24·36	54·79	157·02
V.—SOUTH WESTERN COUNTIES.												
WILTS - - - - - -	19·23	44·72	4·93	2·69	4·26	6·47	8·00	10·95	14·79	27·43	61·61	168·22
DORSETSHIRE - - - - -	18·07	43·88	4·45	2·73	4·18	6·58	7·60	11·15	13·81	25·47	58·94	155·29
DEVONSHIRE - - - - -	20·86	54·69	5·25	3·31	4·89	7·59	9·23	12·60	16·37	28·13	59·06	161·14
CORNWALL - - - - -	21·85	61·23	6·10	3·92	5·47	8·46	9·04	11·39	17·28	30·74	62·06	162·72
SOMERSETSHIRE - - -	20·44	50·09	4·92	3·25	4·11	7·13	9·05	11·82	17·82	30·16	61·51	160·43
VI.—WEST MIDLAND COUNTIES.												
GLOUCESTERSHIRE - - -	21·50	58·82	5·36	3·45	4·52	6·66	9·14	13·17	19·32	31·56	66·39	167·34
HEREFORDSHIRE - - -	19·51	41·82	4·58	3·30	4·22	6·03	7·69	10·84	16·26	31·76	69·76	171·08
SHROPSHIRE - - - -	19·66	49·37	5·22	3·13	3·90	6·47	7·81	10·71	14·85	25·01	63·35	173·85
STAFFORDSHIRE - - -	23·73	77·29	7·04	3·57	4·69	6·39	8·24	17·57	21·13	34·46	76·65	178·40
WORCESTERSHIRE - - -	20·46	59·19	5·53	2·77	4·13	5·90	7·14	11·52	17·55	31·62	99·63	170·72
WARWICKSHIRE - - -	23·35	73·75	6·65	3·29	4·73	6·93	8·97	17·30	21·03	36·17	72·37	173·88
VII.—NORTH MIDLAND COUNTIES.												
LEICESTERSHIRE - - -	23·02	75·32	8·36	3·17	4·52	6·67	8·20	11·07	15·52	28·91	63·97	168·31
RUTLANDSHIRE - - - -	19·62	45·00	6·00	2·87	3·97	8·48	9·79	9·11	13·92	29·17	60·67	162·93
LINCOLNSHIRE - - - -	19·26	52·11	5·07	3·17	4·63	6·55	7·53	10·12	13·95	25·24	56·77	155·62
NOTTINGHAMSHIRE - - -	22·34	72·13	5·96	3·46	5·43	7·22	7·68	11·00	15·99	28·62	65·61	161·79
DERBYSHIRE - - - -	21·48	63·42	6·09	3·84	5·30	5·30	7·74	11·45	17·31	34·00	71·13	173·90
VIII.—NORTH WESTERN COUNTIES.												
CHESHIRE - - - - -	22·22	65·38	6·83	3·70	5·11	7·06	8·88	13·36	20·28	37·26	74·86	177·13
LANCASHIRE - - - - -	26·99	88·53	8·93	4·54	6·25	8·14	10·99	17·90	26·37	46·81	89·58	189·59
IX.—YORKSHIRE.												
WEST RIDING - - - -	24·73	81·20	7·74	4·16	6·20	7·76	9·07	13·93	21·80	39·81	81·47	187·57
EAST RIDING - - - - -	22·30	68·84	6·10	3·79	4·05	6·75	9·02	13·00	18·55	33·82	68·59	175·59
NORTH RIDING - - - -	20·22	59·46	5·03	3·32	5·08	7·40	8·07	10·78	14·63	28·08	60·87	164·65
X.—NORTHERN COUNTIES.												
DURHAM - - - - - -	21·23	83·37	9·19	4·83	6·40	8·05	8·67	12·06	19·10	35·74	75·10	176·92
NORTHUMBERLAND - - -	23·76	72·30	8·26	4·80	6·17	8·89	10·06	14·11	20·45	35·95	76·26	178·41
CUMBERLAND - - - - -	22·17	61·21	7·08	4·00	5·82	8·42	9·25	13·41	20·06	33·74	70·22	167·15
WESTMORLAND - - - -	18·21	41·84	4·49	3·35	4·62	7·60	7·70	11·03	15·27	26·59	62·74	162·63
XI.—MONMOUTHSHIRE AND WALES.												
MONMOUTHSHIRE - - -	23·17	64·36	6·85	4·76	6·89	9·13	10·88	13·99	20·41	36·60	71·92	165·58
SOUTH WALES - - - -	22·13	62·62	7·55	4·98	7·41	10·18	10·65	12·87	18·42	32·11	63·71	159·98
NORTH WALES - - - -	21·07	52·41	6·89	4·00	6·20	9·65	10·12	11·23	15·98	29·85	63·02	163·20

TABLE 3. (*continued*).—**Annual Death-rate** PER **1000** LIVING, at ALL AGES, and at ELEVEN GROUPS of AGES, in REGISTRATION COUNTIES.—**Females.**

COUNTIES.	ALL AGES.	Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
ENGLAND - -	20·00	58·10	6·20	3·70	5·43	6·78	8·58	11·58	15·59	28·54	60·82	155·83
I.—LONDON.												
LONDON - - - - - -	20·60	67·66	6·73	3·45	4·36	5·46	8·04	12·32	18·08	32·95	66·63	159·50
II.—SOUTH EASTERN COUNTIES.												
SURREY (*extra-met.*) - -	15·32	38·51	4·46	3·20	4·03	4·51	6·42	9·82	12·97	25·59	58·47	152·77
KENT (*extra met.*) - - -	16·75	41·73	4·75	3·22	4·84	5·86	7·30	10·10	13·23	24·39	52·49	143·16
SUSSEX - - - - -	15·78	36·87	4·34	3·03	4·68	5·59	7·48	9·67	12·79	23·95	52·45	145·04
HAMPSHIRE - - - -	16·98	40·62	4·89	3·38	5·05	6·07	8·32	10·25	13·51	23·90	54·02	153·22
BERKSHIRE - - - -	17·16	40·01	4·18	3·10	5·11	5·94	7·33	9·75	13·34	23·81	57·24	153·91
III.—SOUTH MIDLAND COUNTIES.												
MIDDLESEX - - - -	16·49	44·38	4·84	2·75	3·55	4·52	6·77	10·39	14·86	26·83	59·07	145·09
HERTFORDSHIRE - - -	17·37	39·64	4·25	3·09	4·61	6·35	7·52	9·80	13·08	25·11	56·58	157·11
BUCKINGHAMSHIRE - - -	17·85	42·92	3·98	2·94	5·48	6·76	7·51	9·04	11·99	24·82	59·99	165·77
OXFORDSHIRE - - - -	18·09	42·92	4·53	3·56	5·06	6·41	7·85	9·65	12·97	23·48	56·83	168·95
NORTHAMPTONSHIRE - -	18·76	50·40	4·82	3·55	5·83	7·31	8·15	9·97	12·35	23·60	58·46	156·31
HUNTINGDONSHIRE - - -	17·52	38·83	4·58	3·28	5·97	8·28	7·61	9·38	10·11	21·65	48·24	147·63
BEDFORDSHIRE - - - -	18·22	50·87	4·86	3·39	5·22	7·00	8·36	9·95	12·43	24·68	58·70	162·35
CAMBRIDGESHIRE - - -	17·97	44·45	4·35	3·22	5·93	6·52	7·99	9·43	11·46	21·44	48·63	145·70
IV.—EASTERN COUNTIES.												
ESSEX - - - - - -	17·03	43·30	4·77	3·27	5·13	5·95	7·35	9·27	12·66	23·81	52·02	149·86
SUFFOLK - - - -	17·96	40·06	4·53	3·15	5·62	7·34	8·43	10·16	12·35	21·77	49·32	150·42
NORFOLK - - - - -	18·83	46·29	4·81	3·30	5·31	7·07	8·17	9·72	11·95	21·79	47·29	147·37
V.—SOUTH WESTERN COUNTIES.												
WILTS - - - - - -	17·99	36·65	4·22	3·59	5·64	6·95	7·76	10·52	13·41	26·46	56·94	158·92
DORSETSHIRE - - - -	16·87	36·29	4·17	2·85	4·70	6·72	7·41	9·87	12·35	23·72	52·60	148·60
DEVONSHIRE - - - -	18·61	46·58	5·07	3·73	5·70	6·70	7·83	9·69	12·62	23·07	52·30	148·99
CORNWALL - - - - -	18·97	52·71	6·20	4·17	5·88	7·40	7·81	9·43	10·55	21·03	50·31	150·34
SOMERSETSHIRE - - -	17·89	41·47	4·75	3·33	5·31	6·01	7·53	9·36	12·87	23·92	51·84	148·05
VI.—WEST MIDLAND COUNTIES.												
GLOUCESTERSHIRE - - -	18·33	48·90	4·94	3·66	4·96	5·88	7·39	10·30	14·02	25·41	56·29	152·43
HEREFORDSHIRE - - -	17·24	35·23	4·01	3·10	5·10	5·91	7·74	9·76	12·11	23·65	52·15	150·52
SHROPSHIRE - - - -	17·95	40·66	4·89	3·11	4·86	6·80	8·23	10·07	11·62	23·06	54·75	157·24
STAFFORDSHIRE - - -	21·15	66·24	6·45	3·47	5·01	6·67	8·22	11·68	15·24	29·62	65·93	163·11
WORCESTERSHIRE - - -	17·54	45·66	5·18	2·83	4·23	5·23	6·91	9·42	12·97	24·14	57·07	154·64
WARWICKSHIRE - - -	20·53	64·05	6·21	3·53	5·11	6·14	5·83	11·68	16·34	29·38	65·97	160·25
VII.—NORTH MIDLAND COUNTIES.												
LEICESTERSHIRE - - -	20·27	62·12	4·84	3·35	5·27	6·79	7·84	11·00	14·18	25·21	59·12	159·09
RUTLANDSHIRE - - - -	17·29	39·84	3·45	2·93	4·85	5·98	6·20	8·90	11·61	19·61	54·26	158·74
LINCOLNSHIRE - - - -	17·85	43·66	4·95	3·63	6·67	7·73	8·21	9·76	11·76	21·25	49·72	144·95
NOTTINGHAMSHIRE - - -	20·17	59·44	5·43	3·80	5·84	7·44	9·09	11·46	14·25	26·30	60·42	157·84
DERBYSHIRE - - - -	19·60	51·37	5·76	3·33	6·08	7·80	9·12	11·52	14·23	29·25	66·16	170·73
VIII.—NORTH WESTERN COUNTIES.												
CHESHIRE - - - - -	19·92	55·64	6·46	3·55	5·34	7·00	8·99	11·91	17·37	33·01	69·32	164·38
LANCASHIRE - - - -	23·46	75·96	8·00	4·14	5·87	7·60	9·94	14·38	21·03	39·01	78·79	167·81
IX.—YORKSHIRE.												
WEST RIDING - - - -	21·80	68·67	7·28	4·16	6·67	7·84	9·29	12·20	16·53	32·02	72·09	170·78
EAST RIDING - - - -	20·45	57·72	5·52	3·76	5·02	7·23	8·88	11·84	15·94	27·30	59·01	158·30
NORTH RIDING - - -	19·04	50·66	5·41	3·63	5·78	7·10	8·71	11·15	12·80	23·22	54·44	156·60
X.—NORTHERN COUNTIES												
DURHAM - - - - -	23·25	73·51	8·60	4·45	6·14	8·63	10·16	12·65	16·22	30·03	64·24	163·82
NORTHUMBERLAND - - -	21·73	62·79	7·59	4·51	6·38	7·90	9·97	12·55	16·10	30·01	63·01	158·46
CUMBERLAND - - - -	20·81	52·50	6·47	4·35	6·25	8·45	10·09	11·72	15·94	28·40	61·92	161·43
WESTMORLAND - - - -	17·23	36·10	5·17	3·44	6·15	7·66	7·82	11·55	13·85	22·03	57·52	163·89
XI.—MONMOUTHSHIRE AND WALES.												
MONMOUTHSHIRE - - -	20·51	57·94	6·70	3·85	6·22	7·56	9·74	11·50	14·08	28·18	59·44	155·96
SOUTH WALES - - - -	20·05	53·56	7·22	4·76	6·67	8·30	10·15	12·46	14·39	25·05	52·52	143·84
NORTH WALES - - - -	20·11	44·95	6·98	4·69	7·11	9·31	10·69	11·18	13·69	24·59	53·19	150·57

TABLE 4.—**Annual Rate of Mortality** from SEVERAL CAUSES PER **1000** LIVING in REGISTRATION COUNTIES in TEN YEARS **1871-80.**

—	All Causes.	Small pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Puerperal Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Scrofula.	Tabes Mesenterica.	Phthisis.	Hydrocephalus.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Childbirth.	Suicide.	Other Violent Deaths.	Other Causes.
ENGLAND.																											
Persons - - - - -	21·27	0·24	0·38	0·72	0·12	0·51	0·06	0·32	0·11	0·07	0·91	0·03	0·47	0·13	0·32	2·12	0·32	2·77	1·31	3·76	0·98	0·39	0·05	0·09	0·07	0·66	4·36
Males - - - - - -	22·61	0·27	0·40	0·75	0·12	0·47	0·07	0·32	0·11	—	0·98	0·03	0·32	0·14	0·35	2·21	0·38	3·04	1·31	4·12	1·00	0·52	0·01	—	0·11	1·01	4·57
Females - - - - -	20·00	0·21	0·36	0·68	0·12	0·55	0·05	0·32	0·10	0·14	0·84	0·02	0·62	0·11	0·29	2·03	0·26	2·51	1·30	3·41	0·96	0·27	0·10	0·18	0·03	0·33	4·21
LONDON.																											
Persons - - - - -	22·37	0·44	0·51	0·60	0·12	0·81	0·05	0·24	0·07	0·08	0·94	0·04	0·55	0·16	0·40	2·51	0·42	2·56	1·29	4·60	0·95	0·46	0·07	0·07	0·08	0·71	3·64
Males - - - - - -	24·38	0·49	0·56	0·67	0·13	0·78	0·05	0·25	0·07	—	1·05	0·04	0·35	0·18	0·47	3·00	0·51	2·84	1·34	5·03	0·95	0·61	0·01	—	0·13	1·00	3·87
Females - - - - -	20·60	0·39	0·46	0·54	0·12	0·84	0·05	0·23	0·07	0·15	0·84	0·03	0·73	0·13	0·34	2·08	0·34	2·31	1·25	4·24	0·96	0·32	0·13	0·14	0·04	0·45	3·42
SURREY—(*ex-met.*)																											
Persons - - - - -	16·77	0·08	0·26	0·27	0·16	0·40	0·02	0·22	0·04	0·07	0·57	0·02	0·48	0·10	0·23	1·91	0·30	2·58	1·29	2·63	0·89	0·45	0·04	0·08	0·08	0·44	3·16
Males - - - - - -	18·35	0·11	0·27	0·29	0·15	0·38	0·02	0·21	0·04	—	0·64	0·02	0·31	0·12	0·26	2·25	0·35	2·97	1·31	2·97	0·87	0·59	0·01	—	0·13	0·67	3·41
Females - - - - -	15·32	0·06	0·25	0·25	0·16	0·42	0·02	0·23	0·05	0·13	0·51	0·01	0·64	0·08	0·21	1·59	0·25	2·23	1·27	2·32	0·90	0·32	0·07	0·15	0·03	0·24	2·93
KENT—(*ex-met.*)																											
Persons - - - - -	17·81	0·12	0·23	0·34	0·15	0·40	0·02	0·25	0·08	0·05	0·67	0·03	0·48	0·13	0·27	1·83	0·28	2·34	1·35	2·82	0·95	0·41	0·06	0·08	0·08	0·54	3·85
Males - - - - - -	18·88	0·14	0·25	0·37	0·14	0·37	0·02	0·25	0·07	—	0·74	0·03	0·31	0·15	0·28	1·88	0·33	2·51	1·36	3·13	0·97	0·53	0·01	—	0·13	0·84	4·07
Females - - - - -	16·75	0·10	0·22	0·32	0·15	0·43	0·02	0·25	0·08	0·10	0·61	0·02	0·65	0·12	0·25	1·78	0·23	2·17	1·34	2·53	0·94	0·29	0·10	0·15	0·03	0·25	3·62
SUSSEX.																											
Persons - - - - -	17·05	0·04	0·17	0·23	0·17	0·34	0·02	0·19	0·05	0·05	0·59	0·01	0·57	0·13	0·18	2·05	0·30	2·20	1·40	2·65	0·94	0·43	0·06	0·07	0·10	0·43	3·68
Males - - - - - -	18·45	0·05	0·19	0·23	0·16	0·33	0·02	0·18	0·06	—	0·67	0·01	0·40	0·15	0·20	2·18	0·36	2·45	1·44	2·95	0·98	0·61	0·01	—	0·16	0·67	3·99
Females - - - - -	15·78	0·03	0·16	0·24	0·18	0·35	0·02	0·20	0·05	0·10	0·52	0·01	0·73	0·11	0·17	1·94	0·24	1·97	1·36	2·37	0·90	0·28	0·11	0·13	0·05	0·21	3·35

TABLE 4. (*continued.*)—**Annual Rate of Mortality** from SEVERAL CAUSES PER **1000** LIVING in REGISTRATION COUNTIES in TEN YEARS **1871–80.**

—	All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Puerperal Fever.	Diarrhœa, and Dysentery.	Cholera.	Cancer.	Scrofula.	Tabes Mesenterica.	Phthisis.	Hydrocephalus.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Childbirth.	Suicide.	Other Violent Deaths.	Other Causes.
HAMPSHIRE.																											
Persons	18·26	0·22	0·28	0·37	0·11	0·34	0·03	0·30	0·11	0·05	0·62	0·01	0·51	0·11	0·20	2·20	0·26	2·34	1·44	2·85	0·91	0·45	0·05	0·09	0·07	0·50	3·84
Males	19·57	0·23	0·28	0·40	0·10	0·32	0·03	0·28	0·11	—	0·66	0·01	0·34	0·13	0·21	2·42	0·31	2·51	1·56	3·15	0·97	0·60	0·01	—	0·11	0·78	4·05
Females	16·98	0·20	0·28	0·34	0·12	0·37	0·02	0·32	0·10	0·10	0·59	0·01	0·68	0·10	0·20	1·98	0·22	2·18	1·32	2·55	0·86	0·29	0·09	0·17	0·03	0·23	3·63
BERKSHIRE.																											
Persons	18·01	0·04	0·24	0·32	0·12	0·37	0·02	0·22	0·06	0·05	0·63	0·02	0·54	0·11	0·16	1·92	0·28	2·43	1·51	2·86	0·95	0·46	0·05	0·09	0·07	0·50	3·99
Males	18·88	0·05	0·26	0·34	0·10	0·33	0·02	0·23	0·05	—	0·70	0·02	0·34	0·13	0·15	1·94	0·34	2·55	1·48	3·11	0·93	0·64	0·01	—	0·10	0·77	4·29
Females	17·16	0·04	0·21	0·30	0·13	0·42	0·02	0·22	0·06	0·11	0·56	0·01	0·73	0·09	0·16	1·90	0·23	2·31	1·53	2·61	0·98	0·28	0·09	0·17	0·04	0·24	3·72
MIDDLESEX—(*ex-met.*)																											
Persons	17·96	0·14	0·32	0·33	0·15	0·47	0·02	0·24	0·05	0·06	0·80	0·02	0·47	0·12	0·24	1·78	0·31	2·75	1·22	3·09	0·92	0·41	0·05	0·06	0·09	0·50	3·35
Males	19·58	0·16	0·36	0·36	0·15	0·44	0·02	0·24	0·05	—	0·91	0·02	0·29	0·14	0·28	1·97	0·38	3·22	1·29	3·33	0·92	0·55	0·01	—	0·13	0·76	3·60
Females	16·49	0·11	0·29	0·31	0·15	0·50	0·01	0·24	0·05	0·12	0·71	0·01	0·62	0·10	0·20	1·61	0·25	2·32	1·16	2·88	0·92	0·28	0·09	0·12	0·04	0·27	3·13
HERTFORDSHIRE.																											
Persons	18·37	0·12	0·26	0·31	0·10	0·42	0·02	0·24	0·10	0·06	0·71	0·02	0·46	0·09	0·18	1·75	0·21	2·79	1·51	2·89	0·92	0·36	0·05	0·08	0·05	0·50	4·17
Males	19·42	0·14	0·28	0·31	0·09	0·39	0·02	0·20	0·09	—	0·80	0·02	0·26	0·10	0·21	1·82	0·25	3·02	1·47	3·21	0·87	0·51	0·00	—	0·07	0·78	4·51
Females	17·37	0·09	0·24	0·30	0·11	0·44	0·03	0·28	0·10	0·12	0·63	0·01	0·66	0·08	0·16	1·67	0·18	2·57	1·55	2·58	0·96	0·23	0·10	0·17	0·03	0·23	3·85
BUCKINGHAMSH.																											
Persons	18·62	0·04	0·27	0·35	0·06	0·44	0·06	0·24	0·09	0·05	0·64	0·02	0·46	0·08	0·26	1·69	0·27	2·40	1·23	2·87	0·99	0·38	0·05	0·10	0·07	0·45	5·06
Males	19·42	0·04	0·31	0·36	0·06	0·43	0·05	0·21	0·09	—	0·67	0·02	0·32	0·10	0·30	1·55	0·34	2·50	1·18	3·17	1·00	0·51	0·00	—	0·11	0·68	5·42
Females	17·85	0·04	0·22	0·34	0·06	0·45	0·06	0·26	0·09	0·11	0·60	0·02	0·59	0·07	0·23	1·82	0·21	2·31	1·28	2·57	0·98	0·25	0·09	0·19	0·03	0·23	4·75
OXFORDSHIRE.																											
Persons	19·00	0·07	0·20	0·38	0·13	0·28	0·03	0·26	0·08	0·06	0·58	0·01	0·51	0·19	0·20	1·88	0·25	2·40	1·48	2·97	0·99	0·45	0·06	0·10	0·07	0·52	4·85
Males	19·94	0·08	0·22	0·38	0·12	0·25	0·03	0·25	0·09	—	0·64	0·01	0·33	0·19	0·20	1·84	0·30	2·56	1·48	3·30	1·01	0·60	0·00	—	0·11	0·78	5·17
Females	18·09	0·07	0·19	0·39	0·14	0·32	0·02	0·26	0·07	0·11	0·52	0·01	0·67	0·19	0·20	1·91	0·21	2·25	1·48	2·65	0·96	0·31	0·10	0·20	0·02	0·27	4·57

TABLE 4. (*continued*).—**Annual Rate of Mortality** from SEVERAL CAUSES PER **1000** LIVING in REGISTRATION COUNTIES for TEN YEARS **1871–80.**

—	All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Puerperal Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Scrofula.	Tabes Mesenterica.	Phthisis.	Hydrocephalus.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Childbirth.	Suicide.	Other Violent Deaths.	Other Causes.
NORTHAMPTONSH.																											
Persons	19·56	0·23	0·33	0·40	0·07	0·40	0·04	0·33	0·11	0·07	0·92	0·01	0·53	0·12	0·23	1·86	0·28	2·46	1·25	3·12	0·93	0·33	0·05	0·08	0·07	0·53	4·81
Males	20·36	0·25	0·32	0·41	0·06	0·35	0·05	0·29	0·10	—	0·97	0·01	0·39	0·12	0·22	1·76	0·32	2·65	1·22	3·44	0·97	0·45	0·00	—	0·11	0·80	5·10
Females	18·76	0·20	0·34	0·40	0·07	0·44	0·03	0·36	0·12	0·13	0·87	0·01	0·68	0·12	0·24	1·95	0·24	2·27	1·28	2·81	0·88	0·20	0·09	0·16	0·03	0·27	4·57
HUNTINGDONSH.																											
Persons	18·47	0·04	0·14	0·44	0·09	0·32	0·02	0·26	0·15	0·05	0·76	0·02	0·78	0·14	0·23	1·93	0·22	2·04	1·33	2·97	0·96	0·37	0·05	0·08	0·06	0·60	4·42
Males	19·45	0·06	0·17	0·42	0·07	0·29	0·02	0·22	0·14	—	0·85	0·01	0·66	0·15	0·26	1·73	0·23	2·09	1·37	3·36	1·07	0·49	0·01	—	0·09	0·90	4·79
Females	17·52	0·04	0·11	0·46	0·11	0·35	0·02	0·30	0·15	0·09	0·68	0·02	0·89	0·12	0·20	2·13	0·21	2·00	1·29	2·60	0·86	0·25	0·09	0·15	0·03	0·31	4·06
BEDFORDSHIRE.																											
Persons	19·37	0·09	0·23	0·48	0·16	0·45	0·03	0·22	0·12	0·06	0·89	0·02	0·54	0·11	0·20	2·12	0·22	2·58	1·37	2·94	0·93	0·34	0·04	0·08	0·06	0·46	4·63
Males	20·67	0·11	0·25	0·50	0·15	0·45	0·03	0·23	0·11	—	1·02	0·01	0·43	0·11	0·21	1·90	0·26	2·85	1·42	3·31	0·93	0·48	0·00	—	0·10	0·72	5·09
Females	18·22	0·07	0·22	0·47	0·17	0·46	0·03	0·22	0·12	0·12	0·77	0·03	0·65	0·11	0·18	2·32	0·19	2·33	1·32	2·61	0·93	0·21	0·07	0·16	0·02	0·22	4·22
CAMBRIDGESHIRE.																											
Persons	18·76	0·11	0·21	0·25	0·09	0·42	0·03	0·24	0·10	0·05	0·75	0·02	0·64	0·12	0·23	1·99	0·26	2·16	1·34	2·80	1·02	0·43	0·05	0·08	0·06	0·56	4·75
Males	19·58	0·12	0·22	0·25	0·09	0·38	0·03	0·24	0·10	—	0·81	0·02	0·50	0·14	0·23	1·96	0·29	2·25	1·38	3·03	1·05	0·59	0·01	—	0·10	0·84	4·95
Females	17·97	0·09	0·20	0·25	0·09	0·46	0·03	0·25	0·10	0·09	0·68	0·01	0·78	0·11	0·23	2·01	0·23	2·06	1·30	2·58	1·00	0·27	0·09	0·16	0·03	0·29	4·58
ESSEX.																											
Persons	17·94	0·20	0·22	0·42	0·13	0·49	0·03	0·24	0·07	0·05	0·72	0·02	0·48	0·13	0·28	1·83	0·29	2·37	1·30	2·93	0·84	0·33	0·05	0·08	0·06	0·47	3·91
Males	18·85	0·24	0·23	0·44	0·13	0·45	0·03	0·23	0·08	—	0·76	0·03	0·32	0·14	0·30	1·88	0·33	2·56	1·34	3·19	0·84	0·45	0·01	—	0·09	0·72	4·06
Females	17·03	0·17	0·22	0·41	0·14	0·53	0·02	0·24	0·07	0·10	0·68	0·01	0·63	0·12	0·27	1·79	0·25	2·19	1·25	2·67	0·84	0·21	0·09	0·16	0·03	0·22	3·72
SUFFOLK.																											
Persons	18·79	0·11	0·14	0·33	0·10	0·41	0·02	0·21	0·09	0·05	0·67	0·01	0·54	0·14	0·27	2·02	0·22	2·22	1·35	2·84	0·95	0·39	0·07	0·08	0·08	0·50	4·98
Males	19·65	0·13	0·16	0·34	0·09	0·40	0·03	0·21	0·10	—	0·71	0·01	0·37	0·14	0·28	1·88	0·26	2·41	1·36	3·11	0·95	0·56	0·01	—	0·12	0·77	5·25
Females	17·96	0·10	0·13	0·31	0·11	0·41	0·02	0·22	0·09	0·10	0·63	0·01	0·71	0·14	0·26	2·16	0·18	2·03	1·34	2·59	0·96	0·21	0·14	0·16	0·04	0·24	4·67

TABLE 4. (*continued*).—**Annual Rate of Mortality** from SEVERAL CAUSES PER **1000** LIVING in REGISTRATION COUNTIES for TEN YEARS **1871-80.**

—	All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Puerperal Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Scrofula.	Tabes Mesenterica.	Phthisis.	Hydrocephalus.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Childbirth.	Suicide.	Other Violent Deaths.	Other Causes.
NORFOLK.																											
Persons - - - -	19·80	0·22	0·15	0·46	0·10	0·38	0·04	0·25	0·09	0·06	0·77	0·02	0·60	0·16	0·23	1·94	0·17	2·34	1·36	2·66	0·91	0·41	0·07	0·08	0·07	0·48	5·78
Males - - - - - -	20·84	0·26	0·16	0·48	0·09	0·37	0·04	0·24	0·08	—	0·86	0·02	0·39	0·17	0·26	1·86	0·21	2·55	1·40	2·89	0·95	0·61	0·01	—	0·12	0·76	6·06
Females - - - - - -	18·83	0·19	0·13	0·45	0·10	0·39	0·03	0·26	0·10	0·13	0·69	0·01	0·80	0·14	0·20	2·01	0·13	2·15	1·33	2·45	0·88	0·22	0·13	0·16	0·03	0·22	5·50
WILTSHIRE.																											
Persons - - - -	18·60	0·04	0·21	0·47	0·08	0·27	0·02	0·24	0·06	0·06	0·46	0·01	0·52	0·10	0·27	1·74	0·22	2·46	1·72	3·23	1·02	0·45	0·06	0·10	0·05	0·56	4·18
Males - - - - - -	19·23	0·05	0·21	0·49	0·08	0·25	0·02	0·22	0·06	—	0·49	0·01	0·34	0·10	0·28	1·71	0·25	2·56	1·69	3·51	1·08	0·59	0·01	—	0·07	0·82	4·34
Females - - - - - -	17·99	0·03	0·21	0·44	0·09	0·28	0·02	0·25	0·07	0·12	0·43	0·01	0·69	0·10	0·26	1·77	0·20	2·37	1·75	2·96	0·97	0·32	0·12	0·19	0·03	0·30	4·01
DORSETSHIRE.																											
Persons - - - -	17·46	0·09	0·20	0·33	0·10	0·29	0·03	0·19	0·06	0·05	0·35	0·00	0·51	0·12	0·18	1·72	0·22	2·32	1·54	3·15	0·93	0·44	0·05	0·08	0·05	0·49	3·97
Males - - - - - -	18·07	0·10	0·22	0·34	0·09	0·28	0·03	0·16	0·05	—	0·38	0·01	0·37	0·12	0·19	1·63	0·25	2·50	1·45	3·42	0·95	0·59	0·01	—	0·07	0·80	4·06
Females - - - - - -	16·87	0·08	0·18	0·32	0·11	0·30	0·04	0·22	0·06	0·10	0·32	0·00	0·64	0·12	0·18	1·81	0·19	2·14	1·63	2·88	0·92	0·30	0·09	0·15	0·03	0·20	3·86
DEVONSHIRE.																											
Persons - - - -	19·67	0·15	0·50	0·34	0·10	0·44	0·03	0·31	0·11	0·05	0·58	0·02	0·60	0·15	0·21	2·07	0·24	2·47	1·46	3·37	0·92	0·40	0·06	0·08	0·07	0·51	4·43
Males - - - - - -	20·86	0·16	0·53	0·37	0·11	0·43	0·03	0·30	0·11	—	0·65	0·02	0·42	0·18	0·23	2·07	0·29	2·70	1·44	3·86	0·96	0·56	0·01	—	0·11	0·79	4·53
Females - - - - - -	18·61	0·14	0·48	0·32	0·10	0·45	0·03	0·32	0·10	0·10	0·53	0·02	0·76	0·13	0·19	2·07	0·20	2·27	1·48	2·94	0·89	0·25	0·11	0·15	0·03	0·25	4·30
CORNWALL.																											
Persons - - - -	20·32	0·20	0·23	0·59	0·13	0·51	0·04	0·34	0·12	0·04	0·52	0·01	0·51	0·13	0·28	2·20	0·22	2·37	1·13	2·84	0·93	0·37	0·05	0·09	0·04	0·59	5·84
Males - - - - - -	21·85	0·22	0·25	0·62	0·14	0·53	0·04	0·32	0·11	—	0·59	0·02	0·40	0·15	0·29	2·36	0·28	2·57	1·17	3·28	0·97	0·51	0·01	—	0·06	1·00	5·93
Females - - - - - -	18·97	0·17	0·21	0·55	0·13	0·48	0·04	0·35	0·12	0·07	0·46	0·01	0·61	0·11	0·27	2·05	0·18	2·20	1·09	2·45	0·89	0·25	0·09	0·17	0·02	0·24	5·76
SOMERSETSHIRE.																											
Persons - - - -	19·09	0·11	0·27	0·47	0·09	0·36	0·04	0·26	0·09	0·05	0·54	0·01	0·54	0·13	0·22	1·65	0·22	2·49	1·58	3·29	1·02	0·42	0·07	0·08	0·07	0·60	4·42
Males - - - - - -	20·44	0·12	0·29	0·50	0·09	0·34	0·04	0·25	0·10	—	0·61	0·02	0·37	0·14	0·23	1·70	0·27	2·77	1·55	3·67	1·06	0·61	0·01	—	0·10	0·95	4·65
Females - - - - - -	17·89	0·09	0·25	0·44	0·09	0·38	0·04	0·26	0·09	0·09	0·48	0·01	0·69	0·11	0·21	1·61	0·18	2·25	1·61	2·96	0·97	0·25	0·12	0·16	0·03	0·28	4·24

TABLE 4. (*continued*).—**Annual Rate of Mortality from SEVERAL CAUSES PER 1000 LIVING in REGISTRATION COUNTIES in TEN YEARS 1871-80.**

—	All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Puerperal Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Scrofula.	Tabes Mesenterica.	Phthisis.	Hydrocephalus.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of General ve System.	Childbirth.	Suicide.	Other Violent Deaths.	Other Causes.
GLOUCESTERSH.																											
Persons	19·82	0·15	0·33	0·49	0·09	0·38	0·03	0·26	0·07	0·06	0·65	0·01	0·51	0·12	0·23	1·81	0·28	2·62	1·48	3·50	0·95	0·43	0·06	0·09	0·06	0·61	4·55
Males	21·50	0·18	0·37	0·53	0·08	0·38	0·04	0·26	0·06	—	0·73	0·02	0·34	0·15	0·26	1·91	0·34	2·93	1·51	3·87	1·00	0·60	0·01	—	0·10	0·98	4·85
Females	18·33	0·12	0·30	0·45	0·10	0·38	0·03	0·26	0·07	0·11	0·58	0·01	0·67	0·10	0·20	1·72	0·23	2·35	1·46	3·16	0·90	0·28	0·10	0·17	0·03	0·29	4·26
HEREFORDSHIRE.																											
Persons	18·36	0·04	0·16	0·35	0·15	0·26	0·02	0·19	0·10	0·06	0·41	0·01	0·56	0·08	0·16	1·52	0·14	2·61	1·72	2·94	0·92	0·37	0·07	0·09	0·07	0·57	4·79
Males	19·51	0·05	0·16	0·35	0·13	0·23	0·03	0·21	0·09	—	0·44	0·01	0·37	0·07	0·16	1·52	0·17	3·11	1·76	3·27	0·94	0·52	0·01	—	0·09	0·88	4·94
Females	17·24	0·03	0·16	0·36	0·17	0·29	0·02	0·18	0·11	0·11	0·38	0·01	0·75	0·09	0·16	1·52	0·11	2·12	1·68	2·62	0·90	0·22	0·13	0·19	0·04	0·26	4·63
SHROPSHIRE.																											
Persons	18·80	0·08	0·19	0·52	0·19	0·27	0·03	0·25	0·08	0·07	0·60	0·01	0·52	0·09	0·19	1·64	0·17	2·51	1·39	3·12	1·10	0·40	0·05	0·09	0·05	0·64	4·55
Males	19·66	0·09	0·20	0·54	0·17	0·25	0·04	0·23	0·07	—	0·64	0·01	0·36	0·10	0·22	1·64	0·20	2·68	1·35	3·43	1·13	0·55	0·01	—	0·08	0·99	4·68
Females	17·95	0·07	0·17	0·49	0·21	0·29	0·03	0·26	0·08	0·14	0·56	0·01	0·67	0·08	0·16	1·64	0·13	2·35	1·43	2·81	1·08	0·25	0·10	0·19	0·03	0·30	4·42
STAFFORDSHIRE.																											
Persons	22·44	0·36	0·40	1·01	0·11	0·49	0·04	0·36	0·12	0·08	1·15	0·02	0·39	0·09	0·35	1·60	0·26	2·97	1·13	4·08	0·95	0·33	0·04	0·10	0·05	0·75	5·21
Males	23·73	0·39	0·40	1·04	0·11	0·45	0·04	0·37	0·12	—	1·19	0·02	0·26	0·09	0·37	1·61	0·31	3·24	1·10	4·57	0·96	0·45	0·00	—	0·07	1·13	5·41
Females	21·15	0·33	0·40	0·99	0·12	0·54	0·03	0·36	0·12	0·17	1·10	0·02	0·53	0·09	0·33	1·55	0·21	2·69	1·16	3·59	0·93	0·22	0·08	0·21	0·03	0·36	4·99
WORCESTERSHIRE.																											
Persons	18·95	0·19	0·26	0·71	0·15	0·33	0·02	0·26	0·08	0·06	0·88	0·01	0·45	0·08	0·25	1·48	0·20	2·39	1·34	3·27	0·93	0·39	0·04	0·09	0·06	0·56	4·47
Males	20·46	0·21	0·26	0·75	0·15	0·30	0·02	0·25	0·08	—	0·95	0·02	0·29	0·09	0·28	1·55	0·24	2·76	1·32	3·69	0·98	0·55	0·01	—	0·09	0·85	4·77
Females	17·54	0·17	0·26	0·67	0·15	0·35	0·02	0·27	0·08	0·12	0·81	0·01	0·60	0·07	0·22	1·42	0·16	2·04	1·37	2·88	0·88	0·25	0·08	0·17	0·03	0·28	4·18
WARWICKSHIRE.																											
Persons	21·90	0·29	0·34	0·86	0·19	0·63	0·03	0·30	0·09	0·06	1·34	0·01	0·49	0·09	0·24	1·95	0·26	2·48	1·20	4·12	0·94	0·40	0·06	0·09	0·09	0·81	4·54
Males	23·35	0·33	0·35	0·90	0·19	0·59	0·03	0·30	0·09	—	1·47	0·02	0·31	0·10	0·27	2·21	0·31	2·66	1·17	4·54	0·95	0·55	0·01	—	0·14	1·04	4·82
Females	20·53	0·26	0·33	0·82	0·20	0·67	0·03	0·29	0·09	0·12	1·21	0·01	0·65	0·08	0·22	1·71	0·21	2·30	1·23	3·70	0·93	0·26	0·11	0·17	0·05	0·59	4·29

TABLE 4. (*continued*).—**Annual Rate of Mortality** from SEVERAL CAUSES PER **1000** LIVING in REGISTRATION COUNTIES in TEN YEARS **1871–80.**

—	All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Puerperal Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Scrofula.	Tabes Mesenterica.	Phthisis.	Hydrocephalus.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Childbirth.	Suicide.	Other Violent Deaths.	Other Causes.
LEICESTERSHIRE.																											
Persons - - - - -	21·61	0·21	0·39	0·62	0·10	0·41	0·02	0·34	0·08	0·07	1·50	0·02	0·49	0·14	0·31	1·77	0·27	2·86	1·31	3·36	1·00	0·38	0·05	0·09	0·03	0·55	5·19
Males - - - - - - -	23·02	0·26	0·39	0·66	0·09	0·38	0·02	0·34	0·09	—	1·64	0·02	0·33	0·15	0·35	1·75	0·32	3·19	1·29	3·72	1·01	0·55	0·00	—	0·12	0·83	5·52
Females - - - - - -	20·27	0·17	0·39	0·59	0·10	0·43	0·02	0·35	0·07	0·13	1·37	0·01	0·64	0·12	0·27	1·79	0·22	2·56	1·32	3·03	0·99	0·22	0·09	0·18	0·04	0·29	4·88
RUTLANDSHIRE.																											
Persons - - - - -	18·46	0·03	0·16	0·49	0·16	0·33	0·01	0·31	0·07	0·03	0·53	0·02	0·60	0·08	0·12	1·42	0·14	2·43	1·24	2·86	1·04	0·34	0·04	0·05	0·15	0·46	5·30
Males - - - - - - -	19·62	0·04	0·17	0·54	0·15	0·28	0·01	0·38	0·08	—	0·51	0·03	0·43	0·09	0·16	1·50	0·20	2·44	1·34	3·22	1·03	0·47	0·01	—	0·21	0·74	5·56
Females - - - - - -	17·29	0·03	0·15	0·44	0·16	0·39	0·01	0·23	0·06	0·05	0·56	0·00	0·74	0·07	0·08	1·34	0·09	2·53	1·14	2·50	1·06	0·22	0·08	0·10	0·09	0·17	5·00
LINCOLNSHIRE.																											
Persons - - - - -	18·55	0·13	0·18	0·51	0·13	0·33	0·03	0·27	0·08	0·06	0·75	0·02	0·54	0·10	0·20	1·69	0·22	2·71	1·30	2·84	0·94	0·37	0·05	0·08	0·08	0·57	4·37
Males - - - - - - -	19·26	0·14	0·19	0·51	0·11	0·30	0·03	0·24	0·08	—	0·78	0·02	0·38	0·11	0·21	1·52	0·25	2·93	1·32	3·11	1·00	0·52	0·00	—	0·12	0·86	4·54
Females - - - - - -	17·85	0·11	0·17	0·52	0·15	0·36	0·03	0·30	0·09	0·11	0·72	0·02	0·69	0·09	0·19	1·86	0·19	2·49	1·28	2·57	0·89	0·23	0·09	0·16	0·03	0·29	4·22
NOTTINGHAMSH.																											
Persons - - - - -	21·23	0·27	0·37	0·64	0·07	0·37	0·05	0·43	0·11	0·07	1·09	0·04	0·48	0·15	0·41	1·96	0·29	2·80	1·36	3·58	0·90	0·34	0·06	0·08	0·08	0·60	4·72
Males - - - - - - -	22·34	0·29	0·40	0·65	0·08	0·34	0·04	0·42	0·11	—	1·09	0·03	0·30	0·16	0·45	1·84	0·34	3·13	1·31	3·83	0·94	0·48	0·00	—	0·12	0·91	5·08
Females - - - - - -	20·17	0·24	0·34	0·64	0·07	0·41	0·05	0·44	0·10	0·13	0·91	0·04	0·65	0·14	0·37	2·08	0·24	2·47	1·40	3·33	0·87	0·21	0·11	0·17	0·04	0·31	4·41
DERBYSHIRE.																											
Persons - - - - -	20·54	0·10	0·30	0·79	0·08	0·37	0·04	0·34	0·12	0·08	0·70	0·02	0·37	0·12	0·31	1·90	0·29	3·08	1·39	3·49	1·04	0·34	0·06	0·11	0·08	0·66	4·36
Males - - - - - - -	21·48	0·11	0·30	0·82	0·07	0·34	0·04	0·32	0·12	—	0·76	0·02	0·24	0·14	0·33	1·78	0·35	3·36	1·33	3·83	1·08	0·45	0·01	—	0·13	1·01	4·54
Females - - - - - -	19·60	0·09	0·29	0·76	0·09	0·40	0·04	0·36	0·12	0·17	0·64	0·02	0·50	0·10	0·29	2·03	0·24	2·81	1·45	3·15	1·01	0·22	0·11	0·21	0·03	0·30	4·17
CHESHIRE.																											
Persons - - - - -	21·04	0·11	0·38	0·87	0·17	0·42	0·07	0·29	0·09	0·08	0·88	0·02	0·44	0·14	0·26	2·01	0·30	2·87	1·37	3·70	1·12	0·37	0·05	0·10	0·07	0·70	4·16
Males - - - - - - -	22·22	0·13	0·40	0·90	0·16	0·39	0·07	0·29	0·10	—	0·93	0·02	0·31	0·15	0·29	1·95	0·35	3·20	1·34	4·04	1·13	0·49	0·01	—	0·11	1·09	4·37
Females - - - - - -	19·92	0·09	0·35	0·83	0·18	0·46	0·06	0·28	0·09	0·15	0·82	0·01	0·56	0·12	0·24	2·06	0·25	2·57	1·40	3·39	1·11	0·24	0·09	0·20	0·03	0·33	3·99

TABLE 4. (*continued*).—**Annual Rate of Mortality** from SEVERAL CAUSES PER **1000** LIVING in REGISTRATION COUNTIES for TEN YEARS **1871–80.**

—	All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typus Fever.	Enteric Fever.	Simple Continued Fever.	Puerperal Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Scrofula.	Tabes Mesenterica.	Phthisis.	Hydrocephalus.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Childbirth.	Suicide.	Other Violent Deaths.	Other Causes.
LANCASHIRE.																											
Persons	25·17	0·22	0·61	1·13	0·12	0·64	0·13	0·39	0·15	0·09	1·40	0·04	0·38	0·13	0·34	2·47	0·37	3·07	1·29	5·03	1·07	0·39	0·05	0·11	0·07	0·82	4·66
Males	26·99	0·26	0·64	1·19	0·11	0·59	0·14	0·49	0·16	—	1·51	0·04	0·24	0·15	0·39	2·60	0·46	3·43	1·26	5·49	1·10	0·50	0·01	—	0·11	1·24	4·97
Females	23·46	0·19	0·57	1·07	0·12	0·68	0·11	0·38	0·14	0·18	1·29	0·03	0·51	0·11	0·31	2·34	0·29	2·73	1·31	4·61	1·04	0·29	0·09	0·21	0·03	0·43	4·40
WEST RIDING.																											
Persons	23·24	0·18	0·39	1·03	0·09	0·52	0·06	0·45	0·14	0·09	1·13	0·04	0·40	0·12	0·38	2·26	0·39	3·37	1·26	4·36	1·00	0·36	0·05	0·11	0·07	0·61	4·38
Males	24·73	0·20	0·40	1·06	0·09	0·47	0·07	0·47	0·14	—	1·19	0·04	0·25	0·13	0·41	2·32	0·46	3·76	1·25	4·83	1·01	0·47	0·01	—	0·11	0·95	4·64
Females	21·80	0·17	0·39	1·00	0·09	0·57	0·05	0·44	0·14	0·18	1·07	0·03	0·54	0·10	0·35	2·20	0·33	2·99	1·27	3·90	0·98	0·25	0·09	0·21	0·04	0·29	4·13
EAST RIDING.																											
Persons	21·36	0·16	0·27	0·51	0·11	0·44	0·04	0·40	0·17	0·06	1·36	0·03	0·48	0·11	0·35	1·97	0·22	3·37	1·40	3·15	0·97	0·38	0·06	0·08	0·07	0·69	4·51
Males	22·30	0·17	0·26	0·51	0·10	0·40	0·04	0·39	0·17	—	1·44	0·02	0·29	0·12	0·40	1·94	0·24	3·67	1·44	3·38	0·97	0·52	0·01	—	0·11	1·08	4·63
Females	20·45	0·14	0·27	0·50	0·12	0·49	0·04	0·41	0·17	0·12	1·28	0·03	0·67	0·10	0·31	1·99	0·21	3·09	1·37	2·92	0·98	0·24	0·11	0·17	0·04	0·31	4·37
NORTH RIDING.																											
Persons	19·68	0·15	0·25	0·67	0·12	0·37	0·04	0·44	0·09	0·07	0·78	0·02	0·47	0·11	0·32	1·69	0·34	2·63	1·38	3·05	1·01	0·37	0·05	0·10	0·06	0·68	4·42
Males	20·22	0·17	0·24	0·67	0·12	0·34	0·04	0·46	0·10	—	0·79	0·03	0·31	0·12	0·31	1·58	0·39	2·80	1·36	3·33	1·01	0·48	0·00	—	0·08	1·03	4·46
Females	19·04	0·12	0·26	0·67	0·12	0·40	0·04	0·43	0·08	0·14	0·76	0·02	0·64	0·10	0·32	1·80	0·29	2·44	1·39	2·75	1·01	0·25	0·10	0·20	0·04	0·31	4·36
DURHAM.																											
Persons	23·77	0·63	0·41	1·38	0·09	0·54	0·13	0·56	0·17	0·10	1·17	0·03	0·33	0·15	0·75	1·93	0·45	3·12	1·14	3·43	1·02	0·28	0·05	0·12	0·05	0·85	4·89
Males	24·26	0·68	0·40	1·35	0·09	0·46	0·14	0·57	0·16	—	1·16	0·03	0·22	0·16	0·76	1·80	0·50	3·31	1·13	3·66	0·99	0·35	0·00	—	0·07	1·33	4·94
Females	23·25	0·58	0·42	1·40	0·09	0·63	0·12	0·54	0·17	0·21	1·17	0·03	0·45	0·14	0·74	2·06	0·39	2·92	1·15	3·19	1·05	0·21	0·09	0·24	0·03	0·33	4·90
NORTHUMBERLD.																											
Persons	22·74	0·37	0·28	1·15	0·13	0·49	0·10	0·37	0·13	0·10	1·02	0·04	0·44	0·11	0·62	2·27	0·40	3·07	1·46	3·06	1·15	0·36	0·06	0·11	0·07	0·87	4·51
Males	23·76	0·42	0·29	1·22	0·14	0·42	0·11	0·37	0·12	—	1·05	0·05	0·29	0·12	0·66	2·32	0·45	3·28	1·52	3·24	1·15	0·47	0·01	—	0·10	1·36	4·60
Females	21·73	0·33	0·27	1·07	0·13	0·55	0·09	0·36	0·12	0·20	1·00	0·04	0·58	0·10	0·57	2·23	0·36	2·85	1·40	2·87	1·15	0·26	0·12	0·22	0·03	0·38	4·45

TABLE 4. (*continued*).—**Annual Rate of Mortality** from SEVERAL CAUSES PER **1000** LIVING in REGISTRATION COUNTIES for TEN YEARS **1871-80.**

—	All Causes.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus Fever.	Enteric Fever.	Simple Continued Fever.	Puerperal Fever.	Diarrhœa and Dysentery.	Cholera.	Cancer.	Scrofula.	Tabes Mesenterica.	Phthisis.	Hydrocephalus.	Diseases of Nervous System.	Diseases of Circulatory System.	Diseases of Respiratory System.	Diseases of Digestive System.	Diseases of Urinary System.	Diseases of Generative System.	Childbirth.	Suicide.	Other Violent Deaths.	Other Causes.
CUMBERLAND.																											
Persons	21·49	0·23	0·44	0·82	0·10	0·45	0·14	0·29	0·07	0·10	0·74	0·01	0·49	0·11	0·27	2·20	0·43	2·44	1·51	3·34	1·05	0·40	0·05	0·10	0·09	0·81	4·81
Males	22·17	0·28	0·44	0·81	0·10	0·40	0·15	0·31	0·07	—	0·75	0·02	0·37	0·13	0·28	2·08	0·46	2·54	1·50	3·55	1·08	0·50	0·01	—	0·14	1·26	4·94
Females	20·81	0·19	0·44	0·83	0·10	0·49	0·12	0·28	0·08	0·20	0·72	0·01	0·61	0·09	0·26	2·31	0·39	2·33	1·53	3·14	1·01	0·29	0·09	0·19	0·04	0·36	4·71
WESTMORLAND.																											
Persons	17·72	0·07	0·19	0·42	0·11	0·24	0·05	0·30	0·06	0·05	0·28	0·01	0·47	0·10	0·18	2·03	0·26	2·61	1·30	2·41	1·12	0·39	0·06	0·08	0·08	0·56	4·29
Males	18·21	0·10	0·20	0·46	0·10	0·24	0·06	0·29	0·05	—	0·33	0·02	0·36	0·11	0·16	1·86	0·27	2·78	1·32	2·59	1·12	0·55	—	—	0·14	0·89	4·21
Females	17·23	0·04	0·19	0·38	0·13	0·25	0·04	0·31	0·06	0·10	0·23	0·00	0·58	0·08	0·20	2·20	0·25	2·43	1·28	2·24	1·12	0·23	0·13	0·16	0·03	0·22	4·35
MONMOUTHSHIRE.																											
Persons	21·88	0·41	0·57	0·69	0·15	0·49	0·06	0·33	0·13	0·08	0·54	0·03	0·41	0·17	0·29	1·79	0·28	2·89	1·21	4·32	0·99	0·32	0·04	0·13	0·04	1·21	4·31
Males	23·17	0·46	0·54	0·69	0·14	0·43	0·07	0·36	0·13	—	0·50	0·03	0·31	0·18	0·28	1·71	0·32	3·12	1·23	4·88	0·99	0·40	0·01	—	0·06	1·98	4·35
Females	20·51	0·35	0·59	0·70	0·15	0·55	0·06	0·30	0·13	0·17	0·58	0·04	0·52	0·16	0·30	1·88	0·25	2·64	1·18	3·72	0·98	0·23	0·07	0·27	0·02	0·39	4·28
SOUTH WALES.																											
Persons	21·09	0·28	0·39	0·86	0·15	0·43	0·06	0·45	0·13	0·09	0·41	0·01	0·40	0·15	0·22	2·54	0·27	3·09	1·02	3·29	0·80	0·36	0·03	0·12	0·05	0·83	4·66
Males	22·13	0·34	0·40	0·89	0·14	0·38	0·07	0·46	0·14	—	0·43	0·02	0·31	0·17	0·25	2·51	0·32	3·33	1·01	3·71	0·83	0·47	0·00	—	0·06	1·38	4·51
Females	20·05	0·22	0·38	0·83	0·15	0·48	0·05	0·45	0·13	0·19	0·38	0·01	0·48	0·13	0·20	2·57	0·22	2·85	1·03	2·88	0·78	0·25	0·07	0·25	0·03	0·28	4·76
NORTH WALES.																											
Persons	20·59	0·07	0·25	0·70	0·20	0·32	0·05	0·24	0·11	0·08	0·29	0·01	0·50	0·10	0·18	2·57	0·23	3·83	1·08	3·11	1·06	0·37	0·05	0·12	0·03	0·62	4·42
Males	21·07	0·08	0·27	0·70	0·18	0·27	0·05	0·25	0·12	—	0·29	0·01	0·42	0·11	0·19	2·44	0·27	4·07	1·08	3·41	1·10	0·51	0·00	—	0·05	1·01	4·19
Females	20·11	0·06	0·24	0·70	0·23	0·36	0·05	0·23	0·10	0·16	0·28	0·01	0·59	0·09	0·17	2·71	0·19	3·59	1·08	2·81	1·02	0·24	0·09	0·24	0·01	0·24	4·62

TABLE 5.—**Annual Mortality** from SEVERAL CAUSES, per MILLION LIVING, at ALL AGES and at 12 GROUPS of AGES, among PERSONS, MALES, and FEMALES, in THREE DECENNIA.

PERIODS.		ALL AGES.	0–	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
ALL CAUSES.													
1851-60	Persons	22,165	67,602	8,464	4,968	7,039	8,672	9,758	12,310	16,544	28,856	61,737	159,775
1861-70	Persons	22,416	68,305	7,952	4,472	6,393	8,192	9,785	12,722	17,302	30,279	62,453	158,794
1871-80	Persons	21,272	63,116	6,435	3,695	5,327	7,039	8,927	12,618	17,722	31,486	64,850	161,592
1851-60	Males	23,048	72,433	8,510	4,881	6,689	8,829	9,574	12,481	17,956	30,854	65,332	165,398
1861-70	Males	23,609	73,162	8,148	4,460	6,161	8,453	9,897	13,464	19,165	32,995	66,689	164,643
1871-80	Males	22,612	68,140	6,673	3,691	5,227	7,323	9,304	13,735	20,049	34,756	69,574	169,077
1851-60	Females	21,323	62,744	8,418	5,056	7,385	8,530	9,925	12,147	15,198	27,007	58,656	155,455
1861-70	Females	21,282	63,430	7,756	4,484	6,622	7,958	9,685	12,034	15,554	27,773	58,797	154,277
1871-80	Females	20,001	58,098	6,198	3,700	5,426	6,780	8,582	11,585	15,587	28,538	60,815	155,833
SMALL-POX.													
1851-60	Persons	221	1,034	257	73	93	130	92	53	38	24	18	14
1861-70	Persons	163	654	145	56	86	136	102	73	49	36	26	22
1871-80	Persons	236	527	284	137	197	300	239	168	111	71	46	35
1851-60	Males	242	1,047	271	70	105	174	119	69	53	34	27	20
1861-70	Males	182	661	150	56	91	181	136	98	68	48	38	30
1871-80	Males	267	538	301	136	206	377	300	211	145	86	61	48
1851-60	Females	202	1,021	243	76	81	91	68	37	23	14	10	10
1861-70	Females	145	648	140	56	80	95	70	50	32	25	15	15
1871-80	Females	207	516	267	139	189	230	183	128	81	58	34	26
MEASLES.													
1851-60	Persons	412	2,798	275	38	13	9	6	4	2	1	1	2
1861-70	Persons	440	2,938	242	29	11	9	7	5	2	1	1	1
1871-80	Persons	378	2,568	207	22	7	6	5	4	3	2	1	1
1851-60	Males	426	2,847	262	32	11	8	5	3	2	1	1	1
1861-70	Males	459	3,067	230	26	9	7	4	4	2	1	1	2
1871-80	Males	396	2,642	196	22	5	6	4	3	3	2	1	1
1851-60	Females	398	2,749	288	44	15	10	8	4	2	2	1	2
1861-70	Females	422	2,929	254	32	13	10	9	5	3	1	1	1
1871-80	Females	360	2,494	217	22	8	6	7	5	3	1	1	2
SCARLET FEVER.													
1851-60	Persons	876	4,191	1,992	494	150	73	41	31	19	15	10	7
1861-70	Persons	972	4,624	2,182	591	153	93	61	28	14	9	6	6
1871-80	Persons	716	3,489	1,515	325	104	63	46	24	9	5	3	2
1851-60	Males	909	4,311	1,984	461	146	67	39	30	20	15	10	7
1861-70	Males	1,011	4,745	2,220	468	149	80	47	23	15	8	5	8
1871-80	Males	750	3,591	1,554	318	107	55	35	21	10	5	3	1
1851-60	Females	845	4,071	1,999	528	154	79	48	31	19	14	11	7
1861-70	Females	934	4,503	2,144	534	157	105	73	33	12	10	6	5
1871-80	Females	683	3,337	1,475	330	101	70	56	28	7	5	3	2

TABLE 5. (*continued*).—**Annual Mortality** from SEVERAL CAUSES, per MILLION LIVING, at ALL AGES and at 12 GROUPS of AGES, among PERSONS, MALES, and FEMALES, in THREE DECENNIA.

PERIODS.		ALL AGES.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
DIPHTHERIA.													
1851-60	Persons	109	431	254	104	41	20	13	12	10	10	13	16
1861-70	Persons	185	767	393	136	59	38	26	21	22	26	26	25
1871-80	Persons	121	472	291	88	33	21	17	17	14	18	19	14
1851-60	Males	106	431	228	85	39	21	13	12	9	11	14	21
1861-70	Males	177	757	338	107	58	35	24	20	22	30	32	32
1871-80	Males	117	472	256	72	28	20	14	16	17	19	20	14
1851-60	Females	112	430	280	124	44	19	15	12	10	9	11	12
1861-70	Females	191	778	448	166	61	41	28	22	21	22	21	20
1871-80	Females	125	473	325	105	38	22	19	19	12	16	18	15
WHOOPING-COUGH.													
1851-60	Persons	503	3,624	174	10	2	0	1	0	0	0	1	1
1861-70	Persons	527	3,766	152	8	2	1	0	1	0	0	1	—
1871-80	Persons	512	3,652	135	6	1	0	0	0	0	0	0	1
1851-60	Males	460	3,246	133	6	1	1	1	0	0	0	1	—
1861-70	Males	487	3,394	123	5	1	0	0	1	0	1	1	—
1871-80	Males	474	3,309	112	4	1	—	0	0	0	0	0	1
1851-60	Females	545	4,003	215	14	2	0	1	0	0	0	0	1
1861-70	Females	566	4,139	182	11	3	1	1	0	0	0	1	—
1871-80	Females	547	3,994	157	8	1	1	0	0	0	1	0	1
FEVER (Including TYPHUS, ENTERIC FEVER, and ILL-DEFINED FORMS of CONTINUED FEVER).													
1851-60	Persons	908	1,417	1,007	782	943	813	649	622	712	962	1,410	1,542
1861-70	Persons	885	1,248	924	709	850	770	671	748	842	1,055	1,299	1,330
1871-80	Persons	484	651	518	439	543	509	411	379	402	458	553	498
1851-60	Males	907	1,401	937	687	858	850	673	649	779	1,043	1,563	1,709
1861-70	Males	836	1,230	881	622	787	823	704	793	903	1,159	1,469	1,494
1871-80	Males	494	644	483	390	513	579	436	395	437	503	629	593
1851-60	Females	909	1,434	1,077	878	1,026	781	627	597	647	888	1,276	1,413
1861-70	Females	875	1,266	966	798	911	722	641	703	784	959	1,151	1,203
1871-80	Females	477	658	550	487	573	445	387	362	369	418	488	425
PUERPERAL FEVER AND CHILDBIRTH.													
1851-60	Persons	164	—	—	0	72	322	465	464	36	—	—	—
1861-70	Persons	165	—	—	0	81	334	484	461	31	—	—	—
1871-80	Persons	167	—	—	0	84	335	494	461	27	—	—	—
1851-60	Males	—	—	—	—	—	—	—	—	—	—	—	—
1861-70	Males	—	—	—	—	—	—	—	—	—	—	—	—
1871-80	Males	—	—	—	—	—	—	—	—	—	—	—	—
1851-60	Females	320	—	—	0	144	612	886	904	71	—	—	—
1861-70	Females	321	—	—	0	161	633	921	888	60	—	—	—
1871-80	Females	325	—	—	1	167	678	946	886	53	—	—	—

TABLE 5. (*continued*).—**Annual Mortality** from SEVERAL CAUSES, per MILLION LIVING, at ALL AGES and at 12 GROUPS of AGES, among PERSONS, MALES, and FEMALES, in THREE DECENNIA.

PERIODS.		ALL AGES.	0–	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
DIARRHŒAL DISEASES.													
1851-60	Persons	1,080	5,263	229	106	111	175	257	346	482	932	2,191	5,131
1861-70	Persons	1,076	5,985	160	67	61	95	155	217	319	660	1,649	4,332
1871-80	Persons	935	5,728	69	23	21	35	59	96	161	411	1,193	3,510
1851-60	Males	1,135	5,625	233	111	113	180	241	319	492	938	2,230	5,244
1861-70	Males	1,145	6,377	160	74	61	90	139	204	337	683	1,691	4,430
1871-80	Males	1,008	6,138	64	22	21	30	51	94	169	438	1,244	3,640
1851-60	Females	1,027	4,899	224	101	109	171	271	372	473	926	2,157	5,045
1861-70	Females	1,011	5,591	161	62	60	100	169	228	300	638	1,613	4,257
1871-80	Females	867	5,319	74	25	21	39	66	97	153	386	1,149	3,411
CANCER.													
1851-60	Persons	317	22	9	9	17	28	103	389	860	1.410	1,960	2,083
1861-70	Persons	387	13	8	8	18	30	115	448	1,054	1,776	2,378	2,504
1871-80	Persons	473	13	7	8	17	28	125	530	1,263	2,214	3,116	3,333
1851-60	Males	195	21	10	8	16	27	63	174	422	931	1,504	1,749
1861-70	Males	244	13	8	8	20	27	61	205	539	1,208	1,877	2,295
1871-80	Males	315	13	7	8	18	28	71	241	709	1,598	2,623	3,035
1851-60	Females	434	23	9	9	18	30	141	592	1,278	1,853	2,351	2,341
1861-70	Females	523	13	7	8	17	33	163	673	1,538	2,300	2,810	2,826
1871-80	Females	622	12	7	8	16	27	175	797	1,771	2,770	3,538	3,562
PHTHISIS.													
1851-60	Persons	2,679	1,305	572	1,025	2,961	4,181	4,317	4,091	3,466	2,840	1,983	808
1861-70	Persons	2,475	968	454	825	2,651	3,928	4,243	4,026	3,340	2.656	1,603	539
1871-80	Persons	2,116	767	358	664	2,036	3,117	3,619	3,745	3,132	2,449	1,476	492
1851-60	Males	2,579	1,329	525	763	2,399	4,052	4,031	4,004	3,830	3,331	2,389	928
1861-70	Males	2,467	990	431	605	2,190	3,883	4,094	4,166	3,861	3,297	2,024	659
1871-80	Males	2,209	783	340	481	1,675	3,092	3,699	4,120	3,860	3,195	1,924	603
1851-60	Females	2,774	1,281	620	1 293	3,516	4,288	4,575	4,178	3,121	2,383	1,635	716
1861-70	Females	2,483	947	477	1,045	3,112	3,967	4,378	3,900	2,850	2,065	1,239	447
1871-80	Females	2,028	750	375	846	2,397	3,140	3,543	3,401	2,464	1,777	1,093	407
HYDROCEPHALUS.													
1851-60	Persons	397	2,539	363	102	31	10	7	6	6	7	7	8
1861-70	Persons	347	2,213	291	89	21	8	5	3	2	2	3	1
1871-80	Persons	317	1,900	301	118	49	24	16	11	5	4	2	1
1851-60	Males	464	2,915	396	105	31	12	7	7	7	8	8	10
1861-70	Males	412	2,578	326	93	20	9	5	3	2	2	3	2
1871-80	Males	377	2,242	331	119	48	25	17	12	6	4	2	1
1851-60	Females	334	2,162	331	98	30	8	6	4	5	5	7	7
1861-70	Females	285	1,847	256	85	22	8	4	3	2	2	2	1
1871-80	Females	261	1,559	272	116	49	23	15	10	5	4	3	1

TABLES 5. (*continued*).—**Annual Mortality** from SEVERAL CAUSES, per MILLION LIVING, at ALL AGES and at 12 GROUPS of AGES, among PERSONS, MALES, and FEMALES, in THREE DECENNIA.

PERIODS.		ALL AGES.	0–	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
OTHER TUBERCULAR DISEASES.													
1851-60	Persons	407	1,920	283	232	208	170	139	111	117	139	164	113
1861-70	Persons	437	2,267	244	196	181	147	116	98	107	130	139	92
1871-80	Persons	445	2,550	211	150	139	102	80	69	75	95	112	56
1851-60	Males	451	2,066	312	250	228	212	160	115	126	143	185	119
1861-70	Males	481	2,429	278	218	191	168	128	97	107	140	157	91
1871-80	Males	490	2,756	237	162	146	115	83	69	76	100	111	52
1851-60	Females	366	1,773	253	214	189	132	120	106	108	136	146	108
1861-70	Females	396	2,105	210	173	171	128	106	98	108	121	123	92
1871-80	Females	403	2,342	186	140	132	90	77	69	76	91	113	59
DISEASES OF NERVOUS SYSTEM.													
1851-60	Persons	2,741	10,828	583	359	403	437	583	1,022	1,832	3,952	9,333	16,166
1861-70	Persons	2,785	10,152	568	327	381	423	623	1,128	2,023	4,327	10,071	18,465
1871-80	Persons	2,770	9,082	569	332	360	375	595	1,204	2,247	4,910	11,432	21,281
1851-60	Males	2,998	12,169	607	361	397	440	638	1,180	1,990	4,098	9,831	17,397
1861-70	Males	3,072	11,390	597	335	371	442	703	1,342	2,244	4,665	10,948	19,898
1871-80	Males	3,044	10,260	606	342	357	389	684	1,432	2,432	5,328	12,470	23,172
1851-60	Females	2,495	9,479	558	356	408	434	532	872	1,681	3,818	8,905	15,221
1861-70	Females	2,513	8,910	540	318	390	406	550	930	1,816	4,015	9,314	17,358
1871-80	Females	2,509	7,905	532	321	362	362	514	992	2,077	4,535	10,545	19,825
DISEASES OF CIRCULATORY SYSTEM (*See also* next Table).*													
1851-60	Persons	773	98	124	169	244	272	399	760	1,376	2,878	5,267	5,554
1861-70	Persons	1,022	99	139	219	277	309	544	1,011	1,788	3,734	6,993	8,110
1871-80	Persons	1,308	90	143	236	304	341	622	1,314	2,268	4,807	9,479	12,085
1851-60	Males	779	108	119	153	236	270	397	774	1,412	2,935	5,597	6,430
1861-70	Males	1,031	105	138	201	263	297	586	1,077	1,865	3,806	7,219	8,955
1871-80	Males	1,312	97	136	203	296	327	657	1,453	2,388	4,965	9,722	12,791
1851-60	Females	768	88	130	185	253	273	400	748	1,342	2,807	4,985	4,880
1861-70	Females	1,014	92	140	238	291	320	505	949	1,716	3,668	6,797	7,458
1871-80	Females	1,304	83	151	269	312	353	590	1,185	2,158	4,666	9,272	11,542
DISEASES OF CIRCULATORY SYSTEM AND DROPSY.*													
1851-60	Persons	1,247	391	227	257	337	370	561	1,062	1,983	4,352	8,823	11,655
1861-70	Persons	1,349	374	221	269	327	368	647	1,211	2,181	4,674	9,337	12,375
1871-80	Persons	1,477	263	181	262	331	372	672	1,415	2,465	5,249	10,611	14,631
1851-60	Males	1,180	426	240	241	322	347	514	1,002	1,898	4,130	8,714	12,203
1861-70	Males	1,311	399	233	252	312	345	665	1,233	2,187	4,581	9,229	12,825
1871-80	Males	1 457	283	178	230	319	349	692	1,535	2,559	5,341	10,698	15,003
1851-60	Females	1,311	356	215	272	352	390	603	1,118	2,064	4,558	8,916	11,234
1861-70	Females	1,385	349	210	287	341	390	631	1,191	2,176	4,762	9,431	12,027
1871-80	Females	1,496	242	185	293	343	393	654	1,304	2,378	5,166	10,537	14,346

* The formerly large, but now decreasing number of deaths referred indefinitely to dropsy (a large proportion of which ar primarily due to heart disease) somewhat destroys the value of the rates from diseases of the circulatory system for com parative purposes; an extra Table giving the rates from diseases of the circulatory system, together with dropsy, has therefor been added.

TABLE 5. (*continued*).—**Annual Mortality** from SEVERAL CAUSES, per MILLION LIVING, at ALL AGES and at 12 GROUPS of AGES, among PERSONS, MALES, and FEMALES, in THREE DECENNIA.

PERIODS.	ALL AGES.	0–	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
DISEASES OF RESPIRATORY SYSTEM.												
1851-60 Persons	3,021	10,400	596	230	338	475	672	1,280	2,565	5,790	12,123	19,687
1861-70 Persons	3,364	11,045	551	209	311	449	730	1,415	2,895	6,696	14,071	24,358
1871-80 Persons	3,760	12,204	557	203	301	445	776	1,622	3,255	7,427	16,080	30,241
1851-60 Males	3,322	11,293	585	221	335	545	772	1,524	3,092	6,617	13,416	21,606
1861-70 Males	3,694	12,012	553	199	315	523	860	1,722	3,501	7,587	15,186	26,171
1871-80 Males	4,125	13,369	561	197	328	535	934	2,002	4,051	8,444	17,082	31,562
1851-60 Females	2,733	9,499	607	240	342	413	582	1,049	2,062	5,028	11,017	18,213
1861-70 Females	3,051	10,074	550	220	306	383	613	1,130	2,327	5,875	13,112	22,959
1871-80 Females	3,414	11,041	554	209	274	363	632	1,271	2,523	6,596	15,222	29,225
DISEASES OF DIGESTIVE SYSTEM.												
1851-60 Persons	1,004	1,295	251	207	287	368	519	914	1,635	2,998	4,759	4,944
1861-70 Persons	981	1,186	197	172	234	303	480	910	1,642	3,017	4,815	5,369
1871-80 Persons	978	1,276	184	154	206	263	436	900	1,673	3,011	4,839	5,685
1851-60 Males	1,007	1,470	257	219	267	326	464	890	1,664	3,032	4,837	5,146
1861-70 Males	998	1,374	205	192	238	280	449	911	1,709	3,058	4,935	5,285
1871-80 Males	995	1,472	189	166	213	243	410	900	1,731	3,108	4,908	5,735
1851-60 Females	1,002	1,121	245	194	307	406	570	937	1,608	2,967	4,692	4,788
1861-70 Females	964	997	190	152	229	324	509	909	1,579	2,979	4,712	5,435
1871-80 Females	962	1,080	180	142	199	280	460	899	1,619	2,924	4,779	5,646
DISEASES OF URINARY SYSTEM,												
1851-60 Persons	214	52	35	39	60	86	140	220	339	615	1,393	2,112
1861-70 Persons	298	97	67	54	81	119	195	321	481	878	1,730	2,638
1871-80 Persons	392	151	93	70	103	148	249	427	664	1,195	2,211	3,305
1851-60 Males	317	66	47	47	77	105	174	292	471	937	2,453	4,268
1861-70 Males	421	117	85	65	100	137	238	406	658	1,279	2,897	5,112
1871-80 Males	525	179	116	77	114	163	286	516	871	1,667	3,545	6,080
1851-60 Females	116	38	24	30	43	69	109	151	212	317	485	456
1861-70 Females	182	78	48	44	63	102	157	243	316	508	723	727
1871-80 Females	266	122	71	64	91	136	215	344	475	769	1,073	1,169
VIOLENCE.												
1851-60 Persons	733	1,295	535	468	507	515	542	651	808	974	1,222	2,246
1861-70 Persons	765	1,317	458	448	500	543	585	729	899	1,115	1,319	2,368
1871-80 Persons	733	1,215	385	354	442	499	565	723	925	1,185	1,461	2,556
1851-60 Males	1,101	1,451	643	769	863	949	999	1,152	1,369	1,613	1,810	2,365
1861-70 Males	1,175	1,476	690	757	857	1,016	1,084	1,307	1,554	1,887	2,015	2,490
1871-80 Males	1,116	1,353	527	596	761	924	1,031	1,278	1,584	1,970	2,212	2,845
1851-60 Females	383	1,138	427	164	156	125	127	176	274	382	718	2,155
1861-70 Females	378	1,157	315	134	147	118	136	192	284	401	718	2,274
1871-80 Females	369	1,077	243	111	126	113	140	212	319	477	820	2,334

TABLE 6.—**Mean Annual Mortality,** in the three Years **1880-1-2,** at SUCCESSIVE PERIODS of LIFE, of **Males** engaged in various **Occupations.**

NOTE.—The "Years of Life" are the numbers of Males enumerated at the Census of 1881 multiplied by three; and the deaths are those registered in the three years 1880-1-2.

Reference Number.	Occupations.		Ages. 15–	20–	25–	45–	65 and upwards.
	ALL MALES	*Mortality per* 1000	4·57	6·04	10·16	25·27	92·65
	OCCUPIED MALES	*Mortality per* 1000	2·95	5·60	9·71	24·63	88·71
	UNOCCUPIED MALES	*Mortality per* 1000	19·12	19·66	32·43	36·20	103·18
	MALES IN SELECTED HEALTHY DISTRICTS*	*Mortality per* 1000	3·57	5·00	8·47	19·74	84·24
1	Clergyman, Priest, Minister	Years of Life	—	2,328	47,580	37,356	13,161
		Deaths	—	4	221	595	1,105
		Mortality per 1000	—	1·72	4·64	15·93	83·96
2	Barrister, Solicitor	Years of Life	—	2,982	29,313	15,132	4,731
		Deaths	—	14	221	350	417
		Mortality per 1000	—	4·69	7·54	23·13	88·14
3	Physician, Surgeon, General Practitioner	Years of Life	—	2,430	24,900	13,305	4,638
		Deaths	—	18	288	373	477
		Mortality per 1000	—	7·41	11·57	28·03	102·85
4	Schoolmaster, Teacher	Years of Life	35,445	26,376	51,321	16,782	2,619
		Deaths	118	149	329	333	262
		Mortality per 1000	3·33	5·65	6·41	19·84	100·04
5	Artist, Engraver, Sculptor, Architect	Years of Life	4,980	7,734	21,933	10,569	2,418
		Deaths	8	37	184	265	207
		Mortality per 1000	1·61	4·78	8·39	25·07	85·61
6	Musician, Music Master	Years of Life	3,540	5,652	22,353	9,015	1,371
		Deaths	18	38	308	292	132
		Mortality per 1000	5·08	6·72	13·78	32·39	96·28
7	Farmer, Grazier	Years of Life	86,511	79,494	284,778	280,380	103,887
		Deaths	361	344	1,733	4,635	9,181
		Mortality per 1000	4·17	4·33	6·09	16·53	88·37
8	Labourer in Agricultural Counties†	Years of Life	147,972	96,249	257,370	208,113	78,168
		Deaths	315	431	1,836	3,680	6,805
		Mortality per 1000	2·13	4·48	7·13	17·68	87·06
9	Gardener, Nurseryman	Years of Life	44,748	45,969	163,287	127,722	44,142
		Deaths	86	137	901	2,068	3,072
		Mortality per 1000	1·92	2·98	5·52	16·19	69·59
10	Fisherman	Years of Life	16,065	15,768	34,596	14,994	4,362
		Deaths	81	90	288	296	385
		Mortality per 1000	5·04	5·71	8·32	19·74	88·26
11	Cab, Omnibus, Service	Years of Life	5,358	14,274	60,690	26,340	3,738
		Deaths	15	76	934	970	374
		Mortality per 1000	2·80	5·32	15·39	36·83	100·05

* The selected healthy districts are all those in which the mean annual death-rate for persons (males and females together) was under 17·00 per 1,000 in 1871-80.

† This heading relates to Agricultural and General Labourers in ten agricultural counties, viz., Hertfordshire, Oxfordshire, Bedfordshire, Cambridgeshire, Suffolk, Wiltshire, Dorsetshire, Devonshire, Herefordshire, and Lincolnshire.

TABLE 6. (*continued*)—**Mean Annual Mortality,** in the Three Years **1880-1-2,** at SUCCESSIVE PERIODS of LIFE, of **Males** engaged in various **Occupations.**

Reference Number.	Occupations.		Ages. 15–	20–	25–	45–	65 and upwards.
12	Bargeman, Lighterman, Waterman	Years of Life	11,250	12,711	38,946	20,610	4,407
		Deaths	70	100	555	623	482
		Mortality per 1000	6·22	7·87	14·25	31·13	109·37
13	Carter, Carrier, Haulier	Years of Life	43,878	60,111	180,015	71,283	10,293
		Deaths	188	381	2,254	2,352	1,238
		Mortality per 1000	4·28	6·34	12·52	33·00	120·28
14	Groom, Domestic Coachman	Years of Life	49,635	57,132	158,892	60,603	9,132
		Deaths	104	244	1,355	1,411	833
		Mortality per 1000	2·10	4·27	8·53	23·28	91·22
15	Commercial Traveller	Years of Life	2,928	12,405	65,403	23,049	2,556
		Deaths	11	46	591	577	188
		Mortality per 1000	3·76	3·71	9·04	25·03	73·55
16	Brewer	Years of Life	4,608	9,159	38,070	17,490	2,775
		Deaths	16	42	529	599	305
		Mortality per 1000	3·47	4·59	13·90	34·25	109·91
17	Innkeeper, Publican. Spirit, Wine, Beer-Dealer	Years of Life	2,610	8,067	117,060	90,702	14,451
		Deaths	4	63	2,109	3,055	1,240
		Mortality per 1000	1·53	7·81	18·02	33·68	85·81
18	Inn, Hotel, Servant	Years of Life	25,584	27,276	41,400	8,970	1,125
		Deaths	70	206	937	496	168
		Mortality per 1000	2·74	7·55	22·63	55·30	149·33
19	Maltster	Years of Life	1,452	3,546	14,013	7,659	1,617
		Deaths	2	9	102	177	199
		Mortality per 1000	1·38	2·54	7·28	23·11	123·07
20	Law Clerk	Years of Life	20,400	17,523	24,885	6,789	1,050
		Deaths	55	80	268	209	88
		Mortality per 1000	2·70	4·57	10·77	30·79	83·81
21	Commercial Clerk and Insurance Service	Years of Life	140,535	123,723	220,101	58,443	9,213
		Deaths	372	752	2,307	1,431	675
		Mortality per 1000	2·65	6·08	10·48	24·49	73·27
22	Bookseller, Stationer	Years of Life	9,036	7,611	23,799	11,325	1,983
		Deaths	27	41	203	233	155
		Mortality per 1000	2·99	5·39	8·53	20·57	78·16
23	Chemist, Druggist	Years of Life	9,849	8,331	23,718	10,653	1,755
		Deaths	23	49	251	268	154
		Mortality per 1000	2·34	5·88	10·58	25·16	87·75
24	Tobacconist	Years of Life	4,182	4,563	15,894	6,819	990
		Deaths	13	36	177	160	84
		Mortality per 1000	3·11	7·89	11·14	23·46	84·85
25	Grocer	Years of Life	60,309	46,005	116,565	62,475	14,046
		Deaths	126	210	933	1,197	1,003
		Mortality per 1000	2·09	4·56	8·00	19·16	71·41
26	Draper and Manchester Warehouseman	Years of Life	36,276	32,979	67,221	22,380	3,135
		Deaths	85	191	652	469	234
		Mortality per 1000	2·34	5·79	9·70	20·96	74·64

TABLE 6. (*continued*)—**Mean Annual Mortality,** in the Three Years **1880-1-2,** at SUCCESSIVE PERIODS of LIFE, of **Males** engaged in various **Occupations.**

Reference Number.	Occupations.		Ages. 15–	20–	25–	45–	65 and upwards.
27	Ironmonger	Years of Life	9,291	7,581	18,765	7,668	1,440
		Deaths	19	33	158	183	120
		Mortality per 1000	2·04	4·35	8·42	23·87	83·33
28	Coal Merchant	Years of Life	2,151	4,128	25,521	20,565	4,929
		Deaths	4	22	176	424	386
		Mortality per 1000	1·86	5·33	6·90	20·62	78·31
29	General Shopkeeper	Years of Life	9,333	8,709	35,748	25,110	6,357
		Deaths	23	42	326	533	360
		Mortality per 1000	2·46	4·82	9·12	21·23	56·63
30	Cheesemonger. Milk, Butterman	Years of Life	11,775	10,143	30,900	16,062	3,684
		Deaths	21	48	293	432	389
		Mortality per 1000	1·78	4·73	9·48	26·90	105·59
31	Greengrocer, Fruiterer	Years of Life	6,858	6,900	30,372	19,122	3,438
		Deaths	10	30	305	508	247
		Mortality per 1000	1·46	4·35	10·04	26·57	71·84
32	Fishmonger, Poulterer	Years of Life	6,069	6,978	26,013	13,176	2,085
		Deaths	14	36	274	309	185
		Mortality per 1000	2·31	5·16	10·53	23·45	88·73
33	Shopkeepers as represented by the eleven groups, 22-32	Years of Life	165,129	143,928	414,516	215,855	43,842
		Deaths	365	738	3,748	4,716	3,317
		Mortality per 1000	2·27	5·13	9·04	21·90	75·66
34	Butcher	Years of Life	41,010	37,689	97,869	43,260	8,418
		Deaths	69	169	1,190	1,258	856
		Mortality per 1000	1·68	4·48	12·16	29·08	101·69
35	Baker, Confectioner	Years of Life	44,034	34,668	89,124	43,143	8,232
		Deaths	89	153	775	1,127	737
		Mortality per 1000	2·02	4·41	8·70	26·12	89·53
36	Corn Miller	Years of Life	8,970	9,444	29,394	17,130	3,183
		Deaths	25	49	247	456	490
		Mortality per 1000	2·79	5·19	8·40	26·62	153·94
37	Hatter	Years of Life	5,970	5,778	17,352	7,941	2,403
		Deaths	7	35	187	214	225
		Mortality per 1000	1·17	6·06	10·78	26·95	93·63
38	Hairdresser	Years of Life	7,386	6,303	17,004	8,031	1,911
		Deaths	26	41	232	267	182
		Mortality per 1000	3·52	6·50	13·64	33·25	95·24
39	Tailor	Years of Life	35,286	37,539	125,472	92,928	26,340
		Deaths	125	255	1,346	2,460	2,160
		Mortality per 1000	3·54	6·79	10·73	26·47	82·00
40	Shoemaker	Years of Life	62,277	59,196	206,400	153,807	46,227
		Deaths	181	339	1,922	3,593	3,775
		Mortality per 1000	2·91	5·73	9·31	23·36	81·66
41	Tanner, Fellmonger	Years of Life	3,168	3,834	13,794	7,647	1,578
		Deaths	5	18	110	194	145
		Mortality per 1000	1·58	4·69	7·97	25·37	91·89

TABLE 6. (*continued*)—**Mean Annual Mortality,** in the Three Years **1880-1-2,** at SUCCESSIVE PERIODS OF LIFE, of **Males** engaged in various **Occupations.**

Reference Number.	Occupations.		Ages. 15—	20—	25—	45—	65 and upwards.
42	Currier	Years of Life	5,436	6,159	20,199	10,386	2,025
		Deaths	12	19	173	250	216
		Mortality per 1000	2·21	3·08	8·56	24·07	106·67
43	Saddler, Harness Maker	Years of Life	10,194	8,844	27,642	13,512	3,666
		Deaths	17	53	254	358	317
		Mortality per 1000	1·67	5·99	9·19	26·49	86·47
44	Tallow Chandler, Soap-boiler	Years of Life	1,992	1,803	6,075	3,933	867
		Deaths	6	9	47	103	72
		Mortality per 1000	3·01	4·99	7·74	26·19	83·04
45	Tallow, Soap, Glue, Manure Manufacture	Years of Life	2,538	2,292	8,349	5,259	1,098
		Deaths	7	10	61	145	90
		Mortality per 1000	2·76	4·36	7·31	27·57	81·97
46	Printer	Years of Life	46,191	29,013	65,397	20,565	2,871
		Deaths	144	214	727	547	264
		Mortality per 1000	3·12	7·38	11·12	26·60	91·95
47	Bookbinder	Years of Life	5,760	4,896	11,424	4,542	789
		Deaths	22	40	134	135	75
		Mortality per 1000	3·82	8·17	11·73	29·72	95·06
48	Watch and Clock Maker	Years of Life	8,955	9,966	28,617	15,372	3,588
		Deaths	26	84	265	348	282
		Mortality per 1000	2·90	8·43	9·26	22·64	78·60
49	Watch, Clock, Phil. Inst. Maker, and Jeweller	Years of Life	22,383	23,748	68,628	29,892	6,279
		Deaths	58	154	633	717	535
		Mortality per 1000	2·59	6·48	9·22	23·99	85·20
50	Paper Manufacture	Years of Life	5,433	4,335	12,336	5,760	1,116
		Deaths	16	23	80	113	110
		Mortality per 1000	2·94	5·31	6·48	19·62	98·57
51	Glass Manufacture	Years of Life	12,291	9,033	25,149	8,703	1,110
		Deaths	35	56	282	276	142
		Mortality per 1000	2·85	6·20	11·21	31·71	127·93
52	Earthenware Manufacture	Years of Life	15,897	11,376	35,754	14,127	1,791
		Deaths	40	52	490	726	229
		Mortality per 1000	2·52	4·57	13·70	51·39	127·86
53	Cotton, Linen, Manufacture (Lancashire)	Years of Life	98,064	69,546	154,749	65,319	9,966
		Deaths	356	460	1,546	1,923	1,234
		Mortality per 1000	3·63	6·61	9·99	29·44	123·82
54	Silk Manufacture	Years of Life	6,723	5,166	15,498	17,025	7,116
		Deaths	24	39	121	388	508
		Mortality per 1000	3·57	7·55	7·81	22·79	71·39
55	Wool, Worsted, Manufacture (West Riding)	Years of Life	49,836	34,038	93,882	50,688	10,749
		Deaths	160	230	912	1,394	1,331
		Mortality per 1000	3·21	6·76	9·71	27·50	123·83
56	Carpet, Rug-Manufacture	Years of Life	4,143	3,537	10,020	5,850	1,077
		Deaths	8	29	95	141	108
		Mortality per 1000	1·93	8·20	9·48	24·10	100·28

TABLE 6. (*continued*)—**Mean Annual Mortality,** in the Three Years **1880-1-2,** at SUCCESSIVE PERIODS of LIFE, of **Males** engaged in various **Occupations.**

Reference Number.	OCCUPATIONS.		AGES. 15—	20—	25—	45—	65 and upwards.
57	Lace Manufacture	Years of Life	7,083	5,412	11,955	6,036	1,350
		Deaths	12	28	81	125	114
		Mortality per 1000	1·69	5·17	6·78	20·71	84·44
58	Hosiery Manufacture (Leicestershire, Notts)	Years of Life	6,936	6,435	18,987	16,704	5,256
		Deaths	10	29	127	321	514
		Mortality per 1000	1·44	4·51	6·69	19·22	97·79
59	Dyer, Bleacher, Printer, &c. of Textile Fabrics	Years of Life	20,628	17,484	42,927	23,046	4,935
		Deaths	63	88	406	624	528
		Mortality per 1000	3·05	5·03	9·46	27·08	106·99
60	Rope, Twine, Cord-Maker	Years of Life	5,106	2,523	8,556	7,011	1,743
		Deaths	17	13	68	156	140
		Mortality per 1000	3·33	5·15	7·95	22·25	80·32
61	Builder, Mason, Bricklayer	Years of Life	82,959	111,225	351,834	168,804	33,990
		Deaths	164	472	3,255	4,320	3,137
		Mortality per 1000	1·98	4·24	9·25	25·59	92·29
62	Slater, Tiler	Years of Life	2,715	3,588	10,365	4,452	978
		Deaths	5	20	93	111	83
		Mortality per 1000	1·84	5·57	8·97	24·93	84·87
63	Plasterer, Whitewasher	Years of Life	11,181	13,341	41,331	16,155	3,003
		Deaths	26	54	322	405	257
		Mortality per 1000	2·33	4·05	7·79	25·07	85·58
64	Plumber, Painter, Glazier	Years of Life	62,403	61,203	194,328	74,973	9,672
		Deaths	162	294	2,151	2,436	949
		Mortality per 1000	2·60	4·80	11·07	32·49	98·12
65	Upholsterer, Cabinet Maker, French Polisher	Years of Life	26,382	27,381	80,142	35,523	7,080
		Deaths	76	148	765	880	623
		Mortality per 1000	2·88	5·41	9·55	24·77	87·99
66	Carpenter, Joiner	Years of Life	100,839	104,013	307,500	145,569	37,968
		Deaths	226	506	2,390	3,165	3,105
		Mortality per 1000	2·24	4·86	7·77	21·74	81·78
67	Sawyer	Years of Life	6,660	8,085	29,874	23,253	5,196
		Deaths	21	38	223	552	505
		Mortality per 1000	3·15	4·70	7·46	23·74	97·19
68	Wood Turner, Box Maker, Cooper	Years of Life	11,832	11,631	39,105	20,070	4,824
		Deaths	24	59	413	573	439
		Mortality per 1000	2·03	5·07	10·56	28·55	91·00
69	Coach Builder	Years of Life	10,272	10,050	33,075	14,040	2,658
		Deaths	27	52	302	347	250
		Mortality per 1000	2·63	5·17	9·13	24·72	94·06
70	Wheelwright	Years of Life	12,423	11,712	34,128	20,091	6,342
		Deaths	27	43	233	386	552
		Mortality per 1000	2·17	3·67	6·83	19·21	87·04
71	Shipbuilder, Shipwright	Years of Life	16,659	17,466	63,867	32,079	4,452
		Deaths	63	72	444	683	457
		Mortality per 1000	3·78	4·12	6·95	21·29	102·65

TABLE 6. (*continued*)—**Mean Annual Mortality,** in the Three Years **1880-1-2,** at SUCCESSIVE PERIODS OF LIFE, of **Males** engaged in various **Occupations.**

Reference Number.	OCCUPATIONS.		AGES. 15—	20—	25—	45—	65 and upwards.
72	Locksmith, Bellhanger, Gasfitter	Years of Life	9,270	8,538	26,448	11,418	1,911
		Deaths	18	38	242	293	150
		Mortality per 1000	1·94	4·45	9·15	25·66	78·49
73	Gunsmith	Years of Life	2,418	2,178	10,260	6,168	993
		Deaths	4	10	109	159	103
		Mortality per 1000	1·65	4·59	10·62	25·78	103·73
74	Cutler, Scissors Maker	Years of Life	6,999	6,327	21,630	11,046	2,016
		Deaths	13	36	266	386	220
		Mortality per 1000	1·86	5·69	12·30	34·94	109·13
75	File Maker	Years of Life	3,258	3,327	10,857	4,431	645
		Deaths	9	17	166	200	74
		Mortality per 1000	2·76	5·11	15·29	45·14	114·73
76	Cutler, Scissors, File, Needle, Saw, Tool-Maker	Years of Life	15,786	15,645	50,196	24,261	4,152
		Deaths	30	86	588	835	460
		Mortality per 1000	1·90	5·50	11·71	34·42	110·79
77	Engine, Machine, Maker, Fitter, Millwright	Years of Life	50,628	55,701	153,876	57,576	6,435
		Deaths	143	276	1,226	1,340	642
		Mortality per 1000	2·82	4·96	7·97	23·27	99·77
78	Boiler Maker	Years of Life	11,253	11,868	39,588	12,984	999
		Deaths	30	66	367	346	103
		Mortality per 1000	2·67	5·56	9·27	26·65	103·10
79	Last two together (77-78)	Years of Life	61,881	67,569	193,464	70,560	7,434
		Deaths	173	342	1,593	1,686	745
		Mortality per 1000	2·80	5·06	8·23	23·89	100·22
80	Blacksmith	Years of Life	50,478	47,643	140,319	74,706	16,764
		Deaths	111	220	1,304	1,918	1,676
		Mortality per 1000	2·19	4·62	9·29	25·67	99·98
81	Other Iron and Steel Workers	Years of Life	94,494	96,546	296,532	115,962	14,883
		Deaths	240	477	2,478	2,648	1,387
		Mortality per 1000	2·54	4·94	8·36	22·84	93·19
82	Tin Workers	Years of Life	21,945	15,948	37,617	13,860	2,646
		Deaths	55	84	301	335	211
		Mortality per 1000	2·51	5·27	8·00	24·17	79·74
83	Copper, Lead, Zinc, Brass, &c. Workers	Years of Life	39,669	32,313	86,259	32,769	4,884
		Deaths	114	176	789	878	477
		Mortality per 1000	2·87	5·45	9·15	26·79	97·67
84	Metal Workers (Numbers 72-83)	Years of Life	295,941	286,380	841,095	349,704	53,667
		Deaths	745	1,433	7,404	8,752	5,209
		Mortality per 1000	2·52	5·00	8·80	25·03	97·06
85	Miner (Durham and Northumberland)	Years of Life	46,647	42,420	109,725	45,375	6,402
		Deaths	260	270	855	1,091	762
		Mortality per 1000	5·57	6·36	7·79	24·04	119·03
86	Miner (Lancashire)	Years of Life	30,561	33,537	84,480	29,658	3,054
		Deaths	140	211	668	780	320
		Mortality per 1000	4·58	6·29	7·91	26·30	104·78

TABLE 6. (*continued*)—**Mean Annual Mortality,** in the Three Years **1880-1-2,** at SUCCESSIVE PERIODS of LIFE, of **Males** engaged in various **Occupations.**

Reference Number.	Occupations.		Ages. 15–	20–	25–	45–	65 and upwards.
87	Miner (West Riding of Yorkshire)	Years of Life	30,285	27,384	75,162	24,720	2,334
		Deaths	80	140	495	539	261
		Mortality per 1000	2·64	5·11	6·59	21·80	111·83
88	Miner (Derbyshire and Nottinghamshire)	Years of Life	19,395	18,921	49,680	16,905	1,830
		Deaths	61	74	325	342	246
		Mortality per 1000	3·15	3·91	6·54	20·23	134·43
89	Miner (Staffordshire)	Years of Life	18,630	19,632	53,142	24,114	2,685
		Deaths	82	103	415	639	355
		Mortality per 1000	4·40	5·25	7·81	26·50	132·22
90	Miner (South Wales and Monmouthshire)	Years of Life	26,528	23,558	61,013	24,940	3,823
		Deaths	183	224	552	770	425
		Mortality per 1000	6·90	9·51	9·05	30·87	111·17
91	Coalminers as represented by the above six (85 to 90)	Years of Life	172,046	165,452	433,202	165,712	20,128
		Deaths	806	1,022	3,310	4,161	2,369
		Mortality per 1000	4·68	6·18	7·64	25·11	117·70
92	Miner (North Riding of Yorkshire and other Ironstone Districts)*	Years of Life	6,330	8,175	26,322	8,055	651
		Deaths	21	54	212	176	71
		Mortality per 1000	3·32	6·61	8·05	21·85	109·06
93	Miner (Cornwall)	Years of Life	9,279	6,168	11,100	7,842	1,401
		Deaths	47	51	164	421	250
		Mortality per 1000	5·07	8·27	14·77	53·69	178·44
94	Stone, Slate-quarrier	Years of Life	17,985	21,759	72,465	33,759	5,817
		Deaths	68	131	721	1,048	653
		Mortality per 1000	3·78	6·02	9·95	31·04	112·26
95	Railway, Road, Clay, Sand, &c. Labourer	Years of Life	11,745	20,769	72,669	45,198	11,637
		Deaths	54	139	800	1,121	872
		Mortality per 1000	4·60	6·69	11·01	24·80	74·93
96	Coalheaver	Years of Life	3,858	4,572	20,358	9,843	1,497
		Deaths	16	20	208	234	135
		Mortality per 1000	4·15	4·37	10·22	23·77	90·18
97	Chimney Sweep	Years of Life	2,118	2,529	9,687	4,839	759
		Deaths	8	29	133	201	63
		Mortality per 1000	3·78	11·47	13·73	41·54	83·00
98	Messenger, Porter, Watchman (not Government)	Years of Life	105,204	26,496	70,782	42,150	8,619
		Deaths	234	174	1,208	1,575	666
		Mortality per 1000	2·22	6·57	17·07	37·37	77·27
99	Costermonger, Hawker, Street Seller	Years of Life	7,833	8,337	34,842	26,100	8,223
		Deaths	32	74	706	1,183	651
		Mortality per 1000	4·09	8·88	20·26	45·33	79·17
100	General Labourer (London)	Years of Life	31,077	34,362	104,238	53,547	8,091
		Deaths	210	434	2,149	2,723	786
		Mortality per 1000	6·76	12·63	20·62	50·85	97·14

* Namely, the Registration districts of Ulverston and Barrow-in-Furness and the sub-districts of Harrington and Egremont in Whitehaven Registration District.

MORTALITY

IN

ENGLAND AND WALES,

IN

LONDON,

AND IN

REGISTRATION COUNTIES AND DISTRICTS,

In the Ten Years 1871–80.

Explanatory Notes.

The following Tables, excepting those on pages 2 and 3, which give figures for MALES and FEMALES separately, relate to the Mortality of PERSONS, that is of MALES and FEMALES taken together.

The numbers of Deaths given are the total numbers registered in the ten years 1871 to 1880.

The Mean Populations are the arithmetical means of the Populations enumerated in 1871 and 1881.

Where changes have been made in the course of the ten years in the boundaries of any Registration Counties or Districts, corresponding corrections have been made in the estimated Mean Populations of those Counties or Districts, in order to obtain the true death-rates. An account of these changes is given on pages 371–78.

The first vertical column of figures on the left of each Table gives the average annual death-rates *at all ages* from the several causes.

The first horizontal column of figures below the age headings gives the average annual death-rates from all causes *at successive age-periods.*

Deaths in the 10 Years 1871-80.

ENGLAND AND WALES.—(Males.)

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death Rate per 1000 - -	—	22·61	—	—	—	—	—	68·14	6·67	3·69	5·23	7·32	9·30	13·74	20·05	34·76	69·57	169·08
Mean Populat^n 1871-80 - -	—	11,849,414	360,816	319,325	329,141	321,021	316,758	1,647,061	1,459,697	1,311,499	1,176,491	1,032,135	1,705,568	1,324,405	997,999	681,568	372,570	140,421
ALL CAUSES - -	22·61	2,679,416	712,238	217,941	91,810	58,044	42,282	1,122,315	97,400	48,405	61,501	75,588	158,690	181,908	200,092	236,888	259,210	237,419
Small-pox - - -	0·27	31584	3998	1233	1112	1203	1307	8853	4396	1784	2427	3889	5119	2792	1444	587	226	67
Measles - - - -	0·40	46941	10909	17848	8050	4317	2395	43519	2859	287	63	61	70	40	26	12	3	1
Scarlet Fever - - -	0·75	88874	5577	13106	15319	14028	11115	59145	22399	4176	1254	564	603	281	102	36	12	2
Diphtheria - - -	0·12	13815	1153	1670	1561	1729	1656	7769	3730	942	326	202	244	216	165	129	73	19
Whooping-cough - -	0·47	56209	25866	16955	6633	3291	1759	54504	1628	54	9	–	3	5	1	1	1	1
Typhus - - - -	0·07	7338	49	51	106	120	133	459	692	633	850	859	1183	983	806	531	290	72
Enteric Fever - -	0·32	38470	932	1378	1568	1337	1309	6524	4491	3582	4418	4437	5276	3413	1725	1974	1264	363
Simple Continued Fever	0·11	12661	586	779	811	796	653	3625	1909	904	775	681	995	840	831	918	786	397
Puerperal Fever - -	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa and Dysentery	0·98	116023	76694	17869	3101	1026	568	99258	848	250	198	263	729	1039	1401	2616	4391	5025
Cholera - - - -	0·03	3399	1250	372	104	74	47	1847	93	36	49	50	132	214	290	356	237	85
Cancer - - - -	0·32	37334	20	30	50	62	51	213	106	107	210	288	1215	3191	7077	10891	9771	4762
Scrofula - - - -	0·14	16944	4617	2555	1010	576	440	9198	1381	1111	1107	866	1103	665	578	538	334	62
Tabes Mesenterica - -	0·35	41175	21221	9965	3078	1243	703	36210	2966	1004	607	325	305	246	177	144	80	11
Phthisis - - -	2·21	261765	5341	3811	1713	1089	948	12902	4964	6369	19723	31927	63670	54549	38532	21774	7168	847
Hydrocephalus - -	0·38	44680	15972	11561	4693	2665	2028	36919	4833	1565	566	262	285	156	57	26	9	2
Diseases of: Nervous System -	3·04	360749	128446	23004	8857	5187	3491	168985	8840	4484	4204	4013	11674	18968	24271	36312	46459	32539
Diseases of: Circulatory „ -	1·31	155423	735	258	184	178	247	1602	1982	2668	3480	3378	11213	19250	23820	33837	36223	17961
Diseases of: Respiratory „ -	4·12	488745	131136	56786	18386	8642	5241	220191	8188	2587	3859	5522	15926	26513	40428	57567	63645	44419
Diseases of: Digestive „ -	1·00	117918	18629	2693	1224	887	812	24245	2756	2181	2510	2510	6995	11924	17272	21186	18286	8053
Diseases of: Urinary „ -	0·52	62194	605	605	586	617	541	2954	1695	1009	1346	1678	4880	6834	8693	11360	13207	8538
Diseases of: Generative „ -	0·01	735	58	15	1	5	1	80	5	8	9	12	67	94	114	134	136	76
Childbirth - - -	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide - - - -	0·11	12652	–	–	–	–	–	–	–	46	286	661	1769	2357	2747	2771	1545	470
Other Violence - -	1·01	119596	9818	3650	3626	2812	2379	22285	7699	7761	8667	8872	15809	14562	11068	10653	6796	3524
Other Causes - -	4·57	544192	248626	31747	10037	6160	4458	301028	9540	4945	4578	4248	10025	12775	15457	22522	48361	110723

Births - - 4,374,918

Deaths of Infants (under one) to 1000 Births - 163

Deaths in the 10 Years 1871-80.

ENGLAND AND WALES.—(Females.)

——	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death Rate per 1000 - - -	—	20·00	—	—	—	—	—	58·10	6·20	3·70	5·43	6·78	8·58	11·58	15·59	28·54	60·82	155·83
Mean Populat^{n} 1871-80 - -	—	12,493,934	359,185	319,878	330,144	322,985	316,818	1,649,010	1,467,262	1,300,785	1,187,331	1,134,358	1,861,449	1,431,548	1,087,587	755,902	436,248	182,454
ALL CAUSES - -	20·00	2,498,895	565,088	203,389	90,893	57,890	40,783	958,043	90,936	48,123	64,426	76,905	159,756	165,840	169,519	215,717	265,306	284,324
Small-pox - - -	0·21	25838	3688	1269	1208	1125	1226	8516	3916	1807	2241	2608	3406	1831	876	440	150	47
Measles - - - -	0·36	45007	9016	16738	8204	4631	2532	41121	3187	291	99	69	124	68	30	11	4	3
Scarlet Fever - - -	0·68	85358	4606	12236	14582	13571	10865	55860	21638	4298	1198	795	1042	394	80	38	12	3
Diphtheria - - -	0·12	15611	912	1456	1621	2005	1807	7801	4773	1364	448	249	352	265	132	123	77	27
Whooping-cough - -	0·55	68323	27373	21655	9420	4970	2444	65862	2310	108	15	7	9	2	4	4	1	1
Typhus - - - -	0·05	6637	41	56	81	141	151	470	655	692	813	631	992	905	739	457	2[illegible]2	51
Enteric Fever - - -	0·32	39951	835	1330	1550	1505	1436	6656	5340	4551	5179	3791	5204	3409	2500	1869	1111	341
Simple Continued Fever	0·10	12982	452	771	893	864	729	3709	2068	1094	820	627	1002	877	775	842	784	384
Puerperal Fever - -	0·14	17944	-	-	-	-	-	-	-	-	922	4132	8320	4397	173	-	-	-
Diarrhœa and Dysentery	0·84	105529	63773	17553	3274	1041	564	86205	949	268	222	402	1105	1250	1475	2700	4829	6124
Cholera - - - -	0·02	2705	964	320	101	73	39	1497	128	47	28	40	136	143	187	217	182	100
Cancer - - - -	0·62	77697	39	25	45	55	37	201	99	98	190	310	3261	11405	19264	20935	15435	6499
Scrofula - - - -	0·11	14072	3944	2233	896	529	391	7993	1015	780	760	541	823	636	558	497	378	91
Tabes Mesenterica - -	0·29	36218	17146	8997	2759	1069	659	30630	1715	1041	803	477	607	356	267	192	113	17
Phthisis - - - -	2·03	253334	4790	3692	1838	1090	955	12365	5509	11015	28459	35617	65973	48663	26786	13436	4769	742
Hydrocephalus - -	0·26	32580	10552	7698	3536	2212	1703	25701	3991	1512	584	262	286	147	55	29	11	2
Diseases of: Nervous System -	2·51	313530	93862	19664	8421	5071	3332	130350	7805	4171	4294	4102	9561	14202	22593	34274	46007	36171
Diseases of: Circulatory „ -	1·80	162950	571	228	171	196	200	1366	2212	3496	3701	4003	10976	16965	23465	35260	40447	21059
Diseases of: Respiratory „ -	3·41	426595	97772	51757	18402	8967	5175	182073	8128	2713	2257	4120	11769	18190	27440	49175	66408	53322
Diseases of: Digestive „ -	0·96	120143	12679	2381	1194	858	703	17815	2639	1844	2357	3181	8568	12876	17610	22103	20849	10341
Diseases of: Urinary „ -	0·27	33219	375	508	416	365	354	2018	1039	832	1080	1539	3997	4930	5161	5811	4679	2133
Diseases of: Generative „ -	0·10	12606	8	12	15	3	5	43	7	29	204	537	1760	2508	2974	2374	1631	539
Childbirth - - -	0·18	22617	-	-	-	-	-	-	-	7	1061	3558	9294	8294	403	-	-	-
Suicide - - - -	0·03	4315	-	-	-	-	-	-	1	38	303	376	717	766	883	714	400	117
Other Violence - -	0·33	41777	9125	2889	2488	1791	1470	17763	3562	1409	1191	909	1873	2263	2589	2898	3178	4142
Other Causes - -	4·21	521357	202565	29921	9778	5758	4006	252028	8250	4618	4197	4022	8599	10098	12500	21318	53619	142108

Births - - 4,213,864

Deaths of Infants (under one) to 1000 Births - 134

Deaths in the 10 Years 1871–80.

ENGLAND AND WALES.—(Persons.)

——	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death Rate per 1000 - -	—	21·27	—	—	—	—	—	63·12	6·43	3·70	5·33	7·04	8·93	12·62	17·72	31·49	64·85	161·59
Mean Populat^{n} 1871-80 - -	—	24,343,348	720,002	639,202	659,285	644,006	633,575	3,296,070	2,926,960	2,612,284	2,363,822	2,166,493	3,567,016	2,755,954	2,085,586	1,437,470	808,817	322,876
ALL CAUSES - -	21·27	5,178,311	1,277,326	421,330	182,703	115,934	83,065	2,080,358	188,336	96,528	125,927	152,493	318,446	347,748	369,611	452,605	524,516	521,743
Small-pox - - -	0·24	57422	7686	2502	2329	2328	2533	17369	8312	3591	4668	6197	8525	4623	2320	1027	374	114
Measles - - - -	0·38	91918	19925	34586	16254	8948	4927	84640	6046	578	162	130	194	108	56	23	7	4
Scarlet Fever - - -	0·72	174232	10183	25342	29901	27599	21980	115005	44337	8474	2452	1359	1645	675	182	74	24	5
Diphtheria - - -	0·12	29426	2065	3126	3182	3734	3463	15570	8503	2306	774	451	594	481	297	252	150	46
Whooping-cough - -	0·51	124532	53239	38610	16053	8261	4203	120366	3938	164	24	7	12	7	5	5	2	2
Typhus - - -	0·06	13975	90	107	187	261	284	929	1347	1325	1643	1490	2175	1888	1545	988	522	123
Enteric Fever - - -	0·32	78421	1767	2708	3118	2842	2745	13180	9831	8133	9597	8228	10480	6822	5226	3843	2377	704
Simple Continued Fever-	0·11	25643	1038	1550	1704	1660	1382	7334	3977	1998	1595	1308	1997	1717	1606	1760	1570	781
Puerperal Fever - -	0·07	17944	–	–	–	–	–	–	–	–	922	4132	8320	4397	173	–	–	–
Diarrhœa and Dysentery	0·91	221552	140467	35422	6375	2067	1132	185463	1797	518	420	665	1834	2289	2876	5316	9225	11149
Cholera - - - -	0·03	6104	2214	692	205	147	86	3344	221	83	77	90	268	357	477	583	419	185
Cancer - - - -	0·47	115031	59	55	95	117	88	414	205	205	400	598	4476	14596	26341	31829	25206	10761
Scrofula - - - -	0·13	31016	8561	4788	1906	1105	831	17191	2396	1891	1867	1407	1926	1302	1136	1035	712	153
Tabes Mesenterica - -	0·32	77393	38367	18962	5837	2312	1362	66840	5781	2015	1410	802	912	602	444	336	193	28
Phthisis - - - -	2·12	515099	10131	7504	3551	2179	1963	25267	10473	17324	48482	67544	129043	103212	65318	35210	11937	1589
Hydrocephalus - -	0·32	77269	26524	19259	8229	4877	3731	62620	8824	3077	1150	524	571	303	112	55	20	4
Diseases of Nervous System -	2·77	674279	222308	42668	17278	10258	6823	299335	16645	8655	8498	8115	21235	31170	46864	70586	92466	68710
Diseases of Circulatory " -	1·31	318373	1306	486	355	374	447	2968	4194	6164	7181	7381	22189	36215	47294	69097	76670	39029
Diseases of Respiratory " -	3·76	915340	228908	108543	36788	17609	10116	402264	16316	5300	7116	9642	27695	44703	67868	106742	130653	47644
Diseases of Digestive " -	0·98	238061	31308	5074	2418	1745	1515	42059	5395	4025	4867	5691	15563	21809	34882	43289	39135	18354
Diseases of Urinary " -	0·39	95413	980	1113	1002	982	895	4972	2734	1841	2426	3217	8877	11764	13854	17171	17886	10674
Diseases of Generative " -	0·05	13341	66	27	16	8	6	123	12	37	213	549	1827	2692	3088	2508	1767	615
Childbirth - - -	0·09	22617	–	–	–	–	–	–	–	7	1061	3578	9294	8294	403	–	–	–
Suicide - - - -	0·07	16967	–	–	–	–	–	–	1	84	589	1037	2486	3123	3630	3485	1915	587
Other Violence - -	0·66	161378	18943	6539	6114	4603	3849	40048	11261	9170	9858	9781	17682	16825	15657	13551	9874	7666
Other Causes - -	4·36	1065549	451191	61668	19815	11918	8464	553056	17790	9533	8775	8290	18624	22873	27957	43840	101980	252831

Deaths of Infants (under one) to 1000 Births - 149

Marriages - 1,960,543
Births - 8,588,782

Annual Rate per 1000 living { Persons Married - 16·11
Births - - - 35·28

Deaths in the 10 Years 1871-80.

LONDON.

——	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death Rate per 10 0 - -	—	22·37	—	—	—	—	—	72·76	7·07	3·51	4·68	6·14	9·00	14·34	21·45	37·47	72·08	165·58
Mean Populat^n 1871-80 - -	—	3,535,372	104,633	91,401	90,546	87,921	85,335	459,836	384,713	337,884	337,852	353,410	596,619	438,043	305,754	190,093	97,007	34,161
ALL CAUSES - -	22·37	790,966	196,343	73,239	32,098	19,314	13,569	334,563	27,210	11,857	15,816	21,693	53,725	62,812	65,570	71,232	69,923	56,565
Small pox - - -	0·44	15539	2106	853	742	748	763	5212	2229	899	1170	1632	2314	1233	558	210	62	20
Measles - - - -	0·51	17947	3815	7049	3299	1748	891	16802	986	61	21	21	32	14	8	2	-	-
Scarlet Fever - - -	0·60	21247	1202	2988	3673	3143	2803	14112	5394	859	275	175	290	107	25	8	1	1
Diphtheria - - -	0·12	4319	333	524	569	611	563	2600	1110	186	80	56	100	70	46	40	25	6
Whooping-cough - -	0·81	28728	10927	9342	4183	2118	1135	27705	978	31	2	1	3	4	2	2	-	-
Typhus - - - -	0·05	1887	21	17	36	49	48	171	173	155	168	187	280	306	221	145	69	12
Enteric Fever - - -	0·21	8536	185	231	354	344	365	1479	1079	848	1078	998	1146	740	507	391	188	62
Simple Continued Fever	0·07	2579	131	171	222	217	181	922	426	159	102	107	167	134	146	182	162	72
Puerperal Fever - -	0·08	2721	-	-	-	-	-	-	-	-	141	653	1299	608	20	-	-	-
Diarrhœa and Dysentery	0·94	33168	23720	4647	638	232	108	29345	208	69	40	67	221	298	391	625	924	980
Cholera - - - -	0·04	1328	681	169	47	24	13	937	39	8	8	14	52	60	71	68	54	17
Cancer - - - -	0·55	19574	7	13	21	21	18	80	41	30	65	123	948	3077	5023	5395	3565	1227
Scrofula - - - -	0·16	5537	1863	1053	447	263	180	3866	439	251	221	117	205	147	128	119	82	12
Tabes Mesenterica - -	0·40	14168	8046	3312	1083	417	224	13082	543	206	103	47	67	49	37	28	13	2
Pathisis - - - -	2·51	88757	1840	1340	702	439	352	4673	1604	1892	5397	9135	22785	21367	13590	6358	1753	203
Hydrocephalus - -	0·42	14875	5439	3825	1769	1002	788	12824	1366	346	124	61	74	54	16	7	3	-
Diseases of Nervous System -	2·56	90528	26199	6365	1693	1594	1084	37940	2232	907	982	1021	3060	5176	7708	10757	12540	8205
Diseases of Circulatory „ -	1·29	45619	250	130	72	78	90	620	901	1104	1278	1296	3997	6429	7757	9445	8683	4109
Diseases of Respiratory „ -	4·60	162727	30718	21007	7578	3357	1928	73588	2630	732	966	1522	4919	8311	13[illegible]07	20633	22061	14658
Diseases of Digestive „ -	0·95	33731	4433	617	312	226	199	5787	673	458	656	805	2669	4231	5530	6038	4578	2246
Diseases of Urinary „ -	0·43	16246	126	113	134	150	141	653	429	260	409	570	1732	2433	2923	3039	2513	1285
Diseases of Generative „ -	0·07	2571	16	7	4	2	1	30	2	9	37	106	412	538	614	426	281	111
Childbirth - - -	0·07	2587	-	-	-	-	-	-	-	-	84	366	1177	923	37	-	-	-
Suicide - - - -	0·08	2993	-	-	-	-	-	-	-	11	105	213	521	696	665	540	267	65
Other Violence - -	0·71	25004	6445	971	726	568	512	9222	1409	997	1066	1153	2319	2387	2348	1904	1251	948
Other Causes - -	3·64	128050	18837	8494	2790	1663	1189	72973	2319	1359	1238	1247	2936	3519	3877	5410	10848	22324

Deaths of Infants (under one) to 1000 Births - 158

Marriages - 334,675
Births - - 1,245,441

Annual Rate per 1000 living { Persons Married - 18·93
Births - - 35·23

Deaths in Registration Counties in the 10 Years 1871–80.

1.—SURREY (*Extra-Metropolitan*).

	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death Rate per 1000 - - -	—	16·77	—	—	—	—	—	42·44	4·56	3·12	4·01	5·05	7·46	11·89	16·23	28·45	62·75	157·48
Mean Populat^n 1871-80 - -	—	413,167	11,390	10,457	10,645	10,416	10,343	53,251	48,182	43,667	39,414	39,837	64,478	48,278	34,259	23,155	13,234	5412
ALL CAUSES - -	16·77	69,285	14,692	4024	1815	1177	892	22,600	2,199	1363	1582	2013	4812	5742	5559	6588	8304	8523
Small-pox - - -	0·08	341	38	7	7	12	12	76	17	18	24	51	62	28	40	14	6	5
Measles - - - -	0·26	1058	234	350	184	103	65	936	95	12	4	2	4	2	3	-	-	-
Scarlet Fever - - -	0·27	1125	44	144	160	173	111	632	317	94	30	16	22	10	2	1	1	-
Diphtheria - - -	0·16	654	25	41	66	78	94	304	222	55	18	6	21	11	6	5	4	2
Whooping cough - -	0·40	1630	790	454	209	104	41	1598	59	2	1	-	-	-	-	-	-	-
Typhus - - -	0·02	81	-	-	2	1	1	4	11	5	10	11	12	8	4	4	10	2
Enteric Fever - - -	0·22	901	12	14	38	28	32	124	95	114	117	91	112	104	69	43	25	7
Simple Continued Fever	0·04	185	4	10	8	13	12	47	27	20	13	12	13	12	10	9	17	5
Puerperal Fever - -	0·07	276	-	-	-	-	-	-	-	-	6	53	140	68	9	-	-	-
Diarrhœa and Dysentery	0·57	2373	1556	264	45	25	12	1902	19	7	6	3	32	35	38	48	125	158
Cholera - - - -	0·02	67	34	12	3	1	-	50	-	-	1	1	3	4	2	2	3	1
Cancer - - - -	0·48	1978	4	2	2	4	-	12	2	5	10	5	68	243	383	539	479	232
Scrofula - - - -	0·10	425	104	64	31	10	13	222	36	27	24	20	29	19	15	17	14	2
Tabes Mesenterica - -	0·23	952	503	183	59	25	20	790	61	35	25	12	10	5	5	5	4	-
Phthisis - - - -	1·91	7885	164	87	38	25	31	345	168	292	540	883	2097	1712	1057	614	223	44
Hydrocephalus - -	0·30	1238	395	282	131	73	81	962	170	62	17	8	10	6	-	3	-	-
Diseases of Nervous System -	2·58	10680	1948	437	174	106	78	2743	179	133	182	184	518	928	1085	1432	1874	1422
Diseases of Circulatory „ -	1·29	5323	36	10	3	5	4	58	50	89	101	111	339	610	709	1078	1376	802
Diseases of Respiratory „ -	2·63	10870	2714	1052	356	148	122	4392	222	75	103	129	351	567	678	1083	1662	1608
Diseases of Digestive „ -	0·89	3662	441	40	25	20	22	548	77	72	64	71	250	412	518	631	660	359
Diseases of Urinary „ -	0·45	1852	16	8	11	7	11	53	21	21	19	50	145	255	295	371	379	243
Diseases of Generative „ -	0·04	164	2	-	-	-	-	2	-	1	1	1	15	29	39	33	28	15
Childbirth - - -	0·08	314	-	-	-	-	-	-	-	-	10	41	144	111	8	-	-	-
Suicide - - - -	0·08	326	-	-	-	-	-	-	-	1	12	21	57	75	68	45	40	7
Other Violence - -	0·44	1831	219	80	79	53	33	455	110	84	112	100	189	202	189	163	114	113
Other Causes - -	3·16	13064	5409	483	193	163	97	6345	241	139	132	151	259	286	327	448	1260	3495

Deaths of Infants (under one) to 1000 Births - 115

Marriages - 26,155
Births - 127,714

Annual Rate per 1000 living: Persons Married - 12·66; Births - - - 30·91

Deaths in Registration Counties in the 10 Years 1871-80.

2.—KENT (*Extra-Metropolitan*).

——	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death Rate per 1000 - - -	—	17·81	—	—	—	—	—	46·27	5·04	3·15	4·54	6·08	7·72	11·38	14·89	26·45	55·86	148·62
Mean Populat^n 1871-80 - - -	—	668,827	19,139	17,372	17,983	17,588	17,402	89,484	81,403	72,646	64,172	58,395	95,431	74,402	56,638	40,877	24,610	10,769
ALL CAUSES - -	17·81	119,091	26,773	7762	3135	2120	1615	41,405	4102	2288	2915	3550	7365	8466	8435	10,813	13,747	16,005
Small-pox - - -	0·12	814	84	28	21	19	31	183	92	65	89	83	124	93	38	24	17	6
Measles - - - -	0·23	1557	317	546	228	163	111	1365	156	17	4	1	5	4	3	1	1	-
Scarlet Fever - - -	0·34	2275	129	270	324	355	270	1348	628	159	45	34	36	12	10	1	2	-
Diphtheria - - -	0·15	992	43	70	87	136	126	462	379	63	26	15	9	9	11	5	9	4
Whooping-cough - -	0·40	2693	1282	809	301	147	69	2608	82	2	-	-	-	-	-	1	-	-
Typhus - - - -	0·02	136	-	1	3	-	6	10	21	18	17	13	17	14	15	7	2	2
Enteric Fever - - -	0·25	1681	73	72	65	68	80	358	231	167	200	137	165	121	114	90	67	31
Simple Continued Fever	0·08	518	10	19	20	23	14	86	69	53	37	30	41	35	31	38	57	41
Puerperal Fever - -	0·05	349	-	-	-	-	-	-	-	-	15	71	171	90	2	-	-	-
Diarrhœa and Dysentery	0·67	4503	2870	621	122	38	20	3671	36	6	13	16	45	45	53	89	218	311
Cholera - - - -	0·03	188	76	32	5	8	1	122	7	4	1	2	8	11	10	14	7	2
Cancer - - - -	0·48	3221	2	-	6	2	4	14	9	8	18	17	116	389	657	895	769	329
Scrofula - - - -	0·13	872	253	129	43	23	21	469	64	57	51	52	44	36	40	34	18	7
Tabes Mesenterica - -	0·27	1784	941	352	105	50	31	1479	106	63	33	15	30	20	19	12	7	-
Phthisis - - - -	1·83	12227	288	182	75	42	46	633	253	409	1071	1611	3010	2416	1552	913	321	47
Hydrocephalus - -	0·28	1865	628	452	172	129	111	1492	214	85	22	11	27	7	5	-	2	-
Diseases of: Nervous System -	2·34	15630	3798	874	347	187	160	5366	371	205	250	196	608	966	1198	1766	2485	2249
Diseases of: Circulatory " -	1·35	9032	44	14	10	12	15	95	109	162	148	163	549	971	1160	1879	2423	1373
Diseases of: Respiratory " -	2·82	18901	4789	2000	628	328	195	7920	364	111	166	267	601	895	1112	1880	2816	2769
Diseases of: Digestive " -	0·95	6379	769	126	50	46	34	1025	136	122	124	134	371	634	866	1125	1150	692
Diseases of: Urinary " -	0·41	2722	34	16	14	16	16	96	59	48	63	74	214	322	350	485	617	394
Diseases of: Generative " -	0·06	372	-	-	-	-	-	-	-	2	3	12	39	65	96	79	55	21
Childbirth - - -	0·08	507	-	-	-	-	-	-	-	-	23	76	189	209	10	-	-	-
Suicide - - - -	0·08	556	-	-	-	-	-	-	-	3	12	34	89	95	115	123	63	22
Other Violence - -	0·54	3636	312	138	125	84	63	722	219	188	249	239	414	445	339	317	222	252
Other Causes - -	3·85	25681	10051	1011	384	244	191	11881	497	280	235	247	443	562	629	1035	2419	7483

Deaths of Infants (under one) to 1000 Births - 124

Marriages - 46,769
Births - - 216,664

Annual Rate per 1000 living: Persons Married - 13·99; Births - - - 32·39

Deaths in Registration Counties in the 10 Years 1871–80.

3.—SUSSEX.

——	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death Rate per 1000 - -	—	17·05	—	—	—	—	—	40·86	4·32	2·85	4·35	5·87	8·15	10·85	14·76	26·06	55·97	148·95
Mean Populat^{n} 1871-80 - -	—	457,552	12,530	11,563	11,808	11,505	11,575	58,981	53,759	50,007	44,045	39,803	64,571	51,000	40,198	29,549	17,961	7678
ALL CAUSES - -	17·05	78,021	15,689	4428	1841	1218	926	24,102	2321	1426	1917	2335	5260	5536	5935	7700	10,053	11,436
Small-pox - - -	0·04	166	26	7	7	8	7	55	12	1	9	17	20	22	13	9	8	-
Measles - - - -	0·17	799	188	277	121	74	42	702	65	13	6	2	3	3	1	1	2	-
Scarlet Fever - - -	0·23	1072	48	131	142	149	117	587	301	85	25	24	25	15	7	1	2	-
Diphtheria - - -	0·17	780	21	37	73	92	93	316	298	92	21	9	17	10	7	7	3	-
Whooping-cough - -	0·34	1562	698	489	191	93	47	1518	40	1	2	-	-	-	-	-	-	1
Typhus - - - -	0·02	103	-	1	1	3	1	6	11	19	18	9	10	11	9	5	5	-
Enteric Fever - - - -	0·19	884	10	15	23	27	26	101	98	90	112	102	108	76	72	70	46	9
Simple Continued Fever	0·05	247	4	9	14	22	12	61	42	16	15	12	20	11	22	23	14	11
Puerperal Fever - -	0·05	232	-	-	-	-	-	-	-	-	18	41	110	62	1	-	-	-
Diarrhœa and Dysentery	0·59	2708	1691	306	80	34	17	2128	35	4	7	4	28	32	40	66	127	242
Cholera - - - -	0·01	59	19	3	1	3	1	27	-	-	1	-	4	3	7	11	6	-
Cancer - - - -	0·57	2624	-	1	4	2	-	7	4	5	6	15	95	275	539	723	652	303
Scrofula - - - -	0·13	580	150	77	22	18	17	284	42	35	47	28	42	31	16	28	23	4
Tabes Mesenterica - -	0·18	846	352	152	59	19	27	609	66	44	35	19	25	11	17	12	7	1
Phthisis - - - -	2·05	9389	190	99	49	35	31	404	134	269	801	1194	2491	1904	1178	727	250	37
Hydrocephalus - -	0·30	1374	402	337	138	93	67	1037	187	78	25	14	21	7	4	1	-	-
Diseases of Nervous System -	2·20	10070	2114	488	172	107	92	2973	198	142	147	124	367	573	786	1222	1906	1652
Diseases of Circulatory „ -	1·40	6389	22	5	6	3	4	40	51	105	88	125	368	583	842	1326	1845	1016
Diseases of Respiratory „ -	2·65	12116	1779	1208	416	180	117	4700	224	92	108	131	354	513	759	1266	1989	1980
Diseases of Digestive „ -	0·94	4286	435	44	29	20	27	555	89	60	78	93	278	409	616	835	812	461
Diseases of Urinary „ -	0·43	1990	10	6	6	12	12	46	31	37	48	56	178	235	255	375	452	277
Diseases of Generative „ -	0·06	270	-	-	-	-	-	-	-	-	5	6	39	54	62	44	43	17
Childbirth - - -	0·07	310	-	-	-	-	-	-	-	-	21	41	123	120	5	-	-	-
Suicide - - - -	0·10	447	-	-	-	-	-	-	-	2	19	20	53	71	105	105	62	19
Other Violence - -	0·43	1971	242	94	68	52	43	499	113	101	105	116	190	201	172	177	145	152
Other Causes - -	3·68	16747	6288	642	219	172	125	7447	284	135	159	133	291	324	400	666	1654	5254

Deaths of Infants (under one) to 1000 Births - 115

Marriages - 31,832
Births - - 136,905

Annual Rate per 1000 living: Persons Married - 13·91; Births - - - 29·92

4.—HAMPSHIRE.*

——	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death Rate per 1000	—	18·26	—	—	—	—	—	44·55	5·09	3·23	4·74	6·90	9·36	12·63	15·75	26·52	56·95	156·86
Mean Populat" 1871-80	—	* 551,277	15,437	13,897	14,469	13,803	13,891	71,497	64,819	58,296	52,127	48,532	80,156	63,003	48,632	34,969	20,474	8772
ALL CAUSES	18·26	100,667	19,879	6199	2699	1772	1302	31,851	3299	1885	2471	3347	7502	7957	7660	9275	11,660	13,760
Small-pox	0·22	1186	131	28	34	39	43	275	201	117	97	114	177	107	58	27	6	7
Measles	0·28	1537	266	557	396	180	87	1396	103	18	3	4	9	3	1	-	-	-
Scarlet Fever	0·37	2042	96	196	302	307	256	1157	611	135	52	27	34	19	3	3	1	-
Diphth ria	0·11	619	34	30	55	65	72	256	218	70	18	9	17	8	11	8	3	1
Whooping cough	0·34	1881	872	559	221	105	53	1810	67	2	1	-	1	-	-	-	-	-
Typhus	0·03	154	2	4	4	5	3	18	23	23	19	12	22	13	7	8	9	-
Enteric Fever	0·30	1666	26	55	63	58	57	259	202	199	185	158	237	152	114	92	57	11
Simple Continued Fever	0·11	580	16	32	42	41	26	157	84	53	31	33	58	31	37	36	41	19
Puerperal Fever	0·05	288	-	-	-	-	-	-	-	-	10	50	144	78	6	-	-	-
Diarrhœa and Dysentery	0·62	3427	1976	484	105	31	18	2614	31	17	5	17	81	79	54	97	169	263
Cholera	0·01	72	32	6	1	3	2	44	2	1	-	1	2	2	2	5	10	3
Cancer	0·51	2827	2	-	3	1	2	8	5	7	4	11	107	315	592	763	650	365
Scrofula	0·11	608	183	77	26	12	14	312	27	39	39	44	58	33	18	18	16	4
Tabes Mesenterica	0·20	1127	562	223	89	38	15	927	63	48	24	16	18	14	4	8	5	-
Phthisis	2·20	12122	244	137	66	33	25	505	174	304	966	1614	3342	2536	1506	836	296	43
Hydrocephalus	0·26	1443	398	369	167	93	82	1109	213	75	26	11	3	4	1	1	-	-
Disease of Nervous System	2·34	12914	2901	664	253	153	116	4087	304	196	200	208	476	843	1057	1609	2161	1773
Disease of Circulatory "	1·44	7913	37	8	4	9	10	68	57	89	126	148	561	979	1031	1581	2038	1235
Disease of Respiratory "	2·85	15715	3814	1715	529	280	161	6499	268	95	118	191	499	780	1056	1570	2290	2349
Disease of Digestive "	0·91	5024	478	51	32	23	23	607	114	77	101	122	390	531	748	881	948	505
Disease of Urinary "	0·45	2454	19	10	11	10	10	60	45	31	57	67	238	357	356	453	469	321
Disease of Generative "	0·05	284	2	-	-	-	-	2	1	-	4	9	37	51	72	57	37	14
Childbirth	0·09	473	-	-	-	-	-	-	-	-	23	79	200	155	11	-	-	-
Suicide	0·07	382	-	-	-	-	-	-	-	1	5	22	58	80	73	84	79	20
Other Violence	0·50	2758	284	111	99	74	54	622	167	118	191	210	303	315	270	237	177	158
Other Causes	3·84	21171	7504	883	287	212	173	9059	319	170	161	170	430	472	572	901	2248	6669

Deaths of Infants (under one) to 1000 Births - 116

Marriages - 42,061
Births - 171,340

Annual Rate per 1000 living: Persons Married - 15·26; Births - 31·08

* Changes were made in the boundary of this Registration County during the decade, *see* pp. 271-78.

Deaths in Registration Counties in the 10 Years 1871-80.

5.—BERKSHIRE.*

——	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death Rate per 1000 - - -	—	18·01	—	—	—	—	—	43·71	4·51	2·95	4·56	5·90	7·55	10·67	14·39	26·01	58·62	162·48
Mean Populat^{n} 1871-80 - -	—	* 237,529	6697	6149	6397	6155	6111	31,509	29,053	26,426	22,200	19,519	32,085	26,156	20,945	15,683	9838	4115
ALL CAUSES - -	18·01	42,785	8886	2553	1140	707	486	13,772	1309	779	1013	1151	2424	2790	3015	4079	5767	6686
Small-pox - - - -	0·04	101	7	1	2	1	1	12	5	2	9	20	19	11	8	5	4	6
Measles - - - -	0·24	564	121	193	89	60	33	499	53	2	4	1	2	-	2	1	-	-
Scarlet Fever - - -	0·32	763	32	89	126	113	84	444	212	61	14	13	13	3	3	-	-	-
Diphtheria - - -	0·12	274	13	18	32	29	27	119	101	27	4	5	6	7	2	2	1	-
Whooping-cough - -	0·37	887	382	293	101	53	26	860	25	2	-	-	-	-	-	-	-	-
Typhus - - - -	0·02	45	1	1	2	1	2	7	5	6	7	4	5	2	5	1	2	1
Enteric Fever - - -	0·22	531	15	10	23	15	12	75	78	58	79	52	71	39	31	17	21	7
Simple Continued Fever	0·06	137	10	4	5	11	9	39	11	15	8	8	12	7	17	6	8	3
Puerperal Fever - -	0·05	123	-	-	-	-	-	-	-	-	2	23	65	35	1	-	-	-
Diarrhœa and Dysentery	0·63	1494	853	200	40	14	7	1114	20	2	3	7	22	12	17	50	102	115
Cholera - - - -	0·02	36	7	7	3	1	2	20	3	1	1	-	2	1	-	4	2	2
Cancer - - - -	0·54	1278	1	-	-	2	1	4	3	1	1	4	37	125	265	344	345	149
Scrofula - - - -	0·11	262	69	26	14	10	3	122	29	21	15	10	19	15	11	18	8	3
Tabes Mesenterica - -	0·16	373	154	69	31	14	13	281	27	13	15	16	9	2	6	1	2	1
Phthisis - - - -	1·92	4570	229	89	98	22	19	397	75	130	399	540	1049	878	573	355	158	16
Hydrocephalus - -	0·28	673	212	175	70	32	23	512	77	29	9	3	5	4	2	1	1	-
Diseases of Nervous System -	2·43	5763	1115	247	105	67	41	1575	112	86	78	65	181	327	427	709	1118	1085
Diseases of Circulatory „ -	1·51	3573	11	2	2	4	3	23	34	51	60	46	150	297	399	765	1070	680
Diseases of Respiratory „ -	2·86	6791	1056	662	228	103	71	2720	120	52	65	72	161	291	410	638	1123	1139
Diseases of Digestive „ -	0·95	2254	286	34	20	19	17	376	51	45	39	49	118	190	291	407	437	258
Diseases of Urinary „ -	0·46	1092	13	7	9	7	2	38	28	11	19	32	73	122	127	192	265	182
Diseases of Generative „ -	0·05	113	-	-	-	-	-	-	-	-	2	1	11	11	35	26	17	10
Childbirth - - -	0·09	202	-	-	-	-	-	-	-	1	6	25	81	83	6	-	-	-
Suicide - - - -	0·07	171	-	-	-	-	-	-	-	4	11	11	16	36	33	38	17	5
Other Violence - -	0·50	1194	108	55	59	39	25	286	89	80	58	59	124	108	94	122	82	82
Other Causes - -	3·99	9503	3558	368	141	85	65	4217	158	76	95	85	175	184	242	377	984	2912

Deaths of Infants (under one) to 1000 Births - 118

Marriages - 16,219
Births - 75,127

Annual Rate per 1000 living { Persons Married - 13·66
Births - - - 31·63

* Changes were made in the boundary of this Registration County during the decade, *see* pp. 371-78.

Deaths in Registration Counties in the 10 Years 1871–80.

6.—MIDDLESEX (*Extra-Metropolitan*).

——	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death Rate per 1000 - - -	—	17·96	—	—	—	—	—	48·32	4·86	2·84	3·65	4·84	7·54	12·59	18·07	30·97	64·45	152·44
Mean Populat^{n} 1871-80 - -	—	322,834	9454	8417	8679	8560	8469	43,579	39,680	36,331	30,387	28,718	48,363	37,404	26,655	17,437	10,104	4176
ALL CAUSES - -	17·96	57,971	13,474	3967	1742	1097	779	21,059	1930	1031	1110	1391	3645	4709	4817	5401	6512	6366
Small-pox - - -	0·14	444	54	15	16	15	10	110	38	22	46	44	75	59	25	17	6	2
Measles - - - -	0·32	1039	232	360	185	108	55	940	80	11	-	2	3	1	1	1	-	-
Scarlet Fever - - -	0·33	1065	44	136	185	149	142	656	287	65	17	11	14	14	1	-	-	-
Diphtheria - - -	0·15	484	27	42	44	87	60	260	157	35	6	7	6	2	6	3	2	-
Whooping-cough - -	0·47	1512	670	444	189	100	58	1461	50	1	-	-	-	-	-	-	-	-
Typhus - - - -	0·02	55	-	1	1	1	2	5	5	6	7	4	8	9	6	-	5	-
Enteric Fever - -	0·24	779	9	23	28	26	22	108	134	74	97	75	97	81	47	29	33	4
Simple Continued Fever	0·05	155	4	7	6	11	3	31	30	15	18	10	17	6	11	6	6	5
Puerperal Fever - -	0·06	202	-	-	-	-	-	-	-	-	6	40	97	56	3	-	-	-
Diarrhœa and Dysentery	0·80	2598	1808	341	52	19	15	2235	15	7	1	6	18	26	32	57	83	115
Cholera - - - -	0·02	55	28	7	1	1	-	37	1	-	-	-	2	7	1	3	2	2
Cancer - - - -	0·47	1502	1	-	-	1	-	2	3	1	3	9	46	169	329	384	408	148
Scrofula - - - -	0·12	381	131	62	28	17	9	247	36	28	16	5	11	14	6	6	10	2
Tabes Mesenterica - -	0·24	778	437	147	58	18	9	669	46	31	8	4	9	3	3	1	4	-
Phthisis - - - -	1·78	5748	124	79	33	10	18	264	97	190	415	588	1386	1329	869	433	153	24
Hydrocephalus - -	0·31	1009	334	252	116	62	57	821	124	36	9	8	8	1	2	-	-	-
Diseases of: Nervous System -	2·75	8865	1677	363	128	94	64	2326	161	97	86	114	523	975	1012	1185	1375	1011
Diseases of: Circulatory „ -	1·22	3946	23	4	6	3	4	40	44	75	70	77	264	448	608	830	979	511
Diseases of: Respiratory „ -	3·09	9988	2611	1077	365	191	108	4352	185	72	62	75	304	482	662	1029	1483	1282
Diseases of: Digestive „ -	0·92	2968	390	43	25	13	16	487	81	54	41	61	181	313	458	513	511	268
Diseases of: Urinary „ -	0·41	1314	12	15	11	7	8	53	33	26	13	29	90	155	205	263	290	157
Diseases of: Generative „ -	0·05	154	-	-	-	-	-	-	-	-	1	2	18	19	37	35	28	14
Childbirth - - -	0·06	200	-	-	-	-	-	-	-	-	7	23	82	85	3	-	-	-
Suicide - - - -	0·09	277	-	-	-	-	-	-	-	1	9	20	45	47	60	58	29	8
Other Violence - -	0·50	1629	273	56	67	35	34	465	114	94	81	73	166	172	169	117	95	83
Other Causes - -	3·35	10824	4585	493	198	129	85	5490	269	90	91	104	175	236	261	431	1007	2730

Deaths of Infants (under one) to 1000 Births - 133

Marriages - 16,712
Births - 101,632

Annual Rate per 1000 living: Persons Married - 10·35; Births - - - 31·48

Deaths in Registration Counties in the 10 Years 1871-80.

7.—HERTFORDSHIRE.

	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death Rate per 1000 - -	—	18·37	—	—	—	—	—	44·01	4·12	2·88	4·36	6·34	7·98	10·82	14·49	27·54	61·02	161·50
Mean Population 1871-80 - -	—	198,493	5551	5068	5321	5174	5229	26,343	24,971	22,890	18,499	15,348	25,899	21,498	17,706	13,546	8423	3460
ALL CAUSES - -	18·37	36,467	7717	2026	911	553	386	11,593	1028	659	807	973	2067	2317	2565	3730	5140	5588
Small pox - - -	0·12	234	23	3	3	3	1	33	15	9	16	36	42	28	27	17	7	4
Measles - - -	0·26	513	114	166	78	53	29	440	67	3	2	–	1	–	–	–	–	–
Scarlet Fever - - -	0·31	606	32	71	84	93	62	342	190	46	11	7	8	–	1	1	–	–
Diphtheria - - -	0·10	193	12	12	24	24	25	97	68	21	3	–	–	1	–	1	2	–
Whooping cough - -	0·42	829	392	237	102	51	24	806	20	3	–	–	–	–	–	–	–	–
Typhus - - -	0·02	49	–	1	2	–	–	3	6	9	11	4	7	2	2	2	3	–
Enteric Fever - - -	0·21	473	7	12	16	12	12	59	51	49	65	44	59	43	40	37	20	6
Simple Continued Fever	0·10	197	5	8	6	7	5	31	21	18	19	7	16	16	15	13	23	15
Puerperal Fever - -	0·05	121	–	–	–	–	–	–	–	–	6	32	56	25	2	–	–	–
Diarrhœa and Dysentery	0·71	1419	842	194	45	9	7	1097	10	4	2	4	21	19	19	37	77	129
Cholera - - - -	0·02	35	16	4	–	–	–	20	1	1	–	–	–	2	2	4	4	1
Cancer - - - -	0·46	921	–	–	1	–	1	2	3	–	2	5	24	95	194	233	205	108
Scrofula - - - -	0·09	180	47	22	13	2	3	87	16	10	12	10	13	10	3	9	5	5
Tabes Mesenterica - -	0·18	361	192	69	32	5	5	303	19	14	12	4	4	4	–	4	–	–
Phthisis - - - -	1·75	3466	108	50	18	13	13	202	46	112	275	413	823	672	466	285	149	23
Hydrocephalus - -	0·21	420	146	99	47	24	20	336	51	18	4	3	5	3	–	–	–	–
Diseases of Nervous System -	2·79	5537	1039	179	76	44	31	1369	78	68	89	86	248	364	485	701	1124	925
Diseases of Circulatory " -	1·51	2995	7	5	1	2	–	15	23	52	50	48	142	228	354	691	917	467
Diseases of Respiratory " -	2·89	5740	1388	509	185	91	56	2229	92	53	59	64	136	257	313	620	1029	917
Diseases of Digestive " -	0·92	1820	181	23	11	7	7	232	38	23	30	35	117	154	253	344	398	196
Diseases of Urinary " -	0·36	723	4	3	5	6	3	21	14	10	15	13	59	78	70	156	172	115
Diseases of Generative " -	0·05	104	–	–	–	–	–	–	–	1	1	5	8	13	25	29	15	
Childbirth - - -	0·08	168	–	–	–	–	–	–	–	–	10	33	72	52	1	–	–	–
Suicide - - - -	0·05	98	–	–	–	–	–	–	–	–	5	6	12	14	20	19	16	6
Other Violence - -	0·50	985	68	31	39	28	29	195	64	58	52	60	81	111	83	112	100	69
Other Causes - -	4·17	8280	3091	328	123	79	53	3674	127	77	65	51	113	146	190	362	874	2598

Deaths of Infants (under one) to 1000 Births - 121

Marriages - 11,720
Births - 63,531

Annual Rate per 1000 living: Persons Married - 11·81; Births - - - 32·01

Deaths in Registration Counties in the 10 Years 1871-80.

8.—BUCKINGHAMSHIRE.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total 5 under Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death Rate per 1000	—	18·62	—	—	—	—	—	47·77	4·13	2·77	4·71	6·28	7·48	8·95	12·70	25·69	60·84	167·70
Mean Populat^n 1871-80	—	155,438	4477	4001	4280	4092	4230	21,080	19,773	18,023	14,454	11,984	19,722	16,608	13,825	10,563	6629	2777
ALL CAUSES	18·62	28,942	6627	1833	784	469	356	10,069	817	500	681	753	1476	1486	1756	2714	4033	4657
Small-pox	0·04	58	5	1	1	1	1	9	3	5	9	7	10	3	7	3	2	-
Measles	0·27	413	95	147	54	46	20	362	43	3	2	-	1	1	-	-	-	1
Scarlet Fever	0·35	541	36	66	100	62	74	338	132	34	11	8	13	3	1	-	1	-
Diphtheria	0·06	91	5	5	9	10	10	39	31	4	5	4	2	3	2	-	1	-
Whooping-cough	0·44	688	328	201	84	36	19	668	18	2	-	-	-	-	-	-	-	-
Typhus	0·06	87	1	2	-	1	3	7	8	10	15	8	7	10	8	8	3	3
Enteric Fever	0·24	367	6	4	12	10	10	42	31	48	57	36	42	34	28	26	18	5
Simple Continued Fever	0·09	142	5	2	9	8	10	34	30	13	8	5	11	7	7	13	13	1
Puerperal Fever	0·05	84	-	-	-	-	-	-	-	-	3	17	34	29	1	-	-	-
Diarrhœa and Dysentery	0·64	990	553	153	22	6	4	738	8	-	3	3	11	6	11	24	90	96
Cholera	0·02	27	8	1	-	-	1	10	-	1	1	-	1	1	2	4	5	2
Cancer	0·46	712	-	-	-	-	2	2	1	-	1	1	16	62	136	203	203	87
Scrofula	0·08	132	32	15	6	2	2	57	6	7	12	10	16	8	7	7	2	-
Tabes Mesenterica	0·26	410	218	98	26	13	7	362	16	7	7	5	7	1	2	2	1	-
Phthisis	1·69	2625	69	39	29	7	5	149	48	92	250	383	647	473	312	192	69	10
Hydrocephalus	0·27	426	138	108	42	21	20	329	63	18	8	3	3	2	-	-	-	-
Diseases of Nervous System	2·40	3734	726	185	69	41	32	1053	73	45	48	45	114	152	236	495	771	702
Diseases of Circulatory "	1·23	1915	8	2	3	3	5	21	16	22	36	38	89	127	215	474	584	293
Diseases of Respiratory "	2·87	4454	1176	438	154	82	46	1896	78	33	41	30	109	155	235	449	700	728
Diseases of Digestive "	0·99	1539	187	18	11	9	7	232	34	24	25	25	76	116	207	290	331	179
Diseases of Urinary "	0·38	584	1	4	4	3	3	15	11	11	17	15	41	45	72	104	161	92
Diseases of Generative "	0·05	73	-	-	-	-	-	-	-	1	4	1	7	10	14	15	18	3
Childbirth	0·10	148	-	-	-	-	-	-	-	-	6	25	54	62	1	-	-	-
Suicide	0·07	106	-	-	-	-	-	-	-	-	4	4	12	14	19	27	20	6
Other Violence	0·45	701	74	35	29	36	21	195	50	51	48	29	50	41	65	71	54	47
Other Causes	5·06	7895	2956	309	120	72	54	3511	117	69	60	51	103	121	168	307	986	2402

Deaths of Infants (under one) to 1000 Births - 129

Marriages - 9,860
Births - 51,336

Annual Rate per 1000 living: Persons Married - 12·69; Births - 33·03

Deaths in Registration Counties in the 10 Years 1871-80.

9.—OXFORDSHIRE.*

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death Rate per 1000 - - -	—	19·00	—	—	—	—	—	46·85	4·45	3·33	4·61	6·56	8·03	10·09	14·36	25·15	59·92	171·30
Mean Populat^n 1871-80 - -	—	* 179,564	5092	4463	4881	4674	4732	23,842	22,339	20,849	16,867	13,972	22,631	19,234	16,112	12,510	7950	3258
ALL CAUSES - -	19·00	34,114	7335	1967	899	550	418	11,169	994	695	778	916	1817	1941	2313	3146	4764	5581
Small-pox - - -	0·07	131	9	2	2	3	5	21	11	17	13	10	24	17	9	3	6	-
Measles - - - -	0·20	366	73	121	64	42	21	321	31	7	1	2	2	-	1	1	-	-
Scarlet Fever - - -	0·38	684	34	78	109	92	84	397	189	67	6	10	4	5	5	-	1	-
Diphtheria - - -	0·13	232	15	31	18	38	31	133	65	14	3	4	4	4	2	2	1	-
Whooping-cough - -	0·28	505	230	154	63	20	16	483	20	2	-	-	-	-	-	-	-	-
Typhus - - - -	0·03	45	-	-	1	2	1	4	7	8	5	5	9	3	1	2	1	-
Enteric Fever - - -	0·26	459	5	10	18	10	12	55	50	72	65	47	59	34	36	22	11	8
Simple Continued Fever	0·08	141	4	3	8	9	2	26	18	18	11	13	15	8	15	9	6	2
Puerperal Fever - -	0·06	100	-	-	-	-	-	-	-	-	6	28	37	26	3	-	-	-
Diarrhœa and Dysentery	0·58	1038	571	148	28	10	5	762	15	4	3	2	10	8	15	47	63	106
Cholera - - - -	0·01	22	5	3	-	2	-	10	1	-	1	-	-	2	4	2	1	1
Cancer - - - -	0·51	909	-	-	2	-	1	3	-	1	1	2	18	93	197	233	251	110
Scrofula - - - -	0·19	342	107	64	25	8	11	215	14	17	23	13	16	11	16	9	8	-
Tabes Mesenterica - -	0·20	352	174	66	22	7	6	275	19	22	12	3	7	3	5	3	3	-
Phthisis - - - -	1·88	3369	103	74	32	16	17	242	57	123	294	423	777	613	462	259	110	9
Hydrocephalus - -	0·25	454	138	106	49	20	19	332	71	27	12	6	4	1	-	1	-	-
Diseases of Nervous System -	2·40	4309	863	205	86	45	37	1236	88	65	59	51	137	168	274	510	915	806
Diseases of Circulatory „ -	1·48	2656	20	2	3	4	3	32	23	31	44	41	122	194	293	571	838	467
Diseases of Respiratory „ -	2·97	5338	1430	528	204	102	51	2315	81	32	49	41	131	173	286	544	888	798
Diseases of Digestive „ -	0·99	1772	172	34	17	13	15	251	40	29	27	39	102	161	254	333	364	172
Diseases of Urinary „ -	0·45	814	5	8	2	4	4	23	22	11	21	24	64	77	91	144	197	140
Diseases of Generative „ -	0·06	99	-	-	-	-	1	1	-	-	2	4	11	13	24	18	16	5
Childbirth - - -	0·10	180	-	-	-	-	-	-	-	-	6	28	63	75	8	-	-	-
Suicide - - - -	0·07	120	-	-	-	-	-	-	-	-	4	9	19	18	23	28	14	5
Other Violence - -	0·52	936	66	50	41	29	25	211	75	64	55	55	82	89	83	86	67	69
Other Causes - -	4·85	8741	3311	280	105	74	51	3821	97	64	55	56	100	140	206	319	1000	2883

Deaths of Infants (under one) to 1000 Births - 128 | Marriages - 11,958 | Births - 57,098 | Annual Rate per 1000 living: Persons Married - 13·32; Births - - - 31·80

* Changes were made in the boundary of this Registration County during the decade, see pp. 371-78.

Deaths in Registration Counties in the 10 Years 1871-80.

10.—NORTHAMPTONSHIRE.

——	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death Rate per 1000 - - -	—	19·56	—	—	—	—	—	55·10	4·89	3·28	5·16	6·66	7·91	10·29	13·48	25·79	60·70	165·47
Mean Populat^{n} 1871-80 - -	—	262,634	7818	6945	7295	6998	6987	36,043	32,768	29,204	25,213	21,372	35,053	28,531	23,121	16,936	10,292	4101
ALL CAUSES - -	19·56	51,369	13,326	3510	1487	913	625	19,861	1602	958	1300	1424	2771	2935	3117	4368	6247	6783
Small-pox - - -	0·23	593	56	26	29	32	36	179	143	47	40	46	53	39	28	13	3	2
Measles - - - -	0·33	869	192	324	165	78	37	796	62	7	1	1	2	-	-	-	-	-
Scarlet Fever - - -	0·40	1063	69	135	172	178	143	697	249	62	27	4	19	4	1	-	-	-
Diphtheria - - -	0·07	179	16	10	15	33	22	96	47	15	8	1	5	3	3	1	-	-
Whooping-cough - -	0·40	1041	481	301	135	49	33	999	37	5	-	-	-	-	-	-	-	-
Typhus - - - -	0·04	104	-	1	3	4	2	10	14	11	14	18	13	9	5	7	2	1
Enteric Fever - - -	0·33	855	22	34	31	27	17	131	103	101	118	85	121	65	52	39	31	9
Simple Continued Fever -	0·11	278	13	17	13	15	11	69	54	30	18	10	19	19	9	23	17	10
Puerperal Fever - -	0·07	175	-	-	-	-	-	-	-	-	9	39	85	38	4	-	-	-
Diarrhœa and Dysentery	0·92	2412	1470	305	57	22	9	1863	19	4	8	5	19	23	38	61	164	208
Cholera - - - -	0·01	32	2	3	-	3	1	9	2	-	-	-	3	-	8	5	2	3
Cancer - - - -	0·53	1398	1	1	1	1	1	5	1	3	4	7	42	158	273	417	352	136
Scrofula - - - -	0·12	319	93	43	16	8	5	165	24	13	17	23	23	9	16	13	14	2
Tabes Mesenterica - -	0·23	608	338	113	39	9	6	505	22	23	23	13	9	5	2	2	4	-
Phthisis - - -	1·86	4876	153	88	48	28	17	334	79	160	507	677	1171	900	561	343	131	13
Hydrocephalus - -	0·28	733	256	169	78	34	35	572	100	30	11	7	8	3	-	2	-	-
Diseases of Nervous System -	2·46	6455	1679	292	109	73	50	2203	135	85	110	80	176	297	374	782	1268	1005
Diseases of Circulatory „ -	1·25	3277	18	2	5	2	3	30	32	55	60	66	178	310	418	716	935	477
Diseases of Respiratory „ -	3·12	8200	2361	973	315	156	79	3884	120	57	60	70	178	298	454	717	1276	1086
Diseases of Digestive „ -	0·93	2433	347	46	25	14	17	449	68	39	59	52	126	192	364	428	488	228
Diseases of Urinary „ -	0·33	857	5	9	5	5	5	29	14	12	30	27	92	89	92	158	1 6	138
Diseases of Generative „ -	0·05	125	1	-	-	-	-	1	-	-	3	7	12	19	25	24	23	11
Childbirth - - -	0·08	212	-	-	-	-	-	-	-	-	10	38	72	89	3	-	-	-
Suicide - - - -	0·07	188	-	-	-	-	-	-	-	1	8	5	26	32	42	40	26	8
Other Violence - -	0·53	1400	112	61	59	33	29	294	114	98	74	72	138	135	136	134	118	87
Other Causes - -	4·81	12687	5641	557	167	109	67	6541	163	100	81	71	181	199	269	443	1277	3362

Deaths of Infants (under one) to 1000 Births - 146

Marriages - 19,557
Births - 90,985

Annual Rate per 1000 living: Persons Married - 14·89; Births - - - 34·64

Deaths in Registration Counties in the 10 Years 1871–80.

11.—HUNTINGDONSHIRE.

——	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death Rate per 1000 - - -	—	18·47	—	—	—	—	—	44·45	4·64	3·10	4·62	7·31	7·83	9·33	11·93	23·21	54·78	152·48
Mean Populat^n 1871-80 - -	—	55,635	1511	1368	1514	1445	1473	7311	7117	6554	5237	4078	6543	5808	5062	4028	2645	1252
ALL CAUSES - -	18·47	10,274	2188	550	221	157	134	3250	330	203	242	298	512	542	604	935	1449	1909
Small-pox - - - -	0·04	25	1	-	-	-	1	2	-	2	2	6	6	2	2	-	2	1
Measles - - - -	0·14	77	22	26	10	3	6	67	8	2	-	-	-	-	-	-	-	-
Scarlet Fever - - -	0·44	243	9	37	31	27	46	150	66	13	5	2	3	4	-	-	-	-
Diphtheria - - -	0·09	51	1	1	6	9	7	24	18	5	-	1	1	1	-	1	-	-
Whooping-cough - -	0·32	179	85	58	15	11	4	173	6	-	-	-	-	-	-	-	-	-
Typhus - - - -	0·02	11	1	-	-	2	-	3	1	2	1	1	1	-	1	-	1	-
Enteric Fever - - -	0·26	145	-	3	2	7	4	16	11	19	18	23	15	14	14	7	6	2
Simple Continued Fever	0·15	82	2	5	-	2	2	11	11	11	2	2	4	4	4	12	9	12
Puerperal Fever - -	0·05	26	-	-	-	-	-	-	-	-	2	3	15	6	-	-	-	-
Diarrhœa and Dysentery	0·76	425	222	43	9	4	3	281	4	1	-	3	3	6	3	16	33	75
Cholera - - - -	0·02	9	-	-	-	-	-	-	2	-	1	-	1	-	-	1	3	1
Cancer - - - -	0·78	433	-	-	-	-	-	-	1	2	2	4	12	33	65	127	131	56
Scrofula - - - -	0·14	77	24	10	3	4	3	44	5	5	5	7	2	3	2	4	-	-
Tabes Mesenterica - -	0·23	129	80	21	9	1	3	114	5	1	3	3	1	-	2	-	-	-
Phthisis - - - -	1·93	1075	61	29	9	4	3	106	29	31	107	152	238	191	112	77	24	5
Hydrocephalus - -	0·22	121	39	23	5	9	8	84	25	7	2	2	-	-	1	-	-	-
Diseases of Nervous System -	2·04	1136	186	44	20	8	7	265	26	21	19	12	31	47	72	127	243	273
Diseases of Circulatory ,, -	1·33	740	-	-	-	-	1	1	8	12	9	11	27	39	77	169	235	152
Diseases of Respiratory ,, -	2·97	1655	397	139	48	21	9	614	23	11	13	10	43	40	84	146	302	360
Diseases of Digestive ,, -	0·96	534	58	12	3	1	3	77	12	10	11	10	25	44	65	93	119	68
Diseases of Urinary ,, -	0·37	206	1	-	1	1	1	4	7	3	7	5	11	15	23	37	51	43
Diseases of Generative ,, -	0·05	28	-	-	-	-	-	-	-	-	1	-	4	2	5	7	7	2
Childbirth - - -	0·08	44	-	-	-	-	-	-	-	-	-	7	11	24	2	-	-	-
Suicide - - - -	0·06	32	-	-	-	-	-	-	-	-	-	4	4	5	4	8	2	5
Other Violence - -	0·60	332	26	10	13	15	9	73	42	29	16	15	28	20	27	32	30	20
Other Causes - -	4·42	2459	973	89	37	28	14	1141	20	16	16	15	26	30	39	71	251	834

Deaths of Infants (under one) to 1000 Births - 124

Marriages - 3,717
Births - - 17,626

Annual Rate per 1000 living { Persons Married - 13·36
Births - - - 31·68

12.—BEDFORDSHIRE.

——	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death Rate per 1000 - - -	—	19·37	—	—	—	—	—	55·38	4·88	3·22	4·49	6·75	8·27	10·26	13·83	26·82	59·59	166·[illegible]5
Mean Populat^{n} 1871-80 - -	—	152,899	4324	3893	4039	3958	4033	20,247	18,936	17,599	15,122	12,567	19,996	16,526	13,492	10,037	6041	2336
ALL CAUSES - -	19·37	29,617	7546	1870	790	568	439	11,213	924	567	679	848	1654	1695	1866	2692	3600	3879
Small-pox - - -	0·09	140	15	1	4	2	1	23	14	5	8	17	17	26	16	7	6	1
Measles - - - -	0·23	354	78	130	59	31	19	317	30	3	1	-	1	1	-	1	-	-
Scarlet Fever - - -	0·48	739	42	113	133	111	101	490	169	47	12	10	4	6	1	-	-	-
Diphtheria - - -	0·16	245	6	16	27	36	43	128	73	25	5	3	1	4	3	1	2	-
Whooping-cough - -	0·45	693	371	167	75	36	22	671	22	-	-	-	-	-	-	-	-	-
Typhus - - - -	0·03	43	-	-	1	2	5	8	7	3	3	4	7	6	2	-	1	2
Enteric Fever - - -	0·22	339	14	12	11	14	13	64	45	35	41	40	34	30	20	17	9	4
Simple Continued Fever	0·12	181	6	9	12	11	10	48	21	20	16	18	12	9	4	17	7	9
Puerperal Fever - -	0·06	99	-	-	-	-	-	-	-	-	3	17	58	20	1	-	-	-
Diarrhœa and Dysentery	0·89	1358	881	170	26	8	3	1088	6	5	5	5	7	15	8	30	66	123
Cholera - - - -	0·02	31	10	5	1	1	1	18	1	1	-	1	-	3	-	3	2	2
Cancer - - - -	0·54	831	-	1	-	4	-	5	1	2	1	1	19	89	173	249	216	75
Scrofula - - - -	0·11	169	41	22	7	5	4	79	12	17	11	8	16	9	6	6	3	2
Tabes Mesenterica - -	0·20	299	164	48	24	11	2	249	19	11	5	4	4	2	3	-	2	-
Phthisis - - - -	2·12	3239	194	93	28	13	15	343	69	108	307	406	797	545	347	225	79	13
Hydrocephalus - -	0·22	343	104	79	38	22	20	263	44	22	4	3	4	1	1	-	1	-
Diseases of Nervous System -	2·58	3938	844	183	61	34	29	1151	65	57	52	56	135	197	274	487	757	707
Diseases of Circulatory " -	1·37	2089	1	4	3	2	2	12	19	33	36	47	90	152	243	497	635	325
Diseases of Respiratory " -	2·94	4493	1275	493	149	87	45	2049	80	29	33	38	116	176	242	419	660	651
Diseases of Digestive " -	0·93	1424	165	17	9	14	11	216	42	21	26	27	69	96	196	285	303	143
Diseases of Urinary " -	0·34	513	2	3	4	4	4	17	9	9	14	22	41	54	63	85	114	85
Diseases of Generative " -	0·04	62	-	-	-	-	-	-	-	-	-	3	8	9	12	17	8	5
Childbirth - - -	0·08	126	-	-	-	-	-	-	-	-	12	21	49	42	2	-	-	-
Suicide - - - -	0·06	87	-	-	-	-	-	-	-	-	-	6	6	15	24	20	13	3
Other Violence - -	0·46	696	53	33	23	27	20	161	56	52	41	34	59	61	73	61	49	49
Other Causes - -	4·63	7086	3280	271	100	93	69	3813	120	62	43	57	100	127	152	265	667	1680

Deaths of Infants (under one) to 1000 Births - 147

Marriages - 10,718
Births - - 51,242

Annual Rate per 1000 living { Persons Married - 14·01
Births - - - 33·51

Deaths in Registration Counties in the 10 Years 1871–80.

13.—CAMBRIDGESHIRE.

——	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death Rate per 1000 - - -	—	18·76	—	—	—	—	—	48·47	4·49	3·15	4·99	6·43	8·09	10·08	12·81	24·00	52·56	151·91
Mean Populat^n 1871-80 - -	—	191,574	5371	4770	5072	5019	5027	25,259	23,673	21,371	18,337	15,621	24,461	20,123	16,679	13,371	8632	4047
ALL CAUSES - -	18·76	35,939	8401	2166	831	504	341	12,243	1064	674	915	1005	1978	2029	2137	3209	4537	6148
Small-pox - - -	0·11	201	31	6	4	3	1	45	12	5	14	31	53	15	11	12	6	-
Measles - - -	0·21	406	103	137	78	35	15	368	29	5	-	1	1	1	1	-	-	-
Scarlet Fever - - -	0·25	485	24	57	82	68	52	283	141	30	12	11	6	2	-	-	-	-
Diphtheria - - -	0·09	174	21	8	12	14	13	68	52	18	8	4	5	5	4	6	4	-
Whooping-cough - -	0·42	799	402	228	84	45	17	776	22	-	1	-	-	-	-	-	-	-
Typhus - - - -	0·03	59	-	-	-	-	2	2	11	9	8	7	3	5	5	4	4	1
Enteric Fever - -	0·24	469	10	6	10	16	18	60	52	55	64	44	44	44	37	30	28	11
Simple Continued Fever	0·10	183	5	4	4	9	6	28	41	17	15	13	15	5	9	13	21	6
Puerperal Fever - -	0·05	92	-	-	-	-	-	-	-	-	3	20	45	23	1	-	-	-
Diarrhœa and Dysentery	0·75	1429	820	206	30	11	7	1074	14	6	4	3	18	16	8	26	96	164
Cholera - - - -	0·02	30	7	-	2	-	2	11	1	-	-	-	2	-	4	5	4	3
Cancer - - - -	0·64	1229	-	-	-	1	-	1	1	4	3	7	41	110	249	332	328	153
Scrofula - - - -	0·12	234	53	20	12	6	4	95	13	20	24	12	16	18	16	10	8	2
Tabes Mesenterica -	0·23	436	205	88	26	16	8	343	30	20	12	7	4	6	4	5	5	-
Phthisis - - - -	1·99	3803	139	83	27	17	12	278	92	138	388	494	875	675	435	293	109	26
Hydrocephalus - -	0·26	496	146	97	53	28	28	352	72	26	14	9	13	6	4	-	-	-
Diseases of: Nervous System -	2·16	4130	697	189	81	59	28	1054	104	68	59	43	143	191	249	494	833	892
Diseases of: Circulatory " -	1·34	2562	13	3	5	1	3	25	39	41	44	46	114	197	256	536	727	537
Diseases of: Respiratory " -	2·80	5365	1436	556	148	71	48	2259	89	26	58	45	138	175	234	521	854	966
Diseases of: Digestive " -	1·02	1962	235	31	15	10	9	300	38	32	34	25	96	164	218	363	434	258
Diseases of: Urinary " -	0·43	816	21	6	5	5	2	39	13	15	19	26	61	65	96	139	195	148
Diseases of: Generative " -	0·05	96	-	1	-	-	-	1	-	-	1	4	13	11	24	18	15	9
Childbirth - - -	0·08	160	-	-	-	-	-	-	-	-	8	22	62	63	5	-	-	-
Suicide - - -	0·06	123	-	-	-	-	-	-	-	-	7	6	10	23	30	28	16	3
Other Violence - -	0·56	1067	105	38	60	34	28	265	99	73	56	61	90	78	80	79	78	108
Other Causes - -	4·75	9190	3928	402	93	55	38	4516	99	66	59	64	110	131	157	295	772	2861

Deaths of Infants (under one) to 1000 Births) - 135

Marriages - 12,515
Births - - 62,032

Annual Rate per 1000 living: Persons Married - 13·07; Births - - - 32·38

Deaths in Registration Counties in the 10 Years 1871–80.

14.—ESSEX.

——	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death Rate per 1000 - - -	—	17·94	—	—	—	—	—	47·17	5·06	3·27	4·83	5·90	7·59	10·23	14·12	25·40	55·94	156·27
Mean Populat^{n} 1871-80 - -	—	496,574	14,737	13,420	13,919	13,682	13,742	69,500	64,578	57,572	45,652	39,218	66,902	54,622	42,281	30,436	18,002	7811
ALL CAUSES - -	17·94	89,089	20,640	6322	2756	1780	1282	32,780	3266	1880	2204	2315	5079	5588	5969	7732	10,070	12,206
Small-pox - - - -	0·20	1012	108	29	27	23	27	214	69	61	96	129	207	112	72	32	16	4
Measles - - - -	0·22	1109	243	373	207	110	66	999	85	14	6	1	1	2	1	-	-	-
Scarlet Fever - - -	0·42	2104	103	246	334	310	269	1262	595	158	38	18	21	8	2	2	-	-
Diphtheria - - -	0·13	670	33	58	67	82	74	314	228	71	17	8	13	10	4	5	-	-
Whooping-cough - -	0·49	2428	1097	736	291	156	69	2349	75	4	-	-	-	-	-	-	-	-
Typhus - - - -	0·03	128	1	-	1	2	2	6	13	11	26	5	15	15	10	13	11	3
Enteric Fever - - -	0·24	1184	25	38	34	38	34	169	167	128	148	93	148	106	73	73	57	22
Simple Continued Fever -	0·07	369	12	17	19	19	16	83	58	37	26	9	29	23	29	34	27	14
Puerperal Fever - -	0·05	256	-	-	-	-	-	-	-	-	4	60	123	68	1	-	-	-
Diarrhœa and Dysentery	0·72	3580	2261	493	94	48	29	2925	34	17	9	9	29	29	29	97	155	247
Cholera - - - -	0·02	113	60	16	2	2	1	81	4	-	-	1	1	6	4	7	7	2
Cancer - - - -	0·48	2375	3	-	2	2	1	8	3	1	5	6	74	256	481	668	581	292
Scrofula - - - -	0·13	665	160	85	37	29	15	326	68	52	34	24	38	38	34	25	19	7
Tabes Mesenterica - -	0·28	1411	733	287	103	54	25	1202	88	38	29	14	18	5	5	9	3	-
Phthisis - - - -	1·83	9100	141	117	52	29	35	374	202	371	806	1080	2191	1795	1262	719	251	49
Hydrocephalus - -	0·29	1433	530	349	144	89	57	1169	157	48	29	7	12	7	2	2	-	-
Diseases of Nervous System -	2·37	11783	2874	721	316	191	128	4230	371	161	185	136	341	553	770	1275	1927	1834
Diseases of Circulatory " -	1·30	6434	46	10	6	10	13	85	89	124	131	90	322	587	776	1280	1796	1154
Diseases of Respiratory " -	2·93	14549	3729	1663	553	255	178	6378	298	107	132	135	393	618	826	1424	2089	2149
Diseases of Digestive " -	0·84	4179	489	58	37	37	16	637	108	68	97	83	221	405	555	747	303	455
Diseases of Urinary " -	0·33	1654	20	13	13	18	18	82	42	35	31	44	132	157	224	296	354	257
Diseases of Generative " -	0·05	227	-	-	1	-	-	1	-	-	3	10	23	42	58	35	40	15
Childbirth - - -	0·08	393	-	-	-	-	-	-	-	-	20	55	164	148	6	-	-	-
Suicide - - - -	0·06	307	-	-	-	-	-	-	-	-	13	14	50	45	66	57	47	15
Other Violence - -	0·47	2342	177	110	95	53	54	489	164	172	149	147	231	241	235	205	157	152
Other Causes - -	3·91	19284	7795	903	321	223	155	9397	348	202	170	137	282	312	444	727	1730	5535

Deaths of Infants (under one) to 1000 Births - 126

Marriages - 29,428
Births - 164,363

Annual Rate per 1000 living: Persons Married - 11·85; Births - 33·10

Deaths in Registration Counties in the 10 Years 1871-80.

15.—SUFFOLK.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death Rate per 1000 - - -	—	18·79	—	—	—	—	—	44·35	4·50	2·97	5·02	7·06	8·47	10·27	13·00	23·35	52·62	155·25
Mean Populat^n 1871-80 - -	—	350,378	9865	9078	9363	922	9322	46,854	43,678	40,053	32,831	26,955	42,578	36,078	31,934	25,033	16,382	8002
ALL CAUSES - -	18·79	65,834	14,034	3654	1505	909	677	20,779	1964	1191	1649	1902	3605	3704	4152	5844	8621	12,423
Small-pox - - -	0·11	390	29	9	8	6	4	56	33	27	35	51	62	42	37	18	18	11
Measles - - -	0·14	500	118	147	91	51	24	431	51	12	3	1	1	–	–	–	1	–
Scarlet Fever - - -	0·33	1145	53	137	161	153	133	637	337	81	37	16	21	11	3	1	1	–
Diphtheria - - -	0·10	354	18	15	32	31	46	142	125	39	11	8	8	11	5	2	3	–
Whooping-cough - -	0·41	1422	698	441	134	67	34	1374	43	5	–		–		–	–	–	–
Typhus - - - -	0·02	73	–	1	1	1	–	3	7	9	7	6	10	7	7	8	6	3
Enteric Fever - - -	0·21	752	14	14	19	22	20	89	87	83	71	72	82	74	69	60	48	17
Simple Continued Fever	0·09	332	6	20	13	5	8	52	49	31	21	14	27	21	24	23	37	30
Puerperal Fever - -	0·05	173	–	–	–	–	–	–	–	–	12	39	82	34	6	–	–	
Diarrhœa and Dysentery	0·67	2352	1315	252	55	22	16	1660	36	4	7	7	22	28	31	68	170	316
Cholera - - - -	0·01	36	1	4	–	1	2	8	–	2	–	–	1	4	3	6	8	4
Cancer - - - -	0·54	1898	2	1	1	3	3	10	2	3	8	9	45	172	373	521	511	244
Scrofula - - - -	0·14	490	119	39	15	7	5	185	41	31	35	28	50	35	26	30	21	8
Tabes Mesenterica - -	0·27	950	468	157	62	28	21	736	66	34	26	15	13	15	10	12	14	9
Phthisis - - - -	2·02	7089	149	112	46	23	18	348	132	250	742	1003	1708	1236	845	559	244	22
Hydrocephalus - -	0·22	775	237	194	92	45	40	608	85	43	13	6	8	5	4	2	1	–
Diseases of Nervous System -	2·22	7780	1698	366	165	104	71	1804	203	136	136	121	259	416	641	974	1540	1550
Diseases of Circulatory „ -	1·35	4726	19	4	6	–	6	35	38	46	59	84	204	286	460	955	1519	1040
Diseases of Respiratory „ -	2·84	9968	2445	935	304	148	94	3926	176	62	89	73	228	361	503	919	1606	2022
Diseases of Digestive „ -	0·95	3341	364	36	26	20	17	463	87	48	65	55	141	264	379	647	763	429
Diseases of Urinary „ -	0·39	1349	9	2	7	8	5	31	25	29	18	33	81	109	136	237	349	301
Diseases of Generative „ -	0·07	257	1	1	–	–	–	2	–	–	3	5	13	49	73	52	39	21
Childbirth - - -	0·08	281	–	–	–	–	–	–	–	–	10	40	116	105	10	–	–	–
Suicide - - -	0·08	285	–	–	–	–	–	–	–	–	5	11	34	40	45	74	47	29
Other Violence - -	0·50	1741	133	65	76	48	43	365	149	101	126	80	154	132	137	171	167	159
Other Causes - -	4·98	17375	6738	702	191	116	67	7814	192	115	110	125	235	241	322	505	1508	6208

Deaths of Infants (under one) to 1000 Births - 125

Marriages - 24,160
Births - 112,557

Annual Rate per 1000 living: Persons Married - 13·79; Births - - - 32·12

Deaths in Registration Counties in the 10 Years 1871-80.

16.—NORFOLK.

——	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death Rate per 1000 - - -	—	19·80	—	—	—	—	—	51·10	5·03	3·26	4·97	7·23	8·11	10·05	12·99	23·02	50·84	151·70
Mean Populat^n 1871-80 - -	—	434,174	11,893	10,450	11,029	11,019	10,822	55,213	51,563	47,326	40,629	34,049	53,648	46,171	41,257	31,941	21,514	10,863
ALL CAUSES - -	19·80	85,955	19,941	4415	1713	1169	978	28,216	2593	1543	2020	2461	4351	4642	5360	7352	10,938	16,479
Small-pox - - -	0·22	971	134	31	22	15	18	220	107	59	125	130	167	82	50	17	10	4
Measles - - - -	0·15	631	149	206	98	55	46	554	62	7	-	1	2	1	1	3	-	-
Scarlet Fever - - -	0·46	2007	103	225	286	295	288	1197	580	126	34	20	25	14	3	5	2	1
Diphtheria - - -	0·10	419	22	28	25	59	44	178	124	57	15	8	8	12	7	7	3	-
Whooping-cough - -	0·38	1642	811	488	179	66	47	1591	42	6	-	-	1	-	-	-	2	-
Typhus - - - -	0·04	154	-	2	-	2	11	15	17	16	25	21	18	11	12	5	9	5
Enteric Fever - - -	0·25	1093	33	31	32	29	35	160	152	124	132	100	117	83	80	69	52	24
Simple Continued Fever	0·09	392	19	26	15	20	12	92	70	35	27	12	18	21	20	40	38	19
Puerperal Fever - -	0·06	281	-	-	-	-	-	-	-	-	22	60	137	61	1	-	-	-
Diarrhœa and Dysentery	0·77	3343	2171	298	51	18	20	2558	34	9	6	14	27	34	41	93	192	335
Cholera - - - -	0·02	67	23	4	1	2	1	31	2	1	1	-	1	3	3	11	10	4
Cancer - - - -	0·60	2610	-	2	3	-	3	8	1	5	5	10	93	279	550	699	599	361
Scrofula - - - -	0·16	679	192	77	30	21	20	340	43	32	43	34	56	30	34	33	27	7
Tabes Mesenterica - -	0·23	983	583	140	40	19	12	794	73	37	28	13	16	7	3	7	5	-
Phthisis - - - -	1·94	8413	255	143	48	46	30	522	181	314	829	1247	1883	1473	1046	626	260	32
Hydrocephalus - -	0·17	735	228	170	73	46	28	545	91	54	12	10	7	8	3	2	2	1
Diseases of: Nervous System -	2·34	10168	1932	446	171	100	68	2717	243	141	135	121	307	535	756	1168	2000	2045
Diseases of: Circulatory " -	1·36	5911	23	7	9	3	5	47	41	54	76	82	220	380	657	1213	1812	1329
Diseases of: Respiratory " -	2·66	11553	2654	1055	333	161	102	4305	191	74	88	111	302	394	599	1065	2025	2399
Diseases of: Digestive " -	0·91	3968	383	32	25	24	27	491	84	63	76	76	182	339	497	757	844	559
Diseases of: Urinary " -	0·41	1770	11	6	11	11	9	48	29	23	40	35	106	139	189	349	453	359
Diseases of: Generative " -	0·07	304	1	-	-	-	-	1	-	1	3	11	26	58	59	69	54	22
Childbirth - - -	0·08	362	-	-	-	-	-	-	-	-	17	66	149	124	6	-	-	-
Suicide - - - -	0·07	301	-	-	-	-	-	-	-	-	8	14	29	44	64	73	46	23
Other Violence - -	0·48	2088	120	59	56	40	45	320	164	149	146	133	196	186	174	231	155	234
Other Causes - -	5·78	25110	10094	939	205	137	107	11482	262	156	127	132	258	324	505	810	2338	8716

Deaths of Infants (under one) to 1000 Births - 149

Marriages - 31,395
Births - 133,756

Annual Rate per 1000 living: Persons Married - 14·46; Births - - - 30·81

Deaths in Registration Counties in the 10 Years 1871–80.

17.—WILTS.*

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death Rate per 1000 - -	—	18·60	—	—	—	—	—	40·69	4·57	3·13	4·91	6·71	7·88	10·72	14·07	26·93	59·19	163·41
Mean Populat^n 1871-80 - -	—	* 246,102	6795	6297	6550	6421	6336	32,399	30,835	28,153	23,216	18,884	30,282	25,952	22,641	17,541	11,181	5018
ALL CAUSES - -	18·60	45,778	8456	2363	1078	740	547	13,184	1409	881	1140	1268	2385	2783	3186	4724	6618	8200
Small-pox - - -	0·04	100	12	1	1	-	2	16	3	5	4	22	15	11	11	9	3	1
Measles - - - -	0·21	522	96	190	85	54	28	453	47	11	2	2	2	3	2	-	-	-
Scarlet Fever - - -	0·47	1151	74	120	177	156	154	681	333	78	30	11	10	6	2	-	-	-
Diphtheria - - -	0·08	204	10	20	11	26	27	94	61	23	7	4	2	3	-	6	4	-
Whooping-cough - -	0·27	655	345	169	67	40	18	639	12	3	-	-	-	-	-	-	-	1
Typhus - - - -	0·02	57	1	-	-	-	-	1	5	7	9	13	7	6	2	5	2	-
Enteric Fever - - -	0·24	581	6	15	15	13	22	71	70	85	77	61	80	50	32	26	20	9
Simple Continued Fever	0·06	151	4	4	3	11	5	27	26	19	14	10	11	7	9	9	11	8
Puerperal Fever - -	0·06	144	-	-	-	-	-	-	-	-	9	30	63	41	1	-	-	-
Diarrhœa and Dysentery	0·46	1130	546	128	37	21	12	744	18	11	4	6	10	14	15	47	90	171
Cholera - - - -	0·01	21	1	4	-	-	2	7	1	-	3	-	2	1	4	1	2	-
Cancer - - - -	0·52	1280	-	-	1	2	-	3	2	-	3	5	38	140	257	354	325	153
Scrofula - - - -	0·10	255	31	17	7	3	4	62	18	21	29	28	25	18	16	19	14	5
Tabes Mesenterica - -	0·27	659	352	136	32	15	7	542	39	26	14	12	7	3	8	5	3	-
Phthisis - - - -	1·74	4284	92	63	26	13	11	205	68	141	450	616	968	800	526	349	141	20
Hydrocephalus - -	0·22	544	147	126	53	31	28	385	82	38	19	4	11	2	1	2	-	-
Diseases of Nervous System -	2·46	6063	1000	175	90	60	37	1362	137	87	104	85	239	354	537	836	1256	1066
Diseases of Circulatory " -	1·72	4229	12	3	-	1	3	19	25	56	56	66	158	301	467	963	1315	803
Diseases of Respiratory " -	3·23	7949	1797	684	228	116	72	2897	117	47	60	59	183	278	423	880	1465	1540
Diseases of Digestive " -	1·02	2518	254	29	23	13	12	331	48	57	42	51	125	231	349	484	512	308
Diseases of Urinary " -	0·45	1111	10	6	8	3	7	34	29	17	25	31	90	110	136	203	254	182
Diseases of Generative " -	0·06	155	1	1	-	-	-	2	-	-	2	7	19	25	34	33	24	9
Childbirth - - -	0·10	236	-	-	-	-	-	-	-	-	8	39	87	92	10	-	-	-
Suicide - - - -	0·05	126	-	-	-	-	-	-	-	1	9	10	13	16	14	30	21	12
Other Violence - -	0·56	1371	196	68	62	47	27	400	120	57	67	42	96	91	143	112	114	129
Other Causes - -	4·18	10282	3469	404	152	115	69	4209	148	91	93	54	124	180	187	371	1042	3783

Deaths of Infants (under one) to 1000 Births - 110

Marriages - 16,077
Births - 77,089

Annual Rate per 1000 living: Persons Married - 13·07; Births - - - 31·32

* Changes were made in the boundary of this Registration County during the decade, see pp. 371-78.

18.—DORSET.

——	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death Rate per 1000 - - -	—	17·46	—	—	—	—	—	40·07	4·31	2·79	4·43	6·65	7·50	10·48	13·04	24·56	55·28	151·71
Mean Populat^n 1871-80 - -	—	186,986	4952	4616	4848	4725	4674	23,815	22,438	20,761	18,205	15,297	24,279	19,917	17,008	12,999	8500	3767
ALL CAUSES - -	17·46	32,645	5935	1798	862	538	410	9543	966	580	806	1018	1821	2088	2217	3192	4699	5715
Small-pox - - -	0·09	168	10	2	9	8	7	36	27	21	14	22	20	13	9	6	-	-
Measles - - - -	0·20	366	80	114	66	45	15	320	35	4	2	1	1	2	1	-	-	-
Scarlet Fever - - -	0·33	615	20	91	92	70	89	362	173	47	11	9	8	3	2	-	-	-
Diphtheria - - -	0·10	191	6	8	13	25	27	79	76	19	4	4	3	1	2	2	1	-
Whooping-cough - -	0·29	537	268	145	56	31	20	520	14	2	1	-	-	-	-	-	-	-
Typhus - - - -	0·03	59	1	-	2	2	2	7	6	9	7	5	9	1	8	4	2	1
Enteric Fever - - -	0·19	355	5	5	16	12	12	50	46	38	42	34	41	26	20	27	23	8
Simple Continued Fever -	0·06	103	2	3	7	3	3	18	9	7	12	3	7	6	9	6	18	8
Puerperal Fever - -	0·05	91	-	-	-	-	-	-	-	-	-	18	45	27	1	-	-	-
Diarrhœa and Dysentery	0·35	651	306	55	19	15	11	406	10	2	1	1	14	10	15	24	62	106
Cholera - - - -	0·00	9	1	-	-	-	-	1	1	-	-	-	-	1	2	1	2	1
Cancer - - - -	0·51	952	1	-	1	-	3	5	3	2	3	3	30	91	175	246	247	147
Scrofula - - - -	0·12	223	33	37	15	6	4	95	14	11	20	17	24	17	8	11	5	1
Tabes Mesenterica - -	0·18	341	132	73	26	16	10	257	36	14	11	6	7	6	2	2	-	-
Phthisis - - - -	1·72	3215	52	44	14	8	6	124	54	74	347	521	805	611	356	231	88	4
Hydrocephalus - -	0·22	407	116	91	45	14	16	282	57	35	6	7	14	6	-	-	-	-
Diseases of: Nervous System -	2·32	4333	897	173		50	38	1247	69	64	68	69	123	240	310	561	837	745
Diseases of: Circulatory „ -	1·54	2882	11	2	3	1	2	19	20	40	44	36	108	238	346	589	891	551
Diseases of: Respiratory „ -	3·15	5893	1321	570	194	99	53	2237	85	41	40	65	126	227	314	578	1047	1133
Diseases of: Digestive „ -	0·93	1743	154	23	15	15	8	215	33	39	43	31	88	150	217	319	409	199
Diseases of: Urinary „ -	0·44	824	7	3	2	3	6	21	17	12	15	20	50	76	111	158	216	128
Diseases of: Generative „ -	0·05	91	-	-	-	-	-	-	-	-	1	3	12	13	23	24	11	4
Childbirth - - -	0·08	145	-	-	-	-	-	-	-	-	8	19	57	60	1	-	-	-
Suicide - - - -	0·05	94	-	-	-	-	-	-	-	-	1	2	14	9	16	34	12	6
Other Violence - -	0·49	919	58	35	45	22	22	182	66	46	58	61	96	109	99	81	67	54
Other Causes - -	3·97	7438	2454	324	133	93	56	3060	115	53	47	61	119	145	170	288	761	2619

Deaths of Infants (under one) to 1000 Births - 108

Marriages - 12,794
Births - - 55,209

Annual Rate per 1000 living: Persons Married - 13·68; Births - - - 29·53

Deaths in Registration Counties in the 10 Years 1871-80.

19.—DEVON.

——	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death Rate per 1000 - - -	—	19·67	—	—	—	—	—	50·66	5·21	3·52	5·29	7·10	8·46	10·99	14·32	25·38	55·37	154·15
Mean Populat^n 1871-80 - - -	—	607,251	15,863	14,461	14,964	14,816	14,409	74,513	70,687	64,883	60,557	50,979	79,571	64,648	56,001	43,928	28,362	13,122
ALL CAUSES - -	19·67	119,472	22,656	7864	3545	2162	1519	37,746	3684	2284	3204	3620	6729	7108	8017	11,149	15,703	20,228
Small-pox - - -	0·15	915	111	23	32	24	39	229	172	90	99	96	122	66	32	8	1	-
Measles - - -	0·50	3056	564	1091	579	308	213	2755	230	32	15	6	7	8	3	-	-	-
Scarlet Fever - - -	0·34	2081	130	344	333	291	236	1334	545	121	33	16	18	7	3	2	1	1
Diphtheria - - -	0·10	629	40	65	76	75	79	335	179	59	8	11	11	11	2	5	5	3
Whooping-cough - -	0·44	2682	1154	783	371	190	88	2586	88	5	1	2	-	-	-	-	-	-
Typhus - - - -	0·03	188	2	1	1	2	3	9	16	34	28	22	22	19	12	14	8	4
Enteric Fever - - -	0·31	1897	25	30	52	48	55	210	237	225	283	222	226	149	126	110	84	25
Simple Continued Fever	0·11	614	21	37	39	41	31	169	111	59	48	31	44	39	31	41	46	25
Puerperal Fever - -	0·05	310	-	-	-	-	-	-	-	-	11	59	154	81	5	-	-	-
Diarrhœa and Dysentery	0·58	3550	2261	343	62	23	10	2699	26	8	7	16	40	48	41	120	218	327
Cholera - - - -	0·02	111	40	10	2	3	2	57	4	1	2	1	4	10	6	10	12	4
Cancer - - - -	0·60	3629	2	1	1	3	2	9	6	6	17	11	113	300	712	1016	934	505
Scrofula - - - -	0·15	933	255	157	59	43	27	541	54	45	62	44	52	34	30	35	31	5
Tabes Mesenterica - -	0·21	1271	555	274	100	47	35	1011	75	57	53	17	18	14	8	12	6	-
Phthisis - - - -	2·07	12547	243	234	101	60	33	671	246	424	1300	1772	2950	2180	1421	974	505	94
Hydrocephalus - -	0·24	1480	443	332	151	103	75	1107	214	84	36	14	14	6	3	1	1	-
Diseases of Nervous System -	2·47	15016	3157	734	323	193	111	4518	353	217	208	195	506	702	1025	1836	2809	2647
Diseases of Circulatory ,, -	1·46	8877	52	16	10	6	8	92	84	124	148	155	432	766	1051	1796	2614	1615
Diseases of Respiratory ,, -	3·37	20473	4395	2011	673	290	169	7538	306	119	197	221	500	797	1314	2136	3632	3713
Diseases of Digestive ,, -	0·92	5606	628	77	50	39	38	832	128	85	126	121	299	458	710	1034	1135	678
Diseases of Urinary ,, -	0·40	2406	13	9	12	14	9	57	32	43	49	82	211	277	320	431	477	427
Diseases of Generative ,, -	0·06	375	-	1	1	-	-	2	-	1	6	14	38	68	85	80	61	20
Childbirth - - -	0·08	477	-	-	-	-	-	-	-	1	21	76	182	181	16	-	-	-
Suicide - - - -	0·07	419	-	-	-	-	-	-	-	5	10	17	47	51	89	107	64	29
Other Violent Deaths -	0·51	3088	254	120	117	98	70	659	208	183	196	190	291	268	289	305	270	229
Other Causes - -	4·43	26812	8311	1171	397	261	186	10326	370	256	240	209	418	568	683	1076	2789	9877

Deaths of Infants (under one) to 1000 Births - 125

Marriages - 46,185
Births - 181,538

Annual Rate per 1000 living: Persons Married - 15·21; Births - 29·90

20.—CORNWALL.

——	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death Rate per 1000 - -	—	20·32	—	—	—	—	—	57·01	6·15	4·04	5·67	7·88	8·33	10·28	13·49	25·32	55·37	155·41
Mean Populat^n 1871-80 - -	—	342,365	8793	7972	8520	8191	8240	41,716	41,863	38,997	36,641	28,298	41,916	35,036	30,487	24,347	15,892	7172
ALL CAUSES - -	20·32	69,563	15,039	4693	2011	1138	902	23,783	2575	1577	2079	2231	3491	3602	4114	6165	8800	11,146
Small-pox - - - -	0·20	669	111	34	25	19	17	206	90	57	96	65	80	42	20	8	4	1
Measles - - - -	0·23	783	156	239	120	73	56	644	106	17	5	5	3	3	-	-	-	-
Scarlet Fever - - -	0·59	2004	120	222	278	255	241	1116	616	176	45	16	26	9	-	-	-	-
Diphtheria - - -	0·13	462	21	31	43	48	47	190	182	52	12	6	5	6	7	1	1	-
Whooping-cough - -	0·51	1735	881	488	172	87	47	1675	54	6	-	-	-	-	-	-	-	-
Typhus - - - -	0·04	138	-	-	1	1	3	5	19	16	38	12	13	12	10	6	7	-
Enteric Fever - -	0·34	1158	15	34	27	27	21	124	120	133	194	123	139	97	89	75	43	21
Simple Continued Fever	0·12	399	14	7	18	20	13	72	64	29	25	33	25	22	33	35	38	23
Puerperal Fever - -	0·04	137	-	-	-	-	-	-	-	-	3	28	54	42	-	-	-	-
Diarrhœa and Dysentery	0·52	1783	1124	145	42	14	12	1337	18	4	11	13	21	31	23	53	102	170
Cholera - - - -	0·01	51	10	4	3	-	-	17	2	-	1	-	3	4	4	7	8	5
Cancer - - - -	0·51	1758	-	-	-	2	2	4	3	4	6	5	35	158	300	515	503	225
Scrofula - - - -	0·13	439	97	55	28	11	6	197	21	32	24	43	26	29	31	20	15	1
Tabes Mesenterica - -	0·28	962	430	232	86	22	13	783	59	28	37	23	8	13	4	3	3	1
Phthisis - - - -	2·20	7524	222	181	63	33	26	525	147	295	771	1065	1548	1058	927	808	339	46
Hydrocephalus - -	0·22	766	166	197	74	41	33	511	142	57	28	18	6	4	-	-	-	-
Diseases of Nervous System -	2·37	8122	1647	450	190	93	66	2446	204	151	131	118	212	326	492	924	1636	1482
Diseases of Circulatory „ -	1·13	3853	12	6	5	5	3	31	37	48	65	67	179	283	423	863	1147	710
Diseases of Respiratory „ -	2·84	9720	2040	1069	358	165	103	3735	172	64	115	129	262	394	632	1138	1671	1408
Diseases of Digestive „ -	0·93	3181	401	49	34	15	23	522	89	70	64	82	148	219	367	569	662	389
Diseases of Urinary „ -	0·37	1258	14	10	9	7	10	50	28	30	32	38	89	147	114	226	311	193
Diseases of Generative „ -	0·05	177	-	-	-	-	-	-	-	1	7	6	11	31	48	36	27	10
Childbirth - - -	0·09	307	-	-	-	-	-	-	-	1	19	46	107	128	6	-	-	-
Suicide - - -	0·04	136	-	-	-	-	-	-	-	2	5	10	10	20	30	29	23	7
Other Violence - -	0·59	2031	116	58	54	50	40	318	121	146	213	173	261	235	198	149	106	111
Other Causes - -	5·84	20020	7442	1182	381	150	120	9275	281	158	132	107	225	289	356	700	2154	6343

Deaths of Infants (under one) to 1000 Births - 145

Marriages - 22,015
Births - 103,466

Annual Rate per 1000 living { Persons Married - 12·86
Births - - - 30·22

Deaths in Registration Counties in the 10 Years 1871–80.

21.—SOMERSET.

——	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death Rate per 1000 - - -	—	19·09	—	—	—	—	—	45·79	4·84	3·29	4·72	6·51	8·20	10·47	14·82	26·78	56·19	153·33
Mean Populat^{n} 1871-80 - -	—	486,627	12,895	12,125	12,347	12,374	12,403	62,144	59,121	54,940	47,679	38,968	62,009	51,062	43,812	33,962	22,139	10,791
ALL CAUSES - -	19·09	92,911	18,166	5264	2331	1588	1106	28,455	2859	1808	2249	2535	5087	5346	6492	9094	12,440	16,546
Small-pox - - -	0·11	522	76	24	19	13	25	157	70	40	42	65	92	32	17	6	1	-
Measles - - - -	0·27	1306	256	416	249	155	71	1147	122	20	3	4	5	1	3	1	-	-
Scarlet Fever - - -	0·47	2297	143	326	357	333	273	1432	613	167	38	14	18	10	4	-	-	1
Diphtheria - - -	0·09	440	30	33	30	37	38	168	151	54	20	10	15	6	7	4	2	3
Whooping-cough - -	0·36	1755	845	509	194	111	42	1701	50	2	1	-	1	-	-	-	-	-
Typhus - - - -	0·04	186	-	2	3	6	4	15	18	19	41	27	24	10	9	13	8	2
Enteric Fever - - -	0·26	1251	22	24	36	37	38	157	152	174	210	134	148	90	70	66	26	24
Simple Continued Fever	0·09	457	14	25	20	25	20	104	73	45	41	25	27	27	19	40	37	19
Puerperal Fever - -	0·05	243	-	-	-	-	-	-	-	-	11	44	123	63	2	-	-	-
Diarrhœa and Dysentery	0·54	2646	1540	278	66	22	9	1915	23	10	6	8	34	31	48	68	184	319
Cholera - - - -	0·01	57	10	5	2	2	-	19	3	-	3	1	4	4	9	7	4	3
Cancer - - - -	0·54	2620	-	-	1	2	1	4	8	6	10	10	80	225	526	731	651	369
Scrofula - - - -	0·13	626	146	81	30	30	16	303	42	41	37	42	47	27	36	25	22	4
Tabes Mesenterica - -	0·22	1060	478	224	63	30	34	829	75	44	40	17	22	12	6	9	6	-
Phthisis - - - -	1·65	8040	109	83	26	24	21	263	114	260	796	1144	2072	1485	1010	620	245	31
Hydrocephalus - -	0·22	1076	343	238	97	51	45	774	149	85	34	11	13	5	3	1	1	-
Diseases of: Nervous System -	2·49	12125	2626	504	189	140	92	3551	235	169	173	181	365	553	882	1511	2255	2250
Diseases of: Circulatory " -	1·58	7699	38	9	2	5	6	60	72	115	142	121	408	597	915	1671	2224	1374
Diseases of: Respiratory " -	3·29	16011	3513	1426	508	265	149	5861	260	93	124	154	395	575	971	1746	2723	3109
Diseases of: Digestive " -	1·02	4940	487	61	44	33	23	648	87	82	85	97	260	434	646	937	1038	626
Diseases of: Urinary " -	0·42	2049	14	16	12	16	10	68	39	36	45	53	153	217	293	376	455	314
Diseases of: Generative " -	0·07	324	-	-	-	-	-	-	-	-	3	14	29	50	90	63	50	25
Childbirth - - -	0·08	406	-	-	-	-	-	-	-	-	7	53	172	167	7	-	-	-
Suicide - - - -	0·07	318	-	-	-	-	-	-	-	1	12	17	37	54	79	65	38	15
Other Violence - -	0·60	2901	254	123	106	76	70	629	200	166	157	137	234	306	301	288	259	224
Other Causes - -	4·42	21556	7222	857	277	175	119	8650	303	179	168	152	309	365	539	846	2211	7834

Deaths of Infants (under one) to 1000 Births - 121

Marriages - 32,210
Births - 150,711

Annual Rate per 1000 living: Persons Married - 13·24; Births - 30·97

Deaths in Registration Counties in the 10 Years 1871–80.

22.—GLOUCESTERSHIRE.

——	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death Rate per 1000 - -	—	19·82	—	—	—	—	—	53·84	5·16	3·55	4·75	6·37	8·17	11·60	16·41	28·22	60·75	158·73
Mean Populat^{n} 1871-80 - -	—	506,963	13,874	12,443	13,050	12,790	12,569	64,726	59,890	55,675	50,306	43,525	69,825	55,967	44,782	32,943	20,425	8899
ALL CAUSES - -	19·82	100,460	22,274	6602	2886	1797	1291	34,850	3090	1977	2390	2774	5707	6494	7349	9295	12,409	14,125
Small-pox - - -	0·15	758	92	16	22	12	17	159	109	71	76	101	124	55	35	20	6	2
Measles - - - -	0·33	1693	367	607	315	149	94	1532	122	26	3	3	2	2	2	1	-	-
Scarlet Fever - - -	0·49	2478	157	379	395	363	326	1620	623	129	35	19	32	14	4	2	-	-
Diphtheria - - -	0·09	446	27	34	49	49	55	214	124	55	14	5	7	12	6	3	6	-
Whooping-cough - -	0·23	1922	838	556	228	134	84	1840	79	2	1	-	-	-	-	-	-	-
Typhus - - - -	0·03	176	-	1	3	4	4	12	16	18	19	19	31	18	11	20	7	5
Enteric Fever - - -	0·26	1322	22	32	39	39	42	174	164	181	185	155	182	115	76	46	36	8
Simple Continued Fever	0·07	342	9	11	14	15	20	69	62	34	31	22	29	26	19	28	18	9
Puerperal Fever - -	0·06	290	-	-	-	-	-	-	-	-	19	64	127	78	2	-	-	-
Diarrhœa and Dysentery	0·65	3287	2016	415	93	28	16	2568	21	9	10	10	16	43	50	108	195	257
Cholera - - - -	0·01	69	19	7	3	1	2	32	1	-	-	3	1	8	3	10	7	4
Cancer - - - -	0·51	2602	-	2	1	2	1	6	7	6	11	14	88	285	591	718	592	284
Scrofula - - - -	0·12	633	143	88	26	18	18	293	60	39	55	35	48	34	36	23	9	1
Tabes Mesenterica - -	0·23	1154	505	275	81	36	19	916	69	67	36	26	12	16	2	7	3	-
Phthisis - - - -	1·81	9189	198	128	63	34	33	456	153	315	835	1219	2274	1864	1242	616	191	24
Hydrocephalus - -	0·28	1430	483	302	144	88	71	1088	199	81	32	11	11	3	3	1	-	1
Diseases of Nervous System -	2·62	13282	3398	618	240	153	86	4495	242	209	183	173	415	737	1014	1559	2369	1895
Diseases of Circulatory ,, -	1·48	7518	23	6	6	8	8	51	80	133	141	121	452	693	1062	1658	2010	1117
Diseases of Respiratory ,, -	3·50	17732	4406	1935	665	335	163	7504	277	98	145	162	446	756	1099	1923	2771	2551
Diseases of Digestive ,, -	0·95	4810	557	91	45	20	19	732	89	76	91	108	268	440	697	852	958	499
Diseases of Urinary ,, -	0·43	2189	9	15	15	12	8	59	30	33	43	58	191	268	349	428	448	282
Diseases of Generative ,, -	0·06	294	2	-	-	-		2	-	-	3	13	25	46	68	75	47	15
Childbirth - - -	0·09	451	-	-	-	-	-	-	-	1	21	64	187	168	10	-	-	-
Suicide - - - -	0·06	311	-	-	-	-	-	-	-	2	13	22	46	60	60	59	39	10
Other Violence - -	0·61	3113	195	137	129	92	78	631	247	201	184	176	313	300	322	281	259	199
Other Causes - -	4·55	22969	3808	947	310	205	127	10397	316	200	204	171	380	453	586	862	2438	6962

Deaths of Infants (under one) to 1000 Births - 135

Marriages - 43,004
Births - - 164,507

Annual Rate per 1000 living: Persons Married - 16·97; Births - - - 32·45

Deaths in Registration Counties in the 10 Years 1871-80.

23.—HEREFORDSHIRE.*

——	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death Rate per 1000 - -	—	18·36	—	—	—	—	—	39·04	4·30	3·20	4·64	5·97	7·71	10·29	14·18	27·69	60·64	159·64
Mean Populat^{n} 1871-80 - -	—	* 119,257	3039	2753	3078	2949	2979	14,798	14,433	13,470	11,091	9079	15,076	13,211	11,300	8676	5534	2589
ALL CAUSES - -	18·36	21,901	3978	868	405	302	224	5777	620	431	515	542	1163	1360	1602	2402	3356	4133
Small pox - - -	0·04	46	4	2	-	1	-	7	1	1	3	7	3	9	7	4	4	-
Measles - - - -	0·16	193	36	56	31	18	14	155	21	5	2	2	3	5	-	-	-	-
Scarlet Fever - - -	0·35	423	22	42	61	67	54	246	118	35	11	2	10	1	-	-	-	-
Diphtheria - - -	0·15	175	4	12	12	18	23	69	57	24	11	2	3	2	4	1	2	-
Whooping-cough - -	0·26	311	154	81	26	25	5	291	19	1	-	-	-	-	-	-	-	-
Typhus - - - -	0·02	27	-	-	-	-	-	-	3	6	4	-	4	4	1	3	2	-
Enteric Fever - - -	0·19	231	9	6	11	5	4	35	18	27	28	15	24	24	17	13	21	9
Simple Continued Fever	0·10	115	2	5	1	4	3	15	22	11	8	2	10	8	7	17	10	5
Puerperal Fever - -	0·06	67	-	-	-	-	-	-	-	-	7	8	27	24	1	-	-	-
Diarrhœa and Dysentery	0·41	484	251	50	24	4	3	332	6	3	3	1	5	12	9	24	34	55
Cholera - - - -	0·01	12	1	1	1	-	-	3	-	-	1	-	-	-	2	2	2	2
Cancer - - - -	0·56	669	-	-	-	1	-	1	1	1	4	2	18	65	126	171	191	89
Scrofula - - - -	0·08	96	20	8	3	1	1	33	5	14	5	5	12	9	4	6	1	2
Tabes Mesenterica - -	0·16	187	90	27	16	6	3	142	14	11	5	4	5	4	1	1	-	-
Phthisis - - - -	1·52	1814	33	12	15	7	2	69	33	51	193	256	451	328	220	143	68	2
Hydrocephalus - -	0·14	170	54	31	14	9	11	119	22	16	5	4	2	1	-	1	-	-
Diseases of Nervous System -	2·61	3112	732	97	40	25	6	900	51	49	39	35	100	156	232	443	583	524
Diseases of Circulatory ,, -	1·72	2051	6	1	2	-	1	10	13	24	31	36	72	135	234	477	644	375
Diseases of Respiratory ,, -	2·94	3512	710	239	68	42	39	1098	75	26	29	34	101	185	242	428	653	641
Diseases of Digestive ,, -	0·92	1093	115	18	7	8	5	153	24	19	19	14	67	96	145	213	229	114
Diseases of Urinary ,, -	0·37	439	5	-	2	3	1	11	7	8	11	11	34	38	72	76	117	54
Diseases of Generative ,, -	0·07	80	-	-	-	-	-	-	1	-	2	3	12	16	21	8	14	3
Childbirth - - -	0·09	112	-	-	-	-	-	-	-	-	-	15	46	44	7	-	-	-
Suicide - - - -	0·07	79	-	-	-	-	-	-	-	-	4	6	13	3	18	19	12	4
Other Violence - -	0·57	674	46	28	21	25	17	137	41	39	43	25	64	65	73	81	56	50
Other Causes - -	4·79	5729	1684	152	50	33	32	1951	68	60	47	53	77	126	159	271	713	2204

Deaths of Infants (under one) to 1000 Births - 115

Marriages - 6,899
Births - 34,673

Annual Rate per 1000 living { Persons Married - 11·57
Births - - - 29·07

* Changes were made in the boundary of this Registration County during the decade, *see* pp. 371-78.

Deaths in Registration Counties in the 10 Years 1871–80.

24.—SHROPSHIRE.

——	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death Rate per 1000 - - -	—	18·80	—	—	—	—	—	45·04	5·06	3·12	4·36	6·64	8·02	10·39	13·23	25·86	58·88	164·70
Mean Populat^n 1871-80 - -	—	266,442	7267	6490	7074	6823	6933	34,587	33,205	29,944	25,411	20,450	33,638	28,851	24,816	18,817	12,007	5216
ALL CAUSES - -	18·80	50,096	10,372	2583	1188	842	593	15,578	1680	934	1107	1357	2699	2997	3217	4866	7070	8591
Small-pox - - -	0·08	208	25	5	6	5	2	43	14	13	13	19	34	25	24	15	5	3
Measles - - - -	0·19	495	128	168	77	42	17	432	42	4	3	3	5	2	3	1	-	-
Scarlet Fever - - -	0·52	1381	66	178	241	208	160	853	363	86	28	15	20	12	3	1	-	-
Diphtheria - - -	0·19	507	20	35	42	65	46	208	181	69	15	8	9	7	4	2	3	1
Whooping-cough - -	0·27	724	354	222	61	36	31	704	18	2	-	-	-	-	-	-	-	-
Typhus - - - -	0·03	89	2	-	-	-	2	4	15	5	12	8	9	14	8	9	5	-
Enteric Fever - - -	0·25	657	18	17	20	23	16	94	80	62	80	61	77	60	51	35	46	11
Simple Continued Fever -	0·08	202	8	14	8	4	9	43	41	24	11	9	16	10	12	13	20	3
Puerperal Fever - -	0·07	185	-	-	-	-	-	-	-	-	13	35	74	61	2	-	-	-
Diarrhœa and Dysentery	0·60	1595	910	156	38	19	9	1132	9	5	1	8	14	17	26	57	114	212
Cholera - - - -	0·01	34	4	4	-	-	-	8	4	2	1	-	4	3	6	3	2	1
Cancer - - - -	0·52	1381	1	-	1	1	1	4	2	1	2	9	37	134	250	395	364	183
Scrofula - - - -	0·09	249	51	30	8	1	-	90	21	23	13	26	24	13	12	18	6	3
Tabes Mesenterica - -	0·19	517	270	98	26	14	13	421	30	19	12	13	7	3	5	6	1	-
Phthisis - - - -	1·64	4371	89	59	29	15	8	200	76	135	400	635	1072	817	505	355	148	28
Hydrocephalus - -	0·17	440	151	99	34	20	19	323	71	21	10	5	8	1	1	-	-	-
Diseases of Nervous System -	2·51	6699	2055	279	103	63	42	2542	131	73	72	86	207	284	418	704	1107	1075
Diseases of Circulatory „ -	1·39	3704	9	6	1	1	1	18	35	61	75	69	177	268	437	767	1167	630
Diseases of Respiratory „ -	3·12	8312	1891	717	247	135	60	3050	124	57	65	69	202	358	463	930	1550	1444
Diseases of Digestive „ -	1·10	2944	347	43	23	22	20	455	67	43	47	46	172	265	367	564	605	313
Diseases of Urinary „ -	0·40	1063	18	9	9	5	6	47	23	20	19	20	86	100	124	202	241	181
Diseases of Generative „ -	0·05	136	1	1	-	-	-	2	-	-	3	6	14	25	27	35	19	5
Childbirth - - -	0·09	251	-	-	-	-	-	-	-	-	10	31	115	91	4	-	-	-
Suicide - - - -	0·05	144	-	-	-	-	-	-	-	-	3	5	15	28	31	37	20	5
Other Violence - -	0·64	1712	76	66	79	69	57	347	143	98	112	98	140	174	149	162	156	133
Other Causes - -	4·55	12096	3878	377	135	94	74	4558	190	111	87	73	161	225	285	555	1491	4360

Deaths of Infants (under one) to 1000 Births - 125

Marriages - 16,535
Births - - 83,270

Annual Rate per 1000 living { Persons Married - 12·41
Births - - - 31·25

Deaths in Registration Counties in the 10 Years 1871–80.

25.—STAFFORDSHIRE.

——	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	—65	75 and upwards.
Annual Death Rate per 1000 - - -	—	22·44	—	—	—	—	—	71·74	6·74	3·52	4·85	6·53	8·23	12·51	18·22	33·48	71·07	170·10
Mean Populat^n 1871-80 - -	—	942,097	31,126	27,223	28,083	27,586	27,325	141,343	123,890	106,755	92,833	81,702	132,313	102,591	76,073	49,804	25,593	9200
ALL CAUSES - -	22·44	211,410	61,925	20,787	9031	5739	3920	101,402	8354	3754	4498	5334	10,887	12,838	13,858	16,676	18,190	15,649
Small-pox - - -	0·36	3421	515	179	209	165	191	1259	801	246	255	258	296	177	82	34	9	4
Measles - - - -	0·40	3787	816	1443	695	387	192	3533	225	15	5	3	4	1	-	-	1	-
Scarlet Fever - - -	1·01	9552	612	1663	1774	1656	1201	6846	2177	307	94	49	47	22	9	-	1	-
Diphtheria - - -	0·11	1078	95	139	130	141	118	623	247	83	32	17	25	26	9	10	4	2
Whooping-cough - -	0·49	4645	2144	1395	555	289	136	4519	123	3	-	-	-	-	-	-	-	-
Typhus - - - -	0·04	333	5	2	5	10	18	40	54	38	33	37	35	33	24	24	7	3
Enteric Fever - - -	0·36	3421	88	163	148	149	133	681	492	386	403	315	424	286	211	138	65	20
Simple Continued Fever	0·12	1151	52	96	107	108	74	437	187	90	58	59	80	60	63	57	43	11
Puerperal Fever - -	0·08	779	-	-	-	-	-	-	-	-	53	188	349	187	2	-	-	-
Diarrhœa and Dysentery	1·15	10797	6576	2135	462	145	70	9388	80	23	17	32	76	100	111	248	390	332
Cholera - - - -	0·02	159	33	10	9	5	2	59	4	7	4	7	11	16	16	16	14	5
Cancer - - - -	0·39	3685	2	2	4	8	5	21	5	15	9	26	159	502	867	1038	756	287
Scrofula - - - -	0·09	853	239	132	47	26	21	465	60	61	57	38	52	34	36	33	14	3
Tabes Mesenterica - -	0·35	3333	1668	992	248	99	37	3044	112	42	45	20	31	17	4	14	4	-
Phthisis - - - -	1·60	15071	385	268	122	76	55	906	315	516	1278	1914	3660	3194	2027	939	291	31
Hydrocephalus - -	0·26	2440	924	649	253	137	87	2050	228	85	32	12	15	14	2	1	1	-
Diseases of: Nervous System -	2·97	27938	11782	2026	755	468	280	15311	663	344	383	353	929	1340	1756	2441	2781	1637
Diseases of: Circulatory " -	1·13	10645	42	16	8	12	16	94	178	230	284	273	820	1275	1761	2416	2309	1005
Diseases of: Respiratory " -	4·08	38466	10630	5258	1767	819	488	18962	674	213	288	372	1087	2004	2939	4379	4753	2795
Diseases of: Digestive " -	0·95	8908	1328	256	133	88	68	1873	226	155	176	256	560	963	1370	1652	1252	425
Diseases of: Urinary " -	0·33	3153	50	66	49	48	39	252	114	59	91	113	272	373	479	624	509	267
Diseases of: Generative " -	0·04	392	3	1	-	-	-	4	-	-	7	17	59	87	91	78	35	14
Childbirth - - -	0·10	987	-	-	-	-	-	-	-	-	52	157	369	395	14	-	-	-
Suicide - - - -	0·05	497	-	-	-	-	-	-	-	2	21	42	72	86	93	100	64	17
Other Violence - -	0·75	7020	389	296	363	294	273	1615	663	498	498	450	763	694	705	524	376	234
Other Causes - -	5·21	48929	23547	3660	1188	609	416	29420	726	336	318	326	692	946	1187	1910	4511	8557

Deaths of Infants (under one) to 1000 Births - 159

Marriages - 79,449
Births - - 388,271

Annual Rate per 1000 living: Persons Married - 16·87; Births - - - 41·21

Deaths in Registration Counties in the 10 Years 1871-80.

26.—WORCESTERSHIRE.

——	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death Rate per 1000 - - -	—	18·95	—	—	—	—	—	54·46	5·38	2·80	4·18	5·53	7·02	10·42	15·18	27·73	62·44	161·54
Mean Populat^{n} 1871-80 - -	—	359,643	10,538	9312	9766	9469	9708	48,793	44,081	39,941	35,806	31,276	49,630	39,432	30,879	21,758	12,733	5314
ALL CAUSES - -	18·95	68,137	17,073	4878	2140	1459	1022	26,572	2371	1120	1497	1730	3482	4109	4687	6034	7951	8584
Small-pox - - -	0·19	677	123	28	28	28	32	239	116	41	46	78	69	41	30	13	4	-
Measles - - - -	0·26	946	192	357	167	85	71	872	58	8	5	-	1	2	-	-	-	-
Scarlet Fever - - -	0·71	2539	176	431	452	437	304	1800	549	108	31	17	21	8	2	2	1	-
Diphtheria - - -	0·15	538	31	52	47	61	57	248	179	53	20	8	13	10	3	3	-	1
Whooping-cough - -	0·33	1169	547	348	145	73	25	1138	27	3	1	-	-	-	-	-	-	-
Typhus - - - -	0·02	83	-	1	2	3	3	9	13	9	9	9	10	7	10	3	4	-
Enteric Fever - - -	0·26	928	20	27	34	37	37	155	132	105	128	99	117	73	53	45	21	-
Simple Continued Fever	0·08	286	21	14	21	20	21	97	44	18	20	19	15	13	18	13	20	9
Puerperal Fever - -	0·06	228	-	-	-	-	-	-	-	-	8	46	116	56	2	-	-	-
Diarrhœa and Dysentery	0·88	3157	1992	483	85	31	16	2607	28	4	2	11	30	26	38	72	141	198
Cholera - - - -	0·01	51	13	6	3	2	-	24	1	1	1	3	1	4	7	5	3	1
Cancer - - - -	0·45	1617	1	2	2	1	1	7	3	3	9	9	47	205	354	422	380	178
Scrofula - - - -	0·08	276	68	38	18	14	6	144	34	14	16	9	12	12	14	16	4	1
Tabes Mesenterica - -	0·25	887	456	215	63	20	15	769	39	23	18	6	12	3	7	6	1	3
Phthisis - - - -	1·48	5326	135	68	25	17	16	261	75	151	475	716	1333	1087	716	354	144	14
Hydrocephalus - -	0·20	710	261	159	61	48	39	568	89	23	13	10	5	1	-	1	-	-
Diseases of: Nervous System -	2·39	8579	2193	379	170	100	63	2905	203	113	132	117	288	449	662	1017	1501	1192
Diseases of: Circulatory " -	1·34	4836	18	13	-	6	3	40	65	84	100	93	266	431	665	1053	1388	648
Diseases of: Re-piratory " -	3·27	11763	3057	1244	419	226	129	5075	188	55	94	118	288	514	747	1316	1834	1534
Diseases of: Digestive " -	0·93	3342	445	87	30	19	20	601	69	46	49	66	175	317	495	658	564	302
Diseases of: Urinary " -	0·39	1415	16	18	23	11	5	73	25	27	33	40	123	171	205	280	278	160
Diseases of: Generative " -	0·04	157	-	-	-	-	-	-	1	1	2	2	22	28	27	26	34	14
Childbirth - - -	0·09	323	-	-	-	-	-	-	-	-	16	44	129	128	6	-	-	-
Suicide - - - -	0·06	217	-	-	-	-	-	-	-	2	10	17	23	44	56	39	21	5
Other Violence - -	0·56	1998	211	81	94	61	59	506	211	132	128	91	150	188	192	141	147	112
Other Causes - -	4·47	16089	7097	827	251	159	100	8434	222	96	131	99	216	291	378	549	1461	4212

Deaths of Infants (under one) to 1000 Births - 139

Marriages - 26,603
Births - 122,712

Annual Rate per 1000 living: Persons Married - 14·79; Births - - - 34·12

Deaths in Registration Counties in the 10 Years 1871–80.

27.—WARWICKSHIRE.

——	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death Rate per 1000 - - -	—	21·90	—	—	—	—	—	68·89	6·43	3·41	4·92	6·51	8·43	12·66	18·59	32·61	67·90	166·13
Mean Populat^{n} 1871-80 - - -	—	680,501	20,536	18,330	19,066	18,343	18,306	94,631	83,017	73,668	67,295	60,126	98,921	77,324	57,901	38,762	21,077	7779
ALL CAUSES - -	21·90	149,042	40,319	12,914	5754	3628	2578	65,193	5336	2512	3313	3917	8342	9790	10,764	12,641	14,311	12,923
Small-pox - - -	0·29	1993	261	57	45	42	49	454	223	146	264	301	321	145	93	34	10	2
Measles - - -	0·34	2304	496	877	423	214	124	2134	132	17	1	4	8	5	–	3	-	–
Scarlet Fever - - -	0·86	5847	365	880	1125	1023	764	4157	1336	204	57	24	48	15	6	–	–	–
Diphtheria - - -	0·19	1318	107	175	155	173	156	766	353	96	30	18	18	14	5	9	4	5
Whooping-cough - -	0·63	4271	1764	1369	575	315	151	4174	94	3	–	–	–	–	–	–	–	–
Typhus - - - -	0·03	194	1	1	6	3	5	16	33	39	30	24	20	7	12	7	5	1
Enteric Fever - - -	0·30	2013	39	43	68	75	85	310	310	229	267	208	230	173	120	79	67	20
Simple Continued Fever -	0·09	643	24	43	49	39	49	204	109	45	42	33	52	40	29	40	29	20
Puerperal Fever - -	0·06	423	–	–	–	–	–	–	–	–	16	100	190	114	3	-	–	–
Diarrhœa and Dysentery	1·34	9090	6022	1426	306	87	56	7897	89	10	14	22	50	64	97	195	303	349
Cholera - - - -	0·01	83	14	11	5	6	3	39	6	2	2	1	4	6	6	6	9	2
Cancer - - - -	0·49	3295	–	–	3	1	2	6	14	9	24	16	161	454	764	875	718	254
Scrofula - - - -	0·09	634	125	99	42	27	21	314	48	45	47	29	42	32	33	23	14	7
Tabes Mesenterica - -	0·24	1660	906	381	103	37	33	1465	64	32	30	22	16	9	9	7	6	–
Phthisis - - - -	1·95	13291	265	185	92	45	46	633	212	345	1080	1582	3246	2956	1945	984	270	38
Hydrocephalus - -	0·26	1776	634	415	190	106	77	1422	222	60	29	11	15	9	5	3	-	–
Diseases of Nervous System -	2·48	16844	4333	1108	470	297	216	6424	433	266	254	263	655	999	1409	1915	2460	1713
Diseases of Circulatory „ -	1·20	8162	36	14	11	19	21	101	95	186	220	210	600	959	1302	1766	1852	871
Diseases of Respiratory „ -	4·12	27972	7368	3459	1174	527	286	12814	451	128	197	301	839	1414	2176	3334	3805	2513
Diseases of Digestive „ -	0·94	6416	965	149	88	57	40	1299	132	100	124	153	400	672	968	1139	993	436
Diseases of Urinary „ -	0·40	2741	33	37	33	44	32	179	112	60	65	85	246	337	440	479	487	251
Diseases of Generative „ -	0·06	409	–	–	–	–	–	–	–	1	3	18	61	91	97	85	39	14
Childbirth - - -	0·09	583	–	–	–	–	–	–	–	–	38	83	223	232	7	–	-	–
Suicide - - - -	0·09	636	–	–	–	–	–	–	–	2	29	46	77	106	147	135	78	16
Other Violent Deaths -	0·81	5507	1615	273	229	197	146	2460	421	242	231	163	345	364	379	346	318	238
Other Causes - -	4·54	30937	14946	1912	557	294	216	17925	444	245	219	200	475	573	712	1127	2844	6173

Deaths of Infants (under one) to 1000 Births - 159

Marriages - 55,726
Births - 253,795

Annual Rate per 1000 living { Persons Married 16·38
Births - - - 37·30

28.—LEICESTERSHIRE.

——	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death Rate per 1000 - - -	—	21·61	—	—	—	—	—	68·68	5·09	3·26	4·90	6·74	8·01	11·03	14·83	27·02	61·47	163·14
Mean Populat^n 1871-80 - -	—	300,906	9226	8156	8250	8137	7906	41,675	36,811	32,363	29,870	25,835	41,846	32,464	25,902	18,778	11,255	4607
ALL CAUSES - -	21·61	65,014	19,562	4921	1957	1320	863	28,623	1875	1054	1438	1740	3352	3582	3842	5073	6910	7516
Small-pox - - -	0·21	644	104	22	26	20	36	208	107	31	57	86	77	41	23	7	5	2
Measles - - - -	0·39	1175	278	437	216	125	49	1105	59	6	3	–	1	–	1	–	–	–
Scarlet Fever - - -	0·62	1874	122	335	366	345	216	1384	390	59	12	11	10	7	1	–	–	–
Diphtheria - - -	0·10	285	27	35	26	31	30	149	76	20	3	3	7	9	8	7	3	1
Whooping-cough - -	0·41	1220	568	383	137	68	31	1187	31	–	–	1	1	–	–	–	–	–
Typhus - - - -	0·02	65	–	–	–	–	3	3	8	8	13	7	11	4	3	5	3	–
Enteric Fever - - -	0·34	1023	31	46	47	34	24	182	131	133	138	97	127	73	59	50	34	4
Simple Continued Fever -	0·08	252	9	12	17	17	14	69	30	30	22	15	22	12	14	16	17	5
Puerperal Fever - -	0·07	198	–	–	–	–	–	–	–	–	17	42	86	49	4	–	–	–
Diarrhœa and Dysentery	1·50	4519	3255	618	105	28	9	4015	17	5	4	6	18	25	26	62	140	201
Cholera - - - -	0·02	51	7	1	4	2	2	16	4	1	–	1	1	4	3	10	7	4
Cancer - - - -	0·49	1482	1	–	1	2	3	7	–	1	6	15	52	159	324	416	365	137
Scrofula - - - -	0·14	407	155	45	14	11	15	240	18	23	22	20	34	15	20	9	4	2
Tabes Mesenterica - -	0·31	922	513	198	47	21	10	789	30	23	23	11	14	13	7	9	2	1
Phthisis - - - -	1·77	5324	229	113	33	13	20	408	97	157	552	796	1356	1004	575	288	87	4
Hydrocephalus - -	0·27	807	278	184	84	56	41	643	84	42	16	6	12	2	2	–	–	–
Diseases of Nervous System -	2·86	8620	3288	495	146	120	84	4133	182	104	101	83	260	366	525	828	1182	853
Diseases of Circulatory ,, -	1·31	3930	15	6	6	2	2	31	47	81	73	80	241	420	572	905	1014	436
Diseases of Respiratory ,, -	3·36	10123	2763	1180	352	211	105	4611	171	63	72	104	284	459	576	1041	1561	1181
Diseases of Digestive ,, -	1·00	3006	530	76	40	18	10	674	67	52	70	72	170	250	421	529	465	236
Diseases of Urinary ,, -	0·38	1150	12	11	14	13	7	57	42	19	33	44	81	131	155	191	243	154
Diseases of Generative ,, -	0·05	147	–	–	–	–	–	–	1	1	1	6	18	35	25	35	19	6
Childbirth - - -	0·09	284	–	–	–	–	–	–	–	1	21	42	94	117	9	–	–	–
Suicide - - - -	0·08	240	–	–	–	–	–	–	–	–	12	12	23	37	62	58	31	5
Other Violence - -	0·55	1658	194	70	81	70	56	471	125	93	79	79	149	121	130	135	139	137
Other Causes - -	5·19	15692	7183	654	195	113	96	8241	158	101	88	101	203	229	297	472	1568	4144

Deaths of Infants (under one) to 1000 Births - 176

Marriages - 24,807
Births - 111,370

Annual Rate per 1000 living: Persons Married - 16·49; Births - 37·01

Deaths in Registration Counties in the 10 Years 1871-80.

29.—RUTLANDSHIRE.

——	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death Rate per 1000 - -	—	18·46	—	—	—	—	—	42·47	4·69	2·90	4·37	7·19	7·93	9·00	12·74	24·32	57·38	160·74
Mean Populat^n 1871-80 - -	—	23,196	599	575	573	573	562	2882	2833	2723	2264	1683	2800	2488	2143	1702	1166	512
ALL CAUSES - -	18·46	4281	860	170	84	65	45	1224	133	79	99	121	222	224	273	414	669	823
Small-pox - - -	0·03	8	-	-	-	-	-	-	-	-	2	-	1	2	-	3	-	-
Measles - - - -	0·16	37	13	6	5	4	1	29	7	-	-	-	-	1	-	-	-	-
Scarlet Fever - - -	0·49	114	7	12	19	14	16	68	30	9	1	1	2	2	1	-	-	-
Diphtheria - - -	0·16	36	1	-	2	5	2	10	13	8	2	-	-	1	-	2	-	-
Whooping-cough - -	0·33	77	40	22	10	1	1	74	2	1	-	-	-	-	-	-	-	-
Typhus - - - -	0·01	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Enteric Fever - -	0·31	71	2	-	2	2	5	11	8	14	14	5	6	6	5	2	-	-
Simple Continued Fever -	0·07	16	-	2	-	-	-	2	-	2	1	1	4	2	2	1	1	-
Puerperal Fever - -	0·04	6	-	-	-	-	-	-	-	-	-	1	2	3	-	-	-	-
Diarrhœa and Dysentery	0·53	124	50	6	5	2	-	63	1	-	1	1	3	3	-	8	18	27
Cholera - - - -	0·02	4	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-
Cancer - - - -	0·60	139	-	-	-	1	-	1	-	-	-	-	4	11	29	42	37	15
Scrofula - - - -	0·08	18	1	5	-	-	-	6	1	1	-	3	2	1	2	1	1	-
Tabes Mesenterica - -	0·12	28	14	3	-	1	-	18	3	4	2	-	1	-	-	-	-	-
Phthisis - - - -	1·42	329	4	2	3	-	1	10	6	13	44	47	83	64	44	15	8	1
Hydrocephalus - -	0·14	33	20	6	1	2	1	30	-	-	1	-	-	2	-	-	-	-
Diseases of: Nervous System -	2·48	576	151	25	12	10	2	200	19	5	7	10	19	21	37	62	113	83
Diseases of: Circulatory " -	1·24	287	4	1	-	1	-	6	6	6	4	2	15	20	29	67	83	49
Diseases of: Respiratory " -	2·86	663	151	49	11	9	8	231	14	3	4	12	26	28	28	66	136	115
Diseases of: Digestive " -	1·04	242	28	1	2	7	1	39	4	2	6	9	14	15	32	53	48	20
Diseases of: Urinary " -	0·34	80	-	-	-	-	-	-	1	-	1	3	6	7	12	11	23	16
Diseases of: Generative " -	0·04	10	1	-	-	-	-	1	-	-	-	1	-	3	3	-	1	1
Childbirth - - -	0·05	12	-	-	-	-	-	-	-	-	-	4	2	4	2	-	-	-
Suicide - - -	0·15	34	-	-	-	-	-	-	-	-	1	2	3	3	7	8	7	3
Other Violence - -	0·46	106	2	4	4	3	3	16	5	6	3	8	13	11	13	17	9	5
Other Causes - -	5·30	1229	368	26	8	3	4	409	13	5	7	11	15	17	26	55	183	483

Deaths of Infants (under one) to 1000 Births - 121

Marriages - 1,495
Births - - 7,121

Annual Rate per 1000 living: Persons Married - 12·89; Births - - - 30·70

Deaths in Registration Counties in the 10 Years 1871–80.

30.—LINCOLNSHIRE.

——	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65	75 and upwards.
Annual Death Rate per 1000 - - -	—	18·55	—	—	—	—	—	47·90	5·01	3·40	5·18	7·15	7·87	9·96	12·85	23·24	53·16	149·94
Mean Populat^n 1871-80 - -	—	445,568	12,697	11,576	12,095	11,952	11,719	60,039	54,949	49,193	42,998	35,739	57,995	47,470	39,014	30,102	19,301	8768
ALL CAUSES - -	18·55	82,675	19,927	4513	2003	1295	1018	28,756	2755	1674	2226	2555	4567	4728	5012	6995	10,260	13,147
Small-pox - - -	0·13	558	83	27	21	29	23	183	44	23	53	69	90	45	26	18	6	1
Measles - - - -	0·18	795	205	271	127	64	51	718	57	10	2	3	2	3	-	-	-	-
Scarlet Fever - - -	0·51	2293	114	298	344	335	281	1372	608	155	61	33	30	24	6	2	2	-
Diphtheria - - -	0·13	592	27	30	48	59	78	242	189	74	25	18	16	8	7	8	4	1
Whooping-cough - -	0·33	1476	776	413	167	60	28	1444	30	2	-	-	-	-	-	-	-	-
Typhus - - - -	0·03	152	1	2	3	2	6	14	33	24	21	15	12	8	9	9	4	3
Enteric Fever - - -	0·27	1210	19	27	30	46	31	153	142	132	117	128	148	107	105	80	82	16
Simple Continued Fever	0·08	372	13	9	13	16	12	63	56	36	38	30	18	21	21	31	34	24
Puerperal Fever - -	0·05	248	-	-	-	-	-	-	-	-	16	57	111	60	4	-	-	-
Diarrhœa and Dysentery	0·75	3330	2028	350	73	35	19	2505	48	11	6	5	20	34	33	89	194	385
Cholera - - - -	0·02	87	22	5	-	-	1	28	3	1	1	2	5	7	10	20	3	7
Cancer - - - -	0·54	2385	-	1	-	2	-	3	3	1	6	5	66	216	464	695	639	287
Scrofula - - - -	0·10	442	89	53	20	8	10	180	33	23	31	35	40	33	27	20	18	2
Tabes Mesenterica -	0·20	876	467	137	39	22	9	674	57	42	36	12	19	14	10	7	4	1
Phthisis - - -	1·69	7522	111	72	31	22	16	252	146	317	890	1258	2003	1295	721	454	167	19
Hydrocephalus - -	0·22	984	284	194	104	57	58	697	153	78	26	13	9	5	1	2	-	-
Diseases of: Nervous System -	2·71	12080	4085	494	220	134	73	5006	265	165	166	140	323	485	704	1140	1868	1818
Diseases of: Circulatory " -	1·30	5791	8	8	5	3	1	25	46	77	100	105	294	541	710	1119	1733	1041
Diseases of: Respiratory " -	2·84	12651	3151	1211	384	182	109	5037	187	79	119	125	325	508	682	1222	2030	2337
Diseases of: Digestive " -	0·94	4198	423	52	29	26	25	555	107	68	94	93	222	381	545	755	885	493
Diseases of: Urinary " -	0·37	1666	22	7	6	9	14	58	44	19	35	56	118	151	178	269	407	331
Diseases of: Generative " -	0·05	201	1	-	1	-	-	2	-	2	3	6	19	37	40	42	36	14
Childbirth - - -	0·08	352	-	-	-	-	-	-	-	-	19	60	142	125	6	-	-	-
Suicide - - - -	0·08	345	-	-	-	-	-	-	-	2	16	21	39	46	61	87	56	17
Other Violence - - -	0·57	2558	166	106	128	68	73	541	239	170	180	170	230	232	269	246	192	199
Other Causes - -	4·37	19511	7832	746	210	116	100	9004	265	163	165	116	266	342	433	710	1896	6151

Deaths of Infants (under one) to 1000 Births - 137

Marriages - 32,578
Births - 145,353

Annual Rate per 1000 living: Persons Married - 14·62; Births - - - 32·62

Deaths in Registration Counties in the 10 Years 1871–80.

31.—NOTTINGHAMSHIRE.

	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death Rate per 1000	—	21·23	—	—	—	—	—	65·76	5·69	3·63	5·64	7·33	8·41	11·24	15·10	27·44	62·95	159·76
Mean Populat^n 1871-80	—	397,023	11,933	10,558	10,668	10,628	10,580	54,367	48,253	42,590	38,796	35,144	56,506	43,634	33,778	23,896	14,344	5715
ALL CAUSES	21·23	84,279	23,840	6247	2593	1762	1308	35,750	2746	1548	2188	2577	4751	4903	5101	6556	9029	9130
Small-pox	0·27	1055	164	57	41	35	54	351	156	72	107	132	131	73	16	16	–	1
Measles	0·37	1470	312	536	243	166	112	1369	88	8	–	2	2	–	1	–	–	–
Scarlet Fever	0·64	2560	159	380	425	408	351	1723	645	116	38	15	18	3	–	2	–	–
Diphtheria	0·07	295	20	20	26	44	34	144	77	22	17	8	5	7	9	1	4	1
Whooping cough	0·37	1487	679	461	183	94	40	1457	28	1	1	–	–	–	–	–	–	–
Typhus	0·05	180	1	1	3	5	3	13	22	25	35	21	24	15	14	6	1	1
Enteric Fever	0·43	1707	26	46	57	53	65	247	201	214	243	216	224	121	103	69	54	15
Simple Continued Fever	0·11	420	18	27	36	33	25	139	63	34	27	23	28	18	24	21	27	16
Puerperal Fever	0·07	273	–	–	–	–	–	–	–	–	14	59	126	74	–	–	–	–
Diarrhœa and Dysentery	1·00	3966	2752	474	87	43	24	3380	20	7	7	12	27	27	30	92	169	195
Cholera	0·04	140	48	14	8	5	1	76	4	2	3	4	8	2	11	15	9	6
Cancer	0·48	1903	–	–	2	2	2	6	5	3	3	8	93	276	444	472	408	185
Scrofula	0·15	603	253	85	34	12	11	595	27	28	26	21	40	15	15	14	15	7
Tabes Mesenterica	0·41	1612	921	369	87	45	16	1438	70	34	22	11	13	10	7	4	–	–
Phthisis	1·96	7785	182	99	51	28	20	380	135	292	868	1228	1991	1410	849	451	159	22
Hydrocephalus	0·29	1155	421	268	96	77	60	922	137	49	17	8	14	4	–	1	–	1
Diseases of: Nervous System	2·80	11108	4629	585	245	144	100	5703	234	120	115	115	285	483	633	944	1472	1004
Diseases of: Circulatory „	1·36	5386	23	7	1	4	7	42	46	94	122	100	346	523	756	1178	1498	681
Diseases of: Respiratory „	3·58	14194	3800	1766	567	300	181	6574	231	78	109	133	366	587	810	1440	2205	1061
Diseases of: Digestive „	0·90	3575	535	56	30	15	20	656	66	51	66	90	224	328	491	635	675	293
Diseases of: Urinary „	0·34	1362	14	14	19	13	16	76	37	20	38	43	124	150	153	266	265	190
Diseases of: Generative „	0·06	234	2	–	–	–	1	3	1	–	5	6	25	51	49	44	45	5
Childbirth	0·08	335	–	–	–	–	–	–	–	–	29	52	119	132	3	–	–	–
Suicide	0·08	327	–	–	–	–	–	–	–	1	17	46	35	59	75	68	39	17
Other Violence	0·60	2391	216	109	97	97	72	591	203	148	144	147	228	214	201	185	179	151
Other Causes	4·72	18758	8665	913	255	139	93	10065	250	129	115	101	265	321	407	632	1805	4678

Deaths of Infants (under one) to 1000 Births - 164

Marriages - 34,824
Births - - 145,326

Annual Rate per 1000 living: Persons Married - 17·54; Births - - - 36·60

Deaths in Registration Counties in the 10 Years 1871–80.

32.—DERBYSHIRE.

——	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death Rate per 1000 - - -	—	20·54	—	—	—	—	—	57·37	5·93	3·59	5·68	7·09	8·43	11·49	15·75	31·58	68·62	174·64
Mean Populatn 1871-80 - -	—	355,707	11,110	10,015	10,307	9894	9834	51,160	44,464	38,706	34,015	31,087	50,609	38,961	29,906	20,770	11,751	4278
ALL CAUSES - -	20·54	73,051	18,810	5396	2347	1622	1174	29,349	2635	1388	1932	2203	4266	4475	4709	6560	8063	7471
Small-pox - - -	0·10	342	34	10	9	10	10	73	51	19	28	42	59	36	20	8	5	1
Measles - - -	0·30	1059	245	407	176	98	58	984	64	5	–	2	4	–	–	–	–	–
Scarlet Fever - - -	0·79	2813	147	395	480	474	366	1862	703	151	37	17	21	17	4	1	–	–
Diphtheria - - -	0·08	289	12	31	29	44	33	149	79	21	14	4	8	3	5	3	1	2
Whooping-cough - -	0·37	1311	601	438	133	69	37	1278	30	1	–	1	1	–	–	–	–	–
Typhus - - - -	0·04	143	1	2	3	4	3	13	12	22	19	18	19	19	8	7	6	–
Enteric Fever - - -	0·34	1204	27	39	39	37	32	174	140	124	167	132	192	116	79	56	21	3
Simple Continued Fever	0·12	435	22	30	28	27	26	133	78	38	35	21	33	26	16	18	17	10
Puerperal Fever - -	0·08	294	–	–	–	–	–	–	–	–	22	70	103	93	6	–	–	–
Diarrhœa and Dysentery	0·70	2480	1529	330	72	27	17	1975	26	6	7	11	24	30	33	76	126	166
Cholera - - - -	0·02	63	14	4	3	2	1	24	5	2	–	4	4	3	4	6	8	3
Cancer - - - -	0·37	1325	1	1	–	2	4	8	2	1	3	9	42	156	206	392	298	108
Scrofula - - - -	0·12	427	117	55	24	9	8	213	25	27	32	23	38	19	22	17	11	–
Tabes Mesenterica - -	0·31	1096	579	206	75	44	19	923	52	41	22	12	27	6	6	3	4	–
Phthisis - - - -	1·90	6769	111	97	33	18	23	282	127	253	787	1000	1739	1297	735	377	152	20
Hydrocephalus - -	0·29	1041	387	255	94	65	46	847	125	27	15	9	10	5	–	3	–	–
Diseases of Nervous System -	3·08	10967	4851	637	262	150	125	6025	265	140	102	103	241	350	550	1001	1339	851
Diseases of Circulatory „ -	1·39	4948	15	1	6	3	8	33	75	77	117	109	282	530	706	1169	1299	551
Diseases of Respiratory „ -	3·49	12419	3242	1415	456	229	146	5488	238	73	106	121	321	474	787	1455	1936	1420
Diseases of Digestive „ -	1·04	3710	409	67	32	34	20	562	85	75	62	85	222	415	534	796	674	240
Diseases of Urinary „ -	0·34	1193	9	18	11	13	16	67	36	30	30	40	117	133	169	202	254	115
Diseases of Generative „ -	0·06	213	–	–	–	–	–	–	–	–	4	9	33	42	44	54	24	3
Childbirth - - -	0·11	378	–	–	–	–	–	–	–	–	27	63	165	117	6	–	–	–
Suicide - - - -	0·08	278	–	–	–	–	–	–	–	2	10	15	34	47	56	64	42	8
Other Violence - -	0·66	2341	165	115	93	84	63	520	163	132	171	164	274	226	219	185	158	129
Other Causes - -	4·36	15513	6292	843	289	179	113	7716	254	121	115	119	253	315	394	697	1688	3841

Deaths of Infants (under one) to 1000 Births - 141

Marriages - 27,793
Births - 133,765

Annual Rate per 1000 living: Persons Married - 15·63; Births - 37·61

Deaths in Registration Counties in the 10 Years 1871–80.

33.—CHESHIRE.*

——	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death Rate per 1000 - - -	—	21·04	—	—	—	—	—	60·51	6·64	3·64	5·23	7·03	8·94	12·60	18·77	35·05	71·93	170·10
Mean Populat^n 1871-80 - -	—	* 580,738	17,091	15,245	15,949	15,436	15,225	78,946	69,824	62,856	57,295	52,136	85,195	66,346	50,122	33,793	17,951	6274
ALL CAUSES - -	21·04	122,171	29,421	9287	4200	2833	2033	47,774	4637	2290	2995	3664	7615	8360	9406	11,845	12,913	10,672
Small-pox - - -	0·11	645	75	11	9	22	23	140	63	39	53	96	127	77	30	17	2	1
Measles - - -	0·38	2182	535	804	365	244	112	2030	134	8	3	2	1	1	1	2	-	-
Scarlet Fever - - -	0·87	5024	329	732	902	797	625	3385	1241	227	55	35	50	23	6	2	-	-
Diphtheria - - -	0·17	979	77	101	113	123	114	528	274	85	31	17	18	10	10	4	2	-
Whooping-cough - -	0·42	2464	1115	761	297	137	77	2387	76	1	-	-	-	-	-	-	-	-
Typhus - - - -	0·07	396	4	4	4	4	6	22	35	37	39	35	76	49	58	26	15	4
Enteric Fever - - -	0·29	1671	38	62	73	63	56	292	219	146	182	159	234	153	128	103	47	8
Simple Continued Fever -	0·09	550	14	24	25	26	23	112	79	38	38	34	56	56	40	43	38	16
Puerperal Fever - -	0·08	454	-	-	-	-	-	-	-	-	27	120	184	119	4	-	-	-
Diarrhœa and Dysentery	0·88	5095	3210	727	135	58	32	4162	59	20	10	25	39	53	90	141	240	256
Cholera - - - -	0·02	98	26	9	1	3	3	42	5	4	1	1	3	10	10	14	9	2
Cancer - - - -	0·44	2559	1	2	1	2	1	7	4	5	6	15	90	313	601	729	549	210
Scrofula - - - -	0·14	784	230	129	46	29	29	463	56	42	49	32	42	26	39	22	12	1
Tabes Mesenterica - -	0·26	1526	760	317	104	50	28	1259	90	58	31	15	20	18	24	7	4	-
Phthisis - - - -	2·01	11661	135	113	56	41	31	376	224	396	1230	1643	2984	2295	1429	773	270	41
Hydrocephalus - -	0·30	1748	556	435	196	132	94	1413	210	73	22	10	7	10	2	1	-	-
Diseases of: Nervous System -	2·87	16694	6000	997	453	236	166	7852	415	204	172	226	562	867	1232	1725	2148	1291
Diseases of: Circulatory " -	1·37	7957	26	6	12	3	11	58	100	178	188	181	544	869	1242	1907	1905	785
Diseases of: Respiratory " -	3·70	21497	5132	2257	680	385	226	8680	364	113	154	203	640	1091	1777	2900	3379	2196
Diseases of: Digestive " -	1·12	6493	834	156	89	60	51	1190	159	104	123	157	398	698	951	1287	1050	376
Diseases of: Urinary " -	0·37	2172	30	32	19	31	23	135	72	49	55	89	191	247	343	392	374	225
Diseases of: Generative " -	0·05	296	1	1	-	-	-	2	-	2	5	11	49	49	79	50	41	8
Childbirth - - -	0·10	609	-	-	-	-	-	-	-	-	25	94	263	218	9	-	-	-
Suicide - - - -	0·07	409	-	-	-	-	-	-	-	-	16	22	50	72	99	78	58	14
Other Violence - -	0·70	4061	223	198	188	136	110	855	315	265	264	243	499	439	395	364	247	175
Other Causes - -	4·16	24147	10070	1409	432	231	192	12384	443	196	216	199	488	597	807	1261	2523	5033

Deaths of Infants (under one) to 1000 Births - 144 | Marriages - 44,228 | Births - 203,960 | Annual Rate per 1000 living: Persons Married - 15·23; Births - 35·12

* Changes were made in the boundary of this Registration County during the decade, *see* pp. 371-78.

Deaths in Registration Counties in the 10 Years 1871-80.

34.—LANCASHIRE.

	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death Rate per 1000	—	25·17	—	—	—	—	—	82·22	8·47	4·34	6·06	7·86	10·44	15·64	23·57	42·62	83·65	176·88
Mean Populat^n 1871-80	—	3,167,539	98,133	85,823	87,816	85,629	82,302	439,703	375,795	333,664	311,052	300,006	504,890	376,114	264,547	163,337	75,788	22,643
ALL CAUSES	25·17	797,162	208,741	80,540	35,070	21,989	15,178	361,518	31,813	14,476	18,844	23,567	52,716	58,829	62,342	69,613	63,394	40,050
Small-pox	0·22	6965	856	266	265	306	302	1995	951	438	551	856	1188	616	267	77	19	7
Measles	0·61	19233	4296	7579	3413	1855	975	18118	1004	48	12	13	26	5	3	2	1	1
Scarlet Fever	1·13	35660	2088	5556	6487	5828	4473	24432	8727	1482	415	222	273	87	15	6	1	–
Diphtheria	0·12	3696	343	598	512	491	443	2387	853	172	50	57	58	46	29	29	13	2
Whooping-cough	0·64	20189	7890	6365	2878	1550	768	19451	707	24	4	–	–	1	1	1	–	–
Typhus	0·13	4075	17	21	33	50	45	166	295	282	415	415	753	696	601	314	117	21
Enteric Fever	0·39	12388	329	577	610	511	445	2472	1643	1159	1317	1215	1710	1141	837	563	276	55
Simple Continued Fever	0·15	4759	250	332	343	347	283	1555	695	283	237	200	392	426	360	332	204	75
Puerperal Fever	0·09	2885	–	–	–	–	–	–	–	–	127	701	1342	690	25	–	–	–
Diarrhœa and Dysentery	1·40	44219	27714	8923	1536	449	235	38857	291	96	70	116	302	420	605	1003	1418	1041
Cholera	0·04	1126	341	139	38	24	15	557	42	11	15	20	63	82	126	120	66	24
Cancer	0·38	12018	12	9	6	18	7	52	18	24	47	71	552	1947	3263	3341	2124	579
Scrofula	0·13	4017	1129	753	310	178	117	2487	346	226	213	142	192	137	106	108	56	4
Tabes Mesenterica	0·24	10903	5186	2810	955	372	207	9531	501	289	143	103	114	101	67	33	18	3
Phthisis	2·47	78154	1304	1150	566	367	350	3737	1697	2681	7629	10197	20236	16552	9663	4475	1154	133
Hydrocephalus	0·37	11859	4418	3151	1318	740	503	10130	1081	340	141	59	55	36	11	4	2	–
Diseases of Nervous System	3·07	97272	36302	7895	3369	1884	1215	50665	2927	1270	1159	1135	3276	5030	7038	9800	10162	4810
Diseases of Circulatory ,,	1·29	40812	157	57	53	59	77	403	640	985	1157	1239	3853	6027	7587	9145	7401	2375
Diseases of Respiratory ,,	5·03	159418	39627	19897	6594	3295	1972	71385	3005	899	1168	1766	5749	9761	15463	21868	19401	8933
Diseases of Digestive ,,	1·07	33875	5307	1044	418	306	268	7343	833	654	730	941	2569	3983	5511	5932	4078	1361
Diseases of Urinary ,,	0·39	12300	161	218	213	224	192	1008	567	309	407	517	1377	1763	1948	2049	1703	652
Diseases of Generative ,,	0·05	1564	14	7	5	3	1	30	1	4	28	89	265	355	337	251	170	34
Childbirth	0·11	3450	–	–	–	–	–	–	–	–	140	572	1446	1248	44	–	–	–
Suicide	0·07	2167	–	–	–	–	–	–	–	9	58	117	374	472	464	418	201	54
Other Violence	0·82	25955	3118	1181	1043	766	611	6719	1889	1338	1341	1555	3168	2943	2755	2273	1343	651
Other Causes	4·66	148203	67882	12012	4104	2366	1674	88038	3100	1453	1270	1249	3383	4264	5216	7489	13466	19275

Deaths of Infants (under one) to 1000 Births - 172

Marriages - 288,309
Births - 1,215,960

Annual Rate per 1000 living: Persons Married - 18·20; Births - 38·39

Deaths in Registration Counties in the 10 Years 1871-80.

35.—WEST RIDING (YORKSHIRE).

——	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death Rate per 1000 - - -	—	23·24	—	—	—	—	—	74·91	7·51	4·16	6·44	7·80	9·18	13·04	19·10	35·79	76·50	178·24
Mean Populat^n 1871-80 - -	—	2,026,085	63,346	55,728	55,752	55,144	53,983	283,953	245,212	217,376	199,884	183,946	308,721	234,527	170,413	110,152	54,630	17,271
ALL CAUSES - -	23·24	470,859	128,761	45,404	18,580	11,619	8337	212,701	18,416	9040	12,876	14,344	28,344	30,590	32,550	39,421	41,794	30,783
Small-pox - - -	0·18	3653	608	202	176	124	149	1259	523	197	286	415	527	274	111	50	11	-
Measles - - - -	0·39	7985	1826	3206	1328	715	375	7450	460	34	8	6	15	9	2	-	-	1
Scarlet Fever - - -	1·03	20893	1235	3167	3698	3352	2734	14186	5232	905	234	145	129	48	9	3	2	-
Diphtheria - - -	0·09	1792	169	236	184	242	190	1021	480	98	51	22	40	38	14	18	8	2
Whooping-cough - -	0·52	10571	4552	3398	1324	667	342	10283	281	3	1	1	1	1	-	-	-	-
Typhus - - - -	0·06	1254	8	7	19	33	30	97	119	112	195	158	195	163	110	69	30	6
Enteric Fever - - -	0·45	9166	210	323	382	315	313	1543	1013	838	1101	988	1366	853	699	460	246	59
Simple Continued Fever	0·14	2902	116	205	214	190	154	879	429	200	183	165	258	224	191	182	135	56
Puerperal Fever - -	0·09	1833	-	-	-	-	-	-	-	-	107	455	830	430	11	-	-	-
Diarrhœa and Dysentery	1·13	22849	14385	4106	720	185	125	19521	217	51	46	77	164	256	317	543	904	753
Cholera - - - -	0·04	792	300	88	25	22	10	445	23	19	11	12	26	34	52	87	59	24
Cancer - - - -	0·40	8058	6	4	11	10	7	38	19	15	26	47	370	1234	2112	2299	1415	483
Scrofula - - - -	0·12	2386	571	377	137	88	64	1237	197	150	169	119	150	125	80	86	55	8
Tabes Mesenterica - -	0·33	7671	3519	2040	562	234	140	6495	363	188	184	101	134	85	59	41	20	1
Phthisis - - - -	2·26	45768	650	626	293	205	184	1958	1012	1820	5472	6350	11046	8622	5584	2949	872	83
Hydrocephalus - -	0·39	7939	2782	2134	831	513	336	6596	826	290	105	39	45	22	10	4	2	-
Diseases of Nervous System -	3·37	68214	28781	5387	2102	1270	770	38310	1959	920	803	696	1715	2602	3947	6181	7258	3823
Diseases of Circulatory „ -	1·26	25530	74	42	31	35	38	220	382	577	703	743	2146	3527	4339	5980	5151	1762
Diseases of Respiratory „ -	4·36	88292	23753	11951	3940	1772	1039	42455	1611	520	690	932	2798	4389	6766	10277	11599	6255
Diseases of Digestive „ -	1·00	20246	2673	512	216	166	142	3709	477	394	494	507	1409	2136	3090	3784	3152	1094
Diseases of Urinary „ -	0·36	7217	72	149	95	85	108	509	245	169	219	296	711	935	1065	1301	1262	505
Diseases of Generative „ -	0·05	1044	10	1	2	2	1	16	2	5	22	47	160	220	250	180	118	24
Childbirth - - -	0·11	2166	-	-	-	-	-	-	-	1	109	370	929	733	24	-	-	-
Suicide - - - -	0·07	1425	-	-	-	-	-	-	-	15	68	87	219	286	304	293	131	22
Other Violence - -	0·61	12409	914	524	558	393	320	2709	959	686	787	875	1488	1415	1232	1027	772	459
Other Causes - -	4·33	88804	41547	6719	1732	1001	766	51765	1587	823	802	691	1473	1929	2172	3607	8592	15363

Deaths of Infants (under one) to 1000 Births - 166

Marriages - 175,395
Births - - 773,936

Annual Rate per 1000 living { Persons Married - 17·31
Births - - - 38·20

Deaths in Registration Counties in the 10 Years 1871–80.

36.—EAST RIDING (YORKSHIRE).

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death Rate per 1000	—	21·36	—	—	—	—	—	63·26	5·80	3·78	4·99	7·01	8·95	12·42	17·23	30·44	63·34	165·40
Mean Populat^n 1871-80	—	334,478	9856	8620	8993	8895	8623	44,987	39,333	34,939	32,696	29,685	48,980	37,572	28,937	20,641	12,029	4679
ALL CAUSES	21·36	71,451	19,111	5238	2036	1173	901	28,459	2283	1320	1630	2080	4384	4667	4986	6284	7619	7739
Small-pox	0·16	530	62	20	14	28	25	149	107	35	32	58	70	37	22	12	8	-
Measles	0·27	891	198	332	158	73	56	817	57	7	2	3	2	1	1	-	1	-
Scarlet Fever	0·51	1695	101	224	315	249	211	1100	418	86	28	21	26	9	4	3	-	-
Diphtheria	0·11	370	37	33	36	39	30	175	113	31	10	9	9	17	4	1	1	-
Whooping-cough	0·44	1488	674	497	159	77	38	1445	41	-	1	-	-	-	-	1	-	-
Typhus	0·04	130	2	2	1	3	4	12	15	14	16	14	17	15	9	8	6	4
Enteric Fever	0·40	1333	23	40	41	36	42	182	150	113	143	139	211	131	103	83	58	20
Simple Continued Fever	0·17	569	28	54	59	34	35	210	93	41	20	19	37	33	26	35	36	19
Puerperal Fever	0·06	210	-	-	-	-	-	-	-	-	11	46	95	54	3	-	-	-
Diarrhœa and Dysentery	1·36	4551	3137	630	84	32	17	3900	24	3	7	6	39	35	56	98	164	219
Cholera	0·03	87	34	5	2	3	2	46	5	-	2	1	2	5	6	9	5	6
Cancer	0·48	1614	1	-	1	1	-	3	2	6	6	11	66	222	414	421	323	140
Scrofula	0·11	373	96	55	18	10	6	185	36	29	23	11	31	20	19	11	7	1
Tabes Mesenterica	0·35	1182	642	261	66	35	14	1018	56	29	19	16	15	14	12	3	-	-
Phthisis	1·97	6578	88	55	32	24	19	218	133	274	657	919	1732	1263	786	444	135	17
Hydrocephalus	0·22	745	245	167	65	43	42	562	112	43	13	5	5	3	2	-	-	-
Diseases of Nervous System	3·37	11281	4215	711	222	127	79	5354	193	106	103	116	384	551	755	1146	1542	1031
Diseases of Circulatory „	1·40	4696	18	6	7	6	3	40	55	73	68	88	310	550	669	1068	1164	611
Diseases of Respiratory „	3·15	10542	2527	1256	430	153	110	4476	183	65	77	132	325	502	751	1216	1561	1254
Diseases of Digestive „	0·97	3249	405	59	35	12	13	524	68	54	56	75	215	339	495	601	578	244
Diseases of Urinary „	0·38	1264	16	9	6	12	6	49	31	34	30	30	122	156	164	241	265	139
Diseases of Generative „	0·06	205	-	-	-	-	-	-	-	1	4	7	21	49	49	34	33	7
Childbirth	0·08	283	-	-	-	-	-	-	-	-	23	59	105	92	4	-	-	-
Suicide	0·07	246	-	-	-	-	-	-	-	4	7	20	34	43	48	48	31	11
Other Violence	0·69	2312	166	77	90	52	74	459	205	140	155	168	256	245	229	197	129	129
Other Causes	4·51	15030	6396	745	195	124	75	7535	186	132	117	107	251	281	355	604	1572	3887

Deaths of Infants (under one) to 1000 Births - 162

Marriages - 30,079
Births - 117,959

Annual Rate per 1000 living: Persons Married - 17·99; Births - 35·27

Deaths in Registration Counties in the 10 Years 1871-80.

37.—NORTH RIDING (YORKSHIRE).*

——	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death Rate per 1000 - -	—	19·68	—	—	—	—	—	55·09	5·67	3·47	5·42	7·25	8·39	10·96	13·74	25·62	57·39	160·32
Mean Populat^{n} 1871-80 - -	—	* 283,605	8501	7509	7990	7833	7709	39,542	35,302	31,118	27,440	24,198	39,444	30,640	23,712	17,184	10,405	4620
ALL CAUSES - -	19·68	55,811	14,309	3911	1664	1072	826	21,782	2002	1080	1488	1755	3308	3358	3257	4403	5971	7407
Small-pox - - -	0·15	425	59	15	11	12	16	113	60	20	29	40	66	44	26	20	6	1
Measles - - - -	0·25	706	172	259	109	71	36	647	42	2	4	3	4	-	3	1	-	-
Scarlet Fever - - -	0·67	1903	98	241	305	275	206	1125	556	121	28	28	23	12	6	3	-	1
Diphtheria - - -	0·12	341	20	27	29	44	43	163	99	34	14	5	7	10	6	3	-	-
Whooping-cough - -	0·37	1050	517	315	110	45	37	1024	24	2	-	-	-	-	-	-	-	-
Typhus - - - -	0·04	116	-	2	-	-	4	6	15	14	16	13	23	15	8	3	2	1
Enteric Fever - - -	0·44	1259	15	25	42	48	32	162	124	97	146	161	223	135	95	57	42	17
Simple Continued Fever	0·09	248	11	15	18	17	9	70	25	22	25	15	29	14	10	18	18	2
Puerperal Fever - -	0·07	191	-	-	-	-	-	-	-	-	15	50	71	51	4	-	-	-
Diarrhœa and Dysentery	0·78	2207	1409	291	54	14	10	1778	19	1	2	6	20	30	33	50	115	153
Cholera - - - -	0·02	67	19	10	3	1	-	33	5	2	-	-	3	2	4	9	5	4
Cancer - - - -	0·47	1339	-	2	2	2	-	6	2	3	2	10	47	147	239	344	353	186
Scrofula - - - -	0·11	312	93	43	18	7	6	167	28	11	27	8	18	20	12	9	8	4
Tabes Mesenterica - -	0·32	895	443	213	55	25	17	753	38	35	11	18	15	8	8	2	6	1
Phthisis - - -	1·69	4795	61	48	29	28	23	189	114	208	555	718	1273	846	487	299	98	8
Hydrocephalus - -	0·34	971	329	242	98	52	49	770	119	42	11	11	6	9	3	-	-	-
Diseases of Nervous System -	2·63	7450	2999	373	158	93	83	3706	164	89	99	82	163	206	386	663	1029	863
Diseases of Circulatory ,, -	1·38	3912	14	6	1	5	7	33	38	56	74	70	194	394	469	795	1096	693
Diseases of Respiratory ,, -	3·05	8648	2371	1078	322	147	99	4017	138	54	79	98	273	419	449	777	1145	1199
Diseases of Digestive ,, -	1·01	2871	384	58	34	13	22	511	56	30	60	62	165	300	378	505	528	276
Diseases of Urinary ,, -	0·37	1043	12	12	12	11	9	56	31	17	27	38	82	120	108	183	218	163
Diseases of Generative ,, -	0·05	149	-	1	-	-	-	1	-	-	1	8	19	23	36	31	23	7
Childbirth - - -	0·10	279	-	-	-	-	-	-	-	-	12	52	107	108	-	-	-	-
Suicide - - - -	0·06	167	-	-	-	-	-	-	-	3	6	9	23	37	34	31	17	7
Other Violence - -	0·68	1917	169	72	56	51	41	389	113	123	148	148	235	185	183	155	121	117
Other Causes - -	4·42	12550	5114	563	198	111	77	6063	192	94	97	102	219	223	270	445	1141	3704

Deaths of Infants (under one) to 1000 Births - 140

Marriages - 21,052
Births - 102,485

Annual Rate per 1000 living: Persons Married - 14·85; Births - - - 36·14

* Changes were made in the boundary of this Registration County during the decade, *see* pp. 371-78.

38.—DURHAM.*

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death Rate per 1000 - - -	—	23·77	—	—	—	—	—	78·47	8·89	4·64	6·28	8·34	9·36	12·34	17·70	32·90	69·39	169·41
Mean Populat^n 1871-80 - -	—	* 809,681	27,480	23,633	25,114	24,234	23,751	124,212	107,284	89,854	78,942	72,789	122,184	89,222	61,251	38,314	19,048	6581
ALL CAUSES - -	23·77	192,472	58,522	20,951	8558	5450	3992	97,473	9542	4171	4955	6068	11,442	11,006	10,843	12,605	13,218	11,149
Small-pox - - -	0·63	5091	761	256	249	279	294	1839	832	293	280	504	650	364	194	99	30	6
Measles - - - -	0·41	3308	620	1299	616	326	177	3038	241	16	2	2	4	2	1	1	-	1
Scarlet Fever - - -	1·38	11142	629	1575	1797	1801	1389	7191	3155	512	132	56	60	30	1	4	1	-
Diphtheria - - -	0·09	736	76	114	96	76	83	445	162	40	26	14	19	10	6	8	3	3
Whooping-cough - -	0·54	4375	1827	1456	535	288	133	4239	134	1	-	-	1	-	-	-	-	-
Typhus - - - -	0·13	1081	7	7	19	18	19	70	107	103	112	120	171	131	125	81	50	11
Enteric Fever - - -	0·56	4525	153	279	211	190	184	1017	575	412	483	487	588	360	255	193	119	36
Simple Continued Fever	0·17	1339	40	79	116	83	85	403	212	95	74	77	117	89	76	86	63	47
Puerperal Fever - -	0·10	839	-	-	-	-	-	-	-	-	49	230	365	188	7	-	-	-
Diarrhœa and Dysentery	1·17	9437	5396	2265	404	90	37	8192	82	19	16	31	78	79	100	198	319	323
Cholera - - - -	0·03	248	75	28	14	5	6	128	19	-	2	6	13	13	26	20	11	10
Cancer - - - -	0·33	2665	3	2	3	2	4	14	3	2	21	12	140	415	669	712	480	197
Scrofula - - - -	0·15	1232	404	249	76	38	30	797	108	77	66	35	65	33	19	21	8	3
Tabes Mesenterica - -	0·75	6054	2711	2099	536	142	82	5570	206	81	53	35	36	30	17	16	10	-
Phthisis - - - -	1·93	15587	285	238	126	80	77	805	491	729	1728	2308	3994	2784	1644	835	250	18
Hydrocephalus - -	0·45	3620	1344	982	372	211	170	3079	360	106	33	13	16	8	2	3	-	-
Diseases of Nervous System -	3·12	25247	11469	1932	743	409	279	14832	708	301	271	273	678	988	1397	1991	2406	1412
Diseases of Circulatory „ -	1·14	9209	28	10	13	14	14	79	150	190	235	232	832	1289	1524	1987	1911	780
Diseases of Respiratory „ -	3·43	27761	8834	4364	1434	688	418	15738	628	166	210	318	786	1153	1723	2566	2763	1710
Diseases of Digestive „ -	1·02	8256	1630	339	136	71	54	2230	207	141	177	226	542	861	1078	1364	1061	369
Diseases of Urinary „ -	0·28	2284	42	94	66	46	35	283	111	53	66	106	243	259	291	358	359	155
Diseases of Generative „ -	0·05	383	-	-	1	1	-	2	-	1	7	24	65	77	78	76	43	10
Childbirth - - -	0·12	932	-	-	-	-	-	-	-	1	71	181	358	303	18	-	-	-
Suicide - - - -	0·05	394	-	-	-	-	-	-	-	-	8	27	63	77	86	81	43	9
Other Violence - -	0·85	6860	492	236	203	156	135	1222	451	539	575	495	958	794	690	587	337	212
Other Causes - -	4·89	39867	21096	3048	792	436	287	26259	600	293	258	256	600	669	816	1318	2951	5847

Deaths of Infants (under one) to 1000 Births - 166

Marriages - 68,235
Births - 353,003

Annual Rate per 1000 living: Persons Married - 16·85; Births - - 43·6

* Changes were made in the boundary of this Registration County during the decade, see pp. 371-78.

Deaths in Registration Counties in the 10 Years 1871-80.

39.—NORTHUMBERLAND.

——	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death Rate per 1000 - - -	—	22·74	—	—	—	—	—	67·56	7·93	4·66	6·27	8·39	10·01	13·33	18·48	32·86	68·98	166·80
Mean Populat" 1871-80 - -	—	410,366	12,599	11,070	11,609	11,234	11,034	57,546	50,495	44,163	40,482	37,303	60,434	45,616	33,887	22,982	12,632	4826
ALL CAUSES - -	22·74	93,315	23,769	7804	3391	2249	1663	38,876	4005	2056	2540	3129	6051	6082	6262	7551	8713	8050
Small-pox - - -	0·37	1535	184	56	57	67	81	445	224	79	104	164	228	149	75	39	23	5
Measles - - - -	0·28	1139	253	409	192	116	65	1035	81	13	2	4	3	1	-	-	-	-
Scarlet Fever - - -	1·15	4699	273	652	795	736	553	3009	1270	256	70	28	36	15	7	5	3	-
Diphtheria - - -	0·13	535	48	72	59	73	62	314	123	38	13	11	12	10	4	6	3	1
Whooping-cough - -	0·49	1991	880	586	252	134	54	1906	81	3	-	-	-	-	1	-	-	-
Typhus - - - -	0·10	398	4	5	6	12	5	32	36	35	35	43	60	53	53	29	20	2
Enteric Fever - - -	0·37	1499	37	57	71	52	60	277	195	154	173	164	196	112	82	76	53	17
Simple Continued Fever	0·13	493	28	31	31	28	30	148	97	42	30	16	35	29	28	23	29	16
Puerperal Fever - -	0·10	413	-	-	-	-	-	-	-	-	26	107	182	98	-	-	-	-
Diarrhœa and Dysentery	1·02	4205	2366	826	133	44	20	3389	41	9	8	14	54	49	76	112	204	249
Cholera - - - -	0·04	181	83	30	6	4	2	125	7	4	4	1	4	5	3	14	14	-
Cancer - - - -	0·44	1797	-	1	1	-	2	4	5	1	7	12	79	221	412	481	400	172
Scrofula - - - -	0·11	443	126	49	15	9	13	212	36	34	38	21	31	20	20	14	14	3
Tabes Mesenterica - -	0·62	2535	1060	833	233	89	50	2265	117	54	33	14	25	7	12	5	1	2
Phthisis - - - -	2·27	9334	117	103	62	38	31	351	223	402	989	1353	2126	1713	1069	598	188	22
Hydrocephalus - -	0·40	1661	561	413	183	106	88	1351	195	61	24	14	9	4	1	1	1	-
Diseases of Nervous System -	3·07	12589	4195	806	302	183	129	5615	323	174	151	147	374	540	894	1430	1695	1246
Diseases of Circulatory " -	1·46	5989	31	10	4	6	7	58	61	110	126	148	405	692	939	1259	1456	735
Diseases of Respiratory " -	3·06	12544	3473	1573	514	217	175	5982	261	88	116	172	405	609	842	1252	1643	1174
Diseases of Digestive " -	1·15	4730	812	137	38	35	27	1049	97	78	113	115	253	472	644	819	746	334
Diseases of Urinary " -	0·36	1495	27	33	20	21	23	124	60	45	41	66	173	165	155	256	252	158
Diseases of Generative " -	0·06	265	2	2	-	-	-	4	-	2	8	12	38	48	58	52	30	13
Childbirth - - -	0·11	444	-	-	-	-	-	-	-	-	35	77	179	147	6	-	-	-
Suicide - - - -	0·07	273	-	-	-	-	-	-	1	1	5	22	50	59	51	40	24	11
Other Violence - -	0·87	3557	368	99	86	74	59	686	176	215	218	262	476	469	380	316	215	144
Other Causes - -	4·51	18571	8841	1021	331	175	127	10495	295	158	171	142	318	395	450	712	1689	3746

Deaths of Infants (under one) to 1000 Births - 152

Marriages - 37,464
Births - 156,068

Annual Rate per 1000 living: Persons Married - 18·26; Births - - - 38·03

Deaths in Registration Counties in the 10 Years 1871–80.

40.—CUMBERLAND.

——	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death Rate per 1000 - - -	—	21·49	—	—	—	—	—	56·87	6·78	4·17	6·04	8·44	9·66	12·56	17·94	30·95	65·71	163·93
Mean Populat^n 1871-80 - -	—	235,450	6996	6194	6613	6453	6102	32,358	28,586	25,332	23,046	20,686	33,492	25,490	19,737	14,499	8592	3632
ALL CAUSES - -	21·49	50,596	11,271	3562	1651	1111	806	18,401	1937	1057	1391	1745	3237	3201	3540	4487	5646	5954
Small-pox - - -	0·23	551	64	16	11	14	16	121	80	27	43	62	95	59	32	23	8	1
Measles - - - -	0·44	1029	210	418	175	88	57	948	58	11	1	3	5	2	1	-	-	-
Scarlet Fever - - -	0·82	1927	125	266	278	277	228	1174	507	139	36	28	26	9	6	2	-	-
Diphtheria - - -	0·10	242	17	31	37	31	24	140	66	13	7	3	5	3	2	2	1	-
Whooping-cough - -	0·45	1051	509	236	124	62	32	1013	35	3	-	-	-	-	-	-	-	-
Typhus - - - -	0·14	325	2	-	2	5	3	12	13	14	26	27	48	65	47	42	27	4
Enteric Fever - - -	0·29	691	20	26	27	27	24	124	72	58	79	84	81	59	60	36	27	11
Simple Continued Fever	0·07	176	2	4	6	13	14	39	30	15	9	6	18	13	11	11	14	10
Puerperal Fever - -	0·10	239	-	-	-	-	-	-	-	-	14	54	116	54	1	-	-	-
Diarrhœa and Dysentery	0·74	1734	966	280	44	20	21	1331	22	5	5	6	25	21	41	46	104	128
Cholera - - - -	0·01	33	3	-	2	-	1	6	4	1	-	-	1	5	6	8	-	2
Cancer - - - -	0·49	1161	-	-	-	-	-	-	1	1	3	7	39	120	244	335	237	124
Scrofula - - - -	0·11	264	75	33	14	9	11	142	30	15	17	7	17	7	11	12	5	1
Tabes Mesenterica - -	0·27	645	251	161	63	29	20	524	52	14	22	13	9	6	2	2	1	-
Phthisis - - - -	2·20	5174	64	59	31	19	13	186	141	226	564	793	1309	911	569	326	125	24
Hydrocephalus - -	0·43	1002	348	223	100	67	34	772	129	59	19	10	11	2	-	-	-	-
Diseases of Nervous System -	2·44	5741	1482	285	109	88	62	2026	140	79	95	80	167	294	412	667	988	793
Diseases of Circulatory ,, -	1·51	3566	9	5	5	6	2	27	32	50	58	77	198	322	486	758	949	609
Diseases of Respiratory ,, -	3·34	7866	2091	780	294	136	74	3375	176	52	81	109	235	316	528	911	1157	935
Diseases of Digestive ,, -	1·05	2466	388	59	23	18	19	507	45	50	55	68	167	224	362	406	398	184
Diseases of Urinary ,, -	0·40	932	12	19	12	8	12	63	19	18	22	29	84	97	122	154	198	126
Diseases of Generative ,, -	0·05	112	1	1	-	-	-	2	-	-	2	7	19	17	19	20	18	8
Childbirth - - -	0·10	226	-	-	-	-	-	-	-	-	9	49	88	77	3	-	-	-
Suicide - - - -	0·09	214	-	-	-	-	-	-	-	-	5	8	38	41	43	39	28	12
Other Violence - -	0·81	1899	104	68	62	48	37	319	78	93	132	145	247	228	216	198	124	114
Other Causes - -	4·81	11330	4528	542	232	146	102	5550	207	109	87	79	189	249	316	489	1187	2868

Deaths of Infants (under one) to 1000 Births - 136

Marriages - 18,059
Births - - 82,577

Annual Rate per 1000 living { Persons Married - 15·34
Births - - - 35·07

Deaths in Registration Counties in the 10 Years 1871–80.

41.—WESTMORLAND.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death Rate per 1000 - -	—	17·72	—	—	—	—	—	38·98	4·82	3·39	5·39	7·63	7·76	10·79	14·57	24·36	60·06	163·28
Mean Populat" 1871-80 - -	—	64,722	1826	1640	1677	1672	1616	8431	7716	7250	6369	5518	8848	6868	5566	4331	2654	1171
ALL CAUSES - -	17·72	11,468	2144	545	276	182	139	3286	372	246	343	421	687	741	811	1055	1594	1912
Small-pox - - -	0·07	47	4	1	1	3	1	10	4	-	4	4	9	8	4	3	1	-
Measles - - - -	0·19	125	31	47	22	6	5	111	11	1	-	-	2	-	-	-	-	-
Scarlet Fever - - -	0·42	272	16	30	45	38	26	155	73	17	12	7	7	-	1	-	-	-
Diphtheria - - -	0·11	74	4	8	7	3	7	29	26	7	5	2	-	2	-	-	3	-
Whooping-cough - -	0·24	156	73	40	18	11	8	150	5	1	-	-	-	-	-	-	-	-
Typhus - - - -	0·05	33	-	-	-	1	-	1	4	3	3	5	5	2	5	3	2	-
Enteric Fever - -	0·30	195	3	6	8	2	6	25	19	13	19	18	30	25	22	13	9	2
Simple Continued Fever	0·06	36	1	3	1	1	-	6	7	1	4	3	3	3	6	2	4	-
Puerperal Fever - -	0·05	33	-	-	-	-	-	-	-	-	1	8	14	9	1	-	-	-
Diarrhœa and Dysentery	0·28	181	88	17	4	1	-	110	2	-	-	3	3	5	6	10	13	29
Cholera - - - -	0·01	6	-	-	-	-	-	-	-	-	1	-	-	-	2	1	2	-
Cancer - - - -	0·47	305	-	1	-	-	-	1	-	-	-	1	4	17	57	92	99	43
Scrofula - - - -	0·10	62	8	2	3	4	1	18	4	6	5	6	5	6	4	4	3	1
Tabes Mesenterica - -	0·18	117	53	18	4	4	3	82	6	6	8	5	3	1	4	1	1	-
Phthisis - - - -	2·03	1314	17	8	6	4	7	42	19	54	126	212	317	256	141	89	46	12
Hydrocephalus - -	0·26	168	54	36	22	7	7	126	23	8	6	3	1	-	1	-	-	-
Diseases of: Nervous System -	2·61	1688	516	87	41	25	22	691	46	35	32	29	42	55	102	125	289	242
Diseases of: Circulatory " -	1·30	839	-	-	-	2	2	4	3	15	22	17	33	55	109	184	259	138
Diseases of: Respiratory " -	2·41	1563	342	114	47	21	12	536	31	12	14	18	34	54	82	164	314	301
Diseases of: Digestive " -	1·12	725	77	11	4	2	4	98	14	18	19	14	42	67	101	132	142	78
Diseases of: Urinary " -	0·39	253	1	1	4	-	2	8	8	4	6	2	20	29	26	45	61	41
Diseases of: Generative " -	0·06	42	-		-	-	-	-	-	-	1	1	4	9	8	5	8	6
Childbirth - - -	0·08	52	-	-	-	-	-	-	-	-	3	8	20	20	1	-	-	-
Suicide - - - -	0·08	55	-	-	-	-	-	-	-	-	3	2	4	10	12	14	5	5
Other Violence - -	0·56	360	21	19	6	12	10	68	16	18	22	28	41	43	27	41	26	27
Other Causes - -	4·29	2767	835	96	33	35	16	1015	51	27	27	25	44	62	89	127	319	981

Deaths of Infants (under one) to 1000 Births - 106

Marriages - 4,366
Births - - 20,150

Annual Rate per 1000 living: Persons Married - 13·49; Births - - - 31·13

42.—MONMOUTHSHIRE.

——	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death Rate per 1000 - -	—	21·88	—	—	—	—	—	62·14	6·77	4·31	6·58	8·40	10·34	12·79	17·36	32·56	65·69	160·55
Mean Populat^{n} 1871-80 - -	—	227,020	6750	5916	6405	6261	6209	31,541	28,752	25,088	22,109	19,765	31,815	24,726	19,262	13,510	7423	3029
ALL CAUSES - -	21·88	49,676	11,651	4004	1848	1227	870	19,600	1947	1081	1455	1660	3289	3163	3343	4399	4876	4863
Small-pox - - -	0·41	931	105	46	44	33	43	271	110	47	96	124	168	64	32	12	6	1
Measles - - - -	0·57	1283	234	440	257	131	82	1144	104	14	7	5	5	3	1	-	-	-
Scarlet Fever - - -	0·69	1570	82	252	275	237	188	1034	389	91	28	8	13	4	2	1	-	-
Diphtheria - - -	0·15	335	21	38	36	36	38	169	92	25	13	6	15	5	4	2	2	2
Whooping-cough - -	0·49	1110	497	323	131	90	35	1076	33	-	-	1	-	-	-	-	-	-
Typhus - - - -	0·06	147	-	4	2	4	7	17	14	23	19	16	22	14	12	5	4	1
Enteric Fever - - -	0·33	758	20	24	37	22	25	128	111	90	98	86	115	49	30	24	20	7
Simple Continued Fever	0·13	287	7	13	11	17	16	64	47	31	16	13	19	21	25	26	18	7
Puerperal Fever - -	0·08	192	-	-	-	-	-	-	-	-	12	48	77	53	2	-	-	-
Diarrhœa and Dysentery	0·54	1222	646	215	46	16	9	932	8	2	5	10	20	16	24	37	82	86
Cholera - - - -	0·03	79	44	13	-	3	1	61	-	-	1	-	4	4	4	4	-	1
Cancer - - - -	0·41	934	2	-	1	-	-	3	1	2	4	6	37	101	214	255	201	110
Scrofula - - - -	0·17	388	98	60	22	16	7	203	30	29	28	25	27	14	17	8	7	-
Tabes Mesenterica - -	0·29	665	280	191	57	17	16	561	38	19	13	11	9	5	8	1	-	-
Phthisis - - -	1·79	4064	84	71	30	21	18	224	105	135	431	561	1048	723	465	268	95	8
Hydrocephalus - -	0·28	640	206	157	55	43	35	496	83	26	13	6	6	3	2	1	1	-
Diseases of Nervous System -	2·89	6562	2695	410	152	119	53	3429	156	92	110	83	189	264	365	603	724	547
Diseases of Circulatory " -	1·21	2742	10	3	3	3	11	30	40	48	58	78	206	321	396	614	615	336
Diseases of Respiratory " -	4·32	9806	2236	1061	393	210	122	4022	182	57	82	110	306	474	694	1286	1494	1099
Diseases of Digestive " -	0·99	2244	303	50	23	13	19	408	56	35	45	47	146	251	321	429	366	140
Diseases of Urinary " -	0·32	728	14	20	15	11	10	70	19	17	24	22	71	96	91	122	121	75
Diseases of Generative " -	0·04	91	1	-	1	-	-	2	-	-	-	1	13	19	19	20	13	4
Childbirth - - -	0·13	292	-	-	-	-	-	-	-	-	10	48	121	105	8	-	-	-
Suicide - - - -	0·04	91	-	-	-	-	-	-	-	2	3	3	13	16	18	19	14	3
Other Violence - -	1·21	2739	113	64	74	60	48	359	163	211	251	267	432	333	293	207	157	66
Other Causes - -	4·31	9776	3953	549	183	125	87	4897	162	85	88	75	207	295	295	455	936	2370

Deaths of Infants (under one) to 1000 Births - 135

Marriages - 18,399
Births - - 86,025

Annual Rate per 1000 living { Persons Married - 16·21
Births - - - 37·89

Deaths in Registration Counties in the 10 Years 1871-80.

43.—SOUTH WALES.*

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
Annual Death Rate per 1000 - -	—	21·09	—	—	—	—	—	58·11	7·38	4·87	7·05	9·24	10·40	12·51	16·37	28·47	57·65	150·49
Mean Populat" 1871-80 - -	—	* 824,171	24,205	21,348	23,019	22,576	22,455	113,603	103,299	91,771	82,316	73,038	116,356	87,744	67,536	48,106	27,432	12,940
ALL CAUSES - -	21·09	173,784	39,405	12,670	6364	4317	3255	66,011	7627	4467	5800	6753	12,101	10,979	11,059	13,698	15,815	19,474
Small-pox - - -	0·28	2312	284	65	58	94	106	609	352	165	211	340	377	162	58	25	12	1
Measles - - - -	0·39	3206	669	1106	572	327	189	2863	296	23	7	4	2	7	4	-	-	-
Scarlet Fever - - -	0·86	7030	498	1091	1217	1074	893	4773	1703	346	121	58	57	22	6	4	-	-
Diphtheria - - -	0·15	1197	97	137	108	154	129	625	349	109	32	15	20	18	17	10	2	-
Whooping-cough - -	0·43	3535	1589	1017	418	222	130	3376	143	9	3	-	2	1	1	-	-	-
Typhus - - - -	0·06	518	4	7	6	11	9	37	62	67	50	63	80	58	40	32	23	6
Enteric Fever - -	0·45	3715	56	125	168	158	145	652	496	402	508	418	524	285	209	154	66	21
Simple Continued Fever	0·13	1101	41	77	71	69	61	319	162	108	99	71	79	57	57	65	65	31
Puerperal Fever - -	0·09	779	-	-	-	-	-	-	-	-	34	140	408	182	15	-	-	-
Diarrhœa and Dysentery	0·41	3364	1884	477	114	54	24	2553	40	18	17	23	46	66	62	111	187	241
Cholera - - - -	0·01	123	31	8	4	2	2	50	2	2	-	2	9	9	14	14	18	3
Cancer - - - -	0·40	3279	-	3	5	6	3	17	4	3	14	14	128	359	683	886	751	417
Scrofula - - - -	0·15	1246	238	132	71	42	42	525	104	109	92	94	121	53	43	43	53	9
Tabes Mesenterica - -	0·22	1851	684	474	178	75	53	1464	142	79	55	27	28	26	10	13	7	-
Phthisis - - - -	2·54	20911	292	388	204	96	95	1075	587	974	2361	3054	4974	3308	2274	1504	710	151
Hydrocephalus - -	0·27	2206	514	476	207	150	121	1468	415	177	65	26	27	13	5	2	1	1
Diseases of: Nervous System -	3·09	25467	12981	1761	656	374	261	15973	568	314	263	292	574	827	1091	1635	2087	1840
Diseases of: Circulatory " -	1·02	8390	29	8	10	10	10	67	135	219	234	241	639	964	1235	1861	1870	931
Diseases of: Respiratory " -	3·29	27152	5823	2027	1170	597	361	10878	635	197	314	392	927	1236	1919	3302	4214	3078
Diseases of: Digestive " -	0·80	6631	695	157	65	63	52	1032	185	122	181	229	518	716	992	1172	1028	456
Diseases of: Urinary " -	0·36	2995	21	33	48	37	29	171	75	69	76	112	301	340	472	502	523	354
Diseases of: Generative " -	0·03	288	3	1	-	-	-	4	1	-	7	13	54	57	63	45	28	16
Childbirth - - -	0·12	1030	-	-	-	-	-	-	-	-	34	143	427	401	25	-	-	-
Suicide - - - -	0·05	430	-	-	-	-	-	-	-	3	14	29	55	58	90	77	43	11
Other Violence - -	0·83	6806	214	212	242	195	163	1026	399	509	648	575	1017	848	674	523	334	233
Other Causes - -	4·66	38165	12755	2015	772	508	374	16454	781	455	379	375	677	816	997	1736	3791	11671

Deaths of Infants (under one) to 1000 Births - 132 | Marriages - 65,664 | Births - 298,460 | Annual Rate per 1000 living: Persons Married - 15·93; Births - 36·21

* Changes were made in the boundary of this Registration County during the decade, see pp. 371-78.

Deaths in Registration Counties in the 10 Years 1871–80.

44.—NORTH WALES.*

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death Rate per 1000 - -	—	20·59	—	—	—	—	—	48·69	6·93	4·34	6·63	9·48	10·41	11·20	14·81	27·16	57·82	156 04
Mean Populat^n 1871-80 - -	—	448,938	12017	10863	11839	11735	11360	57844	53589	49407	42673	35953	60333	48695	40110	31655	19216	9463
ALL CAUSES - -	20·59	92,415	17538	5068	2183	1738	1340	28167	3715	2144	2830	3410	6278	5454	5942	8598	11111	14766
Small-pox - - -	0·07	504	42	14	3	3	11	73	21	14	18	47	54	37	25	13	2	-
Measles - - -	0·25	1 [illegible]5	581	360	157	99	65	962	136	16	5	5	5	6	-	-	-	-
Scarlet Fever - - -	0 70	3129	175	401	474	425	381	1856	816	222	80	48	48	19	4	6	-	-
Diphtheria - - -	0 20	913	33	65	65	87	100	350	326	125	40	16	23	15	4	6	5	3
Whooping-cough - -	0·32	1426	642	383	170	93	51	1339	73	12	2	-	-	-	-	-	-	-
Typhus - -	0·05	216	-	3	5	2	4	14	19	22	32	22	31	19	15	22	12	8
Enteric Fever - -	0·24	1071	23	23	28	30	22	129	105	105	125	107	160	113	82	72	54	19
Simple Continued Fever	0·11	494	11	11	12	9	8	51	58	40	49	38	39	37	40	49	60	33
Puerperal Fever - -	0·08	369	-	-	-	-	-	-	-	-	12	78	187	89	3	-	-	-
Diarrhœa and Dysentery	0·29	1281	528	118	23	9	9	720	13	10	11	10	28	34	40	93	135	188
Cholera - - - -	0·01	55	6	-	-	-	-	6	-	1	2	-	4	5	8	11	7	11
Cancer - - - -	0·50	2260	2	1	-	-	-	3	1	6	9	9	60	183	465	658	577	289
Scrofula - - -	0·10	443	49	26	26	10	8	129	34	43	35	44	55	33	20	21	22	7
Tabes Mesenterica - -	0·18	814	292	1 0	59	21	25	577	79	39	32	19	34	15	8	6	2	2
Phthisis - - -	2·[illegible]7	11555	123	95	51	41	31	341	282	513	1293	1821	2908	1774	1215	876	411	58
Hydrocephalus - -	0·23	1037	255	210	100	86	61	712	184	67	38	13	12	4	7	-	-	-
Diseases of Nervous System -	3·83	17190	8159	1057	393	243	167	10022	414	191	185	167	320	413	652	1155	1793	1878
Diseases of Circulatory " -	1·08	4830	5	6	6	7	4	28	56	91	120	102	243	408	608	1073	1263	838
Diseases of Respiratory " -	3·11	13975	2109	1082	406	247	138	3982	291	127	166	218	503	603	911	1888	2758	2528
Diseases of Digestive " -	1·06	4777	378	95	40	41	25	579	105	80	97	1 4	313	464	647	952	9 1	755
Diseases of Urinary " -	0·37	1678	17	22	16	8	16	79	48	29	48	51	133	164	192	263	358	293
Diseases of Generative " -	0·05	207	-	-	-	-	1	1	1	-	2	11	27	33	41	42	32	17
Childbirth - - -	0·12	548	-	-	-	-	-	-	-	-	16	71	247	191	23	-	-	-
Suicide - - - -	0·03	144	-	-	-	-	-	-	-	1	5	11	21	33	31	32	19	3
Other Violence - -	0·62	2759	71	103	94	59	48	375	122	162	218	200	374	378	287	256	214	223
Other Causes - -	4·42	19782	4357	770	349	218	165	5839	491	228	190	185	369	414	614	1104	2435	7913

* Changes were made in the boundary of this Registration County during the decade, *see* pp. 371–378.

Deaths of Infants (under one) to 1000 Births - 125

Marriages - 30,848
Births - 140,674

Annual Rate per 1000 living: Persons Married - 13·74; Births - - - 31·33

I.—KENSINGTON* (including the Unions of Paddington, Kensington, and Fulham).
During the 4 Years 1871–74.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·28	—	—	—	—	—	36·06	5·43	2·95	4·23	5·16	7·71	11·81	17·71	30·94	66·97	152·26
Mean Pop. 1871-74	—	362,288	8305	7028	7200	6975	6730	36338	29536	25200	29108	33228	50291	38246	26636	16809	8458	3131
ALL CAUSES	19·28	23,317	6113	1922	760	475	345	9615	642	297	492	686	1735	1807	1889	1981	2266	1907
Small-pox	0·20	243	50	18	12	14	12	106	28	8	4	20	42	15	16	4	2	1
Measles	0·49	598	151	243	103	52	22	571	21	3	2	-	1	-	-	-	-	-
Scarlet Fever	0·39	397	19	52	60	59	50	240	87	16	4	3	12	4	-	1	-	-
Diphtheria	0·12	146	16	17	11	18	18	80	41	2	4	3	5	4	1	2	2	2
Whooping-cough	0·54	649	256	207	99	46	26	625	24	-	-	-	-	-	-	-	-	-
Typhus	0·04	44	-	-	-	2	2	4	3	2	4	3	7	6	4	5	5	1
Enteric Fever	0·22	260	11	9	8	10	8	46	40	27	34	56	28	21	17	11	10	-
Simple Cont. Fev.	0·09	106	3	7	10	12	8	40	13	3	4	3	9	8	5	13	7	1
Puerp. Fever	0·10	123	-	-	-	-	-	-	-	-	2	29	67	25	-	-	-	-
Diarr. and Dys.	1·03	1248	963	141	10	7	2	1123	4	3	1	1	7	10	23	14	39	32
Cholera	0·05	58	31	11	2	-	-	44	2	-	1	-	1	3	1	2	4	-
Cancer	0·55	662	-	-	1	1	-	2	-	-	1	2	56	92	163	174	138	64
Scrofula	0·09	113	38	15	7	3	1	64	6	8	3	4	6	6	10	3	3	-
Tabes Mesent.	0·28	335	183	76	28	8	6	301	19	9	2	1	2	-	-	1	-	-
Phthisis	2·39	2783	59	50	24	11	8	152	45	52	180	320	779	607	386	169	55	8
Hydrocephalus	0·46	552	219	141	48	40	28	476	45	12	8	2	7	2	-	-	-	-
Diseases of: Nervous Syst.	2·18	2630	659	153	65	38	27	942	55	23	24	31	93	135	225	301	468	318
Circulatory	1·20	1450	13	8	1	-	2	24	26	21	39	35	132	216	194	209	349	145
Respiratory	3·67	4434	1169	437	176	87	55	1984	54	22	28	43	151	245	342	458	617	520
Digestive	0·95	1144	150	8	6	5	6	175	24	18	39	34	95	134	169	188	176	91
Urinary	0·47	569	2	2	2	6	3	15	12	5	18	11	42	77	102	117	102	68
Generative	0·08	97	-	-	-	-	-	-	-	-	1	1	16	12	26	28	9	4
Childbirth	0·08	94	-	-	-	-	-	-	-	-	4	11	47	32	-	-	-	-
Suicide	0·08	93	-	-	-	-	-	-	-	-	2	2	8	19	28	19	12	3
Other Violence	0·57	694	178	28	16	17	23	272	40	18	32	30	57	61	65	60	24	35
Other Causes	3·14	3822	1948	229	80	39	38	2329	53	40	41	41	94	103	112	142	253	614

Deaths of Infants (under one) to 1000 Births - 160 | Marriages* - 11,066 | Births - 38,156 | Annual Rate per 1000 living: Persons Married* - 17·09; Births - 31·56

* The Union of Fulham was detached from KENSINGTON District on 1st April 1875, and created a distinct Registration District. The births and deaths in Fulham were separately abstracted from the commencement of 1875, but the number of marriages and the corresponding rate apply to the 4¼ years ending 31st March 1875. The marriages, births, and deaths in KENSINGTON District, exclusive of Fulham, for the remainder of the decade 1871–80 are given in the following Table.

1.—KENSINGTON* (including the Unions of Paddington and Kensington).
During the 6 Years 1875–80.

—	Annual Death Rate per 1000.	—	19·02	—	—	—	—	—	72·14	6·47	3·36	3·64	4·50	7·12	11·80	17·88	30·15	62·93	155·67
Mean Pop. 1875-80		—	253,726	5856	5335	5152	5225	4975	20544	22920	29069	25613	30536	48187	32874	22196	14441	7622	2713
ALL CAUSES		19·02	28,959	6874	2525	1042	572	476	11489	890	404	559	824	2059	2328	2381	2613	2878	2534
Small-pox		0·05	76	16	4	2	1	1	24	10	2	4	3	10	14	5	2	2	-
Measles		0·42	635	172	220	101	52	32	576	25	4	3	1	3	2	1	-	-	-
Scarlet Fever		0·46	694	56	90	115	99	99	439	190	35	12	3	10	3	2	-	-	-
Diphtheria		0·14	215	9	20	33	25	26	113	69	12	7	4	5	2	-	2	1	-
Whooping-cough		0·68	1040	409	328	141	60	47	985	51	3	-	-	-	1	-	-	-	-
Typhus		0·02	24	-	-	-	1	2	3	4	1	3	3	2	4	-	2	2	-
Enteric Fever		0·16	246	2	6	7	6	11	32	22	23	33	39	41	24	8	7	13	4
Simple Cont. Fev.		0·03	50	4	3	5	4	3	19	5	3	2	2	3	3	3	3	2	5
Puerp. Fever		0·06	93	-	-	-	-	-	-	-	-	1	24	47	19	2	-	-	-
Diarr. and Dys.		0·71	1083	772	132	18	8	5	975	5	1	-	2	17	12	10	23	32	46
Cholera		0·02	36	16	1	1	-	-	18	1	1	2	2	1	1	3	4	2	1
Cancer		0·62	946	1	-	-	1	-	2	4	-	2	3	32	124	195	272	222	90
Scrofula		0·13	194	45	45	23	9	13	135	14	5	13	7	4	4	3	6	3	-
Tabes Mesent.		0·32	483	227	107	33	9	10	406	14	7	4	1	3	3	3	2	-	-
Phthisis		2·35	3582	82	47	17	8	12	166	52	82	251	439	1015	791	521	193	73	5
Hydrocephalus		0·41	625	207	155	66	46	56	539	56	24	5	5	2	1	1	-	1	-
Diseases of: Nervous Syst.		2·06	3152	750	215	80	52	37	1114	78	39	33	36	99	177	267	387	495	407
Circulatory		1·35	2058	17	5	4	5	2	33	28	34	43	38	144	260	348	409	464	257
Respiratory		3·87	5875	1520	798	271	105	67	2761	84	26	56	56	177	271	382	628	739	722
Digestive		0·95	1452	177	28	20	10	6	241	23	18	27	13	121	194	221	229	236	116
Urinary		0·56	848	3	4	2	4	5	18	14	8	11	19	82	97	145	158	190	96
Generative		0·09	136	-	-	-	-	-	-	-	-	-	4	14	32	27	27	23	9
Childbirth		0·05	76	-	-	-	-	-	-	-	-	6	11	32	27	-	-	-	-
Suicide		0·08	123	-	-	-	-	-	-	-	-	7	9	25	27	26	17	11	1
Other Violence		0·51	782	210	21	31	19	15	296	53	20	24	30	66	74	71	57	41	44
Other Causes		2·92	4435	2149	277	72	48	28	2574	88	56	40	36	104	161	137	182	306	731

Deaths of Infants (under one) to 1000 Births - 153 | Marriages* - 14,734 | Births - 45,027 | Annual Rate per 1000 living: Persons Married* - 20·09; Births - 29·58

* This Table relates to the District of KENSINGTON, as constituted after the separation of the Union of Fulham. The number of marriages and the corresponding rate are for the 5¾ years from 1st April 1875, and the births and deaths for the 6 years 1875–80. See also *Note* to previous Table.

2.—FULHAM.*

During the 6 Years 1875–80.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	20·78	—	—	—	—	—	65·99	6·91	3·44	4·61	5·64	7·50	11·61	18·34	36·63	65·24	175·71
Mean Pop. 1875-80	—	99,590	3312	2066	2803	2682	2610	14373	11706	9703	9173	9569	17022	12318	7572	4668	2555	931
ALL CAUSES	20·78	12,418	3484	1205	501	297	204	5691	485	200	254	324	766	858	833	1026	1000	981
Small-pox	0·64	383	27	12	5	11	14	69	43	24	37	58	64	57	24	5	1	1
Measles	0·48	289	74	100	60	15	12	270	14	2	-	-	2	1	-	-	-	-
Scarlet Fever	0·83	497	32	72	81	83	54	322	138	15	7	2	8	5	-	-	-	-
Diphtheria	0·10	59	7	5	5	5	11	33	13	3	-	1	2	2	1	2	2	-
Whooping-cough	0·80	480	172	172	64	39	16	463	13	4	-	-	-	-	-	-	-	-
Typhus	0·03	20	-	-	1	1	1	3	2	3	1	2	3	3	2	-	-	1
Enteric Fever	0·16	93	5	1	5	12	2	25	9	9	13	11	9	11	4	3	1	1
Simple Cont. Fev.	0·05	27	2	4	1	1	-	8	6	1	1	1	3	2	-	-	4	1
Puerp. Fever	0·05	30	-	-	-	-	-	-	-	-	3	7	14	6	-	-	-	-
Diarr. and Dys.	1·05	626	431	102	11	1	2	577	7	1	-	-	3	1	3	7	11	16
Cholera	0·05	32	23	-	-	1	-	27	2	-	1	-	-	-	1	-	-	1
Cancer	0·52	311	-	-	1	-	-	1	1	1	1	1	14	46	74	87	64	21
Scrofula	0·13	79	34	9	5	3	1	52	7	4	3	2	4	2	2	1	2	-
Tabes Mesent.	0·31	205	123	43	18	7	-	191	9	2	1	1	-	1	-	-	-	-
Phthisis	2·08	1245	29	18	11	12	6	76	25	37	79	129	319	290	160	82	44	4
Hydrocephalus	0·43	257	102	48	35	18	13	216	37	-	1	1	-	1	1	-	-	-
Diseases of: Nervous Syst.	2·50	1495	480	126	43	23	14	686	32	21	15	12	46	69	104	176	182	152
Diseases of: Circulatory „	1·20	716	6	2	3	2	2	15	11	16	12	16	53	87	101	171	157	77
Diseases of: Respiratory „	3·62	2163	617	312	98	21	25	1104	44	9	15	22	50	80	135	218	239	248
Diseases of: Digestive „	0·96	573	108	22	4	9	3	146	15	9	10	11	41	56	73	101	66	45
Diseases of: Urinary „	0·38	225	3	1	3	1	4	12	3	5	12	2	21	27	35	40	44	24
Diseases of: Generative „	0·05	32	1	1	-	-	-	2	-	-	1	1	5	8	6	3	4	2
Childbirth	0·08	45	-	-	-	-	-	-	-	-	3	8	23	11	-	-	-	-
Suicide	0·07	40	-	-	-	-	-	-	-	-	-	4	7	10	8	6	3	2
Other Violence	0·60	356	67	13	13	10	7	110	23	17	21	18	31	39	31	24	22	20
Other Causes	3·58	2137	1078	133	34	22	17	1284	31	17	17	14	44	43	68	100	154	365

Deaths of Infants (under one) to 1000 Births - 161 | Marriages - 4,368 Births - 21,587 | Annual Rate per 1000 living: Persons Married - 15·06; Births - 36·13

* The Union of Fulham was created a separate Registration District on 1st April 1875, but the births and deaths in this Table relate to the 6 entire Years 1875-80. The births and deaths in FULHAM for the 4 Years 1871-4, and the marriages in the 4¼ years to 31st March 1875, are merged with those of KENSINGTON, of which district Fulham then formed part. See *Notes* to the two preceding Tables.

3.—CHELSEA.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	23·19	—	—	—	—	—	74·63	6·42	3·62	3·77	4·85	7·76	14·66	22·79	37·65	74·28	164·48
Mean Pop. 1871-80	—	79,609	2357	2042	2009	2026	1820	10254	8300	7439	6768	7758	13945	10082	7002	4568	2488	1005
ALL CAUSES	23·19	18,463	4751	1501	712	424	265	7653	533	269	255	376	1082	1478	1596	1720	1848	1653
Small-pox	0·16	124	23	14	8	5	3	53	21	4	5	11	16	7	4	1	2	-
Measles	0·44	354	85	126	67	37	19	334	18	1	-	-	-	-	1	-	-	-
Scarlet Fever	0·48	381	23	56	69	76	50	274	84	16	1	2	3	-	-	1	-	-
Diphtheria	0·13	101	15	15	7	14	10	61	21	6	5	-	2	2	2	-	2	-
Whooping-cough	0·71	565	232	169	82	39	21	543	19	3	-	-	-	-	-	-	-	-
Typhus	0·04	29	-	1	1	1	1	4	3	2	4	-	5	6	1	3	1	-
Enteric Fever	0·19	152	4	4	13	3	13	37	19	13	16	12	15	6	10	11	9	4
Simple Cont. Fev.	0·08	61	6	2	1	5	8	22	10	6	2	5	3	2	1	5	4	1
Puerp. Fever	0·06	50	-	-	-	-	-	-	-	-	4	11	26	9	-	-	-	-
Diarr. and Dys.	0·99	789	597	96	9	6	3	711	1	-	1	1	7	4	8	18	24	19
Cholera	0·03	20	11	2	-	-	1	14	1	-	-	-	-	-	3	2	-	-
Cancer	1·13	902	-	-	3	-	1	4	2	1	2	4	59	178	245	243	120	44
Scrofula	0·15	122	37	20	12	9	2	80	13	7	5	3	1	3	2	4	-	-
Tabes Mesent.	0·48	380	229	78	27	10	7	351	21	3	1	1	2	1	-	-	-	-
Phthisis	2·79	2221	57	34	22	10	6	129	41	59	100	197	544	530	351	184	73	13
Hydrocephalus	0·48	384	135	85	57	36	19	332	34	11	2	1	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·60	2145	645	155	77	33	15	925	41	17	14	15	56	124	190	245	310	208
Diseases of: Circulatory „	1·49	1188	7	6	1	2	4	20	31	29	22	27	76	164	183	224	260	152
Diseases of: Respiratory „	5·08	4044	987	458	193	93	54	1785	61	25	19	25	89	180	291	433	584	552
Diseases of: Digestive „	0·95	754	104	6	6	2	2	120	10	14	10	15	48	89	122	140	120	66
Diseases of: Urinary „	0·36	289	5	1	3	3	2	14	13	6	4	4	24	25	56	58	54	31
Diseases of: Generative „	0·07	56	-	-	-	-	-	-	-	-	-	4	4	17	11	11	3	6
Childbirth	0·06	45	-	-	-	-	-	-	-	-	2	8	17	17	1	-	-	-
Suicide	0·07	59	-	-	-	-	-	-	-	1	-	5	9	12	11	8	11	2
Other Violence	0·43	342	112	16	12	9	5	154	17	7	16	12	28	21	27	20	21	19
Other Causes	3·65	2905	1437	157	42	31	19	1686	52	35	20	13	47	81	76	114	216	536

Deaths of Infants (under one) to 1000 Births - 180 | Marriages - 7,661 Births - 26,398 | Annual Rate per 1000 living: Persons Married - 19·25; Births - 33·16

4.—ST. GEORGE, HANOVER SQUARE.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
ANNUAL DEATH RATE PER 1000	—	22·20	—	—	—	—	—	77·96	6·96	4·24	4·72	6·21	9·09	16·12	23·77	40·39	73·60	159·50
Mean Pop. 1871-80	—	152,842	3465	2991	2922	2817	2713	14908	12319	11086	14277	18619	30503	21101	14837	9158	4508	1526
ALL CAUSES	22·20	33,931	7002	2467	1037	662	454	11622	858	470	674	1156	2772	3401	3527	3699	3318	2434
Small-pox	0·27	406	76	31	27	28	23	185	47	20	22	24	45	33	21	5	3	1
Measles	0·39	590	124	233	109	58	32	556	26	1	-	1	1	3	1	1	-	-
Scarlet Fever	0·39	595	34	75	105	97	77	388	142	23	8	12	7	8	1	-	-	-
Diphtheria	0·10	152	11	19	17	17	19	83	38	9	4	4	6	4	2	1	1	-
Whooping-cough	0·61	938	339	314	124	68	31	895	37	3	-	-	1	-	1	-	-	-
Typhus	0·03	50	2	-	1	2	-	5	6	6	3	7	6	2	4	4	4	3
Enteric Fever	0·23	399	6	6	12	11	20	55	39	41	42	66	60	30	32	23	6	5
Simple Cont. Fev.	0·07	103	4	9	8	8	4	33	17	3	1	10	6	12	3	6	7	5
Puerp. Fever	0·07	108	-	-	-	-	-	-	-	-	5	23	55	29	2	-	-	-
Diarr. and Dys.	0·76	1165	831	137	12	5	6	991	6	2	1	5	11	19	9	28	45	48
Cholera	0·03	41	19	1	3	-	-	23	-	-	-	2	4	4	3	3	2	-
Cancer	0·73	1121	-	1	-	3	-	4	1	-	3	15	68	187	293	320	175	55
Scrofula	0·13	205	56	33	18	13	8	128	17	13	9	7	14	7	6	1	3	-
Tabes Mesent.	0·32	487	247	102	47	19	14	429	28	6	4	6	7	2	1	3	1	-
Phthisis	2·62	4001	56	37	25	13	13	144	62	63	215	409	1052	1055	647	266	77	6
Hydrocephalus	0·39	595	199	162	80	32	26	499	55	17	8	3	4	5	2	2	-	-
Diseases of: Nervous Syst.	2·29	3495	829	208	90	50	30	1207	52	23	48	57	147	236	348	486	516	365
Circulatory „	1·68	2573	16	3	2	2	1	24	41	42	59	87	267	420	452	519	464	198
Respiratory „	4·64	7085	1437	728	226	140	73	2604	73	21	44	97	273	408	670	1035	1095	765
Digestive „	1·14	1738	151	18	5	14	7	195	18	24	32	52	158	247	318	325	253	116
Urinary „	0·73	1117	8	6	6	8	6	34	14	15	27	44	109	185	239	216	166	68
Generative „	0·11	165	-	-	2	1	-	3	-	-	3	6	32	34	45	24	11	7
Childbirth	0·06	94	-	-	-	-	-	-	-	-	1	15	40	36	2	-	-	-
Suicide	0·12	182	-	-	-	-	-	-	-	-	5	14	45	32	41	28	16	1
Other Violence	0·83	1267	184	19	38	19	27	287	61	38	55	85	137	181	165	124	77	57
OTHER CAUSES	3·43	5259	2353	325	80	54	37	2849	78	79	72	105	217	231	219	279	396	734

Deaths of Infants (under one) to 1000 Births - 168 | Marriages - 16,008 | Births - 41,667 | Annual Rate per 1000 living: Persons Married - 20·95; Births - 27·26

5.—WESTMINSTER.

—	Annual Death Rate per 1000	—	20·91	—	—	—	—	—	84·98	6·34	2·54	3·03	4·00	7·87	13·52	20·27	35·87	74·68	160·51
Mean Pop. 1871-80		—	48,865	1156	938	925	946	902	4867	4226	4023	4988	5721	8870	6678	4814	2855	1390	433
ALL CAUSES		20·91	10,220	2423	946	379	242	146	4136	268	102	151	229	698	903	976	1024	1038	695
Small-pox		0·08	41	5	2	5	1	-	13	5	2	2	3	9	4	1	1	1	-
Measles		0·42	207	51	86	27	20	9	193	13	1	-	-	-	-	-	-	-	-
Scarlet Fever		0·39	192	7	31	31	36	29	134	40	7	2	3	3	3	-	-	-	-
Diphtheria		0·10	51	3	8	6	7	9	33	8	2	2	1	1	2	1	1	-	-
Whooping cough		0·72	353	124	118	47	29	19	337	15	1	-	-	-	-	-	-	-	-
Typhus		0·02	12	-	-	-	-	-	-	3	1	-	-	2	1	2	2	1	-
Enteric Fever		0·16	76	2	2	5	3	2	14	10	8	4	8	7	9	9	5	2	-
Simple Cont. Fev.		0·08	41	-	-	8	6	2	16	11	2	2	-	1	1	3	2	2	1
Puerp. Fever		0·08	37	-	-	-	-	-	-	-	-	3	10	16	7	1	-	-	-
Diarr. and Dys.		0·75	367	269	45	2	4	-	320	-	2	-	1	4	5	5	9	16	5
Cholera		0·03	15	7	2	-	-	-	9	-	-	-	-	-	-	-	3	2	1
Cancer		0·55	269	-	-	-	-	-	-	-	-	-	1	19	39	76	77	44	13
Scrofula		0·10	50	14	12	6	2	2	36	6	1	1	-	2	1	1	1	1	-
Tabes Mesent.		0·34	165	90	46	11	4	1	152	6	1	-	1	3	1	1	-	-	-
Phthisis		2·86	1399	32	23	13	6	3	77	25	20	72	119	357	375	223	105	23	3
Hydrocephalus		0·49	238	76	56	39	24	10	205	23	4	3	2	1	-	-	-	-	-
Diseases of: Nervous Syst.		2·38	1163	336	74	34	23	11	478	33	7	8	11	37	65	107	148	186	83
Circulatory „		1·17	573	-	3	1	1	1	6	9	11	19	15	45	80	117	131	111	29
Respiratory „		4·64	2265	493	330	105	46	32	1006	23	10	4	15	48	108	198	297	374	182
Digestive „		0·98	477	68	8	3	5	1	85	6	5	9	8	47	57	81	94	64	21
Urinary „		0·35	172	2	2	1	-	2	7	2	1	1	4	11	25	29	38	35	19
Generative „		0·25	120	-	-	-	-	-	-	-	2	1	4	21	42	32	10	7	1
Childbirth		0·08	40	-	-	-	-	-	-	-	-	3	8	15	12	2	-	-	-
Suicide		0·11	52	-	-	-	-	-	-	-	-	1	4	12	13	7	9	4	2
Other Violence		0·39	189	83	4	2	5	2	96	6	2	1	2	10	13	20	20	9	10
OTHER CAUSES		3·39	1656	761	94	33	20	11	919	24	12	13	9	27	40	60	71	156	325

Deaths of Infants (under one) to 1000 Births - 179 | Marriages - 5,451 | Births - 13,551 | Annual Rate per 1000 living: Persons Married - 22·31; Births - 27·73

6.—MARYLEBONE.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	23·71	—	—	—	—	—	81·91	6·98	3·48	3·99	5·07	8·96	15·52	23·85	40·56	76·75	173·32
Mean Pop. 1871-80	—	157,082	3909	3282	3198	3141	3025	16555	13638	12374	14915	17683	28764	20902	15213	9866	5257	1915
ALL CAUSES	23·71	37,239	8297	2819	1201	731	513	13561	952	430	595	897	2576	3243	3629	4002	4035	3319
Small-pox	0·13	208	62	13	11	5	9	100	23	11	15	17	21	14	3	3	-	1
Measles	0·48	754	169	299	132	70	30	700	46	2	1	1	2	1	-	1	-	-
Scarlet Fever	0·48	750	51	109	130	120	114	524	179	24	5	5	9	1	1	2	-	-
Diphtheria	0·11	168	12	18	17	28	12	87	47	10	3	3	7	1	6	2	1	1
Whooping-cough	0·79	1242	465	413	187	86	45	1195	42	3	-	-	-	-	1	-	-	-
Typhus	0·02	33	-	-	2	-	1	3	6	2	2	6	6	3	5	2	-	1
Enteric Fever	0·21	334	2	11	14	10	19	56	37	26	37	45	51	33	17	22	8	2
Simple Cont. Fev	0·06	93	6	5	6	9	7	33	11	5	3	5	7	3	8	10	6	2
Puerp. Fever	0·12	185	-	-	-	-	-	-	-	-	10	46	90	39	-	-	-	-
Diarr. and Dys.	0·93	1458	1133	128	27	8	4	1300	6	3	1	2	9	8	20	19	43	47
Cholera	0·02	37	19	2	-	-	-	21	3	-	-	1	2	2	3	3	2	-
Cancer	1·04	1633	1	-	-	3	-	4	2	1	7	7	100	295	447	408	281	81
Scrofula	0·22	340	140	60	23	12	8	243	18	17	6	9	13	7	12	8	6	1
Tabes Mesent.	0·28	440	236	93	34	23	5	391	17	12	5	5	4	3	1	1	1	-
Phthisis	2·69	4232	65	38	30	16	22	171	70	92	224	391	1120	1034	716	333	72	9
Hydrocephalus	0·49	765	274	204	84	55	42	660	66	13	12	3	8	2	1	-	-	-
Diseases of: Nervous Syst.	2·72	4279	843	213	74	59	51	1240	86	37	51	42	126	242	424	604	808	619
Diseases of: Circulatory „	1·47	2305	13	6	1	2	3	25	28	52	52	46	165	313	411	475	489	249
Diseases of: Respiratory „	5·13	8058	1706	855	295	140	78	3074	99	23	43	66	232	471	730	1171	1312	831
Diseases of: Digestive „	1·04	1634	165	19	9	4	5	202	27	14	26	40	122	214	274	332	258	125
Diseases of: Urinary „	0·68	1073	5	5	7	7	8	32	19	9	21	27	108	164	171	219	195	108
Diseases of: Generative „	0·23	356	1	-	-	-	-	1	-	1	4	10	72	98	93	48	10	9
Childbirth	0·09	141	-	-	-	-	-	-	-	-	3	22	74	41	1	-	-	-
Suicide	0·08	126	-	-	-	-	-	-	-	1	2	6	16	33	24	26	13	5
Other Violence	0·58	908	336	37	24	14	17	428	41	18	20	24	57	65	79	74	56	46
OTHER CAUSES	3·62	5384	2593	291	94	59	33	3070	79	54	42	58	155	156	175	239	474	1182

Deaths of Infants (under one) to 1000 Births - 164 | Marriages - 17,659 | Births - 50,474 | Annual Rate per 1000 living: Persons Married - 22·48; Births - 32·13

7.—HAMPSTEAD.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	19·96	—	—	—	—	—	57·21	13·64	7·69	7·94	9·65	12·16	13·69	16·47	29·19	66·54	152·85
Mean Pop. 1871-80	—	38,867	908	772	794	791	801	4066	3760	3733	4199	4850	6835	4623	3121	1980	1031	369
ALL CAUSES	19·96	7757	1272	463	211	173	202	2326	513	287	357	468	831	633	514	578	686	564
Small-pox	5·17	2009	87	43	53	71	112	371	308	139	201	308	396	188	68	25	4	1
Measles	0·31	122	20	57	19	10	8	114	7	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·17	66	1	9	15	12	11	48	29	7	-	-	1	1	-	-	-	-
Diphtheria	0·25	97	3	9	9	17	20	58	22	9	1	1	1	2	1	1	1	-
Whooping-cough	0·48	181	67	76	13	9	6	171	8	1	-	-	-	-	-	1	-	-
Typhus	0·01	4	-	-	-	-	1	1	1	-	-	-	-	-	1	-	1	-
Enteric Fever	0·17	65	-	3	1	3	2	9	7	12	8	7	9	5	6	1	1	-
Simple Cont. Fev.	0·03	10	-	-	-	-	-	-	2	2	1	-	1	3	-	-	-	1
Puerp. Fever	0·05	20	-	-	-	-	-	-	-	-	1	3	6	10	-	-	-	-
Diarr. and Dys.	0·49	191	129	18	2	4	-	153	3	1	2	-	3	2	3	7	7	10
Cholera	0·01	5	2	-	-	-	1	3	-	1	-	-	-	-	-	-	1	-
Cancer	0·46	178	-	-	-	-	-	-	1	-	-	1	8	12	40	56	36	24
Scrofula	0·14	53	19	4	2	3	-	28	6	5	1	1	7	1	3	-	1	-
Tabes Mesent.	0·17	65	24	15	8	-	4	51	6	4	3	-	1	1	-	-	-	-
Phthisis	1·88	730	10	4	2	2	2	20	17	28	69	92	217	145	87	41	11	3
Hydrocephalus	0·30	116	37	27	14	8	5	91	13	11	1	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	1·90	739	125	34	17	10	8	194	23	16	8	7	39	51	69	106	137	89
Diseases of: Circulatory „	1·03	399	1	1	-	1	-	3	5	6	20	5	33	38	54	83	103	49
Diseases of: Respiratory „	2·67	1036	253	108	35	17	6	419	17	9	12	12	27	60	61	104	185	128
Diseases of: Digestive „	0·85	331	46	5	1	1	2	55	4	6	5	5	27	39	44	59	55	32
Diseases of: Urinary „	0·45	177	1	-	-	-	1	2	3	4	4	5	14	22	31	33	33	26
Diseases of: Generative „	0·05	20	-	-	-	-	-	-	-	-	-	-	2	3	8	-	4	3
Childbirth	0·04	17	-	-	-	-	-	-	-	-	-	2	8	7	-	-	-	-
Suicide	0·08	31	-	-	-	-	-	-	-	-	2	3	9	4	5	6	1	1
Other Violence	0·35	135	50	2	2	1	2	57	8	6	7	8	5	13	11	8	9	3
OTHER CAUSES	2·44	939	397	43	18	9	11	478	23	19	11	8	17	26	22	45	96	194

Deaths of Infants (under one) to 1000 Births - 136 | Marriages - 2,332 | Births - 9,323 | Annual Rate per 1000 living: Persons Married - 12·00; Births - 23·99

8.—PANCRAS.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	22·97	—	—	—	—	—	72·97	6·77	3·12	4·75	5·95	9·21	14·98	22·85	30·44	77·50	171·79
Mean Pop. 1871-80	—	228,862	6608	5830	5754	5496	5191	28873	23587	20630	21052	23601	40279	28797	20262	12740	6737	2304
ALL CAUSES	22·97	52,571	12716	4467	1963	1154	770	21070	1596	644	1000	1404	3709	4315	4629	5025	5221	3958
Small-pox	0·27	610	122	45	37	32	37	273	85	18	37	49	69	40	21	16	1	1
Measles	0·49	1125	220	424	214	119	65	1052	60	5	2	5	1	–	–	–	–	–
Scarlet Fever	0·49	1116	74	177	199	180	136	766	268	40	10	8	16	7	1	–	–	–
Diphtheria	0·15	339	17	33	53	53	47	206	100	5	9	3	6	3	–	4	1	2
Whooping-cough	0·89	2042	796	658	281	170	63	1968	71	1	–	–	–	2	–	–	–	–
Typhus	0·03	61	1	1	–	1	2	5	5	7	4	4	13	8	8	5	2	–
Enteric Fever	0·22	493	11	11	17	15	22	76	60	51	65	50	67	52	39	19	12	2
Simple Cont. Fev.	0·05	126	4	8	7	9	7	35	20	6	6	9	15	9	9	9	6	2
Puerp. Fever	0·08	185	–	–	–	–	–	–	–	–	12	33	91	47	2	–	–	–
Diarr. and Dys.	0·90	2068	1629	292	31	7	3	1872	9	2	1	8	6	16	23	27	52	52
Cholera	0·03	65	38	5	2	–	–	45	3	–	–	–	4	1	4	3	5	–
Cancer	0·67	1530	1	1	1	1	3	7	2	5	3	10	59	257	378	424	294	91
Scrofula	0·19	430	152	83	33	18	14	300	30	23	14	8	20	9	10	9	7	–
Tabes Mesent.	0·39	897	525	203	78	18	14	838	21	17	5	4	7	1	1	1	1	1
Phthisis	2·78	6362	97	65	46	28	17	253	75	104	207	641	1668	1576	1018	512	136	12
Hydrocephalus	0·47	1069	386	277	123	71	50	907	115	20	7	2	10	6	1	–	1	–
Disease of Nervous Syst.	2·35	5369	1291	298	134	82	63	1867	155	45	65	57	195	311	525	744	865	540
Disease of Circulatory "	1·43	3275	15	11	3	2	5	36	44	70	92	81	271	418	549	719	673	322
Disease of Respiratory "	4·70	10747	2701	1339	469	186	110	4805	154	43	60	102	300	518	859	1313	1607	986
Disease of Digestive "	1·00	2290	315	84	20	11	12	442	44	32	42	63	195	280	504	379	317	152
Disease of Urinary "	0·55	1260	13	8	9	8	5	43	29	16	42	45	128	137	251	232	183	114
Disease of Generative "	0·07	151	1	1	–	–	–	2	–	1	1	8	23	27	33	31	23	2
Childbirth	0·07	161	–	–	–	–	–	–	–	–	6	23	82	47	3	–	–	–
Suicide	0·09	214	–	–	–	–	–	–	–	1	4	19	32	54	42	31	24	7
Other Violence	0·87	1986	590	73	52	40	32	787	91	43	47	75	182	173	180	164	137	107
OTHER CAUSES	3·73	8400	3707	510	154	100	64	4535	155	89	93	97	249	296	278	363	874	1565

Deaths of Infants (under one) to 1000 Births - 158 | Marriages - 22,028 | Births - 80,447 | Annual Rate per 1000 living: Persons Married - 19·25; Births - 35·15

9.—ISLINGTON.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	20·13	—	—	—	—	—	66·77	6·38	3·06	4·07	5·33	7·50	11·29	17·82	32·96	69·13	164·21
Mean Pop. 1871-80	—	248,325	7504	6679	6469	6340	6165	33157	27406	23375	23748	25222	42888	30211	20432	12810	6653	2420
ALL CAUSES	20·13	49,977	13243	4704	2037	1221	873	22138	1749	715	967	1344	3217	3412	3640	4222	4599	3974
Small-pox	0·41	1018	114	39	22	28	26	229	72	55	90	149	236	117	50	50	7	3
Measles	0·52	1288	253	332	234	130	69	1018	70	3	1	2	3	–	1	–	–	–
Scarlet Fever	0·68	1681	86	211	264	240	232	1033	431	86	39	31	45	13	2	1	–	–
Diphtheria	0·13	327	26	32	43	57	35	193	88	15	9	2	9	7	1	3	–	–
Whooping-cough	0·83	2061	802	553	309	148	78	1990	68	–	–	–	–	–	–	–	–	–
Typhus	0·07	169	1	–	3	2	1	7	10	12	17	11	23	43	13	14	4	–
Enteric Fever	0·23	639	14	10	16	21	21	82	68	64	86	94	108	78	34	22	10	4
Simple Cont. Fev.	0·05	114	3	6	9	11	6	35	16	8	5	5	9	6	11	11	8	–
Puerp. Fever	0·08	208	–	–	–	–	–	–	–	–	10	57	98	42	1	–	–	–
Diarr. and Dys.	0·90	2234	1710	255	39	11	2	2017	18	5	–	6	9	11	12	27	58	71
Cholera	0·04	106	49	8	3	4	2	66	5	–	2	1	4	6	11	5	6	–
Cancer	0·48	1193	–	1	1	2	–	4	4	1	4	4	55	143	293	354	238	88
Scrofula	0·21	528	233	110	39	19	9	413	27	21	11	11	18	10	6	6	4	1
Tabes Mesent.	0·39	975	574	100	70	35	16	895	39	12	14	2	3	3	5	1	1	–
Phthisis	2·06	5119	131	120	81	85	30	345	86	99	341	564	1326	1145	736	357	93	17
Hydrocephalus	0·45	1112	390	296	140	64	63	953	114	25	10	7	3	–	–	–	–	–
Disease of Nervous Syst.	2·27	5649	1375	364	162	78	66	2045	146	60	59	70	175	284	469	769	900	672
Disease of Circulatory "	1·06	2633	12	11	4	4	1	32	57	62	66	56	211	375	455	700	747	372
Disease of Respiratory "	4·04	10044	2751	1382	456	219	116	4927	187	38	61	74	270	425	736	1026	1245	1035
Disease of Digestive "	0·92	2278	322	58	15	8	17	420	47	20	43	48	168	160	330	407	351	194
Disease of Urinary "	0·35	880	6	11	3	7	3	30	24	14	18	20	40	115	138	197	168	87
Disease of Generative "	0·05	133	–	–	–	–	–	–	–	–	–	1	21	23	33	28	17	7
Childbirth	0·08	190	–	–	–	–	–	–	–	–	5	23	82	66	2	–	–	–
Suicide	0·07	167	–	–	–	–	–	–	–	1	7	15	30	32	34	27	14	5
Other Violence	0·37	921	292	43	40	31	21	427	38	23	15	26	51	54	52	42	52	44
OTHER CAUSES	3·17	7819	3363	439	144	69	59	4704	134	81	54	54	157	164	196	285	616	1374

Deaths of Infants (under one) to 1000 Births - 148 | Marriages - 20,958 | Births - 80,627 | Annual Rate per 1000 living: Persons Married - 16·88; Births - 36·09

10.—HACKNEY.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	20·78	—	—	—	—	—	60·86	8·33	4·77	5·87	7·67	9·48	13·35	18·25	31·93	62·58	160·57
Mean Pop. 1871-80	—	155,707	4329	4058	4006	3999	3965	20647	17549	15514	16307	15443	24985	17965	12713	8245	4570	1778
ALL CAUSES	20·78	32,358	7537	2517	1171	763	573	12566	1469	749	958	1185	2369	2399	2324	2633	2860	2855
Small-pox	1·51	2352	180	114	110	111	110	625	594	161	228	302	343	175	83	31	7	3
Measles	0·33	519	121	186	79	47	41	474	35	4	2	2	1	–	1	–	–	–
Scarlet Fever	0·72	1124	40	121	176	190	145	672	299	73	27	19	22	7	3	1	–	1
Diphtheria	0·10	161	9	16	18	24	18	85	54	5	1	1	–	6	1	2	5	1
Whooping-cough	0·64	1003	405	355	112	57	27	965	35	1	–	–	1	–	–	–	–	–
Typhus	0·14	216	1	1	4	1	–	7	7	10	21	16	44	53	29	21	8	–
Enteric Fever	0·46	716	8	9	19	21	20	77	61	104	114	102	105	61	40	32	14	6
Simple Cont. Fev.	0·06	94	2	4	10	12	2	30	13	7	5	4	7	4	4	8	9	3
Puerp. Fever	0·06	92	–	–	–	–	–	–	–	–	2	14	58	17	1	–	–	–
Diarr. and Dys.	0·82	1280	919	162	21	9	3	1114	8	7	4	3	6	9	12	21	33	63
Cholera	0·05	74	40	10	1	1	–	52	3	2	–	2	–	1	3	3	3	5
Cancer	0·50	784	–	–	3	–	1	4	–	–	5	7	32	107	197	210	166	56
Scrofula	0·11	174	58	30	11	10	2	111	15	7	8	2	9	5	8	4	5	–
Tabes Mesent.	0·35	549	338	111	28	7	7	491	21	10	7	2	4	1	3	1	–	–
Phthisis	2·18	3390	84	51	23	13	11	182	53	83	253	376	896	794	441	236	58	18
Hydrocephalus	0·32	491	185	115	50	31	22	403	58	12	6	2	4	4	1	1	–	–
Diseases of: Nervous Syst.	2·35	3657	975	245	104	72	33	1429	95	63	53	41	103	205	232	395	552	499
Diseases of: Circulatory „	1·29	2007	12	2	1	–	–	15	47	32	44	50	131	221	272	439	447	318
Diseases of: Respiratory „	3·62	5634	1421	658	231	92	70	2472	85	50	43	64	196	253	371	590	791	719
Diseases of: Digestive „	0·93	1443	199	31	14	9	4	257	37	25	26	34	104	160	222	262	197	119
Diseases of: Urinary „	0·42	650	11	6	4	2	6	29	22	15	11	24	66	77	105	127	106	77
Diseases of: Generative „	0·05	85	1	–	–	–	–	1	–	–	2	3	9	14	17	21	13	5
Childbirth	0·07	109	–	–	–	–	–	–	–	–	3	16	45	42	3	–	–	–
Suicide	0·09	147	–	–	–	–	–	–	–	2	6	16	22	28	38	23	10	2
Other Violence	0·47	735	210	35	31	17	15	308	47	23	32	41	48	58	71	43	37	27
Other Causes	3·14	4872	2318	275	91	42	36	2762	80	44	55	42	113	97	113	174	399	993

Deaths of Infants (under one) to 1000 Births - 144 | Marriages - 13,644 - Births 52,433 | Annual Rate per 1000 living: Persons Married - 17·53; Births - - - 33·67

11.—ST. GILES.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	23·42	—	—	—	—	—	92·69	6·51	3·09	3·41	4·26	7·85	13·77	22·45	39·93	79·19	170·16
Mean Pop. 1871-80	—	49,469	1272	1046	1035	1020	988	5361	4545	4268	4757	5351	8829	6571	4864	3033	1451	439
ALL CAUSES	23·42	11,584	2969	1130	447	258	165	4969	296	132	162	228	693	905	1092	1211	1149	747
Small-pox	0·12	57	9	5	5	5	5	29	4	6	7	3	5	2	–	–	1	–
Measles	0·56	277	62	111	54	29	10	257	15	3	–	–	1	–	1	–	–	–
Scarlet Fever	0·49	242	17	30	42	46	35	168	57	8	3	–	4	1	1	–	–	–
Diphtheria	0·09	45	2	4	11	3	10	30	9	3	1	–	–	1	1	–	–	–
Whooping-cough	0·76	376	132	125	51	27	16	351	15	–	–	–	–	–	–	–	–	–
Typhus	0·01	6	–	–	1	–	–	1	–	–	–	1	–	1	2	–	1	–
Enteric Fever	0·19	94	3	3	3	5	3	17	14	8	10	4	15	6	7	10	2	1
Simple Cont. Fev.	0·06	30	1	1	2	1	5	10	2	2	–	2	2	2	2	4	4	–
Puerp. Fever	0·09	48	–	–	–	–	–	–	–	–	1	17	20	8	–	–	–	–
Diarr. and Dys.	1·11	530	390	101	11	3	–	505	6	–	2	–	–	3	1	8	11	14
Cholera	0·02	9	5	1	–	–	–	6	–	–	–	–	–	2	–	1	–	–
Cancer	0·35	171	–	–	–	–	–	–	–	–	–	–	6	23	37	43	46	12
Scrofula	0·15	76	28	23	3	4	1	59	7	3	3	1	1	1	1	–	–	–
Tabes Mesent.	0·36	177	81	50	19	5	4	159	11	3	1	–	2	–	1	–	–	–
Phthisis	2·76	1363	12	12	9	8	1	42	27	25	60	115	306	343	254	145	41	2
Hydrocephalus	0·42	207	80	55	20	16	13	184	21	1	1	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·32	1149	302	87	30	27	16	462	22	14	11	13	39	73	99	151	167	93
Diseases of: Circulatory „	1·23	609	4	1	–	–	1	6	8	19	14	16	49	75	122	141	113	46
Diseases of: Respiratory „	6·53	3230	673	370	137	57	35	1272	32	7	19	15	111	191	334	478	506	285
Diseases of: Digestive „	0·88	436	59	5	1	–	1	66	7	9	8	8	29	56	83	81	56	33
Diseases of: Urinary „	0·43	215	3	1	4	3	2	13	2	1	3	6	22	26	43	45	40	15
Diseases of: Generative „	0·03	16	–	–	–	–	–	–	–	–	1	–	–	3	5	4	2	1
Childbirth	0·08	38	–	–	–	–	–	–	–	–	–	6	18	13	1	–	–	–
Suicide	0·08	38	–	–	–	–	–	–	–	–	–	1	7	9	9	8	2	2
Other Violence	0·58	289	156	7	1	3	1	168	8	3	2	4	12	20	31	15	16	10
Other Causes	3·72	1838	950	128	43	25	8	1154	29	17	15	16	44	41	57	72	141	252

Deaths of Infants (under one) to 1000 Births - 176 | Marriages - 4,009 Births - 16,845 | Annual Rate per 1000 living: Persons Married - 16·21; Births - - - 34·05

12.—STRAND.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	28·58	—	—	—	—	—	99·97	12·44	5·31	8·29	8·27	14·22	24·33	34·00	49·63	75·17	158·58
Mean Pop. 1871-80	—	37,461	847	708	702	679	661	3597	3134	3069	3824	4426	6773	5121	3935	2311	1003	268
ALL CAUSES	28·58	10,705	1991	830	361	242	172	3596	390	163	317	366	963	1246	1338	1147	754	425
Small-pox	0·11	41	6	2	–	4	–	12	10	–	5	2	6	5	1	–	–	–
Measles	0·36	135	29	53	25	14	8	129	5	–	–	–	–	1	–	–	–	–
Scarlet Fever	0·49	185	15	25	38	24	23	127	46	5	2	2	3	–	–	–	–	–
Diphtheria	0·19	71	2	14	6	12	15	50	15	2	1	–	1	1	1	–	–	–
Whooping-cough	0·62	234	71	87	33	21	14	226	6	2	–	–	–	–	–	–	–	–
Typhus	0·05	20	–	–	–	–	–	–	1	2	3	1	2	4	3	3	1	–
Enteric Fever	0·33	141	3	3	8	5	4	23	20	11	22	18	19	14	7	6	1	–
Simple Cont. Fev.	0·07	28	–	2	–	3	1	6	6	3	–	3	2	1	5	2	–	–
Puerp. Fever	0·09	34	–	–	–	–	–	–	–	–	–	6	19	9	–	–	–	–
Diarr. and Dys.	0·92	344	247	52	4	5	–	308	2	–	–	–	3	6	5	4	7	9
Cholera	0·03	10	3	2	–	1	–	6	1	–	–	–	–	–	2	1	–	–
Cancer	0·91	341	–	–	1	–	–	1	2	1	2	6	20	65	109	77	48	10
Scrofula	0·25	92	20	17	8	4	6	55	12	4	8	2	5	4	–	1	1	–
Tabes Mesent.	0·28	104	42	23	19	2	3	89	8	4	–	1	–	1	1	–	–	–
Phthisis	3·65	1368	8	16	6	4	5	39	28	20	81	116	329	308	252	106	29	–
Hydrocephalus	0·61	229	70	52	32	22	15	191	24	3	2	7	–	–	2	–	–	–
Diseases of: Nervous Syst.	2·42	908	236	63	24	15	15	356	19	14	16	16	53	68	104	118	90	54
Diseases of: Circulatory „	2·51	939	2	2	–	2	2	8	26	20	45	37	120	184	189	146	121	43
Diseases of: Respiratory „	5·92	2216	500	276	111	52	28	967	49	8	17	31	78	145	241	308	249	123
Diseases of: Digestive „	1·51	564	33	9	3	3	2	50	11	7	11	21	53	93	125	125	54	14
Diseases of: Urinary „	1·18	441	–	4	1	2	4	11	18	7	18	15	59	99	101	69	40	13
Diseases of: Generative „	0·10	37	–	–	–	–	–	–	–	2	1	2	5	13	8	5	1	–
Childbirth	0·08	31	–	–	–	–	–	–	–	–	2	3	13	12	1	–	–	–
Suicide	0·24	89	–	–	–	–	–	–	–	–	1	9	18	15	20	19	6	1
Other Violence	1·61	602	69	17	11	19	14	130	40	18	41	31	75	61	87	68	28	20
Other Causes	4·00	1501	634	108	31	26	13	812	41	30	39	34	80	86	74	89	78	138

Deaths of Infants (under one) to 1000 Births - 203 | Marriages - 5,304 | Births - 9,827 | Annual Rate per 1000 living: Persons Married - 28·38, Births - 26·23

13.—HOLBORN.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	23·64	—	—	—	—	—	37·33	8·13	3·23	4·01	5·62	9·07	14·43	21·68	39·06	69·42	151·05
Mean Pop. 1871-80	—	157,663	4791	4057	3954	3738	3672	20212	16532	15225	15673	15895	26195	19780	14345	8662	3957	1187
ALL CAUSES	23·64	37,273	9983	4014	1880	1073	701	17651	1344	492	629	893	2376	2855	3110	3383	2747	1793
Small-pox	0·18	286	50	15	13	17	15	110	62	9	18	21	38	11	11	2	1	–
Measles	0·69	1084	216	413	205	102	54	1 290	60	4	–	–	–	–	–	–	–	–
Scarlet Fever	0·58	919	56	134	186	157	112	645	267	31	7	7	14	3	2	–	–	–
Diphtheria	0·13	200	16	28	32	36	27	139	55	9	3	1	5	7	1	–	–	–
Whooping-cough	0·96	1521	562	454	235	139	73	1463	56	2	–	–	–	–	–	–	–	–
Typhus	0·04	64	1	1	1	2	1	6	10	3	7	8	4	11	7	5	3	–
Enteric Fever	0·21	333	5	10	21	13	14	63	37	31	42	32	44	35	19	25	1	4
Simple Cont. Fev.	0·06	102	6	6	7	7	9	35	14	4	6	3	9	5	7	9	8	2
Puerp. Fever	0·08	119	–	–	–	–	–	–	–	–	3	31	58	26	1	–	–	–
Diarr. and Dys.	1·03	1622	1145	267	41	17	5	1475	13	5	3	1	4	6	21	39	32	23
Cholera	0·02	30	11	7	2	1	–	21	–	–	–	–	–	1	–	3	5	–
Cancer	0·41	650	–	1	5	4	5	15	4	3	2	4	27	99	165	195	108	28
Scrofula	0·20	321	94	59	43	28	15	239	32	14	11	6	5	4	1	4	4	1
Tabes Mesent.	0·54	855	489	205	73	22	14	803	32	10	–	2	4	1	1	2	–	–
Phthisis	3·06	4827	87	76	57	50	30	289	129	92	273	408	1251	1156	772	326	53	7
Hydrocephalus	0·61	959	326	240	138	78	53	835	90	15	4	1	2	3	–	–	–	–
Diseases of: Nervous Syst.	2·56	4014	1275	316	152	88	63	1894	101	45	40	37	146	228	385	471	449	238
Diseases of: Circulatory „	1·16	1823	5	4	6	2	5	22	53	68	58	55	159	253	317	416	280	112
Diseases of: Respiratory „	5·23	8245	1902	1159	479	205	112	3857	169	37	47	89	248	458	726	1159	983	495
Diseases of: Digestive „	0·93	1468	201	36	40	17	4	278	35	15	23	28	116	179	257	275	192	70
Diseases of: Urinary „	0·39	613	2	3	11	11	5	32	27	10	7	19	49	99	121	117	89	43
Diseases of: Generative „	0·04	62	–	2	–	–	–	2	–	–	1	1	4	12	13	11	12	6
Childbirth	0·07	116	–	–	–	–	–	–	–	–	2	13	55	44	2	–	–	–
Suicide	0·09	135	–	–	–	–	–	–	–	–	8	7	13	32	32	23	19	1
Other Violence	0·56	884	497	44	20	10	15	586	17	9	6	10	24	36	56	59	53	31
Other Causes	3·81	5989	3037	504	153	87	70	3851	152	73	58	46	138	136	163	232	458	722

Deaths of Infants (under one) to 1000 Births - 168 | Marriages - 10,622 | Births - 59,321 | Annual Rate per 1000 living: Persons Married - 13·47, Births - 37·63

14.—LONDON CITY.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	27·06	—	—	—	—	—	82·48	10·25	6·06	6·93	9·61	16·58	25·94	34·50	47·10	71·52	153·55
Mean Pop. 1871-80	—	63,711	1335	1137	1129	1120	1095	5816	5355	6156	7853	7836	9939	7705	6176	4110	2117	643
ALL CAUSES	27·06	17,239	2464	1146	566	387	234	4797	549	373	544	753	1648	1999	2131	1936	1514	995
Small-pox	0·17	106	23	5	4	7	7	46	17	5	8	7	12	4	7	-	-	-
Measles	0·38	241	46	96	49	22	9	222	15	2	1	-	-	1	-	-	-	-
Scarlet Fever	0·49	309	16	45	54	57	39	211	72	9	6	3	6	1	1	-	-	-
Diphtheria	0·14	90	4	16	12	16	11	59	18	4	2	1	2	2	1	1	-	-
Whooping-cough	0·56	355	105	125	62	30	16	338	17	-	-	-	1	-	-	-	-	-
Typhus	0·06	38	-	-	2	1	1	4	3	4	2	6	6	2	4	4	3	-
Enteric Fever	0·39	248	2	6	6	6	3	23	19	29	30	45	36	26	13	11	6	1
Simple Cont. Fev.	0·08	52	2	3	4	5	4	18	9	3	4	-	3	3	4	3	3	2
Puerp. Fever	0·06	41	-	-	-	-	-	-	-	-	2	8	22	8	1	-	-	-
Diarr. and Dys.	0·61	388	232	68	8	4	1	313	2	2	2	4	6	8	8	14	16	13
Cholera	0·02	14	8	1	-	-	-	9	-	1	-	-	2	1	-	1	-	-
Cancer	0·85	539	-	-	-	1	1	2	2	2	7	9	44	110	144	141	64	14
Scrofula	0·16	104	16	17	8	5	6	52	12	7	9	4	5	5	6	3	1	-
Tabes Mesent.	0·26	164	78	39	9	11	2	139	10	6	6	2	-	1	-	-	-	-
Phthisis	3·05	1942	24	24	13	15	2	78	33	45	128	213	464	475	320	120	53	3
Hydrocephalus	0·45	284	88	67	42	20	16	233	28	11	3	3	2	3	-	1	-	-
Diseases of: Nervous Syst.	2·63	1674	405	103	59	25	20	612	53	24	28	47	79	116	177	214	193	131
Diseases of: Circulatory „	2·36	1504	5	3	1	2	1	12	20	44	63	109	194	266	266	281	186	67
Diseases of: Respiratory „	5·05	3223	485	317	127	65	29	1023	57	15	26	47	183	270	395	458	478	274
Diseases of: Digestive „	1·77	1130	73	12	6	4	2	97	19	16	34	41	113	185	229	238	120	68
Diseases of: Urinary „	1·23	786	2	2	2	7	2	15	18	29	37	57	133	133	160	107	81	25
Diseases of: Generative „	0·16	99	1	1	-	-	-	2	1	-	1	10	21	21	22	14	3	4
Childbirth	0·06	41	-	-	-	-	-	-	-	-	1	9	12	19	-	-	-	-
Suicide	0·17	111	-	-	-	-	-	-	-	1	2	6	26	22	28	22	3	1
Other Violence	2·02	1290	93	39	41	42	33	234	65	71	72	65	140	170	178	136	81	58
Other Causes	3·88	2462	753	157	57	42	26	1035	59	52	61	66	136	147	167	152	223	364

Deaths of Infants (under one) to 1000 Births 162 — Marriages 11,355; Births 15,241 — Annual Rate per 1000 living: Persons Married 35·65; Births 23·92

15.—SHOREDITCH.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	24·10	—	—	—	—	—	77·04	7·43	2·89	3·90	5·50	7·88	13·31	20·81	40·03	82·73	197·69
Mean Pop. 1871-80	—	126,878	4350	3661	3565	3514	3352	18442	14355	12297	11697	12035	21106	14061	10586	6693	3491	1215
ALL CAUSES	24·10	30,574	8206	3176	1456	798	571	14207	1066	355	456	662	1664	1992	2203	2679	2888	2402
Small-pox	0·42	536	101	42	45	44	33	265	103	27	32	38	46	16	2	4	3	-
Measles	0·63	795	156	302	152	83	52	745	49	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·71	899	44	154	159	140	119	616	231	30	9	6	3	2	1	1	-	-
Diphtheria	0·05	64	6	9	13	4	9	41	12	5	-	-	3	1	1	1	-	-
Whooping-cough	1·04	1323	485	440	212	93	52	1282	41	-	-	-	-	-	-	-	-	-
Typhus	0·05	59	-	1	1	1	2	5	11	3	3	4	9	11	3	7	2	1
Enteric Fever	0·25	316	8	9	13	21	13	64	52	30	30	29	43	23	22	13	6	4
Simple Cont. Fev.	0·08	101	2	3	11	6	6	28	21	8	6	4	4	6	10	5	6	3
Puerp. Fever	0·07	86	-	-	-	-	-	-	-	-	7	23	36	19	1	-	-	-
Diarr. and Dys.	1·13	1433	963	216	32	7	4	1227	5	2	2	1	6	17	14	40	61	58
Cholera	0·07	85	51	16	3	-	2	72	2	-	-	-	1	5	3	2	-	-
Cancer	0·38	476	-	2	-	-	1	3	1	1	-	4	14	84	123	123	86	37
Scrofula	0·14	172	60	21	12	6	4	103	18	5	8	3	7	4	8	9	7	-
Tabes Mesent.	0·58	732	424	182	55	25	8	694	24	5	3	-	2	-	1	3	-	-
Phthisis	2·56	3250	105	81	35	22	19	265	51	45	171	318	781	786	508	244	73	8
Hydrocephalus	0·32	406	164	111	52	25	21	373	23	6	2	-	1	1	-	-	-	-
Diseases of: Nervous Syst.	3·10	3931	1234	310	128	88	49	1809	102	31	37	35	154	209	293	424	537	300
Diseases of: Circulatory „	1·17	1490	6	6	3	-	5	20	30	46	35	44	133	173	239	340	288	142
Diseases of: Respiratory „	5·36	6796	1514	872	352	124	77	2939	116	26	34	51	162	299	556	938	1064	583
Diseases of: Digestive „	0·94	1198	220	35	16	14	17	302	27	15	19	23	66	124	186	193	146	87
Diseases of: Urinary „	0·25	320	5	2	10	8	7	32	20	3	9	10	33	48	47	66	29	23
Diseases of: Generative „	0·04	47	2	1	1	-	-	4	1	-	-	1	5	7	8	5	9	7
Childbirth	0·07	93	-	-	-	-	-	-	-	-	1	16	37	33	6	-	-	-
Suicide	0·08	103	-	-	-	-	-	-	-	2	6	8	13	18	32	17	6	1
Other Violence	0·52	655	206	89	24	13	12	394	33	18	12	13	28	22	39	31	31	34
Other Causes	4·09	5218	2315	319	127	74	50	2894	93	46	30	31	77	84	100	215	534	1114

Deaths of Infants (under one) to 1000 Births 159 — Marriages 13,847; Births 51,623 — Annual Rate per 1000 living: Persons Married 21·83; Births 40·69

16.—BETHNAL GREEN.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	23·87	—	—	—	—	—	78·68	6·44	2·42	4·43	6·33	9·16	13·67	20·47	37·39	75·78	171·09
Mean Pop. 1871–80	—	123,538	4217	3753	3725	3565	3501	18761	15489	13318	11658	11173	18903	13948	9832	6242	3154	1055
ALL CAUSES	25·87	29,434	8258	3516	1566	852	569	14761	998	322	517	707	1731	1906	2013	2334	2390	1805
Small-pox	0·46	567	131	90	60	42	33	356	98	23	14	16	37	14	6	2	–	1
Measles	0·66	812	190	326	147	84	31	778	33	–	1	–	–	–	–	–	–	–
Scarlet Fever	0·75	925	72	154	173	151	115	665	213	29	4	2	9	2	1	–	–	–
Diphtheria	0·07	85	9	12	14	14	14	63	17	1	–	1	–	1	2	–	–	–
Whooping-cough	1·09	1352	457	472	225	98	57	1309	42	1	–	–	–	–	–	–	–	–
Typhus	0·06	72	1	5	1	4	1	12	8	11	10	7	8	5	6	2	3	–
Enteric Fever	0·22	275	5	8	18	16	20	67	30	35	29	22	38	20	13	9	11	1
Simple Cont. Fev.	0·11	139	2	14	15	9	7	47	27	15	7	6	7	4	7	10	8	1
Puerp. Fever	0·07	88	–	–	–	–	–	–	–	–	5	32	34	15	2	–	–	–
Diarr. and Dys.	1·01	1247	815	267	45	10	5	1142	3	2	–	1	4	10	12	16	23	34
Cholera	0·07	86	41	14	7	2	–	64	2	–	–	–	5	4	2	4	5	–
Cancer	0·34	424	–	–	–	–	–	–	1	–	1	2	18	60	104	135	68	35
Scrofula	0·11	136	44	33	6	4	7	94	8	8	7	3	4	5	2	3	2	–
Tabes Mesent.	0·56	686	374	201	45	19	10	649	23	4	5	–	4	–	–	1	–	–
Phthisis	2·71	3347	49	63	26	22	6	166	62	51	217	397	888	757	488	234	53	4
Hydrocephalus	0·40	488	203	110	67	25	21	456	26	5	–	–	–	1	–	–	–	–
Diseases of: Nervous Syst.	2·91	3591	1277	300	127	70	53	1827	92	14	27	35	116	222	307	374	401	176
Circulatory „	1·09	1348	7	2	3	7	4	23	28	30	53	47	125	182	211	299	241	109
Respiratory „	5·00	6173	1534	932	360	151	92	3069	128	22	33	43	199	270	456	768	719	356
Digestive „	0·78	966	176	38	19	11	13	257	21	16	18	20	64	117	134	159	104	56
Urinary „	0·25	315	6	3	10	9	6	34	9	8	6	10	33	46	43	56	48	26
Generative „	0·03	39	–	–	–	–	–	–	–	–	–	–	5	4	14	8	7	1
Childbirth	0·07	93	–	–	–	–	–	–	–	–	3	14	47	28	1	–	–	–
Suicide	0·08	97	–	–	–	–	–	–	–	–	1	8	14	15	23	23	11	2
Other Violence	0·68	840	499	36	20	24	12	591	40	10	11	12	21	29	48	31	26	26
Other Causes	4·29	5295	2366	406	178	80	62	3092	87	37	35	29	51	95	106	200	580	983

Deaths of Infants (under one) to 1000 Births - 160

Marriages - 24,012
Births - 51,574

Annual Rate per 1000 living: Persons Married - 40·33; Births - 41·75

17.—WHITECHAPEL.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	33·03	—	—	—	—	—	95·83	9·72	5·55	7·70	10·74	18·58	28·97	39·98	61·43	101·64	187·50
Mean Pop. 1871–80	—	73,968	2120	1799	1845	1810	1783	9357	8232	7458	7581	7354	11730	9224	6604	3977	1769	592
ALL CAUSES	33·03	24,434	4863	2128	989	582	405	8967	800	414	584	790	2180	2672	2676	2443	1798	1110
Small-pox	0·31	229	42	25	20	21	22	130	46	8	7	10	15	8	2	3	–	–
Measles	0·54	401	88	179	84	37	10	389	12	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·60	447	22	79	81	76	56	314	121	8	–	1	2	–	1	–	–	–
Diphtheria	0·11	82	9	16	14	12	10	61	12	2	1	–	4	–	1	–	1	–
Whooping-cough	0·79	586	220	174	91	49	31	565	20	1	–	–	–	–	–	–	–	–
Typhus	0·05	39	1	–	1	2	2	6	3	3	–	2	9	5	4	4	3	–
Enteric Fever	0·26	190	3	2	9	6	9	29	21	27	16	33	31	13	9	7	2	2
Simple Cont. Fev.	0·11	78	1	3	12	9	10	35	19	4	3	1	1	1	6	6	2	–
Puerp. Fever	0·08	60	–	–	–	–	–	–	–	–	3	17	24	16	–	–	–	–
Diarr. and Dys.	1·33	985	593	221	33	14	4	865	7	3	1	2	11	15	22	20	28	11
Cholera	0·04	29	12	6	–	–	–	18	1	–	–	–	–	4	2	3	1	–
Cancer	0·87	642	1	1	–	–	2	4	1	2	6	5	44	128	190	165	77	20
Scrofula	0·22	162	16	29	20	10	5	80	24	5	12	2	14	10	3	9	2	1
Tabes Mesent.	0·41	302	133	92	28	9	8	270	16	4	4	1	2	3	1	1	–	–
Phthisis	3·63	2683	14	18	10	13	7	62	32	49	142	278	727	768	447	189	48	1
Hydrocephalus	0·47	345	141	90	24	28	10	296	26	10	6	3	–	3	1	–	–	–
Diseases of: Nervous Syst.	3·66	2707	739	199	68	30	29	1074	68	35	50	37	130	205	267	338	283	220
Circulatory „	2·34	1729	2	2	3	–	6	13	26	59	74	71	209	336	372	317	191	61
Respiratory „	6·46	4775	943	563	248	93	53	1903	61	20	37	74	251	392	563	633	573	265
Digestive „	1·41	1040	65	27	15	4	8	119	23	18	24	36	105	161	200	190	123	41
Urinary „	1·05	777	7	7	6	7	12	39	20	14	27	37	123	165	151	113	67	21
Generative „	0·13	98	1	–	–	1	–	2	–	1	3	5	20	22	21	14	8	2
Childbirth	0·08	57	–	–	–	–	–	–	–	–	2	7	25	23	–	–	–	–
Suicide	0·14	104	–	–	–	–	–	–	–	–	1	3	20	34	20	13	12	1
Other Violence	2·75	2035	249	76	86	67	44	522	145	84	100	96	253	237	219	195	122	62
Other Causes	5·19	3832	1358	328	136	82	67	2171	96	57	65	69	169	183	174	220	255	402

Deaths of Infants (under one) to 1000 Births - 181

Marriages - 4,925
Births - 2,941

Annual Rate per 1000 living: Persons Married - 13·32; Births - 36·42

18.—SAINT GEORGE-IN-THE-EAST.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	25·97	—	—	—	—	—	83·54	6·36	2·80	3·89	6·59	9·54	15·59	23·41	44·61	82·32	190·46
Mean Pop. 1871-80	—	47,605	1563	1231	1302	1239	1255	6590	5475	4708	4188	4419	7770	5951	4284	2571	1261	388
ALL CAUSES	25·97	12,365	3360	1373	585	315	202	5835	348	132	163	291	741	928	1003	1147	1038	739
Small-pox	0·21	102	27	9	8	11	3	58	14	4	10	2	8	2	2	–	2	–
Measles	0·72	341	64	136	80	33	15	328	12	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·65	309	26	61	62	54	35	238	59	11	1	–	–	–	–	–	–	–
Diphtheria	0·09	42	3	4	5	3	8	23	13	2	–	–	1	–	–	1	2	–
Whooping-cough	1·19	565	227	187	71	38	23	546	19	–	–	–	–	–	–	–	–	–
Typhus	0·07	35	–	–	1	–	1	2	4	4	1	4	6	8	2	2	2	–
Enteric Fever	0·20	97	2	10	7	1	6	26	13	8	7	10	10	13	4	3	2	1
Simple Cont. Fev.	0·13	62	6	3	5	5	7	26	13	3	4	2	6	1	2	2	3	–
Puerp. Fever	0·07	34	–	–	–	–	–	–	–	–	5	10	9	10	–	–	–	–
Diarr. and Dys.	1·41	673	443	119	18	8	1	589	1	2	2	–	6	5	12	18	19	19
Cholera	0·03	13	3	2	–	–	–	5	–	–	–	–	1	1	3	1	2	–
Cancer	0·33	156	–	–	–	–	–	–	–	1	–	–	9	28	45	45	23	5
Scrofula	0·24	114	29	29	10	3	4	75	8	4	9	3	3	1	2	7	1	1
Tabes Mesent.	0·47	224	111	71	20	10	2	214	3	4	1	1	–	–	1	–	–	–
Phthisis	2·85	1357	12	16	4	5	8	45	23	21	58	150	374	349	204	104	28	1
Hydrocephalus	0·65	311	147	78	34	17	16	292	12	4	1	1	–	–	1	–	–	–
Diseases of: Nervous Syst.	3·00	1426	490	122	57	28	13	710	34	10	11	10	35	73	102	168	169	104
Diseases of: Circulatory „	1·39	660	2	3	2	–	–	7	14	23	14	21	50	107	131	145	113	35
Diseases of: Respiratory „	6·10	2904	669	371	131	56	33	1260	38	8	6	36	91	160	302	420	374	209
Diseases of: Digestive „	0·75	358	44	8	5	2	1	60	10	7	4	5	38	44	62	73	38	17
Diseases of: Urinary „	0·33	159	3	1	2	5	1	12	6	1	3	4	16	26	23	27	28	14
Diseases of: Generative „	0·07	32	1	–	1	–	–	2	–	–	–	1	6	5	7	8	3	–
Childbirth	0·08	40	–	–	–	–	–	–	–	–	–	5	20	15	–	–	–	–
Suicide	0·06	30	–	–	–	–	–	–	–	–	2	5	2	3	12	3	3	–
Other Violence	0·71	337	132	6	3	4	2	197	11	7	9	5	19	25	24	22	12	6
OTHER CAUSES	4·17	1984	869	137	59	32	23	1120	41	7	15	16	31	53	62	98	214	327

Deaths of Infants (under one) to 1000 Births - 181

Marriages - 3,320
Births - 18,560

Annual Rate per 1000 living { Persons Married - 13·95
Births - 38·99

19.—STEPNEY.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	22·09	—	—	—	—	—	85·98	8·50	3·82	3·93	5·08	7·49	11·12	16·82	30·15	52·13	139·19
Mean Pop. 1871-80	—	58,117	1832	1625	1581	1531	1549	8118	7086	6446	5452	4999	8811	7129	5256	3058	1341	421
ALL CAUSES	22·09	12,840	3772	1684	800	433	291	6980	602	246	214	254	660	793	884	922	699	586
Small-pox	0·30	175	33	19	7	9	14	82	27	8	7	12	20	10	6	2	1	–
Measles	0·74	430	91	160	94	49	14	408	21	–	–	–	1	–	–	–	–	–
Scarlet Fever	0·82	478	33	71	102	67	62	335	120	12	5	–	2	4	–	–	–	–
Diphtheria	0·12	70	11	7	14	11	7	50	15	1	–	–	2	1	1	–	–	–
Whooping-cough	1·03	596	237	188	93	42	22	582	14	–	–	–	–	–	–	–	–	–
Typhus	0·08	46	1	1	1	3	3	9	4	4	4	5	6	3	7	3	1	–
Enteric Fever	0·19	113	–	3	3	10	5	21	22	12	10	8	14	10	5	5	6	–
Simple Cont. Fev.	0·06	35	1	1	1	1	5	9	8	3	–	2	4	1	1	3	2	2
Puerp. Fever	0·09	51	–	–	–	–	–	–	–	–	2	17	16	16	–	–	–	–
Diarr and Dys.	1·23	714	490	136	24	7	4	661	7	–	2	–	2	5	7	11	8	11
Cholera	0·04	23	9	5	1	1	2	18	–	–	–	1	2	–	1	1	–	–
Cancer	0·28	165	–	1	–	–	–	1	–	–	–	–	5	33	44	49	23	10
Scrofula	0·19	113	26	32	14	13	8	93	15	2	–	–	–	2	–	1	–	–
Tabes Mesent.	0·51	294	167	74	22	10	4	277	6	7	3	–	–	–	–	1	–	–
Phthisis	1·93	1121	24	26	14	11	10	79	39	45	60	101	260	248	173	93	21	2
Hydrocephalus	0·46	268	96	69	34	21	15	235	25	5	–	2	–	1	–	–	–	–
Diseases of: Nervous Syst.	2·43	1410	584	124	67	36	20	831	44	13	10	8	25	62	90	132	115	80
Diseases of: Circulatory	0·94	549	3	1	3	2	3	12	33	22	19	9	47	68	107	120	77	35
Diseases of: Respiratory	5·17	3003	826	524	203	73	45	1671	65	25	19	18	65	112	234	306	277	211
Diseases of: Digestive	0·77	446	63	18	3	3	3	90	17	4	3	6	29	53	86	88	51	19
Diseases of: Urinary	0·28	161	–	7	4	5	3	19	15	6	7	3	13	30	24	23	14	7
Diseases of: Generative	0·03	18	1	–	–	–	–	1	–	–	1	1	4	5	1	2	3	–
Childbirth	0·06	37	–	–	–	–	–	–	–	–	1	7	16	13	–	–	–	–
Suicide	0·06	37	–	–	–	–	–	–	–	–	2	2	12	6	4	8	1	2
Other Violence	1·17	682	146	22	19	12	9	208	48	47	51	45	97	76	63	28	13	6
OTHER CAUSES	3·11	1805	939	201	77	47	23	1288	57	30	8	7	18	34	30	46	86	201

Deaths of Infants (under one) to 1000 Births - 176

Marriages - 5,586
Births - 21,488

Annual Rate per 1000 living { Persons Married - 19·22
Births - 36·97

20.—MILE END OLD TOWN.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	22·20	—	—	—	—	—	72·47	6·47	2·67	3·60	5·61	7·98	11·95	18·39	35·81	73·45	169·86
Mean Pop. 1871–80	—	99,383	3358	2830	2875	2760	2644	14467	11822	10133	8979	8370	15905	11752	8412	5320	2674	959
ALL CAUSES	22·20	22,063	6147	2300	1038	606	393	10484	765	270	323	503	1269	1404	1547	1905	1964	1629
Small-pox	0·34	336	75	16	19	25	17	152	50	21	14	28	34	24	8	3	-	-
Measles	0·56	552	115	204	117	58	23	517	32	1	-	-	2	-	-	-	-	-
Scarlet Fever	0·77	763	61	116	136	118	109	540	181	20	13	4	4	2	1	-	-	-
Diphtheria	0·11	110	14	21	13	12	12	72	29	4	1	-	1	1	-	2	-	-
Whooping-cough	0·94	938	349	331	140	52	32	904	34	-	-	-	-	-	-	-	-	-
Typhus	0·07	71	-	-	2	3	-	5	13	10	8	8	8	3	9	2	5	-
Enteric Fever	0·25	245	3	5	12	15	11	46	29	22	27	26	30	27	16	16	9	3
Simple Cont. Fev.	0·10	95	3	2	6	10	8	29	20	2	2	8	8	8	1	8	3	6
Puerp. Fever	0·08	83	-	-	-	-	-	-	-	-	6	21	39	17	-	-	-	-
Diarr. and Dys.	1·08	1078	788	145	22	7	3	965	9	2	1	2	4	6	10	24	29	26
Cholera	0·06	57	37	7	2	1	1	48	1	1	-	-	3	-	-	2	-	2
Cancer	0·39	390	-	1	-	1	-	2	1	-	-	2	21	50	104	107	78	25
Scrofula	0·07	73	24	17	4	4	3	52	4	3	3	-	2	2	2	3	2	-
Tabes Mesent.	0·44	441	265	110	30	12	3	420	9	5	4	1	-	2	-	-	-	-
Phthisis	2·34	2327	19	27	16	7	12	81	43	50	124	228	656	544	351	189	57	4
Hydrocephalus	0·35	351	142	95	46	25	13	321	22	6	-	-	2	-	-	-	-	-
Diseases of: Nervous Syst.	2·78	2759	996	242	105	69	41	1453	53	22	20	30	63	104	188	297	340	189
Diseases of: Circulatory	1·01	1001	8	4	-	1	5	18	24	37	22	25	85	136	176	212	181	83
Diseases of: Respiratory	4·89	4853	1253	644	254	109	49	2309	81	14	27	36	107	243	385	612	664	279
Diseases of: Digestive	0·76	752	117	9	4	9	5	144	17	8	10	22	50	71	124	153	110	43
Diseases of: Urinary	0·27	268	-	3	2	4	5	14	12	6	6	6	27	29	38	62	46	22
Diseases of: Generative	0·04	44	-	-	-	-	-	-	-	-	1	2	5	5	15	8	8	-
Childbirth	0·07	74	-	-	-	-	-	-	-	-	2	11	31	20	1	-	-	-
Suicide	0·06	55	-	-	-	-	-	-	-	-	3	5	9	9	15	9	4	1
Other Violence	0·47	471	229	19	15	10	6	279	29	11	6	16	23	25	22	30	15	15
Other Causes	3·90	3863	1649	282	93	54	35	2113	69	23	23	28	55	67	80	166	411	811

Deaths of Infants (under one) to 1000 Births - 152 | Marriages - 9,689 | Births - 40,483 | Annual Rate per 1000 living: Persons Married - 19·50; Births - 40·73

21.—POPLAR.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	25·03	—	—	—	—	—	73·47	7·24	3·74	5·25	7·76	10·67	15·90	23·77	46·54	90·21	197·49
Mean Pop. 1871–80	—	136,443	4730	4132	4128	4056	3858	20904	17686	14529	12217	11097	21080	16992	11471	6429	2961	1077
ALL CAUSES	25·03	34,154	8757	3532	1563	851	655	15358	1281	544	642	861	2249	2702	2727	2992	2671	2127
Small-pox	0·46	630	97	34	44	41	32	248	113	46	40	35	71	43	20	11	3	-
Measles	0·68	922	148	384	183	84	62	861	56	3	-	-	1	1	-	-	-	-
Scarlet Fever	0·84	1142	58	171	219	181	154	783	282	47	9	4	14	2	1	-	-	-
Diphtheria	0·08	112	11	15	14	16	14	70	32	5	-	2	-	2	-	1	-	-
Whooping-cough	0·90	1229	492	401	182	75	48	1198	31	-	-	-	-	-	-	-	-	-
Typhus	0·05	68	-	1	3	2	1	7	9	12	6	3	8	10	5	6	2	-
Enteric Fever	0·22	299	10	5	18	18	16	67	37	30	37	20	27	27	16	15	3	-
Simple Cont. Fev.	0·09	120	6	8	6	11	9	40	22	11	6	3	10	9	3	9	5	2
Puerp. Fever	0·06	76	-	-	-	-	-	-	-	-	5	15	35	19	2	-	-	-
Diarr. and Dys.	1·07	1465	995	217	23	13	8	1256	16	5	3	4	12	17	29	37	55	31
Cholera	0·04	58	32	6	3	1	-	42	3	-	1	1	4	2	1	2	1	1
Cancer	0·44	595	-	-	-	-	-	-	-	2	1	2	23	87	165	172	168	35
Scrofula	0·25	345	166	74	21	13	7	281	17	9	12	2	4	4	10	2	3	1
Tabes Mesent.	0·58	783	480	200	55	18	8	761	17	4	-	2	1	-	2	1	-	-
Phthisis	2·91	3968	76	59	39	16	14	206	75	82	232	425	995	935	609	317	55	4
Hydrocephalus	0·39	531	208	160	57	21	27	476	43	7	3	1	3	-	-	-	-	-
Diseases of: Nervous Syst.	2·91	3938	1164	295	129	66	42	1696	108	40	42	43	160	283	349	491	499	257
Diseases of: Circulatory	1·29	1754	13	5	6	6	3	33	58	37	42	50	172	243	342	392	287	118
Diseases of: Respiratory	5·05	6889	1820	1008	399	147	106	3471	137	82	48	58	188	342	489	792	837	445
Diseases of: Digestive	0·90	1231	193	37	20	13	9	272	24	8	19	34	95	177	197	210	132	63
Diseases of: Urinary	0·38	521	3	3	3	7	8	24	21	14	4	15	42	73	108	113	80	27
Diseases of: Generative	0·05	74	2	-	-	-	-	2	-	-	1	3	4	13	19	17	11	4
Childbirth	0·09	122	-	-	-	-	-	-	-	-	6	12	63	39	2	-	-	-
Suicide	0·08	104	-	-	-	-	-	-	-	1	7	9	21	11	25	18	7	2
Other Violence	1·08	1476	256	47	27	20	28	376	91	115	86	90	203	185	154	109	44	23
Other Causes	4·14	5665	2327	402	121	79	79	3188	89	34	82	28	90	145	179	277	530	1064

Deaths of Infants (under one) to 1000 Births - 156 | Marriages - 9,887 | Births - 56,236 | Annual Rate per 1000 living: Persons Married - 14·49; Births - 41·22

22.—ST. SAVIOUR, SOUTHWARK.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	23·91	—	—	—	—	—	32·91	7·41	3·03	3·95	5·40	7·87	13·69	21·94	38·79	74·32	165·43
Mean Pop. 1871-80	—	185,107	5873	5144	4987	4812	4714	25536	20818	18175	16920	17328	30622	23106	16027	9965	4541	1675
ALL CAUSES	23·91	44,260	12172	4862	2117	1204	811	21166	1542	551	669	935	2410	3163	3516	3865	3672	2771
Small-pox	0·39	720	173	74	46	42	48	383	104	34	29	49	64	39	13	3	1	1
Measles	0·59	1096	259	455	196	112	41	1054	36	–	3	1	1	1	–	–	–	–
Scarlet Fever	0·67	1244	74	187	246	194	150	851	327	42	10	4	6	4	–	–	–	–
Diphtheria	0·12	218	21	39	32	30	20	142	50	12	3	1	2	2	4	2	–	–
Whooping-cough	1·05	1943	682	630	328	152	89	1881	59	2	1	–	–	–	–	–	–	–
Typhus	0·05	91	3	2	3	4	6	18	12	12	11	11	9	6	5	2	4	1
Enteric Fever	0·20	368	15	12	26	22	16	91	68	32	31	34	43	28	18	14	8	1
Simple Cont. Fev.	0·11	196	13	19	27	14	16	89	37	14	4	4	5	7	11	14	8	3
Puerp. Fever	0·08	146	–	–	–	–	–	–	–	–	10	39	63	34	–	–	–	–
Diarr. and Dys.	1·07	1987	1386	344	43	13	7	1793	13	3	3	2	9	14	21	36	36	57
Cholera	0·04	68	32	8	6	2	2	50	1	1	–	–	3	2	3	6	2	–
Cancer	0·43	797	–	–	1	1	1	3	4	2	2	3	33	119	226	221	154	50
Scrofula	0·15	269	77	53	31	11	14	186	37	8	8	6	3	6	5	8	2	–
Tabes Mesent.	0·41	760	404	201	64	26	14	709	31	5	5	2	2	2	1	2	1	–
Phthisis	2·77	5127	171	121	49	28	25	394	102	106	258	438	1186	1273	880	382	98	10
Hydrocephalus	0·43	805	325	225	67	49	48	714	64	18	3	2	3	1	–	–	–	–
Diseases of: Nervous Syst.	2·97	5502	1951	458	212	111	82	2814	142	46	52	52	141	283	422	565	609	376
Diseases of: Circulatory	0·92	1710	19	5	7	12	7	50	54	56	54	49	156	241	314	348	278	110
Diseases of: Respiratory	5·69	10535	2550	1336	512	246	119	4823	167	35	53	83	240	518	910	1407	1483	816
Diseases of: Digestive	0·83	1535	214	21	15	8	15	273	35	28	28	37	114	165	257	302	187	89
Diseases of: Urinary	0·30	564	7	2	6	7	7	29	26	9	15	10	53	81	112	116	88	25
Diseases of: Generative	0·04	70	1	–	–	–	–	1	–	–	2	1	9	11	21	16	8	1
Childbirth	0·07	126	–	–	–	–	–	–	–	–	5	23	57	39	2	–	–	–
Suicide	0·07	131	–	–	–	–	–	–	–	–	5	6	20	29	25	34	11	1
Other Violence	0·43	794	303	49	23	16	15	406	40	21	18	22	48	58	52	55	44	30
Other Causes	4·05	7458	3001	561	177	104	69	4412	133	65	56	56	140	180	214	322	670	1200

Deaths of Infants (under one) to 1000 Births - 169

Marriages - 20,579
Births - 71,902

Annual Rate per 1000 living: Persons Married - 22·23; Births - 38·84

23.—ST. OLAVE, SOUTHWARK.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	27·00	—	—	—	—	—	76·18	7·90	4·40	7·53	10·15	13·08	19·22	29·14	48·39	83·01	178·59
Mean Pop. 1871-80	—	128,517	4447	3914	3813	3686	3517	19377	16098	13602	11640	11047	20204	15522	10671	6346	3032	976
ALL CAUSES	27·00	34,694	8122	3493	1563	931	652	14761	1271	599	876	1121	2642	2984	3109	3071	2517	1743
Small-pox	0·32	411	93	19	22	50	21	175	82	25	24	28	41	23	8	5	–	–
Measles	0·64	819	175	335	153	78	32	773	46	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·79	1011	62	145	179	170	139	695	270	22	9	7	6	2	–	–	–	–
Diphtheria	0·16	201	15	27	27	19	31	119	52	10	6	6	3	2	2	1	–	–
Whooping cough	1·09	1396	534	442	204	103	54	1340	55	–	1	–	–	–	–	–	–	–
Typhus	0·08	97	1	2	1	6	7	17	5	12	5	13	16	11	13	3	1	1
Enteric Fever	0·25	326	9	9	12	8	13	51	51	31	40	47	37	23	25	15	5	1
Simple Cont. Fev.	0·05	58	3	1	5	6	1	16	12	2	9	3	5	3	2	3	2	1
Puerp. Fever	0·10	125	–	–	–	–	–	–	–	–	7	34	60	22	2	–	–	–
Diarr. and Dys.	1·18	1517	1019	245	50	10	8	1332	14	8	2	2	11	8	26	42	43	29
Cholera	0·06	75	44	9	2	–	–	55	–	1	–	2	3	6	2	1	3	2
Cancer	0·78	1010	–	2	1	–	1	4	2	1	7	14	68	183	275	271	139	33
Scrofula	0·20	259	84	52	18	12	9	175	16	15	8	8	12	11	8	5	1	–
Tabes Mesent.	0·47	608	318	154	51	18	6	547	32	8	4	5	3	2	4	2	1	–
Phthisis	2·98	3828	115	59	32	22	20	248	64	92	283	339	932	907	570	239	66	8
Hydrocephalus	0·43	555	201	141	57	43	25	467	49	15	7	4	5	6	1	1	–	–
Diseases of: Nervous Syst.	2·94	3780	1327	370	141	86	58	1962	101	45	44	43	138	175	215	391	415	211
Diseases of: Circulatory	1·35	1738	14	5	1	2	5	27	40	61	83	82	241	324	321	278	217	64
Diseases of: Respiratory	5·51	7082	1637	1021	368	177	87	3290	113	49	41	82	258	405	677	917	823	342
Diseases of: Digestive	0·97	1252	116	22	10	2	8	158	19	14	45	31	125	176	254	246	125	51
Diseases of: Urinary	0·62	801	3	6	5	4	4	22	11	15	35	45	116	173	154	125	76	26
Diseases of: Generative	0·12	151	1	–	–	–	–	1	–	–	6	14	40	34	32	9	14	1
Childbirth	0·10	127	–	–	–	–	–	–	–	–	3	21	52	50	1	–	–	–
Suicide	0·10	133	–	–	–	–	–	–	–	–	5	14	21	21	30	27	14	1
Other Violence	1·46	1882	228	53	59	44	44	428	106	99	127	132	274	223	215	148	78	52
Other Causes	4·25	5462	2123	391	165	98	79	2856	128	74	75	77	165	191	262	282	489	920

Deaths of Infants (under one) to 1000 Births - 154

Marriages - 9,116
Births - 52,840

Annual Rate per 1000 living: Persons Married - 14·19; Births - 41·12

24.—LAMBETH.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	23·23	—	—	—	—	—	71·96	8·29	4·25	5·98	7·46	9·75	14·79	21·96	36·28	70·82	170·03
Mean Pop. 1871-80	—	231,021	7110	6194	6169	5878	5691	31042	25726	22187	21392	22486	39336	28310	19249	12430	6594	2269
ALL CAUSES	23·23	53,662	13205	4691	2052	1306	1023	22337	2134	943	1279	1678	3837	4188	4228	4510	4670	3858
Small-pox	0·95	2184	191	81	73	67	71	483	236	127	198	317	436	242	93	33	10	4
Measles	0·47	1090	247	391	198	104	65	1005	75	5	2	–	3	–	–	–	–	–
Scarlet Fever	0·80	1855	95	221	273	299	255	1143	517	82	42	19	39	11	2	–	–	–
Diphtheria	0·18	407	34	45	49	69	50	247	104	13	5	12	13	4	3	4	2	–
Whooping-cough	0·89	2046	756	673	292	109	83	1973	71	1	–	1	–	–	–	–	–	–
Typhus	0·13	299	3	–	1	–	3	7	15	14	24	44	41	71	49	25	5	1
Enteric Fever	0·34	789	13	18	26	24	26	107	79	86	152	101	130	59	43	26	10	6
Simple Cont. Fev.	0·09	218	7	7	14	14	16	58	35	15	8	8	15	9	19	15	22	14
Puerp. Fever	0·09	200	–	–	–	–	–	–	–	–	10	49	95	45	1	–	–	–
Diarr. and Dys.	0·89	2054	1493	253	23	11	8	1791	13	3	2	5	16	15	17	34	79	79
Cholera	0·03	74	35	7	2	3	–	47	2	–	1	2	3	4	6	2	5	2
Cancer	0·52	1212	–	–	1	–	1	2	1	2	5	7	53	182	316	344	232	68
Scrofula	0·17	388	147	68	21	18	13	267	33	18	12	6	17	8	10	7	9	1
Tabes Mesent.	0·36	826	497	160	58	22	16	753	36	18	4	3	4	3	2	1	2	–
Phthisis	2·43	5522	119	82	47	18	25	291	114	150	349	575	1455	1344	852	377	115	20
Hydrocephalus	0·42	968	316	245	128	68	59	816	99	27	5	4	6	8	2	1	–	–
Diseases of: Nervous Syst.	2·48	5739	1802	405	155	104	63	2529	136	50	54	60	152	254	413	671	824	566
Diseases of: Circulatory „	1·24	2875	11	5	3	8	7	34	60	73	83	90	231	426	483	560	571	264
Diseases of: Respiratory „	4·64	10724	2729	1346	459	195	126	4855	182	49	81	80	321	496	784	1278	1506	1092
Diseases of: Digestive „	1·07	2474	326	39	26	16	16	423	52	35	43	44	200	311	421	413	348	184
Diseases of: Urinary „	0·48	1110	11	8	7	12	8	46	22	19	21	48	131	177	174	215	180	77
Diseases of: Generative „	0·03	173	1	1	–	–	–	2	–	2	3	7	32	35	44	21	25	7
Childbirth	0·08	179	–	–	–	–	–	–	–	–	6	22	84	65	2	–	–	–
Suicide	0·07	171	–	–	–	–	–	–	–	–	4	7	45	31	33	39	16	5
Other Violence	0·63	1453	292	75	45	40	43	495	88	68	54	69	111	153	138	122	94	61
Other Causes	3·70	8527	4050	561	148	105	69	4963	164	106	111	93	211	235	286	331	615	1407

Deaths of Infants (under one) to 1000 Births - 152

Marriages - 24,663
Births - 86,606

Annual Rate per 1000 living: Persons Married - 21·35; Births - - 37·49

25.—WANDSWORTH.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year	1	2	3	4	Total under 5 Year.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	18·06	—	—	—	—	—	58·31	5·30	2·84	3·65	4·22	6·78	10·80	16·22	30·86	66·45	148·06
Mean Pop. 1871-80	—	167,747	5176	4722	4748	4589	4520	23755	20306	17560	15715	15457	27349	20712	13372	7945	4078	1498
ALL CAUSES	18·06	30,291	8536	2830	1164	799	523	13852	1076	499	573	652	1853	2237	2169	2452	2710	2218
Small-pox	0·32	531	114	38	37	29	33	251	72	24	22	25	63	28	28	13	5	–
Measles	0·42	712	159	259	119	77	35	649	55	3	–	–	2	1	2	–	–	–
Scarlet Fever	0·53	883	47	112	146	144	94	543	259	43	16	6	13	1	1	1	–	–
Diphtheria	0·10	167	7	21	20	23	28	99	40	10	3	1	7	1	3	2	1	–
Whooping-cough	0·62	1046	451	303	134	85	44	1017	28	1	–	–	–	–	–	–	–	–
Typhus	0·05	84	1	–	1	4	3	9	9	7	9	8	10	9	10	9	2	2
Enteric Fever	0·19	327	15	10	17	13	14	69	64	32	25	19	31	39	20	16	9	3
Simple Cont. Fev.	0·05	91	9	8	6	9	4	36	12	5	–	3	7	5	2	6	11	4
Puerp. Fever	0·08	126	–	–	–	–	–	–	–	–	4	24	66	32	–	–	–	–
Diarr. and Dys.	0·80	1348	975	170	24	13	5	1187	7	–	1	2	8	14	18	29	41	41
Cholera	0·03	52	20	12	3	–	–	35	3	–	–	–	3	2	4	3	2	–
Cancer	0·39	648	2	1	1	1	1	6	2	1	1	1	21	92	149	169	153	53
Scrofula	0·11	191	63	41	20	7	5	136	8	7	11	5	8	8	3	2	1	2
Tabes Mesent.	0·45	752	467	144	53	23	12	699	24	10	3	1	4	5	1	1	3	1
Phthisis	1·86	3118	138	73	32	22	10	275	65	106	230	281	756	735	390	209	60	11
Hydrocephalus	0·32	533	217	136	49	26	26	454	53	14	5	2	3	1	1	–	–	–
Diseases of: Nervous Syst.	2·41	4046	1093	242	95	69	54	1558	90	40	47	40	166	314	397	462	600	332
Diseases of: Circulatory „	1·03	1724	14	7	3	3	7	34	26	31	43	31	140	198	269	391	388	173
Diseases of: Respiratory „	3·51	5886	1755	838	274	157	82	3126	92	32	30	65	159	281	382	585	659	525
Diseases of: Digestive „	0·79	1318	240	21	15	10	12	298	26	19	27	28	96	145	168	212	216	83
Diseases of: Urinary „	0·30	505	3	3	4	2	–	12	12	10	14	21	58	59	81	90	86	62
Diseases of: Generative „	0·01	65	–	–	–	–	1	1	–	–	–	1	3	16	16	14	8	6
Childbirth	0·07	120	–	–	–	–	–	–	–	–	3	16	54	44	3	–	–	–
Suicide	0·08	133	–	–	–	–	–	–	–	1	6	6	19	31	32	25	12	1
Other Violence	0·39	652	135	31	18	16	16	216	53	50	34	32	58	69	49	52	27	22
Other Causes	3·12	5233	2606	340	93	66	37	3142	76	53	39	34	98	117	140	211	426	897

Deaths of Infants (under one) to 1000 Births - 149

Marriages - 11,073
Births - 57,210

Annual Rate per 1000 living: Persons Married - 13·20; Births - - 34·10

26.—CAMBERWELL.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·11	—	—	—	—	—	58·55	5·22	2·43	3·42	4·97	7·14	11·67	17·14	32·50	65·24	161·96
Mean Pop. 1871-80	—	148,950	4688	4267	4234	4134	4125	21448	18450	15608	14133	13150	23344	17840	11998	7330	4048	1601
ALL CAUSES	19·11	28,457	7605	2660	1092	678	523	12558	963	379	483	653	1666	2082	2057	2382	2641	2593
Small-pox	0·25	374	82	20	18	22	20	162	48	24	24	18	50	31	10	5	1	1
Measles	0·42	630	118	255	99	63	39	574	51	2	1	-	1	1	-	-	-	-
Scarlet Fever	0·53	793	40	104	114	125	126	509	207	38	11	11	13	7	-	-	-	-
Diphtheria	0·12	172	14	15	27	21	25	102	44	8	4	-	4	4	5	-	1	-
Whooping-cough	0·77	1142	435	330	155	80	47	1097	45	-	-	-	-	-	-	-	-	-
Typhus	0·03	39	-	-	2	3	2	7	5	2	4	3	6	6	3	3	-	-
Enteric Fever	0·19	281	15	17	17	15	19	83	39	23	29	24	29	19	12	14	8	1
Simple Cont. Fev.	0·11	165	22	24	19	14	10	89	18	8	6	7	4	6	10	4	6	7
Puerp. Fever	0·07	102	-	-	-	-	-	-	-	-	4	16	55	27	-	-	-	-
Diarr. and Dys.	0·81	1205	877	151	22	7	4	1061	9	2	-	4	5	17	9	18	34	47
Cholera	0·05	74	37	15	3	3	1	59	1	-	-	-	3	3	3	3	1	1
Cancer	0·38	573	1	1	-	1	-	3	1	2	-	2	17	87	114	138	121	63
Scrofula	0·11	159	58	21	9	8	8	107	11	8	6	4	8	1	3	2	4	2
Tabes Mesent.	0·38	566	355	116	31	12	10	524	24	9	2	1	-	2	1	2	1	-
Phthisis	1·96	2914	61	45	27	17	6	156	47	50	180	319	726	743	414	212	60	7
Hydrocephalus	0·29	439	161	103	67	28	19	378	36	10	9	1	3	2	-	-	-	-
Diseases of: Nervous Syst.	2·82	4204	1130	265	108	59	42	1604	101	32	41	57	136	323	372	511	561	410
Diseases of: Circulatory „	6·34	1699	7	4	2	3	2	18	26	39	35	38	95	158	235	290	284	174
Diseases of: Respiratory „	3·73	5549	1423	747	240	104	70	2584	92	22	30	41	142	225	398	609	790	816
Diseases of: Digestive „	0·88	1305	177	19	10	14	5	225	28	11	18	22	95	158	184	220	208	116
Diseases of: Urinary „	0·30	446	4	4	6	2	5	21	11	7	6	13	42	56	81	79	77	53
Diseases of: Generative „	0·05	77	1	-	-	-	-	1	-	-	3	2	9	5	20	13	18	6
Childbirth	0·08	118	-	-	-	-	-	-	-	-	2	13	44	59	-	-	-	-
Suicide	0·07	103	-	-	-	-	-	-	-	-	6	7	13	17	23	22	11	4
Other Violence	0·31	456	124	34	11	11	12	192	44	35	21	12	25	30	33	32	11	21
Other Causes	3·46	5163	2463	317	105	66	51	3002	72	47	41	37	91	92	126	157	444	1359

Deaths of Infants (under one) to 1000 Births - 147 | Marriages - 10,921 | Births - 51,808 | Annual Rate per 1000 living: Persons Married - 14·66; Births - 34·78

27.—GREENWICH.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	21·38	—	—	—	—	—	33·77	6·17	3·35	5·08	7·45	9·66	13·42	19·76	33·51	65·85	156·82
Mean Pop. 1871-80	—	115,917	3614	3158	3190	3124	3044	16130	14066	12096	10787	10345	17246	13748	9821	6677	3574	1327
ALL CAUSES	21·38	24,778	6156	2141	944	598	447	10256	868	437	543	748	1666	1845	1941	2137	2221	2781
Small-pox	0·57	660	72	16	20	27	37	172	98	58	55	65	105	57	37	9	3	1
Measles	0·48	560	92	209	122	68	23	514	29	5	-	8	4	-	-	-	-	-
Scarlet Fever	0·54	622	31	87	94	102	98	412	130	32	6	7	8	6	1	-	-	-
Diphtheria	0·12	140	18	14	18	20	18	88	26	5	2	5	6	3	2	3	-	-
Whooping-cough	0·65	759	302	248	109	55	27	741	15	1	-	-	-	1	-	1	-	-
Typhus	0·05	53	2	1	1	-	2	6	7	1	3	6	4	9	9	5	3	-
Enteric Fever	0·31	360	7	19	11	18	20	75	54	23	45	48	44	21	23	15	9	3
Simple Cont. Fev.	0·07	81	3	4	7	4	10	28	10	6	1	1	5	9	3	4	11	3
Puerp. Fever	0·07	80	-	-	-	-	-	-	-	-	4	21	39	16	-	-	-	-
Diarr. and Dys.	0·96	1117	796	135	16	5	5	957	3	-	2	6	24	22	19	26	27	31
Cholera	0·03	32	16	2	1	1	1	21	1	-	-	-	2	4	3	1	-	-
Cancer	0·51	594	-	-	1	1	-	2	1	1	-	3	25	76	148	168	129	41
Scrofula	0·10	115	44	12	8	5	-	69	7	7	7	3	3	8	5	4	1	1
Tabes Mesent.	0·41	477	289	104	32	12	7	444	10	9	5	1	3	-	3	1	1	-
Phthisis	2·22	2575	52	27	18	15	12	124	63	72	178	294	679	560	388	171	51	4
Hydrocephalus	0·31	359	125	87	39	24	20	295	38	19	1	-	3	1	1	1	-	-
Diseases of: Nervous Syst.	2·51	2912	951	211	83	45	41	1331	90	33	35	57	94	129	222	316	389	236
Diseases of: Circulatory „	1·21	1401	5	3	3	4	5	18	38	28	38	33	143	206	223	224	255	190
Diseases of: Respiratory „	4·24	4918	1256	610	220	114	60	2279	93	33	35	57	156	260	377	581	621	426
Diseases of: Digestive „	0·89	1023	142	21	10	6	7	186	17	14	25	35	75	121	155	175	145	77
Diseases of: Urinary „	0·40	463	1	4	5	4	4	18	12	5	13	11	37	79	80	88	82	38
Diseases of: Generative „	0·04	50	-	-	-	-	-	-	-	-	-	2	5	4	15	12	8	4
Childbirth	0·06	74	-	-	-	-	-	-	-	-	3	10	36	25	-	-	-	-
Suicide	0·07	86	-	-	-	-	-	-	-	-	3	7	10	18	16	22	4	6
Other Violence	0·63	731	132	31	14	12	15	204	42	42	53	46	75	93	69	53	30	34
Other Causes	3·93	4531	1820	287	106	52	37	2302	64	43	34	42	85	117	142	197	449	1056

Deaths of Infants (under one) to 1000 Births - 148 | Marriages - 7,953 | Births - 41,691 | Annual Rate per 1000 living: Persons Married - 13·72; Births - 35·97

28.—LEWISHAM.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	14·94	—	—	—	—	—	48·47	4·08	2·44	2·86	3·14	5·39	9·18	13·92	26·71	54·67	148·39
Mean Pop. 1871-80	—	62,442	1662	1516	1555	1485	1467	7685	6708	6104	6685	6787	10465	7309	5016	3223	1778	682
ALL CAUSES	14·94	9330	2397	745	266	199	118	3725	274	149	191	213	564	671	698	861	972	1012
Small-pox	0·01	25	5	1	–	–	–	6	–	1	3	2	8	3	1	1	–	–
Measles	0·24	152	38	58	21	11	9	137	11	1	1	–	1	1	–	–	–	–
Scarlet Fever	0·41	255	11	30	42	49	3	163	61	16	3	2	5	2	2	–	1	–
Diphtheria	0·12	74	5	8	13	6	13	45	2	3	2	2	–	–	–	1	–	–
Whooping-cough	0·47	293	18	94	22	22	7	283	10	–	–	–	–	–	–	–	–	–
Typhus	0·02	11	2	–	–	1	–	3	1	1	3	–	1	–	1	1	–	–
Enteric Fever	0·16	102	–	2	3	5	5	15	12	7	15	8	18	8	7	8	3	1
Simple Cont. Fev.	0·04	22	–	1	4	2	1	8	3	–	1	1	1	–	3	3	2	–
Puerp. Fever	0·05	33	–	–	–	–	–	–	–	–	1	5	15	12	–	–	–	–
Diarr. and Dys.	0·57	355	274	33	4	4	–	315	2	1	1	–	1	3	5	7	11	10
Cholera	0·02	11	8	1	–	1	–	10	–	–	–	–	–	–	1	1	–	1
Cancer	0·47	291	–	–	–	–	–	–	–	–	2	–	12	34	63	72	80	31
Scrofula	0·05	33	8	5	3	1	–	17	2	4	2	1	–	3	3	–	1	–
Tabes Mesent.	0·22	140	66	35	12	5	–	118	11	4	5	–	–	–	2	–	–	–
Phthisis	1·59	992	20	8	6	4	3	41	13	32	72	108	259	230	140	65	28	4
Hydrocephalus	0·37	228	96	57	24	14	6	197	16	8	3	1	1	2	–	–	–	–
Diseases of: Nervous Syst.	1·83	1172	312	63	24	15	6	420	28	13	9	19	32	61	76	159	196	159
Diseases of: Circulatory „	1·12	700	7	3	2	2	2	16	8	11	15	15	41	73	102	155	161	100
Diseases of: Respiratory „	2·64	1650	437	210	48	25	15	735	24	12	13	14	44	80	105	173	227	223
Diseases of: Digestive „	0·82	509	18	4	4	6	1	83	10	12	10	10	39	54	85	95	68	43
Diseases of: Urinary „	0·33	207	3	1	1	2	2	9	2	–	4	7	18	25	34	39	39	30
Diseases of: Generative „	0·06	35	–	–	–	–	–	–	–	–	–	–	6	6	4	7	7	5
Childbirth	0·06	35	–	–	–	–	–	–	–	–	3	3	14	15	–	–	–	–
Suicide	0·06	35	–	–	–	–	–	–	–	–	3	2	7	4	9	7	2	1
Other Violence	0·27	171	41	10	5	3	7	66	16	2	8	3	10	8	13	13	16	16
Other Causes	2·86	1793	858	121	28	21	10	1038	23	18	12	10	31	47	42	54	130	588

Deaths of Infants (under one) to 1000 Births 126 — Marriages 3,777 — Births 18,996 — Annual Rate per 1000 living: Persons Married 12·10; Births 30·42

29.—WOOLWICH.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	20·19	—	—	—	—	—	61·28	7·44	3·84	5·07	6·73	9·09	15·45	17·84	33·59	62·68	153·63
Mean Pop. 1871-80	—	77,113	2253	2074	2080	2034	2012	10453	9248	7789	7579	7309	12094	9470	6669	3965	1849	688
ALL CAUSES	20·19	15,569	3668	1392	635	418	293	6406	688	299	384	492	1099	1463	1190	1332	1159	1057
Small-pox	0·12	94	20	2	9	8	5	44	9	3	8	7	14	7	2	1	1	–
Measles	0·54	417	81	168	66	39	20	374	28	3	1	–	1	–	–	–	–	–
Scarlet Fever	0·62	475	19	59	82	95	59	314	124	23	4	2	3	5	–	–	–	–
Diphtheria	0·20	153	3	17	16	16	18	68	65	9	1	1	2	2	2	1	2	–
Whooping-cough	0·61	473	205	132	64	34	21	456	17	–	–	–	–	–	–	–	–	–
Typhus	0·04	30	–	–	1	2	2	5	3	4	6	1	3	2	5	1	–	–
Enteric Fever	0·21	165	2	8	7	8	8	33	26	13	20	16	17	19	12	7	1	1
Simple Cont. Fev.	0·11	81	10	13	6	10	5	44	14	5	3	2	5	1	1	5	1	–
Puerp. Fever	0·08	60	–	–	–	–	–	–	–	–	6	11	26	16	1	–	–	–
Diarr. and Dys.	0·75	575	381	89	10	4	6	490	9	2	–	2	7	10	7	7	13	28
Cholera	0·05	37	22	6	–	1	–	29	1	–	–	–	1	1	3	2	–	–
Cancer	0·49	378	–	–	–	–	–	–	1	–	1	4	16	51	96	115	70	24
Scrofula	0·16	127	30	26	9	6	5	76	6	9	11	4	6	5	3	6	1	–
Tabes Mesent.	0·39	299	150	77	25	16	9	277	15	4	2	–	–	1	–	–	–	–
Phthisis	2·55	1964	32	23	18	8	5	86	43	55	120	211	457	508	289	141	49	5
Hydrocephalus	0·52	403	110	109	56	25	31	339	46	10	6	1	–	–	–	–	1	–
Diseases of: Nervous Syst.	2·40	1853	638	122	54	34	23	871	52	20	20	23	45	90	139	198	224	171
Diseases of: Circulatory „	1·28	999	4	7	3	1	1	16	22	22	20	27	74	190	172	186	185	75
Diseases of: Respiratory „	3·47	2673	684	309	124	54	25	1196	53	10	15	32	103	175	181	295	338	275
Diseases of: Digestive „	0·80	617	101	19	7	6	5	138	20	7	18	12	40	91	75	112	59	45
Diseases of: Urinary „	0·40	307	4	3	4	3	1	15	7	7	5	9	32	49	46	64	47	26
Diseases of: Generative „	0·04	28	–	–	–	–	–	–	–	–	–	1	7	7	3	7	2	1
Childbirth	0·07	54	–	–	–	–	–	–	–	–	3	6	24	20	1	–	–	–
Suicide	0·08	64	–	–	–	–	–	–	–	–	4	4	13	17	11	10	4	1
Other Violence	1·27	977	93	35	23	20	17	188	68	72	85	90	152	125	84	69	25	19
Other Causes	2·94	2274	1169	168	51	30	29	1347	49	21	25	26	51	71	57	105	136	386

Deaths of Infants (under one) to 1000 Births 133 — Marriages 7,228 — Births 27,559 — Annual Rate per 1000 living: Persons Married 18·75; Births 35·74

30.—EPSOM.*

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	16·46	—	—	—	—	—	39·24	4·86	2·68	3·39	4·38	7·32	13·17	17·04	28·79	63·42	155·49
Mean Pop. 1871-80	—	35,563*	921	848	871	868	893	4401	4567	4508	3188	2989	5111	4018	2981	2105	1203	492
ALL CAUSES	16·46	5854	1104	295	145	98	85	1727	222	121	108	131	374	529	508	606	763	765
Small-pox	0·07	24	6	1	-	-	1	8	1	1	1	1	4	2	5	1	-	-
Measles	0·26	92	25	26	13	5	9	78	11	1	1	-	-	-	1	-	-	-
Scarlet Fever	0·38	136	5	8	17	25	15	70	46	9	3	-	4	3	-	-	1	-
Diphtheria	0·17	60	2	2	5	5	15	29	15	5	3	-	7	-	-	-	1	-
Whooping-cough	0·39	140	73	32	17	4	7	133	7	-	-	-	-	-	-	-	-	-
Typhus	0·02	6	-	-	-	-	-	-	1	2	-	1	-	1	1	-	-	-
Enteric Fever	0·12	43	-	1	1	2	1	5	3	4	4	4	8	6	5	2	2	-
Simple Cont. Fev.	0·03	12	-	2	-	1	2	5	-	-	-	-	2	2	1	1	1	-
Puerp. Fever	0·06	21	-	-	-	-	-	-	-	-	-	3	11	7	-	-	-	-
Diarr. and Dys.	0·49	173	111	17	4	4	3	139	3	-	-	-	1	3	4	3	7	13
Cholera	0·01	2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Cancer	0·46	163	-	-	-	1	-	1	-	-	-	1	9	20	29	42	38	23
Scrofula	0·10	35	9	7	1	-	1	18	5	5	-	3	1	1	1	1	-	-
Tabes Mesent.	0·19	68	28	10	5	3	-	46	10	-	4	2	-	2	2	1	1	-
Phthisis	1·66	590	9	9	5	2	4	29	25	21	40	60	136	130	63	53	31	2
Hydrocephalus	0·32	115	26	29	16	9	5	85	24	5	-	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	3·09	1098	127	28	11	8	2	176	16	13	11	18	78	156	157	140	197	136
Diseases of: Circulatory „	1·30	461	4	1	-	-	-	5	5	11	8	9	18	43	51	102	120	89
Diseases of: Respiratory „	2·40	852	177	71	25	9	7	289	19	9	8	10	25	46	63	108	132	143
Diseases of: Digestive „	0·90	319	39	-	2	-	1	42	9	13	7	7	18	26	41	57	60	39
Diseases of: Urinary „	0·39	138	1	-	2	2	-	5	-	4	2	-	10	19	17	36	32	13
Diseases of: Generative „	0·03	10	-	-	-	-	-	-	-	-	-	-	-	1	4	2	2	1
Childbirth	0·07	26	-	-	-	-	-	-	-	-	2	2	11	11	-	-	-	-
Suicide	0·06	23	-	-	-	-	-	-	-	-	-	-	6	4	6	3	4	-
Other Violence	0·39	138	13	2	7	5	-	27	4	6	6	1	10	21	25	10	16	12
Other Causes	3·10	1109	448	48	14	13	12	535	18	12	8	8	15	25	32	44	118	294

Deaths of Infants (under one) to 1000 Births 110 — Marriages 1,524; Births 10,059 — Annual Rate per 1000 living: Persons Married 8·57; Births 28·29

* Changes were made in the boundary of this District during the decade; *see* pp. 371–373.

31.—CHERTSEY.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	15·91	—	—	—	—	—	37·87	4·17	3·02	4·52	5·91	6·81	9·87	14·05	22·90	54·87	151·99
Mean Pop. 1871-80	—	25,088	685	714	681	691	683	3454	3094	2883	2210	2066	3598	2828	2163	1502	913	377
ALL CAUSES	15·91	3992	843	252	110	66	37	1308	129	87	100	122	245	279	304	344	501	573
Small-pox	0·09	23	2	-	-	-	1	3	1	1	1	3	7	2	5	-	-	-
Measles	0·33	84	15	27	15	12	5	74	6	2	-	1	1	-	-	-	-	-
Scarlet Fever	0·24	59	2	8	9	5	7	31	15	7	5	1	-	-	-	-	-	-
Diphtheria	0·21	53	2	5	5	7	4	23	16	3	2	1	2	3	-	2	1	-
Whooping-cough	0·51	127	63	33	12	9	1	118	8	1	-	-	-	-	-	-	-	-
Typhus	0·05	12	-	-	-	-	-	-	-	-	4	2	-	1	-	1	3	1
Enteric Fever	0·25	63	-	1	-	1	-	2	10	9	6	6	4	11	6	6	2	1
Simple Cont. Fev.	0·06	15	-	1	-	1	-	2	2	-	1	-	-	4	3	2	1	-
Puerp. Fever	0·06	15	-	-	-	-	-	-	-	-	-	6	6	2	1	-	-	-
Diarr. and Dys.	0·65	162	89	21	4	1	-	115	-	-	1	1	2	4	3	3	18	15
Cholera	0·04	9	6	2	-	-	-	8	-	-	-	-	-	1	-	-	-	-
Cancer	0·43	107	-	1	-	-	-	1	-	-	-	-	2	7	25	24	31	17
Scrofula	0·08	20	3	5	1	-	-	9	3	2	3	1	-	1	-	1	-	-
Tabes Mesent.	0·12	31	9	7	2	4	2	24	1	2	1	1	1	-	-	1	-	-
Phthisis	1·69	423	6	1	1	1	1	10	7	18	32	57	112	86	51	36	13	1
Hydrocephalus	0·26	65	18	12	10	2	3	45	7	10	2	-	-	1	-	-	-	-
Diseases of: Nervous Syst.	2·00	502	107	21	6	3	2	139	7	4	10	4	10	28	49	64	89	107
Diseases of: Circulatory „	1·20	301	1	1	1	-	-	3	2	5	4	2	12	33	37	54	98	51
Diseases of: Respiratory „	2·64	662	156	68	27	9	5	265	13	3	5	5	27	29	55	46	110	124
Diseases of: Digestive „	0·83	222	26	3	2	1	1	33	2	6	3	4	11	21	35	43	42	22
Diseases of: Urinary „	0·41	103	-	1	1	-	-	2	1	-	1	4	5	10	20	23	20	17
Diseases of: Generative „	0·04	9	1	-	-	-	-	1	-	-	-	-	-	-	1	2	3	2
Childbirth	0·10	24	-	-	-	-	-	-	-	-	1	5	12	6	-	-	-	-
Suicide	0·08	19	-	-	-	-	-	-	-	-	-	-	3	6	4	4	2	-
Other Violence	0·48	120	13	5	5	2	1	26	10	5	9	7	14	12	18	4	6	9
Other Causes	3·01	762	324	29	9	8	4	374	18	9	9	11	14	11	20	28	62	206

Deaths of Infants (under one) to 1000 Births 107 — Marriages 1,398; Births 7,844 — Annual Rate per 1000 living: Persons Married 11·14; Births 31·27

32.—GUILDFORD.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·38	—	—	—	—	—	37·52	4·05	2·90	4·73	7·54	12·16	16·36	20·70	33·68	68·78	165·89
Mean Pop. 1871-80	—	39,181	994	934	935	958	904	4725	4442	4243	3657	3316	5700	4786	3686	2580	1448	598
ALL CAUSES	19·38	7595	1177	318	111	103	64	1773	180	123	173	250	693	783	763	869	996	992
Small-pox	0·05	20	1	-	-	-	-	1	-	1	2	3	5	3	3	-	-	2
Measles	0·13	50	16	19	5	2	3	45	5	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·16	61	3	7	3	10	5	28	20	8	3	1	-	1	-	-	-	-
Diphtheria	0·13	51	2	2	2	9	6	21	16	8	-	1	3	1	-	-	-	1
Whooping-cough	0·30	118	57	24	18	13	4	116	2	-	-	-	-	-	-	-	-	-
Typhus	0·02	6	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-	-
Enteric Fever	0·18	69	-	1	2	3	3	9	6	7	9	5	6	10	8	3	4	2
Simp. Cont. Fev.	0·06	22	-	1	2	1	1	5	6	3	1	-	3	-	1	-	2	1
Puerp. Fever	0·06	23	-	-	-	-	-	-	-	-	1	3	13	6	-	-	-	-
Diarr. and Dys.	0·41	159	84	17	5	4	2	112	2	-	1	-	3	2	5	6	13	15
Cholera	0·02	8	6	2	-	-	-	8	-	-	-	-	-	-	-	-	-	-
Cancer	0·63	247	2	-	-	-	-	2	-	2	3	-	10	26	46	76	51	31
Scrofula	0·13	76	14	6	5	1	2	28	3	3	5	7	13	6	3	4	3	1
Tabes Mesent.	0·26	100	60	15	4	2	-	81	6	3	3	4	1	-	2	-	-	-
Phthisis	2·63	1029	6	9	2	4	3	24	16	27	63	119	325	217	150	72	14	2
Hydrocephalus	0·27	104	24	11	8	13	5	71	16	8	4	2	1	1	-	1	-	-
Diseases of: Nervous Syst.	3·64	1425	133	32	9	14	6	194	9	10	23	27	122	234	204	224	226	152
Diseases of: Circulatory	1·51	593	2	-	-	-	-	2	3	4	8	13	21	61	97	101	161	92
Diseases of: Respiratory	2·95	1155	258	114	28	9	11	420	22	7	13	11	30	67	89	137	202	143
Diseases of: Digestive	1·01	396	33	6	3	2	3	47	6	3	6	11	30	49	55	81	86	31
Diseases of: Urinary	0·53	207	-	2	1	-	2	5	3	6	4	5	15	31	30	33	29	16
Diseases of: Generative	0·03	12	-	-	-	-	-	-	-	-	-	-	2	2	4	-	3	1
Childbirth	0·69	35	-	-	-	-	-	-	-	-	2	8	15	10	-	-	-	-
Suicide	0·10	41	-	-	-	-	-	-	-	-	-	1	8	5	9	10	6	2
Other Violence	0·54	210	25	7	3	6	5	46	17	10	9	11	22	27	20	20	13	15
Other Causes	3·48	1378	451	33	11	10	3	508	22	13	11	17	33	33	37	51	173	480

Deaths of Infants (under one) to 1000 Births - 107

Marriages - 2,402
Births - 11,032

Annual Rate per 1000 living: Persons Married - 12·26; Births - 28·16

33.—FARNHAM.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	16·33	—	—	—	—	—	51·48	4·61	3·16	3·89	5·15	7·37	14·53	15·90	28·34	62·48	149·72
Mean Pop. 1871-80	—	40,191	1180	1085	1009	1000	936	5210	4233	3389	4195	5421	7874	4556	2541	1535	821	356
ALL CAUSES	16·33	6553	1836	486	183	92	85	2682	195	107	163	279	580	662	404	435	513	533
Small-pox	0·07	29	1	1	-	1	3	6	2	3	5	6	1	2	3	-	-	1
Measles	0·24	98	23	30	18	12	4	87	9	2	-	-	-	-	-	-	-	-
Scarlet Fever	0·23	93	1	18	17	12	4	52	22	8	4	3	3	1	-	-	-	-
Diphtheria	0·06	25	2	2	3	2	4	13	8	1	-	-	2	-	-	-	1	-
Whooping-cough	0·30	122	64	35	12	8	-	119	3	-	-	-	-	-	-	-	-	-
Typhus	0·01	3	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-
Enteric Fever	0·19	75	1	3	1	2	2	9	9	8	12	9	14	6	5	1	2	-
Simple Cont. Fev.	0·04	17	-	2	2	-	1	5	2	1	4	3	-	2	-	-	-	-
Puerp. Fever	0·09	37	-	-	-	-	-	-	-	-	2	9	16	8	2	-	-	-
Diarr. and Dys.	0·85	343	214	63	9	3	-	289	2	-	-	-	11	9	3	7	10	12
Cholera	0·01	6	3	1	-	-	-	4	-	-	-	-	-	-	-	1	1	-
Cancer	0·34	138	-	-	-	-	-	-	-	-	2	-	6	27	22	37	24	20
Scrofula	0·09	36	12	6	1	-	1	20	4	1	1	2	2	1	2	2	1	-
Tabes Mesent.	0·26	106	64	13	9	5	2	93	7	2	1	1	2	-	-	-	-	-
Phthisis	2·13	863	15	7	8	-	4	34	11	26	60	119	234	213	91	45	17	3
Hydrocephalus	0·32	129	45	34	14	7	6	106	14	2	3	2	1	1	-	-	-	-
Diseases of: Nervous Syst.	2·19	880	300	62	22	12	19	415	26	16	14	14	34	56	50	71	103	81
Diseases of: Circulatory	1·28	513	3	2	-	-	-	5	9	8	8	13	70	107	68	79	86	60
Diseases of: Respiratory	2·68	1074	358	128	36	6	17	545	24	6	14	33	52	84	57	74	100	85
Diseases of: Digestive	0·72	289	43	2	1	-	4	50	8	5	11	13	25	55	35	45	28	14
Diseases of: Urinary	0·34	137	1	2	3	-	1	7	2	2	-	6	14	20	25	19	22	20
Diseases of: Generative	0·02	10	-	-	-	-	-	-	-	-	-	-	3	2	2	3	-	-
Childbirth	0·09	38	-	-	-	-	-	-	-	-	1	8	17	11	1	-	-	-
Suicide	0·10	39	-	-	-	-	-	-	-	-	3	1	13	11	4	4	1	2
Other Violence	0·41	166	29	6	6	8	4	53	9	11	9	15	23	12	10	9	10	5
Other Causes	3·27	1297	657	69	21	14	9	770	24	5	9	20	37	34	24	37	107	230

Deaths of Infants (under one) to 1000 Births - 122

Marriages - 3,264
Births - 15,067

Annual Rate per 1000 living: Person Married - 16·27; Births - 37·54

34.—HAMBLEDON.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	15·09	—	—	—	—	—	28·70	4·35	3·37	4·71	5·23	7·27	8·32	11·32	24·58	57·76	159·54
Mean Pop. 1871-80	—	15,814	440	382	417	413	418	2070	1954	1898	1445	1261	2037	1706	1467	1070	644	262
ALL CAUSES	15·09	2386	389	85	56	35	29	594	85	64	68	66	148	142	166	263	372	418
Small-pox	0·02	3	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-
Measles	0·15	24	5	5	3	-	3	16	3	2	1	-	1	1	-	-	-	-
Scarlet Fever	0·16	25	2	1	5	4	2	14	6	2	2	1	-	-	-	-	-	-
Diphtheria	0·18	29	-	1	3	3	5	12	11	4	1	1	-	-	-	-	-	-
Whooping-cough	0·20	31	15	5	6	4	-	30	1	-	-	-	-	-	-	-	-	-
Typhus	0·01	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Enteric Fever	0·21	33	-	-	-	-	-	-	2	6	2	5	4	4	4	3	1	2
Simple Cont. Fev.	0·01	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
Puerp. Fever	0·06	9	-	-	-	-	-	-	-	-	-	1	6	1	1	-	-	-
Diarr. and Dys.	0·21	34	15	1	1	3	-	20	2	-	-	-	2	1	-	2	1	6
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·51	80	1	-	-	-	-	1	-	1	-	-	2	7	14	24	23	8
Scrofula	0·04	7	1	1	-	-	-	2	-	-	-	1	-	2	-	-	1	1
Tabes Mesent.	0·12	19	3	4	2	-	1	10	3	4	1	-	1	-	-	-	-	-
Phthisis	1·64	259	6	3	3	3	1	16	5	11	28	34	64	39	29	25	7	1
Hydrocephalus	0·32	50	12	12	7	1	2	34	11	5	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	1·66	262	39	9	2	3	1	54	6	6	7	2	3	14	20	31	72	47
Diseases of: Circulatory	1·65	261	3	1	-	-	-	4	2	1	3	4	11	13	29	47	90	57
Diseases of: Respiratory	2·24	354	77	31	10	6	7	131	6	5	4	3	15	14	18	42	55	61
Diseases of: Digestive	0·94	149	10	1	-	2	1	14	5	1	5	1	9	13	15	31	33	22
Diseases of: Urinary	0·49	77	-	-	-	-	1	1	-	-	2	2	13	8	9	12	17	13
Diseases of: Generative	0·04	7	1	-	-	-	-	1	-	1	1	-	-	1	2	-	-	1
Childbirth	0·06	10	-	-	-	-	-	-	-	-	-	2	4	3	1	-	-	-
Suicide	0·06	10	-	-	-	-	-	-	-	-	1	-	1	-	3	2	3	-
Other Violence	0·52	82	2	3	7	1	1	14	7	6	3	2	7	10	9	16	3	5
Other Causes	3·59	568	197	7	7	5	4	220	15	7	7	5	5	9	12	28	66	194

Deaths of Infants (under one) to 1000 Births - 82

Marriages - 966
Births - 4,762

Annual Rate per 1000 living: Persons Married - 12·22; Births - 30·11

35.—DORKING.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	15·34	—	—	—	—	—	33·65	3·96	2·85	4·17	5·03	6·48	8·42	13·35	20·41	54·79	146·06
Mean Pop. 1871-80	—	14,911	428	380	395	401	399	2003	1791	1615	1319	1123	2037	1710	1333	1019	637	254
ALL CAUSES	15·34	2288	448	122	54	20	30	674	71	46	55	60	132	144	178	208	349	371
Small-pox	0·03	4	1	-	-	-	-	1	-	-	-	-	1	-	1	1	-	-
Measles	0·13	19	5	5	4	1	1	16	1	1	-	-	-	-	1	-	-	-
Scarlet Fever	0·15	22	-	2	1	2	4	9	10	3	-	-	-	-	-	-	-	-
Diphtheria	0·15	22	-	2	5	1	4	12	7	3	-	-	-	-	-	-	-	-
Whooping-cough	0·36	53	26	17	8	-	1	52	1	-	-	-	-	-	-	-	-	-
Typhus	0·02	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
Enteric Fever	0·25	37	1	-	2	1	3	7	5	3	6	1	7	2	3	2	1	-
Simple Cont. Fev.	0·07	10	-	-	-	-	-	-	2	1	-	1	1	-	-	-	3	2
Puerp. Fever	0·04	6	-	-	-	-	-	-	-	-	-	2	2	1	1	-	-	-
Diarr. and Dys.	0·40	60	30	7	3	-	-	40	-	-	1	-	1	2	1	1	6	8
Cholera	0·01	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Cancer	0·56	83	-	1	-	-	-	1	-	-	-	-	3	6	17	23	27	6
Scrofula	0·13	20	1	4	1	-	1	7	3	1	2	2	1	2	-	-	2	-
Tabes Mesent.	0·09	14	3	2	1	-	1	7	3	1	1	1	1	-	-	-	-	-
Phthisis	1·52	226	2	-	1	-	1	4	4	13	23	30	52	47	35	14	4	-
Hydrocephalus	0·32	48	12	10	5	2	4	33	6	5	1	-	2	1	-	-	-	-
Diseases of: Nervous Syst.	1·96	293	65	18	5	4	3	95	4	2	3	3	10	13	26	33	50	55
Diseases of: Circulatory	1·19	177	1	1	1	-	-	3	-	4	2	5	7	10	21	34	64	27
Diseases of: Respiratory	2·20	328	67	33	9	2	2	113	9	1	4	2	8	10	20	34	68	59
Diseases of: Digestive	0·88	131	18	2	1	1	2	24	3	2	2	3	8	10	18	21	25	15
Diseases of: Urinary	0·54	80	-	-	-	-	-	-	-	-	1	4	7	13	11	16	16	15
Diseases of: Generative	0·05	7	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	-
Childbirth	0·07	10	-	-	-	-	-	-	-	-	-	-	4	5	1	-	-	-
Suicide	0·05	7	-	-	-	-	-	-	-	-	-	-	-	4	2	1	-	-
Other Violence	0·42	62	5	2	3	3	-	13	2	2	5	3	7	6	9	6	4	5
Other Causes	3·75	565	211	16	4	3	3	237	10	3	4	2	9	10	10	20	81	179

Deaths of Infants (under one) to 1000 Births - 99

Marriages - 845
Births - 4,527

Annual Rate per 1000 living: Persons Married - 11·33; Births - 30·36

36.—REIGATE.*

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	15·36	—	—	—	—	—	34·82	4·65	5·03	6·36	6·24	7·25	8·99	13·44	21·70	57·96	161·27
Mean Pop. 1871-80	—	28,967*	777	769	792	730	786	3854	3504	3263	2844	2549	4232	3291	2478	1645	930	377
ALL CAUSES	15·36	4449	876	242	112	58	54	1342	163	164	181	159	307	296	333	357	539	608
Small-pox	0·07	19	2	1	-	2	-	5	2	-	1	-	2	1	5	2	-	1
Measles	0·24	69	11	28	15	4	5	63	4	1	-	-	1	-	-	-	-	-
Scarlet Fever	0·21	62	2	9	7	8	8	34	22	4	-	-	1	1	-	-	-	-
Diphtheria	0·16	46	2	2	3	3	8	18	18	6	2	-	-	1	-	1	-	-
Whooping-cough	0·31	90	48	24	12	3	3	90	-	-	-	-	-	-	-	-	-	-
Typhus	0·00	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Enteric Fever	0·26	76	-	-	4	1	3	8	10	8	17	11	8	9	3	2	-	-
Simple Cont. Fev.	0·05	14	1	-	1	-	1	3	1	4	-	2	1	-	-	2	1	-
Puerp. Fever	0·07	20	-	-	-	-	-	-	-	-	-	6	9	4	1	-	-	-
Diarr. and Dys.	0·41	118	61	12	5	3	2	83	-	4	-	-	3	2	4	2	8	12
Cholera	0·01	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Cancer	0·43	124	-	-	-	1	-	1	-	2	2	1	6	11	27	37	28	9
Scrofula	0·10	29	6	1	2	1	1	11	1	6	3	1	1	2	3	1	-	-
Tabes Mesent.	0·14	41	29	11	-	-	-	31	3	2	3	-	1	1	-	-	-	-
Phthisis	1·81	524	8	2	-	1	1	12	11	49	62	74	119	83	70	32	12	-
Hydrocephalus	0·23	66	18	18	4	3	4	47	9	7	1	1	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·29	663	144	26	16	9	3	198	20	31	43	22	24	29	36	60	102	93
Diseases of: Circulatory „	1·36	395	1	-	1	-	-	2	5	4	11	8	19	39	56	70	118	63
Diseases of: Respiratory „	2·59	749	198	68	18	5	6	295	19	11	10	6	31	29	48	69	107	124
Diseases of: Digestive „	0·80	232	22	1	3	3	1	30	8	4	4	3	18	24	30	27	63	21
Diseases of: Urinary „	0·37	106	2	1	1	-	-	4	1	1	-	4	10	13	14	15	21	23
Diseases of: Generative „	0·02	6	-	-	-	-	-	-	-	-	-	1	-	-	3	1	1	-
Childbirth	0·11	31	-	-	-	-	-	-	-	-	1	2	14	12	2	-	-	-
Suicide	0·10	28	-	-	-	-	-	-	-	-	1	1	8	7	1	3	5	2
Other Violence	0·34	98	7	4	4	1	2	18	3	2	5	5	13	14	12	12	9	5
Other Causes	2·88	840	323	34	15	10	6	388	26	18	14	11	17	14	17	21	64	250

Deaths of Infants (under one) to 1000 Births - 100 | Marriages - 1,682 | Births - 8,733 | Annual Rate per 1000 living: Persons Married - 11·61; Births - 30·15

* Changes were made in the boundary of this District during the decade; see pp. 371–378.

37.—GODSTONE.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	25·81	—	—	—	—	—	30·31	4·93	4·32	6·27	9·14	13·35	22·18	26·75	48·53	118·25	250·37
Mean Pop. 1871-80	—	15,617	410	382	380	375	383	1930	1765	1482	1324	1401	2329	1880	1518	1088	630	270
ALL CAUSES	25·81	4030	383	89	51	30	32	585	87	64	83	128	311	417	406	528	745	676
Small-pox	0·03	4	-	-	1	-	-	1	-	-	-	1	-	-	-	1	1	-
Measles	0·19	30	12	3	6	2	1	24	4	-	2	-	-	-	-	-	-	-
Scarlet Fever	0·27	42	2	3	3	6	6	20	13	5	2	-	1	-	1	-	-	-
Diphtheria	0·13	21	1	1	2	3	3	10	7	3	1	-	-	-	-	-	-	-
Whooping-cough	0·29	45	24	14	5	1	-	44	1	-	-	-	-	-	-	-	-	-
Typhus	0·02	3	-	-	-	-	1	1	-	-	-	-	1	-	-	-	1	-
Enteric Fever	0·19	29	-	1	3	2	1	7	3	3	2	1	2	6	2	3	-	-
Simple Cont. Fev.	0·01	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
Puerp. Fever	0·07	11	-	-	-	-	-	-	-	-	-	3	3	4	1	-	-	-
Diarr. and Dys.	0·47	73	26	4	1	-	1	32	1	-	1	-	2	4	4	4	13	12
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·54	85	-	-	1	-	-	1	1	-	-	-	1	7	16	21	22	16
Scrofula	0·04	7	1	-	2	-	-	3	-	-	1	-	2	-	1	-	-	-
Tabes Mesent.	0·15	24	11	3	1	-	1	16	4	2	2	-	-	-	-	-	-	-
Phthisis	2·82	440	4	2	1	1	1	9	7	20	35	62	114	81	51	37	21	3
Hydrocephalus	0·23	36	13	7	3	1	1	25	7	2	-	1	-	1	-	-	-	-
Diseases of: Nervous Syst.	9·09	1419	53	7	7	3	2	72	5	8	25	38	120	203	216	267	304	161
Diseases of: Circulatory „	1·39	203	-	1	-	1	1	3	6	4	4	2	14	24	19	51	48	28
Diseases of: Respiratory „	3·49	545	63	28	8	3	5	107	10	2	2	12	20	36	37	65	121	133
Diseases of: Digestive „	0·93	145	14	-	-	1	1	16	4	5	1	-	7	12	17	21	39	23
Diseases of: Urinary „	0·45	71	1	-	1	1	-	3	-	1	-	1	4	9	8	18	23	4
Diseases of: Generative „	0·04	6	-	-	-	-	-	-	-	-	-	-	1	3	1	-	1	-
Childbirth	0·05	8	-	-	-	-	-	-	-	-	-	-	4	3	1	-	-	-
Suicide	0·05	8	-	-	-	-	-	-	-	-	-	-	-	3	2	1	2	-
Other Violence	0·35	54	7	4	3	1	1	16	3	1	2	1	5	6	6	7	4	3
Other Causes	4·61	719	151	11	3	4	6	175	11	7	3	6	10	14	23	32	145	233

Deaths of Infants (under one) to 1000 Births - 92 | Marriages - 667 | Births - 4,167 | Annual Rate per 1000 living: Persons Married - 8·54; Births - 26·68

38.—CROYDON.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	16·30	—	—	—	—	—	47·99	5·15	3·05	3·19	4·51	6·47	10·19	14·99	28·96	57·80	144·73
Mean Pop. 1871-80	—	101,518	2923	2565	2650	2606	2589	13333	12,109	10964	9833	9905	15878	11958	8121	5259	2957	1196
ALL CAUSES	16·30	16,544	4086	1156	506	375	276	6399	624	334	314	447	1027	1219	1217	1523	1709	1731
Small-pox	0·15	149	21	4	6	7	6	44	7	7	10	24	28	11	10	6	2	-
Measles	0·34	345	73	124	61	37	21	316	25	2	-	-	1	-	1	-	-	-
Scarlet Fever	0·34	349	12	46	52	57	37	204	106	25	4	2	6	1	-	1	-	-
Diphtheria	0·22	227	5	13	24	24	35	101	88	18	7	2	2	5	4	-	-	-
Whooping-cough	0·45	460	219	126	47	30	17	439	20	-	1	-	-	-	-	-	-	-
Typhus	0·02	24	-	-	-	1	-	1	1	2	2	1	7	2	2	-	5	1
Enteric Fever	0·29	290	8	4	10	5	10	37	29	42	40	38	38	23	19	15	5	1
Simple Cont. Fev.	0·05	53	2	3	2	5	5	17	7	5	4	5	5	2	1	1	5	1
Puerp. Fever	0·08	78	-	-	-	-	-	-	-	-	1	12	42	21	2	-	-	-
Diarr. and Dys.	0·66	665	497	64	6	2	3	572	8	2	2	2	5	2	8	12	23	29
Cholera	0·03	30	14	6	2	1	-	23	-	-	-	1	1	1	-	1	2	1
Cancer	0·49	502	1	-	1	-	-	2	-	-	1	1	18	60	108	142	127	43
Scrofula	0·11	110	38	18	11	5	4	76	9	4	3	1	3	4	4	3	3	-
Tabes Mesent.	0·33	331	174	80	21	6	6	287	17	10	6	3	1	2	-	3	2	-
Phthisis	1·75	1777	65	29	8	8	7	117	44	66	96	192	430	394	244	129	49	16
Hydrocephalus	0·30	304	111	66	29	17	21	244	40	11	4	-	2	1	-	2	-	-
Diseases of: Nervous Syst.	2·03	2056	523	127	47	27	26	750	49	22	21	30	50	96	157	282	336	263
Diseases of: Circulatory ,,	1·17	1188	12	-	-	3	2	17	10	26	24	29	84	140	166	245	282	165
Diseases of: Respiratory ,,	2·56	2597	670	276	105	62	34	1147	60	18	24	24	68	123	154	276	366	337
Diseases of: Digestive ,,	0·86	869	114	14	10	5	4	147	18	17	16	14	61	103	126	141	143	83
Diseases of: Urinary ,,	0·52	530	4	2	2	1	4	13	8	4	3	15	43	78	91	108	99	68
Diseases of: Generative ,,	0·04	45	-	-	-	-	-	-	-	-	-	-	3	6	8	12	11	5
Childbirth	0·07	71	-	-	-	-	-	-	-	-	-	9	31	30	1	-	-	-
Suicide	0·06	60	-	-	-	-	-	-	-	1	3	8	9	15	9	7	8	-
Other Violence	0·35	357	56	29	13	16	8	122	22	17	12	7	28	41	26	41	17	24
OTHER CAUSES	3·03	3077	1467	125	49	56	26	1723	56	35	30	27	61	55	76	96	224	694

Deaths of Infants (under one) to 1000 Births - 128 | Marriages - 7,211 | Births - 31,817 | Annual Rate per 1000 living: Persons Married - 14·21; Births - 31·34

39.—KINGSTON.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	15·66	—	—	—	—	—	42·21	4·03	2·61	3·35	3·57	6·57	10·57	15·44	26·60	58·87	147·99
Mean Pop. 1871-80	—	66,493	1863	1701	1791	1692	1639	8686	7677	6561	6363	6521	10691	8012	5447	3632	2057	846
ALL CAUSES	15·66	10,411	2370	638	324	200	134	3666	309	171	213	233	702	847	841	966	1211	1252
Small-pox	0·08	56	2	-	-	2	-	4	4	5	4	10	11	5	6	3	3	1
Measles	0·24	160	30	52	24	18	10	134	24	1	-	1	-	-	-	-	-	-
Scarlet Fever	0·26	171	9	24	28	26	16	103	36	16	5	4	6	1	-	-	-	-
Diphtheria	0·13	89	8	10	9	15	5	47	30	3	1	1	2	1	2	2	-	-
Whooping-cough	0·46	309	141	90	45	21	3	300	9	-	-	-	-	-	-	-	-	-
Typhus	0·03	17	-	-	1	-	-	1	7	-	1	2	1	2	1	2	-	-
Enteric Fever	0·18	117	1	3	9	6	6	25	11	18	11	4	14	15	12	3	3	1
Simple Cont. Fev.	0·05	36	-	1	1	5	2	9	7	3	3	1	1	-	4	3	4	1
Puerp. Fever	0·07	46	-	-	-	-	-	-	-	-	2	7	28	9	-	-	-	-
Diarr. and Dys.	0·54	358	247	40	3	3	1	294	1	-	-	-	1	4	4	4	22	28
Cholera	0·01	8	4	-	1	-	-	5	-	-	-	-	1	1	1	-	-	-
Cancer	0·43	285	-	-	-	-	-	-	1	-	1	1	7	49	50	70	71	35
Scrofula	0·10	64	15	12	5	2	2	36	5	4	5	1	4	-	1	4	4	-
Tabes Mesent.	0·22	145	90	26	7	3	6	132	3	6	2	-	1	-	1	-	-	-
Phthisis	1·82	1212	35	18	7	4	7	71	23	25	69	79	296	283	183	125	43	15
Hydrocephalus	0·33	220	84	50	23	12	19	188	23	4	1	1	3	-	-	-	-	-
Diseases of: Nervous Syst.	2·17	1442	298	72	30	17	11	428	30	15	16	19	50	68	120	186	265	245
Diseases of: Circulatory ,,	1·34	894	7	3	-	1	-	11	6	15	18	21	63	106	110	185	228	131
Diseases of: Respiratory ,,	2·57	1706	485	152	67	25	20	749	31	9	12	18	51	79	95	136	245	281
Diseases of: Digestive ,,	0·86	570	73	5	3	5	3	89	7	12	7	7	44	61	94	100	92	57
Diseases of: Urinary ,,	0·41	274	6	-	-	1	2	9	3	3	5	6	13	36	45	51	63	40
Diseases of: Generative ,,	0·04	29	-	-	-	-	-	-	-	-	-	-	1	10	7	7	3	1
Childbirth	0·06	41	-	-	-	-	-	-	-	-	1	3	24	12	1	-	-	-
Suicide	0·11	71	-	-	-	-	-	-	-	-	4	6	7	14	22	9	9	-
Other Violence	0·45	301	32	14	12	4	3	65	19	14	26	23	31	36	32	17	17	21
OTHER CAUSES	2·70	1790	803	66	49	30	18	966	29	18	19	18	42	55	50	59	139	395

Deaths of Infants (under one) to 1000 Births - 113 | Marriages - 4,298 | Births - 20,944 | Annual Rate per 1000 living: Persons Married - 12·93; Births - 31·50

40.—RICHMOND.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1,000	—	17·34	—	—	—	—	—	51·52	4·40	2·87	4·08	4·29	5·87	12·00	17·37	28·45	61·09	157·70
Mean Pop. 1871-80	—	20,888	776	699	723	676	716	3590	3046	2859	3037	3215	4989	3532	2527	1719	992	383
ALL CAUSES	17·34	5188	1180	341	163	100	63	1850	134	82	124	138	293	424	439	489	606	604
Small-pox	0·03	10	2	-	-	-	1	3	-	-	-	1	3	1	2	-	-	-
Measles	0·29	87	19	31	20	10	3	83	3	-	-	-	-	1	-	-	-	-
Scarlet Fever	0·35	105	6	18	18	18	7	67	21	7	2	4	1	2	1	-	-	-
Diphtheria	0·10	31	1	1	5	6	5	18	6	1	1	-	3	-	-	-	1	1
Whooping-cough	0·55	165	60	54	27	11	5	157	7	1	-	-	-	-	-	-	-	-
Typhus	0·02	5	-	-	-	-	-	-	1	-	1	1	-	1	-	-	1	-
Enteric Fever	0·23	69	1	-	6	5	3	15	7	6	8	7	7	9	2	3	5	-
Simple Cont. Fev.	0·01	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Puerp. Fever	0·03	10	-	-	-	-	-	-	-	-	-	1	4	5	-	-	-	-
Diarr. and Dys.	0·76	228	182	18	4	2	-	206	-	1	-	-	1	2	2	4	4	8
Cholera	0·00	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Cancer	0·55	164	-	-	-	2	-	2	-	-	1	1	4	23	29	43	37	24
Scrofula	0·07	21	4	4	2	1	1	12	3	1	1	1	2	-	-	1	-	-
Tabes Mesent.	0·24	73	41	12	7	2	1	63	4	3	1	-	1	-	-	-	1	-
Phthisis	1·85	552	8	7	2	1	1	19	15	16	32	57	125	139	90	46	12	1
Hydrocephalus	0·34	101	32	23	12	6	11	84	13	3	1	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·14	640	159	35	19	6	3	222	7	6	9	7	17	31	39	75	150	77
Circulatory "	1·13	337	2	-	-	-	1	3	2	7	11	5	20	34	55	80	81	39
Respiratory "	2·84	848	265	83	23	12	8	381	9	4	7	5	15	30	62	93	156	113
Digestive "	1·14	340	49	6	-	-	1	56	7	4	2	8	19	47	52	64	49	32
Urinary "	0·43	128	1	-	-	2	1	4	3	-	1	3	11	18	25	20	30	14
Generative "	0·08	23	-	-	-	-	-	-	-	-	-	-	4	3	6	3	3	4
Childbirth	0·07	20	-	-	-	-	-	-	-	-	2	2	8	8	-	-	-	-
Suicide	0·07	20	-	-	-	-	-	-	-	-	-	4	2	6	6	1	-	1
Other Violence	0·81	243	30	4	7	6	8	55	14	10	26	25	29	17	22	21	15	9
OTHER CAUSES	3·21	959	377	45	11	10	6	449	12	12	18	6	16	26	23	32	81	281

Deaths of Infants (under one) to 1000 Births - 135 | Marriages - 1,898 | Births - 8,764 | Annual Rate per 1000 living: Persons Married - 12·70; Births - 29·32

[KENT (*ex.-met.*)

41.—BROMLEY.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1,000	—	14·55	—	—	—	—	—	40·60	1·47	2·61	2·63	4·14	5·14	9·22	13·15	25·36	51·71	142·05
Mean Pop. 1871-80	—	40,578	1187	1066	1114	1112	1095	5574	4813	3990	3728	3816	6693	4849	3278	2153	1201	473
ALL CAUSES	14·55	5906	1501	412	158	110	82	2263	215	104	98	158	344	447	431	546	621	679
Small-pox	0·06	25	2	2	2	-	-	6	2	2	2	1	4	6	1	1	-	-
Measles	0·22	88	16	27	13	9	9	74	12	1	-	-	-	1	-	-	-	-
Scarlet Fever	0·26	107	4	17	16	9	12	58	36	10	-	2	-	-	1	-	-	-
Diphtheria	0·26	107	4	16	15	17	9	61	34	2	3	2	-	1	-	2	1	1
Whooping-cough	0·39	160	85	41	17	11	3	157	3	-	-	-	-	-	-	-	-	-
Typhus	0·01	5	-	-	-	-	1	1	-	2	-	-	-	2	-	-	-	-
Enteric Fever	0·22	90	2	4	4	4	9	23	16	3	8	10	12	7	4	5	1	1
Simp. Cont. Fev.	0·05	21	1	1	-	3	2	7	1	1	2	3	2	1	-	1	2	1
Puerp. Fever	0·05	19	-	-	-	-	-	-	-	-	-	2	13	4	-	-	-	-
Diarr. and Dys.	0·73	297	212	31	6	-	1	250	-	-	1	-	3	2	1	7	15	18
Cholera	0·03	12	6	2	-	-	-	8	1	-	-	-	1	1	-	-	1	-
Cancer	0·36	147	-	-	-	-	-	-	-	1	-	1	5	17	33	39	33	18
Scrofula	0·07	30	7	7	2	3	-	19	-	2	-	-	3	-	3	2	1	-
Tabes Mesent.	0·16	63	22	19	7	2	2	52	4	2	2	1	-	1	1	-	-	-
Phthisis	1·28	520	10	8	2	-	1	21	9	13	36	64	145	123	72	31	6	-
Hydrocephalus	0·29	116	41	29	14	7	6	97	8	10	-	-	-	-	1	-	-	-
Diseases of: Nervous Syst.	1·68	682	159	29	11	5	4	208	16	9	12	12	18	35	62	79	114	117
Circulatory "	1·23	498	7	-	-	2	2	11	2	11	4	4	20	46	71	109	139	85
Respiratory "	2·55	1034	271	115	14	19	10	429	20	5	8	10	44	60	62	116	152	128
Digestive "	0·73	297	43	2	3	2	2	52	7	2	-	8	16	41	44	50	45	32
Urinary "	0·36	147	1	2	1	1	-	5	3	1	5	7	12	26	16	21	23	18
Generative "	0·04	17	-	-	-	-	-	-	-	-	-	1	1	2	5	5	2	1
Childbirth	0·10	42	-	-	-	-	-	-	-	-	2	4	18	16	2	-	-	-
Suicide	0·05	22	-	-	-	-	-	-	-	1	1	2	-	5	4	6	2	1
Other Violence	0·39	157	26	8	6	4	2	46	10	7	5	10	10	23	9	16	11	10
OTHER CAUSES	2·98	1203	582	52	25	12	7	678	31	19	7	9	17	27	39	46	82	248

Deaths of Infants (under one) to 1000 Births - 115 | Marriages - 2,330 | Births - 13,068 | Annual Rate per 1000 living: Persons Married - 11·48; Births - 32·20

42.—DARTFORD.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	17·05	—	—	—	—	—	45·21	5·43	3·50	5·14	5·28	6·48	10·07	14·86	26·17	57·07	146·97
Mean Pop. 1871–80	—	47,889	1437	1263	1346	1280	1263	6594	6136	5431	4667	4014	6601	5304	4025	2801	1656	660
ALL CAUSES	17·05	8164	1842	591	241	165	142	2981	333	190	240	212	428	534	598	733	945	970
Small-pox	0·20	96	8	2	–	–	3	13	7	5	13	17	17	15	2	2	5	–
Measles	0·31	150	31	47	23	16	15	132	17	–	–	–	–	–	1	–	–	–
Scarlet Fever	0·54	260	15	41	35	43	26	160	68	16	4	7	1	2	1	–	1	–
Diphtheria	0·15	73	5	5	8	9	8	35	19	9	2	2	–	2	4	–	–	–
Whooping-cough	0·37	175	78	59	14	8	11	170	5	–	–	–	–	–	–	–	–	–
Typhus	0·03	12	–	–	–	–	–	–	–	1	1	–	1	2	4	2	–	1
Enteric Fever	0·20	96	–	2	7	3	4	16	13	19	12	2	11	11	4	4	3	1
Simple Cont. Fev.	0·08	36	1	1	3	1	2	8	1	–	1	1	2	3	1	1	7	11
Puerp. Fever	0·05	22	–	–	–	–	–	–	–	–	2	4	11	4	1	–	–	–
Diarr. and Dys.	0·65	309	196	44	7	3	2	252	3	1	3	–	2	4	5	6	14	19
Cholera	0·05	22	10	5	–	3	–	18	–	–	–	–	–	2	–	1	1	–
Cancer	0·49	237	–	–	–	1	–	1	–	2	–	3	4	30	50	63	55	29
Scrofula	0·10	47	13	7	1	–	2	23	4	2	4	4	1	3	3	2	1	–
Tabes Mesent.	0·31	147	85	29	15	2	4	135	4	5	–	–	1	–	1	–	1	–
Phthisis	1·54	736	20	12	5	4	6	47	14	20	92	83	160	138	111	55	16	–
Hydrocephalus	0·28	135	50	30	11	10	5	106	14	12	2	1	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·21	1060	281	57	30	17	13	398	38	20	21	13	40	57	80	107	151	135
Diseases of: Circulatory „	1·31	627	5	4	–	–	1	10	9	15	11	14	37	68	81	133	163	86
Diseases of: Respiratory „	2·83	1356	355	150	34	20	17	576	43	9	24	13	36	59	94	148	204	150
Diseases of: Digestive „	0·89	428	62	9	1	4	4	80	16	12	7	6	12	32	48	83	85	47
Diseases of: Urinary „	0·31	150	2	2	–	1	–	5	1	4	3	2	14	9	24	24	44	20
Diseases of: Generative „	0·04	20	–	–	–	–	–	–	–	–	–	–	2	2	11	3	2	–
Childbirth	0·09	44	–	–	–	–	–	–	–	–	–	9	15	19	1	–	–	–
Suicide	0·06	30	–	–	–	–	–	–	–	–	1	1	6	3	6	6	7	–
Other Violence	0·62	297	24	11	14	5	6	60	22	16	27	19	30	32	34	22	20	15
Other Causes	3·34	1599	601	74	33	15	13	736	55	22	10	11	25	37	31	71	165	456

Deaths of Infants (under one) to 1000 Births - 117 | Marriages - 2,818 | Births - 15,784 | Annual Rate per 1000 living: Persons Married - 11·77; Births - 32·96

43.—GRAVESEND.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	19·25	—	—	—	—	—	54·12	6·30	3·56	4·33	5·24	7·13	12·60	18·35	30·08	69·35	147·01
Mean Pop. 1871–80	—	22,283	591	506	556	533	543	2729	2540	2414	2310	2138	3298	2515	1875	1330	783	351
ALL CAUSES	19·25	4290	908	290	142	74	63	1477	160	86	100	112	235	317	344	400	543	516
Small-pox	0·19	43	6	1	3	–	–	10	–	4	5	6	9	5	2	2	–	–
Measles	0·25	55	9	24	7	5	3	48	6	–	–	–	1	–	–	–	–	–
Scarlet Fever	0·68	151	8	15	31	16	20	90	36	12	2	4	5	1	1	–	–	–
Diphtheria	0·09	21	3	1	–	1	3	8	8	–	1	1	1	–	–	–	2	–
Whooping-cough	0·51	114	48	42	15	3	1	109	5	–	–	–	–	–	–	–	–	–
Typhus	0·08	18	–	–	–	–	1	1	5	1	2	1	5	1	1	–	1	–
Enteric Fever	0·16	35	1	2	–	1	1	5	2	5	3	1	3	2	3	4	1	1
Simple Cont. Fev.	0·13	28	–	1	–	1	2	4	5	5	2	2	4	1	1	–	3	1
Puerp. Fever	0·04	9	–	–	–	–	–	–	–	–	–	2	4	3	–	–	–	–
Diarr. and Dys.	0·85	190	138	21	6	–	–	165	2	1	–	1	2	1	1	1	5	11
Cholera	0·06	14	5	2	–	–	1	8	2	1	–	–	–	1	2	–	–	–
Cancer	0·58	130	–	–	1	–	–	1	–	–	–	–	3	13	16	38	42	17
Scrofula	0·10	22	4	6	2	–	–	12	2	1	2	1	–	1	1	–	1	1
Tabes Mesent.	0·18	40	17	10	5	1	–	33	3	1	1	–	2	–	–	–	–	–
Phthisis	1·75	390	13	7	4	4	1	29	9	14	25	42	94	76	48	33	17	3
Hydrocephalus	0·26	57	25	15	6	5	4	55	2	–	–	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·41	536	97	30	7	12	6	152	19	3	4	5	18	33	49	74	100	79
Diseases of: Circulatory „	1·56	348	2	–	1	–	–	3	6	6	7	6	14	34	50	80	81	61
Diseases of: Respiratory „	3·24	722	168	56	29	17	10	280	15	3	8	9	15	27	42	65	127	131
Diseases of: Digestive „	1·23	274	19	4	1	1	–	25	4	2	6	4	8	38	66	48	48	25
Diseases of: Urinary „	0·48	108	1	1	–	1	–	3	3	2	3	2	1	14	15	12	31	22
Diseases of: Generative „	0·05	11	–	–	–	–	–	–	–	–	–	–	3	3	–	3	1	1
Childbirth	0·03	7	–	–	–	–	–	–	–	–	1	2	1	3	–	–	–	–
Suicide	0·09	20	–	–	–	–	–	–	–	–	–	1	5	3	7	3	1	–
Other Violence	0·90	201	31	7	6	2	2	48	8	8	15	10	25	33	19	13	15	7
Other Causes	3·35	746	313	45	18	4	8	388	18	17	8	12	12	24	20	24	67	156

Deaths of Infants (under one) to 1000 Births - 136 | Marriages - 1,671 | Births - 6,655 | Annual Rate per 1000 living: Persons Married - 15·00; Births - 29·87

44.—NORTH AYLESFORD.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·23	—	—	—	—	—	50·31	5·53	3·31	4·63	6·31	7·26	9·05	14·83	29·11	59·53	141·12
Mean Pop. 1871-80	—	24,499	796	691	716	694	698	3595	3179	2627	2247	1997	3457	2829	2030	1367	850	321
ALL CAUSES	18·23	4467	1164	334	129	110	72	1809	176	87	104	126	251	256	301	398	506	453
Small-pox	0·28	69	10	1	1	1	1	14	8	4	8	9	15	4	2	3	2	–
Measles	0·31	75	14	28	15	8	2	67	7	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·71	174	12	25	24	24	24	109	48	6	4	3	3	1	–	–	–	–
Diphtheria	0·11	27	1	4	3	3	3	14	11	–	1	–	–	–	1	–	–	–
Whooping-cough	0·41	101	48	30	9	5	4	96	4	–	–	–	–	–	–	1	–	–
Typhus	0·03	8	–	–	1	–	1	2	1	–	1	1	–	–	2	–	–	1
Enteric Fever	0·54	132	45	16	4	6	7	78	8	5	9	8	6	6	4	3	2	3
Simple Cont. Fev.	0·14	35	2	1	2	2	–	7	6	2	1	–	3	1	1	7	3	4
Puerp. Fever	0·03	8	–	–	–	–	–	–	–	–	–	2	3	3	–	–	–	–
Diarr. and Dys.	0·79	193	113	21	4	1	1	140	2	–	1	2	4	1	4	8	16	15
Cholera	0·07	17	3	7	–	2	–	12	1	–	–	1	1	1	–	1	–	–
Cancer	0·42	104	–	–	1	–	–	1	–	1	2	–	6	15	17	25	30	7
Scrofula	0·13	33	16	2	2	1	1	22	1	1	1	1	1	2	2	–	2	–
Tabes Mesent.	0·22	55	30	15	4	1	1	51	2	1	1	–	–	–	–	–	–	–
Phthisis	1·66	406	35	12	5	–	2	54	11	18	26	51	72	65	51	44	10	4
Hydrocephalus	0·24	60	20	16	5	7	3	51	4	3	–	–	2	–	–	–	–	–
Diseases of Nervous Syst.	2·12	519	175	37	14	7	6	239	12	10	5	8	15	13	38	53	71	55
Diseases of Circulatory "	1·24	305	4	–	–	–	–	4	9	10	6	4	22	33	41	63	81	32
Diseases of Respiratory "	2·96	724	204	69	20	17	10	320	11	2	2	5	23	24	34	82	125	96
Diseases of Digestive "	0·86	211	51	15	2	1	–	69	2	4	2	–	7	22	33	29	23	17
Diseases of Urinary "	0·37	90	1	1	–	1	1	4	1	1	1	3	5	11	16	18	19	11
Diseases of Generative "	0·05	13	–	–	–	–	–	–	–	–	–	2	2	–	2	4	3	–
Childbirth	0·07	17	–	–	–	–	–	–	–	–	1	–	8	8	–	–	–	–
Suicide	0·11	27	–	–	–	–	–	–	–	1	1	1	3	6	8	3	2	2
Other Violence	0·95	232	25	3	5	3	3	39	11	11	24	21	30	25	18	25	16	12
Other Causes	3·41	832	355	31	8	20	2	416	16	6	7	4	20	15	27	29	98	194

Deaths of Infants (under one) to 1000 Births - 132 | Marriages - 1,852 | Births - 8,830 | Annual Rate per 1000 living: Persons Married - 15·12; Births - 36·04

45.—HOO.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·96	—	—	—	—	—	50·31	4·56	2·90	6·16	8·95	6·11	9·68	14·18	26·37	61·47	121·95
Mean Pop. 1871-80	—	3274	107	90	93	106	89	485	439	345	292	257	458	372	275	201	109	41
ALL CAUSES	17·96	588	172	41	15	11	5	244	20	10	18	23	28	36	39	53	67	50
Small-pox	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·12	4	2	1	1	–	–	4	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·12	4	–	–	–	2	–	2	1	–	–	1	–	–	–	–	–	–
Diphtheria	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	0·49	16	8	3	1	2	1	15	–	1	–	–	–	–	–	–	–	–
Typhus	0·09	3	–	1	–	–	–	1	–	–	–	–	–	–	2	–	–	–
Enteric Fever	0·89	29	4	5	–	2	1	12	4	3	2	2	2	1	–	–	2	1
Simple Cont. Fev.	0·18	6	1	–	–	–	–	1	2	–	–	–	–	1	–	–	1	1
Puerp. Fever	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarr. and Dys.	1·19	38	22	5	2	–	–	29	–	–	–	–	1	–	–	1	3	2
Cholera	0·15	5	1	–	1	–	–	2	–	–	–	–	–	–	2	1	–	–
Cancer	0·37	12	–	–	1	–	–	1	–	–	–	–	–	–	2	6	3	–
Scrofula	0·15	5	3	1	–	–	–	4	–	–	1	–	–	–	–	–	–	–
Tabes Mesent.	0·15	5	3	1	1	–	–	5	–	–	–	–	–	–	–	–	–	–
Phthisis	1·59	52	3	3	–	–	1	7	2	1	6	6	8	7	4	5	6	–
Hydrocephalus	0·12	4	3	1	–	–	–	4	–	–	–	–	–	–	–	–	–	–
Diseases of Nervous Syst.	2·63	86	50	5	2	2	1	60	1	1	–	–	1	3	3	4	8	5
Diseases of Circulatory "	0·92	30	–	–	–	–	–	–	1	–	–	2	2	4	4	9	6	2
Diseases of Respiratory "	2·87	94	20	9	4	–	–	33	–	–	3	2	2	9	11	14	14	6
Diseases of Digestive "	0·70	23	4	2	1	–	–	7	1	–	–	1	3	4	3	–	3	1
Diseases of Urinary "	0·31	10	–	–	–	–	–	–	–	1	–	1	2	–	–	3	1	2
Diseases of Generative "	0·03	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Childbirth	0·15	5	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–	–
Suicide	0·06	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Other Violence	1·10	36	1	1	–	2	–	4	4	3	4	7	1	2	3	3	4	1
Other Causes	3·67	120	47	3	1	1	1	53	4	–	2	–	2	4	5	7	14	29

Deaths of Infants (under one) to 1000 Births - 141 | Marriages - 187 | Births - 1,224 | Annual Rate per 1000 living: Persons Married - 11·42; Births - 37·39

46.—MEDWAY.

—	Annual Death Rate per 10 0.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	18·89	—	—	—	—	—	54·33	4·97	3·18	4·49	6·94	9·64	13·91	16·52	28·33	61·32	151·19
Mean Pop. 1871-80	—	60,397	1747	1560	1565	1551	1567	7990	7041	5876	5674	6080	9844	7277	5012	3180	1665	758
ALL CAUSES	18·89	11,412	2700	906	346	229	160	4341	350	187	255	422	949	1012	828	901	1021	1146
Small-pox	0·18	108	8	4	1	3	3	19	16	12	11	16	17	11	1	4	-	1
Measles	0·28	167	36	65	29	21	5	156	9	-	-	-	-	2	-	-	-	-
Scarlet Fever	0·22	130	7	12	19	25	17	80	37	5	2	4	2	-	-	-	-	-
Diphtheria	0·13	78	5	7	8	15	12	47	23	3	1	2	1	-	-	-	1	-
Whooping-cough	0·54	325	146	97	43	23	7	316	9	-	-	-	-	-	-	-	-	-
Typhus	0·03	16	-	-	1	-	-	1	2	1	1	4	2	2	3	-	-	-
Enteric Fever	0·32	192	3	16	9	16	12	56	33	15	16	12	21	10	12	7	7	3
Simple Cont. Fev.	0·03	20	-	2	-	-	1	3	2	1	3	2	2	-	-	-	3	4
Puerp. Fever	0·04	23	-	-	-	-	-	-	-	-	-	1	15	7	-	-	-	-
Diarr. and Dys.	0·66	398	265	73	5	2	1	346	4	-	1	4	8	4	6	8	4	13
Cholera	0·06	38	25	7	1	1	-	34	-	1	-	1	-	1	-	-	1	-
Cancer	0·44	267	-	-	-	-	-	-	1	-	1	-	11	36	67	81	46	24
Scrofula	0·13	81	27	16	2	3	1	49	7	6	5	6	2	2	-	2	-	2
Tabes Mesent.	0·36	219	122	49	12	4	4	191	8	7	4	2	1	3	2	1	-	-
Phthisis	2·43	1470	34	34	8	7	7	90	36	40	89	198	392	340	187	69	27	2
Hydrocephalus	0·31	186	71	48	16	14	16	165	15	4	1	-	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·52	1519	439	116	56	27	23	661	41	25	20	20	57	77	97	137	209	175
Circulatory "	1·37	825	2	2	1	1	5	11	9	16	16	18	81	141	121	166	146	100
Respiratory "	2·89	1744	444	230	74	29	22	799	29	6	11	49	98	116	114	154	200	168
Digestive "	1·09	657	125	17	12	10	1	165	9	11	9	14	62	74	80	90	77	66
Urinary "	0·48	287	3	2	1	2	2	10	6	4	10	9	29	47	34	46	49	43
Generative "	0·05	29	-	-	-	-	-	-	-	1	-	3	3	7	5	8	2	-
Childbirth	0·09	52	-	-	-	-	-	-	-	-	-	7	28	16	1	-	-	-
Suicide	0·10	58	-	-	-	-	-	-	-	-	1	8	17	11	4	10	7	-
Other Violence	0·56	338	30	18	8	7	6	69	19	17	30	23	51	41	34	27	10	17
OTHER CAUSES	3·58	2185	908	91	40	19	15	1073	35	12	23	19	48	64	60	91	232	528

Deaths of Infants (under one to 1000 Births) - 135 | Marriages - 5,134 | Births - 19,936 | Annual Rate per 1000 living: Persons Married - 17·00; Births - - - 33·01

47.—MALLING.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	17·64	—	—	—	—	—	43·82	5·01	3·14	5·17	7·11	7·38	9·90	13·47	26·22	50·57	151·77
Mean Pop. 1871-80	—	24,712	773	684	725	743	701	3626	3251	2803	2203	1928	3294	2668	2079	1499	965	396
ALL CAUSES	17·64	4360	1062	267	129	68	63	1589	163	88	114	137	243	264	280	393	488	601
Small-pox	0·05	12	2	-	-	-	-	2	-	-	-	1	4	4	-	-	1	-
Measles	0·28	69	19	24	6	7	5	61	7	-	1	-	-	-	-	-	-	-
Scarlet Fever	0·62	153	8	13	25	19	21	86	48	13	1	1	4	-	-	-	-	-
Diphtheria	0·14	35	5	3	2	1	5	16	11	2	4	1	-	1	-	-	-	-
Whooping-cough	0·26	64	31	19	8	2	1	61	3	-	-	-	-	-	-	-	-	-
Typhus	0·04	10	-	-	-	-	-	-	1	1	4	-	-	2	-	2	-	-
Enteric Fever	0·34	84	3	4	4	2	3	16	9	10	9	6	11	7	10	3	3	-
Simple Cont. Fev.	0·02	5	-	-	-	-	-	-	2	1	-	-	-	-	-	2	-	-
Puerp. Fever	0·05	13	-	-	-	-	-	-	-	-	1	3	6	3	-	-	-	-
Diarr. and Dys.	0·69	170	97	30	8	1	2	138	3	-	1	1	1	1	-	4	8	13
Cholera	0·02	6	4	1	-	-	-	5	-	-	-	-	-	-	-	1	-	-
Cancer	0·48	118	-	-	1	-	-	1	-	-	-	1	3	18	19	34	25	17
Scrofula	0·14	35	8	3	4	2	-	17	1	5	2	2	1	2	4	-	1	-
Tabes Mesent.	0·34	85	54	14	2	1	-	71	2	2	4	-	3	-	3	-	-	-
Phthisis	1·68	415	27	8	1	1	1	38	12	16	47	57	95	79	38	23	10	-
Hydrocephalus	0·21	52	27	6	5	-	6	44	6	1	-	-	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·34	578	163	36	20	8	6	233	15	8	6	8	16	24	33	57	85	93
Circulatory "	1·06	262	1	-	-	-	-	1	2	3	1	7	13	29	41	59	71	35
Respiratory "	3·24	801	189	73	23	9	5	304	13	4	2	14	21	36	44	96	139	128
Digestive "	1·02	252	38	4	4	4	1	51	5	4	3	3	13	22	33	42	47	29
Urinary "	0·27	66	-	-	1	-	-	1	1	-	2	4	9	6	8	10	17	8
Generative "	0·05	13	-	-	-	-	-	-	-	-	-	-	2	2	2	2	4	1
Childbirth	0·07	17	-	-	-	-	-	-	-	-	1	3	6	7	-	-	-	-
Suicide	0·06	16	-	-	-	-	-	-	-	-	-	-	4	2	4	2	4	-
Other Violence	0·59	146	10	4	5	6	4	29	10	10	12	11	14	8	18	16	9	9
OTHER CAUSES	3·58	883	376	20	10	5	3	414	12	8	13	14	16	11	23	40	64	268

Deaths of Infants (under one) to 1000 Births - 123 | Marriages - 1,316 | Births - 8,629 | Annual Rate per 1000 living: Persons Married - 10·65; Births - - - 34·92

48.—SEVENOAKS.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate	—	15·70	—	—	—	—	—	33·15	3·71	3·00	4·67	5·00	6·74	9·77	13·41	24·02	54·41	148·81
Mean Pop. 1871-80	—	25,726	716	685	702	683	701	3487	3184	2903	2332	2042	3503	2867	2222	1703	1020	463
ALL CAUSES	15·70	4039	797	200	74	43	42	1156	118	87	109	102	236	280	298	409	555	689
Small-pox	0·02	11	-	-	-	-	-	-	-	1	-	3	-	4	2	-	-	1
Measles	0·16	40	10	5	6	6	5	32	7	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·21	53	2	6	7	5	6	26	18	5	2	-	2	-	-	-	-	-
Diphtheria	0·14	37	-	2	3	4	5	14	19	1	1	-	1	-	1	-	-	-
Whooping-cough	0·31	80	47	23	3	1	3	77	3	-	-	-	-	-	-	-	-	-
Typhus	0·02	5	-	-	-	-	-	-	-	2	-	1	-	-	2	-	-	-
Enteric Fever	0·21	55	1	1	1	-	1	4	5	8	9	6	2	5	7	3	5	1
Simple Cont. Fev.	0·05	14	-	-	1	1	-	2	-	-	3	-	1	1	1	4	2	-
Puerp. Fever	0·05	14	-	-	-	-	-	-	-	-	2	1	8	3	-	-	-	-
Diarr. and Dys.	0·32	83	50	9	1	1	-	61	1	-	-	-	1	1	3	1	9	6
Cholera	0·02	4	1	-	-	-	-	1	-	-	-	-	1	-	-		1	1
Cancer	0·40	103	-	-	-	-	1	1	-	-	1	2	2	11	20	29	27	10
Scrofula	0·14	37	6	5	2	-	-	13	5	2	1	2	4	3	2	4	1	-
Tabes Mesen.	0·23	60	27	7	4	3	4	45	5	5	1	-	1	-	1	2	-	-
Phthisis	1·72	442	4	2	1	-	-	7	6	17	45	57	106	80	63	50	11	-
Hydrocephalus	0·26	68	17	13	6	3	3	47	11	3	2	-	4	-	1	-	-	-
Diseases of: Nervous Syst.	2·20	565	124	24	7	3	2	160	10	7	8	6	17	24	41	64	116	112
Diseases of: Circulatory „	1·38	353	1	-	1	-	-	2	-	4	5	3	16	32	40	85	112	57
Diseases of: Respiratory „	1·96	503	133	54	14	6	3	210	7	4	5	4	13	28	27	40	72	93
Diseases of: Digestive „	0·84	215	18	5	2	-	-	25	5	3	4	1	6	20	29	42	56	24
Diseases of: Urinary „	0·39	101	-	-	-	-	-	-	-	2	3	3	6	10	11	17	37	12
Diseases of: Generative „	0·05	13	-	-	-	-	-	-	-	-	-	1	-	2	6	3	1	-
Childbirth	0·10	26	-	-	-	-	-	-	-	-	-	3	9	14	-	-	-	-
Suicide	0·08	20	-	-	-	-	-	-	-	-	-	1	1	7	3	5	1	2
Other Violence	0·44	112	2	10	3	1	1	17	6	6	7	7	19	10	10	11	6	13
OTHER CAUSES	3·98	1022	354	29	12	9	8	412	10	16	10	1	16	25	28	49	98	357

Deaths of Infants (under one) to 1000 Births - 99 | Marriages - 1,381 | Births - 8,038 | Annual Rate per 1000 living: Persons Married - 10·74; Births - 31·24

49.—TUNBRIDGE.

—	Annual Death Rate	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate	—	17·12	—	—	—	—	—	44·29	5·25	2·77	4·23	5·89	7·35	10·59	14·10	26·60	58·46	152·53
Mean Pop. 1871-80	—	48,087	1314	1264	1253	1271	1211	6313	5834	5313	4654	4108	6816	5428	4192	2981	1755	693
ALL CAUSES	17·12	8231	1732	569	222	151	122	2796	306	147	197	242	501	575	591	793	1026	1057
Small-pox	4·06	29	2	-	-	-	-	2	2	3	3	1	6	2	6	1	2	1
Measles	0·26	126	30	44	17	15	9	115	8	1	-	-	2	-	-	-	-	-
Scarlet Fever	0·33	157	10	21	17	31	16	95	39	12	2	3	2	3	1	-	-	-
Diphtheria	0·20	95	4	5	7	13	13	42	36	5	3	1	3	-	-	2	2	1
Whooping-cough	0·54	259	118	84	34	10	4	250	9	-	-	-	-	-	-	-	-	-
Typhus	0·01	3	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-
Enteric Fever	0·22	105	-	-	2	4	5	11	11	12	12	12	17	8	11	8	2	1
Simple Cont. Fev.	0·03	15	-	1	-	1	-	2	2	1	-	-	1	2	3	2	2	-
Puerp. Fever	0·05	23	-	-	-	-	-	-	-	-	-	5	14	4	-	-	-	-
Diarr. and Dys.	0·56	268	153	40	16	3	3	215	1	-	-	-	2	2	5	4	11	28
Cholera	0·01	3	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
Cancer	0·55	265	-	-	-	-	-	-	2	-	2	2	19	35	46	76	57	26
Scrofula	0·09	44	14	1	2	1	1	19	5	4	4	2	3	1	3	2	-	1
Tabes Mesent.	0·30	145	56	40	8	4	1	109	10	7	3	2	5	2	2	-	3	-
Phthisis	2·02	969	9	12	3	2	1	27	15	29	82	133	240	207	129	75	26	6
Hydrocephalus	0·38	183	45	50	17	16	14	142	23	5	5	1	4	2	1	-	-	-
Diseases of: Nervous Syst.	2·03	992	215	43	17	6	16	297	22	9	23	9	17	55	79	122	197	162
Diseases of: Circulatory „	1·43	687	1	1	-	-	1	3	9	12	7	10	30	48	86	147	218	117
Diseases of: Respiratory „	2·87	1378	345	143	41	26	12	567	30	8	10	12	37	63	75	137	222	217
Diseases of: Digestive „	0·85	409	54	3	1	3	3	64	9	6	9	14	20	49	48	67	81	51
Diseases of: Urinary „	0·61	292	4	1	3	2	3	13	7	4	9	4	20	26	38	57	76	38
Diseases of: Generative „	0·06	27	-	-	-	-	-	-	-	-	-	-	2	6	7	5	5	2
Childbirth	0·08	39	-	-	-	-	-	-	-	-	2	3	13	21	-	-	-	-
Suicide	0·04	20	-	-	-	-	-	-	-	-	-	1	2	1	7	8	-	1
Other Violence	0·32	156	12	5	8	2	4	31	16	12	9	10	12	15	9	15	16	11
OTHER CAUSES	3·19	1544	660	75	28	12	16	791	48	15	12	17	29	32	35	65	106	394

Deaths of Infants (under one) to 1000 Births - 113 | Marriages - 3,452 | Births - 15,327 | Annual Rate per 1000 living: Persons Married - 14·36; Births - 31·87

50.—MAIDSTONE.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	22·43	—	—	—	—	—	54·53	6·13	3·22	5·31	7·47	10·47	17·29	21·82	34·05	63·65	161·54
Mean Pop. 1871-80	—	43,554	1190	1149	1144	1127	1135	5745	5153	4625	4086	3697	6144	4945	3886	2819	1713	741
ALL CAUSES	22·43	9770	2106	543	240	131	113	3133	316	149	217	276	643	855	848	960	1176	1197
Small-pox	0·05	21	1	-	-	-	1	2	4	-	6	1	3	1	1	2	1	-
Measles	0·27	116	20	42	19	14	10	105	7	2	1	-	1	-	-	-	-	-
Scarlet Fever	0·35	152	5	11	26	23	25	90	48	10	2	-	1	1	-	-	-	-
Diphtheria	0·15	66	3	3	3	7	7	23	28	4	2	1	1	3	1	-	1	2
Whooping-cough	0·35	154	74	44	22	6	-	146	8	-	-	-	-	-	-	-	-	-
Typhus	0·01	6	-	-	-	-	-	-	-	-	1	1	3	1	-	-	-	-
Enteric Fever	0·27	118	2	1	1	4	3	11	18	11	18	16	7	10	9	12	5	1
Simple Cont. Fev.	0·07	31	-	-	2	-	1	3	3	2	2	1	5	2	3	2	7	1
Puerp. Fever	0·07	32	-	-	-	-	-	-	-	-	1	6	17	8	-	-	-	-
Diarr. and Dys.	0·79	345	221	47	8	3	-	279	2	-	1	-	6	4	3	6	23	22
Cholera	0·02	9	3	-	-	-	-	3	1	1	-	-	-	-	2	2	-	-
Cancer	0·56	245	-	-	1	-	1	2	-	-	2	1	6	29	45	72	70	18
Scrofula	0·20	87	34	15	4	2	2	57	9	1	4	3	4	3	4	1	-	1
Tabes Mesent.	0·23	108	51	18	6	1	-	76	10	7	3	1	4	2	2	2	1	-
Phthisis	2·43	1060	30	14	10	3	8	65	34	34	75	121	235	202	155	99	34	6
Hydrocephalus	0·40	174	68	34	15	11	8	136	26	5	1	1	4	-	-	-	1	-
Diseases of: Nervous Syst.	4·10	1787	307	60	24	8	12	411	20	16	29	26	147	275	229	233	239	162
Diseases of: Circulatory "	1·59	694	-	-	1	1	-	2	6	11	18	19	42	83	99	134	193	87
Diseases of: Respiratory "	3·26	1419	351	142	58	22	9	582	22	5	7	13	38	75	108	147	236	186
Diseases of: Digestive "	0·96	417	36	8	1	3	3	51	13	7	6	8	31	51	58	79	75	38
Diseases of: Urinary "	0·41	173	1	1	-	1	2	5	6	7	4	5	12	21	24	41	28	20
Diseases of: Generative "	0·06	27	-	-	-	-	-	-	-	-	-	2	5	4	9	1	3	3
Childbirth	0·06	23	-	-	-	-	-	-	-	-	1	4	12	9	2	-	-	-
Suicide	0·13	55	-	-	-	-	-	-	-	-	5	3	6	9	15	11	6	-
Other Violence	0·60	263	21	11	9	8	7	56	22	16	14	22	25	26	24	26	14	13
OTHER CAUSES	5·02	2182	878	92	30	14	14	1028	20	10	14	21	28	36	55	90	239	632

Deaths of Infants (under one) to 1000 Births - 148 . Marriages - 3,388 Births - 14,270 Annual Rate per 1000 living { Persons Married - 15·56 Births - - - 32·76

51.—HOLLINGBOURN.

ANNUAL DEATH RATE PER 1000	—	17·88	—	—	—	—	—	44·40	5·32	4·21	3·24	7·02	8·29	10·52	11·33	22·52	52·55	134·29
Mean Pop. 1871-80	—	14,044	379	375	373	391	385	1903	1824	1616	1326	1082	1736	1454	1244	959	588	312
ALL CAUSES	17·88	2511	568	156	51	41	29	845	97	68	43	76	144	153	141	216	309	419
Small-pox	0·05	7	2	-	-	-	-	2	-	1	1	-	-	2	1	-	-	-
Measles	0·19	26	6	7	-	4	1	18	7	-	-	-	1	-	-	-	-	-
Scarlet Fever	0·36	51	3	7	4	6	6	26	18	3	1	1	-	1	1	-	-	-
Diphtheria	0·15	21	-	1	1	2	2	6	10	3	-	1	-	-	1	-	-	-
Whooping-cough	0·31	44	21	14	3	3	1	42	1	1	-	-	-	-	-	-	-	-
Typhus	0·03	4	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
Enteric Fever	0·25	35	1	-	1	1	3	6	3	5	5	5	5	2	1	2	-	1
Simple Cont. Fev.	0·06	9	-	-	-	-	-	-	-	4	-	2	1	1	-	1	-	-
Puerp. Fever	0·02	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
Diarr. and Dys.	0·47	66	35	10	1	2	1	49	2	-	-	-	-	1	-	2	3	9
Cholera	0·02	3	1	1	-	-	-	2	-	-	-	-	-	-	-	1	-	-
Cancer	0·40	56	-	-	-	-	-	-	-	-	-	1	1	3	17	9	20	5
Scrofula	0·09	13	3	1	-	1	-	5	1	3	1	1	-	-	1	1	-	-
Tabes Mesent.	0·11	15	8	3	-	-	-	11	4	-	-	-	-	-	-	-	-	-
Phthisis	1·82	256	1	3	1	1	1	7	6	17	22	33	77	49	17	17	8	3
Hydrocephalus	0·10	14	5	2	2	1	-	10	2	2	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·13	299	92	27	10	3	7	139	7	5	1	1	8	7	14	39	38	40
Diseases of: Circulatory "	1·37	192	-	1	-	-	-	1	1	1	3	7	12	20	24	45	47	31
Diseases of: Respiratory "	2·83	397	89	31	14	7	2	143	10	6	4	8	16	19	17	38	60	76
Diseases of: Digestive "	0·86	121	18	8	3	2	-	31	2	4	-	3	3	8	18	18	20	14
Diseases of: Urinary "	0·33	46	-	-	-	-	-	-	1	2	-	1	-	3	4	6	12	17
Diseases of: Generative "	0·07	10	-	-	-	-	-	-	-	-	-	-	-	3	3	1	1	2
Childbirth	0·10	14	-	-	-	-	-	-	-	-	1	2	1	9	1	-	-	-
Suicide	0·14	19	-	-	-	-	-	-	-	-	-	2	2	1	4	5	2	3
Other Violence	0·52	73	6	2	3	3	1	15	2	6	2	4	6	8	7	6	5	12
OTHER CAUSES	5·10	717	277	38	8	5	4	332	18	3	2	4	9	15	10	25	93	205

Deaths of Infants (under one) to 1000 Births - 124 Marriages - 925 Births - 4,574 Annual Rate per 1000 living { Persons Married - 13·17 Births - - - 32·57

52.—CRANBROOKE.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	15·53	—	—	—	—	—	33·32	3·86	1·77	4·07	7·25	6·14	9·43	10·79	23·41	52·41	159·51
Mean Pop. 1871-80	—	13,890	399	358	370	369	368	1864	1735	1695	1327	1062	1726	1453	1223	957	601	247
ALL CAUSES	15·53	2157	421	98	48	36	18	621	67	30	54	77	106	137	132	224	315	394
Small-pox	0·01	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Measles	0·13	18	1	5	3	2	2	13	3	-	1	-	-	-	1	-	-	-
Scarlet Fever	0·22	30	1	2	1	6	-	10	16	2	1	-	-	-	1	-	-	-
Diphtheria	0·17	23	1	1	1	5	3	11	7	4	1	-	-	-	-	-	-	-
Whooping-cough	0·44	61	34	18	6	-	3	61	-	-	-	-	-	-	-	-	-	-
Typhus	0·01	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Enteric Fever	0·18	25	-	1	1	2	1	5	-	1	4	2	3	4	-	2	4	-
Simple Cont. Fev.	0·05	7	-	-	-	-	-	-	1	-	2	2	-	-	1	-	1	-
Puerp. Fever	0·08	11	-	-	-	-	-	-	-	-	2	4	2	3	-	-	-	-
Diarr. and Dys.	0·37	52	18	6	2	2	-	28	2	-	-	1	-	1	-	1	7	12
Cholera	0·02	3	-	1	-	1	-	2	-	-	-	-	-	1	-	-	-	-
Cancer	0·51	71	2	-	-	-	-	2	-	-	-	-	5	11	13	21	17	2
Scrofula	0·09	13	-	1	1	-	-	2	1	1	1	3	2	1	2	-	-	-
Tabes Mesent.	0·19	27	11	-	3	1	-	15	4	3	-	2	-	1	1	1	-	-
Phthisis	1·68	233	3	1	-	-	-	4	2	5	20	40	46	51	33	23	7	2
Hydrocephalus	0·15	21	8	8	1	-	-	17	2	-	-	1	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·03	282	63	10	7	10	1	91	5	2	7	3	14	8	16	34	43	59
Diseases of: Circulatory „	1·20	166	-	-	-	-	-	-	1	3	2	4	7	9	15	41	49	35
Diseases of: Respiratory „	2·90	403	84	25	11	5	2	127	12	1	4	7	8	12	20	42	77	93
Diseases of: Digestive „	0·78	108	17	-	-	-	-	17	1	2	2	2	3	9	8	26	21	17
Diseases of: Urinary „	0·40	55	-	-	-	-	-	-	1	-	-	-	3	7	5	13	19	7
Diseases of: Generative „	0·06	9	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	2
Childbirth	0·07	10	-	-	-	-	-	-	-	-	-	2	4	4	-	-	-	-
Suicide	0·09	12	-	-	-	-	-	-	-	-	-	-	1	1	3	3	3	1
Other Violence	0·29	40	1	3	7	-	2	13	1	1	3	2	3	7	3	1	4	2
OTHER CAUSES	3·41	475	177	16	4	2	4	203	6	5	4	2	4	7	9	14	59	162

Deaths of Infants (under one) to 1000 Births - 98 | Marriages - 825 | Births - 4,284 | Annual Rate per 1000 living: Persons Married - 11·88; Births - 30·84

53.—TENTERDEN.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	16·84	—	—	—	—	—	35·40	4·79	3·53	4·00	7·31	7·79	7·51	11·59	20·18	38·13	142·42
Mean Pop. 1871-80	—	10,666	316	274	325	268	286	1469	1337	1191	1000	867	1296	1119	949	763	504	231
ALL CAUSES	16·84	1796	347	90	29	28	26	520	64	42	40	59	101	84	110	154	293	329
Small-pox	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	0·10	11	2	3	1	1	1	8	2	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·22	23	2	4	1	4	3	14	5	3	1	-	-	-	-	-	-	-
Diphtheria	0·46	49	1	1	2	6	12	22	22	4	1	-	-	-	-	-	-	-
Whooping-cough	0·25	27	17	4	4	2	-	27	-	-	-	-	-	-	-	-	-	-
Typhus	0·01	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Enteric Fever	0·13	14	-	-	-	-	1	1	2	-	2	5	-	-	2	2	-	-
Simple Cont. Fev.	0·04	4	-	1	-	-	-	1	-	2	-	-	1	-	-	-	-	-
Puerp. Fever	0·04	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
Diarr. and Dys.	0·34	36	8	6	1	1	-	16	4	-	-	-	-	-	4	1	7	4
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·29	31	-	-	-	-	-	-	1	-	-	-	2	2	8	8	7	3
Scrofula	0·09	10	2	1	-	1	-	4	-	1	-	3	-	-	-	2	-	-
Tabes Mesent.	0·18	19	4	5	1	1	-	11	4	1	1	-	1	-	-	-	1	-
Phthisis	2·05	219	6	2	2	1	1	12	1	7	20	38	55	33	22	16	13	2
Hydrocephalus	0·17	18	5	6	1	1	-	13	3	2	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·49	266	53	13	6	4	2	78	6	3	3	3	11	8	17	22	56	59
Diseases of: Circulatory „	1·10	117	1	-	-	-	-	1	-	3	1	-	4	5	9	21	43	30
Diseases of: Respiratory „	2·95	315	79	24	6	2	-	111	2	7	2	-	3	9	16	36	68	61
Diseases of: Digestive „	1·09	116	8	4	-	2	1	15	2	4	1	3	5	7	15	21	30	13
Diseases of: Urinary „	0·36	38	1	-	-	-	1	2	-	-	1	2	1	5	5	4	8	10
Diseases of: Generative „	0·03	3	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-
Childbirth	0·12	13	-	-	-	-	-	-	-	-	2	1	6	4	-	-	-	-
Suicide	0·04	4	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-
Other Violence	0·32	34	4	1	1	-	1	7	4	2	-	2	3	3	1	4	4	4
OTHER CAUSES	3·97	424	154	15	3	2	3	177	6	2	4	2	7	4	9	14	56	143

Deaths of Infants (under one) to 1000 Births - 99 | Marriages - 721 | Births - 3,489 | Annual Rate per 1000 living: Persons Married - 13·52; Births - 32·71

54.—WEST ASHFORD.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	16·69	—	—	—	—	—	42·16	5·46	2·60	5·11	6·37	6·96	8·81	13·75	21·95	51·21	147·70
Mean Pop. 1871-80	—	17,428	496	449	473	476	485	2379	2178	2037	1643	1413	2313	1839	1491	1143	705	282
ALL CAUSES	16·69	2908	641	172	87	58	45	1003	119	53	84	90	161	162	205	252	361	418
Small-pox	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·18	31	3	12	6	2	1	24	6	–	–	–	–	–	–	–	1	–
Scarlet Fever	0·29	51	–	6	3	8	6	23	20	5	2	–	–	–	1	–	–	–
Diphtheria	0·11	20	1	–	2	3	1	7	9	1	1	1	1	–	–	–	–	–
Whooping-cough	0·38	66	39	17	2	6	1	65	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·17	29	–	2	4	1	4	11	3	–	5	4	4	–	1	1	–	–
Simple Cont. Fev.	0·07	13	–	1	–	–	–	1	2	1	–	–	3	1	1	–	4	–
Puerp. Fever	0·03	5	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–
Diarr. and Dys.	0·53	92	50	13	3	1	2	69	1	–	2	–	2	–	1	3	6	8
Cholera	0·03	5	1	–	–	–	–	1	–	–	–	–	–	1	1	1	1	–
Cancer	0·40	70	–	–	–	–	–	–	–	2	1	1	5	13	16	14	14	4
Scrofula	0·07	13	4	1	2	2	–	9	2	–	–	–	–	1	–	1	–	–
Tabes Mesent.	0·26	46	20	9	6	3	1	39	2	2	2	–	1	–	–	–	–	–
Phthisis	1·76	306	4	3	–	1	1	9	8	12	33	51	72	64	36	14	5	2
Hydrocephalus	0·42	74	26	14	8	5	6	59	9	2	2	–	2	–	–	–	–	–
Diseases of: Nervous Syst.	2·32	404	91	26	15	5	5	142	19	4	11	7	14	12	32	30	64	49
Diseases of: Circulatory „	1·28	223	2	–	–	–	–	2	5	5	3	4	7	13	20	49	66	49
Diseases of: Respiratory „	3·01	524	130	51	24	11	5	221	11	3	2	3	13	16	40	52	75	88
Diseases of: Digestive „	0·99	172	9	2	2	2	2	17	2	5	4	3	12	14	26	30	39	20
Diseases of: Urinary „	0·27	47	–	–	–	–	–	–	2	1	2	1	4	4	7	4	12	10
Diseases of: Generative „	0·09	15	–	–	–	–	–	–	–	–	1	–	1	2	4	2	4	1
Childbirth	0·07	12	–	–	–	–	–	–	–	–	1	3	4	4	–	–	–	–
Suicide	0·06	11	–	–	–	–	–	–	–	–	–	–	3	2	2	2	2	–
Other Violence	0·38	66	2	3	2	5	2	14	5	4	5	3	4	7	5	8	2	9
OTHER CAUSES	3·51	612	259	12	8	3	8	290	12	6	6	7	7	7	12	21	66	178

Deaths of Infants (under one) to 1000 Births - 110 | Marriages - 1,281 | Births - 5,808 | Annual Rate per 1000 living: Persons Married - 14·70; Births - 33·33

55.—EAST ASHFORD.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	15·06	—	—	—	—	—	33·72	3·29	2·34	6·69	5·89	5·25	7·98	9·91	18·40	46·78	135·19
Mean Pop. 1871-80	—	13,357	405	346	395	391	355	1892	1796	1582	1166	984	1563	1403	1150	929	605	287
ALL CAUSES	15·06	2012	391	130	60	39	18	638	59	37	70	58	82	112	114	171	283	388
Small-pox	0·01	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Measles	0·18	24	3	7	3	2	2	17	7	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·14	19	–	2	1	5	2	10	4	2	1	1	1	–	–	–	–	–
Diphtheria	0·06	8	–	1	1	1	1	4	2	2	–	–	–	–	–	–	–	–
Whooping-cough	0·25	34	13	11	1	6	3	34	–	–	–	–	–	–	–	–	–	–
Typhus	0·01	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Enteric Fever	0·19	26	–	–	1	1	–	2	8	1	4	2	–	2	1	1	4	1
Simple Cont. Fev.	0·10	13	–	2	–	–	–	2	–	1	2	1	1	2	1	1	2	–
Puerp. Fever	0·06	8	–	–	–	–	–	–	–	–	1	1	2	4	–	–	–	–
Diarr. and Dys.	0·52	70	32	9	7	2	–	50	–	–	1	–	1	1	–	1	6	10
Cholera	0·01	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Cancer	0·43	57	–	–	–	–	–	–	–	–	1	1	2	6	11	16	15	5
Scrofula	0·09	12	5	1	1	–	–	7	–	–	1	–	–	1	1	2	–	–
Tabes Mesent.	0·11	15	8	2	2	1	–	13	2	–	–	–	–	–	–	–	–	–
Phthisis	1·49	199	5	5	2	2	1	15	4	8	21	34	37	32	21	10	7	–
Hydrocephalus	0·19	25	8	10	2	2	1	23	–	–	–	2	–	–	–	–	–	–
Diseases of: Nervous Syst.	1·86	248	63	13	8	1	1	86	6	3	5	2	4	10	14	24	47	47
Diseases of: Circulatory „	1·05	140	1	1	–	–	–	2	1	3	3	2	5	8	14	23	45	34
Diseases of: Respiratory „	2·65	354	90	43	18	9	5	165	8	4	5	1	8	14	15	35	59	40
Diseases of: Digestive „	0·84	112	5	1	1	1	2	10	1	4	4	1	9	10	8	28	29	8
Diseases of: Urinary „	0·32	43	2	2	–	–	–	4	1	–	2	3	2	4	4	5	7	11
Diseases of: Generative „	0·02	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1
Childbirth	0·07	9	–	–	–	–	–	–	–	–	1	1	1	6	–	–	–	–
Suicide	0·11	15	–	–	–	–	–	–	–	–	–	1	–	1	3	7	3	–
Other Violence	0·38	51	2	1	5	1	–	9	6	4	–	2	5	3	8	6	4	4
OTHER CAUSES	3·92	521	154	19	7	5	–	185	9	4	8	2	2	7	11	12	54	227

Deaths of Infants (under one) to 1000 Births - 92 | Marriages - 855 | Births - 4,254 | Annual Rate per 1000 living: Persons Married - 12·80; Births - 31·85

56.—BRIDGE.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·59	—	—	—	—	—	38·45	4·69	2·09	7·28	8·02	8·75	14·02	14·64	23·50	52·77	155·63
Mean Pop. 1871-80	—	11,772	328	304	310	306	311	1589	1429	1246	989	823	1509	1248	1134	898	614	293
ALL CAUSES	19·59	2306	420	108	35	31	17	611	67	26	72	66	132	175	166	211	324	456
Small-pox	0·03	4	1	-	-	-	-	1	1	-	-	-	-	-	-	1	1	-
Measles	0·14	16	4	8	-	1	2	15	1	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·21	25	1	2	3	5	-	11	11	-	2	-	-	1	-	-	-	-
Diphtheria	0·20	23	-	2	1	2	3	8	13	1	-	1	-	-	-	-	-	-
Whooping-cough	0·19	22	10	7	1	3	1	22	-	-	-	-	-	-	-	-	-	-
Typhus	0·03	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
Enteric Fever	0·13	15	-	1	1	-	-	2	3	2	1	1	2	-	1	1	2	-
Simp. Cont. Fever	0·08	9	-	-	-	-	-	-	2	2	1	-	-	-	1	-	-	3
Puerp. Fever	0·06	7	-	-	-	-	-	-	-	-	-	2	2	3	-	-	-	-
Diarr. & Dys.	0·60	71	36	8	1	1	-	46	1	-	-	-	-	2	2	5	5	10
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·44	52	-	-	-	-	-	-	-	-	1	-	1	4	9	13	11	13
Scrofula	0·09	11	5	-	1	-	-	6	-	-	-	1	1	1	-	-	2	-
Tabes Mesent.	0·23	27	15	4	2	1	-	22	4	-	1	-	-	-	-	-	-	-
Phthisis	2·00	236	5	5	-	-	-	10	2	8	25	37	51	46	27	22	7	1
Hydrocephalus	0·27	32	14	9	-	2	1	26	3	-	2	-	-	-	-	-	1	-
Diseases of: Nervous Syst.	3·35	394	44	16	5	1	3	69	5	3	16	5	27	48	39	50	71	61
Diseases of: Circulatory "	1·92	226	2	-	2	-	-	4	3	-	4	2	11	23	23	41	70	45
Diseases of: Respiratory "	2·81	342	82	30	9	9	1	131	8	-	7	4	15	18	25	33	49	62
Diseases of: Digestive "	1·12	132	14	2	1	-	2	19	4	1	2	2	3	12	12	22	37	18
Diseases of: Urinary "	0·41	48	1	-	-	-	-	1	1	1	1	1	4	4	8	11	9	7
Diseases of: Generative "	0·05	6	-	-	-	-	-	-	-	-	1	-	-	1	-	3	-	1
Childbirth	0·05	6	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-
Suicide	0·11	13	-	-	-	-	-	-	-	-	2	1	2	-	1	2	5	-
Other Violence	0·41	48	3	2	3	2	1	11	1	3	3	4	2	3	7	3	4	7
Other Causes	4·56	538	183	12	5	4	3	207	4	4	2	3	8	7	11	14	59	228

Deaths of Infants (under one) to 1000 Births - 113. Marriages - 739. Births - 3,728. Annual Rate per 1000 living: Persons Married - 12·56; Births - 31·67.

57.—CANTERBURY.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	22·73	—	—	—	—	—	60·83	7·06	4·04	5·17	7·40	9·75	16·25	21·36	33·24	62·12	158·60
Mean Pop. 1871-80	—	16,785	417	376	390	406	382	1971	1800	1609	1740	1662	2553	1865	1423	1101	718	343
ALL CAUSES	22·73	3816	764	212	98	72	53	1199	127	65	90	123	249	303	304	366	446	544
Small-pox	0·10	16	1	-	1	-	2	4	-	3	2	2	1	3	1	-	-	-
Measles	0·27	45	6	16	7	5	4	38	7	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·50	84	4	11	15	13	10	53	21	5	1	-	2	1	-	1	-	-
Diphtheria	0·10	17	-	1	-	1	4	6	10	1	-	-	-	-	-	-	-	-
Whooping-cough	0·28	47	21	21	1	3	1	47	-	-	-	-	-	-	-	-	-	-
Typhus	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	0·18	30	-	-	-	1	-	1	3	2	6	6	3	1	4	2	2	-
Simp. Cont. Fev.	0·10	17	-	-	3	-	-	3	3	1	3	-	1	2	1	1	1	1
Puerp. Fever	0·04	6	-	-	-	-	-	-	-	-	-	1	4	1	-	-	-	-
Diarr. and Dys.	0·70	117	78	13	4	2	-	97	1	-	1	1	1	-	1	3	8	4
Cholera	0·02	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1
Cancer	0·77	130	-	-	-	-	-	-	-	1	2	1	7	13	27	36	32	11
Scrofula	0·11	18	4	2	2	-	2	10	1	-	1	-	3	1	1	1	-	-
Tabes Mesent.	0·58	97	56	19	4	7	-	86	7	1	1	-	1	-	1	-	-	-
Phthisis	2·45	411	13	2	2	1	-	18	6	14	38	49	97	80	69	33	6	1
Hydrocephalus	0·39	65	18	18	2	4	5	47	10	5	-	2	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·36	396	85	19	7	8	4	123	8	3	7	4	16	23	23	37	75	77
Diseases of: Circulatory "	2·22	372	2	2	1	3	2	10	9	2	9	8	27	33	40	70	93	51
Diseases of: Respiratory "	3·94	662	155	62	28	12	11	268	16	4	5	14	16	38	39	71	99	92
Diseases of: Digestive "	1·44	242	22	-	-	1	-	23	4	5	2	6	22	15	35	50	50	30
Diseases of: Urinary "	0·68	114	-	1	2	-	-	3	7	-	2	5	7	24	12	16	21	17
Diseases of: Generative "	0·14	23	-	-	-	-	-	-	-	1	-	2	2	3	7	3	3	2
Childbirth	0·08	14	-	-	-	-	-	-	-	-	-	6	3	5	-	-	-	-
Suicide	0·13	21	-	-	-	-	-	-	-	-	-	-	4	3	6	4	2	2
Other Violence	0·53	89	9	3	2	1	2	17	6	7	1	7	11	12	12	5	4	7
Other Causes	4·62	780	290	22	17	10	6	345	8	10	9	9	19	24	25	33	50	248

Deaths of Infants (under one) to 1000 Births - 144. Marriages - 1,605. Births - 5,318. Annual Rate per 1000 living: Persons Married - 19·12; Births - 31·68.

58.—BLEAN.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate	—	17·34	—	—	—	—	—	43·80	4·82	2·71	4·80	6·64	7·57	9·80	12·05	24·98	44·57	147·09
Mean Pop. 1871-80	—	18,568	539	490	521	499	517	2566	2511	2291	1710	1265	2271	2011	1569	1221	792	361
ALL CAUSES	17·34	3220	744	199	82	57	42	1124	121	62	82	84	172	197	189	305	353	531
Small-pox	0·03	15	1	-	-	1	-	2	4	1	2	-	2	2	-	2	-	-
Measles	0·13	24	6	8	1	2	1	18	2	3	-	-	-	1	-	-	-	-
Scarlet Fever	0·22	41	2	10	3	6	9	30	5	2	2	-	1	-	-	-	1	-
Diphtheria	0·19	35	1	1	5	6	3	16	17	1	-	-	-	-	-	-	1	-
Whooping-cough	0·38	71	35	25	6	5	-	71	-	-	-	-	-	-	-	-	-	-
Typhus	0·01	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Enteric Fever	0·25	46	1	-	-	1	3	5	7	5	7	2	5	2	4	1	4	4
Simple Cont. Fev.	0·17	31	1	1	1	2	-	5	3	3	3	-	1	2	1	2	4	7
Puerp. Fever	0·07	13	-	-	-	-	-	-	-	-	2	5	5	1	-	-	-	-
Diarr. and Dys.	0·57	105	61	16	1	1	1	80	2	-	-	-	1	-	-	-	3	19
Cholera	0·03	5	1	1	1	-	-	3	1	-	-	-	-	-	-	1	-	-
Cancer	0·44	81	-	-	-	-	-	-	-	-	1	-	-	8	20	23	18	11
Scrofula	0·12	23	5	5	-	-	2	12	4	3	1	-	1	-	-	-	2	-
Tabes Mesent.	0·54	100	58	21	1	2	1	83	5	3	2	1	2	1	2	1	-	-
Phthisis	1·68	312	3	2	5	-	1	11	7	6	33	50	75	53	38	24	12	3
Hydrocephalus	0·24	45	17	8	2	4	1	32	6	6	-	-	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·21	411	107	22	8	1	1	139	9	6	6	5	9	17	27	50	59	84
Diseases of: Circulatory „	1·35	251	2	1	2	1	-	6	6	7	4	4	8	30	16	57	65	48
Diseases of: Respiratory „	2·71	503	114	42	20	8	7	191	16	1	5	5	15	19	18	55	65	113
Diseases of: Digestive „	1·29	239	21	4	1	-	2	28	7	5	3	4	14	16	25	32	52	53
Diseases of: Urinary „	0·40	75	2	-	1	-	-	3	-	2	2	3	3	6	6	10	19	21
Diseases of: Generative „	0·04	7	-	-	-	-	-	-	-	-	-	-	2	3	1	1	-	-
Childbirth	0·08	15	-	-	-	-	-	-	-	-	-	2	4	9	-	-	-	-
Suicide	0·07	13	-	-	-	-	-	-	-	-	-	-	3	5	2	3	-	-
Other Violence	0·37	68	5	1	4	4	1	15	-	4	3	2	10	9	8	5	5	7
Other Causes	3·70	690	301	31	20	13	9	374	20	4	6	1	9	13	21	38	43	161

Deaths of Infants (under one) to 1000 Births - 122 | Marriages - 1,267 | Births - 6,121 | Annual Rate per 1000 living: Persons Married - 13·65; Births - 32·97

59.—FAVERSHAM.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate	—	17·42	—	—	—	—	—	48·96	5·81	2·76	3·20	5·69	6·39	9·41	12·86	21·11	49·00	140·29
Mean Pop. 1871-80	—	23,651	757	693	711	661	671	3493	3114	2829	2158	1881	3083	2486	1960	1383	847	417
ALL CAUSES	17·42	4120	1096	326	113	104	71	1710	181	78	69	107	197	234	252	292	415	585
Small-pox	0·02	4	1	-	-	-	1	2	1	-	-	-	-	1	-	-	-	-
Measles	0·30	72	15	22	13	3	10	63	8	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·47	111	7	15	14	17	14	67	35	5	1	1	-	1	1	-	-	-
Diphtheria	0·31	73	3	3	8	19	8	41	25	4	1	-	1	-	-	1	-	-
Whooping-cough	0·44	105	56	33	9	2	1	101	4	-	-	-	-	-	-	-	-	-
Typhus	0·03	7	-	-	-	-	2	2	-	2	1	-	1	1	-	-	-	-
Enteric Fever	0·22	51	3	4	6	5	6	24	3	4	1	4	-	8	5	1	-	1
Simple Cont. Fev.	0·28	66	1	1	3	5	1	11	15	10	3	4	2	6	5	3	6	1
Puerp. Fever	0·08	18	-	-	-	-	-	-	-	-	-	7	7	4	-	-	-	-
Diarr. and Dys.	0·70	165	102	32	5	1	-	140	-	-	-	-	1	-	1	5	8	10
Cholera	0·02	4	1	-	1	-	-	2	-	-	-	-	-	-	2	-	-	-
Cancer	0·42	99	-	-	1	-	-	1	1	-	-	1	1	10	27	21	26	11
Scrofula	0·10	24	9	5	-	-	-	14	-	1	-	2	-	3	1	1	1	1
Tabes Mesent.	0·23	55	35	9	2	1	1	48	4	1	1	-	-	1	-	-	-	-
Phthisis	1·56	369	14	9	4	3	3	33	9	13	22	46	100	63	42	27	12	2
Hydrocephalus	0·23	55	26	11	4	3	2	46	4	2	2	-	-	-	1	-	-	-
Diseases of: Nervous Syst.	1·85	437	132	43	10	8	-	193	11	4	4	3	11	18	24	47	70	52
Diseases of: Circulatory „	1·12	263	1	-	-	1	-	2	3	5	8	6	11	25	28	45	88	45
Diseases of: Respiratory „	2·30	543	164	66	12	13	7	262	14	3	3	8	13	24	43	41	70	62
Diseases of: Digestive „	0·88	207	32	7	1	-	3	43	7	5	8	4	8	15	31	37	27	22
Diseases of: Urinary „	0·28	66	1	-	-	1	-	2	3	3	1	4	10	9	9	8	10	7
Diseases of: Generative „	0·05	12	-	-	-	-	-	-	-	-	-	-	3	2	3	3	1	-
Childbirth	0·05	13	-	-	-	-	-	-	-	-	3	3	3	2	2	-	-	-
Suicide	0·06	15	-	-	-	-	-	-	-	-	-	2	2	1	3	5	2	-
Other Violence	0·49	117	9	10	6	2	2	29	10	5	7	5	9	20	8	10	6	8
Other Causes	4·93	1166	484	56	14	20	10	584	24	10	3	7	14	20	16	37	88	363

Deaths of Infants (under one) to 1000 Births - 131 | Marriages - 1,707 | Births - 8,391 | Annual Rate per 1000 living: Persons Married - 14·43; Births - 35·48

60.—MILTON.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·82	—	—	—	—	—	50·38	5·19	3·25	4·52	5·58	7·39	9·62	11·69	26·25	55·17	142·60
Mean Pop. 1871-80	—	21,244	714	652	668	671	624	3329	2834	2397	1991	1739	2854	2276	1737	1143	667	277
ALL CAUSES	17·82	3785	1079	316	137	92	53	1677	147	78	90	97	211	219	203	300	368	395
Small-pox	0·15	32	2	-	1	-	1	4	4	3	4	2	4	6	2	2	1	-
Measles	0·22	46	7	20	8	3	3	41	5	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·47	100	9	8	19	16	12	64	21	13	-	-	2	-	-	-	-	-
Diphtheria	0·17	29	2	1	3	6	2	14	13	1	-	-	-	1	-	-	-	-
Whooping-cough	0·39	82	36	23	10	8	2	79	3	-	-	-	-	-	-	-	-	-
Typhus	0·03	6	-	-	-	-	-	-	1	1	1	-	1	1	1	-	-	-
Enteric Fever	0·53	112	-	-	2	4	2	8	21	8	10	10	8	15	6	13	9	4
Simple Cont. Fev.	0·19	41	1	2	1	4	1	9	4	6	4	1	5	3	4	3	1	1
Puerp. Fever	0·12	25	-	-	-	-	-	-	-	-	2	3	12	8	-	-	-	-
Diarr. and Dys.	0·88	187	134	37	5	-	-	176	-	-	-	-	1	2	1	2	4	1
Cholera	0·05	11	4	2	1	1	-	8	-	-	-	-	2	-	-	-	1	-
Cancer	0·48	102	-	-	-	-	1	1	-	-	-	1	8	10	24	34	17	7
Scrofula	0·20	43	16	6	2	1	1	26	3	7	3	1	-	2	-	1	-	-
Tabes Mesent.	0·29	62	37	13	1	2	2	55	5	1	1	-	-	-	-	-	-	-
Phthisis	1·58	336	6	5	3	1	1	16	7	12	33	48	78	59	34	38	9	2
Hydrocephalus	0·12	26	9	11	1	2	-	23	3	-	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·15	457	165	41	19	11	3	239	9	5	6	5	11	14	21	42	63	42
Diseases of: Circulatory „	1·00	213	-	1	-	-	1	2	1	3	6	5	14	15	26	44	72	25
Diseases of: Respiratory „	2·49	529	177	82	34	14	7	314	7	1	4	5	11	21	19	45	50	52
Diseases of: Digestive „	0·67	143	19	6	2	1	1	29	2	-	5	1	8	17	23	22	27	6
Diseases of: Urinary „	0·33	70	3	2	2	2	-	9	4	-	-	1	8	10	9	8	16	5
Diseases of: Generative „	0·03	7	-	-	-	-	-	-	-	-	-	-	2	2	-	2	1	-
Childbirth	0·08	18	-	-	-	-	-	-	-	-	-	3	7	8	-	-	-	-
Suicide	0·05	11	-	-	-	-	-	-	-	-	1	-	1	1	3	5	-	-
Other Violence	0·48	103	7	7	2	5	2	23	9	7	7	4	7	15	7	11	6	7
Other Causes	4·67	994	445	49	21	11	11	537	25	10	3	7	21	9	20	28	91	243

Deaths of Infants (under one) to 1000 Births - 131 | Marriages - 1,542 | Births - 8,254 | Annual Rate per 1000 living: Persons Married - 14·52; Births - - - 38·85

61.—SHEPPEY.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	15·50	—	—	—	—	—	42·64	4·30	3·23	4·40	5·28	6·39	10·95	15·21	27·59	55·68	152·87
Mean Pop. 1871-80	—	18,385	553	502	495	500	478	2528	2188	1826	1682	1798	3035	2210	1558	928	458	174
ALL CAUSES	15·50	2850	659	220	93	61	45	1078	94	59	74	95	194	242	237	256	255	266
Small-pox	0·05	9	-	-	1	-	-	1	1	-	-	1	-	4	2	-	-	-
Measles	0·21	39	9	14	3	3	4	33	5	-	-	1	-	-	-	-	-	-
Scarlet Fever	0·21	38	4	6	4	6	2	22	10	4	1	-	1	-	-	-	-	-
Diphtheria	0·07	12	1	1	2	-	2	6	5	-	-	-	-	-	1	-	-	-
Whooping-cough	0·44	81	32	25	14	3	4	78	3	-	-	-	-	-	-	-	-	-
Typhus	0·01	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Enteric Fever	0·17	32	-	1	2	1	3	7	6	1	4	3	2	2	2	3	2	-
Simple Cont. Fev.	0·05	10	1	1	-	2	-	4	2	2	-	1	-	-	1	-	-	-
Puerp. Fever	0·05	9	-	-	-	-	-	-	-	-	-	1	4	3	1	-	-	-
Diarr. and Dys.	0·71	131	80	22	5	2	3	112	1	1	-	-	2	2	-	1	5	7
Cholera	0·04	8	4	1	-	-	-	5	-	-	1	-	-	1	-	1	-	-
Cancer	0·35	64	-	-	-	1	-	1	-	-	-	1	1	8	24	14	12	3
Scrofula	0·12	22	3	2	2	-	3	10	3	-	2	2	2	-	2	1	-	-
Tabes Mesent.	0·17	31	16	5	4	2	1	28	1	-	-	1	1	-	-	-	-	-
Phthisis	1·83	337	2	3	3	1	2	11	7	15	38	36	85	70	47	22	5	1
Hydrocephalus	0·25	46	17	9	7	5	4	42	2	2	-	-	-	-	-		-	-
Diseases of: Nervous Syst.	2·15	396	106	32	9	9	2	158	11	6	5	5	17	19	32	49	56	38
Diseases of: Circulatory „	0·88	161	-	-	-	1	-	1	6	8	-	3	14	24	36	32	25	12
Diseases of: Respiratory „	2·45	451	132	69	25	14	7	247	8	6	7	10	16	31	27	38	41	20
Diseases of: Digestive „	0·57	104	11	-	1	3	-	15	5	3	5	5	3	16	14	20	14	4
Diseases of: Urinary „	0·41	76	2	-	-	-	1	3	-	2	3	5	7	8	13	15	14	6
Diseases of: Generative „	0·04	8	-	-	-	-	-	-	-	-	-	-	-	3	3	-	2	-
Childbirth	0·07	13	-	-	-	-	-	-	-	-	-	1	5	7	-	-	-	-
Suicide	0·05	10	-	-	-	-	-	-	-	-	-	-	3	3	2	1	1	-
Other Violence	0·53	106	6	2	4	4	2	18	4	5	2	10	15	22	8	9	9	4
Other Causes	3·57	654	233	27	7	4	5	276	13	4	5	9	16	19	22	50	69	171

Deaths of Infants (under one) to 1000 Births - 109 | Marriages - 1,128 | Births - 6,949 | Annual Rate per 1000 living: Persons Married - 12·27; Births - - - 32·90

62.—THANET.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	18·97	—	—	—	—	—	51·16	4·67	4·14	5·38	6·50	8·38	12·57	16·75	28·16	58·15	153·74
Mean Pop. 1871-80	—	46,475	1234	1074	1127	1080	1083	5598	5501	5773	4758	4064	6480	4838	3798	3047	1816	802
ALL CAUSES	18·97	8814	1917	517	207	123	100	2864	257	239	256	264	543	608	636	858	1056	1233
Small-pox	0·04	17	2	-	-	-	-	2	-	1	2	3	3	3	-	1	2	-
Measles	0·17	78	18	29	10	10	6	73	3	1	-	-	-	-	-	1	-	-
Scarlet Fever	0·32	149	9	18	23	28	17	95	34	8	4	2	5	-	1	-	-	-
Diphtheria	0·10	48	1	6	1	7	7	22	17	4	1	1	-	-	2	-	1	-
Whooping-cough	0·53	247	113	69	36	13	8	239	8	-	-	-	-	-	-	-	-	-
Typhus	0·01	6	-	-	-	-	1	1	1	-	-	1	-	-	-	2	1	-
Enteric Fever	0·25	118	2	5	8	4	-	19	12	27	15	5	18	7	7	4	2	2
Simple Cont. Fev.	0·04	18	1	2	2	1	2	8	1	2	1	1	-	1	2	-	1	1
Puerp. Fever	0·06	27	-	-	-	-	-	-	-	-	-	7	12	8	-	-	-	-
Diarr. and Dys.	1·12	519	387	69	11	2	1	470	-	1	-	-	-	4	4	5	18	17
Cholera	0·01	5	3	1	-	-	-	4	-	-	-	-	-	-	1	-	-	-
Cancer	0·66	305	-	-	-	-	-	-	2	-	2	-	8	39	50	92	81	31
Scrofula	0·27	126	19	22	5	3	2	51	7	12	12	13	11	5	3	6	6	-
Tabes Mesent.	0·19	87	39	16	5	4	3	67	4	7	3	-	-	4	-	2	-	-
Phthisis	1·70	792	15	5	7	-	-	27	14	33	78	112	188	170	92	50	26	2
Hydrocephalus	0·31	144	27	40	18	5	7	97	24	13	2	2	3	2	1	-	-	-
Diseases of: Nervous Syst.	2·16	1005	166	33	11	9	8	227	22	22	21	15	52	65	71	148	201	161
Diseases of: Circulatory "	1·46	677	3	-	-	-	1	4	6	14	11	9	46	69	116	132	188	82
Diseases of: Respiratory "	2·64	1226	315	121	33	13	17	499	29	12	15	14	42	37	77	124	183	194
Diseases of: Digestive "	1·20	556	60	6	3	2	-	71	8	17	17	12	39	57	86	110	104	35
Diseases of: Urinary "	0·48	223	5	-	1	2	2	10	5	5	5	-	18	26	28	44	49	33
Diseases of: Generative "	0·06	27	-	-	-	-	-	-	-	-	-	-	3	5	9	8	2	-
Childbirth	0·06	30	-	-	-	-	-	-	-	-	4	7	8	10	1	-	-	-
Suicide	0·09	40	-	-	-	-	-	-	-	-	-	3	8	10	4	9	3	3
Other Violence	0·59	272	29	5	4	6	2	46	8	9	23	29	35	30	32	23	11	26
Other Causes	4·45	2072	703	70	29	14	16	832	52	51	40	28	44	56	49	97	177	646

Deaths of Infants (under one) to 1000 Births - 142 | Marriages - 3,153 | Births - 13,479 | Annual Rate per 1000 living: Persons Married - 13·57; Births - 29·00

63.—EASTRY.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	17·34	—	—	—	—	—	38·00	3·50	2·57	4·44	6·25	8·13	10·81	12·41	23·68	49·35	146·95
Mean Pop. 1871-80	—	27,651	709	677	683	685	659	3413	3313	2913	2928	2255	3492	2878	2466	2014	1311	668
ALL CAUSES	17·34	4795	865	230	90	64	48	1297	116	75	130	141	284	311	306	477	647	1011
Small-pox	0·05	15	-	-	-	-	-	-	1	1	2	1	2	5	1	1	-	1
Measles	0·15	41	6	15	6	5	3	35	5	-	-	-	-	-	1	-	-	-
Scarlet Fever	0·16	43	2	6	5	10	4	27	9	2	2	3	-	-	-	-	-	-
Diphtheria	0·12	32	-	2	7	3	5	17	8	4	2	1	-	-	-	-	-	-
Whooping-cough	0·31	86	55	16	9	3	1	84	2	-	-	-	-	-	-	-	-	-
Typhus	0·01	4	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-
Enteric Fever	0·27	74	-	4	2	2	5	13	14	6	16	3	5	6	4	2	2	3
Simple Cont. Fev.	0·06	17	-	-	-	-	-	-	3	3	2	2	1	1	-	1	2	2
Puerp. Fever	0·04	10	-	-	-	-	-	-	-	-	-	2	6	2	-	-	-	-
Diarr. and Dys.	0·50	139	73	14	1	2	-	90	-	-	-	1	2	4	4	3	9	26
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·49	135	-	-	-	-	-	-	1	-	2	-	3	9	24	42	35	19
Scrofula	0·08	22	8	3	-	-	-	11	-	3	2	1	-	1	2	1	-	1
Tabes Mesent.	0·23	64	37	9	3	2	2	53	2	-	-	2	3	2	-	1	1	-
Phthisis	1·86	514	12	8	6	3	2	31	9	14	53	64	129	88	58	53	13	2
Hydrocephalus	0·23	64	21	15	6	2	4	48	9	4	1	-	1	1	-	-	-	-
Diseases of: Nervous Syst.	2·27	627	149	34	9	6	5	203	10	7	11	6	14	31	43	73	98	126
Diseases of: Circulatory "	1·66	459	4	1	-	-	-	5	3	8	3	5	22	42	52	96	140	83
Diseases of: Respiratory "	2·61	721	164	69	23	13	6	275	11	3	6	13	18	24	22	67	119	163
Diseases of: Digestive "	0·96	265	16	3	3	1	1	24	7	2	6	9	12	18	33	56	52	46
Diseases of: Urinary "	0·39	109	-	-	-	-	3	3	-	1	2	4	11	13	4	21	32	18
Diseases of: Generative "	0·09	26	-	-	-	-	-	-	-	-	1	-	2	4	5	7	6	1
Childbirth	0·05	13	-	-	-	-	-	-	-	-	1	-	8	4	-	-	-	-
Suicide	0·10	29	-	-	-	-	-	-	-	1	-	2	2	5	7	7	3	2
Other Violence	0·54	150	14	5	5	1	3	28	6	6	11	12	22	25	10	6	6	18
Other Causes	4·11	1136	304	26	5	11	4	350	16	9	7	8	20	26	31	40	129	500

Deaths of Infants (under one) to 1000 Births - 109 | Marriages - 1,703 | Births - 7,911 | Annual Rate per 1000 living: Persons Married - 12·32; Births - 28·61

64.—DOVER.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·90	—	—	—	—	—	47·57	5·00	3·63	4·53	6·01	8·35	12·20	15·19	26·47	51·72	144·62
Mean Pop. 1871–80	—	36,031	972	892	917	845	862	4488	4039	2579	3642	3612	5475	4008	2932	2191	1332	623
ALL CAUSES	17·90	6451	1288	414	157	106	90	2135	202	132	165	217	457	489	453	580	720	901
Small-pox	0·74	266	52	18	11	14	19	94	40	23	27	17	32	14	14	1	2	2
Measles	0·22	79	17	36	15	3	3	74	2	2	1	–	–	–	–	–	–	–
Scarlet Fever	0·20	72	8	5	17	6	7	43	16	8	2	1	1	–	1	–	–	–
Diphtheria	0·05	18	1	1	1	2	3	8	8	2	–	–	–	–	–	–	–	–
Whooping-cough	0·34	121	53	34	11	12	2	117	4	–	–	–	–	–	–	–	–	–
Typhus	0·02	8	–	–	–	–	–	–	3	1	1	1	–	1	–	1	–	–
Enteric Fever	0·15	54	1	–	2	2	1	6	12	6	6	3	6	2	6	3	3	1
Simple Cont. Fev.	0·08	29	–	1	2	–	1	4	6	1	1	6	1	3	–	3	2	2
Puerp. Fever	0·06	23	–	–	–	–	–	–	–	–	2	7	8	6	–	–	–	–
Diarr. and Dys.	0·66	237	169	23	5	1	1	199	2	1	–	2	–	7	3	6	14	12
Cholera	0·01	3	2	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–
Cancer	0·43	153	–	–	–	–	–	–	1	1	–	–	4	20	36	44	32	18
Scrofula	0·11	40	13	4	3	1	3	24	2	1	2	3	2	1	4	1	–	–
Tabes Mesent.	0·22	79	49	14	2	–	3	68	3	3	–	2	1	1	–	1	–	–
Phthisis	1·71	616	3	7	–	5	1	16	10	16	53	82	174	134	85	33	11	2
Hydrocephalus	0·23	83	23	23	5	14	3	68	9	2	1	–	1	2	–	–	–	–
Diseases of: Nervous Syst.	2·31	833	225	57	14	11	16	323	19	12	7	10	31	41	37	87	124	122
Diseases of: Circulatory	1·15	413	–	–	1	–	1	2	6	4	8	7	43	56	43	57	104	53
Diseases of: Respiratory	3·18	1147	249	123	23	16	8	424	13	8	11	24	57	60	71	121	183	195
Diseases of: Digestive	0·99	355	52	5	1	1	2	41	4	9	10	11	25	38	49	71	54	43
Diseases of: Urinary	0·39	142	2	–	1	2	–	5	2	4	1	2	15	18	26	29	25	13
Diseases of: Generative	0·06	23	–	–	–	–	–	–	–	–	–	–	1	5	3	6	7	1
Childbirth	0·05	17	–	–	–	–	–	–	–	–	1	2	7	7	–	–	–	–
Suicide	0·10	36	–	–	–	–	–	–	–	–	–	4	7	5	7	10	2	1
Other Violence	0·73	263	20	9	5	4	6	44	17	16	16	23	38	33	23	23	17	13
OTHER CAUSES	3·71	1338	436	54	13	12	10	582	23	12	15	10	23	35	25	52	149	421

Deaths of Infants (under one) to 1000 Births - 123

Marriages - 3,053
Births - 11,328

Annual Rate per 1000 living: Persons Married - 16·95; Births - 31·44

65.—ELHAM.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	16·63	—	—	—	—	—	49·00	5·51	2·67	3·61	4·16	7·88	11·00	13·82	26·06	54·01	142·25
Mean Pop. 1871–80	—	51,753	874	736	860	767	757	3994	3468	3072	3375	3392	5116	3536	2539	1773	1048	445
ALL CAUSES	16·63	5297	1282	347	143	100	83	1957	191	82	122	141	403	389	351	462	566	633
Small-pox	0·04	12	3	–	–	–	–	3	–	–	1	2	4	1	–	1	–	–
Measles	0·33	115	23	37	13	16	5	89	13	3	–	–	–	–	–	–	–	–
Scarlet Fever	0·23	72	4	5	10	16	3	44	18	5	2	–	3	–	–	–	–	–
Diphtheria	0·12	38	1	1	2	3	4	11	22	3	1	–	–	1	–	–	–	–
Whooping-cough	0·32	124	52	36	10	6	5	118	6	–	–	–	–	–	–	–	–	–
Typhus	0·01	4	–	–	–	–	–	–	2	1	–	–	1	–	–	–	–	–
Enteric Fever	0·18	58	–	1	1	1	3	6	8	7	11	6	12	1	4	2	1	–
Simple Cont. Fev.	0·06	19	–	–	–	–	1	1	2	2	1	1	4	1	2	2	3	–
Puerp. Fever	0·05	15	–	–	–	–	–	–	–	–	–	3	9	3	–	–	–	–
Diarr. and Dys.	0·65	206	137	21	7	4	–	169	2	1	1	3	4	1	3	5	6	11
Cholera	0·01	3	1	1	–	–	–	2	–	–	–	–	–	–	–	1	–	–
Cancer	0·52	164	–	–	–	–	1	1	–	–	–	–	8	28	31	39	38	19
Scrofula	0·17	55	25	11	3	1	1	41	5	1	1	1	2	–	1	3	–	–
Tabes Mesent.	0·38	120	73	20	4	3	1	101	6	4	2	–	3	1	2	1	–	–
Phthisis	1·60	533	10	9	1	2	4	26	12	15	45	62	171	91	63	35	17	1
Hydrocephalus	0·31	98	29	16	15	6	11	77	16	2	1	1	1	–	–	–	–	–
Diseases of: Nervous Syst.	2·27	721	213	38	18	5	13	287	27	8	9	13	21	45	48	65	114	84
Diseases of: Circulatory	1·46	465	2	–	–	–	1	3	5	6	7	4	37	55	56	98	115	79
Diseases of: Respiratory	2·65	841	249	98	26	16	11	391	9	3	6	18	35	44	33	80	107	113
Diseases of: Digestive	0·80	254	57	8	3	2	3	43	8	4	5	5	24	33	29	40	40	23
Diseases of: Urinary	0·42	132	2	–	1	–	–	3	2	1	1	1	11	11	24	31	33	14
Diseases of: Generative	0·06	18	–	–	–	–	–	–	–	–	–	–	2	4	5	4	1	2
Childbirth	0·08	26	–	–	–	–	–	–	–	–	1	4	10	11	–	–	–	–
Suicide	0·11	35	–	–	–	–	–	–	–	–	–	1	6	8	9	5	3	3
Other Violence	0·50	158	12	4	5	5	–	26	12	1	15	10	19	20	17	17	10	11
OTHER CAUSES	3·15	1006	426	41	14	14	10	505	16	15	12	6	16	30	22	33	78	273

Deaths of Infants (under one) to 1000 Births - 130

Marriages - 2,375
Births - 9,892

Annual Rate per 1000 living: Persons Married - 14·96; Births - 31·15

66.—ROMNEY MARSH.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	16·76	—	—	—	—	—	38·47	4·68	4·07	4·04	9·43	8·77	10·37	14·31	26·61	38·60	142·57
Mean Pop. 1871-80	—	6123	195	159	181	169	172	876	769	663	544	477	810	723	545	387	228	101
ALL CAUSES	16·76	1026	207	74	27	16	13	337	36	27	22	45	71	75	78	103	88	144
Small-pox	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	0·03	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·41	25	2	2	1	6	2	13	6	3	3	-	-	-	-	-	-	-
Diphtheria	0·11	7	-	1	1	-	1	3	2	2	-	-	-	-	-	-	-	-
Whooping-cough	0·44	27	7	14	3	1	1	26	1	-	-	-	-	-	-	-	-	-
Typhus	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	0·42	26	4	2	2	-	2	10	7	1	-	1	-	2	2	1	1	1
Simple Cont. Fev.	0·07	4	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-
Puerp. Fev.	0·03	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Diarr. and Dys.	0·33	20	12	1	-	-	1	14	-	-	-	-	-	-	1	-	1	4
Cholera	0·05	3	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-
Cancer	0·33	20	-	-	-	-	-	-	-	-	-	-	1	1	5	6	6	1
Scrofula	0·10	6	-	1	-	1	-	2	1	-	-	-	1	2	-	-	-	-
Tabes Mesent.	0·24	15	8	1	1	1	-	11	1	-	-	1	-	1	1	-	-	-
Phthisis	1·52	93	1	1	-	-	-	2	1	3	4	17	28	16	10	12	-	-
Hydrocephalus	0·33	20	8	5	3	-	1	17	3	-	-	-	..	-	-	-	-	-
Diseases of: Nervous Syst.	2·12	130	34	13	3	-	-	50	3	4	3	2	2	4	4	19	16	23
Diseases of: Circulatory „	0·96	59	1	-	-	2	-	3	-	2	1	1	4	6	8	13	12	9
Diseases of: Respiratory „	2·74	168	25	18	6	1	1	51	-	3	-	2	8	12	17	13	20	42
Diseases of: Digestive „	1·14	70	8	1	-	-	1	10	1	1	4	4	3	5	9	12	11	10
Diseases of: Urinary „	0·23	14	-	1	-	-	1	2	2	-	-	1	-	-	1	1	5	2
Diseases of: Generative „	0·07	4	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-
Childbirth	0·11	7	-	-	-	-	-	-	-	-	-	1	3	3	-	-	-	-
Suicide	0·03	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Other Violence	0·98	60	1	2	3	1	1	8	-	2	4	10	8	13	5	6	4	-
Other Causes	3·97	242	94	11	4	3	1	113	7	6	3	4	11	8	13	15	11	51

Deaths of Infants (under one) to 1000 Births - 102 | Marriages - 361 | Births - 2,023 | Annual Rate per 1000 living: Persons Married - 11·79; Births - 33·04

SUSSEX.]

67.—RYE.

—	Annual Death Rate per 1000	—	17·97	—	—	—	—	—	35·82	6·22	2·96	4·80	6·80	8·13	9·58	15·23	23·88	51·94	166·11
Mean Pop. 1871-80		—	12,019	345	313	317	323	338	1636	1464	1352	1063	882	1525	1263	1110	892	593	239
ALL CAUSES		17·97	2160	400	99	41	24	22	586	91	40	51	60	124	121	169	213	308	397
Small-pox		0·04	5	2	-	-	-	-	2	-	-	-	-	-	1	2	-	-	-
Measles		0·16	19	5	4	3	2	3	17	-	1	1	-	-	-	-	-	-	-
Scarlet Fever		0·24	29	-	1	2	3	1	7	11	6	1	1	2	1	-	-	-	-
Diphtheria		0·13	19	-	-	1	-	1	2	9	4	-	-	1	-	-	-	-	-
Whooping-cough		0·34	41	23	9	1	3	-	36	5	-	-	-	-	-	-	-	-	-
Typhus		0·06	7	-	-	-	-	-	-	1	2	2	-	1	-	-	-	1	-
Enteric Fever		0·12	15	-	1	1	-	1	3	3	2	1	1	1	1	2	1	-	-
Simple Cont. Fev.		0·16	19	-	-	-	2	-	2	7	-	1	-	1	1	1	2	-	4
Puerp. Fever		0·02	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Diarr. and Dys.		0·41	49	16	7	6	1	-	30	1	1	-	1	1	-	-	2	5	8
Cholera		0·02	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Cancer		0·60	72	-	-	-	-	-	-	-	-	-	-	1	7	15	18	21	10
Scrofula		0·04	5	1	-	1	-	-	2	1	-	2	-	-	-	-	-	-	-
Tabes Mesent.		0·27	33	12	5	4	-	-	21	1	1	1	-	3	-	2	1	2	1
Phthisis		1·91	230	1	-	1	-	1	3	4	5	21	35	62	48	29	14	9	-
Hydrocephalus		0·14	17	5	6	-	3	-	14	3	-	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.		1·68	202	31	7	1	2	2	43	8	3	3	1	7	5	21	35	42	34
Diseases of: Circulatory „		1·36	163	2	-	-	-	-	2	2	1	2	6	4	12	22	29	47	36
Diseases of: Respiratory „		2·80	337	80	26	7	2	4	119	11	1	3	5	7	15	26	37	60	53
Diseases of: Digestive „		0·99	119	7	3	1	-	2	13	8	-	-	2	7	5	24	22	23	15
Diseases of: Urinary „		0·43	52	-	1	-	-	-	1	-	-	2	1	4	3	6	13	9	13
Diseases of: Generative „		0·02	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
Childbirth		0·06	7	-	-	-	-	-	-	-	-	-	3	4	-	-	-	-	-
Suicide		0·04	5	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1
Other Violence		0·59	71	6	4	2	1	2	15	10	7	5	4	5	6	7	4	6	2
Other Causes		5·34	640	209	25	10	5	5	254	6	6	6	-	10	13	11	33	81	220

Deaths of Infants (under one) to 1000 Births - 107 | Marriages - 863 | Births - 3,727 | Annual Rate per 1000 living: Persons Married - 14·36; Births - 31·01

68.—HASTINGS.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	17·49	—	—	—	—	—	49·13	4·66	3·17	4·25	5·89	9·78	12·13	15·56	24·43	55·56	139·97
Mean Pop. 1871-80	—	42,885	1113	994	1051	991	980	5129	4568	4255	4377	4243	6800	5013	3727	2644	1521	608
ALL CAUSES	17·49	7499	1597	488	217	135	88	2520	213	135	186	250	665	608	580	646	845	851
Small-pox	0·02	7	2	-	-	-	-	2	1	1	-	1	1	-	-	-	1	-
Measles	0·25	107	23	36	23	10	6	98	8	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·13	57	1	9	9	11	5	35	18	2	-	-	1	1	-	-	-	-
Diphtheria	0·18	77	2	3	18	6	6	35	30	6	2	1	3	-	-	-	-	-
Whooping-cough	0·31	134	56	39	20	10	5	130	4	-	-	-	-	-	-	-	-	-
Typhus	0·02	7	-	-	-	-	-	-	1	1	3	1	-	-	-	1	-	-
Enteric Fever	0·13	56	1	-	2	1	-	4	2	3	11	8	8	3	3	9	3	2
Simp. Cont. Fever	0·03	14	-	1	3	2	-	6	2	-	1	-	2	-	2	-	1	-
Puerp. Fever	0·05	21	-	-	-	-	-	-	-	-	2	5	6	8	-	-	-	-
Diarr. and Dys.	0·57	246	193	23	1	1	-	218	2	-	2	-	1	3	2	2	7	9
Cholera	0·01	6	3	-	-	-	-	3	-	-	1	-	-	-	1	-	1	-
Cancer	0·65	279	-	1	-	-	-	1	-	-	-	2	12	30	66	68	71	29
Scrofula	0·16	67	10	14	3	1	1	29	4	4	7	3	10	5	1	2	1	1
Tabes Mesent.	0·23	97	35	18	7	2	7	69	8	6	6	2	1	2	2	1	-	-
Phthisis	2·62	1125	18	15	6	1	4	44	13	28	85	140	370	237	137	49	18	4
Hydrocephalus	0·47	200	69	52	13	16	10	160	24	12	1	1	2	-	-	-	-	-
Diseases of: Nervous Syst.	1·99	852	199	47	16	12	13	287	21	16	5	11	34	48	60	118	132	100
Diseases of: Circulatory "	1·37	589	3	1	-	-	-	4	5	10	5	13	39	81	83	108	155	86
Diseases of: Respiratory "	2·79	1198	293	148	57	23	9	530	20	12	12	19	66	56	71	117	152	143
Diseases of: Digestive "	0·93	399	50	9	2	1	2	64	7	5	8	7	24	45	55	66	83	37
Diseases of: Urinary "	0·36	156	1	1	1	-	1	4	1	1	2	3	17	23	24	25	38	18
Diseases of: Generative "	0·07	28	-	-	-	-	-	-	-	-	-	1	3	6	6	4	4	4
Childbirth	0·06	24	-	-	-	-	-	-	-	-	3	2	9	9	1	-	-	-
Suicide	0·09	36	-	-	-	-	-	-	-	-	1	1	6	7	12	6	2	1
Other Violence	0·43	184	29	8	7	7	3	54	8	11	10	12	20	19	14	11	10	15
Other Causes	3·57	1533	609	28	29	31	16	713	34	16	19	17	30	25	40	59	146	404

Deaths of Infants (under one) to 1000 Births - 182 | Marriages - 3,019 | Births - 12,062 | Annual Rate per 1000 living: Persons Married - 14·08; Births - 28·13

69.—BATTLE

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	15·34	—	—	—	—	—	30·92	5·01	3·46	5·80	6·20	7·69	7·88	9·88	18·87	55·99	152·82
Mean Pop. 1871-80	—	14,141	418	374	430	388	405	2015	1816	1675	1258	1097	1782	1472	1235	975	508	248
ALL CAUSES	15·34	2169	429	167	30	31	26	623	91	58	73	68	137	116	122	184	318	379
Small-pox	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Measles	0·06	8	1	2	-	3	2	8	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·11	16	-	-	-	2	1	3	12	-	-	-	1	-	-	-	-	-
Diphtheria	0·43	61	-	1	2	6	8	17	21	12	5	1	2	1	1	-	1	-
Whooping-cough	0·20	28	13	9	4	-	1	27	1	-	-	-	-	-	-	-	-	-
Typhus	0·03	8	-	-	-	-	-	-	2	1	2	1	1	1	-	-	-	-
Enteric Fever	0·26	37	-	1	-	2	3	6	5	4	7	4	3	2	5	1	-	-
Simp. Cont. Fev.	0·06	8	1	-	-	1	-	2	1	-	1	-	-	1	2	1	-	-
Puerp. Fever	0·03	4	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-
Diarr. and Dys.	0·39	55	27	7	2	2	-	38	2	1	-	1	-	-	1	2	4	6
Cholera	0·01	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cancer	0·45	64	-	-	-	-	-	-	-	-	-	-	1	8	13	13	17	12
Scrofula	0·07	10	3	1	-	1	-	5	2	-	-	-	1	-	-	-	1	1
Tabes Mesent.	0·17	24	10	3	-	-	-	13	2	2	2	3	1	-	-	-	1	-
Phthisis	1·48	209	3	-	-	-	-	3	3	14	29	38	62	28	12	12	7	1
Hydrocephalus	0·23	32	7	10	2	-	2	21	5	3	-	1	2	-	-	-	-	-
Diseases of: Nervous Syst.	1·75	248	62	14	2	3	-	81	6	2	6	10	6	11	17	31	38	40
Diseases of: Circulatory "	1·47	208	2	2	-	-	-	4	2	7	1	1	12	7	25	35	75	39
Diseases of: Respiratory "	2·44	345	88	25	7	4	5	133	9	5	7	2	14	13	13	40	61	43
Diseases of: Digestive "	0·81	115	14	1	-	1	-	16	5	1	-	1	7	10	13	21	22	19
Diseases of: Urinary "	0·33	47	-	-	-	-	-	-	-	-	2	-	2	8	5	6	14	12
Diseases of: Generative "	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Childbirth	0·08	12	-	-	-	-	-	-	-	-	1	1	4	6	-	-	-	-
Suicide	0·03	6	-	-	-	-	-	-	-	-	-	-	2	2	1	-	1	-
Other Violence	0·32	45	2	4	4	2	-	12	4	2	2	2	4	3	3	3	6	4
Other Causes	4·08	576	195	24	7	4	4	234	9	4	6	2	11	14	10	18	70	198

Deaths of Infants (under one) to 1000 Births - 95 | Marriages - 1,000 | Births - 4,502 | Annual Rate per 1000 living: Persons Married - 14·14; Births - 31·84

70.—EASTBOURNE.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	14·19	—	—	—	—	—	3490	3·89	3·36	4·09	5·05	7·15	9·99	13·52	24·34	44·58	138·14
Mean Pop. 1871-80	—	21,741	621	580	584	552	551	2888	2469	2322	2296	2140	3315	2422	1731	1212	655	291
ALL CAUSES	14·19	3086	672	177	68	47	44	1008	96	78	94	108	237	242	234	295	292	402
Small-pox	0·02	4	1	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-
Measles	0·13	28	7	13	5	1	-	26	1	1	-	-	1	-	-	-	-	-
Scarlet Fever	0·30	66	1	7	13	11	7	39	20	-	1	1	3	1	1	-	-	-
Diphtheria	0·14	31	-	3	5	1	5	14	11	5	1	-	-	-	-	-	-	-
Whooping-cough	0·30	65	30	24	8	3	-	65	-	-	-	-	-	-	-	-	-	-
Typhus	0·00	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Enteric Fever	0·25	55	-	1	1	1	3	6	8	9	4	5	6	4	4	5	3	1
Simp. Cont. Fev.	0·05	10	1	-	-	-	-	1	2	2	-	1	-	-	1	1	1	1
Puerp. Fever	0·11	24	-	-	-	-	-	-	-	-	3	4	12	5	-	-	-	-
Diarr. and Dys.	0·53	116	76	12	-	1	1	90	2	-	-	-	-	3	2	2	4	13
Cholera	0·01	2	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Cancer	0·52	112	-	-	-	-	-	-	-	-	1	2	2	18	25	29	25	10
Scrofula	0·06	13	6	1	-	-	-	7	-	-	2	-	-	2	1	1	-	-
Tabes Mesent.	0·24	52	31	7	1	-	1	40	4	3	1	1	-	1	2	-	-	-
Phthisis	1·68	366	7	3	-	3	1	14	3	14	38	50	108	71	40	25	3	-
Hydrocephalus	0·28	60	25	13	3	3	3	47	5	2	2	1	2	1	-	-	-	-
Diseases of: Nervous Syst.	1·53	332	66	20	6	5	4	101	10	9	2	3	15	19	33	37	55	48
Diseases of: Circulatory „	1·03	225	-	-	-	-	-	-	3	3	5	7	21	27	34	46	43	36
Diseases of: Respiratory „	1·90	414	108	42	8	6	5	169	6	6	3	5	9	23	30	49	51	63
Diseases of: Digestive „	0·95	207	45	4	4	1	-	54	2	5	8	4	12	17	18	39	24	24
Diseases of: Urinary „	0·42	92	-	-	1	1	1	3	4	3	5	2	8	9	13	16	13	16
Diseases of: Generative „	0·05	10	-	-	-	-	-	-	-	-	-	-	2	2	2	1	3	-
Childbirth	0·07	15	-	-	-	-	-	-	-	-	-	3	4	8	-	-	-	-
Suicide	0·07	15	-	-	-	-	-	-	-	-	-	1	1	2	4	6	1	-
Other Violence	0·52	114	10	4	4	1	3	22	7	5	9	11	17	14	11	7	5	6
Other Causes	3·03	657	258	22	9	9	10	308	9	11	9	5	13	14	13	30	61	184

Deaths of Infants (under one) to 1000 Births - 108

Marriages - 1,447
Births - 6,201

Annual Rate per 1000 living: Persons Married - 13·31; Births - 28·52

71.—HAILSHAM.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	16·38	—	—	—	—	—	32·53	4·06	2·57	5·09	6·65	8·49	10·81	11·16	24·46	53·52	140·08
Mean Pop. 1871-80	—	13,213	409	386	371	372	368	1906	1750	1520	1178	993	1637	1332	1135	932	568	262
ALL CAUSES	16·38	2164	411	107	46	37	19	620	71	39	60	66	139	144	126	228	304	367
Small-pox	0·03	4	1	1	-	-	-	2	-	-	1	1	-	-	-	-	-	-
Measles	0·06	8	1	4	-	1	-	6	1	-	-	-	-	-	-	-	1	-
Scarlet Fever	0·17	24	3	2	2	2	5	14	6	2	-	-	1	-	-	-	-	-
Diphtheria	0·20	27	-	1	1	4	2	8	15	2	1	-	-	1	-	-	-	-
Whooping-cough	0·25	33	12	11	3	5	2	33	-	-	-	-	-	-	-	-	-	-
Typhus	0·02	3	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-
Enteric Fever	0·26	35	1	1	-	-	-	2	5	3	1	6	3	3	4	4	3	1
Simp. Cont. Fev.	0·07	9	-	-	-	1	-	1	-	-	2	1	-	1	1	1	2	-
Puerp. Fever	0·07	9	-	-	-	-	-	-	-	-	1	2	4	2	-	-	-	-
Diarr. and Dys.	0·23	37	11	4	3	-	-	18	-	-	2	-	1	-	1	2	4	9
Cholera	0·04	5	-	-	1	2	-	3	-	-	-	-	-	-	-	1	1	-
Cancer	0·62	82	-	-	-	-	-	-	1	1	-	-	4	7	11	24	20	14
Scrofula	0·12	16	5	1	-	-	-	6	1	-	2	1	1	3	1	1	-	-
Tabes Mesent.	0·20	26	9	8	1	1	1	20	2	3	-	1	-	-	-	-	-	-
Phthisis	2·05	271	7	4	1	1	-	13	3	5	28	36	73	50	28	24	8	3
Hydrocephalus	0·10	13	3	4	2	-	-	9	2	2	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	1·73	228	46	14	9	3	1	73	7	5	3	4	6	17	5	27	46	35
Diseases of: Circulatory „	1·53	202	-	-	-	-	-	-	-	1	4	5	11	8	26	50	63	34
Diseases of: Respiratory „	2·60	343	98	33	12	11	5	159	8	2	4	2	6	18	18	33	46	47
Diseases of: Digestive „	1·16	153	17	-	2	-	1	20	4	5	3	2	9	14	17	25	32	22
Diseases of: Urinary „	0·47	62	-	-	-	1	1	2	1	1	1	2	2	8	2	12	20	11
Diseases of: Generative „	0·04	5	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	1
Childbirth	0·03	11	-	-	-	-	-	-	-	-	1	2	6	2	-	-	-	-
Suicide	0·06	8	-	-	-	-	-	-	-	-	1	-	1	-	2	4	-	-
Other Violence	0·33	43	5	5	4	3	-	17	4	1	-	1	3	5	2	1	5	4
Other Causes	3·84	508	192	14	5	2	1	214	11	5	4	-	6	5	6	18	53	186

Deaths of Infants (under one) to 1000 Births - 95

Marriages - 905
Births - 4,321

Annual Rate per 1000 living: Persons Married - 13·70; Births - 32·70

72.—TICEHURST.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	16·38	—	—	—	—	—	36·62	3·98	2·54	4·14	5·45	7·43	9·71	12·59	22·07	53·16	163·73
Mean Pop. 1871–80	—	16,968	493	493	471	483	471	2411	2213	1888	1520	1413	2222	1772	1422	1101	711	295
ALL CAUSES	16·38	2779	595	146	61	49	32	883	88	48	63	77	165	172	179	243	378	483
Small-pox	0·02	3	-	-	-	1	-	1	-	-	-	-	-	2	-	-	-	-
Measles	0·15	26	6	6	4	-	2	18	6	-	-	1	-	-	-	1	-	-
Scarlet Fever	0·15	26	2	3	3	4	1	13	5	4	4	-	-	-	-	-	-	-
Diphtheria	0·31	53	2	2	3	6	2	15	25	8	1	-	1	2	-	-	1	-
Whooping-cough	0·34	58	28	15	9	3	-	55	3	-	-	-	-	-	-	-	-	-
Typhus	0·06	10	-	-	-	-	-	-	1	1	1	-	2	-	2	1	2	-
Enteric Fever	0·24	41	1	1	3	-	-	5	3	5	5	5	4	5	4	4	1	-
Simple Cont. Fev.	0·05	8	-	-	-	1	2	3	-	1	-	-	3	-	-	1	-	-
Puerp. Fever	0·05	9	-	-	-	-	-	-	-	-	1	1	5	2	-	-	-	-
Diarr. and Dys.	0·32	55	27	4	3	3	2	39	1	-	-	-	1	1	1	1	4	7
Cholera	0·02	4	3	-	-	-	-	3	-	-	-	-	-	-	-	1	-	-
Cancer	0·55	93	-	-	-	-	-	-	-	2	-	1	3	5	24	22	24	12
Scrofula	0·07	12	2	1	-	-	-	3	-	-	1	1	3	1	2	1	-	-
Tabes Mesent.	0·18	31	8	12	3	-	1	24	3	1	-	-	2	1	-	-	-	-
Phthisis	1·79	293	12	4	3	-	1	20	4	7	18	47	63	45	29	31	27	2
Hydrocephalus	0·31	53	16	12	8	6	3	45	5	2	1	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·09	354	75	12	5	5	-	97	1	5	6	5	12	23	17	32	67	89
Circulatory „	1·45	246	1	1	-	-	-	2	5	3	7	3	7	20	23	41	77	53
Respiratory „	2·55	433	118	46	9	8	3	184	8	1	4	6	10	14	18	39	68	81
Digestive „	0·97	164	24	-	3	3	4	34	1	2	2	3	17	11	22	28	26	18
Urinary „	0·54	94	1	1	-	-	-	2	1	1	4	-	9	8	8	18	23	20
Generative „	0·05	9	-	-	-	-	-	-	-	-	-	-	2	1	2	2	-	2
Childbirth	0·15	25	-	-	-	-	-	-	-	-	1	-	5	18	1	-	-	-
Suicide	0·09	16	-	-	-	-	-	-	-	-	1	1	-	2	4	3	5	-
Other Violence	0·34	57	6	7	2	3	2	20	3	-	3	1	5	2	7	3	6	7
Other Causes	3·60	606	263	19	3	6	9	300	13	5	3	2	11	9	15	14	47	187

Deaths of Infants (under one) to 1000 Births - 104

Marriages - 1,210
Births - 5,730

Annual Rate per 1000 living: Persons Married - 14·26; Births - 33·77

73.—UCKFIELD.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	15·66	—	—	—	—	—	34·10	3·39	2·36	5·17	5·66	7·43	7·93	10·97	23·37	55·40	149·86
Mean Pop. 1871–80	—	19,706	610	569	609	551	579	2918	2656	2332	1798	1502	2463	1980	1637	1245	778	347
ALL CAUSES	15·66	3085	639	176	69	65	46	995	90	55	93	85	183	157	185	291	431	520
Small-pox	0·01	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Measles	0·11	22	7	5	-	5	1	18	1	-	2	-	-	1	-	-	-	-
Scarlet Fever	0·30	60	3	8	5	8	8	32	18	3	2	2	3	-	-	-	-	-
Diphtheria	0·17	33	1	-	2	4	4	11	13	4	1	2	2	-	-	-	-	-
Whooping-cough	0·32	63	30	19	5	5	2	61	2	-	-	-	-	-	-	-	-	-
Typhus	0·03	6	-	-	-	-	-	-	-	1	2	1	-	1	1	-	-	-
Enteric Fever	0·13	26	-	-	-	-	-	-	1	5	6	3	3	2	1	3	2	-
Simple Cont. Fev.	0·02	4	-	-	-	-	-	-	1	-	1	-	-	-	1	-	1	-
Puerp. Fever	0·07	14	-	-	-	-	-	-	-	-	2	2	8	2	-	-	-	-
Diarr. and Dys.	0·38	75	36	11	6	8	1	62	2	-	-	-	-	-	-	1	3	7
Cholera	0·01	2	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-
Cancer	0·41	81	-	-	-	1	-	1	-	-	1	-	2	5	16	22	25	9
Scrofula	0·09	18	4	2	-	-	-	6	-	2	3	-	-	-	1	4	1	1
Tabes Mesent.	0·34	67	23	10	7	1	2	48	1	-	5	2	4	3	2	2	-	-
Phthisis	1·74	342	4	1	1	4	-	10	10	8	36	50	91	63	26	34	13	1
Hydrocephalus	0·21	42	16	10	4	-	-	30	7	3	-	-	1	-	1	-	-	-
Diseases of: Nervous Syst.	2·02	399	72	29	6	5	9	121	3	10	11	5	10	14	22	45	76	82
Circulatory „	1·53	301	-	-	-	1	-	1	2	3	1	4	9	21	31	56	115	58
Respiratory „	2·59	511	122	48	19	10	9	208	6	6	7	5	11	11	26	38	95	98
Digestive „	0·80	158	19	-	1	-	3	23	5	-	4	3	11	7	19	36	27	23
Urinary „	0·39	77	1	-	-	-	-	1	-	1	1	2	8	2	14	18	17	13
Generative „	0·07	13	-	-	-	-	-	-	-	-	-	-	3	1	3	2	4	-
Childbirth	0·09	17	-	-	-	-	-	-	-	-	2	1	7	7	-	-	-	-
Suicide	0·04	8	-	-	-	-	-	-	-	-	-	-	-	1	2	4	1	-
Other Violence	0·33	65	4	8	5	3	2	22	5	4	1	-	6	4	8	8	3	4
Other Causes	3·46	679	292	25	8	10	4	339	13	5	5	3	4	12	8	18	48	224

Deaths of Infants (under one) to 1000 Births - 96

Marriages - 1,234
Births - 6,690

Annual Rate per 1000 living: Persons Married - 12·52; Births - 33·95

74.—EAST GRINSTEAD.*

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	15·36	—	—	—	—	—	35·07	4·23	2·27	4·70	6·72	7·12	8·03	10·75	22·40	58·2[illegible]	136·70
Mean Pop. 1871-80	—	17,657	509	507	504	503	512	2535	2319	2026	1553	1383	2387	1917	1497	1098	645	297
ALL CAUSES	15·36	2712	599	134	77	40	39	889	98	46	73	93	170	154	161	246	376	406
Small-pox	0·02	4	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-
Measles	0·19	34	6	7	7	2	5	27	4	1	1	-	-	1	-	-	-	-
Scarlet Fever	0·23	41	4	3	5	4	1	17	11	8	2	1	2	-	-	-	-	-
Diphtheria	0·23	41	1	1	4	5	6	17	11	6	5	-	2	-	-	-	-	-
Whooping-cough	0·36	64	32	20	5	4	3	64	-	-	-	-	-	-	-	-	-	-
Typhus	0·03	5	-	-	-	-	-	-	-	2	2	-	-	-	1	-	-	-
Enteric Fever	0·16	29	1	1	-	-	-	2	5	1	4	4	4	2	2	4	-	1
Simple Cont. Fev.	0·03	6	-	1	1	-	-	2	1	-	1	-	1	-	-	1	-	-
Puerp. Fever	0·02	4	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-
Diarr. and Dys.	0·50	89	39	14	6	-	2	61	2	-	-	-	2	1	1	2	5	15
Cholera	0·01	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Cancer	0·51	90	-	-	-	-	-	-	1	-	-	2	4	9	16	25	24	9
Scrofula	0·14	24	6	2	-	-	-	8	1	1	2	1	5	1	-	2	3	-
Tabes Mesent.	0·15	26	11	2	2	3	-	18	4	1	1	-	2	-	-	-	-	-
Phthisis	1·71	302	5	3	4	1	2	15	8	7	22	52	79	46	28	26	17	2
Hydrocephalus	0·31	54	14	10	7	3	6	40	7	5	-	1	-	-	-	1	-	-
Diseases of: Nervous Syst.	1·67	295	55	11	4	3	-	73	7	2	7	7	5	10	20	24	73	67
Diseases of: Circulatory „	1·23	218	2	-	-	-	-	2	1	3	1	3	6	15	22	50	76	39
Diseases of: Respiratory „	3·00	530	146	42	14	4	6	212	12	-	7	6	15	23	28	50	78	99
Diseases of: Digestive „	0·73	129	13	1	1	1	-	16	6	1	4	4	13	6	15	24	25	15
Diseases of: Urinary „	0·45	80	1	-	-	1	1	3	1	2	-	2	9	11	7	9	19	17
Diseases of: Generative „	0·05	9	-	-	-	-	-	-	-	-	1	-	1	3	-	3	1	-
Childbirth	0·09	16	-	-	-	-	-	-	-	-	2	1	7	5	1	-	-	-
Suicide	0·10	18	-	-	-	-	-	-	-	-	1	2	3	3	4	4	-	1
Other Violence	0·37	66	10	3	5	4	1	23	5	3	2	5	3	8	4	2	8	3
Other Causes	3·07	536	253	13	12	5	6	289	11	3	8	2	4	7	11	16	47	138

Deaths of Infants (under one) to 1000 Births - 105 | Marriages - 971 | Births - 5,695 | Annual Rate per 1000 living: Persons Married - 11·00; Births - 32·25

* Changes were made in the boundary of this District, during the decade; *see* Table, pp. 371–8.

75.—CUCKFIELD.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	14·26	—	—	—	—	—	32·09	3·88	2·21	4·21	6·48	6·78	7·79	10·92	22·66	48·35	155·15
Mean Pop. 1871-80	—	21,716	612	595	575	578	582	2942	2731	2765	2065	1729	2905	2285	1786	1359	819	330
ALL CAUSES	14·26	3096	626	162	83	43	30	944	106	61	87	112	197	178	195	308	396	512
Small-pox	0·02	4	-	-	-	1	-	1	-	-	-	1	-	2	-	-	-	-
Measles	0·13	29	3	10	6	1	2	22	6	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·25	55	1	9	8	6	6	30	17	3	3	-	1	1	-	-	-	-
Diphtheria	0·14	31	2	-	3	3	3	11	13	4	-	1	1	-	-	1	-	-
Whooping-cough	0·35	75	38	20	10	2	2	72	3	-	-	-	-	-	-	-	-	-
Typhus	0·01	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
Enteric Fever	0·16	34	-	-	4	-	-	4	3	4	6	6	4	3	-	1	2	1
Simple Cont. Fev.	0·04	9	-	-	2	1	-	3	1	1	-	-	1	-	-	1	1	1
Puerp. Fever	0·08	18	-	-	-	-	-	-	-	-	1	4	9	4	-	-	-	-
Diarr. and Dys.	0·39	85	38	10	5	2	1	56	-	-	-	-	3	1	4	3	6	12
Cholera	0·02	4	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-
Cancer	0·38	83	-	-	-	-	-	-	-	-	-	1	7	3	16	25	22	9
Scrofula	0·05	11	3	1	-	-	1	5	-	1	3	1	-	-	-	-	1	-
Tabes Mesent.	0·13	29	17	6	2	-	-	25	1	1	1	1	-	-	-	-	-	-
Phthisis	1·70	369	4	4	3	1	2	14	6	13	43	55	94	63	34	28	15	4
Hydrocephalus	0·19	42	12	9	4	2	1	28	8	2	-	3	-	1	-	-	-	-
Diseases of: Nervous Syst.	2·01	436	98	19	4	6	1	128	9	3	10	6	13	14	26	42	80	103
Diseases of: Circulatory „	1·50	325	1	-	2	-	-	3	3	12	4	6	16	21	39	63	91	68
Diseases of: Respiratory „	2·21	479	112	45	21	4	3	185	11	2	5	3	10	18	32	58	72	83
Diseases of: Digestive „	0·76	166	23	3	2	-	1	29	3	1	4	4	7	13	23	32	26	24
Diseases of: Urinary „	0·34	73	-	-	-	-	1	1	1	1	1	2	7	7	4	19	19	11
Diseases of: Generative „	0·06	13	-	-	-	-	-	-	-	-	1	-	1	5	-	4	1	1
Childbirth	0·05	11	-	-	-	-	-	-	-	-	-	2	4	5	-	-	-	-
Suicide	0·07	16	-	-	-	-	-	-	-	-	-	-	1	4	2	6	2	1
Other Violence	0·30	66	5	3	2	3	3	16	9	6	1	7	4	4	4	3	8	4
Other Causes	2·92	631	269	23	5	11	3	311	12	5	4	9	12	8	10	23	49	188

Deaths of Infants (under one) to 1000 Births - 96 | Marriages - 1,267 | Births - 6,525 | Annual Rate per 1000 living: Persons Married - 11·67; Births - 30·05

76.—LEWES.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75– and upwds.
Annual Death Rate per 1000	—	18·76	—	—	—	—	—	36·88	3·71	2·86	5·51	7·30	10·62	15·71	18·87	29·66	62·63	158·33
Mean Pop. 1871–80	—	31,419	881	779	787	774	830	4051	3856	3642	2830	2615	4235	3520	2814	2033	1271	552
ALL CAUSES	18·76	5895	972	272	125	74	51	1494	143	104	156	191	450	553	531	603	796	874
Small-pox	0·04	12	1	1	-	-	-	2	2	-	2	3	-	1	-	-	2	-
Measles	0·12	39	11	10	5	7	1	34	2	1	1	-	-	1	-	-	-	-
Scarlet Fever	0·20	62	3	10	6	9	5	33	15	8	2	-	2	2	-	-	-	-
Diphtheria	0·10	32	5	1	1	7	1	15	10	4	-	-	-	1	1	-	1	-
Whooping-cough	0·32	101	54	27	10	3	3	97	2	1	1	-	-	-	-	-	-	-
Typhus	0·03	10	-	-	-	-	1	1	-	2	1	4	-	2	-	-	-	-
Enteric Fever	0·30	93	1	1	3	1	-	6	14	10	12	13	13	5	8	6	6	-
Simple Cont. Fev.	0·05	15	-	1	-	-	1	2	3	3	1	2	-	1	3	-	-	-
Puerp. Fever	0·03	10	-	-	-	-	-	-	-	-	-	1	5	4	-	-	-	-
Diarr. and Dys.	0·57	178	89	18	4	1	1	113	2	-	-	-	2	6	5	7	16	27
Cholera	0·01	3	1	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-
Cancer	0·55	174	-	-	-	-	-	-	-	1	-	-	10	24	31	52	37	19
Scrofula	0·16	51	17	6	5	3	-	31	3	4	1	3	1	5	3	-	-	-
Tabes Mesent.	0·27	84	43	18	9	2	2	74	4	1	2	-	1	2	-	-	-	-
Phthisis	2·44	768	29	6	2	2	2	41	3	17	61	100	186	172	107	58	22	1
Hydrocephalus	0·31	96	29	20	9	8	6	72	15	4	3	-	1	-	1	-	-	-
Diseases of: Nervous Syst.	3·60	1131	167	47	21	5	10	250	20	12	22	13	90	143	133	133	174	141
Circulatory	1·67	524	2	-	-	1	-	3	3	10	11	9	32	46	67	111	161	71
Respiratory	2·42	761	126	62	27	10	7	232	12	2	5	7	22	43	57	74	151	156
Digestive	0·94	295	24	3	2	1	1	31	6	6	6	8	26	21	46	57	55	36
Urinary	0·37	117	2	-	1	-	-	3	-	4	2	4	10	11	16	25	27	15
Generative	0·06	19	-	-	-	-	-	-	-	-	-	1	-	7	5	2	2	2
Childbirth	0·05	15	-	-	-	-	-	-	-	-	1	3	5	6	-	-	-	-
Suicide	0·12	39	-	-	-	-	-	-	-	-	2	1	5	6	8	10	6	1
Other Violence	0·54	169	9	12	4	1	1	27	5	4	12	9	25	22	18	27	11	9
Other Causes	3·49	1097	359	29	16	13	9	426	22	10	8	10	16	22	22	40	125	396

Deaths of Infants (under one) to 1000 Births 108 — Marriages 1,736 — Births 8,987 — Annual Rate per 1000 living: Persons Married 11·05; Births 28·60

77.—BRIGHTON.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75– and upwds.
Annual Death Rate per 1000	—	20·46	—	—	—	—	—	62·58	5·08	3·09	4·27	5·86	8·80	13·48	20·06	33·44	64·70	151·17
Mean Pop. 1871–80	—	94,551	2426	2154	2160	2090	2104	10934	9829	9658	9698	9259	14677	11290	8606	5867	3365	1368
ALL CAUSES	20·46	19,342	4379	1360	525	327	251	6842	499	298	414	543	1291	1522	1726	1962	2177	2068
Small-pox	0·08	79	13	5	7	4	6	35	9	-	4	8	9	6	2	4	2	-
Measles	0·27	259	63	95	40	27	12	237	19	3	-	-	-	-	-	-	-	-
Scarlet Fever	0·39	369	14	52	46	53	45	210	95	25	9	14	4	6	5	-	1	-
Diphtheria	0·08	77	1	10	9	7	8	35	25	9	-	-	2	2	2	2	-	-
Whooping-cough	0·46	431	173	141	61	29	19	423	8	-	-	-	-	-	-	-	-	-
Typhus	0·01	13	-	1	-	-	-	1	4	2	2	-	1	1	2	-	-	-
Enteric Fever	0·17	157	1	3	2	6	6	18	13	14	17	20	21	15	17	15	6	1
Simple Cont. Fev.	0·06	58	1	4	6	7	3	21	7	3	2	2	4	4	5	8	-	2
Puerp. Fever	0·05	50	-	-	-	-	-	-	-	-	4	9	27	10	-	-	-	-
Diarr. and Dys.	1·04	987	724	111	20	3	2	860	6	1	-	-	8	7	9	19	27	50
Cholera	0·02	16	5	2	-	-	-	7	-	-	-	-	1	2	1	3	2	-
Cancer	0·75	705	-	-	2	-	-	2	1	1	4	6	29	86	175	186	157	58
Scrofula	0·15	146	29	25	6	9	7	76	14	10	8	10	8	7	2	7	4	-
Tabes Mesent.	0·17	163	65	29	12	3	8	117	13	10	7	3	5	-	4	3	1	-
Phthisis	2·47	2335	51	38	18	14	11	132	36	60	161	250	585	554	378	167	28	4
Hydrocephalus	0·43	403	119	109	51	28	24	331	61	20	9	4	4	3	1	-	-	-
Diseases of: Nervous Syst.	2·52	2380	584	125	44	22	24	799	42	26	32	25	71	113	195	511	425	341
Circulatory	1·47	1386	4	-	2	1	4	11	9	25	24	32	112	167	213	318	327	148
Respiratory	3·50	3305	774	384	128	64	29	1379	45	15	21	31	84	136	231	361	431	461
Digestive	1·09	1026	99	7	3	5	3	117	11	14	17	23	76	143	166	220	174	65
Urinary	0·58	531	2	1	-	4	4	11	11	11	15	22	55	89	81	96	96	44
Generative	0·09	86	-	-	-	-	-	-	-	-	1	3	14	18	22	14	13	1
Childbirth	0·05	50	-	-	-	-	-	-	-	-	1	8	24	17	-	-	-	-
Suicide	0·12	111	-	-	-	-	-	-	-	-	2	4	15	16	31	39	12	1
Other Violence	0·47	444	83	12	12	10	13	130	18	17	27	27	41	46	41	44	28	25
Other Causes	3·96	3745	1574	206	53	31	23	1890	52	32	47	42	91	94	123	154	343	877

Deaths of Infants (under one) to 1000 Births 157 — Marriages 8,789 — Births 27,006 — Annual Rate per 1000 living: Persons Married 18·59; Births 29·51

78.—STEYNING.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
Annual Death Rate per 1000	—	14·44	—	—	—	—	—	41·54	3·54	2·29	2·79	3·99	6·10	8·10	11·76	24·61	53·70	132·69
Mean Pop. 1871–80	—	40,281	1046	948	976	975	925	4870	4377	4152	4226	3907	6309	4590	3453	2422	1406	539
ALL CAUSES	14·44	5816	1329	397	145	100	52	2023	155	95	118	156	385	372	406	596	755	755
Small-pox	0·03	13	1	-	-	1	-	2	-	-	1	1	1	4	2	1	1	-
Measles	0·19	77	16	33	11	8	2	70	5	-	-	1	-	-	1	-	-	-
Scarlet Fever	0·21	83	10	11	12	10	11	54	19	6	-	2	2	-	-	-	-	-
Diphtheria	0·13	53	2	3	3	9	11	28	14	4	2	1	-	1	3	-	-	-
Whooping-cough	0·37	149	64	54	16	9	2	145	2	-	1	-	-	-	-	-	-	1
Typhus	0·02	9	-	-	-	-	-	-	1	-	1	1	1	3	1	-	1	-
Enteric Fever	0·15	59	2	-	3	4	5	14	9	5	3	6	7	7	5	1	2	-
Simple Cont. Fev.	0·06	23	1	1	-	3	1	6	5	2	1	2	2	2	2	1	-	-
Puerp. Fever	0·05	20	-	-	-	-	-	-	-	-	-	5	10	4	1	-	-	-
Diarr. and Dys.	0·72	291	195	36	6	-	-	237	1	1	1	-	2	3	4	8	18	16
Cholera	0·02	8	4	-	-	1	-	5	-	-	-	-	-	-	1	2	-	-
Cancer	0·51	205	-	-	1	1	-	2	-	-	-	-	7	22	28	69	56	21
Scrofula	0·12	47	18	10	2	4	1	35	1	1	1	2	2	1	1	2	1	-
Tabes Mesent.	0·13	54	30	9	4	1	1	45	4	1	2	-	-	-	1	-	1	-
Phthisis	1·54	621	16	4	5	3	2	30	7	19	51	74	162	125	77	48	23	5
Hydrocephalus	0·30	119	33	30	16	13	3	95	15	1	3	1	2	1	1	-	-	-
Diseases of: Nervous Syst.	1·89	760	170	27	16	9	4	226	17	10	10	8	30	36	44	94	161	124
Diseases of: Circulatory „	1·16	467	1	-	1	-	-	2	2	8	6	9	26	42	62	105	126	79
Diseases of: Respiratory „	2·20	885	219	101	19	9	4	352	14	11	4	10	33	30	52	99	140	140
Diseases of: Digestive „	0·80	324	31	3	5	1	1	41	11	3	5	10	22	24	49	63	59	37
Diseases of: Urinary „	0·38	153	-	1	1	3	1	6	3	4	4	3	20	12	23	30	36	12
Diseases of: Generative „	0·04	15	-	-	-	-	-	-	-	-	1	-	4	3	3	1	3	-
Childbirth	0·05	22	-	-	-	-	-	-	-	-	1	3	10	7	1	-	-	-
Suicide	0·12	48	-	-	-	-	-	-	-	-	2	2	5	6	11	8	9	5
Other Violence	0·36	147	19	5	4	-	-	28	8	12	9	4	20	19	10	16	12	9
Other Causes	2·89	1164	497	69	20	11	3	600	17	7	9	11	17	20	23	48	106	306

Deaths of Infants (under one) to 1000 Births - 117 | Marriages - 2,416 | Births - 11,335 | Annual Rate per 1000 living: Persons Married - 12·00; Births - 28·14

79.—HORSHAM.*

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
Annual Death Rate per 1000	—	15·83	—	—	—	—	—	31·33	4·58	3·00	3·97	6·30	6·93	9·88	13·74	25·24	55·20	155·84
Mean Pop. 1871–80	—	20,601	610	541	602	550	563	2866	2663	2332	1916	1572	2669	2248	1812	1355	817	351
ALL CAUSES	15·83	3261	575	148	79	53	43	898	122	70	76	99	185	222	249	342	451	547
Small-pox	0·01	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Measles	0·17	35	6	12	5	1	3	27	5	2	-	-	1	-	-	-	-	-
Scarlet Fever	0·20	42	1	3	9	7	4	24	10	5	1	-	1	-	-	-	1	-
Diphtheria	0·27	55	1	1	6	7	6	21	25	7	-	-	-	1	-	-	-	-
Whooping-cough	0·25	52	22	19	6	-	3	50	2	-	-	-	-	-	-	-	-	-
Typhus	0·02	5	-	-	-	2	-	2	-	1	-	-	1	-	-	1	-	-
Enteric Fever	0·18	37	1	-	-	2	-	3	2	4	6	5	7	3	1	3	2	1
Simple Cont. Fev.	0·06	13	-	-	-	-	-	-	1	2	2	-	-	-	1	3	3	1
Puerp. Fever	0·06	12	-	-	-	-	-	-	-	-	-	3	5	4	-	-	-	-
Diarr. and Dys.	0·33	68	24	4	4	2	-	34	3	-	1	-	3	-	4	4	4	15
Cholera	0·09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·43	88	-	-	1	-	-	1	1	-	-	1	1	10	13	20	24	14
Scrofula	0·15	31	10	5	1	-	2	18	5	2	3	1	-	-	-	-	1	1
Tabes Mesent.	0·09	19	9	3	-	-	-	12	1	-	1	-	-	1	2	2	-	-
Phthisis	1·86	383	8	3	1	3	-	15	8	10	36	45	97	75	51	41	5	-
Hydrocephalus	0·18	38	12	6	5	3	1	27	6	4	1	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·03	418	81	18	7	5	5	116	9	8	6	6	15	19	32	48	87	72
Diseases of: Circulatory „	1·17	241	2	-	-	-	-	2	3	5	3	5	5	16	27	53	77	45
Diseases of: Respiratory „	2·88	594	113	45	21	6	6	191	19	4	4	4	16	28	37	61	104	126
Diseases of: Digestive „	1·01	208	13	1	1	1	2	18	3	3	3	6	8	25	32	45	47	18
Diseases of: Urinary „	0·46	95	-	-	-	-	1	1	-	3	2	3	7	13	13	18	23	12
Diseases of: Generative „	0·06	12	-	-	-	-	-	-	-	-	-	1	2	1	3	3	1	1
Childbirth	0·05	11	-	-	-	-	-	-	-	-	1	1	5	4	-	-	-	-
Suicide	0·10	20	-	-	-	-	-	-	-	-	-	1	1	6	6	3	3	-
Other Violence	0·46	94	13	5	3	3	2	26	4	6	3	6	1	7	7	12	10	12
Other Causes	3·35	688	259	23	9	11	8	310	14	4	3	10	9	8	17	25	59	229

Deaths of Infants (under one) to 1000 Births - 89 | Marriages - 1,297 | Births - 6,429 | Annual Rate per 1000 living: Persons Married - 12·59; Births - 31·21

* Changes were made in the boundary of this district during the decade; *see* Table, pp. 371-8.

80.—PETWORTH.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·03	—	—	—	—	—	30·44	5·14	2·98	4·42	7·86	7·92	9·36	12·31	24·62	55·64	157·77
Mean Pop. 1871–80	—	9867	257	268	258	260	248	1291	1245	1109	860	751	1199	1036	934	731	505	206
ALL CAUSES	17·03	1680	252	71	35	16	19	393	64	33	38	59	95	97	115	180	281	325
Small-pox	0·04	4	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	
Measles	0·11	11	6	2	-	1	-	9	1	-	-	-	1	-	-	-	-	-
Scarlet Fever	0·10	10	-	-	3	1	1	5	3	2	-	-	-	-	-	-	-	-
Diphtheria	0·42	41	2	2	4	5	3	16	18	5	1	-	-	-	-	1	-	-
Whooping cough	0·16	16	7	5	4	-	-	16	-	-	-	-	-	-	-	-	-	-
Typhus	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	0·23	23	-	2	-	1	1	4	3	1	-	2	1	3	5	-	4	-
Simple Cont. Fev.	0·04	4	-	-	-	-	1	1	1	-	-	-	1	-	-	1	-	-
Puerp. Fever	0·07	7	-	-	-	-	-	-	-	-	-	2	1	4	-	-	-	-
Diarr. and Dys.	0·28	28	10	2	1	-	2	15	1	-	-	-	1	1	-	3	3	4
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·47	46	-	-	-	-	-	-	-	-	-	-	-	5	7	20	7	7
Scrofula	0·09	9	-	1	-	-	-	1	2	-	1	1	1	1	-	-	2	-
Tabes Mesent.	0·13	13	4	3	2	-	1	10	1	1	1	-	-	-	-	-	-	-
Phthisis	1·81	179	2	1	-	-	-	3	5	4	23	27	45	31	22	16	2	1
Hydrocephalus	0·28	28	3	10	4	-	-	17	4	4	-	2	-	1	-	-	-	-
Diseases of: Nervous Syst.	2·50	247	46	17	4	1	1	69	3	2	2	3	7	12	11	33	61	44
Diseases of: Circulatory "	1·42	140	-	-	-	-	-	-	2	2	-	-	8	7	25	24	53	19
Diseases of: Respiratory "	2·74	270	43	13	8	1	3	68	5	4	2	9	5	7	10	31	68	61
Diseases of: Digestive "	1·00	99	6	1	-	1	-	8	4	1	2	3	7	6	15	20	19	14
Diseases of: Urinary "	0·35	35	-	-	-	-	-	-	-	1	1	-	-	4	2	11	9	7
Diseases of: Generative "	0·02	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Childbirth	0·11	11	-	-	-	-	-	-	-	-	1	1	5	4	-	-	-	-
Suicide	0·10	10	-	-	-	-	-	-	-	-	-	-	-	1	2	3	3	1
Other Violence	0·48	47	3	4	2	1	1	11	2	2	3	5	3	5	4	4	-	8
Other Causes	4·08	400	120	8	3	4	5	140	9	4	1	4	8	5	10	12	49	158

Deaths of Infants (under one) to 1000 Births - 86 | Marriages - 559 | Births - 2,938 | Annual Rate per 1000 living: Persons Married - 11·33; Births - 29·78

81.—THAKEHAM.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	15·75	—	—	—	—	—	32·48	1·65	2·32	5·49	4·51	6·74	6·78	13·00	22·47	55·70	159·52
Mean Pop. 1871–80	—	8354	232	225	214	234	228	1133	1090	948	747	621	1024	900	754	592	377	168
ALL CAUSES	15·75	1316	241	60	27	11	20	368	18	22	41	28	69	61	98	133	210	268
Small-pox	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	0·08	7	3	3	1	-	-	7	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·17	14	-	4	3	-	3	10	2	-	-	1	1	-	-	-	-	-
Diphtheria	0·05	4	-	-	1	-	1	2	2	-	-	-	-	-	-	-	-	-
Whooping-cough	0·68	57	29	17	6	4	1	57	-	-	-	-	-	-	-	-	-	-
Typhus	0·01	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Enteric Fever	0·12	10	-	1	-	-	1	2	-	1	1	-	1	2	-	2	1	-
Simple Cont. Fev.	0·01	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Puerp. Fever	0·05	4	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-
Diarr. and Dys.	0·42	35	13	2	2	2	3	22	1	-	-	-	-	-	1	-	1	10
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·60	50	-	-	-	-	-	-	-	-	-	-	1	1	7	14	19	8
Scrofula	0·13	11	4	-	-	-	-	4	1	1	-	-	1	-	-	4	-	-
Tabes Mesent.	0·16	13	1	2	-	-	-	3	-	2	4	-	1	1	1	-	1	-
Phthisis	1·41	118	-	3	-	-	1	4	1	4	15	10	34	20	14	12	3	1
Hydrocephalus	0·19	16	1	3	2	-	1	7	5	2	1	-	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·21	185	40	7	1	1	2	51	1	2	4	2	5	6	19	17	50	28
Diseases of: Circulatory "	1·51	126	-	-	-	-	-	-	1	3	2	1	6	6	13	26	36	32
Diseases of: Respiratory "	2·53	212	41	16	8	1	4	70	1	3	6	2	-	7	13	18	46	46
Diseases of: Digestive "	0·83	69	5	2	-	-	1	8	-	-	1	3	2	2	12	17	12	12
Diseases of: Urinary "	0·41	34	-	-	1	-	-	1	2	-	-	-	1	1	3	6	12	8
Diseases of: Generative "	0·05	4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-
Childbirth	0·02	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Suicide	0·14	12	-	-	-	-	-	-	-	-	-	2	2	3	1	2	2	-
Other Violence	0·40	33	6	1	-	1	1	9	-	1	2	4	6	2	3	2	2	2
Other Causes	3·57	298	98	8	2	1	1	110	1	2	4	3	4	7	10	12	24	121

Deaths of Infants (under one) to 1000 Births - 88 | Marriages - 502 | Births - 2,732 | Annual Rate per 1000 living: Persons Married - 12·02; Births - 32·70

82.—EAST PRESTON.

—	Annual Death Rate per 1000.	All Ages	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	15·87	—	—	—	—	—	34·92	4·45	2·85	4·02	6·28	7·15	9·90	12·87	24·76	49·41	142·52
Mean Pop. 1871-80	—	23,977	635	571	612	618	594	3030	2809	2704	2336	2022	3247	2646	2122	1583	1010	468
ALL CAUSES	15·87	3806	694	185	74	51	54	1058	125	77	94	127	232	262	273	392	499	667
Small-pox	0·04	10	2	-	-	1	1	4	-	-	-	-	4	1	1	-	-	-
Measles	0·13	32	9	15	3	1	1	29	3	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·19	45	2	4	6	5	4	21	15	5	-	2	-	2	-	-	-	-
Diphtheria	0·32	76	1	4	7	12	14	38	25	7	1	1	2	-	-	2	-	-
Whooping-cough	0·31	75	37	22	11	4	1	75	-	-	-	-	-	-	-	-	-	-
Typhus	0·03	6	-	-	-	-	-	-	1	-	1	-	1	1	1	1	-	-
Enteric Fever	0·15	36	1	-	3	2	4	10	2	-	5	7	-	2	2	5	2	1
Simple Cont. Fev.	0·04	10	-	-	-	-	1	1	4	-	-	2	-	-	-	1	1	1
Puerp. Fever	0·04	9	-	-	-	-	-	-	-	-	-	2	3	4	-	-	-	-
Diarr. and Dys.	0·52	125	75	17	2	2	-	96	2	-	-	1	1	-	1	2	8	14
Cholera	0·01	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Cancer	0·54	129	-	-	-	-	-	-	-	-	-	-	2	10	18	42	36	21
Scrofula	0·08	18	4	2	1	-	-	7	2	2	3	1	1	-	-	-	2	-
Tabes Mesent.	0·12	29	7	2	2	4	-	15	5	4	-	3	2	-	-	-	-	-
Phthisis	1·97	472	15	2	1	2	1	21	4	11	52	69	114	90	50	45	13	3
Hydrocephalus	0·18	44	12	10	3	1	2	28	4	7	1	-	4	-	-	-	-	-
Diseases of: Nervous Syst.	1·97	473	102	23	7	5	6	143	10	8	6	5	10	22	44	54	79	92
Diseases of: Circulatory "	1·38	330	1	1	-	-	-	2	5	4	3	8	16	25	42	74	95	56
Diseases of: Respiratory "	1·91	459	88	50	17	5	6	166	8	8	5	7	18	25	22	48	75	77
Diseases of: Digestive "	0·95	228	18	3	1	1	2	25	4	9	3	1	11	29	32	42	42	30
Diseases of: Urinary "	0·34	82	1	1	-	-	-	2	3	1	1	1	6	8	9	12	24	15
Diseases of: Generative "	0·05	13	-	-	-	-	-	-	-	-	-	-	2	3	4	-	3	1
Childbirth	0·07	17	-	-	-	-	-	-	-	-	1	3	9	4	-	-	-	-
Suicide	0·13	32	-	-	-	-	-	-	-	-	-	1	6	4	6	5	8	2
Other Violence	0·48	116	13	1	3	3	2	22	6	6	7	10	11	12	14	8	7	13
Other Causes	3·92	938	304	28	7	3	9	351	22	5	5	3	9	20	27	51	104	341

Deaths of Infants (under one) to 1000 Births - 102 | Marriages - 1,515 | Births - 6,775 | Annual Rate per 1000 living: Persons Married - 12·64; Births - 28·26

83.—WESTHAMPNETT.

—	Annual Death Rate per 1000	All Ages	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	16·22	—	—	—	—	—	27·15	3·86	3·15	5·22	5·55	8·90	10·74	12·28	22·88	47·71	147·52
Mean Pop. 1871-80	—	19,256	494	488	502	492	503	2479	2386	2126	1687	1406	2381	2122	1759	1460	1006	444
ALL CAUSES	16·22	3123	442	123	43	38	27	673	92	67	88	78	212	228	216	334	480	655
Small-pox	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Measles	0·08	16	3	6	2	2	-	13	1	-	1	-	-	-	-	-	1	-
Scarlet Fever	0·18	34	-	1	5	3	4	13	13	4	-	-	1	1	1	1	-	-
Diphtheria	0·11	21	1	-	2	3	5	11	7	2	-	-	-	1	-	-	-	-
Whooping-cough	0·20	38	16	13	1	2	2	34	4	-	-	-	-	-	-	-	-	-
Typhus	0·04	7	-	-	1	1	-	2	-	1	1	-	1	1	-	-	1	-
Enteric Fever	0·29	55	-	-	-	1	-	1	10	7	8	4	10	4	1	3	7	-
Simple Cont. Fev.	0·06	12	-	1	1	1	-	3	1	-	-	-	1	1	2	1	2	1
Puerp. Fever	0·03	5	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-
Diarr. and Dys.	0·28	54	22	8	2	1	1	34	1	-	1	-	2	1	1	4	6	4
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·55	107	-	-	-	-	-	-	-	-	-	-	4	13	15	30	29	16
Scrofula	0·17	32	5	3	1	-	3	12	3	-	3	1	4	3	1	2	3	-
Tabes Mesent.	0·15	28	12	5	1	1	-	19	3	3	1	1	-	-	-	1	-	-
Phthisis	2·20	424	3	4	1	-	-	8	2	18	40	42	109	91	53	47	11	3
Hydrocephalus	0·16	30	12	7	1	4	-	24	3	1	1	-	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·38	459	100	26	8	5	4	143	12	10	7	2	10	19	32	48	88	88
Diseases of: Circulatory "	1·40	268	-	-	-	-	-	-	1	2	3	6	17	24	34	55	81	45
Diseases of: Respiratory "	1·82	351	70	30	11	6	2	119	14	4	3	3	10	15	15	34	59	75
Diseases of: Digestive "	0·82	157	8	-	-	-	-	8	2	3	5	1	7	10	24	24	48	25
Diseases of: Urinary "	0·39	75	-	-	-	-	-	-	2	1	1	5	4	4	8	17	24	9
Diseases of: Generative "	0·06	12	-	-	-	-	-	-	-	-	-	-	1	3	1	4	2	1
Childbirth	0·07	13	-	-	-	-	-	-	-	-	3	1	4	5	-	-	-	-
Suicide	0·11	22	-	-	-	-	-	-	-	1	-	3	-	2	4	6	4	2
Other Violence	0·48	92	8	3	2	3	2	18	2	8	4	4	8	11	8	9	8	12
Other Causes	4·18	810	182	16	4	5	4	211	11	2	6	4	15	18	16	48	105	374

Deaths of Infants (under one) to 1000 Births - 80 | Marriages - 1,197 | Births - 5,509 | Annual Rate per 1000 living: Persons Married - 12·43; Births - 28·61

84.—CHICHESTER.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	21·25	—	—	—	—	—	43·30	5·89	4·00	5·78	6·19	10·79	15·38	21·64	33·15	67·66	170·91
Mean Pop. 1871–80	—	8387	225	209	197	197	216	1044	900	876	865	759	1177	943	744	546	368	165
ALL CAUSES	21·25	1782	288	73	32	33	26	452	53	35	50	47	127	145	161	181	249	292
Small-pox	0·05	4	1	-	-	-	-	1	-	-	1	-	-	-	1	1	-	-
Measles	0·26	22	8	7	4	1	1	21	1	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·12	10	-	-	1	3	1	5	5	-	-	-	-	-	-	-	-	-
Diphtheria	0·26	22	-	2	1	4	4	11	10	-	1	-	-	-	-	-	-	-
Whooping-cough	0·39	33	14	8	4	5	1	32	1	-	-	-	-	-	-	-	-	-
Typhus	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	0·54	46	-	2	1	4	2	9	4	7	12	1	6	4	1	1	1	-
Simple Cont. Fev.	0·11	9	-	-	-	-	1	1	3	1	-	1	2	-	1	-	-	-
Puerp. Fever	0·02	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Diarr. and Dys.	0·91	76	50	8	2	-	-	60	-	-	-	1	-	3	1	1	-	10
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·78	65	-	-	-	-	-	-	-	-	-	-	2	6	22	17	11	7
Scrofula	0·20	17	4	-	1	-	1	6	-	3	3	1	1	1	1	1	-	-
Tabes Mesent.	0·30	25	9	2	1	1	1	14	5	3	-	-	1	-	-	2	-	-
Phthisis	2·79	234	3	2	1	-	1	7	4	7	18	24	57	51	31	26	8	1
Hydrocephalus	0·27	23	4	7	1	2	3	17	3	1	1	-	1	-	-	-	-	-
Diseases of Nervous Syst.	2·77	232	37	8	5	5	2	57	1	3	-	3	14	8	20	31	53	37
Diseases of Circulatory "	1·53	133	-	-	-	-	-	-	1	2	2	3	7	17	20	25	33	23
Diseases of Respiratory "	3·12	262	50	19	6	3	1	79	1	-	3	2	9	14	24	36	43	51
Diseases of Digestive "	1·01	85	5	-	-	-	2	7	2	1	1	4	4	9	8	14	23	12
Diseases of Urinary "	0·64	54	1	-	1	1	-	3	-	-	2	2	4	8	9	8	11	7
Diseases of Generative "	0·07	6	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	1
Childbirth	0·12	10	-	-	-	-	-	-	-	-	-	2	4	4	-	-	-	-
Suicide	0·10	8	-	-	-	-	-	-	-	1	-	-	1	3	2	-	-	1
Other Violence	0·58	49	3	1	-	1	2	7	6	2	3	3	4	6	3	4	3	8
Other Causes	4·25	355	99	7	3	3	3	115	6	4	3	-	9	10	14	14	56	124

Deaths of Infants (under one) to 1000 Births - 119

Marriages - 596
Births - 2,428

Annual Rate per 1000 living: Persons Married - 14·21; Births - 28·95

85.—MIDHURST.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	15·65	—	—	—	—	—	27·57	4·09	2·32	3·43	6·05	7·84	7·76	9·67	22·71	57·35	155·17
Mean Pop. 1871–80	—	13,492	381	366	381	336	374	1868	1664	1511	1165	1008	1710	1444	1231	982	619	290
ALL CAUSES	15·65	2112	356	83	38	21	17	515	68	35	40	61	134	112	119	223	355	450
Small-pox	0·03	4	1	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-
Measles	0·10	13	2	5	2	1	1	11	2	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·05	7	-	1	-	2	-	3	4	-	-	-	-	-	-	-	-	-
Diphtheria	0·15	20	-	2	-	2	1	5	10	2	-	1	1	-	-	1	-	-
Whooping-cough	0·25	34	16	11	5	1	-	33	1	-	-	-	-	-	-	-	-	-
Typhus	0·01	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Enteric Fever	0·12	16	-	-	-	-	-	-	1	3	-	2	3	2	4	-	1	-
Simple Cont. Fev.	0·10	13	-	-	1	2	2	5	2	-	2	1	2	-	-	-	1	-
Puerp. Fever	0·05	7	-	-	-	-	-	-	-	-	1	-	5	1	-	-	-	-
Diarr. and Dys.	0·24	33	10	4	4	3	1	22	-	-	-	-	-	2	1	1	1	6
Cholera	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Cancer	0·49	66	-	-	-	-	-	-	-	-	-	-	3	4	9	22	16	12
Scrofula	0·09	12	1	-	1	-	-	2	1	1	-	1	2	1	2	-	2	-
Tabes Mesent.	0·15	20	4	5	-	-	2	11	3	1	-	2	2	-	1	-	-	-
Phthisis	1·65	223	2	-	1	-	2	5	7	9	17	34	66	44	13	14	13	1
Hydrocephalus	0·17	23	9	4	2	1	1	17	4	2	-	-	-	-	-	-	-	-
Diseases of Nervous Syst.	2·01	271	43	9	4	2	1	59	5	4	4	3	6	9	19	38	62	62
Diseases of Circulatory "	1·73	234	1	-	1	-	-	2	-	-	3	4	9	14	23	50	92	37
Diseases of Respiratory "	2·03	274	61	22	7	1	1	92	9	5	2	2	5	9	12	28	61	49
Diseases of Digestive "	0·91	123	14	2	1	2	2	21	4	-	1	2	6	7	13	27	31	11
Diseases of Urinary "	0·43	65	-	-	-	-	1	1	1	2	2	1	4	3	8	12	14	17
Diseases of Generative "	0·06	8	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	1
Childbirth	0·10	14	-	-	-	-	-	-	-	-	2	3	4	4	1	-	-	-
Suicide	0·09	12	-	-	-	-	-	-	-	-	-	1	2	1	3	2	2	1
Other Violence	0·28	38	6	3	1	1	-	11	3	2	2	1	3	2	-	5	7	2
Other Causes	4·30	579	186	15	8	3	2	214	11	3	4	3	8	8	7	21	49	251

Deaths of Infants (under one) to 1000 Births - 86

Marriages - 875
Births - 4,135

Annual Rate per 1000 living: Persons Married - 12·97; Births - 30·65

86.—WESTBOURNE.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	15·54	—	—	—	—	—	30·55	3·98	3·68	3·63	5·40	6·95	8·70	14·08	19·31	42·70	126·67
Mean Pop. 1871-80	—	7321	218	204	206	210	203	1041	954	816	606	500	906	805	639	518	356	180
ALL CAUSES	15·54	1138	193	56	26	23	20	318	38	30	22	27	63	70	90	100	152	228
Small-pox	0·04	3	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-
Measles	0·10	7	2	2	-	-	-	4	1	2	-	-	-	-	-	-	-	-
Scarlet Fever	0·31	23	3	3	4	5	4	19	2	2	-	-	-	-	-	-	-	-
Diphtheria	0·12	9	-	1	-	1	2	4	3	1	-	1	-	-	-	-	-	-
Whooping-cough	0·20	15	4	6	2	1	-	13	2	-	-	-	-	-	-	-	-	-
Typhus	0·01	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Enteric Fever	0·33	24	-	-	-	2	-	2	5	2	3	-	3	4	3	2	-	-
Simple Cont. Fev.	0·03	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
Puerp. Fever	0·01	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diarr. and Dys.	0·36	26	16	4	1	2	-	23	1	-	-	-	-	-	1	-	1	-
Cholera	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Cancer	0·45	33	-	-	-	-	-	-	-	-	-	-	-	2	9	5	11	6
Scrofula	0·41	30	18	2	-	-	1	21	1	3	2	-	1	-	-	1	1	-
Tabes Mesent.	0·18	13	7	3	1	-	-	11	1	-	-	-	-	-	-	-	1	-
Phthisis	1·71	125	-	2	-	-	-	2	3	9	7	16	34	20	19	10	5	-
Hydrocephalus	0·15	11	1	5	1	-	1	8	1	1	1	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·29	168	40	8	2	3	3	56	6	2	1	2	1	5	16	24	32	23
Circulatory „	0·86	63	-	-	-	-	-	-	1	1	1	-	5	7	11	8	22	7
Respiratory „	2·09	153	29	8	10	2	5	54	5	1	1	1	4	8	4	15	28	32
Digestive „	0·85	62	-	1	-	1	-	2	1	-	1	2	5	5	13	13	14	6
Urinary „	0·22	16	-	-	-	1	-	1	-	-	-	1	1	3	-	4	4	2
Generative „	0·03	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Childbirth	0·10	7	-	-	-	-	-	-	-	-	-	1	2	4	-	-	-	-
Suicide	0·07	5	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1
Other Violence	0·42	31	2	1	2	1	3	9	4	2	-	-	1	4	4	4	-	3
Other Causes	4·19	307	70	10	3	4	1	88	1	2	5	3	4	5	7	12	32	148

Deaths of Infants (under one) to 1000 Births - 85 | Marriages - 434 | Births - 2,274 | Annual Rate per 1000 living: Persons Married - 11·86; Births - 31·06

HAMPSHIRE.]

87.—HAVANT.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·64	—	—	—	—	—	37·21	5·40	2·90	4·61	6·26	9·96	9·93	13·43	23·55	50·00	155·17
Mean Pop. 1871-80	—	8408	245	216	234	211	220	1126	1037	965	760	591	1084	937	752	586	396	174
ALL CAUSES	17·64	1483	249	88	33	30	19	419	56	28	35	37	108	93	101	138	198	270
Small-pox	0·07	6	1	-	-	-	-	1	-	-	1	2	-	1	1	-	-	-
Measles	0·25	21	5	9	2	1	1	18	2	-	-	-	-	-	1	-	-	-
Scarlet Fever	0·73	61	4	6	5	12	10	37	17	5	-	-	2	-	-	-	-	-
Diphtheria	0·11	9	1	-	-	-	-	1	6	1	-	-	-	-	1	-	-	-
Whooping-cough	0·52	44	22	13	5	2	-	42	2	-	-	-	-	-	-	-	-	-
Typhus	0·01	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Enteric Fever	0·27	23	-	-	-	2	1	3	2	2	2	3	2	2	2	4	1	-
Simple Cont. Fev.	0·21	18	1	-	-	-	1	2	2	3	3	-	4	-	1	1	2	-
Puerp. Fever	0·05	4	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-
Diarr. and Dys.	0·43	36	19	6	2	1	-	28	-	-	-	-	-	-	1	-	2	5
Cholera	0·01	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Cancer	0·68	57	-	-	-	-	-	-	-	-	-	-	2	8	13	15	12	7
Scrofula	0·20	17	5	2	2	-	1	10	1	-	2	1	2	1	-	-	-	-
Tabes Mesent.	0·31	26	11	10	-	1	-	22	1	1	-	1	1	-	-	-	-	-
Phthisis	2·22	187	3	2	1	1	-	7	3	3	17	20	53	39	21	18	5	1
Hydrocephalus	0·34	29	5	5	6	2	-	18	6	3	2	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	1·83	154	36	10	5	1	-	52	5	3	1	-	3	2	8	16	36	28
Circulatory „	1·49	125	-	-	-	1	-	1	-	-	4	-	9	9	7	22	40	33
Respiratory „	2·51	211	46	15	3	3	3	70	2	2	2	1	11	8	11	20	38	46
Digestive „	1·01	85	9	-	-	-	1	10	-	2	-	1	6	4	16	13	18	15
Urinary „	0·31	26	-	-	-	-	-	-	-	-	-	-	1	2	3	7	7	6
Generative „	0·05	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1
Childbirth	0·15	13	-	-	-	-	-	-	-	-	-	2	4	6	1	-	-	-
Suicide	0·06	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	1
Other Violence	0·32	27	2	1	-	-	-	3	3	1	1	2	2	4	3	4	2	2
Other Causes	3·50	293	79	9	2	2	1	93	4	1	-	2	3	6	10	18	31	125

Deaths of Infants (under one) to 1000 Births - 97 | Marriages - 489 | Births - 2,572 | Annual Rate per 1000 living: Persons Married - 11·63; Births - 30·59

88.—PORTSEA ISLAND.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	19·88	—	—	—	—	—	59·12	7·05	3·98	4·32	6·11	8·94	13·64	18·52	30·36	31·66	162·09
Mean Pop. 1871-80	—	120,808	5590	5121	5181	5045	5065	16002	13812	11964	11639	11595	19607	14648	10183	6631	3337	1340
ALL CAUSES	19·88	24,022	5726	1981	840	565	349	9461	974	476	503	708	1752	1998	1886	2022	2070	2172
Small-pox	0·50	601	67	14	16	26	23	146	142	66	51	49	79	42	17	4	2	3
Measles	0·40	487	83	190	94	67	24	458	24	2	–	2	1	–	–	–	–	–
Scarlet Fever	0·55	669	23	71	112	113	81	400	194	36	4	5	11	8	–	2	–	–
Diphtheria	0·12	140	10	4	12	17	11	54	62	11	2	2	7	2	–	–	–	–
Whooping-cough	0·41	492	229	150	60	26	11	476	15	1	–	–	–	–	–	–	–	–
Typhus	0·05	63	2	4	3	5	2	16	9	12	6	1	8	4	3	2	2	–
Enteric Fever	0·52	630	9	25	31	33	22	120	84	75	61	55	100	59	36	29	10	1
Simple Cont. Fev.	0·17	200	10	18	24	22	11	85	28	14	6	12	11	6	14	9	15	–
Puerp. Fever	0·07	90	–	–	–	–	–	–	–	–	5	19	46	18	2	–	–	–
Diarr. and Dys.	1·01	1218	790	188	35	6	5	1024	5	4	–	4	23	21	18	30	38	51
Cholera	0·02	27	14	1	1	1	1	18	–	–	–	1	–	1	1	2	3	1
Cancer	0·47	572	–	–	–	–	–	–	2	1	–	2	27	79	145	161	110	45
Scrofula	0·09	109	44	10	6	3	3	66	6	11	6	9	4	2	2	–	2	1
Tabes Mesent.	0·31	380	212	86	29	14	7	348	11	12	4	2	2	1	–	–	–	–
Phthisis	2·19	2640	54	29	22	10	7	122	52	67	165	277	703	641	391	181	38	3
Hydrocephalus	0·30	358	92	113	40	23	25	293	49	10	5	–	–	1	–	–	–	–
Diseases of: Nervous Syst.	2·67	3228	968	253	99	44	28	1392	91	46	42	51	118	213	259	335	382	269
Diseases of: Circulatory "	1·29	1555	9	4	–	3	4	20	17	27	26	35	153	269	267	320	291	130
Diseases of: Respiratory "	3·08	3721	987	522	147	78	39	1773	44	10	16	35	102	204	248	379	454	406
Diseases of: Digestive "	0·78	947	105	14	4	5	3	131	22	15	14	25	107	119	157	173	124	60
Diseases of: Urinary "	0·43	522	5	3	4	2	1	15	11	6	14	17	51	94	76	103	87	48
Diseases of: Generative "	0·05	66	1	–	–	–	–	1	–	–	–	4	14	13	20	9	4	1
Childbirth	0·08	100	–	–	–	–	–	–	–	–	5	23	41	30	1	–	–	–
Suicide	0·03	99	–	–	–	–	–	–	–	–	4	8	14	24	15	28	4	2
Other Violence	0·43	521	73	20	21	14	7	138	41	15	34	35	39	47	65	51	23	33
OTHER CAUSES	3·81	4596	1336	262	80	53	34	2365	65	35	33	35	91	100	99	174	481	1118

Deaths of Infants (under one) to 1000 Births - 140 | Marriages - 11,918 | Births - 49,802 | Annual Rate per 1000 living: Persons Married - 19·73; Births - - - 33·77

89.—ALVERSTOKE.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	23·86	—	—	—	—	—	57·02	7·30	3·70	10·13	12·84	15·59	21·54	24·54	34·58	61·22	155·28
Mean Pop. 1871-80	—	22,112	646	578	592	560	546	2922	2494	2081	2003	2297	3822	2614	1732	1177	686	284
ALL CAUSES	23·86	5275	951	351	188	102	74	1666	182	77	203	295	596	563	425	407	420	441
Small-pox	0·29	64	3	–	3	2	3	11	7	6	7	11	12	4	5	1	–	–
Measles	0·81	179	33	56	50	17	10	166	11	1	–	–	–	1	–	–	–	–
Scarlet Fever	0·79	175	5	21	30	26	17	99	61	6	7	2	–	–	–	–	–	–
Diphtheria	0·12	27	–	2	2	5	4	13	8	3	2	–	–	–	1	–	–	–
Whooping-cough	0·28	63	20	28	6	4	3	61	2	–	–	–	–	–	–	–	–	–
Typhus	0·02	5	–	–	–	–	1	1	1	1	1	–	1	–	–	–	–	–
Enteric Fever	0·40	89	3	7	5	3	4	22	4	1	13	14	18	8	3	2	2	2
Simple Cont. Fev.	0·23	50	3	–	1	2	2	8	10	3	3	3	8	1	3	1	7	3
Puerp. Fever	0·03	7	–	–	–	–	–	–	–	–	–	1	3	3	–	–	–	–
Diarr. and Dys.	0·87	193	109	34	6	2	–	151	–	2	–	2	12	7	3	6	4	6
Cholera	0·05	10	8	–	–	–	–	8	–	–	–	–	–	–	–	–	1	1
Cancer	0·56	124	–	–	–	–	–	–	–	–	–	2	5	16	24	41	22	14
Scrofula	0·17	37	13	3	–	–	–	16	–	1	5	4	7	2	1	–	1	–
Tabes Mesent.	0·29	64	27	11	9	–	–	47	3	5	4	3	2	–	–	–	–	–
Phthisis	3·44	760	26	12	2	4	1	45	11	11	55	116	224	169	85	33	11	–
Hydrocephalus	0·22	48	13	18	3	2	1	37	8	3	–	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·86	632	141	34	15	10	11	211	13	4	15	16	35	51	55	83	89	60
Diseases of: Circulatory "	1·61	356	4	–	–	–	–	4	4	4	10	9	61	82	43	62	41	36
Diseases of: Respiratory "	3·53	781	171	61	32	12	10	286	10	2	14	23	50	67	73	78	103	75
Diseases of: Digestive "	1·19	263	26	2	3	–	1	32	6	3	9	12	33	33	46	37	37	15
Diseases of: Urinary "	0·38	85	1	1	–	–	1	3	–	1	3	4	19	15	15	9	9	7
Diseases of: Generative "	0·07	15	–	–	–	–	–	–	–	–	–	2	1	5	5	1	1	–
Childbirth	0·09	20	–	–	–	–	–	–	–	–	1	3	9	7	–	–	–	–
Suicide	0·10	22	–	–	–	–	–	–	–	–	–	1	2	9	7	1	1	1
Other Violence	1·24	275	13	6	2	5	–	31	7	9	41	51	63	49	16	8	5	4
OTHER CAUSES	4·22	931	327	55	19	8	5	414	16	11	13	16	31	43	40	44	86	217

Deaths of Infants (under one) to 1000 Births - 127 | Marriages - 1,875 | Births - 7,469 | Annual Rate per 1000 living: Persons Married - 16·96; Births - - - 33·78

90.—FAREHAM.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	21·31	—	—	—	—	—	37·43	4·25	3·30	6·36	8·38	11·37	19·03	20·21	31·42	68·32	166·12
Mean Pop. 1871-80	—	16,810	445	377	415	395	428	2060	1904	1788	1479	1384	2314	1939	1593	1235	748	366
ALL CAUSES	21·31	3582	500	129	67	37	38	771	81	59	94	116	263	369	322	388	511	608
Small-pox	0·09	15	4	–	–	1	–	5	1	1	–	2	4	–	2	–	–	–
Measles	0·17	29	5	7	7	3	1	23	2	3	–	1	–	–	–	–	–	–
Scarlet Fever	0·24	41	3	4	8	5	9	29	7	1	1	1	1	1	–	–	–	–
Diphtheria	0·10	17	2	1	1	3	3	10	3	2	–	–	1	–	1	–	–	–
Whooping-cough	0·26	43	22	9	8	1	1	41	2	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·40	67	2	1	1	2	4	10	6	7	11	6	7	7	5	5	3	–
Simple Cont. Fev.	0·15	26	–	1	2	1	1	5	–	4	3	2	6	5	1	–	–	–
Puerp. Fever	0·06	10	–	–	–	–	–	–	–	–	–	2	5	3	–	–	–	–
Diarr. and Dys.	0·46	78	39	9	5	–	1	54	1	–	–	–	3	3	–	7	5	5
Cholera	0·01	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·62	105	–	–	–	–	–	–	–	1	–	1	1	11	17	34	29	11
Scrofula	0·11	18	4	4	1	1	1	11	1	–	1	–	–	2	1	1	1	–
Tabes Mesent.	0·16	27	11	3	6	–	1	21	3	2	–	–	–	–	–	–	1	–
Phthisis	2·33	392	9	2	–	–	–	11	5	12	30	44	91	91	59	30	16	3
Hydrocephalus	0·18	30	15	5	3	2	1	26	4	–	–	–	–	–	–	–	–	–
Diseases of Nervous Syst.	5·35	899	108	18	5	1	3	135	11	10	20	28	73	135	113	133	154	87
Diseases of Circulatory „	1·30	218	2	3	–	–	1	6	2	–	5	1	11	21	32	50	55	35
Diseases of Respiratory „	2·52	423	82	42	11	9	5	149	11	5	4	7	18	21	30	40	68	70
Diseases of Digestive „	0·93	157	13	2	1	–	–	16	6	3	6	3	4	14	16	34	35	20
Diseases of Urinary „	0·46	78	–	2	–	2	–	4	3	3	2	1	6	14	12	10	15	8
Diseases of Generative „	0·06	10	–	–	–	–	–	–	–	–	1	–	1	1	1	4	–	2
Childbirth	0·08	14	–	–	–	–	–	–	–	–	1	3	7	3	–	–	–	–
Suicide	0·13	22	–	–	–	–	–	–	–	–	–	2	3	2	5	5	4	1
Other Violence	0·49	83	4	3	4	4	3	18	3	1	4	9	5	18	5	6	11	3
OTHER CAUSES	4·65	779	175	13	4	2	3	197	10	4	5	3	16	17	22	28	114	363

Deaths of Infants (under one) to 1000 Births - 105

Marriages - 910
Births - 4,783

Annual Rate per 1000 living { Persons Married - 10·83; Births - 28·45

91.—ISLE OF WIGHT.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	16·99	—	—	—	—	—	37·72	4·04	3·29	4·73	7·72	9·70	11·51	14·56	24·58	54·44	152·63
Mean Pop. 1871-80	—	69,926	1820	1685	1811	1687	1709	8712	7976	7061	6531	6152	10521	8285	6258	4545	2726	1159
ALL CAUSES	16·99	11,889	2154	602	239	153	138	3286	322	232	309	475	1021	954	911	1117	1484	1769
Small-pox	0·05	33	4	–	–	–	1	5	2	1	4	2	10	4	2	3	–	–
Measles	0·18	127	19	59	18	11	6	113	10	2	–	–	2	–	–	–	–	–
Scarlet Fever	0·21	149	11	16	21	19	17	84	45	9	2	3	4	1	–	–	1	–
Diphtheria	0·18	129	4	7	9	16	22	58	43	13	4	–	2	3	3	2	–	1
Whooping-cough	0·40	283	127	78	36	14	16	271	12	–	–	–	–	–	–	–	–	–
Typhus	0·03	19	–	–	–	–	–	–	2	2	3	–	2	3	2	4	1	–
Enteric Fever	0·33	230	1	7	5	5	4	22	31	21	27	27	31	21	25	9	14	2
Simple Cont. Fev.	0·07	52	–	–	5	–	1	6	4	3	4	3	6	4	1	9	7	5
Puerp. Fever	0·05	35	–	–	–	–	–	–	–	–	2	3	21	9	–	–	–	–
Diarr. and Dys.	0·48	339	195	45	8	2	2	252	1	1	1	2	5	5	7	13	19	35
Cholera	0·02	13	5	2	–	–	1	8	1	1	–	–	1	–	–	1	1	–
Cancer	0·53	369	1	–	–	–	1	2	–	1	1	2	14	24	30	97	95	53
Scrofula	0·12	84	21	11	8	1	2	43	5	4	4	3	6	7	4	4	3	1
Tabes Mesent.	0·14	98	44	12	3	3	1	63	9	5	3	4	6	1	1	2	4	–
Phthisis	2·44	1703	9	8	2	4	3	24	8	48	159	278	545	326	177	93	49	6
Hydrocephalus	0·24	165	44	40	13	11	13	121	24	16	1	1	–	2	–	–	–	–
Diseases of Nervous Syst.	1·97	1379	300	54	20	15	11	400	29	28	21	19	40	86	100	181	250	225
Diseases of Circulatory „	1·40	981	4	–	3	1	2	10	3	9	11	20	59	110	121	181	273	184
Diseases of Respiratory „	2·68	1876	466	160	54	26	12	718	23	15	12	21	61	78	112	200	290	346
Diseases of Digestive „	0·92	640	58	11	4	2	1	76	13	9	12	13	39	62	99	98	134	85
Diseases of Urinary „	0·47	331	4	1	–	1	2	8	3	6	7	11	27	43	40	56	74	56
Diseases of Generative „	0·06	40	–	–	–	–	–	–	–	–	–	–	6	4	14	10	5	1
Childbirth	0·06	45	–	–	–	–	–	–	–	–	2	8	16	17	2	–	–	–
Suicide	0·06	41	–	–	–	–	–	–	–	–	–	1	5	4	12	9	6	4
Other Violence	0·48	337	22	11	11	6	3	53	21	15	20	33	47	55	34	25	14	20
OTHER CAUSES	3·42	2382	815	80	19	16	17	947	33	23	18	21	68	85	75	120	247	745

Deaths of Infants (under one) to 1000 Births - 104

Marriages - 4,810
Births - 20,719

Annual Rate per 1000 living { Persons Married - 13·76; Births - 29·63

92.—LYMINGTON.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	15·40	—	—	—	—	—	28·03	2·51	1·57	4·07	6·08	6·31	9·15	11·58	23·55	47·34	139·26
Mean Pop. 1871-80	—	12,524	350	319	315	324	319	1627	1551	1463	1154	938	1506	1334	1183	896	602	270
ALL CAUSES	15·40	1929	314	73	30	19	20	456	39	23	47	57	95	122	137	211	285	457
Small-pox	0·02	3	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-
Measles	0·06	8	1	5	-	1	1	8	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·07	9	1	1	1	2	1	6	3	-	-	-	-	-	-	-	-	-
Diphtheria	0·02	3	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-
Whooping-cough	0·18	23	17	1	4	1	-	23	-	-	-	-	-	-	-	-	-	-
Typhus	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	0.10	12	-	-	-	-	-	-	-	1	2	1	1	3	-	1	2	1
Simp. Cont. Fever	0·03	4	-	-	-	1	-	1	-	1	-	1	-	1	-	-	-	-
Puerp. Fever	0·03	4	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-
Diarr. & Dys.	0·34	43	25	1	-	1	-	27	1	-	-	-	-	1	-	2	5	7
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·46	58	-	-	1	-	-	1	1	-	-	-	-	5	11	16	14	10
Scrofula	0·08	10	-	2	-	-	-	2	-	1	2	2	-	2	-	1	-	-
Tabes Mesent.	0·07	9	4	1	-	-	-	5	3	-	-	-	-	1	-	-	-	-
Phthisis	1·77	222	2	2	-	1	-	5	1	6	19	34	57	41	30	21	8	-
Hydrocephalus	0·18	23	5	8	2	1	-	16	6	-	-	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·19	274	44	7	3	3	5	62	7	6	4	4	6	16	27	30	67	45
Diseases of: Circulatory	1·65	207	1	-	-	-	-	1	2	-	5	1	4	13	15	43	64	59
Diseases of: Respiratory	2·13	267	73	28	6	2	3	112	3	2	1	1	10	7	16	32	37	46
Diseases of: Digestive	0·93	116	9	-	3	-	1	13	2	2	5	3	1	16	14	21	23	16
Diseases of: Urinary	0·34	42	-	-	-	-	-	-	-	-	1	-	2	7	8	8	6	10
Diseases of: Generative	0·06	8	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	1
Childbirth	0·05	6	-	-	-	-	-	-	-	-	1	1	4	-	-	-	-	-
Suicide	0·05	6	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	3
Other Violence	0·30	38	6	1	-	1	1	9	1	1	3	4	2	2	4	5	3	4
Other Causes	4·29	534	126	16	10	5	6	163	7	3	4	3	5	7	7	27	53	255

Deaths of Infants (under one) to 1000 Births - 88 | Marriages - 759 | Births - 3,565 | Annual Rate per 1000 living: Persons Married - 12·12; Births - - - 23·47

93.—CHRISTCHURCH.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	16·77	—	—	—	—	—	42·29	4·62	3·01	6·04	8·64	10·78	13·32	13·82	25·67	47·91	148·93
Mean Pop. 1871-80	—	22,896	603	530	548	514	524	2719	2422	2192	2417	2374	3746	2651	1983	1348	764	280
ALL CAUSES	16·77	3839	758	222	81	54	35	1150	112	66	146	205	404	353	274	346	366	417
Small-pox	0·03	3	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-
Measles	0·20	46	7	18	5	7	3	40	4	1	-	-	1	-	-	-	-	-
Scarlet Fever	0·17	39	1	4	4	7	-	16	12	3	2	1	1	2	2	-	-	-
Diphtheria	0·05	12	3	-	1	1	1	6	5	-	-	-	1	-	-	-	-	-
Whooping-cough	0·43	98	46	29	12	5	-	92	5	-	-	-	1	-	-	-	-	-
Typhus	0·01	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Enteric Fever	0·14	31	1	1	1	2	-	5	9	3	3	5	3	-	3	-	-	-
Simp. Cont. Fever	0·03	7	-	-	-	-	-	-	2	1	-	-	-	2	-	1	-	1
Puerp. Fever	0·03	8	-	-	-	-	-	-	-	-	1	-	5	2	-	-	-	-
Diarr. & Dys.	0·41	94	67	13	5	-	-	85	1	1	-	-	1	1	1	-	-	4
Cholera	0·00	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cancer	0·54	124	-	-	1	-	-	1	-	-	-	-	1	15	18	39	32	18
Scrofula	0·09	20	5	4	2	-	1	12	1	-	1	3	2	1	-	-	-	-
Tabes Mesent.	0·23	53	23	6	9	1	-	39	6	1	3	1	-	1	1	1	-	-
Phthisis	3·96	907	5	6	5	1	-	17	8	20	84	154	302	182	69	53	17	1
Hydrocephalus	0·35	81	23	16	4	8	3	54	14	8	2	2	1	-	-	-	-	-
Diseases of: Nervous Syst.	1·64	376	98	25	5	4	9	141	11	3	5	5	8	25	28	49	56	45
Diseases of: Circulatory	1·30	298	-	-	-	1	-	1	5	3	5	4	7	26	42	65	86	54
Diseases of: Respiratory	2·23	511	139	55	14	5	10	223	10	4	10	9	19	28	38	47	62	61
Diseases of: Digestive	0·76	174	23	2	1	2	2	30	1	2	4	3	10	16	29	30	30	19
Diseases of: Urinary	0·47	108	-	2	1	-	-	3	-	-	4	1	10	13	15	22	24	16
Diseases of: Generative	0·00	20	1	-	-	-	-	1	-	-	-	-	-	3	8	5	3	-
Childbirth	0·09	21	-	-	-	-	-	-	-	-	1	3	7	9	1	-	-	-
Suicide	0·05	11	-	-	-	-	-	-	-	-	-	1	1	3	1	4	1	-
Other Violence	0·48	109	16	4	4	-	3	27	4	5	14	9	12	12	5	9	4	8
Other Causes	2·99	685	298	37	7	10	3	355	14	11	7	4	9	12	12	20	51	190

Deaths of Infants (under one) to 1000 Births - 112 | Marriages - 1,714 | Births - 6,767 | Annual Rate per 1000 living: Persons Married - 14·97; Births - - - 29·56

94.—RINGWOOD.

—	Annual Death Rate per 1000.	All Ages	Under 1 Year.	1	2	3	4	Total under 5 Year	5–	10–	15–	20	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	15·84	—	—	—	—	—	30·06	2·47	3·16	5·82	5·61	6·78	9·23	11·38	19·90	56·42	150·00
Mean Pop. 1871-80	—	5443	135	131	139	157	120	682	688	633	498	410	664	574	501	412	257	124
ALL CAUSES	15·84	862	123	46	15	12	9	205	17	20	29	23	45	53	57	82	145	186
Small-pox	0·02	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Measles	0·11	6	1	4	-	1	-	6	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·18	10	-	-	-	2	3	5	1	2	1	-	1	-	-	-	-	-
Diphtheria	0·09	5	-	-	-	-	-	-	1	2	1	-	-	1	-	-	-	-
Whooping-cough	0·29	16	5	9	1	-	1	16	-	-	-	-	-	-	-	-	-	-
Typhus	0·04	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
Enteric Fever	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Cont. Fev.	0·06	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1
Puerp. Fev.	0·07	4	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-
Diarr. and Dys.	0·11	6	4	-	1	-	-	5	-	-	-	-	-	-	-	-	-	1
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·42	23	-	-	-	-	-	-	-	-	-	-	-	4	3	3	5	8
Scrofula	0·13	7	2	2	1	-	-	5	1	-	1	-	-	-	-	-	-	-
Tabes Mesent.	0·04	2	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-
Phthisis	1·86	101	2	-	-	-	-	2	1	3	9	15	10	19	12	9	9	2
Hydrocephalus	0·25	14	3	1	1	1	1	7	2	3	1	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·30	125	8	4	2	1	-	15	4	4	4	3	4	7	9	15	35	25
Diseases of: Circulatory „	2·04	111	-	-	-	-	-	-	-	1	1	2	1	3	9	20	37	37
Diseases of: Respiratory „	2·13	116	37	15	5	1	1	59	1	2	2	1	4	5	7	10	14	11
Diseases of: Digestive „	0·94	51	5	-	-	1	-	6	-	1	1	-	1	5	8	7	15	7
Diseases of: Urinary „	0·35	19	-	-	-	1	-	1	-	-	1	-	1	2	1	6	4	3
Diseases of: Generative „	0·02	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Childbirth	0·09	5	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-
Suicide	0·02	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Violence	0·39	21	2	2	1	1	-	6	1	-	2	-	2	2	1	3	3	1
OTHER CAUSES	3·88	212	54	9	2	3	3	71	5	2	1	1	4	2	7	9	21	89

Deaths of Infants (under one) to 1000 Births - 79 | Marriages - 408 | Births - 1,549 | Annual Rate per 1000 living: Persons Married - 14·99; Births - 28·46

95.—FORDINGBRIDGE.

—	Annual Death Rate per 1000	All Ages	Under 1 Year.	1	2	3	4	Total under 5 Year	5–	10–	15–	20	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	16·36	—	—	—	—	—	31·01	3·23	2·41	4·30	5·22	8·28	8·40	11·06	22·99	51·71	167·97
Mean Pop. 1871-80	—	6338	181	159	183	158	180	861	806	706	582	460	761	607	597	599	321	123
ALL CAUSES	16·36	1037	171	47	24	15	10	267	26	17	25	24	63	51	66	117	166	215
Small-pox	0·03	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Measles	0·09	6	2	-	2	1	-	5	-	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·13	8	-	-	1	2	-	3	2	2	-	1	-	-	-	-	-	-
Diphtheria	0·05	3	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-
Whooping-cough	0·17	11	4	3	2	-	1	10	1	-	-	-	-	-	-	-	-	-
Typhus	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	0·05	3	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-
Simple Cont. Fev.	0·03	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Puerp. Fever	0·02	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diarr. and Dys.	0·16	10	4	2	1	-	-	7	1	-	-	-	-	-	-	-	1	1
Cholera	0·03	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
Cancer	0·47	30	-	-	-	-	-	-	-	-	-	-	5	4	4	8	2	7
Scrofula	0·33	21	4	2	-	1	-	7	1	-	2	2	3	2	2	2	-	-
Tabes Mesent.	0·05	4	2	-	1	-	-	3	1	-	-	-	-	-	-	-	-	-
Phthisis	1·89	120	-	-	1	1	-	2	1	1	10	12	33	22	16	12	10	1
Hydrocephalus	0·21	13	6	4	1	-	-	11	2	-	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	1·86	118	25	8	3	-	-	36	3	2	5	-	8	2	11	12	17	22
Diseases of: Circulatory „	1·18	75	1	-	-	-	-	1	1	2	1	1	2	8	6	24	23	6
Diseases of: Respiratory „	2·22	141	41	18	5	4	2	70	3	4	-	1	2	3	9	15	21	13
Diseases of: Digestive „	0·88	55	2	-	1	-	-	3	-	2	2	2	2	5	9	9	19	2
Diseases of: Urinary „	0·16	10	-	-	-	-	-	-	-	-	-	1	2	-	2	2	2	1
Diseases of: Generative „	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth	0·08	5	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-
Suicide	0·03	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Other Violence	0·27	17	1	3	1	1	-	6	1	-	1	-	1	1	1	3	2	1
OTHER CAUSES	5·96	378	78	7	5	4	7	101	8	1	1	3	2	3	6	25	68	160

Deaths of Infants (under one) to 1000 Births - 86 | Marriages - 433 | Births - 1,988 | Annual Rate per 1000 living: Persons Married - 13·66; Births - 31·37

96.—NEW FOREST.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	16·48	—	—	—	—	—	33·61	4·48	2·29	3·77	6·15	7·43	9·56	10·82	21·63	60·78	157·51
Mean Pop. 1871-80	—	13,359	339	329	324	349	340	1681	1652	1531	1193	1041	1695	1443	1239	994	617	273
ALL CAUSES	16·48	2201	369	89	34	38	35	565	74	35	45	64	126	138	134	215	375	430
Small-pox	0·17	23	2	-	-	1	-	3	-	-	5	7	6	1	1	-	-	-
Measles	0·11	15	1	4	1	4	1	11	2	1	-	-	1	-	-	-	-	-
Scarlet Fever	0·39	52	4	2	3	7	9	25	16	8	2	1	-	-	-	-	-	-
Diphtheria	0·07	10	-	-	1	-	1	2	4	-	1	-	1	-	-	2	-	-
Whooping-cough	0·18	24	16	5	1	-	1	23	1	-	-	-	-	-	-	-	-	-
Typhus	0·05	7	-	-	-	-	-	-	-	1	-	4	-	1	-	-	1	-
Enteric Fever	0·18	24	1	-	-	-	-	1	5	2	2	3	2	4	2	2	1	-
Simple Cont. Fev.	0·04	6	-	-	-	-	-	-	2	-	-	-	2	-	-	-	1	1
Puerp. Fever	0·04	6	-	-	-	-	-	-	-	-	1	-	2	3	-	-	-	-
Diarr. and Dys.	0·20	27	12	1	-	-	2	15	1	-	-	-	1	1	1	1	4	3
Cholera	0·01	2	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Cancer	0·49	66	-	-	-	-	-	-	-	-	-	-	3	10	6	11	22	14
Scrofula	0·07	9	2	-	-	-	1	3	1	-	-	1	2	2	-	-	-	-
Tabes Mesent.	0·11	15	5	4	1	2	1	13	-	1	-	-	1	-	-	-	-	-
Phthisis	1·51	202	10	3	3	1	2	19	6	2	16	29	42	40	31	13	4	-
Hydrocephalus	0·22	30	14	6	3	4	2	29	1	-	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·13	284	48	11	9	2	2	72	6	3	1	4	9	13	19	43	62	47
Diseases of: Circulatory „	1·27	170	4	-	-	2	-	6	1	1	2	3	9	15	22	28	57	26
Diseases of: Respiratory „	3·00	401	80	37	6	6	6	135	11	3	3	1	14	9	21	46	97	61
Diseases of: Digestive „	0·85	113	6	1	1	2	-	10	3	4	2	1	6	10	13	16	23	22
Diseases of: Urinary „	0·35	47	-	-	1	-	-	1	-	-	1	1	2	3	6	13	14	6
Diseases of: Generative „	0·01	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Childbirth	0·07	10	-	-	-	-	-	-	-	-	-	3	4	3	-	-	-	-
Suicide	0·04	6	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-
Other Violence	0·53	78	4	3	-	3	1	11	5	3	4	3	12	14	5	11	7	3
Other Causes	4·34	572	130	11	4	4	6	185	8	6	5	3	6	8	6	20	78	247

Deaths of Infants (under one) to 1000 Births - 97

Marriages - 768
Births - 3,808

Annual Rate per 1000 living: Persons Married - 11·50; Births - 28·51

97.—SOUTHAMPTON.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	21·40	—	—	—	—	—	57·87	6·26	4·04	4·93	7·11	11·57	15·91	22·02	34·34	65·75	147·75
Mean Pop. 1871-80	—	50,522	1433	1284	1305	1281	1236	6539	5835	5377	4804	4570	7555	6052	4595	2956	1571	668
ALL CAUSES	21·40	10,812	2295	752	351	236	150	3784	365	217	237	325	874	963	1012	1015	1033	987
Small-pox	0·62	313	37	12	14	8	13	84	44	29	19	27	47	36	23	4	-	-
Measles	0·38	192	31	69	47	26	9	182	7	2	-	-	-	1	-	-	-	-
Scarlet Fever	0·51	259	16	21	40	44	38	159	74	14	4	2	5	1	-	-	-	-
Diphtheria	0·06	30	3	3	4	2	3	15	8	3	-	1	-	1	1	-	1	-
Whooping-cough	0·48	241	98	75	33	24	5	235	6	-	-	-	-	-	-	-	-	-
Typhus	0·05	25	-	-	-	-	-	-	8	3	3	3	2	2	1	2	1	-
Enteric Fever	0·28	139	1	2	8	5	6	22	16	25	10	10	22	11	11	6	4	2
Simple Cont. Fev.	0·14	70	-	3	3	6	3	15	10	11	2	6	13	4	3	3	1	2
Puerp. Fever	0·06	30	-	-	-	-	-	-	-	-	-	4	13	13	-	-	-	-
Diarr. and Dys.	0·85	430	242	62	10	5	2	321	5	1	2	4	14	14	14	18	14	23
Cholera	0·01	3	-	1	-	-	-	1	-	-	-	-	-	1	-	-	1	-
Cancer	0·55	279	-	-	1	-	-	1	-	-	-	2	15	42	70	64	53	27
Scrofula	0·09	47	12	8	-	-	1	21	2	7	3	1	6	1	1	3	-	2
Tabes Mesent.	0·16	79	32	21	7	3	1	64	7	2	-	-	2	3	1	-	-	-
Phthisis	2·36	1193	60	30	11	5	2	108	17	23	97	130	324	240	151	78	23	2
Hydrocephalus	0·39	196	59	39	30	15	11	154	30	6	2	2	1	-	1	-	-	-
Diseases of: Nervous Syst.	2·64	1333	112	68	25	18	11	434	32	23	16	18	49	95	141	185	205	135
Diseases of: Circulatory „	1·39	704	1	-	-	-	-	1	6	9	12	21	61	129	127	153	121	64
Diseases of: Respiratory „	3·58	1811	434	224	72	37	12	779	29	11	11	21	67	101	159	174	252	207
Diseases of: Digestive „	1·18	598	43	2	1	1	1	48	14	6	10	15	51	94	106	121	98	75
Diseases of: Urinary „	0·52	263	3	-	3	1	2	9	6	4	2	5	29	53	50	48	35	22
Diseases of: Generative „	0·08	38	-	-	-	-	-	-	-	-	2	-	8	5	6	6	9	2
Childbirth	0·08	41	-	-	-	-	-	-	-	-	3	5	21	10	2	-	-	-
Suicide	0·10	48	-	-	-	-	-	-	-	-	1	2	12	11	6	11	3	2
Other Violence	0·72	362	40	10	10	7	7	74	14	20	17	27	52	42	49	36	17	14
Other Causes	4·12	2088	871	102	32	29	23	1057	30	18	21	19	60	53	89	103	190	418

Deaths of Infants (under one) to 1000 Births - 138

Marriages - 5,410
Births - 16,653

Annual Rate per 1000 living: Persons Married - 21·42; Births - 32·96

98.—SOUTH STONEHAM.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	17·69	—	—	—	—	—	42·57	5·11	2·80	3·99	8·69	11·58	12·94	14·60	25·36	56·01	145·33
Mean Pop. 1871-80	—	36,738	1106	965	1016	1002	983	5072	4619	4071	3358	3039	5241	4251	3130	2208	1257	492
ALL CAUSES	17·69	6500	1280	409	215	149	106	2159	236	114	134	264	607	550	457	560	704	715
Small-pox	0·13	46	6	2	1	1	-	10	1	7	1	7	9	5	1	4	1	-
Measles	0·43	159	28	45	33	26	9	141	13	-	2	-	3	-	-	-	-	-
Scarlet Fever	0·53	195	8	19	30	26	27	110	64	7	5	4	3	2	-	-	-	-
Diphtheria	0·12	43	5	7	4	3	4	23	11	3	1	1	1	-	1	2	-	-
Whooping-cough	0·26	97	49	28	6	8	4	95	1	-	1	-	-	-	-	-	-	-
Typhus	0·02	6	-	-	-	-	-	-	1	-	2	1	2	-	-	-	-	-
Enteric Fever	0·24	90	2	2	2	-	5	11	8	14	3	13	14	10	5	6	5	1
Simple Cont. Fev.	0·08	30	-	4	4	2	1	11	4	6	-	-	3	3	2	-	1	-
Puerp. Fever	0·05	19	-	-	-	-	-	-	-	-	1	-	10	7	1	-	-	-
Diarr. and Dys.	0·60	220	112	24	9	3	1	149	3	-	1	4	16	17	4	4	7	15
Cholera	0·01	5	3	1	-	-	-	4	-	-	-	-	-	-	-	-	-	1
Cancer	0·50	185	-	-	-	-	1	1	-	4	1	1	9	25	46	39	33	26
Scrofula	0·10	36	4	4	1	2	-	11	-	2	1	9	6	4	2	-	1	-
Tabes Mesent.	0·24	88	51	14	8	3	-	76	5	2	2	1	1	1	-	-	-	-
Phthisis	2·30	844	12	9	6	1	3	31	9	14	66	134	263	176	82	45	20	4
Hydrocephalus	0·18	67	21	18	8	2	5	54	8	-	1	2	-	1	-	1	-	-
Diseases of: Nervous Syst.	2·25	826	192	51	18	13	8	282	27	14	17	16	29	52	59	102	149	79
Diseases of: Circulatory „	1·45	532	4	1	-	-	1	6	2	6	9	8	49	65	70	102	144	72
Diseases of: Respiratory „	2·68	983	215	118	49	32	15	459	20	5	7	16	43	53	58	97	104	121
Diseases of: Digestive „	0·98	361	26	7	-	2	3	48	8	2	1	14	47	39	48	66	61	27
Diseases of: Urinary „	0·48	175	1	-	-	1	-	2	9	5	5	6	23	23	26	29	28	19
Diseases of: Generative „	0·02	8	-	-	-	-	-	-	-	-	-	2	1	2	2	-	1	-
Childbirth	0·11	40	-	-	-	-	-	-	-	-	-	3	23	14	-	-	-	-
Suicide	0·05	20	-	-	-	-	-	-	-	-	-	-	3	4	5	4	3	1
Other Violence	0·38	141	27	9	8	3	3	50	12	8	3	7	13	11	11	9	8	8
Other Causes	3·50	1283	474	46	28	21	16	585	30	15	4	15	36	33	34	50	138	313

Deaths of Infants (under one) to 1000 Births - 111 | Marriages - 2,215 | Births - 11,531 | Annual Rate per 1000 living: Persons Married - 12·06; Births - 31·39

99.—ROMSEY.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	16·02	—	—	—	—	—	33·29	3·70	2·20	3·44	5·55	7·32	8·41	12·49	23·02	54·47	161·46
Mean Pop. 1871-80	—	10,746	300	304	288	284	287	1463	1325	1274	989	793	1297	1165	1069	756	470	205
ALL CAUSES	16·02	1722	319	87	36	27	18	487	49	28	34	44	95	98	126	174	256	331
Small-pox	0·05	5	1	-	-	-	1	2	1	-	-	-	1	1	-	-	-	-
Measles	0·12	13	4	6	1	-	-	11	2	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·40	43	2	3	2	6	5	18	14	6	3	1	1	-	-	-	-	-
Diphtheria	0·13	14	1	-	2	2	2	7	2	4	-	-	1	-	-	-	-	-
Whooping cough	0·33	35	16	12	5	1	1	35	-	-	-	-	-	-	-	-	-	-
Typhus	0·01	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Enteric Fever	0·22	24	-	1	1	1	-	3	1	3	3	2	3	6	2	1	-	-
Simple Cont. Fev.	0·03	3	1	-	-	1	-	2	-	-	-	-	-	1	-	-	-	-
Puerp. Fever	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarr. and Dys.	0·51	55	33	4	1	-	1	39	-	-	-	-	-	-	-	3	6	7
Cholera	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Cancer	0·46	49	-	-	-	1	-	1	-	-	-	-	2	2	10	18	9	7
Scrofula	0·09	10	4	2	1	-	-	7	-	1	-	-	-	1	-	1	-	-
Tabes Mesent.	0·07	8	5	-	-	1	-	6	1	1	-	-	-	-	-	-	-	-
Phthisis	1·50	161	1	1	-	1	-	3	1	3	11	29	44	24	30	10	4	2
Hydrocephalus	0·19	20	7	5	4	2	1	19	1	-	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·09	225	39	8	4	3	3	57	5	4	4	4	7	15	25	17	44	43
Diseases of: Circulatory „	1·25	134	1	-	-	-	1	2	-	-	2	1	7	11	13	37	34	27
Diseases of: Respiratory „	2·18	234	57	19	2	2	1	81	5	2	3	1	5	13	8	34	49	33
Diseases of: Digestive „	1·00	107	13	1	2	1	-	17	5	1	2	-	3	6	10	23	24	16
Diseases of: Urinary „	0·48	52	1	-	-	-	-	1	-	-	1	2	8	8	10	10	6	6
Diseases of: Generative „	0·05	5	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1
Childbirth	0·09	10	-	-	-	-	-	-	-	-	-	1	7	2	-	-	-	-
Suicide	0·07	7	-	-	-	-	-	-	-	-	-	-	-	2	3	2	-	-
Other Violence	0·52	56	3	7	4	1	2	17	4	1	3	1	4	2	7	6	8	3
Other Causes	4·17	450	130	18	7	4	-	159	7	2	2	1	2	3	6	12	70	186

Deaths of Infants (under one) to 1000 Births - 98 | Marriages - 674 | Births - 3,258 | Annual Rate per 1000 living: Persons Married - 12·54; Births - 30·32

100.—STOCKBRIDGE

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	16·81	—	—	—	—	—	34·98	3·98	2·87	3·27	5·26	4·83	9·07	11·86	22·20	65·57	153·69
Mean Pop. 1871-80	—	7145	194	172	202	180	204	952	905	837	642	475	829	794	683	545	334	149
ALL CAUSES	16·81	1201	206	67	23	16	21	333	36	24	21	25	40	72	81	121	219	229
Small-pox	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	0·13	9	1	3	1	-	2	7	2	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·48	34	-	3	5	3	4	15	12	6	-	-	1	-	-	-	-	-
Diphtheria	0·06	4	-	-	1	-	1	2	1	-	1	-	-	-	-	-	-	-
Whooping-cough	0·31	22	9	6	2	2	2	21	1	-	-	-	-	-	-	-	-	-
Typhus	0·03	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Enteric Fever	0·15	11	-	1	1	-	1	3	1	2	-	2	1	-	2	-	-	-
Simple Cont. Fev.	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerp. Fever	0·03	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Diarr. and Dys.	0·45	32	15	8	1	1	-	25	-	-	-	-	-	-	-	-	3	4
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·29	21	-	-	-	-	-	-	-	-	-	-	-	1	6	4	3	7
Scrofula	0·06	4	1	1	-	-	-	2	-	-	-	1	-	-	-	1	-	-
Tabes Mesent.	0·11	8	1	2	1	-	-	4	-	1	-	-	1	2	-	-	-	-
Phthisis	1·29	92	3	1	-	1	1	6	1	2	13	13	13	24	13	6	1	-
Hydrocephalus	0·18	13	2	5	2	-	1	10	2	1	-	-	-	-	-	-	-	-
Diseases of Nervous Syst.	2·55	183	28	6	-	2	3	39	3	2	-	2	3	6	13	28	36	31
Diseases of Circulatory „	1·78	127	-	-	-	1	-	1	-	-	-	2	8	9	15	33	44	15
Diseases of Respiratory „	2·86	204	36	17	4	1	-	58	5	1	3	3	2	13	13	20	43	43
Diseases of Digestive „	0·87	62	3	-	-	2	1	6	2	2	2	-	1	4	4	13	19	9
Diseases of Urinary „	0·39	28	-	-	-	-	-	-	-	-	-	-	2	2	5	7	6	6
Diseases of Generative „	0·01	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Childbirth	0·07	5	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-
Suicide	0·08	6	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	-
Other Violence	0·34	24	-	1	2	2	1	6	-	4	1	-	3	2	5	-	3	-
Other Causes	4·29	307	107	13	3	1	4	128	4	3	-	2	3	3	3	9	38	114

Deaths of Infants (under one) to 1000 Births - 99

Marriages - 404
Births - 2,075

Annual Rate per 1000 living: Persons Married - 11·31; Births - 29·04

101.—WINCHESTER.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·58	—	—	—	—	—	41·50	3·92	3·36	3·86	5·84	8·45	13·20	15·43	25·37	58·09	166·60
Mean Pop. 1871-80	—	30,209	821	687	753	703	700	3664	3389	3271	3183	2656	4298	3342	2663	2038	1205	500
ALL CAUSES	17·58	5310	977	282	132	70	63	1524	133	110	123	155	363	441	411	517	700	833
Small-pox	0·07	21	1	-	-	-	1	2	-	3	5	4	1	2	1	1	-	2
Measles	0·18	55	13	21	10	3	3	50	3	1	-	-	1	-	-	-	-	-
Scarlet Fever	0·29	88	5	6	17	9	9	46	22	9	5	-	3	2	1	-	-	-
Diphtheria	0·13	39	2	2	3	2	8	17	12	5	2	1	-	-	-	2	-	-
Whooping-cough	0·28	84	38	25	7	6	2	78	6	-	-	-	-	-	-	-	-	-
Typhus	0·01	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Enteric Fever	0·23	70	2	3	1	1	1	8	11	11	8	4	8	4	7	7	2	-
Simple Cont. Fev.	0·05	16	-	2	1	1	1	5	3	1	1	1	1	-	1	-	-	3
Puerp. Fever	0·07	21	-	-	-	-	-	-	-	-	-	7	12	2	-	-	-	-
Diarr. and Dys.	0·68	205	127	26	6	3	1	163	-	-	1	-	1	3	1	3	14	19
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·67	202	-	-	-	-	-	-	1	-	-	-	6	23	37	52	52	31
Scrofula	0·06	18	5	4	-	-	1	10	2	1	1	-	1	-	-	1	2	-
Tabes Mesent.	0·10	31	15	7	2	1	-	25	1	-	4	-	-	1	-	-	-	-
Phthisis	2·00	605	8	6	2	-	-	16	5	20	44	72	162	140	91	41	13	1
Hydrocephalus	0·23	69	8	13	16	4	8	49	12	5	2	1	-	-	-	-	-	-
Diseases of Nervous Syst.	2·15	651	131	21	13	13	7	185	13	15	9	9	19	33	38	74	124	132
Diseases of Circulatory „	1·80	545	1	-	-	-	1	2	3	9	8	8	35	66	70	112	152	80
Diseases of Respiratory „	3·25	982	212	95	32	12	6	357	12	7	8	16	26	50	52	97	160	197
Diseases of Digestive „	0·86	259	25	2	1	-	2	30	4	9	5	5	17	32	34	39	53	31
Diseases of Urinary „	0·47	142	-	1	-	-	1	2	4	2	3	4	15	21	19	28	23	18
Diseases of Generative „	0·07	22	-	-	-	-	-	-	1	-	-	-	3	6	4	5	3	-
Childbirth	0·09	23	-	-	-	-	-	-	-	-	1	6	10	10	1	-	-	-
Suicide	0·07	20	-	-	-	-	-	-	-	-	-	3	5	5	2	4	-	1
Other Violence	0·52	156	13	4	7	7	7	38	8	4	6	5	13	24	16	13	10	19
Other Causes	3·25	979	371	44	14	8	4	441	10	8	10	9	23	16	36	38	89	299

Deaths of Infants (under one) to 1000 Births - 112

Marriages - 2,258
Births - 8,749

Annual Rate per 1000 living: Persons Married - 14·95; Births - 28·96

102.—DROXFORD.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	15·47	—	—	—	—	—	31·71	3·29	2·69	4·27	4·76	6·91	8·21	9·74	18·60	47·91	146·15
Mean Pop. 1871-80	—	11,474	305	278	314	302	302	1501	1399	1301	1031	840	1389	1182	1098	903	557	273
ALL CAUSES	15·47	1775	313	92	31	21	19	476	46	35	44	40	96	97	107	168	267	399
Small-pox	0·08	9	1	–	–	–	–	1	–	–	–	–	3	2	1	–	1	1
Measles	0·08	9	4	2	1	1	–	8	–	–	–	1	–	–	–	–	–	–
Scarlet Fever	0·23	26	4	3	1	3	2	13	9	3	–	1	–	–	–	–	–	–
Diphtheria	0·07	8	1	–	–	–	2	3	2	1	1	–	–	–	1	–	–	–
Whooping-cough	0·34	39	20	12	5	1	–	38	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·22	25	–	2	1	1	1	5	2	3	4	3	1	2	–	3	1	1
Simple Cont. Fev.	0·03	4	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	1
Puerp. Fever	0·02	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Diarr. and Dys.	0·48	55	20	3	3	–	1	27	–	1	–	–	1	2	1	1	6	18
Cholera	0·01	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·41	47	–	–	–	–	–	–	–	–	–	–	2	6	12	10	10	7
Scrofula	0·07	8	–	3	1	–	2	6	–	–	–	–	1	–	1	–	–	–
Tabes Mesen.	0·13	15	6	5	–	–	2	13	1	–	–	1	–	–	–	–	–	–
Phthisis	1·51	173	3	2	–	–	2	7	3	9	15	23	37	28	20	17	12	2
Hydrocephalus	0·13	15	4	3	1	3	1	12	2	1	–	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	1·85	212	39	14	6	2	1	62	3	5	4	1	5	4	9	27	29	63
Diseases of: Circulatory „	1·92	220	–	–	–	–	–	–	–	2	4	2	9	16	14	34	81	58
Diseases of: Respiratory „	2·14	246	68	27	8	3	2	108	4	–	1	1	4	8	6	21	39	54
Diseases of: Digestive „	0·98	112	10	1	1	1	–	13	3	2	4	3	8	9	14	19	25	12
Diseases of: Urinary „	0·84	96	1	–	–	–	–	1	1	1	2	2	7	8	10	16	30	18
Diseases of: Generative „	0·04	5	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	1
Childbirth	0·08	9	–	–	–	–	–	–	–	–	1	–	7	1	–	–	–	–
Suicide	0·10	11	–	–	–	–	–	–	–	1	–	1	4	1	1	1	2	–
Other Violence	0·28	32	1	5	–	–	–	6	4	1	3	1	–	2	3	2	5	5
OTHER CAUSES	3·42	395	131	10	3	5	2	151	10	3	5	–	6	5	13	16	26	160

Deaths of Infants (under one) to 1000 Births - 92 | Marriages - 630, Births - 3,391 | Annual Rate per 1000 living: Persons Married - 10·98, Births - 29·55

103.—CATHERINGTON.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	14·79	—	—	—	—	—	32·61	3·16	2·23	5·26	7·35	5·97	6·80	11·46	17·17	43·94	133·33
Mean Pop. 1871-80	—	2758	87	66	74	64	80	371	348	314	266	204	318	294	253	198	132	60
ALL CAUSES	14·79	408	79	21	13	5	3	121	11	7	14	15	19	20	29	34	58	80
Small-pox	0·07	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Measles	0·22	6	–	4	1	–	–	5	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·25	7	–	2	2	1	1	6	–	1	–	–	–	–	–	–	–	–
Diphtheria	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	0·07	2	1	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Typhus	0·07	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Enteric Fever	0·04	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Simple Cont. Fev.	0·04	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Puerp. Fever	0·04	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Diarr. and Dys.	0·22	6	2	1	–	1	–	4	–	–	–	–	–	–	–	–	1	1
Cholera	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·33	9	–	–	–	–	–	–	–	–	–	–	–	1	1	3	3	1
Scrofula	0·18	5	2	–	–	–	–	2	–	–	–	–	2	–	1	–	–	–
Tabes Mesent.	0·36	10	10	–	–	–	–	10	–	–	–	–	–	–	–	–	–	–
Phthisis	1·34	37	–	–	–	–	–	–	–	2	4	9	7	4	7	3	1	–
Hydrocephalus	0·33	9	5	1	2	1	–	9	–	–	–	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	1·99	55	10	2	–	–	–	12	2	1	1	1	–	–	7	5	8	18
Diseases of: Circulatory „	0·76	21	–	–	–	–	–	–	1	–	–	–	1	3	1	4	10	1
Diseases of: Respiratory „	2·21	61	10	4	3	–	1	18	2	–	2	1	3	3	3	4	16	9
Diseases of: Digestive „	1·49	41	4	–	–	1	–	5	–	3	3	1	1	4	5	4	10	5
Diseases of: Urinary „	0·29	8	–	–	–	–	–	–	1	–	–	–	–	–	2	2	2	1
Diseases of: Generative „	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	0·07	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Suicide	0·04	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Other Violence	0·40	11	1	–	2	1	–	4	2	–	1	–	–	1	1	1	–	1
OTHER CAUSES	3·98	110	34	7	2	–	1	44	–	–	1	3	1	3	1	8	7	42

Deaths of Infants (under one) to 1000 Births - 102 | Marriages - 167, Births - 778 | Annual Rate per 1000 living: Persons Married - 12·11, Births - 28·21

104.—PETERSFIELD.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	--	16·24	—	—	—	—	—	29·66	4·44	3·58	4·40	5·12	6·38	10·39	11·86	22·53	53·64	160·10
Mean Pop. 1871-80	—	9964	288	270	251	282	251	1342	1238	1089	886	781	1253	1039	902	750	481	203
ALL CAUSES	16·24	1618	261	79	31	18	9	398	55	39	39	40	80	108	107	169	253	325
Small-pox	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Measles	0·09	9	1	5	1	1	-	8	1	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·16	16	1	2	3	2	1	9	4	2	1	-	-	-	-	-	-	-
Diphtheria	0·26	26	-	-	4	3	1	8	13	4	-	-	-	-	1	-	-	-
Whooping-cough	0·24	24	10	10	3	-	-	23	1	-	-	-	-	-	-	-	-	-
Typhus	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Enteric Fever	0·14	14	-	-	1	-	-	1	5	-	2	-	1	2	1	2	-	-
Simple Cont. Fev.	0·03	3	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	1
Puerp. Fever	0·08	8	-	-	-	-	-	-	-	-	-	1	2	5	-	-	-	-
Diarr. and Dys.	0·48	48	16	3	2	3	-	24	2	1	-	-	1	-	1	1	6	12
Cholera	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Cancer	0·59	59	-	-	-	-	-	-	1	-	-	-	3	7	5	14	23	6
Scrofula	0·12	12	4	-	-	-	-	4	1	2	1	-	1	1	-	-	2	-
Tabes Mesent.	0·15	15	3	5	1	-	-	9	1	3	1	-	-	-	-	1	-	-
Phthisis	1·84	183	4	4	-	-	-	8	7	9	16	18	31	28	23	25	14	4
Hydrocephalus	0·23	23	10	7	2	-	-	19	-	4	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	1·86	185	24	4	1	1	1	31	1	1	2	5	8	12	13	22	46	44
Diseases of: Circulatory „	1·29	129	-	-	-	-	-	-	-	-	1	2	7	12	14	27	42	24
Diseases of: Respiratory „	2·52	251	60	25	5	3	2	95	7	4	2	4	3	11	16	21	33	55
Diseases of: Digestive „	0·74	74	5	-	-	-	1	6	-	2	1	1	3	7	5	22	20	7
Diseases of: Urinary „	0·54	54	-	-	-	1	-	1	1	-	2	2	3	4	4	8	18	11
Diseases of: Generative „	0·08	8	-	-	-	-	-	-	-	-	1	1	-	-	3	1	1	1
Childbirth	0·09	9	-	-	-	-	-	-	-	-	-	1	3	5	-	-	-	-
Suicide	0·10	10	-	-	-	-	-	-	-	-	-	-	1	-	4	4	1	-
Other Violence	0·49	49	2	1	2	2	-	7	4	4	5	2	2	5	6	4	7	3
Other Causes	4·09	406	121	13	5	2	3	144	5	3	4	3	11	9	10	15	45	157

Deaths of Infants (under one) to 1000 Births - 84 | Marriages - 620 | Births - 3,097 | Annual Rate per 1000 living: Persons Married - 12·63; Births - 31·08

105.—ALRESFORD.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	15·89	—	—	—	—	—	33·77	3·72	1·08	3·65	5·72	6·68	7·82	10·07	24·36	53·35	145·18
Mean Pop. 1871-80	—	7119	191	176	192	172	187	918	887	836	630	542	868	754	685	505	328	166
ALL CAUSES	15·89	1131	213	57	44	11	15	310	33	9	23	31	58	59	69	123	175	241
Small-pox	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	0·01	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Scarlet Fever	0·08	6	2	-	-	-	1	3	2	1	-	-	-	-	-	-	-	-
Diphtheria	0·13	9	1	-	1	1	1	4	4	-	-	-	-	-	-	-	1	-
Whooping-cough	0·39	28	14	7	5	1	1	28	-	-	-	-	-	-	-	-	-	-
Typhus	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	0·18	13	-	-	-	-	1	1	3	1	1	-	2	-	1	2	2	-
Simple Cont. Fev.	0·14	10	1	1	-	-	-	2	1	1	-	-	-	-	1	3	2	-
Puerp. Fever	0·01	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diarr. and Dys.	0·37	26	7	3	1	-	-	11	-	-	-	-	-	1	1	2	5	3
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·49	35	-	-	-	-	-	-	-	-	-	-	-	-	7	13	12	3
Scrofula	0·06	4	1	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-
Tabes Mesent.	0·10	7	5	-	-	-	-	5	-	-	1	-	1	-	-	-	-	-
Phthisis	1·76	125	4	2	1	-	2	9	4	2	13	21	28	22	13	12	1	-
Hydrocephalus	0·27	19	6	8	2	-	-	16	1	-	1	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·01	143	31	6	-	1	2	40	2	1	1	1	3	6	6	21	30	32
Diseases of: Circulatory „	1·45	103	1	-	-	-	-	1	3	1	2	2	6	7	7	16	32	26
Diseases of: Respiratory „	2·06	147	33	15	2	2	1	53	2	2	-	-	2	6	7	18	27	50
Diseases of: Digestive „	0·93	66	9	1	1	2	1	14	4	-	1	1	2	4	7	11	11	11
Diseases of: Urinary „	0·39	28	1	-	-	-	-	1	1	-	-	1	2	3	4	8	5	3
Diseases of: Generative „	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Childbirth	0·15	11	-	-	-	-	-	-	-	-	-	-	6	4	1	-	-	-
Suicide	0·04	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-
Other Violence	0·37	26	3	3	-	1	2	9	3	-	-	-	3	1	3	3	3	1
Other Causes	4·49	319	91	11	1	3	3	112	3	-	1	3	2	4	9	11	42	129

Deaths of Infants (under one) to 1000 Births - 103 | Marriages - 498 | Births - 2,070 | Annual Rate per 1000 living: Persons Married - 11·46; Births - 29·08

106.—ALTON.

—	Annual Death Rate per 1000.	All Ages	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwdr.
ANNUAL DEATH RATE PER 1000	—	16·72	—	—	—	—	—	36·13	3·79	3·18	4·92	5·24	8·19	9·38	12·59	23·24	51·62	156·61
Mean Pop. 1871-80	—	15,098	436	427	425	394	427	2109	1902	1761	1342	1165	1892	1663	1311	1011	647	295
ALL CAUSES	16·72	2524	533	124	58	24	23	762	72	56	66	61	155	156	165	235	334	462
Small-pox	0·04	6	–	–	–	–	–	–	–	–	2	–	–	–	2	–	1	1
Measles	0·17	26	4	10	4	–	2	20	3	2	–	–	–	1	–	–	–	–
Scarlet Fever	0·12	18	–	–	3	1	1	5	9	1	2	1	–	–	–	–	–	–
Diphtheria	0·14	21	–	2	5	2	2	11	4	5	–	–	–	–	–	–	1	–
Whooping-cough	0·25	37	18	13	4	2	–	37	–	–	–	–	–	–	–	–	–	–
Typhus	0·05	7	–	–	–	–	–	–	–	2	–	–	3	2	–	–	–	–
Enteric Fever	0·23	35	–	–	1	1	1	3	2	6	5	4	8	3	2	2	–	–
Simple Cont. Fev.	0·05	8	–	1	–	2	1	4	2	–	1	–	–	1	–	–	–	–
Puerp. Fever	0·05	7	–	–	–	–	–	–	–	–	–	–	3	4	–	–	–	–
Diarr. and Dys.	0·26	40	23	5	1	–	2	31	1	–	–	–	–	–	–	1	5	2
Cholera	0·01	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	0·47	71	1	–	–	–	–	1	–	–	1	–	2	6	14	19	16	12
Scrofula	0·23	34	20	3	1	–	–	24	1	2	2	1	1	2	–	1	–	–
Tabes Mesent.	0·42	64	44	16	2	–	–	62	–	1	–	–	1	–	–	–	–	–
Phthisis	2·15	325	16	7	3	–	–	26	13	7	24	33	83	61	37	27	11	3
Hydrocephalus	0·23	35	10	8	2	3	1	24	6	4	1	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	1·58	239	57	12	4	1	1	75	1	5	5	1	8	16	24	23	31	50
Diseases of: Circulatory	1·40	211	–	–	–	–	–	–	–	5	4	2	8	15	30	42	73	32
Diseases of: Respiratory	2·87	434	113	26	16	8	3	166	10	4	4	1	11	22	19	35	76	86
Diseases of: Digestive	0·87	132	11	1	2	–	3	17	–	1	2	3	8	7	16	29	33	16
Diseases of: Urinary	0·29	44	–	–	–	–	–	–	–	1	1	1	1	1	3	14	10	12
Diseases of: Generative	0·07	10	–	–	–	–	–	–	–	–	–	–	2	3	–	1	4	–
Childbirth	0·11	17	–	–	–	–	–	–	–	–	3	5	4	4	1	–	–	–
Suicide	0·05	8	–	–	–	–	–	–	–	–	–	–	–	3	1	3	1	–
Other Violence	0·43	65	6	3	3	2	2	16	6	7	4	6	3	4	5	6	4	4
OTHER CAUSES	4·18	629	210	17	7	2	4	240	14	3	5	3	9	1	10	32	68	244

Deaths of Infants (under one) to 1000 Births - 109

Marriages - 936
Births - 4,833

Annual Rate per 1000 living: Persons Married - 13·06; Births - 32·34

107.—HARTLEY WINTNEY.

—	Annual Death Rate per 1000	All Ages	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwdr.
ANNUAL DEATH RATE PER 1000	—	14·99	—	—	—	—	—	37·13	4·76	2·89	4·80	5·37	6·58	10·08	12·26	21·24	56·01	158·18
Mean Pop. 1871-80	—	20,963	535	520	522	464	480	2521	2331	2144	2227	2384	3327	2162	1664	1191	682	339
ALL CAUSES	14·99	3142	598	181	75	50	32	936	111	62	107	128	219	218	204	253	382	522
Small-pox	0·03	7	1	–	–	–	–	1	1	1	–	–	2	1	–	1	–	–
Measles	0·24	50	9	20	10	3	5	47	2	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·17	35	2	1	2	5	4	14	11	3	4	3	–	–	–	–	–	–
Diphtheria	0·10	22	–	–	2	–	1	3	12	4	1	1	1	–	–	–	–	–
Whooping-cough	0·29	60	27	16	8	2	2	55	5	–	–	–	–	–	–	–	–	–
Typhus	0·03	7	–	–	1	–	–	1	–	–	1	1	1	–	–	–	3	–
Enteric Fever	0·16	33	2	1	2	1	1	7	2	4	9	1	3	1	1	2	2	1
Simple Cont. Fev.	0·06	13	–	1	–	1	–	2	2	1	3	2	–	–	2	–	–	1
Puerp. Fever	0·04	9	–	–	–	–	–	–	–	–	–	4	4	1	–	–	–	–
Diarr. and Dys.	0·45	95	45	18	2	–	–	65	1	2	–	1	3	–	–	3	8	12
Cholera	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·52	108	–	–	–	–	–	–	–	–	–	–	1	11	18	30	31	14
Scrofula	0·16	34	13	3	2	2	–	20	–	4	1	2	4	–	–	2	1	–
Tabes Mesent.	0·17	35	15	4	1	1	–	21	5	5	–	1	–		–	3	–	–
Phthisis	1·79	375	3	3	3	–	–	9	11	12	41	52	93	73	43	27	12	2
Hydrocephalus	0·28	59	20	15	5	4	1	45	9	3	1	–	1	–	–	–	–	–
Diseases of: Nervous Syst.	1·83	383	73	13	7	8	1	102	10	8	11	9	14	19	22	38	56	94
Diseases of: Circulatory	1·15	242	1	–	–	–	–	1	3	3	4	7	22	29	26	36	61	50
Diseases of: Respiratory	2·27	476	112	55	12	10	6	195	14	1	8	12	13	23	23	35	69	77
Diseases of: Digestive	0·72	151	16	1	–	–	–	17	6	–	2	3	16	12	25	22	30	18
Diseases of: Urinary	0·45	95	2	–	2	–	1	5	1	2	1	4	9	14	15	12	19	13
Diseases of: Generative	0·04	8	–	–	–	–	–	–	–	–	–	–	–	1	1	4	–	2
Childbirth	0·07	15	–	–	–	–	–	–	–	–	2	3	5	5	–	–	–	–
Suicide	0·04	9	–	–	–	–	–	–	–	–	–	2	3	2	–	–	1	1
Other Violence	0·52	108	15	3	6	4	1	29	5	3	11	9	11	6	8	8	7	11
OTHER CAUSES	3·41	719	242	27	10	9	9	297	11	5	7	11	13	20	20	30	79	296

Deaths of Infants (under one) to 1000 Births - 107

Marriages - 1,096
Births - 5,591

Annual Rate per 1000 living: Persons Married - 10·46; Births - 26·67

108.—BASINGSTOKE.*

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	16·55	—	—	—	—	—	35·23	3·99	3·02	3·74	5·36	6·78	9·34	13·32	25·37	54·45	147·68
Mean Pop. 1871-80	—	* 18,626	544	499	526	472	485	2526	2378	2052	1683	1492	2450	1948	1599	1277	854	367
ALL CAUSES	16·55	3082	562	176	62	44	46	890	95	62	63	80	166	182	213	324	465	542
Small-pox	0·02	4		-	-	-	-	-	-	-	-	1	-	1	-	1	1	-
Measles	0·16	29	5	6	5	3	4	23	6	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·21	40	1	4	2	4	7	18	15	-	4	1	-	2	-	-	-	-
Diphtheria	0·10	19	1	1	1	2	3	8	3	3	1	1	1	1	1	-	-	-
Whooping-cough	0·20	37	19	12	3	-	2	36	1	-	-	-	-	-	-	-	-	-
Typhus	0·01	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Enteric Fever	0·19	35	2	-	1	1	3	7	2	6	4	3	6	3	2	1	1	-
Simple Cont. Fev.	0·09	16	-	-	1	1	-	2	3	2	2	1	2	2	-	1	1	-
Puerp. Fever	0·04	7	-	-	-	-	-	-	-	-	-	4	1	2	-	-	-	-
Diarr. and Dys.	0·31	57	22	12	3	1	-	38	4	1	-	-	1	1	-	-	4	8
Cholera	0·01	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Cancer	0·39	73	-	-	-	-	-	-	-	-	-	-	6	5	10	24	17	11
Scrofula	0·11	21	6	3	-	-	1	10	2	1	2	2	3	-	-	-	1	-
Tabes Mesent.	0·22	41	17	7	4	5	-	33	3	4	1	-	-	-	-	-	-	-
Phthisis	1·91	355	7	3	3	-	1	14	2	11	23	36	72	78	63	37	13	3
Hydrocephalus	0·35	65	15	19	9	3	5	51	8	4	3	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	1·89	333	60	12	2	3	-	77	10	4	2	3	13	8	25	51	76	62
Diseases of: Circulatory "	1·84	342	1	-	-	-	-	1	1	4	2	6	11	19	26	79	118	75
Diseases of: Respiratory "	2·90	541	145	67	18	11	8	249	15	5	2	3	7	12	25	52	86	85
Diseases of: Digestive "	0·78	145	16	-	1	-	-	17	4	3	2	7	12	12	23	19	32	14
Diseases of: Urinary "	0·41	76	-	-	-	-	1	1	2	-	3	-	9	12	11	12	14	12
Diseases of: Generative "	0·03	5	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	-
Childbirth	0·03	12	-	-	-	-	-	-	-	-	3	2	6	1	-	-	-	-
Suicide	0·05	9	-	-	-	-	-	-	-	-	-	-	2	3	3	1	-	-
Other Violence	0·52	97	10	5	3	1	3	22	8	9	6	6	5	7	8	11	11	4
Other Causes	3·84	717	235	25	6	9	8	283	6	2	3	3	8	13	14	27	90	268

Deaths of Infants (under one) to 1000 Births - 96 | Marriages - 1,178 | Births - 5,840 | Annual Rate per 1000 living: Persons Married - 12·65; Births - 31·35

* Changes were made in the boundary of this District during the Decade; see Table, pp. 371-78.

109.—WHITCHURCH.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·73	—	—	—	—	—	35·34	5·01	3·13	4·36	5·40	6·23	10·07	12·64	22·22	51·45	178·05
Mean Pop. 1871-80	—	5532	163	139	158	149	145	754	678	607	527	426	658	556	522	405	276	123
ALL CAUSES	17·73	981	189	34	19	14	12	268	34	19	23	23	41	56	66	90	142	219
Small-pox	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	0·04	2	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·23	13	1	1	3	1	2	8	3	1	1	-	-	-	-	-	-	-
Diphtheria	0·14	8	-	-	-	1	-	1	6	1	-	-	-	-	-	-	-	-
Whooping-cough	0·25	14	10	1	-	-	-	11	2	1	-	-	-	-	-	-	-	-
Typhus	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	0·33	18	-	1	-	-	-	1	2	4	4	1	1	2	2	1	-	-
Simple Cont. Fev.	0·04	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Puerp. Fever	0·05	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
Diarr. and Dys.	0·40	22	12	1	-	1	-	14	1	-	-	-	-	-	-	-	1	6
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·49	27	-	-	-	-	-	-	-	-	-	-	-	1	7	6	6	7
Scrofula	0·20	11	6	1	-	-	-	7	2	-	1	-	1	-	-	-	-	-
Tabes Mesent.	0·20	11	5	2	2	1	1	11	-	-	-	-	-	-	-	-	-	-
Phthisis	1·68	93	2	1	1	-	-	4	2	5	9	12	27	18	3	11	1	1
Hydrocephalus	0·33	18	3	3	1	-	1	8	4	3	3	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·49	138	37	2	1	1	2	43	1	1	1	1	1	5	7	15	31	32
Diseases of: Circulatory "	1·84	102	-	-	-	-	-	-	-	1	2	3	2	7	15	22	32	18
Diseases of: Respiratory "	2·21	122	29	6	3	4	1	34	2	-	-	-	-	7	9	14	30	26
Diseases of: Digestive "	0·98	54	8	1	3	-	1	13	2	-	-	1	2	3	10	8	9	6
Diseases of: Urinary "	0·23	13	-	-	-	-	-	-	-	-	1	1	1	3	1	-	5	1
Diseases of: Generative "	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth	0·09	5	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-
Suicide	0·04	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Other Violence	0·45	25	3	2	1	2	3	11	3	-	-	-	2	1	3	1	3	1
Other Causes	5·02	278	82	11	4	3	1	101	3	2	1	2	2	4	8	12	23	120

Deaths of Infants (under one) to 1000 Births - 110 | Marriages - 377 | Births - 1,721 | Annual Rate per 1000 living: Persons Married - 13·63; Births - 31·11

110.—ANDOVER.*

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	16·88	—	—	—	—	—	33·74	4·31	1·71	4·54	5·95	7·03	9·46	12·93	25·26	56·45	161·77
Mean Pop. 1871-80	—	* 17,209	438	448	464	438	432	2220	2112	1993	1565	1312	2047	1860	1709	1247	783	361
ALL CAUSES	16·88	2905	488	133	58	35	35	749	91	34	71	78	144	176	221	315	442	584
Small-pox	0·10	17	1	–	–	–	1	2	–	1	1	2	2	4	1	4	–	–
Measles	0·23	40	6	11	8	3	5	33	6	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·20	35	–	4	6	2	4	16	11	4	2	–	1	–	–	1	–	–
Diphtheria	0·08	13	–	–	2	2	–	4	3	3	–	2	1	–	–	–	–	–
Whooping-cough	0·23	48	27	11	3	3	–	47	1	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·19	32	–	1	–	–	2	3	4	2	9	1	2	4	1	3	3	–
Simple Cont. Fev.	0·14	24	–	–	–	1	2	3	5	1	1	1	1	–	6	3	3	–
Puerp. Fever	0·04	7	–	–	–	–	–	–	–	–	–	2	2	2	1	–	–	–
Diarr. and Dys.	0·34	59	25	9	–	–	–	34	1	1	–	–	1	2	1	1	8	10
Cholera	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·57	98	–	–	–	–	–	–	–	–	1	1	3	7	21	31	23	11
Scrofula	0·09	15	3	3	–	–	–	6	–	–	1	1	4	1	1	–	1	–
Tabes Mesent.	0·13	22	8	6	1	–	–	15	2	1	–	1	–	1	1	1	–	–
Phthisis	1·38	238	1	4	–	2	–	7	2	3	20	39	62	40	30	27	6	2
Hydrocephalus	0·12	21	4	3	3	1	–	11	9	–	1	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·13	367	64	12	5	4	5	90	12	3	5	3	9	11	26	45	95	67
Diseases of: Circulatory „	1·55	265	–	–	1	–	–	1	–	–	4	6	9	26	28	48	83	61
Diseases of: Respiratory „	3·07	529	103	40	15	6	6	169	13	3	2	5	13	22	35	61	80	126
Diseases of: Digestive „	0·89	154	14	1	2	1	–	18	7	1	8	5	8	8	22	31	34	12
Diseases of: Urinary „	0·41	70	–	–	–	1	1	2	1	–	3	3	7	10	10	13	12	9
Diseases of: Generative „	0·03	5	–	–	–	–	–	–	–	–	–	–	–	2	–	2	1	–
Childbirth	0·12	21	–	–	–	–	–	–	–	–	–	4	4	13	–	–	–	–
Suicide	0·06	11	–	–	–	–	–	–	–	–	–	–	–	3	2	4	2	–
Other Violence	0·38	66	6	3	4	4	1	18	4	4	5	–	5	6	6	8	4	6
OTHER CAUSES	4·35	747	227	22	8	5	8	270	10	6	8	2	10	11	29	32	87	282

Deaths of Infants (under one) to 1000 Births - 98 | Marriages - 1,014 | Births - 4,993 | Annual Rate per 1000 living: Persons Married - 11·78; Births - 29·01

* Changes were made in the boundary of this District during the Decade; see Table, pp. 371-78.

111.—KINGSCLERE.

—	Annual Death Rate per 1000	16·91	—	—	—	—	—	32·20	4·31	3·62	4·87	5·64	7·26	7·40	9·97	21·54	48·24	179·12
Mean Pop. 1871-80	—	8550	247	219	236	216	241	1159	1137	994	739	603	992	905	792	622	425	182
ALL CAUSES	16·91	1446	251	77	30	27	23	408	49	36	36	34	72	67	79	134	205	326
Small-pox	0·05	4	1	–	–	–	–	1	–	1	–	–	–	2	–	–	–	–
Measles	0·15	13	3	2	5	1	1	12	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·27	23	2	2	1	5	3	13	3	5	2	–	–	–	–	–	–	–
Diphtheria	0·09	8	–	1	–	2	–	3	4	1	–	–	–	–	–	–	–	–
Whooping-cough	0·19	16	8	3	1	2	–	14	2	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·20	17	–	–	1	–	–	1	1	6	1	–	1	–	1	2	4	–
Simple Cont. Fev.	0·14	12	–	1	–	–	1	2	3	–	1	1	1	–	1	3	–	–
Puerp. Fever	0·02	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Diarr. and Dys.	0·39	33	11	6	3	1	–	21	2	2	–	–	–	–	–	1	3	4
Cholera	0·02	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Cancer	0·42	36	–	–	–	–	–	–	–	–	–	–	–	2	7	11	8	8
Scrofula	0·20	17	2	2	–	2	–	6	–	2	1	1	2	2	1	1	1	–
Tabes Mesent.	0·18	15	6	1	1	2	1	11	–	1	–	1	–	2	–	–	–	–
Phthisis	1·04	89	–	–	–	–	1	1	1	6	15	14	26	10	9	7	–	–
Hydrocephalus	0·26	22	4	6	4	1	1	16	5	1	–	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	1·98	169	23	9	1	2	2	42	2	–	4	4	4	8	13	19	33	40
Diseases of: Circulatory „	1·61	138	2	–	–	–	–	2	3	2	2	2	10	9	11	21	44	32
Diseases of: Respiratory „	2·95	252	45	14	5	3	6	83	10	1	1	7	9	6	8	10	42	65
Diseases of: Digestive „	1·25	107	9	1	–	–	1	11	2	2	3	–	2	6	12	16	28	25
Diseases of: Urinary „	0·49	42	–	–	–	–	–	–	1	–	–	–	1	2	8	10	11	9
Diseases of: Generative „	0·02	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Childbirth	0·11	9	–	–	–	–	–	–	–	–	2	1	3	2	1	–	–	–
Suicide	0·02	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Other Violence	0·40	34	3	1	3	2	4	13	3	3	2	–	2	3	1	3	3	1
OTHER CAUSES	4·46	382	127	18	5	4	2	155	6	3	2	3	9	11	6	18	26	142

Deaths of Infants (under one) to 1000 Births - 93 | Marriages - 531 | Births - 2,688 | Annual Rate per 1000 living: Persons Married - 12·42; Births - 31·44

BERKSHIRE.

112.—NEWBURY.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·53	—	—	—	—	—	41·38	5·21	2·31	5·21	6·49	8·03	11·06	13·26	25·49	56·13	153·66
Mean Pop. 1871-80	—	20,984	567	519	555	503	525	2663	2573	2420	1958	1633	2565	2224	1926	1530	1028	464
ALL CAUSES	18·53	3888	701	186	100	63	52	1102	134	56	102	106	206	246	256	399	577	713
Small-pox	0·02	5	–	–	–	–	–	–	–	–	–	3	1	1	–	–	–	–
Measles	0·23	48	10	16	8	6	4	44	4	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·50	105	3	8	22	11	10	54	36	7	3	4	1	–	–	–	–	–
Diphtheria	0·08	17	2	–	2	1	3	8	5	1	1	–	–	2	–	–	–	–
Whooping-cough	0·25	53	17	20	8	5	–	50	3	–	–	–	–	–	–	–	–	–
Typhus	0·00	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·27	53	1	–	1	1	2	5	10	4	12	7	3	5	7	1	–	2
Simple Cont. Fev.	0·05	11	1	–	1	1	–	3	1	1	1	1	1	–	1	–	1	1
Puerp. Fever	0·06	12	–	–	–	–	–	–	–	–	–	2	8	2	–	–	–	–
Diarr. and Dys.	0·51	107	55	12	2	–	1	70	3	–	1	–	1	–	–	6	9	17
Cholera	0·01	2	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
Cancer	0·60	128	–	–	–	–	–	–	–	–	–	–	1	7	31	33	38	16
Scrofula	0·16	33	6	2	1	2	–	11	3	4	3	1	2	4	1	3	1	–
Tabes Mesent.	0·07	15	8	1	1	1	–	11	2	1	–	–	1	–	–	–	–	–
Phthisis	2·03	433	7	6	1	–	1	15	3	14	46	60	103	90	53	50	14	2
Hydrocephalus	0·25	53	19	11	8	2	2	42	9	–	1	1	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·51	527	115	24	8	6	7	160	4	5	3	3	9	15	37	78	105	168
Diseases of: Circulatory „	1·45	305	1	1	1	1	–	4	5	7	4	4	14	16	31	66	103	54
Diseases of: Respiratory „	2·71	563	113	41	14	6	3	177	14	1	3	2	12	28	26	66	113	106
Diseases of: Digestive „	0·94	197	21	2	–	2	2	27	6	1	5	4	12	25	23	37	41	16
Diseases of: Urinary „	0·50	105	–	–	2	–	1	3	1	1	4	3	7	7	10	18	25	26
Diseases of: Generative „	0·04	9	–	–	–	–	–	–	–	–	–	–	–	1	4	2	2	–
Childbirth	0·10	20	–	–	–	–	–	–	–	–	–	3	6	11	–	–	–	–
Suicide	0·05	10	–	–	–	–	–	–	–	–	2	–	1	4	1	–	1	1
Other Violence	0·49	103	11	5	6	4	5	31	10	1	8	3	5	12	3	10	9	11
OTHER CAUSES	4·62	967	310	37	14	14	11	386	15	8	5	5	15	16	27	39	118	333

Deaths of Infants (under one) to 1000 Births - 113 | Marriages - 1,380 | Births - 6,197 | Annual Rate per 1000 living: Persons Married - 13·15; Births - 29·53

113.—HUNGERFORD.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·70	—	—	—	—	—	38·86	3·41	2·28	4·78	6·45	6·88	9·36	12·44	21·85	52·95	162·73
Mean Pop. 1871-80	—	18,575	490	482	518	450	474	2414	2406	2147	1738	1303	2077	1945	1761	1419	933	432
ALL CAUSES	17·70	3287	625	164	76	46	27	938	82	49	83	84	143	182	219	310	494	703
Small-pox	0·07	13	1	–	1	–	–	2	1	–	1	2	2	–	–	–	1	4
Measles	0·16	29	10	4	4	2	3	23	6	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·20	38	2	5	3	10	1	21	9	6	1	–	1	–	–	–	–	–
Diphtheria	0·11	20	–	1	3	2	–	6	8	6	–	–	–	–	–	–	–	–
Whooping-cough	0·20	37	16	11	4	2	2	35	2	–	–	–	–	–	–	–	–	–
Typhus	0·04	7	–	–	–	–	–	–	–	–	2	1	2	–	1	–	1	–
Enteric Fever	0·13	25	–	1	1	–	1	3	2	3	6	1	–	–	4	2	4	–
Simple Cont. Fev.	0·06	12	–	–	–	1	–	1	2	1	1	3	–	1	1	–	2	–
Puerp. Fever	0·03	6	–	–	–	–	–	–	–	–	1	1	1	3	–	–	–	–
Diarr. and Dys.	0·43	80	30	7	4	4	1	46	3	1	–	–	3	2	2	2	5	16
Cholera	0·01	2	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Cancer	0·52	96	–	–	–	1	–	1	–	–	–	–	2	3	13	23	35	19
Scrofula	0·14	26	12	4	2	–	1	19	–	2	–	–	–	1	1	3	–	–
Tabes Mesent.	0·21	39	16	5	2	4	–	27	5	2	2	1	1	–	–	–	1	–
Phthisis	1·63	302	6	4	2	–	1	13	8	2	31	41	78	55	43	24	4	–
Hydrocephalus	0·20	38	12	10	3	2	3	30	6	1	1	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·50	464	90	10	9	4	2	125	7	3	4	8	4	13	28	64	98	105
Diseases of: Circulatory „	1·34	249	–	–	–	–	–	–	–	–	4	3	11	18	33	50	76	54
Diseases of: Respiratory „	2·75	511	86	40	12	4	4	146	4	6	7	5	6	19	29	46	108	135
Diseases of: Digestive „	1·06	197	21	2	3	3	1	30	1	5	5	3	4	21	50	42	57	19
Diseases of: Urinary „	0·34	63	–	–	–	1	–	1	2	2	–	1	1	5	11	9	13	18
Diseases of: Generative „	0·05	9	–	–	–	–	–	–	–	–	–	–	2	1	2	2	1	1
Childbirth	0·17	32	–	–	–	–	–	–	–	1	2	4	9	14	2	–	–	–
Suicide	0·05	9	–	–	–	–	–	–	–	–	–	1	1	2	–	4	1	–
Other Violence	0·39	73	4	7	6	3	4	24	4	2	5	2	1	6	8	8	8	5
OTHER CAUSES	4·91	910	319	42	17	3	3	384	11	6	10	4	14	13	11	31	49	327

Deaths of Infants (under one) to 1000 Births - 112 | Marriages - 1,212 | Births - 5,596 | Annual Rate per 1000 living: Persons Married - 13·05; Births - 30·09

114.—FARINGDON.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·24	—	—	—	—	—	39·00	4·77	3·26	4·67	6·32	9·08	8·74	13·01	25·38	37·10	162·45
Mean Pop. 1871-80	—	14,334	415	386	408	390	373	1972	1844	1627	1284	1028	1718	1522	1337	1064	711	277
ALL CAUSES	18·24	2624	481	145	64	54	25	769	88	53	60	65	156	133	174	270	466	450
Small-pox	0·06	9	-	-	1	-	-	1	1	-	2	1	-	3	1	-	-	-
Measles	0·19	27	5	10	6	-	2	23	4	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·32	46	3	5	8	10	2	28	12	3	1	-	2	-	-	-	-	-
Diphtheria	0·07	10	-	1	-	2	2	5	3	-	-	-	-	1	-	1	-	-
Whooping-cough	0·29	41	13	15	4	-	-	37	4	-	-	-	-	-	-	-	-	-
Typhus	0·08	11	-	1	1	-	-	2	2	2	-	-	2	1	1	-	1	-
Enteric Fever	0·22	32	3	2	1	3	1	10	1	2	4	1	7	1	1	1	4	-
Simple Cont. Fev.	0·03	5	-	-	-	1	-	1	-	-	1	-	1	-	1	-	1	-
Puerp. Fever	0·06	9	-	-	-	-	-	-	-	-	-	2	4	3	-	-	-	-
Diarr. and Dys.	0·29	42	15	9	2	2	-	28	1	-	-	1	-	1	-	2	4	5
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·41	59	-	-	-	-	-	-	1	-	-	-	1	5	14	18	15	5
Scrofula	0·16	23	6	1	1	-	-	8	-	2	2	-	4	2	1	1	3	-
Tabes Mesent.	0·15	21	10	4	-	-	-	14	1	-	1	2	-	1	1	1	-	-
Phthisis	2·25	324	43	15	4	5	2	71	6	12	25	30	69	42	36	26	7	-
Hydrocephalus	0·15	22	5	8	4	-	-	17	1	3	1	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·15	309	43	15	4	8	1	71	11	6	5	4	5	8	16	43	79	61
Diseases of: Circulatory	1·80	259	-	-	-	-	1	1	3	4	4	2	12	16	70	48	83	56
Diseases of: Respiratory	3·02	434	105	34	18	12	9	178	12	3	4	4	2	13	23	36	80	79
Diseases of: Digestive	1·07	154	13	-	-	2	1	16	3	6	1	5	9	7	22	21	35	16
Diseases of: Urinary	0·38	55	-	1	-	-	-	1	1	-	1	1	4	5	6	10	16	10
Diseases of: Generative	0·10	15	-	-	-	-	-	-	-	-	1	1	1	2	4	5	-	1
Childbirth	0·17	24	-	-	-	-	-	-	-	-	-	3	15	6	-	-	-	-
Suicide	0·04	6	-	-	-	-	-	-	-	-	1	-	1	1	-	2	1	-
Other Violence	0·49	70	5	3	4	3	2	17	8	3	2	1	9	3	7	12	4	4
OTHER CAUSES	4·29	617	205	21	6	3	2	240	13	7	4	7	8	12	19	30	73	213

Deaths of Infants (under one) to 1000 Births - 106

Marriages - 941
Births - 4,525

Annual Rate per 1000 living: Persons Married - 13·08; Births - 31·46

115.—ABINGDON.*

—	Annual Death Rate per 1000	*	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	20·48	—	—	—	—	—	49·21	4·72	3·12	4·69	6·80	8·67	13·45	16·79	28·87	67·12	165·79
Mean Pop. 1871-80	—	* 21,343	605	533	590	549	558	2835	2627	2436	2090	1751	2688	2171	1870	1531	964	330
ALL CAUSES	20·48	4370	913	259	110	67	46	1395	124	76	98	119	233	292	314	442	647	639
Small-pox	0·08	17	3	-	-	1	-	4	1	1	2	3	2	3	1	-	-	-
Measles	0·29	62	13	25	14	6	2	60	1	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·29	62	2	11	11	12	8	44	12	3	-	1	1	1	-	-	-	-
Diphtheria	0·19	40	3	3	3	2	4	15	20	4	-	1	-	-	-	-	-	-
Whooping-cough	0·39	84	40	33	6	2	2	83	1	-	-	-	-	-	-	-	-	-
Typhus	0·01	2	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
Enteric Fever	0·24	51	1	2	2	2	-	7	8	4	10	1	9	4	4	3	1	-
Simple Cont. Fev.	0·04	9	1	-	-	1	1	3	-	2	2	-	-	1	1	-	-	-
Puerp. Fever	0·02	5	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-
Diarr. and Dys.	0·67	142	90	16	2	1	-	109	-	-	-	-	4	1	8	4	12	9
Cholera	0·00	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Cancer	0·43	95	-	-	-	-	-	-	-	-	-	-	1	13	18	32	23	6
Scrofula	0·09	20	4	1	-	-	-	5	5	-	-	1	2	-	3	3	-	1
Tabes Mesent.	0·23	50	14	12	4	1	5	36	2	1	4	3	2	-	1	-	-	1
Phthisis	2·18	466	15	9	1	2	4	31	8	14	40	58	103	83	61	44	24	-
Hydrocephalus	0·25	53	14	15	4	2	-	35	10	3	1	1	-	-	2	-	1	-
Diseases of: Nervous Syst.	3·40	726	115	28	8	6	4	161	11	12	6	19	36	65	80	90	142	104
Diseases of: Circulatory	1·66	354	-	-	-	-	-	-	4	9	8	4	13	24	35	89	168	60
Diseases of: Respiratory	3·02	645	135	64	33	12	6	250	10	8	7	6	11	22	37	53	121	90
Diseases of: Digestive	0·94	201	28	4	2	3	1	38	6	2	-	4	7	17	24	38	48	17
Diseases of: Urinary	0·56	119	-	-	1	2	-	3	2	1	1	1	4	15	15	24	32	21
Diseases of: Generative	0·05	10	-	-	-	-	-	-	-	-	-	-	-	2	3	3	2	-
Childbirth	0·06	13	-	-	-	-	-	-	-	-	-	1	2	10	-	-	-	-
Suicide	0·07	16	-	-	-	-	-	-	-	-	-	1	1	3	3	4	4	-
Other Violence	0·53	113	13	2	1	6	3	25	15	6	6	8	15	8	8	9	5	8
OTHER CAUSES	4·77	1014	392	34	17	6	6	455	8	4	10	5	19	18	15	45	124	311

Deaths of Infants (under one) to 1000 Births - 131

Marriages - 1,485
Births - 6,968

Annual Rate per 1000 living: Persons Married - 13·92; Births - 32·65

* Changes were made in the boundary of this District during the Decade; see Table, pp. 371–78.

116.—WANTAGE.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	17·97	—	—	—	—	—	44·41	4·61	3·19	5·30	6·65	7·25	9·78	9·99	22·60	51·16	164·81
Mean Pop. 1871-80	—	17,260	505	458	472	481	453	2369	2256	2035	1604	1279	2027	1748	1531	1270	817	324
ALL CAUSES	17·97	3101	652	214	91	57	38	1052	104	65	85	85	147	171	153	287	418	534
Small-pox	0·04	7	-	-	-	-	-	-	1	-	-	-	2	-	-	1	2	1
Measles	0·29	50	11	12	7	7	6	43	4	1	1	-	-	-	-	1	-	-
Scarlet Fever	0·43	75	3	7	13	14	9	46	20	5	1	1	1	1	-	-	-	-
Diphtheria	0·13	22	-	4	2	3	1	10	6	5	-	-	-	-	-	-	1	-
Whooping-cough	0·32	55	18	18	7	7	2	52	2	1	-	-	-	-	-	-	-	-
Typhus	0·03	6	1	-	-	-	1	2	1	-	1	1	-	-	1	-	-	-
Enteric Fever	0·31	53	4	-	6	2	2	14	7	4	6	8	6	2	1	1	3	1
Simple Cont. Fev.	0·07	12	4	-	-	1	1	6	1	2	-	-	3	-	-	-	-	-
Puerp. Fever	0·05	9	-	-	-	-	-	-	-	-	-	3	2	4	-	-	-	-
Diarr. and Dys.	0·81	139	64	27	6	2	-	99	2	-	-	-	1	2	-	4	10	21
Cholera	0·02	3	1	1	-	-	-	2	-	-	1	-	-	-	-	-	-	-
Cancer	0·42	72	-	-	-	-	-	-	-	-	1	1	3	14	11	16	15	11
Scrofula	0·07	12	4	3	-	-	-	7	-	-	-	2	2	1	-	-	-	-
Tabes Mesent.	0·21	37	18	7	5	-	1	31	1	2	1	1	-	-	-	-	1	-
Phthisis	1·80	310	3	6	2	1	-	12	9	13	39	36	69	58	36	27	10	1
Hydrocephalus	0·35	61	20	9	6	1	3	48	8	3	-	-	1	1	-	-	-	-
Diseases of Nervous Syst.	2·15	371	58	15	7	3	1	84	7	6	7	5	12	17	16	47	89	81
Diseases of Circulatory "	1·60	277	1	-	-	-	1	2	1	3	4	3	8	12	29	63	89	63
Diseases of Respiratory "	2·40	414	95	40	11	4	4	154	6	2	4	6	6	17	23	41	67	88
Diseases of Digestive "	0·92	159	26	4	3	-	-	33	4	3	3	-	6	11	15	27	32	25
Diseases of Urinary "	0·41	71	2	1	1	-	-	4	4	2	1	1	5	3	5	16	15	15
Diseases of Generative "	0·02	3	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-
Childbirth	0·10	17	-	-	-	-	-	-	-	-	-	4	7	5	1	-	-	-
Suicide	0·03	5	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-
Other Violence	0·54	94	8	7	6	1	1	23	4	11	5	5	6	6	2	14	6	12
Other Causes	4·45	767	302	53	9	11	5	380	16	2	10	8	6	16	12	26	76	215

Deaths of Infants (under one) to 1000 Births - 119 | Marriages - 1,096 | Births - 5,499 | Annual Rate per 1000 living: Persons Married - 12·70; Births - 31·86

117.—WALLINGFORD.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	20·08	—	—	—	—	—	40·11	3·55	3·16	6·16	7·51	9·90	12·21	17·45	27·49	62·12	178·64
Mean Pop. 1871-80	—	14,571	397	362	394	371	398	1922	1859	1768	1218	1052	1767	1605	1324	1095	726	295
ALL CAUSES	20·08	2926	522	116	63	36	34	771	66	54	75	79	175	196	231	301	451	527
Small-pox	0·05	7	1	-	-	-	-	1	-	1	-	1	3	-	1	-	-	-
Measles	0·22	32	10	6	3	4	2	25	5	-	-	-	-	-	2	-	-	-
Scarlet Fever	0·23	33	1	2	5	6	5	19	8	4	1	-	-	-	1	-	-	-
Diphtheria	0·10	14	2	-	3	-	3	8	5	-	-	-	-	-	1	-	-	-
Whooping-cough	0·19	28	13	9	2	2	1	27	1	-	-	-	-	-	-	-	-	-
Typhus	0·03	4	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
Enteric Fever	0·24	35	-	1	-	-	1	2	2	9	4	3	5	4	2	-	3	1
Simple Cont. Fev.	0·07	10	-	-	-	1	1	2	1	1	-	-	1	-	2	1	2	-
Puerp. Fever	0·07	10	-	-	-	-	-	-	-	-	-	-	7	3	-	-	-	-
Diarr. and Dys.	0·65	94	34	7	1	1	-	43	2	-	-	1	5	-	1	10	14	18
Cholera	0·04	6	-	2	2	-	1	5	-	-	-	-	1	-	-	-	-	-
Cancer	0·53	77	-	-	-	-	-	-	-	-	-	-	2	6	21	24	21	3
Scrotula	0·16	24	6	1	1	1	-	9	2	2	2	3	1	1	-	2	2	-
Tabes Mesent.	0·16	23	1	5	4	3	2	15	2	-	1	3	2	-	-	-	-	-
Phthisis	1·92	280	7	4	1	2	3	17	2	12	28	37	68	51	31	23	11	-
Hydrocephalus	0·31	49	22	12	4	3	2	43	3	-	1	-	1	1	-	-	-	-
Diseases of Nervous Syst.	3·53	515	79	15	8	2	3	107	3	5	11	6	26	52	58	69	84	94
Diseases of Circulatory "	1·55	226	4	-	-	1	-	5	2	1	3	4	9	22	16	34	81	49
Diseases of Respiratory "	3·32	484	103	30	14	3	3	153	7	3	7	5	14	18	36	45	94	102
Diseases of Digestive "	1·03	153	20	3	3	1	1	28	4	-	3	1	7	8	22	37	34	14
Diseases of Urinary "	0·45	66	2	1	-	-	-	3	1	-	1	2	2	7	6	15	14	15
Diseases of Generative "	0·05	8	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	-
Childbirth	0·12	17	-	-	-	-	-	-	-	-	1	2	7	7	-	-	-	-
Suicide	0·13	19	-	-	-	-	-	-	-	-	1	1	-	3	6	4	2	2
Other Violence	0·54	79	10	3	6	3	-	22	5	10	3	5	8	4	6	6	8	2
Other Causes	4·31	628	267	15	6	3	6	297	9	4	8	5	6	9	16	29	78	227

Deaths of Infants (under one) to 1000 Births - 117 | Marriages - 870 | Births - 4,456 | Annual Rate per 1000 living: Persons Married - 11·94; Births - 30·58

118.—BRADFIELD.*

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	15·81	—	—	—	—	—	34·12	3·68	2·96	4·67	5·52	6·19	7·56	10·33	20·39	51·22	160·69
Mean Pop. 1871-80	—	* 16,976	483	476	456	475	440	23 0	2145	1923	1525	1287	2131	1838	1500	1172	779	316
ALL CAUSES	15·81	2684	502	152	63	45	33	795	79	57	62	71	132	139	155	239	399	556
Small-pox	0·05	9	-	-	-	-	-	-	-	-	2	3	2	-	-	1	-	1
Measles	0·24	41	10	12	7	4	1	34	6	-	-	-	1	-	-	-	-	-
Scarlet Fever	0·29	50	1	4	5	11	7	28	15	5	-	1	-	-	1	-	-	-
Diphtheria	0·11	19	-	1	3	2	4	10	6	2	1	-	-	-	-	-	-	-
Whooping-cough	0·27	46	25	15	2	2	1	45	1	-	-	-	-	-	-	-	-	-
Typhus	0·01	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Enteric Fever	0·09	16	-	-	-	-	1	1	1	2	5	2	2	2	1	-	-	-
Simp. Cont. Fever	0·03	5	-	-	-	1	2	3	1	-	-	-	-	-	-	-	-	1
Puerp. Fever	0·05	8	-	-	-	-	-	-	-	-	-	1	4	3	-	-	-	-
Diarr. and Dys.	0·35	94	47	15	5	-	-	67	2	-	-	-	2	1	1	2	9	10
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·40	68	-	-	-	-	-	-	-	-	-	-	2	11	10	16	20	9
Scrofula	0·11	18	5	2	1	1	-	9	3	-	1	1	2	1	1	-	-	-
Tabes Mesent.	0·09	15	4	2	2	1	1	10	1	3	-	1	-	-	-	-	-	-
Phthisis	1·31	222	3	4	2	-	-	9	4	8	20	38	58	32	27	11	5	-
Hydrocephalus	0·17	29	11	7	3	2	2	25	3	1	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	1·86	315	47	14	4	3	2	70	5	4	6	4	5	11	18	31	77	84
Diseases of: Circulatory "	1·63	276	3	-	1	-	-	4	1	5	5	3	6	18	28	56	90	60
Diseases of: Respiratory "	2·52	428	109	40	14	3	3	169	10	6	4	3	13	22	27	44	78	52
Diseases of: Digestive "	0·89	151	25	2	1	3	2	33	2	6	4	1	6	8	15	25	22	29
Diseases of: Urinary "	0·47	80	-	-	1	1	-	2	3	1	3	-	7	5	6	15	23	15
Diseases of: Generative "	0·06	10	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	2
Childbirth	0·07	12	-	-	-	-	-	-	-	-	-	1	4	7	-	-	-	-
Suicide	0·07	12	-	-	-	-	-	-	-	2	1	-	2	1	-	4	1	1
Other Violence	0·42	72	3	2	2	5	-	12	4	6	6	5	7	6	9	5	6	6
OTHER CAUSES	4·05	686	209	32	10	6	7	264	11	6	4	6	9	9	9	16	66	286

Deaths of Infants (under one) to 1000 Births - 99 | Marriages - 962 | Births - 5,088 | Annual Rate per 1000 living: Persons Married - 11·33; Births - - - 29·97

* Changes were made in the boundary of this District during the Decade; see Table, pp. 371-78.

119.—READING.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	19·34	—	—	—	—	—	55·50	5·66	3·39	5·03	6·54	7·98	11·85	17·63	29·88	63·41	155·88
Mean Pop. 1871-80	—	38,417	1197	1064	1046	1017	995	5319	4452	3921	3775	3718	6003	4373	3148	2035	1197	476
ALL CAUSES	19·34	7431	1944	553	236	125	94	2952	252	133	190	243	479	518	555	608	759	742
Small-pox	0·02	7	1	1	-	-	-	2	-	-	-	2	1	1	1	-	-	-
Measles	0·34	131	30	52	17	12	5	116	12	-	3	-	-	-	-	-	-	-
Scarlet Fever	0·46	175	10	21	33	18	19	101	51	13	3	4	2	-	1	-	-	-
Diphtheria	0·08	29	2	2	4	2	3	13	9	-	-	1	5	-	1	-	-	-
Whooping-cough	0·59	227	95	79	29	14	5	222	5	-	-	-	-	-	-	-	-	-
Typhus	0·01	5	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	1
Enteric Fever	0·32	123	-	-	5	3	4	12	26	16	14	8	19	11	8	3	4	2
Simp. Cont. Fev.	0·08	32	1	3	3	3	2	12	3	5	1	1	2	2	3	2	1	-
Puerp. Fever	0·10	37	-	-	-	-	-	-	-	-	-	6	23	8	-	-	-	-
Diarr. and Dys.	0·84	323	223	40	7	2	1	273	2	-	1	1	2	1	3	4	19	17
Cholera	0·02	9	3	1	-	1	-	5	1	-	-	-	1	-	-	1	1	-
Cancer	0·75	289	1	-	-	1	1	3	2	-	-	2	16	31	69	66	70	30
Scrofula	0·10	39	11	5	4	3	1	24	-	2	3	-	2	3	1	3	1	-
Tabes Mesent.	0·16	60	29	11	4	1	-	45	3	1	4	5	2	-	-	-	-	-
Phthisis	2·20	846	100	24	12	2	3	141	10	16	67	112	177	141	90	53	27	9
Hydrocephalus	0·41	158	75	42	10	7	3	157	13	2	1	-	2	2	-	1	-	-
Diseases of: Nervous Syst.	2·33	908	218	47	24	13	13	315	19	23	19	7	29	44	70	87	146	149
Diseases of: Circulatory "	1·57	604	3	1	-	2	1	7	11	9	11	10	30	67	70	131	163	95
Diseases of: Respiratory "	2·08	1146	359	158	35	20	15	587	17	8	10	17	31	48	57	100	131	177
Diseases of: Digestive "	1·02	391	62	7	5	2	4	80	9	7	8	13	24	38	61	54	48	49
Diseases of: Urinary "	0·60	229	3	3	2	1	1	10	10	5	4	12	22	38	25	35	46	22
Diseases of: Generative "	0·05	21	-	-	-	-	-	-	-	-	1	-	3	3	6	2	4	2
Childbirth	0·05	18	-	-	-	-	-	-	-	-	1	1	8	7	1	-	-	-
Suicide	0·05	20	-	-	-	-	-	-	-	-	3	3	4	3	3	3	1	-
Other Violence	0·64	245	29	10	14	6	3	62	21	12	10	10	31	33	23	20	12	12
OTHER CAUSES	3·54	1355	689	46	28	12	10	785	23	13	25	27	43	34	62	42	82	217

Deaths of Infants (under one) to 1000 Births - 139 | Marriages - 3,797 | Births - 13,988 | Annual Rate per 1000 living: Persons Married - 19·77; Births - - - 36·41

120.—WOKINGHAM.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	16·52	—	—	—	—	--	36·67	3·83	2·70	3·81	6·00	6·97	8·78	11·13	24·44	61·80	164·13
Mean Pop. 1871–80	—	18,196	534	470	507	494	479	2484	2347	1964	1600	1384	2452	2017	1635	1195	699	329
ALL CAUSES	16·52	2992	635	147	65	41	23	911	90	53	61	83	171	177	182	292	432	540
Small-pox	0·03	5	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-	-
Measles	0·16	29	8	8	4	5	-	25	4	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·13	23	2	1	1	2	3	9	9	3	1	-	1	-	-	-	-	-
Diphtheria	0·15	27	3	1	2	4	-	10	12	4	-	-	-	-	-	1	-	-
Whooping-cough	0·29	52	24	13	8	4	3	52	-	-	-	-	-	-	-	-	-	-
Typhus	0·01	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Enteric Fever	0·12	22	1	-	-	-	-	1	5	2	6	3	3	1	-	1	-	-
Simple Cont. Fev.	0·07	12	-	1	1	-	1	3	3	1	1	-	2	1	1	-	-	-
Puerp. Fever	0·06	11	-	-	-	-	-	-	-	-	-	1	7	3	-	-	-	-
Diarr. and Dys.	0·37	103	42	13	4	1	1	61	2	1	1	2	2	1	3	5	8	17
Cholera	0·02	4	2	-	-	-	-	2	-	1	-	-	-	-	-	-	-	1
Cancer	0·53	101	-	-	-	-	-	-	-	1	-	1	3	6	17	26	35	12
Scrofula	0·08	15	3	2	1	-	-	6	2	1	1	1	1	-	1	-	-	2
Tabes Mesent.	0·20	37	22	5	3	-	2	32	2	-	2	-	-	1	-	-	-	-
Phthisis	1·52	273	24	8	1	1	2	31	2	7	21	33	64	55	28	21	10	1
Hydrocephalus	0·19	35	15	12	3	-	-	30	3	2	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·14	387	72	17	11	5	-	105	10	8	7	3	13	17	21	48	71	84
Diseases of: Circulatory „	1·30	235	1	-	-	-	-	1	-	1	4	4	10	20	25	53	70	46
Diseases of: Respiratory „	3·20	580	145	43	13	10	9	220	13	7	6	8	20	25	40	45	103	90
Diseases of: Digestive „	0·81	147	17	4	2	-	-	23	4	5	1	8	8	8	15	25	32	18
Diseases of: Urinary „	0·38	69	2	1	-	1	-	4	2	-	1	3	4	9	4	12	19	11
Diseases of: Generative „	0·04	7	-	-	-	-	-	-	-	-	-	-	2	1	2	-	1	1
Childbirth	0·12	22	-	-	-	-	-	-	-	-	1	2	9	9	1	-	-	-
Suicide	0·07	13	-	-	-	-	-	-	-	-	1	3	1	3	2	2	1	-
Other Violence	0·46	83	6	7	5	3	-	21	5	6	2	4	10	8	3	12	6	6
OTHER CAUSES	3·84	699	246	13	6	5	2	272	12	3	4	5	9	9	17	41	76	251

Deaths of Infants (under one) to 1000 Births - 109

Marriages - 1,072
Births - 5,808

Annual Rate per 1000 living: Persons Married - 11·84; Births - - 32·08

121.—COOKHAM.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	16·39	—	—	—	—	—	41·51	4·37	2·71	4·03	4·03	6·16	9·46	13·59	26·79	52·91	159·09
Mean Pop. 1871–80	—	15,900	422	410	441	414	409	2096	1969	1884	1416	1264	2177	1787	1405	1034	635	242
ALL CAUSES	16·39	2607	542	175	74	45	34	870	86	51	57	51	134	169	191	277	336	385
Small-pox	0·04	7	-	-	-	-	-	-	-	-	1	-	2	1	1	2	-	-
Measles	0·27	43	7	29	5	4	5	41	2	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·33	53	-	9	10	9	3	31	15	4	1	1	1	-	-	-	-	-
Diphtheria	0·14	22	-	1	2	2	3	8	9	2	1	-	1	1	-	-	-	-
Whooping-cough	0·46	73	35	17	5	9	5	71	1	1	-	-	-	-	-	-	-	-
Typhus	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Enteric Fever	0·21	34	-	-	1	-	-	1	3	7	7	6	5	2	3	-	-	-
Simple Cont. Fev.	0·07	11	1	-	-	-	1	2	1	2	1	-	-	2	3	-	-	-
Puerp. Fever	0·03	4	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-
Diarr. and Dys.	0·64	102	69	17	1	-	-	87	1	-	-	-	1	1	-	4	4	4
Cholera	0·03	5	-	2	-	-	-	2	1	-	-	-	-	1	-	1	-	-
Cancer	0·53	84	-	-	-	-	-	-	-	-	-	-	2	7	17	29	20	9
Scrofula	0·07	11	-	1	2	2	-	5	-	1	-	-	1	1	1	2	-	-
Tabes Mesent.	0·14	23	13	4	4	-	-	21	1	-	-	-	-	-	1	-	-	-
Phthisis	1·43	228	-	2	4	2	1	9	9	5	17	18	59	52	27	19	13	-
Hydrocephalus	0·31	50	11	18	6	2	3	40	9	1	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·23	363	90	11	6	2	2	111	5	1	4	1	8	17	20	54	66	76
Diseases of: Circulatory „	1·51	240	-	-	-	-	-	-	4	4	5	2	8	23	30	53	65	46
Diseases of: Respiratory „	2·65	421	97	48	16	4	4	169	5	3	6	1	12	21	33	37	60	74
Diseases of: Digestive „	0·97	154	17	3	-	-	2	22	1	6	5	3	11	11	14	30	32	17
Diseases of: Urinary „	0·36	58	-	-	-	-	-	-	-	1	1	3	1	7	11	8	17	9
Diseases of: Generative „	0·07	9	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	2
Childbirth	0·04	7	-	-	-	-	-	-	-	-	1	2	3	1	-	-	-	-
Suicide	0·05	8	-	-	-	-	-	-	-	-	-	-	-	1	4	3	-	-
Other Violence	0·48	76	6	2	2	1	4	15	5	6	5	7	7	7	5	8	8	3
OTHER CAUSES	3·27	520	193	20	10	8	1	235	14	7	2	6	11	11	15	25	49	145

Deaths of Infants (under one) to 1000 Births - 109

Marriages - 971
Births - 4,970

Annual Rate per 1000 living: Persons Married - 12·21; Births - - 31·24

122.—EASTHAMPSTEAD.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
Annual Death Rate per 1000	—	14·13	—	—	—	—	—	29·32	3·13	2·74	2·39	4·16	6·19	11·16	14·31	26·67	56·35	175·16
Mean Pop. 1871–80	—	11,646	303	301	301	301	298	1504	1376	1348	1254	913	1649	1398	1020	660	371	153
ALL CAUSES	14·13	1646	278	82	39	25	17	441	43	37	30	38	102	156	146	176	209	268
Small-pox	0·02	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Measles	0·17	20	1	8	3	4	1	17	2	–	–	1	–	–	–	–	–	–
Scarlet Fever	0·17	20	2	2	3	–	2	9	7	3	–	–	1	–	–	–	–	–
Diphtheria	0·11	13	–	1	1	2	–	4	7	1	1	–	–	–	–	–	–	–
Whooping-cough	0·33	39	17	14	5	2	1	39	–	–	–	–	–	–	–	–	–	–
Typhus	0·01	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·10	12	–	–	2	1	–	3	2	2	–	2	–	2	1	–	–	–
Simple Cont. Fev.	0·02	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Puerp. Fever	0·03	3	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–
Diarr. and Dys.	0·27	31	12	5	1	–	1	19	1	–	–	–	1	–	2	1	2	5
Cholera	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·43	50	–	–	–	–	–	–	–	–	–	–	1	9	10	16	10	4
Scrofula	0·09	11	4	1	1	–	–	6	2	2	–	1	–	–	–	–	–	–
Tabes Mesent.	0·10	12	3	1	1	2	2	9	1	–	–	–	–	–	2	–	–	–
Phthisis	1·81	211	2	1	1	1	–	5	–	7	13	17	50	52	41	17	7	2
Hydrocephalus	0·17	20	4	1	3	2	1	11	1	8	–	–	–	–	–	–	–	–
Disease of Nervous Syst.	1·69	197	22	8	3	2	–	35	5	3	1	1	10	25	14	29	39	34
Disease of Circulatory „	1·37	159	–	–	–	–	–	–	–	1	5	1	8	13	21	32	38	40
Disease of Respiratory „	2·40	279	66	24	8	4	5	107	5	1	3	2	8	13	21	29	42	48
Disease of Digestive „	0·85	99	5	–	1	–	1	7	4	1	2	3	4	11	11	15	23	15
Disease of Urinary „	0·39	45	1	–	1	1	–	3	–	1	1	2	2	7	4	8	13	4
Disease of Generative „	0·05	6	–	–	–	–	–	–	–	–	–	–	–	–	4	1	–	1
Childbirth	0·07	8	–	–	–	–	–	–	–	–	–	2	3	3	–	–	–	–
Suicide	0·14	16	–	–	–	–	–	–	–	1	1	1	1	6	1	4	–	1
Other Violence	0·34	40	1	3	2	1	2	9	1	2	1	1	7	2	1	8	1	7
Other Causes	3·00	350	138	13	3	3	1	158	5	4	1	1	6	12	12	11	31	104

Deaths of Infants (under one) to 1000 Births - 87 | Marriages - 551, Births - 3,198 | Annual Rate per 1000 living: Persons Married - 9·46, Births - 27·46

123.—WINDSOR.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
Annual Death Rate per 1000	—	17·81	—	—	—	—	—	49·29	5·03	3·15	4·62	4·37	7·17	11·66	17·65	28·97	65·20	160·71
Mean Pop. 1871–80	—	29,358	780	697	711	707	708	3603	3201	3013	2739	2907	4824	3526	2487	1681	980	397
ALL CAUSES	17·81	5229	1091	360	159	103	63	1776	161	95	110	127	346	411	439	487	639	633
Small-pox	0·04	13	1	–	–	–	1	2	1	–	1	2	2	2	2	–	1	–
Measles	0·18	52	6	23	11	6	2	48	3	–	–	–	1	–	–	–	–	–
Scarlet Fever	0·28	83	3	14	12	10	15	54	18	5	2	1	2	1	–	–	–	–
Diphtheria	0·14	41	1	3	7	7	4	22	11	2	–	3	–	3	–	–	–	–
Whooping-cough	0·52	152	64	49	21	9	4	147	5	–	–	–	–	–	–	–	–	–
Typhus	0·01	4	–	–	–	1	1	2	–	–	1	–	1	–	–	–	–	–
Enteric Fever	0·25	74	5	4	4	3	–	16	11	3	5	10	12	5	4	5	2	1
Simple Cont. Fev.	0·05	16	2	–	–	1	–	3	1	–	–	3	2	–	3	2	1	1
Puerp. Fever	0·04	12	–	–	–	–	–	–	–	–	–	3	8	1	–	–	–	–
Diarr. and Dys.	0·81	237	172	32	5	1	2	212	1	–	–	2	–	2	2	6	6	6
Cholera	0·01	4	–	–	1	–	1	2	–	–	–	–	–	–	–	–	1	1
Cancer	0·55	161	–	–	–	–	–	–	–	–	–	–	3	13	34	45	43	23
Scrofula	0·10	30	8	3	–	1	1	13	3	5	3	–	2	1	1	1	1	–
Tabes Mesent.	0·14	41	16	12	1	1	–	30	6	3	–	–	1	–	1	–	–	–
Phthisis	2·30	675	17	11	7	6	2	43	14	20	52	57	148	164	100	50	26	1
Hydrocephalus	0·36	105	25	30	16	9	4	84	11	5	3	1	1	–	–	–	–	–
Disease of Nervous Syst.	2·32	681	166	33	13	13	6	231	25	10	5	4	24	38	49	69	122	104
Disease of Circulatory „	1·33	392	1	–	–	–	–	1	2	7	3	6	21	48	50	90	107	57
Disease of Respiratory „	3·00	881	213	97	40	21	6	377	17	4	4	13	26	45	58	96	123	118
Disease of Digestive „	0·87	256	31	3	–	3	2	39	7	3	2	4	20	25	40	43	59	23
Disease of Urinary „	0·45	132	3	–	1	–	–	4	2	–	1	3	14	14	24	22	32	16
Disease of Generative „	0·02	6	–	–	–	–	–	–	–	–	–	–	1	–	2	3	–	–
Childbirth	0·04	12	–	–	–	–	–	–	–	–	–	–	8	3	1	–	–	–
Suicide	0·13	37	–	–	–	–	–	–	–	1	1	1	4	8	13	6	3	–
Other Violence	0·49	145	12	4	5	3	1	25	7	15	15	8	18	13	19	10	9	6
Other Causes	3·38	987	345	42	15	8	11	421	16	12	12	6	27	25	36	39	112	281

Deaths of Infants (under one) to 1000 Births - 123 | Marriages - 1,882, Births - 8,840 | Annual Rate per 1000 living: Persons Married - 12·82, Births - 30·11

MIDDLESEX (*ex.-met.*)

124.—STAINES.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	16·88	—	—	—	—	—	44·51	4·89	2·63	4·42	5·39	7·41	9·68	15·82	26·22	62·76	143·29
Mean Pop. 1871-80	—	21,987	616	537	588	596	588	2925	2863	3151	1925	1689	2874	2396	1802	1274	760	328
ALL CAUSES	16·88	3712	826	239	102	80	55	1302	140	83	85	91	213	232	285	334	477	470
Small-pox	0·18	40	4	-	-	2	-	6	5	4	4	9	3	6	1	2	-	-
Measles	0·38	83	18	24	12	12	8	74	8	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·30	65	2	8	10	6	7	33	24	5	2	1	-	-	-	-	-	-
Diphtheria	0·06	13	1	-	1	-	4	6	5	-	-	-	2	-	-	-	-	-
Whooping-cough	0·39	85	44	19	5	6	5	79	6	-	-	-	-	-	-	-	-	-
Typhus	0·02	4	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-
Enteric Fever	0·19	41	-	1	3	1	1	6	6	7	9	3	7	1	-	1	1	-
Simple Cont. Fev.	0·07	16	-	1	1	1	-	3	4	1	2	1	3	-	-	2	-	-
Puerp. Fever	0·05	13	-	-	-	-	-	-	-	-	-	2	7	3	1	-	-	-
Diarr. and Dys.	0·78	171	102	31	3	1	1	138	1	-	-	-	-	-	1	8	12	11
Cholera	0·01	3	2	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-
Cancer	0·34	74	-	-	-	-	-	-	-	-	-	-	2	3	15	18	31	5
Scrofula	0·14	30	9	4	1	-	1	15	7	1	1	-	2	1	-	-	3	-
Tabes Mesent.	0·24	53	23	10	5	4	1	43	5	2	1	-	-	-	1	-	1	-
Phthisis	1·71	377	8	7	5	1	2	23	7	18	38	33	81	72	55	27	11	4
Hydrocephalus	0·20	43	13	13	2	7	2	37	5	1	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·38	523	138	27	9	11	4	189	13	7	3	5	12	19	47	52	59	77
Diseases of: Circulatory	1·15	253	3	-	-	-	1	4	3	5	5	4	12	20	29	49	59	44
Diseases of: Respiratory	2·66	585	194	52	24	16	10	296	11	4	2	2	20	23	33	67	94	90
Diseases of: Digestive	1·10	242	28	4	4	2	2	40	4	5	-	7	14	24	39	38	50	21
Diseases of: Urinary	0·49	108	1	2	-	1	2	6	2	3	2	4	4	6	22	15	29	15
Diseases of: Generative	0·02	5	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-
Childbirth	0·09	20	-	-	-	-	-	-	-	-	-	2	6	12	-	-	-	-
Suicide	0·10	21	-	-	-	-	-	-	-	-	-	1	2	3	7	7	1	-
Other Violence	0·46	102	12	6	4	-	1	23	13	11	7	1	13	11	11	6	4	2
OTHER CAUSES	3·35	742	284	30	13	9	3	339	11	8	9	11	18	16	19	31	79	201

Deaths of Infants (under one) to 1000 Births - 117 | Marriages - 1,178 | Births - 7,050 | Annual Rate per 1000 living: Persons Married - 10·72; Births - - - 32·06

125.—UXBRIDGE.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	22·89	—	—	—	—	—	49·65	4·77	2·83	4·77	6·65	11·68	20·58	26·84	37·42	72·93	163·26
Mean Pop. 1871-80	—	23,544	747	626	681	669	688	3411	3249	2963	2179	2060	3655	3153	2563	1817	1064	430
ALL CAUSES	22·89	6075	1033	332	155	91	62	1673	155	84	104	137	427	649	688	680	776	702
Small-pox	0·14	36	3	2	-	1	1	7	1	3	5	7	4	3	1	3	2	-
Measles	0·30	79	13	24	18	5	5	65	14	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·35	94	3	23	8	22	9	65	19	8	-	-	2	-	-	-	-	-
Diphtheria	0·06	15	2	1	1	4	1	9	5	1	-	-	-	-	-	-	-	-
Whooping-cough	0·38	101	41	29	21	5	2	98	3	-	-	-	-	-	-	-	-	-
Typhus	0·02	5	-	-	1	-	-	1	-	-	2	-	-	-	1	-	1	-
Enteric Fever	0·18	47	-	1	2	-	2	5	5	1	7	5	8	5	4	4	2	1
Simple Cont. Fev.	0·06	16	-	-	-	1	-	1	4	2	1	-	1	-	1	2	1	3
Puerp. Fever	0·09	22	-	-	-	-	-	-	-	-	1	7	8	7	-	-	-	-
Diarr. and Dys.	0·81	214	116	50	9	2	1	178	-	-	-	-	3	1	5	8	10	9
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·64	171	-	-	-	-	-	-	-	1	1	1	4	19	30	43	43	24
Scrofula	0·08	22	5	4	-	3	1	13	2	2	-	1	1	-	1	1	-	1
Tabes Mesent.	0·12	32	6	7	4	-	-	17	6	4	-	1	1	1	1	-	1	-
Phthisis	2·51	667	11	6	4	1	2	24	10	17	37	51	103	173	112	53	23	4
Hydrocephalus	0·16	42	10	10	5	1	6	32	6	2	1	-	-	1	-	-	-	-
Diseases of: Nervous Syst.	4·67	1239	128	24	15	8	4	179	11	12	7	27	104	220	216	185	130	88
Diseases of: Circulatory	1·70	450	1	-	3	-	-	4	4	4	7	6	19	48	76	98	120	64
Diseases of: Respiratory	4·14	1099	221	91	29	19	12	372	19	5	12	10	41	57	98	129	194	162
Diseases of: Digestive	1·09	289	28	2	3	-	3	36	8	5	2	6	11	30	50	75	49	38
Diseases of: Urinary	0·47	126	3	1	-	1	-	5	4	4	1	3	5	17	25	25	27	10
Diseases of: Generative	0·06	17	-	-	-	-	-	-	-	-	1	-	2	3	3	1	4	3
Childbirth	0·06	16	-	-	-	-	-	-	-	-	2	2	6	6	-	-	-	-
Suicide	0·13	34	-	-	-	-	-	-	-	-	1	2	5	6	8	8	3	1
Other Violence	0·70	186	21	7	11	9	4	52	16	10	6	1	16	26	22	15	16	6
OTHER CAUSES	3·97	1054	421	50	21	9	9	510	18	3	10	7	23	26	31	50	95	178

Deaths of Infants (under one) to 1000 Births - 129 | Marriages - 1,450 | Births - 7,970 | Annual Rate per 1000 living: Persons Married - 10·93; Births - - - 30·05

126.—BRENTFORD.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·48	—	—	—	—	—	51·47	4·94	3·05	3·64	4·23	6·89	11·39	16·43	29·56	61·30	148·97
Mean Pop. 1871-80	—	86,819	2550	2229	2277	2268	2210	11534	10705	9799	8320	8139	13132	9788	7071	4607	2656	1068
ALL CAUSES	17·48	15,172	3833	1108	473	307	216	5937	529	299	303	344	905	1115	1162	1359	1628	1591
Small-pox	0·19	165	23	5	8	8	4	48	16	9	20	11	30	16	11	3	1	–
Measles	0·37	318	61	118	54	38	12	283	26	4	–	1	2	1	1	–	–	–
Scarlet Fever	0·32	275	12	39	54	37	41	183	63	14	3	6	3	3	–	–	–	–
Diphtheria	0·08	71	6	10	5	10	3	34	26	4	1	–	–	1	2	2	1	–
Whooping-cough	0·42	367	164	105	43	25	15	352	15	–	–	–	–	–	–	–	–	–
Typhus	0·01	9	–	–	–	–	–	–	1	2	2	–	1	–	2	–	1	–
Enteric Fever	0·16	137	–	7	9	8	5	29	28	12	13	11	15	12	8	7	2	–
Simple Cont. Fev.	0·05	43	1	1	3	4	–	9	9	2	7	3	3	4	5	–	1	–
Puerp. Fever	0·04	39	–	–	–	–	–	–	–	–	1	9	17	12	–	–	–	–
Diarr. and Dys.	0·37	755	543	89	15	7	4	658	4	2	–	1	3	4	10	11	23	39
Cholera	0·02	16	9	1	–	–	–	10	–	–	–	–	1	2	–	1	1	1
Cancer	0·45	388	1	–	–	1	–	2	1	–	1	1	18	44	63	99	94	35
Scrofula	0·13	117	42	19	12	7	1	81	9	9	4	1	3	6	1	2	1	–
Tabes Mesent.	0·25	213	112	44	20	5	4	185	10	9	3	–	5	–	1	–	–	–
Phthisis	1·75	1518	20	19	7	4	10	60	36	62	120	158	390	352	193	105	35	7
Hydrocephalus	0·40	344	126	76	37	20	20	279	48	13	1	2	1	–	–	–	–	–
Diseases of: Nervous Syst.	2·11	1829	482	94	23	26	21	651	45	29	24	15	36	98	134	235	302	260
Diseases of: Circulatory „	1·35	1176	8	3	–	2	2	15	12	28	25	18	86	154	187	237	268	146
Diseases of: Respiratory „	3·23	2800	772	317	115	54	33	1291	50	29	14	20	84	132	181	281	334	324
Diseases of: Digestive „	0·93	809	98	12	4	3	6	123	27	16	12	10	50	91	148	122	145	65
Diseases of: Urinary „	0·43	373	1	5	2	3	3	14	12	4	4	3	27	39	61	76	91	42
Diseases of: Generative „	0·05	44	–	–	–	–	–	–	–	–	–	2	4	8	10	9	8	3
Childbirth	0·06	55	–	–	–	–	–	–	–	–	2	5	26	21	1	–	–	–
Suicide	0·08	70	–	–	–	–	–	–	–	–	1	8	14	12	13	13	8	1
Other Violence	0·50	438	72	20	19	11	9	131	31	24	27	26	45	45	38	24	25	22
Other Causes	3·23	2803	1280	124	38	34	23	1499	60	27	18	33	41	58	62	132	227	646

Deaths of Infants (under one) to 1000 Births - 139 | Marriages - 5,234 | Births - 27,537 | Annual Rate per 1000 living: Persons Married - 12·06; Births - 31·72

127.—HENDON.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	16·65	—	—	—	—	—	54·51	4·34	2·86	3·09	3·85	6·16	10·11	14·85	30·04	58·62	149·41
Mean Pop. 1871-80	—	45,821	1351	1210	1267	1233	1237	6298	5619	5236	4625	4181	7002	5403	3649	2250	1131	427
ALL CAUSES	16·65	7627	2154	687	305	160	127	3433	244	150	143	161	431	546	542	676	663	638
Small-pox	0·11	49	10	5	4	2	2	23	2	1	3	3	7	4	2	3	1	–
Measles	0·40	184	60	61	32	16	9	178	5	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·38	172	7	18	29	24	31	109	43	8	4	2	3	3	–	–	–	–
Diphtheria	0·16	74	4	5	14	11	8	42	18	7	2	2	1	–	2	–	–	–
Whooping-cough	0·62	283	120	94	30	20	13	277	6	–	–	–	–	–	–	–	–	–
Typhus	0·02	11	–	–	–	–	1	1	1	2	–	–	2	3	1	–	1	–
Enteric Fever	0·25	115	2	4	3	4	2	15	15	12	11	6	14	14	12	6	9	1
Simple Cont. Fev.	0·03	16	–	1	1	1	–	3	3	1	1	1	4	–	1	–	2	–
Puerp. Fever	0·07	31	–	–	–	–	–	–	–	–	–	6	17	8	–	–	–	–
Diarr. and Dys.	0·87	398	299	51	8	2	3	363	–	2	–	–	2	4	2	4	11	10
Cholera	0·02	11	5	2	1	1	–	9	–	–	–	–	1	–	–	1	–	–
Cancer	0·38	174	–	–	–	–	–	–	–	–	–	1	3	23	36	53	41	17
Scrofula	0·14	63	18	13	4	2	2	39	4	9	4	–	1	1	1	–	3	1
Tabes Mesent.	0·24	111	63	24	7	4	1	99	3	3	2	1	1	1	–	–	1	–
Phthisis	1·60	733	21	16	5	1	2	45	9	31	45	62	165	174	113	58	28	3
Hydrocephalus	0·35	162	53	39	23	7	11	133	21	4	1	1	2	–	–	–	–	–
Diseases of: Nervous Syst.	1·93	886	245	69	23	14	7	358	32	18	11	8	28	46	55	122	150	88
Diseases of: Circulatory „	1·02	467	3	–	1	–	–	4	8	10	8	5	43	53	79	114	101	42
Diseases of: Respiratory „	3·10	1420	443	196	61	32	19	751	26	12	12	11	28	70	87	126	148	139
Diseases of: Digestive „	0·84	387	65	10	4	3	1	83	9	8	7	14	22	41	51	69	55	28
Diseases of: Urinary „	0·38	172	2	2	3	–	–	7	3	3	1	6	13	24	25	37	26	27
Diseases of: Generative „	0·03	13	–	–	–	–	–	–	–	–	–	–	4	1	2	5	–	1
Childbirth	0·06	26	–	–	–	–	–	–	–	–	–	4	12	10	–	–	–	–
Suicide	0·07	30	–	–	–	–	–	–	–	–	–	2	5	8	5	6	4	–
Other Violence	0·57	261	47	7	11	5	9	79	10	8	16	18	23	21	32	28	15	11
Other Causes	3·01	1378	687	70	41	11	6	815	26	10	15	8	20	37	36	44	97	270

Deaths of Infants (under one) to 1000 Births - 112 | Marriages - 2,558 | Births - 15,173 | Annual Rate per 1000 living: Persons Married - 11·17; Births - 33·11

128.—BARNET.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	21·82	—	—	—	—	—	40·75	4·95	2·85	4·00	6·55	15·73	23·79	29·48	40·29	71·37	159·95
Mean Pop. 1871-80	—	29,634	775	710	719	727	689	3620	3232	3155	2722	2609	4589	3758	2710	1787	1020	432
ALL CAUSES	21·82	6467	955	264	125	81	50	1475	160	90	109	171	630	894	799	720	728	691
Small-pox	0·06	19	1	-	-	-	-	1	2	-	4	3	2	4	2	1	-	-
Measles	0·26	78	13	26	12	8	7	66	10	2	-	-	-	-	-	-	-	-
Scarlet Fever	0·22	66	4	7	11	8	8	38	21	4	-	-	1	1	1	-	-	-
Diphtheria	0·23	68	3	4	4	22	5	38	22	7	-	-	-	-	1	-	-	-
Whooping-cough	0·40	120	56	38	15	4	5	118	2	-	-	-	-	-	-	-	-	-
Typhus	0·03	8	-	1	-	-	-	1	-	1	1	2	-	2	1	-	-	-
Enteric Fever	0·19	57	1	1	-	2	-	4	10	7	8	5	4	9	4	2	4	-
Simple Cont. Fev.	0·05	19	1	2	-	1	1	5	1	1	3	1	3	-	1	1	2	1
Puerp. Fever	0·03	24	-	-	-	-	-	-	-	-	1	1	15	7	-	-	-	-
Diarr. and Dys.	0·69	205	127	20	1	-	-	148	1	-	-	4	7	11	9	11	7	7
Cholera	0·01	4	1	2	-	-	-	3	-	-	-	-	-	-	-	-	1	-
Cancer	0·47	138	-	-	-	-	-	-	-	-	-	1	7	19	38	29	34	10
Scrofula	0·07	21	5	5	4	-	1	15	2	-	1	-	1	-	-	1	1	-
Tabes Mesent.	0·22	64	36	8	4	1	-	49	6	4	1	2	1	-	-	1	-	-
Phthisis	2·28	676	17	8	1	1	-	27	7	16	39	76	175	150	117	50	17	2
Hydrocephalus	0·22	66	23	11	12	1	2	49	9	7	-	-	1	-	-	-	-	-
Diseases of: Nervous Syst.	6·93	2054	107	26	8	6	3	150	7	7	22	40	288	480	387	307	229	137
Diseases of: Circulatory "	1·20	355	2	-	-	-	-	2	1	5	4	5	31	41	59	63	101	43
Diseases of: Respiratory "	2·83	838	177	62	27	13	4	283	16	2	2	5	29	61	57	114	142	127
Diseases of: Digestive "	0·91	270	26	2	1	1	-	30	8	1	2	6	24	35	43	55	46	20
Diseases of: Urinary "	0·37	111	3	2	3	-	-	8	2	3	1	3	5	15	17	20	23	14
Diseases of: Generative "	0·04	12	-	-	-	-	-	-	-	-	-	-	-	-	4	3	1	4
Childbirth	0·08	24	-	-	-	-	-	-	-	-	-	4	8	11	1	-	-	-
Suicide	0·12	35	-	-	-	-	-	-	-	-	8	1	-	6	13	3	3	1
Other Violence	0·40	120	18	1	4	4	4	31	9	13	5	3	12	12	12	8	6	9
Other Causes	3·45	1015	334	38	18	9	10	409	24	10	12	9	16	39	32	46	111	316

Deaths of Infants (under one) to 1000 Births - 115 | Marriages - 1,356 | Births - 8,296 | Annual Rate per 1000 living: Persons Married - 9·15; Births - 27·99

129.—EDMONTON.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	16·89	—	—	—	—	—	45·84	5·01	2·70	3·45	4·85	6·07	9·86	15·14	28·62	64·50	152·52
Mean Pop. 1871-80	—	112,029	3417	3105	3148	3066	3057	15793	14012	12027	10615	10039	17110	12907	8859	5703	3473	1491
ALL CAUSES	16·89	18,918	4673	1337	582	378	269	7239	702	325	366	487	1039	1273	1341	1632	2240	2274
Small-pox	0·12	135	13	3	4	2	3	25	12	5	10	11	29	26	8	5	2	2
Measles	0·27	297	67	107	57	29	14	274	17	3	-	1	1	-	-	1	-	-
Scarlet Fever	0·35	393	16	41	73	52	46	228	117	26	8	2	5	7	-	-	-	-
Diphtheria	0·22	243	11	22	19	40	39	131	81	16	3	5	3	1	1	1	1	-
Whooping-cough	0·50	556	245	159	75	40	18	537	18	1	-	-	-	-	-	-	-	-
Typhus	0·02	18	-	-	-	1	1	2	3	1	2	2	3	3	1	-	1	-
Enteric Fever	0·34	382	6	9	11	11	12	49	70	35	49	45	49	40	19	9	15	2
Simple Cont. Fev.	0·04	45	2	2	1	3	2	10	9	8	4	4	3	2	3	1	-	1
Puerp. Fever	0·06	72	-	-	-	-	-	-	-	-	3	15	33	19	2	-	-	-
Diarr. and Dys.	0·76	855	621	100	16	7	6	750	9	3	1	1	3	6	5	15	23	39
Cholera	0·02	21	11	2	-	-	-	13	1	-	-	-	-	4	1	1	-	1
Cancer	0·50	557	-	-	-	-	-	-	2	-	1	5	12	61	117	142	160	57
Scrofula	0·11	128	52	17	7	5	3	84	12	7	6	3	3	6	3	2	2	-
Tabes Mesent.	0·27	305	197	54	18	4	3	276	16	9	1	-	1	1	-	-	1	-
Phthisis	1·59	1777	47	23	11	2	2	85	28	46	136	203	499	408	279	140	39	4
Hydrocephalus	0·31	352	109	103	37	26	16	291	35	9	6	5	4	-	2	-	-	-
Diseases of: Nervous Syst.	2·08	2334	577	123	45	29	25	799	53	24	19	19	55	112	173	284	445	351
Diseases of: Circulatory "	1·11	1245	6	1	2	1	1	11	16	23	21	39	73	123	178	259	330	172
Diseases of: Respiratory "	2·90	3246	864	359	109	57	30	1419	63	20	20	27	92	139	203	312	511	440
Diseases of: Digestive "	0·87	970	145	13	9	4	4	175	25	19	18	18	60	92	127	174	166	96
Diseases of: Urinary "	0·38	424	2	3	3	2	3	13	10	9	4	10	36	54	55	90	94	49
Diseases of: Generative "	0·06	63	-	-	-	-	-	-	-	-	-	-	8	6	17	16	13	3
Childbirth	0·05	59	-	-	-	-	-	-	-	-	3	6	24	25	1	-	-	-
Suicide	0·08	87	-	-	-	-	-	-	-	1	4	6	19	12	14	16	10	5
Other Violence	0·47	522	103	15	18	6	7	149	35	28	20	24	57	57	54	36	29	33
Other Causes	3·41	3832	1579	181	67	57	34	1918	70	32	27	36	57	69	78	128	398	1019

Deaths of Infants (under one) to 1000 Births - 131 | Marriages - 4,936 | Births - 35,597 | Annual Rate per 1000 living: Persons Married - 8·81; Births - 31·77

HERTFORDSHIRE.

130.—WARE.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	16·22	—	—	—	—	—	36·07	3·71	2·48	3·29	4·83	6·80	9·47	14·22	25·30	58·52	147·76
Mean Pop. 1871-80	—	18,042	508	456	469	475	465	2373	2186	2180	1882	1387	2279	1847	1575	1241	757	335
ALL CAUSES	16·22	2926	580	150	59	37	30	856	81	54	62	67	155	175	224	314	443	495
Small-pox	0·07	12	-	-	-	-	-	-	1	-	1	2	5	-	1	2	-	-
Measles	0·20	36	10	7	3	6	2	28	7	-	1	-	-	-	-	-	-	-
Scarlet Fever	0·24	44	-	5	5	7	5	22	13	6	2	-	1	-	-	-	-	-
Diphtheria	0·04	7	-	-	1	1	3	5	1	1	-	-	-	-	-	-	-	-
Whooping-cough	0·34	61	33	19	3	3	1	59	2	-	-	-	-	-	-	-	-	-
Typhus	0·04	8	-	-	-	-	-	-	-	2	4	-	-	-	-	1	1	-
Enteric Fever	0·16	28	-	-	1	-	2	3	5	2	1	2	2	2	3	6	2	-
Simple Cont. Fev.	0·21	37	1	-	1	1	1	4	2	3	1	2	7	3	4	4	5	2
Puerp. Fever	0·07	12	-	-	-	-	-	-	-	-	1	3	4	4	-	-	-	-
Diarr. and Dys.	0·63	113	64	15	5	-	-	84	-	1	1	1	1	3	2	3	6	11
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·47	84	-	-	-	-	-	-	-	-	-	1	3	8	23	20	23	6
Scrofula	0·09	16	3	-	1	-	-	4	3	1	2	1	1	-	1	1	1	1
Tabes Mesent.	0·12	21	12	2	4	-	-	18	2	-	-	1	-	-	-	-	-	-
Phthisis	1·49	268	1	5	3	1	-	10	3	7	20	31	65	50	49	22	20	-
Hydrocephalus	0·09	17	4	5	2	1	2	14	2	1	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·11	380	86	17	4	5	4	116	10	4	6	2	10	23	23	51	80	55
Diseases of: Circulatory „	1·09	196	-	-	-	-	-	-	-	1	3	2	9	9	30	53	64	25
Diseases of: Respiratory „	2·60	470	99	39	12	10	3	163	6	3	4	6	10	21	31	59	91	76
Diseases of: Digestive „	1·00	180	17	3	-	-	-	20	3	6	3	3	9	14	26	31	41	24
Diseases of: Urinary „	0·29	52	-	1	-	-	1	2	-	-	3	-	7	7	3	10	10	10
Diseases of: Generative „	0·03	6	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-
Childbirth	0·06	11	-	-	-	-	-	-	-	-	-	3	5	3	-	-	-	-
Suicide	0·06	10	-	-	-	-	-	-	-	-	-	-	1	1	4	3	1	-
Other Violence	0·48	87	4	1	2	2	2	11	10	7	5	6	7	8	7	12	7	7
OTHER CAUSES	4·24	770	216	31	12	-	4	263	11	9	4	1	8	18	23	35	90	278

Deaths of Infants (under one to 1000 Births) - 106

Marriages - 874
Births - 5,454

Annual Rate per 1000 living: Persons Married - 9·69; Births - - - 30·23

131.—BISHOP STORTFORD.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	16·80	—	—	—	—	—	36·13	3·71	2·68	4·26	6·67	7·03	10·61	11·30	22·58	56·85	157·00
Mean Pop. 1871-80	—	21,710	640	526	631	565	594	2956	2752	2496	1974	1665	2745	2244	1929	1527	1008	414
ALL CAUSES	16·80	3648	713	191	80	48	36	1068	102	67	84	111	193	238	218	344	573	650
Small-pox	0·25	54	7	-	1	-	-	8	3	-	1	10	9	11	7	2	1	2
Measles	0·19	42	15	14	5	2	1	37	5	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·16	35	2	3	3	5	4	17	12	3	1	1	1	-	-	-	-	-
Diphtheria	0·18	39	1	3	3	2	8	17	16	5	1	-	-	-	-	-	-	-
Whooping-cough	0·47	103	46	30	11	8	5	100	3	-	-	-	-	-	-	-	-	-
Typhus	0·02	5	-	-	-	-	-	-	1	1	2	-	-	-	-	1	-	-
Enteric Fever	0·32	70	1	4	7	1	3	16	7	7	9	2	6	7	4	7	4	1
Simple Cont. Fev.	0·07	15	-	2	-	-	-	2	1	2	4	-	-	4	1	-	1	-
Puerp. Fever	0·06	14	-	-	-	-	-	-	-	-	2	1	8	3	-	-	-	-
Diarr. and Dys.	0·41	88	42	9	3	-	-	54	1	-	-	-	2	1	1	3	7	19
Cholera	0·06	12	7	3	-	-	-	10	-	1	-	-	-	-	-	-	-	1
Cancer	0·48	104	-	-	-	-	-	-	-	-	1	-	2	14	22	27	24	14
Scrofula	0·04	9	2	-	-	-	1	3	1	-	2	1	1	-	-	1	-	-
Tabes Mesent.	0·24	53	26	10	8	1	1	46	3	1	-	-	1	-	-	2	-	-
Phthisis	1·35	294	3	2	-	1	-	6	4	7	26	46	76	62	37	22	7	1
Hydrocephalus	0·24	52	14	13	7	2	3	39	7	5	-	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·21	480	85	14	8	4	3	114	12	14	10	8	9	18	32	69	110	93
Diseases of: Circulatory „	1·27	276	1	1	-	-	-	2	-	3	2	7	12	26	22	61	90	51
Diseases of: Respiratory „	2·73	592	113	50	13	11	2	189	7	5	4	8	14	29	25	53	133	125
Diseases of: Digestive „	0·99	216	27	3	-	-	1	31	4	3	5	3	7	16	25	31	63	25
Diseases of: Urinary „	0·43	94	-	-	1	-	-	1	-	1	1	3	5	13	9	18	22	21
Diseases of: Generative „	0·05	10	-	-	-	-	-	-	-	-	-	-	2	-	2	3	2	1
Childbirth	0·12	25	-	-	-	-	-	-	-	-	2	7	7	9	-	-	-	-
Suicide	0·06	12	-	-	-	-	-	-	-	-	1	2	-	-	4	1	2	2
Other Violence	0·52	112	6	5	2	1	3	17	4	5	3	5	12	15	16	12	13	10
OTHER CAUSES	3·88	842	315	25	8	10	1	359	11	4	7	6	19	10	11	40	91	284

Deaths of Infants (under one) to 1000 Births - 103

Marriages - 1,136
Births - 6,924

Annual Rate per 1000 living: Persons Married - 10·47; Births - - - 31·89

132.—ROYSTON.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	16·76	—	—	—	—	—	40·47	3·10	2·39	3·83	5·36	6·64	7·67	10·48	23·45	50·85	151·27
Mean Pop. 1871-80	—	25,417	718	668	667	708	713	3474	3387	3012	2299	1753	3013	2673	2280	1804	1172	550
ALL CAUSES	16·76	4230	1002	213	98	57	36	1406	105	72	88	94	200	205	239	423	596	832
Small-pox	0·07	17	4	-	-	-	-	4	-	1	-	2	3	1	6	-	-	-
Measles	0·12	30	7	6	4	2	3	22	8	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·17	43	6	2	4	9	2	23	13	5	1	1	-	-	-	-	-	-
Diphtheria	0·06	15	1	-	3	1	1	6	6	2	-	-	-	-	-	-	1	-
Whooping-cough	0·41	104	50	26	18	6	3	103	1	-	-	-	-	-	-	-	-	-
Typhus	0·04	9	-	-	-	-	-	-	1	3	1	1	1	-	1	-	1	-
Enteric Fever	0·35	89	2	1	1	3	4	11	9	9	12	7	13	9	6	7	4	2
Simple Cont. Fev.	0·03	7	1	-	-	-	-	1	1	-	2	-	1	-	-	1	1	-
Puerp. Fever	0·06	16	-	-	-	-	-	-	-	-	1	7	6	2	-	-	-	-
Diarr. and Dys.	0·69	175	105	28	7	3	-	143	-	-	-	-	2	3	1	4	10	12
Cholera	0·02	4	1	-	-	-	-	1	-	-	-	-	-	1	-	-	2	-
Cancer	0·56	142	-	-	-	-	-	-	-	-	-	2	1	11	29	52	33	14
Scrofula	0·10	26	5	5	1	-	-	11	1	1	1	2	2	2	1	3	2	-
Tabes Mesent.	0·14	36	16	5	2	-	2	25	3	1	4	-	1	1	-	1	-	-
Phthisis	1·42	362	37	14	6	4	2	63	2	11	30	34	77	59	35	36	13	2
Hydrocephalus	0·22	56	20	15	9	5	-	49	5	1	-	-	1	-	-	-	-	-
Diseases of: Nervous Syst.	1·93	490	81	13	5	2	3	104	8	4	5	6	19	27	32	74	101	110
Diseases of: Circulatory „	1·33	337	1	-	-	-	-	1	2	3	6	4	13	21	31	80	122	54
Diseases of: Respiratory „	2·45	623	176	67	20	11	7	281	8	8	4	6	11	16	29	53	105	102
Diseases of: Digestive „	0·65	165	18	-	-	-	-	18	7	1	2	5	9	9	23	34	41	16
Diseases of: Urinary „	0·32	81	1	-	-	-	-	1	2	2	3	1	5	6	4	18	21	18
Diseases of: Generative „	0·05	13	-	-	-	-	-	-	-	-	-	-	2	1	4	5	1	-
Childbirth	0·09	24	-	-	-	-	-	-	-	-	4	2	11	7	-	-	-	-
Suicide	0·04	10	-	-	-	-	-	-	-	-	1	1	1	-	3	2	2	-
Other Violence	0·53	134	15	2	8	4	4	33	11	12	3	5	10	9	12	15	16	8
Other Causes	4·91	1252	455	29	10	7	5	506	17	8	8	8	11	20	22	38	120	494

Deaths of Infants (under one) to 1000 Births - 120 | Marriages - 1,480 | Births - 8,363 | Annual Rate per 1000 living: Persons Married - 11·65; Births - 32·90

133.—HITCHIN.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·54	—	—	—	—	—	49·44	3·72	3·27	4·76	6·19	7·78	9·38	13·90	25·84	57·68	157·97
Mean Pop. 1871-80	—	27,536	806	726	760	737	745	3774	3467	3180	2624	2214	3494	2922	2439	1819	1139	464
ALL CAUSES	18·54	5106	1241	330	159	77	59	1866	129	104	125	137	272	274	339	470	657	733
Small-pox	0·07	20	4	-	-	-	-	4	1	-	1	3	-	5	1	3	2	-
Measles	0·36	100	17	31	23	11	6	88	11	-	-	-	1	-	-	-	-	-
Scarlet Fever	0·42	117	6	24	19	16	9	74	28	10	4	-	-	-	-	1	-	-
Diphtheria	0·05	15	3	-	2	2	2	9	4	1	1	-	-	-	-	-	-	-
Whooping-cough	0·50	138	76	39	11	5	5	136	2	-	-	-	-	-	-	-	-	-
Typhus	0·01	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
Enteric Fever	0·31	84	1	2	4	4	-	11	7	7	15	10	12	9	10	3	-	-
Simple Cont. Fev.	0·09	25	1	1	-	1	-	3	1	4	5	-	4	3	1	1	-	3
Puerp. Fever	0·05	14	-	-	-	-	-	-	-	-	1	4	5	4	-	-	-	-
Diarr. and Dys.	0·87	239	143	35	6	2	3	189	2	-	1	2	5	1	4	6	11	18
Cholera	0·01	3	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-
Cancer	0·41	114	-	-	-	-	-	-	1	-	1	-	5	9	25	40	15	18
Scrofula	0·13	36	10	8	6	1	-	25	3	1	-	1	-	1	1	1	2	1
Tabes Mesent.	0·36	100	64	23	7	-	-	94	-	4	1	-	1	-	-	-	-	-
Phthisis	1·64	452	3	1	2	1	-	7	8	19	47	69	112	82	67	32	9	-
Hydrocephalus	0·14	39	7	9	8	3	3	30	4	1	2	-	-	2	-	-	-	-
Diseases of: Nervous Syst.	2·38	655	202	27	16	2	7	254	6	12	4	6	21	21	42	64	129	96
Diseases of: Circulatory „	1·33	367	-	-	-	1	-	1	5	11	9	7	18	36	48	84	103	45
Diseases of: Respiratory „	2·88	794	191	70	23	10	4	298	9	11	6	9	15	29	47	101	143	126
Diseases of: Digestive „	0·98	271	27	6	-	-	1	34	5	1	3	5	25	26	35	53	68	26
Diseases of: Urinary „	0·32	87	1	-	3	1	1	6	3	4	2	2	8	5	11	17	15	14
Diseases of: Generative „	0·05	14	-	-	-	-	-	-	-	-	-	1	1	2	2	2	6	-
Childbirth	0·10	27	-	-	-	-	-	-	-	-	2	3	15	7	-	-	-	-
Suicide	0·03	9	-	-	-	-	-	-	-	-	-	-	1	2	2	1	2	1
Other Violence	0·57	163	6	4	7	2	7	26	5	8	8	2	7	12	9	9	8	9
Other Causes	4·68	1280	478	50	22	15	11	576	24	10	11	12	15	18	33	51	154	376

Deaths of Infants (under one) to 1000 Births - 131 | Marriages - 1,822 | Births - 9 463 | Annual Rate per 1000 living: Persons Married - 13·23; Births - 34·37

134.—HERTFORD.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	16·74	—	—	—	—	—	38·67	3·78	2·61	3·83	5·33	6·38	8·29	14·37	28·62	57·54	158·39
Mean Pop. 1871-80	—	16,382	433	377	444	405	397	2056	2172	2028	1567	1238	2005	1736	1441	1118	723	298
ALL CAUSES	16·74	2743	503	159	75	31	27	795	82	53	60	66	128	144	207	320	416	472
Small-pox	0·04	7	-	-	-	-	-	-	1	-	2	2	-	1	-	-	1	-
Measles	0·40	66	19	21	10	3	2	55	10	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·18	30	4	3	5	2	2	16	8	2	2	1	1	-	-	-	-	-
Diphtheria	0·10	16	3	-	2	2	2	9	4	3	-	-	-	-	-	-	-	-
Whooping-cough	0·44	72	32	22	9	3	2	68	3	1	-	-	-	-	-	-	-	-
Typhus	0·01	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Enteric Fever	0·16	27	-	1	-	1	-	2	4	4	4	2	2	-	4	4	-	1
Simple Cont. Fev.	0·14	23	-	-	-	1	1	2	3	1	1	2	1	1	2	5	4	1
Puerp. Fever	0·05	9	-	-	-	-	-	-	-	-	-	1	4	4	-	-	-	-
Diarr. and Dys.	0·89	146	81	20	5	2	-	108	1	-	-		-	2	4	4	10	17
Cholera	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Cancer	0·42	69	-	-	-	-	-	-	-	-	-	-	4	5	13	21	18	8
Scrofula	0·06	10	3	1	1	1	-	6	2	1	1	-	-	-	-	-	-	-
Tabes Mesent.	0·07	11	1	1	1	1	1	5	3	2	1	-	-	-	-	-	-	-
Phthisis	1·21	198	6	3	1	1	2	13	-	2	16	22	49	46	30	14	6	-
Hydrocephalus	0·12	20	8	3	3	1	1	16	3	1	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	1·72	282	65	7	4	1	-	77	3	7	5	3	11	14	20	39	58	45
Diseases of: Circulatory "	1·54	253	2	-	-	-	-	2	5	4	9	4	12	9	40	66	69	33
Diseases of: Respiratory "	2·91	476	91	36	16	2	5	150	10	3	4	7	13	19	38	59	98	75
Diseases of: Digestive "	0·85	139	6	2	2	-	1	11	5	2	1	2	5	9	23	24	33	24
Diseases of: Urinary "	0·37	61	1	-	-	1	-	2	1	2	-	1	4	9	2	15	15	10
Diseases of: Generative "	0·04	6	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-
Childbirth	0·07	11	-	-	-	-	-	-	-	-	-	4	5	2	-	-	-	-
Suicide	0·07	12	-	-	-	-	-	-	-	-	-	2	2	2	2	2	1	1
Other Violence	0·55	90	8	2	3	4	1	18	3	5	5	8	5	7	6	13	12	8
Other Causes	4·32	706	173	37	13	5	7	235	12	12	9	5	8	13	22	52	89	249

Deaths of Infants (under one) to 1000 Births - 104

Marriages - 910
Births - 4,814

Annual Rate per 1000 living: Persons Married - 11·11; Births - - - 29·39

135.—HATFIELD.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·28	—	—	—	—	—	38·19	4·78	3·39	3·49	4·84	6·53	10·49	13·33	28·40	61·21	158·00
Mean Pop. 1871-80	—	8717	251	238	247	231	248	1215	1108	943	802	682	1179	915	780	595	348	150
ALL CAUSES	17·28	1506	298	83	32	29	22	464	53	52	28	33	77	96	104	169	213	237
Small-pox	0·05	4	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1
Measles	0·20	17	1	4	2	3	5	15	2	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·48	42	2	3	5	4	6	20	18	3	-	-	1	-	-	-	-	-
Diphtheria	0·31	27	1	3	1	7	4	16	7	4	-	-	-	-	-	-	-	-
Whooping-cough	0·30	26	9	12	2	2	1	26	-	-	-	-	-	-	-	-	-	-
Typhus	0·03	3	-	-	1	-	-	1	-	-	-	-	-	1	1	-	-	-
Enteric Fever	0·21	18	-	-	1	-	1	2	2	-	5	2	2	2	1	1	1	-
Simple Cont. Fev.	0·08	7	-	1	-	1	-	2	1	2	-	-	-	-	1	-	1	-
Puerp. Fever	0·05	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
Diarr. and Dys.	0·28	33	21	3	1	-	1	26	-	-	-	-	-	1	-	2	1	3
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·50	44	-	-	-	-	1	1	-	-	-	-	-	2	10	15	11	5
Scrofula	0·08	7	2	-	1	-	1	4	-	-	-	1	-	1	-	1	-	-
Tabes Mesent.	0·07	6	4	1	1	-	-	6	-	-	-	-	-	-	-	-	-	-
Phthisis	1·47	128	3	-	-	-	-	3	3	6	10	12	32	27	22	10	3	-
Hydrocephalus	0·17	15	6	2	2	-	-	10	3	1	1	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·48	216	57	13	1	2	-	73	3	1	3	3	2	11	12	26	45	37
Diseases of: Circulatory "	1·55	135	1	-	-	-	-	1	-	4	2	1	6	14	15	41	28	23
Diseases of: Respiratory "	3·10	270	60	22	7	4	1	94	5	2	1	4	6	12	16	32	51	47
Diseases of: Digestive "	0·93	81	10	-	-	1	-	11	1	-	1	1	6	8	7	11	21	14
Diseases of: Urinary "	0·45	39	-	1	-	-	-	1	1	-	1	-	4	4	5	7	12	4
Diseases of: Generative "	0·06	5	-		-	-	-	-	-	-	-	1	-	-	2	2	-	-
Childbirth	0·08	7	-	-	-	-	-	-	-	-	-	-	4	3	-	-	-	-
Suicide	0·07	6	-	-	-	-	-	-	-	-	1	-	1	-	1	1	2	-
Other Violence	0·50	44	4	2	3	2	-	11	3	4	2	4	8	3	4	1	2	2
Other Causes	3·68	322	117	16	4	3	1	141	4	5	1	3	3	5	7	17	35	101

Deaths of Infants (under one) to 1000 Births - 105

Marriages - 463
Births - 2,832

Annual Rate per 1000 living: Persons Married - 10·69; Births - - - 32·49

136.—ST. ALBANS.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	18·16	—	—	—	—	—	45·92	3·94	2·99	4·55	5·90	8·02	11·89	13·63	26·29	60·09	154·22
Mean Pop. 1871–80	—	22,188	623	573	602	561	585	2944	2740	2377	2023	1848	3091	2465	1959	1487	887	367
ALL CAUSES	18·16	4030	897	218	110	77	50	1352	108	71	92	109	248	293	267	391	533	566
Small-pox	0·25	55	2	2	1	–	–	5	3	4	7	9	17	1	5	3	1	–
Measles	0·24	54	11	22	7	4	1	45	9	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·39	86	3	6	14	18	6	47	31	6	–	2	–	–	–	–	–	–
Diphtheria	0·08	18	1	1	1	4	–	7	9	1	–	–	–	–	–	–	1	–
Whooping-cough	0·36	79	30	26	11	5	4	76	2	1	–	–	–	–	–	–	–	–
Typhus	0·01	3	–	1	–	–	–	1	–	–	1	–	1	–	–	–	–	–
Enteric Fever	0·13	29	1	1	–	–	1	3	3	1	5	4	3	3	3	1	2	1
Simple Cont. Fev.	0·06	14	–	1	2	–	–	3	1	1	–	1	2	3	1	–	2	–
Puerp. Fever	0·04	9	–	–	–	–	–	–	–	–	1	3	3	1	1	–	–	–
Diarr. and Dys.	0·91	201	137	16	5	–	3	161	1	–	–	–	2	2	2	4	8	21
Cholera	0·03	6	4	–	–	–	–	4	–	–	–	–	–	–	–	2	–	–
Cancer	0·43	96	–	–	–	–	–	–	–	–	–	–	2	10	20	27	22	15
Scrofula	0·11	25	7	1	1	–	–	9	2	2	3	1	2	3	–	1	–	2
Tabes Mesent.	0·10	23	8	7	2	1	–	18	2	–	2	1	–	–	–	–	–	–
Phthisis	2·16	480	17	3	–	2	4	26	6	18	33	48	110	100	63	34	33	9
Hydrocephalus	0·20	45	17	12	3	3	2	37	3	2	–	1	1	1	–	–	–	–
Diseases of: Nervous Syst.	2·49	553	129	19	8	10	3	169	8	7	5	3	20	25	39	64	99	114
Diseases of: Circulatory „	1·84	409	2	1	–	1	–	4	4	6	8	10	24	32	56	80	115	70
Diseases of: Respiratory „	3·05	677	159	58	28	14	15	274	3	7	5	4	12	33	26	64	130	119
Diseases of: Digestive „	0·83	185	27	3	3	2	1	36	–	2	5	2	18	21	16	37	29	19
Diseases of: Urinary „	0·34	76	–	–	1	3	–	4	2	–	1	1	4	10	6	20	19	9
Diseases of: Generative „	0·05	10	–	–	–	–	–	–	–	–	–	–	–	2	3	3	1	1
Childbirth	0·09	21	–	–	–	–	–	–	–	–	1	6	8	6	–	–	–	–
Suicide	0·05	11	–	–	–	–	–	–	–	–	1	–	1	4	–	3	2	–
Other Violence	0·47	104	9	1	5	1	3	19	11	3	6	10	6	9	8	13	11	8
OTHER CAUSES	3·45	761	333	37	18	9	7	404	8	10	8	3	12	27	18	35	58	178

Deaths of Infants (under one) to 1000 Births - 124 | Marriages - 1,484 | Births - 7,227 | Annual Rate per 1000 living: Persons Married - 13·38; Births - - - 32·57

137.—WATFORD.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Year	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	23·11	—	—	—	—	—	48·13	5·70	3·72	6·16	8·92	11·97	15·69	23·02	39·11	81·17	189·78
Mean Pop. 1871–80	—	29,250	761	702	737	725	705	3630	3545	3359	2548	2287	4069	3436	2693	2002	1232	449
ALL CAUSES	23·11	6761	1110	327	147	92	71	1747	202	125	157	204	487	539	620	783	1000	897
Small-pox	0·11	32	2	–	1	1	1	5	4	2	4	1	7	2	3	3	1	–
Measles	0·23	75	10	26	13	13	5	67	5	2	1	–	–	–	–	–	–	–
Scarlet Fever	0·41	119	4	13	19	14	17	67	39	9	–	2	2	–	–	–	–	–
Diphtheria	0·13	39	–	2	7	5	5	19	15	3	1	–	–	1	–	–	–	–
Whooping-cough	0·38	111	42	32	20	11	1	106	4	1	–	–	–	–	–	–	–	–
Typhus	0·04	11	–	–	1	–	–	1	1	3	2	2	1	–	–	–	1	–
Enteric Fever	0·20	59	–	–	2	1	1	4	6	10	4	4	7	6	4	7	7	–
Simple Cont. Fev.	0·10	29	–	2	1	1	1	5	7	2	3	2	–	1	3	–	2	4
Puerp. Fever	0·10	28	–	–	–	–	–	–	–	–	–	9	16	2	1	–	–	–
Diarr. and Dys.	0·60	176	98	25	3	–	–	126	3	3	–	1	7	6	2	4	9	15
Cholera	0·01	2	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Cancer	0·48	140	–	–	–	–	–	–	–	–	–	1	5	15	28	43	35	13
Scrofula	0·11	31	10	5	1	–	1	17	2	2	1	1	4	3	–	1	–	–
Tabes Mesent.	0·15	43	21	5	4	–	1	32	3	3	2	1	1	1	–	–	–	–
Phthisis	2·64	771	30	18	2	1	4	55	10	32	49	85	169	141	113	75	40	11
Hydrocephalus	0·36	105	40	25	8	5	5	83	13	4	1	1	3	–	–	–	–	–
Diseases of: Nervous Syst.	6·26	1831	194	37	13	10	5	259	20	10	40	47	128	189	233	252	377	276
Diseases of: Circulatory „	1·71	501	–	2	1	–	–	3	6	11	7	6	28	40	57	109	143	91
Diseases of: Respiratory „	3·29	962	221	77	30	13	12	353	24	9	15	12	35	57	58	111	135	143
Diseases of: Digestive „	1·04	304	22	2	3	3	1	31	4	5	6	4	22	20	37	65	64	26
Diseases of: Urinary „	0·41	121	–	1	–	1	1	3	3	–	2	1	8	14	12	28	34	16
Diseases of: Generative „	0·06	18	–	–	–	–	–	–	–	1	–	–	1	3	5	6	1	1
Childbirth	0·06	18	–	–	–	–	–	–	–	–	–	3	9	5	1	–	–	–
Suicide	0·06	18	–	–	–	–	–	–	–	–	–	–	2	4	2	5	4	1
Other Violence	0·54	159	7	6	3	5	3	24	8	7	11	11	16	25	11	24	13	9
OTHER CAUSES	3·60	1058	409	48	15	8	7	487	21	6	8	10	25	23	20	50	104	291

Deaths of Infants (under one) to 1000 Births - 127 | Marriages - 1,517 | Births - 8,757 | Annual Rate per 1000 living: Persons Married - 10·37; Births - - - 29·94

138.—HEMEL HEMPSTEAD.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·19	—	—	—	—	—	51·18	4·61	2·47	3·87	6·78	8·18	11·71	14·58	29·09	61·10	168·78
Mean Pop. 1871-80	—	14,656	401	377	398	383	385	1944	1779	1657	1395	1121	2042	1589	1337	990	581	221
ALL CAUSES	19·19	2812	678	173	70	49	25	995	82	41	54	76	167	186	195	288	355	373
Small-pox	0·08	12	2	1	–	1	–	4	–	1	–	2	–	4	1	–	–	–
Measles	0·34	50	16	24	3	2	1	46	4	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·27	39	4	7	4	7	5	27	9	2	–	–	1	–	–	–	–	–
Diphtheria	0·05	7	–	2	2	–	–	4	2	–	–	–	–	–	–	1	–	–
Whooping-cough	0·38	55	31	9	8	4	1	53	2	–	–	–	–	–	–	–	–	–
Typhus	0·01	2	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Enteric Fever	0·31	46	1	1	–	2	–	4	2	6	7	7	10	4	4	1	–	1
Simple Cont. Fev.	0·23	33	2	1	2	2	2	9	4	2	2	–	1	1	2	1	6	5
Puerp. Fever	0·05	7	–	–	–	–	–	–	–	–	–	1	5	1	–	–	–	–
Diarr. and Dys.	0·70	103	61	20	5	–	–	86	1	–	–	–	2	–	1	4	4	5
Cholera	0·04	6	3	1	–	–	–	4	–	–	–	–	–	–	–	1	1	–
Cancer	0·43	63	–	–	–	–	–	–	1	–	–	–	1	9	12	23	10	7
Scrofula	0·07	10	2	2	–	–	–	4	–	1	1	1	2	–	–	–	–	1
Tabes Mesent.	0·31	46	29	8	2	1	–	40	2	1	–	–	–	2	–	1	–	–
Phthisis	1·80	264	4	2	2	2	–	10	6	3	17	27	76	58	33	24	10	–
Hydrocephalus	0·21	31	12	7	1	2	1	23	6	2	–	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·31	338	69	12	6	5	5	97	6	5	6	4	17	19	28	37	63	56
Diseases of: Circulatory „	1·80	264	–	–	–	–	–	–	4	4	1	4	13	19	35	60	88	36
Diseases of: Respiratory „	2·99	438	140	42	19	8	3	212	12	2	2	6	7	23	19	50	51	54
Diseases of: Digestive „	1·01	148	15	2	–	–	–	17	5	3	2	6	4	18	27	37	21	8
Diseases of: Urinary „	0·28	41	1	–	–	–	–	1	1	1	2	2	7	1	10	10	5	1
Diseases of: Generative „	0·08	12	–	–	–	–	–	–	–	–	–	–	–	3	3	3	2	1
Childbirth	0·11	16	–	–	–	–	–	–	–	–	1	4	6	5	–	–	–	–
Suicide	0·05	8	–	–	–	–	–	–	–	–	1	1	2	1	2	–	–	1
Other Violence	0·55	80	5	3	4	3	2	17	5	3	5	8	6	9	4	7	10	6
Other Causes	4·73	693	281	29	12	10	5	337	9	5	7	3	7	8	14	28	84	191

Deaths of Infants (under one) to 1000 Births - 143

Marriages - 1,021
Births - 4,739

Annual Rate per 1000 living: Persons Married - 13·93; Births - 32·33

139.—BERKHAMPSTEAD.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·33	—	—	—	—	—	52·75	4·57	2·41	4·12	6·60	7·06	10·56	11·95	23·70	61·57	157·82
Mean Pop. 1871-80	—	14,595	414	425	367	382	391	1979	1837	1658	1385	1152	1983	1581	1272	962	575	211
ALL CAUSES	18·33	2,675	695	182	81	56	30	1044	84	40	57	76	140	167	152	228	354	333
Small-pox	0·14	21	2	–	–	1	–	3	2	1	–	4	1	3	3	2	1	1
Measles	0·29	43	8	11	8	7	3	37	6	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·35	51	1	5	6	11	6	29	19	–	1	–	1	–	1	–	–	–
Diphtheria	0·07	10	2	1	2	–	–	5	4	1	–	–	–	–	–	–	–	–
Whooping-cough	0·55	80	43	22	9	4	1	79	1	–	–	–	–	–	–	–	–	–
Typhus	0·02	3	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–
Enteric Fever	0·16	23	1	2	–	–	–	3	6	3	3	4	2	1	1	–	–	–
Simple Cont. Fev.	0·05	7	–	–	–	–	–	–	3	1	1	–	–	–	–	1	1	–
Puerp. Fever	0·05	8	–	–	–	–	–	–	–	–	–	3	3	2	–	–	–	–
Diarr. and Dys.	0·99	145	99	23	5	2	–	120	1	–	–	–	–	–	2	3	11	8
Cholera	0·01	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	0·45	65	–	–	1	–	–	1	1	–	–	1	1	12	12	15	14	8
Scrofula	0·07	10	3	–	1	–	–	4	2	1	1	1	1	–	–	–	–	–
Tabes Mesent.	0·17	25	11	6	1	1	–	19	1	2	2	1	–	–	–	–	–	–
Phthisis	1·71	249	4	2	2	–	1	9	4	7	27	39	66	47	26	16	8	–
Hydrocephalus	0·27	40	18	8	4	2	3	35	5	–	–	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·14	312	71	20	11	3	1	106	2	4	5	4	11	17	24	34	62	43
Diseases of: Circulatory „	1·76	257	–	1	–	–	–	1	2	5	3	3	7	22	20	60	95	39
Diseases of: Respiratory „	3·00	438	138	48	17	8	4	215	8	3	5	2	13	18	24	38	62	50
Diseases of: Digestive „	0·80	181	15	2	3	1	2	23	4	–	2	4	12	13	14	21	24	14
Diseases of: Urinary „	0·49	71	–	–	–	–	–	–	1	–	–	2	7	9	8	13	19	12
Diseases of: Generative „	0·05	7	–	–	–	–	–	–	–	–	1	3	1	–	–	2	–	–
Childbirth	0·05	8	–	–	–	–	–	–	–	–	–	1	2	5	–	–	–	–
Suicide	0·01	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Other Violence	0·49	72	4	5	2	4	4	19	4	4	4	1	4	14	6	6	8	2
Other Causes	4·09	596	284	26	9	12	5	336	7	8	2	3	5	4	10	16	49	156

Deaths of Infants (under one) to 1000 Births - 140

Marriages - 1,010
Births - 4,958

Annual Rate per 1000 living: Persons Married - 13·84; Births - 33·97

BUCKINGHAMSHIRE.

140.—AMERSHAM.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	19·09	—	—	—	—	—	49·75	4·38	2·42	3·65	5·50	7·07	8·93	11·64	26·88	58·30	175·23
Mean Pop. 1871-80	—	18,415	565	484	527	528	499	2603	2351	2153	1616	1418	2276	1871	1658	1317	825	327
ALL CAUSES	19·09	3516	835	248	110	79	43	1295	103	52	59	78	161	167	193	354	481	573
Small-pox	0·07	12	1	1	-	1	-	3	2	1	-	4	-	-	1	-	1	-
Measles	0·38	70	14	30	9	6	2	61	8	-	1	-	-	-	-	-	-	-
Scarlet Fever	0·60	110	8	11	22	9	16	66	31	6	4	-	2	1	-	-	-	-
Diphtheria	0·03	5	1	-	1	1	-	3	2	-	-	-	-	-	-	-	-	-
Whooping-cough	0·40	73	30	21	10	4	1	69	4	-	-	-	-	-	-	-	-	-
Typhus	0·09	16	-	1	-	-	-	1	2	2	1	-	1	3	5	1	-	-
Enteric Fever	0·17	32	-	2	-	-	-	2	4	3	3	1	-	4	5	6	3	1
Simple Cont. Fev.	0·05	9	1	-	-	1	-	2	3	-	2	-	-	-	1	-	1	-
Puerp. Fever	0·04	8	-	-	-	-	-	-	-	-	-	1	2	5	-	-	-	-
Diarr. and Dys.	0·72	132	80	15	5	2	1	103	1	-	-	-	1	1	-	4	11	11
Cholera	0·01	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Cancer	0·42	78	-	-	-	-	-	-	-	-	-	-	2	9	15	23	18	11
Scrofula	0·09	16	6	1	1	-	1	9	-	2	2	-	1	1	1	-	-	-
Tabes Mesent.	0·41	76	39	22	4	8	-	73	-	1	-	-	1	-	1	-	-	-
Phthisis	1·55	286	7	8	1	1	-	17	4	10	22	40	70	51	34	27	8	8
Hydrocephalus	0·46	84	42	25	7	2	1	77	4	1	-	-	1	1	-	-	-	-
Diseases of: Nervous Syst.	2·60	478	68	18	4	3	5	98	6	4	1	7	11	16	26	70	105	134
Diseases of: Circulatory	1·52	280	3	-	-	1	2	6	1	5	2	2	15	16	32	63	91	47
Diseases of: Respiratory	3·08	567	154	52	21	12	6	245	9	4	7	2	13	12	21	59	84	111
Diseases of: Digestive	0·91	168	29	2	2	1	-	34	2	2	-	2	4	14	16	34	34	26
Diseases of: Urinary	0·43	79	-	1	-	-	-	1	1	2	4	4	8	4	10	13	22	10
Diseases of: Generative	0·06	11	-	-	-	-	-	-	-	-	-	-	2	1	-	2	5	1
Childbirth	0·10	19	-	-	-	-	-	-	-	-	-	5	6	8	-	-	-	-
Suicide	0·04	7	-	-	-	-	-	-	-	-	-	-	1	1	1	4	-	-
Other Violence	0·40	73	14	1	2	2	2	21	4	5	4	2	4	6	6	9	4	8
OTHER CAUSES	4·46	825	338	34	21	5	6	404	15	4	6	8	16	13	17	39	93	210

Deaths of Infants (under one) to 1000 Births - 135

Marriages - 1,179
Births - 6,196

Annual Rate per 1000 living: Persons Married - 12·80; Births - 33·65

141.—ETON.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	16·15	—	—	—	—	—	42·15	3·44	2·18	4·08	5·31	6·75	9·80	13·89	26·31	58·17	167·89
Mean Pop. 1871-80	—	26,324	703	604	646	646	656	3255	3194	3302	2699	2128	3483	2969	2361	1589	961	383
ALL CAUSES	16·15	4251	884	239	107	68	74	1372	110	72	110	113	235	291	328	418	559	643
Small-pox	0·06	15	2	-	-	-	1	3	1	2	3	2	4	-	-	-	-	-
Measles	0·25	65	8	22	11	7	4	52	11	1	1	-	-	-	-	-	-	-
Scarlet Fever	0·25	65	7	5	8	7	12	39	15	3	1	3	1	1	1	-	1	-
Diphtheria	0·09	24	1	2	2	3	3	11	9	-	1	1	-	2	-	-	-	-
Whooping-cough	0·43	112	55	27	18	6	2	108	3	1	-	-	-	-	-	-	-	-
Typhus	0·08	21	-	-	-	-	2	2	1	1	3	4	1	2	1	2	1	3
Enteric Fever	0·21	55	8	-	2	2	2	9	3	7	7	6	7	8	1	3	3	1
Simple Cont. Fev.	0·08	20	1	1	2	-	3	7	2	1	-	2	2	1	2	8	-	-
Puerp. Fever	0·06	16	-	-	-	-	-	-	-	-	-	1	6	8	1	-	-	-
Diarr and Dys.	0·51	133	81	21	2	-	1	105	1	-	1	-	-	-	2	5	10	9
Cholera	0·00	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Cancer	0·46	121	-	-	-	-	-	-	-	-	-	1	2	12	19	31	33	13
Scrofula	0·03	21	3	2	-	1	-	6	3	2	3	-	1	2	1	3	-	-
Tabes Mesent.	0·15	39	23	8	1	1	2	35	1	-	1	1	-	-	-	-	1	-
Phthisis	1·71	450	11	5	2	3	1	22	4	14	36	52	111	98	67	31	10	5
Hydrocephalus	0·21	54	10	17	8	3	3	41	8	3	-	1	-	1	-	-	-	-
Diseases of: Nervous Syst.	2·01	528	109	30	8	4	8	159	15	7	5	6	15	25	38	71	102	85
Diseases of: Circulatory	1·34	352	2	-	1	-	1	4	2	-	7	9	19	21	49	85	90	75
Diseases of: Respiratory	2·67	702	184	61	20	19	9	293	10	7	8	5	17	33	39	60	108	122
Diseases of: Digestive	0·98	258	46	3	3	-	1	53	2	2	3	4	8	17	40	42	50	37
Diseases of: Urinary	0·41	107	-	-	1	-	1	2	1	3	3	3	6	9	17	16	24	23
Diseases of: Generative	0·05	12	-	-	-	-	-	-	-	-	1	-	2	2	3	3	1	-
Childbirth	0·07	18	-	-	-	-	-	-	-	-	1	1	4	12	-	-	-	-
Suicide	0·08	20	-	-	-	-	-	-	-	-	1	1	3	3	4	5	2	1
Other Violence	0·55	145	13	6	3	4	7	33	7	7	15	8	12	12	19	19	8	10
OTHER CAUSES	3·36	897	325	29	15	8	11	388	11	11	9	7	14	22	23	38	115	259

Deaths of Infants (under one) to 1000 Births - 114

Marriages - 1,482
Births - 7,752

Annual Rate per 1000 living: Persons Married - 11·26; Births - 29·45

142.—WYCOMBE.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·79	—	—	—	—	—	52·95	3·62	2·39	4·99	6·08	7·29	8·33	12·82	24·82	61·57	166·18
Mean Pop. 1871-80	—	39,322	1234	1084	1126	1112	1146	5702	5218	4564	3644	3012	5092	4202	3323	2438	1512	615
ALL CAUSES	18·79	7387	2011	564	221	134	89	3019	189	109	182	183	371	350	426	605	931	1022
Small-pox	0·03	12	-	-	-	-	-	-	-	1	5	1	1	1	2	1	-	-
Measles	0·33	129	30	46	12	19	6	113	14	1	-	-	1	-	-	-	-	-
Scarlet Fever	0·09	37	2	3	9	4	3	21	8	2	-	-	6	-	-	-	-	-
Diphtheria	0·06	25	-	-	4	2	2	8	8	1	1	2	2	1	1	-	1	-
Whooping-cough	0·49	191	90	54	23	14	6	187	4	-	-	-	-	-	-	-	-	-
Typhus	0·04	15	1	1	-	-	-	2	2	-	2	2	1	2	2	1	1	-
Enteric Fever	0·23	89	-	1	5	-	5	11	6	12	20	12	11	7	6	2	1	1
Simple Cont. Fev.	0·15	59	1	-	3	6	4	14	15	6	2	3	6	1	2	4	5	1
Puerp. Fever	0·05	20	-	-	-	-	-	-	-	-	1	7	5	7	-	-	-	-
Diarr. and Dys.	0·76	297	182	53	10	-	-	245	1	-	1	1	6	3	1	6	15	18
Cholera	0·02	6	-	-	-	-	1	1	-	-	-	-	1	-	1	2	1	-
Cancer	0·36	142	-	-	-	-	-	-	1	-	-	-	6	14	25	35	40	21
Scrofula	0·07	27	8	4	1	-	-	13	-	-	4	1	6	1	1	1	-	-
Tabes Mesent.	0·30	119	65	36	7	3	2	113	5	-	1	-	-	-	-	-	-	-
Phthisis	1·59	626	15	7	11	1	1	35	14	22	73	83	162	115	80	32	9	1
Hydrocephalus	0·26	103	40	30	8	5	6	89	9	3	1	-	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·33	917	264	64	30	15	11	384	17	11	9	6	30	36	49	101	156	113
Diseases of: Circulatory „	1·13	443	1	1	2	2	2	8	6	8	13	15	18	37	49	115	129	45
Diseases of: Respiratory „	3·00	1179	307	134	48	20	14	523	21	8	13	9	32	41	69	133	184	151
Diseases of: Digestive „	0·95	374	42	4	4	4	2	56	10	9	6	9	28	30	61	66	73	26
Diseases of: Urinary „	0·21	83	-	1	-	2	1	4	3	1	3	1	6	5	15	13	21	11
Diseases of: Generative „	0·04	14	-	-	-	-	-	-	-	-	-	-	2	1	4	4	3	-
Childbirth	0·10	38	-	-	-	-	-	-	-	-	2	8	13	15	-	-	-	-
Suicide	0·06	23	-	-	-	-	-	-	-	-	2	1	2	1	7	3	5	2
Other Violence	0·39	155	19	11	7	15	5	57	14	14	6	8	9	5	10	11	11	10
Other Causes	5·75	2264	944	114	37	22	18	1135	31	15	17	14	16	27	41	75	276	617

Deaths of Infants (under one) to 1000 Births - 140

Marriages - 2,787
Births - 14,342

Annual Rate per 1000 living: Persons Married - 14·18; Births - 36·47

143.—AYLESBURY.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	20·19	—	—	—	—	—	46·90	4·15	3·39	5·47	7·84	8·94	10·33	15·02	27·76	64·66	168·78
Mean Pop. 1871-80	—	24,612	682	635	674	625	659	3275	3084	2715	2232	1862	3144	2652	2243	1783	1132	490
ALL CAUSES	20·19	4970	1056	268	101	65	46	1536	128	92	122	146	281	274	337	495	732	827
Small-pox	0·02	6	-	-	-	-	-	-	-	1	-	-	1	-	2	1	1	-
Measles	0·20	49	19	16	4	3	5	47	2	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·19	47	2	7	6	6	9	30	16	4	1	1	1	-	-	-	-	-
Diphtheria	0·05	12	-	-	-	2	2	4	5	1	1	1	-	-	-	-	-	-
Whooping-cough	0·46	112	64	23	10	4	4	110	2	-	-	-	-	-	-	-	-	-
Typhus	0·02	5	-	-	-	1	1	2	-	-	1	-	1	-	-	1	-	-
Enteric Fever	0·28	70	1	-	2	3	-	6	6	10	13	6	8	6	6	4	5	-
Simple Cont. Fev.	0·05	12	-	-	1	-	1	2	2	2	-	-	1	2	-	2	1	-
Puerp. Fever	0·05	13	-	-	-	-	-	-	-	-	-	1	7	5	-	-	-	-
Diarr. and Dys.	0·80	197	110	21	1	-	2	134	-	-	-	1	1	1	8	3	27	22
Cholera	0·05	13	7	1	-	-	-	8	-	-	1	-	-	1	-	-	1	2
Cancer	0·53	131	-	-	-	-	-	-	-	-	-	-	2	9	24	35	43	18
Scrofula	0·11	26	3	1	3	-	-	7	3	-	3	5	2	4	-	1	1	-
Tabes Mesent.	0·23	56	29	8	5	1	1	44	4	4	-	2	1	-	-	1	-	-
Phthisis	1·78	439	10	5	3	1	1	20	7	13	45	76	106	77	40	38	17	-
Hydrocephalus	0·27	66	12	10	8	4	2	36	20	6	2	2	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·90	714	90	26	6	7	2	131	12	8	19	11	37	46	63	98	147	142
Diseases of: Circulatory „	1·17	287	1	-	-	-	-	1	4	3	4	4	11	18	32	67	91	52
Diseases of: Respiratory „	3·62	892	217	77	24	11	5	334	19	9	6	8	26	20	60	82	138	190
Diseases of: Digestive „	1·05	258	20	4	-	1	2	27	5	3	4	2	8	21	30	59	60	39
Diseases of: Urinary „	0·46	113	-	-	-	-	-	-	2	3	3	1	8	12	13	23	27	18
Diseases of: Generative „	0·06	15	-	-	-	-	-	-	-	-	-	-	1	2	5	4	1	2
Childbirth	0·11	28	-	-	-	-	-	-	-	-	-	5	13	10	-	-	-	-
Suicide	0·07	16	-	-	-	-	-	-	-	-	-	-	2	2	3	5	2	2
Other Violence	0·48	117	7	9	5	5	2	28	3	10	6	8	12	5	13	12	14	6
Other Causes	5·18	1276	464	55	23	16	7	565	22	15	13	12	32	33	38	56	156	334

Deaths of Infants (under one) to 1000 Births - 132

Marriages - 1,507
Births 7,970

Annual Rate per 1000 living: Persons Married - 12·25; Births - 32·38

144.—WINSLOW.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	18·04	—	—	—	—	—	41·14	3·16	2·22	4·17	6·05	8·10	7·31	11·67	22·66	62·75	185·96
Mean Pop. 1871-80	—	8513	222	207	224	205	226	1084	1106	1038	815	645	938	889	780	640	400	178
ALL CAUSES	18·04	1536	300	74	32	25	15	446	35	23	34	39	76	65	91	145	251	331
Small-pox	0·02	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Measles	0·16	14	4	5	3	1	-	13	-	-	-	-	-	-	-	-	-	1
Scarlet Fever	0·26	22	3	3	3	5	3	17	2	1	1	-	1	-	-	-	-	-
Diphtheria	0·04	3	-	-	-	2	-	2	1	-	-	-	-	-	-	-	-	-
Whooping-cough	0·42	36	18	10	4	-	2	34	1	1	-	-	-	-	-	-	-	-
Typhus	0·06	5	-	-	-	-	-	-	-	-	3	-	1	-	-	1	-	-
Enteric Fever	0·25	21	2	-	1	-	1	4	1	2	2	1	3	1	4	2	1	-
Simple Cont. Fev.	0·12	19	-	1	1	-	1	3	4	-	1	-	-	1	-	-	1	-
Puerp. Fever	0·02	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Diarr. and Dys.	0·39	33	10	8	1	1	-	20	2	-	1	1	1	-	-	1	5	2
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·63	54	-	-	-	-	-	-	-	-	-	-	1	4	10	16	20	3
Scrofula	0·05	4	2	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-
Tabes Mesent.	0·18	15	11	-	1	-	-	12	-	1	1	-	-	-	1	-	-	-
Phthisis	1·68	143	3	1	2	-	1	7	3	5	11	23	32	21	17	13	11	-
Hydrocephalus	0·14	12	6	1	1	2	-	10	1	1	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·46	209	37	7	3	4	-	51	5	3	5	4	5	6	8	34	49	39
Diseases of: Circulatory	1·02	87	-	-	-	-	-	-	-	2	2	1	3	6	13	18	26	16
Diseases of: Respiratory	2·07	176	45	17	6	3	2	73	2	2	1	1	8	8	9	22	28	22
Diseases of: Digestive	0·79	67	6	1	-	1	-	8	4	1	-	-	7	3	11	15	14	4
Diseases of: Urinary	0·19	16	-	-	-	-	-	-	1	-	1	-	-	2	4	1	6	1
Diseases of: Generative	0·01	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Childbirth	0·10	9	-	-	-	-	-	-	-	-	-	2	4	3	-	-	-	-
Suicide	0·08	7	-	-	-	-	-	-	-	-	-	1	-	2	-	1	3	-
Other Violence	0·25	21	1	-	2	2	-	5	3	-	2	1	1	-	3	2	2	2
OTHER CAUSES	6·65	567	151	20	4	4	5	184	5	4	2	3	7	7	10	19	85	241

Deaths of Infants (under one) to 1000 Births - 113

Marriages - 486
Births - 2,665

Annual Rate per 1000 living: Persons Married - 11·42; Births - 31·31

145.—NEWPORT PAGNELL.

—	Annual Death Rate	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE	—	19·20	—	—	—	—	—	46·76	5·60	4·10	5·08	7·17	7·69	8·26	11·74	24·90	62·66	167·09
Mean Pop. 1871-80	—	25,225	748	651	735	654	715	3503	3199	2779	2301	1939	3211	2662	2266	1783	1114	468
ALL CAUSES	19·20	4844	1019	307	158	92	62	1638	179	114	117	139	247	220	266	444	698	782
Small-pox	0·02	6	-	-	1	-	-	1	-	-	-	-	3	-	1	1	-	-
Measles	0·22	56	9	22	10	8	1	50	4	1	-	-	-	1	-	-	-	-
Scarlet Fever	0·92	231	14	30	49	29	26	148	62	13	2	3	2	1	-	-	-	-
Diphtheria	0·04	10	2	-	1	-	2	5	3	-	2	-	-	-	-	-	-	-
Whooping-cough	0·47	118	49	41	15	7	3	115	3	-	-	-	-	-	-	-	-	-
Typhus	0·10	24	-	-	-	-	-	-	2	7	5	2	2	3	-	2	1	-
Enteric Fever	0·27	68	-	-	2	4	1	7	9	11	5	7	7	6	4	7	3	2
Simple Cont. Fev.	0·10	25	2	-	2	1	1	6	3	2	3	-	2	1	1	2	5	-
Puerp. Fever	0·07	17	-	-	-	-	-	-	-	-	1	4	10	2	-	-	-	-
Diarr. and Dys.	0·56	142	63	29	3	2	-	97	2	-	-	-	2	-	-	2	17	22
Cholera	0·02	5	1	-	-	-	-	1	-	1	-	-	-	-	-	1	2	-
Cancer	0·42	106	-	-	-	-	2	2	-	-	-	-	2	6	20	36	28	12
Scrofula	0·11	28	9	7	-	1	-	17	-	2	-	2	4	-	3	-	1	-
Tabes Mesent.	0·25	88	45	20	8	-	1	74	3	1	3	2	3	1	-	1	-	-
Phthisis	1·84	464	18	8	7	1	1	35	7	20	44	77	113	72	50	35	10	1
Hydrocephalus	0·25	64	14	15	7	4	7	47	13	3	1	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·52	636	111	30	14	6	2	163	13	10	7	9	12	16	37	81	152	136
Diseases of: Circulatory	1·13	285	1	-	-	-	-	1	3	3	6	3	14	18	33	75	86	43
Diseases of: Respiratory	2·49	629	177	63	19	9	6	274	10	5	5	4	8	30	24	57	112	100
Diseases of: Digestive	1·20	302	29	4	1	2	1	37	9	4	7	8	16	17	38	50	78	33
Diseases of: Urinary	0·51	128	-	1	2	1	1	5	1	1	1	4	8	8	10	22	45	23
Diseases of: Generative	0·06	15	-	-	-	-	-	-	-	1	2	1	-	2	1	1	7	-
Childbirth	0·11	27	-	-	-	-	-	-	-	-	3	4	11	8	1	-	-	-
Suicide	0·11	29	-	-	-	-	-	-	-	-	1	1	3	5	4	7	7	1
Other Violence	0·57	145	10	6	6	6	3	31	15	13	14	4	10	8	13	15	13	9
OTHER CAUSES	4·74	1195	465	31	11	11	4	522	17	16	5	4	15	15	26	49	131	395

Deaths of Infants (under one) to 1000 Births - 120

Marriages - 1,622
Births - 8,458

Annual Rate per 1000 living: Persons Married - 12·86; Births - 33·53

146.—BUCKINGHAM.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	18·71	—	—	—	—	—	45·96	4·50	2·58	4·97	5·61	6·65	8·74	9·64	24·98	55·70	152·06
Mean Pop. 1871-80	—	13,027	325	335	349	321	330	1660	1622	1473	1147	980	1578	1362	1193	1013	684	315
ALL CAUSES	18·71	2438	522	133	55	26	27	763	73	38	57	55	105	119	115	253	381	479
Small-pox	0·04	5	1	-	-	-	-	1	-	-	1	-	1	1	1	-	-	-
Measles	0·23	30	11	6	5	2	2	26	4	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·22	29	-	7	3	2	5	17	4	5	2	1	-	-	-	-	-	-
Diphtheria	0·09	12	1	3	1	-	1	6	3	2	-	-	-	-	1	-	-	-
Whooping-cough	0·35	46	22	17	4	1	1	45	1	-	-	-	-	-	-	-	-	-
Typhus	0·01	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Enteric Fever	0·25	32	-	1	-	1	1	3	2	3	7	3	6	2	2	2	2	-
Simple Cont. Fev.	0·05	7	-	-	-	-	-	-	1	2	-	-	-	1	1	2	-	-
Puerp. Fever	0·06	8	-	-	-	-	-	-	-	-	1	2	3	2	-	-	-	-
Diarr. and Dys.	0·43	56	27	6	-	1	-	34	1	-	-	-	-	1	-	3	5	12
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·61	80	-	-	-	-	-	-	-	-	1	-	1	8	13	27	21	9
Scrofula	0·07	9	1	-	1	-	1	3	-	1	-	2	1	-	-	2	-	-
Tabes Mesent.	0·13	17	6	4	-	-	1	11	3	-	1	-	2	-	-	-	-	-
Phthisis	1·67	217	5	5	3	-	-	13	9	8	19	32	53	39	24	16	4	-
Hydrocephalus	0·33	43	14	10	3	1	1	29	8	1	4	-	1	-	-	-	-	-
Diseases of: Nervous Syst.	1·93	252	47	10	4	2	4	67	5	2	2	2	4	7	15	40	60	43
Diseases of: Circulatory „	1·39	181	-	1	-	-	-	1	-	1	2	4	9	11	16	51	71	15
Diseases of: Respiratory „	2·37	309	92	34	16	8	4	154	7	3	1	1	5	11	13	36	46	32
Diseases of: Digestive „	0·86	112	15	-	1	-	1	17	2	3	5	-	5	14	11	24	22	9
Diseases of: Urinary „	0·45	58	1	1	1	-	-	3	2	1	2	2	5	5	3	13	16	6
Diseases of: Generative „	0·04	5	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-
Childbirth	0·07	9	-	-	-	-	-	-	-	-	-	-	3	6	-	-	-	-
Suicide	0·03	4	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-
Other Violence	0·35	45	10	2	4	2	2	20	4	2	1	3	2	5	1	3	2	2
OTHER CAUSES	6·68	871	269	26	9	6	3	313	16	4	8	3	3	4	13	31	130	346

Deaths of Infants (under one) to 1000 Births - 132 | Marriages - 797 | Births - 3,953 | Annual Rate per 1000 living: Persons Married - 12·24; Births - 30·34

OXFORDSHIRE.]

147.—HENLEY.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	16·97	—	—	—	—	—	35·94	3·76	2·64	4·41	5·68	7·03	8·87	12·99	25·07	61·59	179·71
Mean Pop. 1871-80	—	19,454	544	458	519	538	520	2579	2502	2345	1790	1479	2445	2075	1717	1344	828	350
ALL CAUSES	16·97	3301	583	174	81	51	38	927	94	62	79	84	172	184	223	337	510	629
Small-pox	0·02	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
Measles	0·17	34	7	10	4	4	3	28	4	-	-	-	1	-	1	-	-	-
Scarlet Fever	0·23	44	2	10	5	3	5	25	9	5	1	1	2	-	1	-	-	-
Diphtheria	0·08	15	1	-	-	3	4	8	5	-	-	1	-	1	-	-	-	-
Whooping-cough	0·32	63	31	18	3	6	2	60	3	-	-	-	-	-	-	-	-	-
Typhus	0·03	5	-	-	-	-	-	-	1	2	-	1	-	1	-	-	-	-
Enteric Fever	0·20	39	-	-	5	1	1	7	3	9	6	3	3	4	2	1	1	-
Simple Cont. Fev.	0·06	12	-	-	1	-	-	1	2	1	1	-	1	1	2	-	1	2
Puerp. Fever	0·06	11	-	-	-	-	-	-	-	-	-	3	4	4	-	-	-	-
Diarr. and Dys.	0·57	111	67	14	2	-	-	83	1	-	-	-	2	2	2	4	6	11
Cholera	0·01	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Cancer	0·52	102	-	-	-	-	-	-	-	-	-	-	1	12	15	23	32	19
Scrofula	0·10	19	2	4	1	1	-	8	1	2	-	4	1	3	-	-	-	-
Tabes Mesent.	0·08	16	6	2	1	-	-	9	2	3	-	1	1	-	-	-	-	-
Phthisis	1·63	317	7	2	4	1	1	15	8	10	30	37	73	51	45	28	18	2
Hydrocephalus	0·17	33	12	7	2	1	2	24	8	-	-	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·45	477	75	25	10	6	5	121	19	10	4	8	12	19	29	63	89	103
Diseases of: Circulatory „	1·71	332	1	-	-	-	-	1	2	2	7	2	15	15	31	69	108	80
Diseases of: Respiratory „	3·06	595	122	52	21	10	5	210	10	2	6	4	8	15	35	60	129	116
Diseases of: Digestive „	0·85	165	11	2	2	4	2	21	1	3	4	5	10	17	25	29	31	19
Diseases of: Urinary „	0·44	85	-	1	-	-	-	1	2	1	4	1	11	5	5	17	19	19
Diseases of: Generative „	0·05	10	-	-	-	-	-	-	-	-	-	1	-	2	4	1	1	1
Childbirth	0·07	13	-	-	-	-	-	-	-	-	-	-	5	8	-	-	-	-
Suicide	0·06	11	-	-	-	-	-	-	-	-	-	-	2	-	3	6	-	-
Other Violence	0·60	116	8	5	8	1	4	26	6	6	8	7	13	10	9	12	7	12
OTHER CAUSES	3·43	672	231	22	12	10	4	279	7	4	7	3	7	14	14	24	68	245

Deaths of Infants (under one) to 1000 Births - 99 | Marriages - 1,137 | Births - 5,906 | Annual Rate per 1000 living: Persons Married - 11·69; Births - 30·36

148.—THAME.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·62	—	—	—	—	—	47·37	4·47	3·19	4·13	6·60	7·33	8·42	11·59	21·76	58·21	158·17
Mean Pop. 1871-80	—	14,434	409	369	382	368	395	1923	1855	1785	1308	1046	1677	1449	1337	1066	682	306
ALL CAUSES	18·62	2687	590	148	82	45	46	911	83	57	54	69	123	122	155	232	397	484
Small-pox	0·03	5	-	-	-	-	-	-	-	1	-	-	2	-	-	2	-	-
Measles	0·21	30	4	10	8	3	1	26	4	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·48	69	3	8	14	9	10	44	16	7	-	-	-	-	2	-	-	-
Diphtheria	0·10	15	-	3	1	1	2	7	4	4	-	-	-	-	-	-	-	-
Whooping-cough	0·36	52	21	13	12	3	2	51	1	-	-	-	-	-	-	-	-	-
Typhus	0·03	4	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-
Enteric Fever	0·25	36	-	1	1	-	3	5	6	5	7	5	1	1	3	2	1	-
Simp. Cont. Fev.	0·08	11	-	-	-	-	1	1	3	1	1	1	-	-	1	3	-	-
Puerp. Fever	0·08	11	-	-	-	-	-	-	-	-	3	2	3	3	-	-	-	-
Diarr. and Dys.	0·39	57	22	7	2	-	-	31	1	-	-	1	1	-	-	8	3	12
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·44	64	-	-	-	-	1	1	-	-	-	-	1	5	19	13	19	6
Scrofula	0·23	40	19	5	4	-	2	30	-	-	3	1	2	-	1	2	1	-
Tabes Mesent.	0·27	39	21	9	1	2	2	35	2	-	-	1	-	1	-	-	-	-
Phthisis	1·63	243	13	7	1	-	1	22	7	12	22	34	50	38	32	19	6	1
Hydrocephalus	0·14	20	3	1	2	-	1	7	9	3	-	-	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·19	316	76	10	7	7	4	104	8	5	2	2	14	8	18	33	77	45
Diseases of: Circulatory	1·19	172	-	-	-	-	-	-	-	5	3	3	4	18	18	34	54	31
Diseases of: Respiratory	2·77	400	129	42	12	9	6	198	2	2	4	1	8	8	21	33	67	56
Diseases of: Digestive	1·03	149	26	4	5	3	2	40	5	4	3	2	5	9	13	32	23	13
Diseases of: Urinary	0·31	45	-	1	-	-	-	1	1	-	2	3	3	6	5	7	10	7
Diseases of: Generative	0·03	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-
Childbirth	0·12	17	-	-	-	-	-	-	-	-	-	4	7	6	-	-	-	-
Suicide	0·06	9	-	-	-	-	-	-	-	-	-	-	3	-	-	2	2	2
Other Violence	0·40	58	3	6	2	2	4	17	7	2	-	3	4	5	5	5	5	5
Other Causes	5·70	821	250	21	10	6	4	291	7	6	4	6	11	12	16	35	127	306

Deaths of Infants (under one) to 1000 Births - 133

Marriages - 875
Births - 4,450

Annual Rate per 1000 living: Persons Married - 12·12; Births - 30·83

149.—HEADINGTON.*

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	21·12	—	—	—	—	—	49·77	5·52	4·64	6·61	6·96	9·69	13·12	20·75	32·68	69·91	171·81
Mean Pop. 1871-80	—	* 24,820	671	615	652	632	635	3205	2953	2889	2495	2099	3448	2676	2067	1576	997	415
ALL CAUSES	21·12	5242	1056	259	133	78	69	1595	163	134	165	146	334	351	429	515	697	713
Small-pox	0·19	48	4	1	1	-	1	7	5	8	6	2	9	7	3	1	-	-
Measles	0·17	43	11	13	6	6	1	37	4	-	-	1	1	-	-	-	-	-
Scarlet Fever	0·41	103	4	10	16	14	15	59	25	13	-	4	-	2	-	-	-	-
Diphtheria	0·19	48	1	2	4	8	7	22	16	6	-	2	1	1	-	-	-	-
Whooping-cough	0·21	52	23	20	5	1	1	50	1	1	-	-	-	-	-	-	-	-
Typhus	0·03	7	-	-	-	1	-	1	2	1	1	1	-	-	-	-	1	-
Enteric Fever	0·29	72	-	1	1	-	2	4	4	14	13	6	12	5	10	3	1	-
Simple Cont. Fev.	0·12	29	-	1	2	2	1	6	6	3	2	2	1	3	3	2	1	-
Puerp. Fever	0·05	13	-	-	-	-	-	-	-	-	-	4	7	2	-	-	-	-
Diarr. and Dys.	0·66	163	104	19	7	3	2	135	2	1	-	-	1	1	3	7	4	9
Cholera	0·01	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
Cancer	0·66	163	-	-	-	-	-	-	-	-	-	-	4	17	41	48	39	14
Scrofula	0·48	120	47	31	10	1	6	95	10	2	6	-	1	1	3	-	2	-
Tabes Mesent.	0·11	28	9	3	4	1	-	17	-	5	1	-	2	-	2	-	1	-
Phthisis	2·32	576	5	4	4	1	3	17	4	20	61	50	143	120	86	54	19	2
Hydrocephalus	0·29	73	19	15	7	3	1	45	13	8	3	1	1	1	-	1	-	-
Diseases of: Nervous Syst.	2·54	631	121	24	14	5	5	169	12	6	16	10	23	29	44	68	150	104
Diseases of: Circulatory	1·64	406	3	-	1	-	-	4	7	3	10	9	23	29	49	93	119	55
Diseases of: Respiratory	2·47	613	175	62	28	14	8	287	6	2	6	8	19	28	40	67	85	70
Diseases of: Digestive	1·12	278	26	2	3	-	4	35	9	3	7	8	11	33	50	58	47	17
Diseases of: Urinary	0·63	157	2	1	1	-	-	4	7	5	3	8	15	16	19	23	40	17
Diseases of: Generative	0·11	27	-	-	-	-	-	-	-	-	2	-	7	6	4	6	1	1
Childbirth	0·07	17	-	-	-	-	-	-	-	-	1	1	7	6	2	-	-	-
Suicide	0·08	21	-	-	-	-	-	-	-	-	-	2	5	4	3	3	3	1
Other Violence	0·85	210	10	10	8	8	6	42	16	14	14	16	17	20	23	28	10	10
Other Causes	5·42	1342	491	40	11	10	6	558	14	14	13	11	24	25	43	53	174	413

Deaths of Infants (under one) to 1000 Births - 132

Marriages - 1,575
Births - 7,986

Annual Rate per 1000 living: Persons Married - 12·69; Births - 32·18

* Changes were made in the boundary of this District during the decade; *see* Table, pp. 371–78.

150.—OXFORD.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·68	—	—	—	—	—	62·50	4·82	3·76	3·55	5·07	8·10	11·16	15·42	28·28	53·26	163·22
Mean Pop. 1871-80	—	21,459	584	535	527	506	515	2667	2364	2259	2340	2169	3161	2402	1861	1273	721	242
ALL CAUSES	18·68	4009	1080	325	121	88	53	1667	114	85	83	110	256	268	287	360	384	395
Small-pox	0·17	37	4	1	1	3	2	11	4	4	6	2	6	3	-	-	1	-
Measles	0·21	46	10	15	7	8	5	45	1	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·29	62	-	10	10	11	9	40	13	5	-	3	-	-	1	-	-	-
Diphtheria	0·23	49	2	12	4	12	5	35	10	1	1	-	2	-	-	-	-	-
Whooping-cough	0·31	66	33	22	6	2	1	64	2	-	-	-	-	-	-	-	-	-
Typhus	0·01	2	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-
Enteric Fever	0·20	42	1	1	2	2	-	6	8	9	1	4	6	5	2	1	-	-
Simple Cont. Fev.	0·07	16	3	1	2	2	-	8	-	2	-	2	1	-	2	-	1	-
Puerp. Fever	0·09	19	-	-	-	-	-	-	-	-	-	6	9	3	1	-	-	-
Diarr. and Dys.	1·09	234	166	40	4	-	1	211	1	2	2	1	3	1	1	1	2	9
Cholera	0·02	5	3	1	-	-	-	4	1	-	-	-	-	-	-	-	-	-
Cancer	0·39	83	-	-	1	-	-	1	-	1	-	1	1	14	23	19	17	6
Scrofula	0·12	26	8	4	2	4	1	19	1	-	1	-	3	-	2	-	-	-
Tabes Mesent.	0·22	47	25	8	4	-	2	39	2	2	3	-	1	-	-	-	-	-
Phthisis	2·53	542	16	10	5	6	3	40	9	13	40	58	123	90	93	53	13	1
Hydrocephalus	0·39	83	27	19	13	3	5	67	13	1	2	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	1·94	416	129	38	6	4	2	170	3	12	3	1	13	19	26	56	65	48
Diseases of: Circulatory „	1·15	247	1	-	-	-	-	1	4	5	5	3	20	25	34	64	61	27
Diseases of: Respiratory „	3·31	710	220	95	37	19	8	379	12	4	2	2	17	30	27	67	94	76
Diseases of: Digestive „	0·78	168	25	2	1	1	2	31	3	3	-	5	9	15	24	36	34	8
Diseases of: Urinary „	0·40	86	-	2	-	1	-	3	1	1	1	2	11	8	13	20	14	12
Diseases of: Generative „	0·06	13	-	-	-	-	-	-	-	-	-	1	2	3	3	1	2	1
Childbirth	0·07	16	-	-	-	-	-	-	-	-	1	3	7	5	-	-	-	-
Suicide	0·11	23	-	-	-	-	-	-	-	-	2	4	2	5	7	2	1	-
Other Violence	0·41	89	4	5	3	1	-	13	15	9	6	7	8	10	8	6	4	3
Other Causes	4·11	882	412	39	13	9	6	479	11	11	7	5	11	25	20	34	75	204

Deaths of Infants (under one) to 1000 Births - 159 | Marriages - 1,863 | Births - 6,774 | Annual Rate per 1000 living: Persons Married - 17·36; Births - - - 31·57

151.—BICESTER.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·89	—	—	—	—	—	43·87	3·29	3·13	4·74	5·95	6·72	9·10	10·72	21·55	55·37	166·12
Mean Pop. 1871-80	—	14,870	412	348	429	364	396	1949	1884	1726	1350	1110	1727	1572	1418	1095	735	304
ALL CAUSES	17·89	2660	570	142	61	42	40	855	62	54	64	66	116	143	152	236	407	505
Small-pox	0·03	4	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-
Measles	0·21	31	8	10	2	6	2	28	2	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·36	54	3	4	6	6	10	29	16	7	1	-	-	1	-	-	-	-
Diphtheria	0·07	11	2	1	2	-	2	7	1	-	1	-	1	-	1	-	-	-
Whooping-cough	0·20	30	13	12	2	-	2	29	1	-	-	-	-	-	-	-	-	-
Typhus	0·01	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Enteric Fever	0·20	30	1	-	-	1	2	4	-	5	5	6	1	2	4	-	2	1
Simp. Cont. Fev.	0·07	10	-	-	1	-	-	1	-	4	1	1	1	-	2	-	-	-
Puerp. Fever	0·04	6	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-
Diarr. and Dys.	0·42	63	32	5	1	1	-	39	2	-	-	-	2	-	-	3	9	8
Cholera	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Cancer	0·41	61	-	-	-	-	-	-	-	-	-	-	1	4	8	20	21	7
Scrofula	0·17	25	5	4	1	-	-	10	1	3	1	3	1	2	2	2	-	-
Tabes Mesent.	0·24	35	20	9	1	-	-	30	2	-	2	-	1	-	-	-	-	-
Phthisis	1·53	227	11	3	3	1	-	18	2	10	23	37	48	41	27	12	9	-
Hydrocephalus	0·21	31	8	9	6	2	2	27	2	2	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·45	364	73	12	5	5	1	96	7	4	8	2	13	14	19	42	82	77
Diseases of: Circulatory „	1·16	173	1	-	-	-	1	2	2	2	3	2	4	16	19	4	47	36
Diseases of: Respiratory „	2·92	434	122	48	21	8	6	205	6	2	4	2	10	18	15	33	70	69
Diseases of: Digestive „	1·02	151	15	1	1	2	2	21	4	1	3	4	7	12	15	35	27	22
Diseases of: Urinary „	0·44	65	1	-	-	-	1	2	2	1	1	2	3	4	5	11	21	13
Diseases of: Generative „	0·04	6	-	-	-	-	..	-	-	-	-	-	-	2	2	1	1	-
Childbirth	0·11	16	-	-	-	-	-	-	-	-	1	2	4	8	1	-	-	-
Suicide	0·11	16	-	-	-	-	-	-	-	-	-	-	3	-	6	5	2	-
Other Violence	0·43	64	2	2	1	2	3	10	5	9	3	1	6	8	4	3	11	4
Other Causes	5·03	750	253	22	8	8	6	297	7	3	6	1	7	8	20	29	104	268

Deaths of Infants (under one) to 1000 Births - 125 | Marriages - 868 | Births - 4,371 | Annual Rate per 1000 living: Persons Married - 11·67; Births - - - 30·74

152.—WOODSTOCK.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·74	—	—	—	—	—	41·71	4·14	2·95	4·40	7·89	8·37	9·43	12·95	24·25	58·69	179·23
Mean Pop. 1871-80	—	13,695	412	358	389	359	388	1906	1765	1558	1181	1014	1672	1463	1243	994	639	260
ALL CAUSES	18·74	2567	520	153	61	40	21	795	73	46	52	80	140	138	161	241	375	466
Small-pox	0·02	3	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-
Measles	0·21	29	8	10	4	3	-	25	4	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·25	34	2	8	5	2	2	19	10	3	-	-	1	-	1	-	-	-
Diphtheria	0·19	26	3	2	2	4	4	15	7	3	1	-	-	-	-	-	-	-
Whooping-cough	0·26	36	11	14	8	1	1	35	1	-	-	-	-	-	-	-	-	-
Typhus	0·02	3	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-
Enteric Fever	0·20	28	-	1	1	-	-	2	6	2	5	1	3	3	1	3	1	1
Simple Cont. Fev.	0·06	8	-	-	-	2	-	2	-	2	1	1	1	-	-	1	-	-
Puerp. Fever	0·04	6	-	-	-	-	-	-	-	-	-	1	2	3	-	-	-	-
Diarr. and Dys.	0·51	70	28	10	3	1	-	42	1	-	-	-	-	4	3	-	12	8
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·46	63	-	-	-	-	-	-	-	-	-	-	1	3	12	13	20	9
Scrofula	0·04	5	1	1	-	-	-	2	-	1	2	-	-	-	-	-	-	-
Tabes Mesent.	0·29	40	24	6	3	1	-	34	2	2	1	-	-	-	1	-	-	-
Phthisis	1·78	244	9	5	2	1	1	18	4	7	17	46	58	38	27	20	9	-
Hydrocephalus	0·24	33	8	10	1	2	1	22	6	3	1	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·42	332	63	21	4	3	2	93	3	6	4	3	13	11	23	49	60	62
Diseases of: Circulatory „	1·35	185	1	-	1	-	-	2	1	1	1	2	9	11	16	41	63	38
Diseases of: Respiratory „	3·17	434	119	40	13	7	3	182	8	3	4	4	11	17	23	48	69	65
Diseases of: Digestive „	0·93	128	11	6	2	-	-	19	1	4	4	3	12	10	15	25	28	7
Diseases of: Urinary „	0·55	75	2	-	-	-	-	2	2	-	3	-	5	7	8	13	20	15
Diseases of: Generative „	0·04	6	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	-
Childbirth	0·09	13	-	-	-	-	-	-	-	-	1	4	3	5	-	-	-	-
Suicide	0·04	5	-	-	-	-	-	-	-	-	1	-	-	-	2	-	2	-
Other Violence	0·65	91	7	4	2	4	3	20	6	2	3	7	15	11	9	6	5	7
Other Causes	4·92	670	223	15	10	9	4	261	9	6	3	6	5	12	13	25	76	254

Deaths of Infants (under one) to 1000 Births - 120

Marriages - 870
Births - 4,341

Annual Rate per 1000 living { Persons Married - 12·71; Births - 31·70

153.—WITNEY.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·48	—	—	—	—	—	45·81	5·03	3·43	4·00	7·17	7·90	9·85	13·20	21·69	53·30	165·55
Mean Pop. 1871-80	—	22,220	658	568	626	621	603	3076	2903	2564	1948	1506	2569	2365	2000	1655	1152	479
ALL CAUSES	19·48	4329	928	254	105	57	65	1409	147	88	78	108	203	233	264	392	614	793
Small-pox	0·04	9	-	-	-	-	1	1	2	1	-	-	1	1	1	-	2	-
Measles	0·14	31	3	13	10	1	2	29	2	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·46	102	6	7	11	17	16	57	34	9	1	1	-	-	-	-	-	-
Diphtheria	0·15	34	3	7	2	3	2	17	15	-	-	1	-	1	-	-	-	-
Whooping-cough	0·36	79	42	19	11	1	4	77	2	-	-	-	-	-	-	-	-	-
Typhus	0·07	15	-	-	1	1	-	2	2	1	1	3	4	-	-	2	-	-
Enteric Fever	0·27	59	2	2	3	3	1	11	10	7	4	3	7	3	6	3	2	3
Simple Cont. Fev	0·05	11	-	-	-	1	-	1	4	1	-	2	1	1	-	-	1	-
Puerp. Fever	0·05	12	-	-	-	-	-	-	-	-	2	4	1	5	-	-	-	-
Diarr. and Dys.	0·54	121	49	22	1	3	-	75	3	-	-	-	-	-	3	9	12	19
Cholera	0·02	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1
Cancer	0·57	127	-	-	-	-	-	-	-	-	-	1	3	12	28	40	34	9
Scrofula	0·12	27	2	4	1	-	2	9	1	4	5	1	2	2	1	2	-	-
Tabes Mesent.	0·15	33	11	8	2	2	1	24	1	4	2	-	-	2	-	-	-	-
Phthisis	1·74	387	12	6	4	2	4	28	10	13	31	53	98	68	42	34	5	-
Hydrocephalus	0·33	73	28	20	8	1	4	61	5	3	2	2	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·61	580	115	20	13	3	7	158	7	6	8	5	14	24	45	65	124	124
Diseases of: Circulatory „	1·62	361	5	-	-	-	1	6	4	4	4	4	11	27	30	70	124	77
Diseases of: Respiratory „	3·15	701	170	57	18	8	4	257	12	6	5	6	13	24	36	78	126	138
Diseases of: Digestive „	0·93	206	17	5	-	-	1	23	5	5	3	2	17	15	20	30	55	21
Diseases of: Urinary „	0·52	116	-	2	-	2	2	6	6	1	2	3	4	12	14	21	34	15
Diseases of: Generative „	0·07	15	-	-	-	-	1	1	-	-	-	-	1	1	3	5	3	1
Childbirth	0·12	27	-	-	-	-	-	-	-	-	-	3	9	13	2	-	-	-
Suicide	0·03	7	-	-	-	-	-	-	-	-	-	-	2	2	1	1	1	-
Other Violence	0·47	105	12	7	7	3	3	32	7	11	5	7	8	7	6	6	6	10
Other Causes	4·89	1085	451	55	13	6	9	524	15	7	3	7	7	12	15	25	85	275

Deaths of Infants (under one) to 1000 Births - 126

Marriages - 1,453
Births - 7,370

Annual Rate per 1000 living { Persons Married - 13·08; Births - 33·17

154.—CHIPPING NORTON.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	18·95	—	—	—	—	—	46·54	3·39	2·38	4·97	6·71	7·93	8·90	13·54	23·17	62·38	169·30
Mean Pop. 1871-80	—	17,948	529	476	526	496	487	2514	2302	2062	1631	1281	2195	1911	1610	1273	840	329
ALL CAUSES	18·95	3402	800	200	86	53	31	1170	78	49	81	86	174	170	218	295	524	557
Small-pox	0·06	10	-	-	-	-	-	-	-	-	1	1	3	2	2	-	1	-
Measles	0·19	34	7	10	8	3	4	32	1	-	-	1	-	-	-	-	-	-
Scarlet Fever	0·27	49	4	7	15	6	2	34	12	3	-	-	-	-	-	-	-	-
Diphtheria	0·12	22	2	3	2	4	4	15	5	-	-	-	-	-	1	1	-	-
Whooping-cough	0·18	32	17	9	2	-	2	30	1	1	-	-	-	-	-	-	-	-
Typhus	0·01	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Enteric Fever	0·30	54	-	1	1	-	1	3	3	9	10	4	11	6	3	3	1	1
Simple Cont. Fev.	0·11	20	-	-	1	-	-	1	3	4	3	1	3	1	1	2	1	-
Puerp. Fever	0·06	10	-	-	-	-	-	-	-	-	-	3	3	3	1	-	-	-
Diarr. and Dys.	0·37	66	29	9	2	1	-	41	1	-	-	-	1	-	-	4	7	12
Cholera	0·03	5	1	2	-	1	-	4	-	-	-	-	-	-	1	-	-	-
Cancer	0·53	95	-	-	-	-	-	-	-	-	-	-	2	11	17	14	32	19
Scrofula	0·24	43	19	6	1	2	-	28	-	2	2	1	4	1	4	1	-	-
Tabes Mesent.	0·17	30	16	5	2	-	1	24	2	2	-	-	1	-	1	-	-	-
Phthisis	1·68	302	9	16	4	2	2	33	5	10	32	32	70	49	42	9	17	3
Hydrocephalus	0·27	49	14	13	6	3	-	36	7	3	3	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·43	441	81	30	9	8	6	134	14	2	6	6	13	11	18	50	103	84
Diseases of: Circulatory ,,	1·63	293	7	1	1	3	-	12	2	2	3	8	9	23	38	66	89	47
Diseases of: Respiratory ,,	2·99	537	158	51	17	9	4	239	8	3	6	7	14	14	27	47	97	75
Diseases of: Digestive ,,	1·01	181	15	5	1	1	1	23	5	-	-	3	8	17	29	34	37	25
Diseases of: Urinary ,,	0·51	92	-	1	-	-	-	1	-	-	5	2	7	9	10	20	18	20
Diseases of: Generative ,,	0·04	8	-	-	-	-	-	-	-	-	-	-	-	1	4	2	1	-
Childbirth	0·11	20	-	-	-	-	-	-	-	-	1	4	7	7	1	-	-	-
Suicide	0·05	9	-	-	-	-	-	-	-	-	1	1	-	3	1	3	-	-
Other Violence	0·42	75	8	5	2	5	1	21	3	4	4	5	6	5	6	7	9	5
OTHER CAUSES	5·14	923	413	26	12	5	3	459	6	4	3	7	11	7	17	32	111	266

Deaths of Infants (under one) to 1000 Births - 132 | Marriages - 1,190 | Births - 6,054 | Annual Rate per 1000 living: Persons Married - 13·26; Births - 33·73

155.—BANBURY.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	19·30	—	—	—	—	—	45·70	4·72	3·28	4·32	7·38	8·01	10·00	14·81	21·05	63·08	181·64
Mean Pop. 1871-80	—	30,664	876	735	832	790	793	4026	3812	3662	2822	2263	3731	3320	2362	2237	1357	572
ALL CAUSES	19·30	5917	1208	312	169	96	55	1840	180	120	122	167	299	332	424	538	856	1039
Small-pox	0·04	12	1	-	-	-	1	2	-	-	-	3	1	2	3	-	1	-
Measles	0·29	88	15	30	15	8	3	71	9	6	1	-	-	-	-	1	-	-
Scarlet Fever	0·54	167	10	14	27	24	15	90	54	15	3	1	1	2	-	-	1	-
Diphtheria	0·04	12	1	1	1	3	1	7	2	-	-	-	-	1	-	1	1	-
Whooping-cough	0·31	95	39	27	14	6	1	87	8	-	-	-	-	-	-	-	-	-
Typhus	0·02	5	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-	-
Enteric Fever	0·32	99	1	3	4	3	2	13	10	12	14	15	15	5	5	6	2	2
Simple Cont. Fev.	0·08	24	1	1	1	2	-	5	-	-	2	3	6	2	4	1	1	-
Puerp. Fever	0·04	12	-	-	-	-	-	-	-	-	1	3	7	-	1	-	-	-
Diarr. and Dys.	0·50	153	74	22	6	1	2	105	3	1	1	-	-	-	3	11	11	18
Cholera	0·01	4	-	-	-	1	-	1	-	-	-	-	-	1	-	1	1	-
Cancer	0·49	151	-	-	1	-	-	1	-	-	1	-	4	15	34	38	37	21
Scrofula	0·12	37	4	5	5	-	-	14	-	3	3	3	2	2	3	2	5	-
Tabes Mesent.	0·27	84	42	16	4	1	-	63	6	4	3	1	1	-	1	3	2	-
Phthisis	1·73	531	21	21	5	2	2	51	8	23	38	76	114	109	63	30	14	-
Hydrocephalus	0·19	59	19	12	4	5	3	43	8	4	1	1	2	-	-	-	-	-
Diseases of: Nervous Syst	2·45	752	139	25	18	4	5	191	15	14	8	14	22	33	47	93	156	156
Diseases of: Circulatory ,,	1·59	487	1	1	-	1	1	4	1	2	8	8	27	32	64	92	173	76
Diseases of: Respiratory ,,	2·98	914	215	81	37	18	7	358	17	8	12	7	31	24	62	111	151	163
Diseases of: Digestive ,,	1·13	346	26	7	2	2	1	38	7	6	3	7	23	33	53	54	82	49
Diseases of: Urinary ,,	0·30	91	-	-	1	1	1	3	1	2	-	3	5	10	12	12	21	22
Diseases of: Generative ,,	0·03	10	-	-	-	-	-	-	-	-	-	1	-	2	1	1	4	1
Childbirth	0·13	41	-	-	-	-	-	-	-	-	1	7	14	17	2	-	-	-
Suicide	0·06	19	-	-	-	-	-	-	-	-	-	2	2	4	-	6	3	2
Other Violence	0·42	128	12	6	8	3	1	30	10	7	12	2	5	13	13	13	10	13
OTHER CAUSES	5·22	1596	587	40	16	11	9	663	21	9	9	10	17	25	48	62	180	552

Deaths of Infants (under one) to 1000 Births - 125 | Marriages - 2,127 | Births - 9,646 | Annual Rate per 1000 living: Persons Married - 13·87; Births - 31·46

NORTHAMPTONSHIRE.

156.—BRACKLEY.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	18·56	—	—	—	—	—	44·46	4·38	3·93	3·98	7·34	6·89	8·01	10·86	22·76	58·26	177·41
Mean Pop. 1871-80	—	12,926	360	319	337	334	328	1678	1600	1477	1182	926	1553	1385	1197	984	674	270
ALL CAUSES	18·56	2399	504	134	54	33	21	746	70	58	47	68	107	111	130	224	359	479
Small-pox	0·01	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Measles	0·21	27	5	14	2	2	–	23	3	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·46	59	2	7	11	12	7	39	11	5	1	–	3	–	–	–	–	–
Diphtheria	0·02	2	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Whooping-cough	0·27	35	15	13	5	–	–	33	1	1	–	–	–	–	–	–	–	–
Typhus	0·08	10	–	–	–	–	–	–	–	3	2	1	2	1	–	1	–	–
Enteric Fever	0·33	43	1	2	–	–	1	4	6	5	4	4	7	6	4	2	1	–
Simple Cont. Fev.	0·18	23	–	1	1	1	1	4	2	3	2	2	3	3	–	2	2	–
Puerp. Fever	0·04	5	–	–	–	–	–	–	–	–	–	1	2	1	1	–	–	–
Diarr. and Dys.	0·37	48	16	5	4	–	1	26	–	–	1	–	1	1	1	2	5	11
Cholera	0·02	3	–	–	–	1	–	1	–	–	–	–	–	–	2	–	–	–
Cancer	0·35	45	–	–	–	–	–	–	–	–	–	–	–	7	12	11	13	2
Scrofula	0·08	10	–	1	–	–	–	1	1	2	–	–	1	2	2	1	–	–
Tabes Mesent.	0·26	34	19	4	3	2	–	28	2	1	1	–	1	–	–	–	1	–
Phthisis	1·52	196	7	3	2	3	–	15	5	6	12	36	45	24	19	23	9	2
Hydrocephalus	0·23	30	14	7	1	–	1	23	5	–	–	–	1	–	–	1	–	–
Diseases of: Nervous Syst.	2·67	345	34	13	2	1	2	52	5	7	7	5	8	8	14	52	93	94
Diseases of: Circulatory „	1·20	155	3	–	–	–	–	3	1	3	5	4	8	9	19	38	39	26
Diseases of: Respiratory „	2·55	330	85	31	14	6	1	137	8	6	2	5	4	13	13	24	61	54
Diseases of: Digestive „	1·15	149	19	1	1	1	1	23	8	3	2	4	4	13	14	13	40	20
Diseases of: Urinary „	0·32	42	–	2	–	–	–	2	1	–	1	–	3	4	6	9	8	8
Diseases of: Generative „	0·02	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–
Childbirth	0·06	8	–	–	–	–	–	–	–	–	–	2	2	4	–	–	–	–
Suicide	0·02	3	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–
Other Violence	0·32	42	3	–	2	1	2	8	4	2	1	2	2	1	4	6	6	6
OTHER CAUSES	5·82	751	279	30	6	3	4	322	7	9	6	2	8	10	19	33	79	256

Deaths of Infants (under one) to 1000 Births - 128 | Marriages - 816 | Births - 3,951 | Annual Rate per 1000 living: Persons Married - 12·63; Births - 30·57

157.—TOWCESTER.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	18·83	—	—	—	—	—	45·49	4·85	1·92	5·01	6·88	6·72	10·11	10·28	23·21	61·60	163·74
Mean Pop. 1871-80	—	12,786	360	314	347	323	355	1708	1566	1406	1138	916	1606	1385	1226	948	625	262
ALL CAUSES	18·83	2408	562	118	50	26	21	777	76	27	57	63	108	140	126	220	385	429
Small-pox	0·06	8	1	–	–	–	–	1	2	–	–	–	–	1	2	1	1	–
Measles	0·21	27	3	9	5	2	1	20	6	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·28	36	–	6	2	7	7	22	11	1	1	–	1	–	–	–	–	–
Diphtheria	0·07	9	–	–	1	2	1	4	4	1	–	–	–	–	–	–	–	–
Whooping-cough	0·31	39	21	7	5	1	2	36	3	–	–	–	–	–	–	–	–	–
Typhus	0·02	3	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–
Enteric Fever	0·32	41	–	3	2	1	–	6	6	3	6	3	5	2	3	2	4	1
Simple Cont. Fev.	0·03	4	1	–	–	–	1	2	1	1	–	–	–	–	–	–	–	–
Puerp. Fever	0·05	7	–	–	–	–	–	–	–	–	–	–	4	3	–	–	–	–
Diarr. and Dys.	0·52	67	21	5	1	2	1	30	–	–	–	1	–	1	1	2	11	21
Cholera	0·03	4	–	2	–	–	–	2	–	–	–	–	–	–	–	1	–	1
Cancer	0·45	58	–	–	–	–	–	–	–	–	–	–	1	6	8	18	18	7
Scrofula	0·17	22	4	2	–	–	–	6	2	–	2	3	–	–	3	2	4	–
Tabes Mesent.	0·29	37	19	7	2	1	–	29	–	3	2	–	–	2	–	–	1	–
Phthisis	1·54	197	17	5	2	–	–	24	2	3	24	31	35	42	15	15	6	–
Hydrocephalus	0·36	46	24	15	1	1	–	41	3	–	1	–	1	–	–	–	–	–
Diseases of: Nervous Syst.	2·21	283	44	6	3	2	2	57	2	3	8	6	8	11	10	42	71	63
Diseases of: Circulatory „	1·44	184	1	–	1	1	–	3	–	3	1	4	8	9	13	51	58	31
Diseases of: Respiratory „	2·93	375	123	27	15	2	4	171	4	3	–	3	10	13	20	19	58	74
Diseases of: Digestive „	1·20	154	17	3	3	–	–	23	7	1	1	–	6	11	16	19	37	23
Diseases of: Urinary „	0·43	55	–	–	1	–	–	1	1	–	2	2	4	6	2	9	19	9
Diseases of: Generative „	0·07	9	1	–	–	–	–	1	–	–	–	–	2	–	1	2	1	2
Childbirth	0·13	17	–	–	–	–	–	–	–	–	2	2	7	6	–	–	–	–
Suicide	0·07	9	–	–	–	–	–	–	–	–	–	2	1	2	3	1	–	–
Other Violence	0·52	67	8	1	3	–	–	12	9	3	1	2	6	10	11	7	4	2
OTHER CAUSES	5·12	630	257	20	3	4	2	286	13	1	6	3	9	13	15	19	92	193

Deaths of Infants (under one) to 1000 Births - 134 | Marriages - 818 | Births - 4,185 | Annual Rate per 1000 living: Persons Married - 12·80; Births - 32·73

158.—POTTERSPURY.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	16·85	—	—	—	—	—	15·34	4·00	2·98	4·89	5·80	5·84	9·79	11·74	23·57	49·90	154·74
Mean Pop. 1871-80	—	11,974	358	299	336	318	299	1610	1476	1377	1186	948	1541	1257	1082	892	505	190
ALL CAUSES	16·85	2018	497	118	55	33	27	730	59	41	58	55	90	123	127	189	252	294
Small-pox	0·01	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Measles	0·22	26	6	9	3	4	2	24	2	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·45	51	7	11	6	7	6	37	10	3	3	1	-	-	-	-	-	-
Diphtheria	0·07	8	3	1	1	1	-	6	-	1	-	-	1	-	-	-	-	-
Whooping-cough	0·26	31	15	6	4	4	2	31	-	-	-	-	-	-	-	-	-	-
Typhus	0·03	3	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-
Enteric Fever	0·35	42	-	3	-	1	1	5	5	4	5	3	5	5	4	1	3	2
Simple Cont. Fev.	0·14	17	2	1	1	-	-	4	2	2	1	1	-	1	-	2	3	1
Puerp. Fever	0·07	8	-	-	-	-	-	-	-	-	-	1	6	1	-	-	-	-
Diarr. and Dys.	0·38	45	21	7	-	-	1	29	-	-	-	-	-	1	-	5	5	5
Cholera	0·02	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Cancer	0·53	67	-	-	-	-	-	-	-	-	-	-	2	4	13	24	19	5
Scrofula	0·12	14	4	2	1	-	-	7	-	-	-	-	1	2	2	-	1	1
Tabes Mesent.	0·24	29	18	4	2	-	-	24	-	1	1	-	2	1	-	-	-	-
Phthisis	1·63	195	2	-	1	-	-	3	1	11	27	26	39	43	31	10	4	-
Hydrocephalus	0·38	46	17	6	9	-	4	36	9	-	-	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·25	270	70	12	5	3	3	93	4	6	2	4	6	12	14	34	50	45
Diseases of: Circulatory „	1·07	128	3	-	-	-	-	3	2	-	1	3	3	10	15	32	38	21
Diseases of: Respiratory „	2·13	255	72	26	6	3	5	112	1	2	3	1	6	10	13	32	41	34
Diseases of: Digestive „	0·64	77	8	6	2	1	-	17	4	1	2	2	1	4	6	15	16	9
Diseases of: Urinary „	0·33	39	-	1	1	-	-	2	-	2	1	1	5	3	4	12	5	4
Diseases of: Generative „	0·05	6	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	1
Childbirth	0·10	12	-	-	-	-	-	-	-	-	1	3	3	4	1	-	-	-
Suicide	0·05	6	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-
Other Violence	0·48	57	8	2	1	1	-	12	8	2	8	2	3	4	9	5	2	2
Other Causes	4·82	580	240	21	12	8	3	284	11	5	2	5	7	15	11	14	62	164

Deaths of Infants (under one) to 1000 Births - 128

Marriages - 750
Births - 3,875

Annual Rate per 1000 living { Persons Married - 12·53
Births - - - 32·36

159.—HARDINGSTONE.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·76	—	—	—	—	—	48·72	4·38	3·86	7·35	6·88	7·93	9·42	11·73	24·36	51·20	177·65
Mean Pop. 1871-80	—	10,573	301	301	301	271	273	1447	1301	1166	953	857	1350	1168	963	739	459	170
ALL CAUSES	18·76	1983	457	124	62	30	32	705	57	45	70	59	107	110	113	180	235	302
Small-pox	0·25	26	3	1	-	-	-	4	3	3	5	2	4	2	2	1	-	
Measles	0·21	22	2	10	10	-	-	22	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·43	45	2	5	4	3	8	22	12	7	3	-	1	-	-	-	-	-
Diphtheria	0·09	10	1	-	2	2	1	6	4	-	-	-	-	-	-	-	-	-
Whooping-cough	0·28	30	7	12	8	3	-	30	-	-	-	-	-	-	-	-	-	-
Typhus	0·05	6	-	-	1	-	-	1	-	-	-	3	-	1	1	-	-	
Enteric Fever	0·36	38	1	-	1	-	-	2	4	4	11	5	6	3	2	1	-	
Simple Cont. Fev.	0·20	21	-	1	1	1	2	5	6	1	1	-	1	-	-	2	5	-
Puerp. Fever	0·05	6	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-
Diarr. and Dys.	0·85	91	46	18	2	1	1	68	-	-	-	1	1	2	1	2	5	11
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·34	36	-	-	-	-	-	-	-	1	-	-	1	4	8	8	11	3
Scrofula	0·11	12	6	-	-	-	-	6	-	-	-	2	2	-	1	-	1	-
Tabes Mesent.	0·23	24	15	4	2	-	-	21	1	1	-	-	1	-	-	-	-	-
Phthisis	2·05	217	22	6	3	-	-	31	1	8	20	30	49	34	17	21	5	1
Hydrocephalus	0·24	25	11	3	1	1	2	18	4	2	-	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·08	220	49	9	5	2	4	69	8	2	5	2	4	4	15	24	47	40
Diseases of: Circulatory „	0·97	103	-	-	-	-	-	-	2	1	2	1	3	8	13	27	27	19
Diseases of: Respiratory „	3·32	351	82	36	15	10	7	150	4	1	4	2	5	16	23	36	54	53
Diseases of: Digestive „	0·83	88	13	1	1	2	1	18	2	3	2	-	4	2	9	19	14	15
Diseases of: Urinary „	0·28	30	1	-	-	-	1	2	-	1	-	-	1	4	4	4	5	9
Diseases of: Generative „	0·05	5	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-
Childbirth	0·13	14	-	-	-	-	-	-	-	-	1	3	4	6	-	-	-	-
Suicide	0·07	7	-	-	-	-	-	-	-	-	1	-	-	1	1	3	1	-
Other Violence	0·59	62	2	4	2	2	2	12	1	5	5	2	7	11	3	9	6	1
Other Causes	4·67	494	194	14	4	3	3	218	5	5	9	3	10	8	9	23	54	150

Deaths of Infants (under one) to 1000 Births - 127

Marriages - 823
Births - 3,598

Annual Rate per 1000 living { Persons Married - 15·57
Births - - - 34·03

160.—NORTHAMPTON.

——	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	22·65	—	—	—	—	—	71·41	6·17	3·56	5·42	7·13	9·47	13·45	18·75	34·10	78·70	178·55
Mean Pop. 1871-80	—	57,493	1828	1582	1566	1530	1557	8063	6964	6173	5901	5215	8567	6563	4768	3160	1615	564
ALL CAUSES	22·65	13,023	3730	1122	457	279	170	5758	430	220	320	372	811	883	894	1057	1271	1007
Small-pox	0·82	470	43	24	27	32	34	160	131	43	26	23	43	21	13	5	-	-
Measles	0·42	241	64	84	55	22	6	231	8	2	-	-	-	-	-	-	-	-
Scarlet Fever	0·41	233	18	38	41	49	30	167	52	8	2	1	2	1	-	-	-	-
Diphtheria	0·04	24	2	3	3	5	1	14	3	3	1	-	1	-	1	1	-	-
Whooping-cough	0·61	351	162	104	49	20	11	337	14	-	-	-	-	-	-	-	-	-
Typhus	0·01	7	-	-	-	-	-	-	1	2	1	1	1	-	-	1	-	-
Enteric Fever	0·19	111	1	2	4	4	1	12	11	18	16	14	16	7	6	6	5	-
Simple Cont Fev.	0·14	81	3	8	8	4	2	25	20	8	5	-	3	2	2	9	3	4
Puerp. Fever	0·08	44	-	-	-	-	-	-	-	-	3	12	20	7	2	-	-	-
Diarr. and Dys.	1·76	1014	690	144	22	10	2	875	7	-	2	2	5	8	18	22	40	35
Cholera	0·01	4	1	1	-	-	-	2	-	-	-	-	1	-	-	-	1	-
Cancer	0·50	285	-	-	-	1	1	2	1	-	1	3	18	44	71	73	53	19
Scrofula	0·09	49	14	6	4	4	3	31	1	2	4	3	3	1	-	2	1	1
Tabes Mesent.	0·17	97	53	18	14	1	1	87	4	2	1	-	1	-	1	-	1	-
Phthisis	2·28	1309	50	30	18	11	6	115	18	30	131	182	367	264	149	74	35	4
Hydrocephalus	0·38	219	74	58	28	13	11	184	19	8	3	2	2	1	-	-	-	-
Diseases of: Nervous Syst.	2·97	1709	504	79	27	13	5	633	25	16	30	26	74	142	143	225	248	147
Diseases of: Circulatory	1·14	653	1	-	-	1	1	3	9	9	12	15	64	94	113	133	153	48
Diseases of: Respiratory	3·94	2268	639	345	106	57	30	1197	30	14	16	17	56	80	141	221	300	196
Diseases of: Digestive	0·86	497	78	9	1	2	6	96	16	16	17	7	35	52	67	84	78	29
Diseases of: Urinary	0·37	210	2	5	1	2	1	11	6	-	11	8	27	31	23	43	35	15
Diseases of: Generative	0·03	33	-	-	-	-	-	-	-	-	1	3	4	3	9	5	6	2
Childbirth	0·08	47	-	-	-	-	-	-	-	-	2	11	14	20	-	-	-	-
Suicide	0·08	47	-	-	-	-	-	-	-	1	-	-	9	11	15	4	6	1
Other Violence	0·64	369	34	19	12	7	6	78	26	21	16	20	38	47	44	34	30	15
OTHER CAUSES	4·60	2651	1277	145	39	25	12	1498	28	17	19	17	67	47	76	115	276	491

Deaths of Infants (under one) to 1000 Births - 173

Marriages - 5,088
Births - 21,549

Annual Rate per 1000 living: Persons Married - 17·70; Births - - - 37·48

161.—DAVENTRY.

——	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	19·10	—	—	—	—	—	44·65	4·21	3·29	5·71	6·61	7·63	9·55	13·58	22·96	60·44	160·44
Mean Pop. 1871-80	—	18,983	474	478	493	447	477	2374	2234	2038	1681	1467	2373	2073	1871	1507	958	407
ALL CAUSES	19·10	3625	728	154	79	59	40	1060	94	67	96	97	181	198	254	346	579	653
Small-pox	0·05	10	-	1	-	-	2	3	1	-	-	1	2	1	1	1	-	-
Measles	0·24	45	12	15	4	7	3	41	4	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·33	63	4	5	12	13	7	41	10	5	6	-	1	-	-	-	-	-
Diphtheria	0·07	14	1	1	1	4	2	9	1	-	2	-	-	1	1	-	-	-
Whooping-cough	0·23	43	22	11	3	1	4	41	2	-	-	-	-	-	-	-	-	-
Typhus	0·01	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Enteric Fever	0·13	25	2	-	1	1	1	5	3	1	5	2	4	2	-	1	-	2
Simple Cont. Fev.	0·05	10	-	-	-	-	-	-	3	3	2	-	2	-	-	-	-	-
Puerp. Fever	0·03	12	-	-	-	-	-	-	-	-	1	3	6	2	-	-	-	-
Diarr. and Dys.	0·54	103	45	8	2	-	1	56	1	-	1	-	3	1	6	5	16	14
Cholera	0·02	3	-	-	-	1	-	1	-	-	-	-	-	-	2	-	-	-
Cancer	0·62	118	-	-	-	-	-	-	-	-	1	-	3	11	15	35	33	20
Scrofula	0·15	28	8	2	3	1	-	14	3	2	1	3	2	1	-	1	1	-
Tabes Mesent.	0·09	18	10	1	2	-	1	14	-	1	1	-	-	1	-	-	1	-
Phthisis	1·77	336	12	8	2	2	2	26	2	17	35	49	78	64	40	18	6	1
Hydrocephalus	0·27	52	18	12	5	2	2	39	9	2	1	-	-	1	-	-	-	-
Diseases of: Nervous Syst.	2·39	454	83	13	11	6	7	120	16	6	8	7	13	19	33	47	93	92
Diseases of: Circulatory	1·72	327	2	1	2	-	-	5	5	3	6	6	14	19	37	73	113	46
Diseases of: Respiratory	2·91	552	139	39	12	4	3	197	10	5	5	6	10	10	38	51	109	101
Diseases of: Digestive	1·15	219	33	3	2	2	1	41	5	1	10	2	5	14	27	39	51	24
Diseases of: Urinary	0·42	80	-	-	-	1	-	1	1	2	1	-	5	9	9	17	20	15
Diseases of: Generative	0·08	16	-	-	-	-	-	-	-	-	-	1	1	2	3	3	3	3
Childbirth	0·08	15	-	-	-	-	-	-	-	-	-	4	7	4	-	-	-	-
Suicide	0·11	21	-	-	-	-	-	-	-	-	3	1	3	2	5	5	1	1
Other Violence	0·60	114	3	5	3	6	2	19	12	8	4	4	13	9	11	8	16	10
OTHER CAUSES	5·01	945	324	29	14	8	2	387	6	11	2	8	9	15	25	42	116	324

Deaths of Infants (under one) to 1000 Births - 129

Marriages - 1,327
Births - 5,650

Annual Rate per 1000 living: Persons Married - 13·98; Births - - - 29·76

162.—BRIXWORTH.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	18·03	—	—	—	—	—	37·74	3·80	2·61	5·06	7·72	8·70	8·76	11·37	24·49	57·89	168·21
Mean Pop. 1871-80	—	13,601	358	329	339	353	330	1709	1685	1568	1186	959	1551	1438	1407	1127	691	280
ALL CAUSES	18·03	2452	465	93	45	22	20	645	64	41	60	74	135	126	160	276	400	471
Small-pox	0·12	16	2	-	-	-	-	2	-	-	2	1	-	4	4	2	1	-
Measles	0·12	17	5	6	2	-	-	13	2	1	-	1	-	-	-	-	-	-
Scarlet Fever	0·43	58	2	7	9	9	8	35	15	2	2	1	2	1	-	-	-	-
Diphtheria	0·01	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Whooping-cough	0·19	26	10	8	4	-	2	24	2	-	-	-	-	-	-	-	-	-
Typhus	0·07	9	-	-	-	-	-	-	5	1	-	-	1	1	-	-	-	1
Enteric Fever	0·35	47	1	1	3	1	-	6	5	2	7	4	7	4	6	1	3	2
Simp. Cont. Fev.	0·16	22	-	-	-	1	1	2	6	1	1	2	2	3	1	1	1	2
Puerp. Fever	0·06	8	-	-	-	-	-	-	-	-	-	3	2	3	-	-	-	-
Diarr. and Dys.	0·48	65	39	6	1	-	-	46	-	-	-	1	-	1	1	-	6	10
Cholera	0·01	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Cancer	0·65	89	-	-	-	-	-	-	-	-	-	1	3	8	11	29	27	10
Scrofula	0·08	11	-	2	-	-	-	2	1	-	2	1	3	-	1	-	1	-
Tabes Mesent.	0·10	14	5	2	2	-	-	9	-	2	1	1	1	-	-	-	-	-
Phthisis	1·71	233	6	-	-	-	-	6	7	4	21	36	60	31	23	32	10	-
Hydrocephalus	0·17	23	9	5	2	-	3	19	2	1	1	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·56	348	58	10	2	3	3	76	5	7	5	4	8	11	17	43	89	80
Diseases of: Circulatory „	1·60	217	1	-	-	-	-	1	-	3	4	-	9	14	24	49	69	44
Diseases of: Respiratory „	2·60	353	86	22	7	6	1	122	3	2	5	4	12	6	16	38	63	77
Diseases of: Digestive „	1·11	151	13	-	-	-	-	13	-	1	-	5	2	14	20	33	45	18
Diseases of: Urinary „	0·39	53	1	-	-	-	-	1	1	2	-	3	6	3	6	8	15	8
Diseases of: Generative „	0·06	8	-	-	-	-	-	-	-	-	-	1	1	2	1	2	-	1
Childbirth	0·05	7	-	-	-	-	-	-	-	-	1	1	3	2	-	-	-	-
Suicide	0·07	9	-	-	-	-	-	-	-	-	-	-	-	3	-	5	1	-
Other Violence	0·45	61	9	-	4	-	2	15	4	5	2	2	1	6	7	8	5	6
Other Causes	4·43	604	218	24	9	2	-	253	6	7	5	2	11	9	19	22	58	212

Deaths of Infants (under one) to 1000 Births - 122 | Marriages - 889 | Births - 3,807 | Annual Rate per 1000 living: Persons Married - 13·07; Births - 27·99

163.—WELLINGBOROUGH.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	19·34	—	—	—	—	—	63·48	4·73	2·70	5·44	6·06	6·78	8·94	12·21	24·84	61·32	166·50
Mean Pop. 1871-80	—	32,970	1016	928	923	905	894	4671	4226	3628	3365	2889	4602	3524	2702	1872	1091	400
ALL CAUSES	19·34	6378	1938	566	226	135	100	2965	200	98	183	175	312	315	330	465	669	666
Small-pox	0·02	5	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-
Measles	0·65	213	37	80	44	20	14	195	16	1	-	-	1	-	-	-	-	-
Scarlet Fever	0·49	161	15	22	25	27	22	111	36	6	5	1	1	1	-	-	-	-
Diphtheria	0·06	19	1	1	-	3	3	8	8	2	1	-	-	-	-	-	-	-
Whooping-cough	0·47	155	77	41	20	7	4	149	5	1	-	-	-	-	-	-	-	-
Typhus	0·05	17	-	-	-	1	-	1	1	1	4	3	3	1	1	2	-	-
Enteric Fever	0·33	108	1	3	6	1	4	15	14	14	17	9	16	6	6	4	7	-
Simp. Cont. Fev.	0·05	18	1	2	-	1	2	6	3	2	1	1	-	1	1	-	1	2
Puerp. Fever	0·08	28	-	-	-	-	-	-	-	-	1	8	14	5	-	-	-	-
Diarr. and Dys.	0·83	275	183	33	6	1	1	224	2	1	-	-	-	1	1	7	18	21
Cholera	0·03	10	-	-	-	1	1	2	2	-	-	-	-	-	2	2	-	2
Cancer	0·52	170	-	-	1	-	-	1	-	-	1	3	-	22	29	53	45	13
Scrofula	0·06	21	3	4	1	-	-	8	2	-	1	2	3	1	1	1	2	-
Tabes Mesent.	0·44	145	85	32	4	3	3	127	6	6	3	3	-	-	-	-	-	-
Phthisis	1·89	624	17	15	9	3	4	48	10	17	87	76	154	110	78	27	16	1
Hydrocephalus	0·17	55	17	13	8	3	-	41	7	2	1	3	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·50	823	303	48	21	13	8	393	20	8	12	6	10	20	32	87	125	110
Diseases of: Circulatory „	1·19	393	2	-	-	-	-	2	4	10	13	11	19	27	46	85	117	59
Diseases of: Respiratory „	3·38	1115	352	154	56	23	11	601	21	7	9	12	25	42	48	89	164	106
Diseases of: Digestive „	0·89	295	41	10	6	3	4	64	8	2	6	12	22	25	36	55	43	24
Diseases of: Urinary „	0·19	63	-	-	-	-	1	1	1	1	4	2	9	6	6	12	11	10
Diseases of: Generative „	0·02	8	-	-	-	-	-	-	-	-	-	-	-	-	5	2	1	-
Childbirth	0·08	28	-	-	-	-	-	-	-	-	-	4	6	17	1	-	-	-
Suicide	0·05	17	-	-	-	-	-	-	-	-	2	1	1	1	4	4	3	1
Other Violence	0·35	115	10	10	2	1	3	26	8	8	5	10	14	8	14	8	7	7
Other Causes	4·55	1497	793	98	17	19	15	942	26	9	9	6	12	20	19	33	109	312

Deaths of Infants (under one) to 1000 Births - 156 | Marriages - 2,490 | Births - 12,391 | Annual Rate per 1000 living: Persons Married - 15·10; Births - 37·58

164.—KETTERING.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·90	—	—	—	—	—	53·35	4·34	2·86	4·78	5·60	7·61	8·81	12·16	23·34	33·13	172·62
Mean Pop. 1871-80	—	22,883	747	624	699	634	625	3329	2883	2520	2135	1946	3100	2371	1958	1148	857	336
ALL CAUSES	18·90	4326	1181	343	126	72	54	1776	125	72	102	109	236	209	238	338	541	580
Small-pox	0·11	25	-	-	1	-	-	1	3	1	5	5	1	3	3	2	-	1
Measles	0·43	98	22	43	15	4	3	90	5	1	1	-	1	-	-	-	-	-
Scarlet Fever	0·35	81	3	8	8	13	10	42	30	4	2	-	3	-	-	-	-	-
Diphtheria	0·04	10	2	1	1	2	2	8	1	1	-	-	-	-	-	-	-	-
Whooping-cough	0·50	114	48	35	17	6	4	111	2	1	-	-	-	-	-	-	-	-
Typhus	0·11	26	-	1	1	2	-	4	3	2	2	5	3	3	1	1	2	-
Enteric Fever	0·49	112	8	9	5	7	5	34	11	14	10	6	12	9	5	9	2	-
Simp. Cont. Fever	0·07	17	1	2	-	3	1	7	1	-	-	-	1	3	1	2	1	1
Puerp. Fever	0·05	11	-	-	-	-	-	-	-	-	-	2	5	4	-	-	-	-
Diarr. and Dys.	0·80	184	90	35	4	-	-	139	3	-	1	-	-	1	3	3	14	20
Cholera	0·01	3	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-
Cancer	0·38	83	-	1	-	-	-	1	-	-	-	-	2	10	19	21	25	8
Scrofula	0·10	24	9	6	-	-	1	16	-	-	-	2	-	1	3	1	1	-
Tabes Mesent.	0·18	42	18	12	2	-	-	30	-	2	5	4	1	-	-	-	-	-
Phthisis	1·55	355	5	6	2	1	1	15	5	15	31	53	101	53	37	33	12	-
Hydrocephalus	0·27	61	20	15	5	3	4	47	9	4	-	-	1	-	-	-	-	-
Diseases of Nervous Syst.	2·23	510	144	31	3	5	3	186	8	6	11	2	14	18	26	54	113	72
Diseases of Circulatory "	0·99	226	3	-	1	-	1	5	1	5	5	7	7	25	34	37	69	31
Diseases of Respiratory "	2·77	634	136	78	24	9	5	252	9	7	6	6	15	18	40	75	116	80
Diseases of Digestive "	0·93	213	26	2	4	1	1	34	5	1	4	7	14	14	20	38	52	15
Diseases of Urinary "	0·32	74	-	-	1	-	-	1	-	-	3	-	7	7	5	18	16	17
Diseases of Generative "	0·03	8	-	-	-	-	-	-	-	-	1	1	2	1	1	2	-	-
Childbirth	0·07	15	-	-	-	-	-	-	-	-	-	1	6	8	-	-	-	-
Suicide	0·09	21	-	-	-	-	-	-	-	-	1	-	4	3	4	7	2	-
Other Violence	0·54	124	13	5	5	2	4	29	6	4	8	8	20	12	9	9	10	9
Other Causes	5·49	1252	596	48	27	14	9	694	23	4	6	-	15	15	17	45	106	326

Deaths of Infants (under one) to 1000 Births - 140 | Marriages - 1,685 | Births - 8,457 | Annual Rate per 1000 living: Persons Married - 14·73; Births - 36·96

165.—THRAPSTON.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·02	—	—	—	—	—	49·83	4·74	3·65	5·04	7·71	7·57	8·23	12·53	25·27	59·30	169·48
Mean Pop. 1871-80	—	14,732	419	350	442	431	416	2097	1983	1672	1349	1076	1877	1616	1269	942	602	249
ALL CAUSES	19·02	2802	724	168	73	51	29	1045	94	61	68	83	142	133	159	238	357	422
Small-pox	0·05	8	2	-	-	-	-	2	-	-	-	1	1	1	2	-	1	-
Measles	0·21	31	7	12	4	4	2	29	2	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·17	25	1	3	4	8	4	20	4	1	-	-	-	-	-	-	-	-
Diphtheria	0·18	27	1	-	4	6	6	17	9	1	-	-	-	-	-	-	-	-
Whooping cough	0·42	62	22	23	9	-	4	58	4	-	-	-	-	-	-	-	-	-
Typhus	0·05	8	-	-	-	-	-	-	1	1	2	3	1	-	-	-	-	-
Enteric Fever	0·30	44	1	2	2	1	-	6	4	7	5	4	9	1	2	2	3	1
Simp. Cont. Fev.	0·10	14	1	-	-	-	-	1	2	2	2	1	-	2	3	1	-	-
Puerp. Fever	0·10	14	-	-	-	-	-	-	-	-	1	2	8	3	-	-	-	-
Diarr and Dys.	0·67	98	48	7	2	1	-	58	1	1	1	-	3	2	-	1	14	17
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·55	81	-	-	-	-	-	-	-	-	-	-	2	9	14	24	18	14
Scrofula	0·14	20	2	1	-	-	-	3	2	2	3	3	2	-	1	2	2	-
Tabes Mesent.	0·37	54	33	6	2	-	1	42	2	1	4	2	2	1	-	-	-	-
Phthisis	1·57	231	-	2	3	1	-	6	4	9	21	31	63	42	29	17	6	-
Hydrocephalus	0·18	26	15	2	1	2	2	22	3	-	-	-	-	1	-	-	-	-
Diseases of Nervous Syst.	2·29	352	98	17	9	2	2	128	19	3	6	6	5	9	18	35	63	62
Diseases of Circulatory "	1·39	205	-	-	1	-	-	1	2	6	1	8	8	16	23	48	62	39
Diseases of Respiratory "	3·18	468	126	55	12	12	2	207	9	4	5	3	13	15	23	34	78	77
Diseases of Digestive "	0·83	122	14	1	-	-	-	15	6	5	5	2	4	9	22	27	18	9
Diseases of Urinary "	0·31	46	-	-	-	-	-	-	-	1	1	1	4	1	7	7	12	12
Diseases of Generative "	0·03	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1
Childbirth	0·11	16	-	-	-	-	-	-	-	-	1	4	5	6	-	-	-	-
Suicide	0·07	10	-	-	-	-	-	-	-	-	-	-	1	3	2	1	1	2
Other Violence	0·54	79	7	2	2	5	1	17	10	6	8	4	4	2	5	11	9	3
Other Causes	5·11	757	246	35	18	9	5	413	10	11	2	8	4	10	10	27	68	194

Deaths of Infants (under one) to 1000 Births - 136 | Marriages - 1,048 | Births - 5,319 | Annual Rate per 1000 living: Persons Married - 14·23; Births - 36·11

166.—OUNDLE.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75– and upwds.
Annual Death Rate per 1000	—	18·19	—	—	—	—	—	41·47	4·31	2·64	3·69	6·54	7·48	10·66	13·12	23·21	55·62	153·02
Mean Pop. 1871-80	—	14,352	380	353	377	378	371	1859	1808	1745	1327	994	1632	1482	1357	1103	730	315
ALL CAUSES	18·19	2611	528	129	60	34	20	771	78	46	49	65	122	158	178	256	406	482
Small pox	0·02	3	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-
Measles	0·22	31	10	9	4	4	2	29	2	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·26	37	3	5	4	4	1	17	12	4	1	-	2	1	-	-	-	-
Diphtheria	0·03	5	-	-	-	2	-	2	3	-	-	-	-	-	-	-	-	-
Whooping cough	0·42	60	31	15	11	1	-	58	2	-	-	-	-	-	-	-	-	-
Typhus	0·03	4	-	-	-	-	1	1	-	-	-	-	2	-	-	1	-	-
Enteric Fever	0·31	45	-	-	1	2	-	3	7	5	8	6	5	3	3	5	-	-
Simple Cont Fev.	0·06	8	1	-	-	1	1	3	1	1	-	2	-	1	-	-	-	-
Puerp. Fever	0·05	7	-	-	-	-	-	-	-	-	1	-	4	2	-	-	-	-
Diarr. and Dys.	0·70	101	46	11	3	1	-	61	1	1	-	-	3	3	1	7	13	11
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·81	116	-	-	-	-	-	-	-	1	-	-	1	12	29	37	24	12
Scrofula	0·09	13	3	-	2	-	-	5	3	-	-	1	3	-	-	1	-	-
Tabes Mesent.	0·07	10	5	-	1	1	-	7	3	-	-	-	-	-	-	-	-	-
Phthisis	1·62	232	2	3	1	2	1	9	6	10	22	31	54	49	33	14	4	-
Hydrocephalus	0·18	26	6	9	3	2	-	20	5	-	1	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	1·94	278	54	16	7	3	2	82	4	1	3	3	6	7	15	46	58	53
Diseases of: Circulatory	1·46	210	-	-	-	-	-	-	2	4	2	3	9	18	24	52	65	31
Diseases of: Respiratory	2·45	351	90	20	11	3	2	135	4	1	-	-	3	18	20	33	78	59
Diseases of: Digestive	0·88	126	15	-	1	-	1	17	3	1	5	5	7	11	18	20	29	10
Diseases of: Urinary	0·26	37	1	-	-	1	1	3	-	-	2	5	3	4	7	4	7	2
Diseases of: Generative	0·01	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Childbirth	0·09	13	-	-	-	-	-	-	-	-	1	1	5	5	1	-	-	-
Suicide	0·08	12	-	-	-	-	-	-	-	-	-	-	3	1	1	4	3	-
Other Violence	0·48	69	2	2	4	2	1	11	7	11	1	-	5	9	4	5	6	10
Other Causes	5·67	815	259	30	7	5	7	308	12	6	2	7	7	12	21	27	119	294

Deaths of Infants (under one) to 1000 Births - 122 | Marriages - 951 | Births - 4,336 | Annual Rate per 1000 living: Persons Married - 13·25; Births - - - 30·21

167.—PETERBOROUGH.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75– and upwds.
Annual Death Rate per 1000	—	18·66	—	—	—	—	—	52·42	5·06	4·11	4·98	6·42	7·92	10·05	12·29	24·51	53·36	152·13
Mean Pop. 1871-80	—	39,361	1182	1059	1123	1074	1062	5500	5042	4433	3812	3179	5300	4268	3321	2362	1486	658
ALL CAUSES	18·66	7344	2012	441	200	139	91	2883	255	182	190	204	420	429	408	579	793	1001
Small-pox	0·05	20	4	-	1	-	-	5	2	-	1	4	1	4	1	1	-	1
Measles	0·23	91	19	30	17	9	4	79	12	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·54	211	12	18	46	35	33	144	46	16	1	-	3	-	1	-	-	-
Diphtheria	0·13	50	4	3	2	6	6	21	14	5	3	1	3	2	1	-	-	-
Whooping-cough	0·24	95	51	25	9	6	-	91	2	2	-	-	-	-	-	-	-	-
Typhus	0·02	9	-	-	1	1	1	3	3	-	1	1	-	-	1	-	-	-
Enteric Fever	0·51	199	6	9	6	8	4	33	27	24	24	25	29	17	11	5	3	1
Simple Cont. Fev.	0·11	43	3	2	2	3	-	10	7	6	3	1	7	3	1	4	1	-
Puerp. Fever	0·06	25	-	-	-	-	-	-	-	-	2	5	12	5	1	-	-	-
Diarr. and Dys.	0·82	321	216	25	3	6	1	251	4	1	2	-	3	1	5	5	17	32
Cholera	0·00	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Cancer	0·63	247	1	-	-	-	-	1	-	1	1	-	9	21	44	81	66	23
Scrofula	0·24	95	40	17	5	3	1	66	9	5	4	3	3	1	2	2	-	-
Tabes Mesent.	0·26	104	60	26	3	1	-	87	4	3	4	3	-	-	1	2	-	-
Phthisis	1·91	751	13	10	5	5	3	36	18	30	76	96	183	144	87	59	18	4
Hydrocephalus	0·32	124	31	24	14	7	6	82	25	11	3	-	2	-	-	1	-	-
Diseases of: Nervous Syst	2·19	863	278	38	14	15	9	314	19	20	13	9	20	36	39	90	178	145
Diseases of: Circulatory	1·21	476	2	1	-	-	1	4	4	8	8	4	26	61	54	91	125	92
Diseases of: Respiratory	2·92	1148	381	131	37	16	8	573	17	5	5	11	19	44	56	94	149	174
Diseases of: Digestive	0·87	342	70	10	4	2	2	88	4	4	5	6	22	23	40	51	65	34
Diseases of: Urinary	0·33	128	-	1	1	1	1	4	3	3	4	5	18	11	13	15	23	29
Diseases of: Generative	0·06	23	-	-	-	-	-	-	-	-	-	1	1	5	1	6	8	1
Childbirth	0·05	20	-	-	-	-	-	-	-	-	1	2	10	7	-	-	-	-
Suicide	0·07	26	-	-	-	-	-	-	-	-	1	1	2	4	5	5	5	3
Other Violence	0·61	241	13	11	19	6	6	55	19	23	15	16	25	16	15	24	17	16
Other Causes	4·28	1691	848	63	11	9	5	936	15	15	13	10	22	24	18	43	138	446

Deaths of Infants (under one) to 1000 Births - 145 | Marriages - 2,872 | Births - 13,867 | Annual Rate per 1000 living: Persons Married - 14·59; Births - - - 35·23

HUNTINGDONSHIRE.

168.—HUNTINGDON.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	18·20	—	—	—	—	—	44·22	5·20	3·20	3·60	7·67	8·39	9·99	13·01	23·90	51·89	151·21
Mean Pop. 1871-80	—	20,136	546	504	559	534	539	2682	2538	2406	1974	1525	2395	2092	1775	1410	927	412
ALL CAUSES	18·20	3665	804	207	79	49	47	1186	132	77	71	117	201	209	231	337	481	623
Small-pox	0·06	13	1	-	-	-	1	2	-	1	1	3	3	2	-	-	1	-
Measles	0·15	31	9	10	7	-	-	26	5	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·58	117	6	17	10	7	25	65	37	7	3	2	2	1	-	-	-	-
Diphtheria	0·03	7	-	-	1	1	-	2	4	1	-	-	-	-	-	-	-	-
Whooping-cough	0·31	62	27	24	4	4	1	60	2	-	-	-	-	-	-	-	-	-
Typhus	0·00	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Enteric Fever	0·36	72	-	2	2	6	-	10	8	10	7	10	5	9	6	1	4	2
Simp. Cont. Fever	0·30	60	-	3	-	2	1	6	8	8	1	1	4	3	4	9	7	9
Puerp. Fever	0·05	10	-	-	-	-	-	-	-	-	1	1	7	1	-	-	-	-
Diarr. and Dys.	0·90	181	101	22	3	1	2	129	3	-	-	2	-	2	2	7	11	23
Cholera	0·01	3	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-
Cancer	0·98	197	-	-	-	-	-	-	-	1	-	3	4	14	33	59	59	24
Scrofula	0·20	41	17	6	3	1	1	28	3	2	1	3	-	2	2	-	-	-
Tabes Mesent.	0·07	14	4	2	2	-	-	8	2	1	1	1	1	-	-	-	-	-
Phthisis	1·77	357	10	7	5	-	1	23	5	11	25	56	91	71	35	27	12	1
Hydrocephalus	0·13	27	5	6	1	2	2	16	7	2	-	1	-	-	1	-	-	-
Diseases of: Nervous Syst.	1·83	389	73	18	6	5	1	103	6	5	3	4	13	21	26	39	76	93
Diseases of: Circulatory "	1·31	264	-	-	-	-	-	-	3	2	4	3	9	11	31	64	77	60
Diseases of: Respiratory "	2·99	602	177	49	18	9	-	253	7	3	3	4	19	29	28	49	90	126
Diseases of: Digestive "	0·80	161	9	2	2	1	2	16	2	5	5	3	7	17	21	30	34	21
Diseases of: Urinary "	0·38	76	1	-	1	-	-	2	2	2	4	3	4	8	12	15	14	10
Diseases of: Generative "	0·05	10	-	-	-	-	-	-	-	-	1	-	3	1	2	1	1	1
Childbirth	0·08	16	-	-	-	-	-	-	-	-	-	1	6	8	1	-	-	-
Suicide	0·06	13	-	-	-	-	-	-	-	-	-	3	-	2	1	4	2	1
Other Violence	0·67	134	12	4	4	5	4	29	22	10	6	8	14	8	10	9	9	9
OTHER CAUSES	4·03	807	352	35	10	5	6	408	4	6	4	5	9	8	16	23	83	241

Deaths of Infants (under one) to 1000 Births - 127 | Marriages - 1,357 | Births - 6,345 | Annual Rate per 1000 living: Persons Married - 13·48; Births - 31·51

169.—ST. IVES.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	18·75	—	—	—	—	—	44·26	4·97	3·46	5·59	6·79	7·93	8·91	11·40	21·33	55·56	145·05
Mean Pop. 1871-80	—	17,790	496	431	468	461	444	2300	2255	2079	1627	1267	2068	1886	1640	1322	891	455
ALL CAUSES	18·75	3335	688	170	78	44	38	1018	112	72	91	86	164	168	187	282	495	660
Small-pox	0·03	6	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	1
Measles	0·15	26	8	11	1	1	2	23	1	2	-	-	-	-	-	-	-	-
Scarlet Fever	0·28	49	2	5	8	6	9	30	15	3	-	-	-	1	-	-	-	-
Diphtheria	0·16	28	1	-	4	5	6	16	10	1	-	-	1	-	-	-	-	-
Whooping-cough	0·33	59	31	19	6	2	-	58	1	-	-	-	-	-	-	-	-	-
Typhus	0·01	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
Enteric Fever	0·18	31	-	-	-	-	4	4	2	4	4	5	5	3	2	-	2	-
Simp. Cont. Fever	0·05	8	1	-	-	-	-	1	1	2	1	-	-	-	-	1	1	1
Puerp. Fever	0·05	9	-	-	-	-	-	-	-	-	-	1	4	4	-	-	-	-
Diarr. and Dys.	0·60	107	49	11	3	1	-	64	-	1	-	-	1	1	-	6	8	26
Cholera	0·02	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-
Cancer	0·69	122	-	-	-	-	-	-	1	1	1	1	7	12	16	30	33	15
Scrofula	0·14	25	4	3	-	1	2	10	2	2	3	3	1	1	-	3	-	-
Tabes Mesent.	0·33	59	42	8	4	-	1	55	2	-	1	-	-	-	1	-	-	-
Phthisis	2·00	355	11	7	1	1	-	20	13	15	48	47	79	62	39	23	5	4
Hydrocephalus	0·24	43	13	6	1	3	3	26	11	4	2	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	1·88	333	53	12	10	2	4	81	11	10	7	5	10	15	22	35	85	72
Diseases of: Circulatory "	1·26	224	-	-	-	-	1	1	2	4	4	3	8	17	25	43	81	36
Diseases of: Respiratory "	3·10	552	114	44	21	4	2	185	12	5	2	4	16	12	31	58	105	122
Diseases of: Digestive "	1·00	178	26	5	1	-	1	33	6	3	3	4	7	14	17	30	39	22
Diseases of: Urinary "	0·35	62	-	-	-	-	-	-	1	1	3	-	3	2	4	12	22	14
Diseases of: Generative "	0·06	10	-	-	-	-	-	-	-	-	-	-	1	-	3	3	3	-
Childbirth	0·07	12	-	-	-	-	-	-	-	-	-	3	1	8	-	-	-	-
Suicide	0·06	10	-	-	-	-	-	-	-	-	-	1	2	1	1	2	-	3
Other Violence	0·55	97	6	4	3	5	-	18	11	8	4	3	8	6	11	11	12	5
OTHER CAUSES	5·06	905	323	35	15	13	3	392	10	6	7	4	8	9	14	21	92	339

Deaths of Infants (under one) to 1000 Births - 122 | Marriages - 1,153 | Births - 5,635 | Annual Rate per 1000 living: Persons Married - 12·96; Births - 31·68

170.—ST. NEOTS.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	18·49	—	—	—	—	—	44·89	3·70	2·61	4·89	7·39	7·07	9·02	11·29	24·38	57·26	162·60
Mean Pop. 1871-80	—	17,709	469	434	487	450	490	2330	2324	2068	1637	1286	2080	1830	1647	1296	826	385
ALL CAUSES	18·49	3274	696	173	64	64	49	1046	86	54	80	95	147	165	186	316	473	626
Small-pox	0·03	6	-	-	-	-	-	-	-	1	-	1	2	-	1	-	1	-
Measles	0·11	20	5	5	2	2	4	18	2	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·43	77	1	15	13	14	12	55	14	3	2	-	1	2	-	-	-	-
Diphtheria	0·09	16	-	1	1	3	1	6	4	3	-	1	-	1	-	1	-	-
Whooping-cough	0·33	58	27	15	5	5	3	55	3	-	-	-	-	-	-	-	-	-
Typhus	0·05	8	-	-	-	2	-	2	-	2	1	1	1	-	1	-	-	-
Enteric Fever	0·24	42	-	1	-	1	-	2	1	5	7	8	5	2	6	6	-	-
Simple Cont. Fev.	0·08	14	1	2	-	-	1	4	2	1	-	1	-	1	-	2	1	2
Puerp. Fever	0·04	7	-	-	-	-	-	-	-	-	1	1	4	1	-	-	-	-
Diarr. and Dys.	0·77	137	72	10	3	2	1	88	1	-	-	1	2	3	1	3	14	24
Cholera	0·02	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1
Cancer	0·64	114	-	-	-	-	-	-	-	-	1	-	1	7	16	38	34	17
Scrofula	0·06	11	3	1	-	2	-	6	-	1	1	1	1	-	-	1	-	-
Tabes Mesent.	0·32	56	34	11	3	1	2	51	1	-	1	2	-	-	1	-	-	-
Phthisis	2·05	363	40	15	3	3	2	63	11	5	34	49	68	61	38	27	7	-
Hydrocephalus	0·29	51	21	11	3	4	3	42	7	1	-	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·22	394	60	14	4	1	2	81	9	6	9	3	8	11	24	53	82	108
Circulatory "	1·42	252	-	-	-	-	-	-	3	6	1	5	10	11	21	62	77	56
Respiratory "	2·83	501	106	46	9	8	7	176	4	3	8	2	8	17	25	39	107	112
Digestive "	1·10	195	23	5	-	-	-	28	4	2	3	3	11	13	27	33	46	25
Urinary "	0·38	68	-	-	-	1	1	2	4	-	-	2	4	5	7	10	15	19
Generative "	0·05	8	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	1
Childbirth	0·09	16	-	-	-	-	-	-	-	-	-	3	4	8	1	-	-	-
Suicide	0·05	9	-	-	-	-	-	-	-	-	-	-	2	2	2	2	-	1
Other Violence	0·57	101	8	2	6	5	5	26	9	11	6	4	6	6	6	12	9	6
OTHER CAUSES	4·23	747	295	19	12	10	5	341	6	4	5	6	9	13	9	24	76	254

Deaths of Infants (under one) to 1000 Births - 123 | Marriages - 1,207 | Births - 5,646 | Annual Rate per 1000 living: Persons Married - 13·63; Births - 31·88

BEDFORDSHIRE.]

171.—BEDFORD.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	18·46	—	—	—	—	—	50·58	5·47	3·05	4·23	6·58	8·12	9·88	13·71	25·88	57·76	163·08
Mean Pop. 1871-80	—	42,297	1108	1021	1062	1017	1079	5287	5117	5089	4370	3495	5397	4494	3705	2882	1773	688
ALL CAUSES	18·46	7806	1754	447	214	134	125	2674	280	155	185	230	438	444	508	746	1024	1122
Small-pox	0·15	62	5	1	2	1	1	10	6	1	3	8	7	18	5	3	-	1
Measles	0·18	78	15	34	12	5	5	71	4	1	1	-	-	-	-	1	-	-
Scarlet Fever	0·29	123	3	15	24	15	16	73	32	11	-	4	2	1	-	-	-	-
Diphtheria	0·30	129	3	3	15	19	21	61	42	18	3	1	-	1	1	-	2	-
Whooping-cough	0·49	205	91	57	27	9	9	193	13	-	-	-	-	-	-	-	-	-
Typhus	0·02	9	-	-	-	-	3	3	2	1	-	-	-	2	1	-	-	-
Enteric Fever	0·19	79	3	4	2	2	3	14	11	8	10	13	6	5	6	3	3	-
Simple Cont. Fev.	0·04	19	-	-	3	-	-	3	4	1	4	2	1	-	1	1	1	1
Puerp. Fever	0·04	19	-	-	-	-	-	-	-	-	1	4	12	1	1	-	-	-
Diarr. and Dys.	0·88	375	230	48	2	2	2	284	2	2	-	2	1	5	4	14	22	39
Cholera	0·00	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Cancer	0·67	284	-	1	-	2	-	3	1	1	-	1	9	31	52	82	75	29
Scrofula	0·10	42	10	5	2	2	1	20	4	4	1	4	4	2	-	1	1	1
Tabes Mesent.	0·09	39	15	4	1	2	1	23	6	1	2	1	2	-	2	-	2	-
Phthisis	2·13	902	61	28	13	7	7	116	25	33	82	103	220	143	94	54	30	2
Hydrocephalus	0·18	76	15	12	13	7	5	52	13	5	2	2	-	1	1	-	-	-
Diseases of: Nervous Syst.	2·33	986	232	46	26	11	8	323	20	11	14	9	22	38	48	136	192	173
Circulatory "	1·29	545	1	1	-	-	-	2	6	6	8	12	22	32	56	130	181	90
Respiratory "	2·69	1136	289	115	35	22	10	471	17	10	7	8	30	34	62	105	200	192
Digestive "	0·92	388	38	1	6	2	5	52	14	7	6	6	19	28	58	77	77	44
Urinary "	0·40	168	-	-	2	1	-	3	1	2	4	11	13	18	27	32	34	23
Generative "	0·05	21	-	-	-	-	-	-	-	-	-	-	2	1	4	9	3	2
Childbirth	0·03	35	-	-	-	-	-	-	-	-	3	6	12	13	1	-	-	-
Suicide	0·07	29	-	-	-	-	-	-	-	-	-	2	4	4	10	6	2	1
Other Violence	0·57	240	17	8	5	3	11	44	15	14	19	13	26	26	30	21	16	16
OTHER CAUSES	4·31	1815	726	64	24	22	17	853	42	18	15	18	24	39	44	71	183	508

Deaths of Infants (under one) to 1000 Births - 134 | Marriages - 2,937 | Births - 13,089 | Annual Rate per 1000 living: Persons Married - 13·89; Births - 30·95

172.—BIGGLESWADE.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	21·39	—	—	—	—	—	54·71	4·31	3·36	4·85	7·68	10·46	12·99	16·03	31·08	63·46	176·23
Mean Pop. 1871-80	—	27,632	816	721	736	755	743	3771	3524	3246	2515	2122	3598	2980	2451	1863	1185	467
ALL CAUSES	21·39	5910	1433	329	118	119	64	2063	152	109	122	163	367	387	393	579	752	823
Small-pox	0·12	32	5	-	1	-	-	6	5	1	-	4	5	3	3	1	4	-
Measles	0·26	71	19	27	13	7	2	68	3	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·41	112	7	25	17	28	10	87	15	8	1	-	1	-	-	-	-	-
Diphtheria	0·12	34	1	3	1	6	8	19	8	3	1	-	-	1	2	-	-	-
Whooping-cough	0·62	170	105	36	11	9	6	167	3	-	-	-	-	-	-	-	-	-
Typhus	0·02	6	-	-	-	-	1	1	-	-	1	-	3	1	-	-	-	-
Enteric Fever	0·26	73	4	-	1	3	1	9	7	7	9	10	6	10	3	5	4	3
Simple Cont. Fev.	0·15	42	2	1	2	2	1	8	4	7	2	4	1	2	1	7	3	3
Puerp. Fever	0·04	12	-	-	-	-	-	-	-	-	1	1	6	4	-	-	-	-
Diarr. and Dys.	1·05	290	172	38	4	2	-	216	1	1	1	2	2	5	1	10	21	30
Cholera	0·05	13	5	4	-	-	-	9	-	-	-	-	-	-	-	1	1	2
Cancer	0·49	136	-	-	-	1	-	1	-	1	-	-	1	8	31	42	38	14
Scrofula	0·13	37	12	4	1	1	1	19	-	5	3	2	3	2	1	-	1	1
Tabes Mesent.	0·25	69	39	11	6	2	-	58	7	1	-	-	1	1	1	-	-	-
Phthisis	2·21	610	5	3	1	-	1	10	11	23	54	82	170	119	68	55	14	2
Hydrocephalus	0·17	48	12	10	5	2	4	33	8	6	1	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	3·38	934	143	16	10	5	5	179	11	14	14	20	69	97	85	136	167	151
Diseases of: Circulatory „	1·39	384	-	1	1	-	-	2	2	1	6	8	19	27	47	93	105	74
Diseases of: Respiratory „	3·54	977	239	89	23	18	9	378	24	2	3	6	28	46	50	91	149	200
Diseases of: Digestive „	1·01	278	32	1	-	6	1	40	7	4	7	7	10	18	41	47	69	28
Diseases of: Urinary „	0·37	101	2	2	1	-	-	5	5	2	2	1	8	12	9	15	18	24
Diseases of: Generative „	0·06	16	-	-	-	-	-	-	-	-	-	-	1	2	6	4	2	1
Childbirth	0·07	19	-	-	-	-	-	-	-	-	2	4	8	5	-	-	-	-
Suicide	0·04	11	-	-	-	-	-	-	-	-	-	1	-	1	1	3	4	1
Other Violence	0·53	147	10	9	5	9	6	39	14	14	8	5	7	9	16	15	8	12
Other Causes	4·65	1288	619	49	15	18	8	709	17	9	4	6	27	14	27	54	144	277

Deaths of Infants (under one) to 1000 Births - 149 | Marriages - 1,768 | Births - 9,643 | Annual Rate per 1000 living: Persons Married - 12·80; Births - 34·90

173.—AMPTHILL.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·99	—	—	—	—	—	51·47	4·00	3·66	4·36	6·32	7·32	9·42	11·04	25·09	59·50	168·29
Mean Pop. 1871-80	—	16,890	493	458	454	472	470	2347	2202	1941	1535	1314	2050	1795	1531	1172	716	287
ALL CAUSES	18·99	3208	833	192	96	52	35	1208	88	71	67	83	150	169	169	294	426	483
Small-pox	0·05	9	1	-	-	-	-	1	-	1	-	-	1	4	2	-	-	-
Measles	0·20	33	9	15	2	2	-	28	3	-	-	-	1	1	-	-	-	-
Scarlet Fever	0·44	74	5	10	13	12	13	53	12	3	4	1	1	-	-	-	-	-
Diphtheria	0·15	25	-	1	6	3	2	12	10	-	-	1	-	2	-	-	-	-
Whooping-cough	0·51	86	49	16	12	5	4	86	-	-	-	-	-	-	-	-	-	-
Typhus	0·04	6	-	-	-	1	-	1	-	-	1	1	1	2	-	-	-	-
Enteric Fever	0·22	37	-	-	-	1	-	1	6	6	2	4	6	5	3	3	-	1
Simple Cont. Fev.	0·07	12	-	1	-	1	-	2	-	2	-	3	1	1	-	1	-	2
Puerp. Fever	0·10	17	-	-	-	-	-	-	-	-	1	4	9	3	-	-	-	-
Diarr. and Dys.	0·53	89	39	17	6	2	-	64	1	-	-	-	1	1	2	1	6	13
Cholera	0·02	4	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-
Cancer	0·44	75	-	-	-	-	-	-	-	-	-	-	-	6	10	23	24	12
Scrofula	0·11	19	5	3	1	-	-	9	1	1	1	-	2	2	-	3	-	-
Tabes Mesent.	0·19	32	13	5	5	2	1	26	-	4	1	1	-	-	-	-	-	-
Phthisis	1·52	257	3	4	-	-	-	7	1	15	32	38	66	46	28	17	7	-
Hydrocephalus	0·18	30	12	6	3	-	1	22	4	3	-	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·48	420	114	17	7	3	3	144	9	8	7	6	11	10	22	43	79	78
Diseases of: Circulatory „	1·53	258	-	-	-	1	-	1	2	7	3	3	15	16	25	55	85	46
Diseases of: Respiratory „	2·76	466	126	43	22	8	6	205	10	3	3	1	8	22	21	61	76	56
Diseases of: Digestive „	1·01	171	20	3	-	-	2	25	9	3	2	3	8	14	28	36	34	9
Diseases of: Urinary „	0·27	45	-	-	-	3	1	4	1	1	-	2	1	3	5	9	11	8
Diseases of: Generative „	0·03	5	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	-
Childbirth	0·09	15	-	-	-	-	-	-	-	-	2	4	7	2	-	-	-	-
Suicide	0·04	6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-
Other Violence	0·44	74	9	3	4	-	-	16	9	9	4	4	3	9	3	4	8	5
Other Causes	5·57	943	428	48	15	8	2	501	10	5	4	4	8	17	17	32	92	253

Deaths of Infants (under one) to 1000 Births - 143 | Marriages - 1,188 | Births - 5,842 | Annual Rate per 1000 living: Persons Married - 14·07; Births - 34·59

174.—WOBURN.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	19·74	—	—	—	—	—	48·72	3·54	3·82	5·65	9·45	8·71	9·69	13·21	23·19	61·74	147·79
Mean Pop. 1871-80	—	10,705	267	254	274	263	274	1332	1329	1179	1026	815	1309	1114	1022	802	528	249
ALL CAUSES	19·74	2113	440	105	29	42	33	649	47	45	58	77	114	108	135	186	326	368
Small-pox	0·13	14	3	-	1	-	-	4	2	-	2	1	1	-	2	2	-	-
Measles	0·16	17	5	4	4	1	3	17	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·56	60	1	10	3	10	13	37	14	5	3	-	-	1	-	-	-	-
Diphtheria	0·04	4	-	-	-	2	1	3	1	-	-	-	-	-	-	-	-	-
Whooping-cough	0·22	24	15	5	2	1	-	23	1	-	-	-	-	-	-	-	-	-
Typhus	0·05	5	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	1
Enteric Fever	0·21	23	-	-	1	-	1	2	1	2	6	2	2	2	5	1	-	-
Simple Cont. Fev.	0·09	10	-	-	-	1	1	2	3	3	-	1	-	-	-	1	-	-
Puerp. Fev.	0·07	8	-	-	-	-	-	-	-	-	-	2	5	1	-	-	-	-
Diarr. and Dys.	0·36	37	20	5	1	-	1	27	1	1	-	1	-	-	-	-	3	4
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·50	54	-	-	-	-	-	-	-	-	1	-	1	4	14	16	15	3
Scrofula	0·04	4	-	1	-	-	-	1	-	1	1	-	1	-	-	-	-	-
Tabes Mesent.	0·14	15	3	3	2	2	-	10	-	2	2	-	-	1	-	-	-	-
Phthisis	2·10	225	-	1	1	-	2	4	5	6	22	40	54	47	28	10	7	2
Hydrocephalus	0·39	42	13	16	6	3	-	38	3	1	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·49	267	47	9	-	1	3	60	3	7	5	3	7	7	27	27	65	56
Diseases of: Circulatory „	1·73	185	-	-	-	1	-	1	-	3	2	4	9	10	17	49	62	28
Diseases of: Respiratory „	3·02	323	105	31	4	8	6	154	3	3	4	5	9	10	14	22	56	43
Diseases of: Digestive „	1·21	130	12	2	-	2	1	17	3	-	4	2	10	3	11	29	30	21
Diseases of: Urinary „	0·40	43	-	1	-	-	-	1	1	-	2	1	2	5	3	3	13	12
Diseases of: Generative „	0·04	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1
Childbirth	0·13	14	-	-	-	-	-	-	-	-	1	3	6	3	1	-	-	-
Suicide	0·06	6	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1
Other Violence	0·34	36	1	1	2	2	-	6	1	5	1	2	3	4	3	3	3	5
OTHER CAUSES	5·25	563	215	16	2	8	1	242	4	5	2	8	3	8	8	22	70	191

Deaths of Infants (under one) to 1000 Births - 133 | Marriages - 749 | Births - 3,305 | Annual Rate per 1000 living: Persons Married - 13·99; Births - - - 30·87

175.—LEIGHTON BUZZARD.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	19·27	—	—	—	—	—	52·66	5·81	3·09	5·32	6·93	7·62	10·89	14·41	27·20	56·32	170·[illegible]
Mean Pop. 1871-80	—	18,491	567	478	519	503	508	2575	2341	2103	1824	1516	2416	1966	1582	1191	712	[illegible]
ALL CAUSES	19·27	3563	870	279	105	58	44	1356	136	65	97	105	184	214	228	324	401	[illegible]
Small-pox	0·08	15	1	-	-	1	-	2	-	2	1	3	2	-	2	1	2	-
Measles	0·33	61	12	18	12	7	4	53	7	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·51	94	6	15	12	9	9	51	30	6	2	4	-	-	1	-	-	-
Diphtheria	0·08	15	2	2	3	1	4	12	2	-	-	-	-	-	-	1	-	-
Whooping-cough	0·31	58	29	14	9	2	1	55	3	-	-	-	-	-	-	-	-	-
Typhus	0·03	5	-	-	-	-	-	-	-	-	1	-	2	1	-	-	1	-
Enteric Fever	0·16	30	3	4	4	1	-	12	3	2	5	2	-	3	2	-	1	-
Simple Cont. Fev.	0·13	24	1	-	1	-	1	3	4	3	3	1	4	-	1	3	1	1
Puerp. Fever	0·10	19	-	-	-	-	-	-	-	-	-	2	11	6	-	-	-	-
Diarr. and Dys.	0·60	111	57	15	2	1	-	75	1	1	-	-	-	1	1	1	6	25
Cholera	0·03	5	-	-	-	-	1	1	1	1	-	-	-	1	-	1	-	-
Cancer	0·48	89	-	-	-	-	-	-	-	-	-	-	3	15	21	27	16	7
Scrofula	0·14	26	5	2	2	-	2	11	4	4	2	1	2	2	-	-	-	-
Tabes Mesent.	0·31	57	31	16	4	1	-	52	3	1	-	1	-	-	-	-	-	-
Phthisis	1·71	316	1	3	-	-	-	4	7	9	39	43	79	69	39	25	1	1
Hydrocephalus	0·21	38	6	12	1	4	2	25	8	3	1	-	-	-	-	-	1	-
Diseases of: Nervous Syst.	2·70	502	91	39	6	4	2	142	13	5	8	9	9	19	29	52	100	116
Diseases of: Circulatory „	1·48	270	-	1	-	-	-	1	5	5	8	7	5	23	29	61	86	40
Diseases of: Respiratory „	3·16	584	167	88	29	12	6	302	17	5	4	7	15	19	27	44	67	77
Diseases of: Digestive „	1·06	196	22	7	1	-	-	30	3	2	5	4	13	15	30	38	39	17
Diseases of: Urinary „	0·38	70	-	-	1	-	2	3	1	-	2	3	4	5	9	16	16	11
Diseases of: Generative „	0·03	6	-	-	-	-	-	-	-	-	-	-	2	1	1	2	-	-
Childbirth	0·10	19	-	-	-	-	-	-	-	-	2	3	8	6	-	-	-	-
Suicide	0·05	9	-	-	-	-	-	-	-	-	-	1	-	1	2	3	2	-
Other Violence	0·46	85	7	6	6	7	1	27	2	4	7	5	8	7	8	8	4	5
OTHER CAUSES	4·66	859	429	37	12	8	9	495	22	11	7	9	17	20	26	41	58	153

Deaths of Infants (under one) to 1000 Births - 132 | Marriages - 1,315 | Births - 6,596 | Annual Rate per 1000 living: Persons Married - 14·22; Births - - - 35·67

176.—LUTON.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	19·02	—	—	—	—	—	66·11	5·00	3·02	3·89	5·75	7·54	8·93	13·53	26·47	59·49	165·79
Mean Pop. 1871-80	—	36,884	1076	962	993	947	958	4936	4424	4040	3852	3305	5315	4176	3201	2127	1128	380
ALL CAUSES	19·02	7017	2216	518	228	163	138	3263	221	122	150	190	401	373	433	563	671	630
Small-pox	0·02	8	-	-	-	-	-	-	1	-	2	1	1	1	2	-	-	-
Measles	0·25	94	18	32	16	9	5	80	13	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·75	276	20	38	54	37	40	189	66	14	2	1	-	4	-	-	-	-
Diphtheria	0·10	38	-	7	2	5	7	21	10	4	1	1	1	-	-	-	-	-
Whooping-cough	0·40	149	82	39	14	10	2	147	2	-	-	-	-	-	-	-	-	-
Typhus	0·03	12	-	-	1	1	1	3	4	1	-	1	1	-	1	-	-	1
Enteric Fever	0·26	97	4	4	3	7	8	26	17	10	9	9	14	5	1	5	1	-
Simple Cont. Fev.	0·20	74	3	7	6	7	7	30	6	4	7	7	5	6	1	4	2	2
Puerp. Fever	0·07	24	-	-	-	-	-	-	-	-	-	4	15	5	-	-	-	-
Diarr. and Dys.	1·24	456	333	47	11	1	-	422	-	-	4	-	3	3	-	4	8	12
Cholera	0·02	8	5	1	1	1	-	8	-	-	-	-	-	-	-	-	-	-
Cancer	0·52	193	-	-	-	1	-	1	-	-	-	-	5	25	45	59	48	10
Scrofula	0·11	41	9	7	1	2	-	19	3	2	3	1	4	1	5	2	1	-
Tabes Mesent.	0·24	87	63	9	6	2	-	80	3	2	-	1	1	-	-	-	-	-
Phthisis	2·52	929	124	54	13	3	5	202	20	22	76	100	208	121	90	64	20	6
Hydrocephalus	0·30	109	46	23	10	6	8	93	8	4	-	-	4	-	-	-	-	-
Diseases of: Nervous Syst.	2·25	829	217	56	12	10	8	303	9	12	4	9	26	26	63	90	154	133
Diseases of: Circulatory „	1·21	447	-	1	2	-	2	5	4	11	9	13	20	44	69	109	116	47
Diseases of: Respiratory „	2·73	1007	349	127	36	19	8	539	9	6	12	11	26	45	68	96	112	83
Diseases of: Digestive „	0·71	261	41	3	2	4	2	52	6	5	2	5	9	18	28	58	54	24
Diseases of: Urinary „	0·23	86	-	-	-	-	1	1	-	4	4	4	13	11	10	10	22	7
Diseases of: Generative „	0·03	10	-	-	-	-	-	-	-	-	-	2	2	2	-	2	1	1
Childbirth	0·07	24	-	-	-	-	-	-	-	-	2	1	8	13	-	-	-	-
Suicide	0·07	26	-	-	-	-	-	-	-	-	-	2	2	8	7	5	2	-
Other Violence	0·31	114	9	6	6	6	2	29	15	6	2	5	12	6	13	10	10	6
Other Causes	4·38	1618	863	57	32	29	32	1013	25	14	11	12	21	29	30	45	120	298

Deaths of Infants (under one) to 1000 Births - 174 | Marriages - 2,761 | Births - 12,767 | Annual Rate per 1000 living: Persons Married - 14·97; Births - - - 34·61

[CAMBRIDGESHIRE.

177.—CAXTON.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	17·17	—	—	—	—	—	44·11	4·30	2·10	6·37	7·03	6·31	8·02	10·98	19·69	50·20	140·36
Mean Pop. 1871-80	—	11,009	313	309	304	329	316	1571	1512	1333	958	782	1316	1110	938	772	494	223
ALL CAUSES	17·17	1899	504	110	32	25	22	693	65	28	61	55	83	89	103	152	248	313
Small-pox	0·03	3	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-
Measles	0·18	20	9	5	4	1	-	19	1	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·14	15	2	3	-	3	2	10	2	1	2	-	-	-	-	-	-	-
Diphtheria	0·06	7	-	1	-	-	1	2	4	1	-	-	-	-	-	-	-	-
Whooping-cough	0·47	52	24	13	6	4	4	51	1	-	-	-	-	-	-	-	-	-
Typhus	0·01	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Enteric Fever	0·35	38	6	3	-	1	2	12	5	8	4	3	2	2	1	2	4	-
Simple Cont. Fev.	0·12	13	1	-	1	1	-	3	2	1	1	2	1	-	1	1	1	-
Puerp. Fever	0·05	5	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-
Diarr. and Dys.	0·54	59	34	10	-	1	-	45	-	-	-	-	-	-	2	1	7	4
Cholera	0·01	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cancer	0·31	34	-	-	-	1	-	1	-	-	-	-	-	-	9	10	12	2
Scrofula	0·15	16	5	-	-	1	-	6	2	1	1	3	1	1	1	-	-	-
Tabes Mesent.	0·33	36	22	4	2	1	-	29	4	1	1	-	1	-	-	-	-	-
Phthisis	1·88	207	11	5	1	-	-	17	4	1	31	32	44	29	23	17	9	-
Hydrocephalus	0·07	8	1	-	1	1	-	3	3	2	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	1·64	180	29	9	3	1	3	45	6	2	2	1	4	8	14	19	41	38
Diseases of: Circulatory „	1·04	114	-	-	-	-	1	1	5	3	4	1	8	6	16	25	31	14
Diseases of: Respiratory „	2·72	299	92	24	6	5	7	134	10	2	2	3	6	11	6	29	52	44
Diseases of: Digestive „	1·01	111	17	2	1	-	-	20	3	3	3	2	3	10	12	19	23	13
Diseases of: Urinary „	0·47	52	-	-	1	-	-	1	1	-	-	1	1	3	10	8	14	12
Diseases of: Generative „	0·06	7	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	1
Childbirth	0·06	7	-	-	-	-	-	-	-	-	-	2	2	3	-	-	-	-
Suicide	0·03	3	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-
Other Violence	0·50	55	9	5	-	2	2	18	5	4	3	1	2	7	1	5	5	4
Other Causes	4·94	547	241	26	6	2	-	275	5	3	6	2	4	6	4	12	49	181

Deaths of Infants (under one) to 1000 Births - 132 | Marriages - 705 | Births - 3,830 | Annual Rate per 1000 living: Persons Married - 12·81; Births - - - 34·79

178.—CHESTERTON.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·10	—	—	—	—	—	42·48	3·58	3·15	4·85	7·20	8·18	10·17	13·65	24·41	50·98	145·57
Mean Pop. 1871-80	—	28,498	799	766	788	752	777	3882	3632	3139	2535	2222	3706	3077	2455	1979	1228	643
ALL CAUSES	18·10	5157	1120	282	125	71	51	1649	130	99	123	160	303	313	335	483	626	936
Small-pox	0·06	17	2	-	1	-	-	3	2	-	-	3	2	3	1	2	1	-
Measles	0·21	61	18	17	14	7	2	58	2	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·29	84	7	14	15	6	13	55	22	3	-	2	2	-	-	-	-	-
Diphtheria	0·17	48	13	1	4	3	3	24	2	5	3	2	3	3	1	2	3	-
Whooping-cough	0·33	93	46	29	8	4	1	88	4	-	1	-	-	-	-	-	-	-
Typhus	0·03	9	-	-	-	-	-	-	2	2	1	2	-	-	1	1	-	-
Enteric Fever	0·19	53	-	-	1	3	4	8	3	10	6	4	7	3	5	3	1	3
Simple Cont. Fev.	0·11	32	1	-	-	1	1	3	6	5	4	3	4	1	2	-	4	-
Puerp. Fever	0·06	17	-	-	-	-	-	-	-	-	-	4	11	2	-	-	-	-
Diarr. and Dys.	0·72	206	116	27	4	-	-	147	1	2	-	-	5	4	2	2	17	26
Cholera	0·02	5	1	-	-	-	-	1	-	-	-	-	-	-	1	2	1	-
Cancer	0·65	185	-	-	-	-	-	-	-	-	-	1	4	8	37	61	47	27
Scrofula	0·14	40	9	3	4	1	-	17	1	6	3	1	2	7	2	1	-	-
Tabes Mesent.	0·13	38	12	11	2	5	1	31	3	-	1	1	1	1	-	-	-	-
Phthisis	2·11	602	23	12	4	1	2	42	7	18	53	84	125	109	78	50	29	7
Hydrocephalus	0·31	89	33	19	8	4	4	63	13	3	2	1	2	-	-	-	-	-
Diseases of: Nervous Syst.	2·39	680	69	19	10	5	4	107	13	10	10	10	44	61	60	96	109	160
Circulatory „	1·18	335	3	-	1	-	-	4	4	10	5	7	9	29	33	71	89	74
Respiratory „	2·63	749	181	65	20	7	5	278	15	4	12	12	27	22	33	71	116	156
Digestive „	1·04	296	41	4	4	4	1	54	6	2	5	4	15	17	24	57	74	68
Urinary „	0·39	112	3	3	1	2	-	9	4	1	4	5	5	6	17	19	27	15
Generative „	0·01	4	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1
Childbirth	0·08	24	-	-	-	-	-	-	-	-	2	1	9	12	-	-	-	-
Suicide	0·05	14	-	-	-	-	-	-	-	-	-	-	1	3	6	1	3	-
Other Violence	0·47	135	19	4	9	4	4	40	5	11	5	4	15	6	10	9	8	22
Other Causes	4·33	1229	523	54	15	14	6	612	15	6	6	9	9	16	19	33	97	407

Deaths of Infants (under one) to 1000 Births - 119 | Marriages - 1,760 | Births - 9,436 | Annual Rate per 1000 living: Persons Married - 12·35; Births - 33·11

179.—CAMBRIDGE.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·67	—	—	—	—	—	55·64	4·71	2·86	4·56	5·55	9·45	13·68	17·87	31·97	61·10	166·4
Mean Pop. 1871-80	—	32,720	878	732	772	796	785	3963	3505	3387	3639	3494	4817	3560	2669	1949	1257	480
ALL CAUSES	19·67	6436	1503	410	156	93	43	2205	165	97	166	194	455	487	477	623	768	799
Small-pox	0·23	74	11	4	-	2	1	18	4	-	10	15	16	7	2	2	-	-
Measles	0·25	81	14	30	19	12	1	76	4	-	-	-	-	-	1	-	-	-
Scarlet Fever	0·12	39	1	7	7	5	2	22	11	2	1	3	-	-	-	-	-	-
Diphtheria	0·05	17	2	2	3	-	-	7	7	1	-	1	-	-	-	1	-	-
Whooping-cough	0·48	156	82	49	13	8	-	152	4	-	-	-	-	-	-	-	-	-
Typhus	0·02	5	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	1
Enteric Fever	0·27	89	1	-	4	7	3	15	6	15	12	10	9	10	6	3	2	1
Simple Cont. Fev.	0·05	16	-	1	2	-	2	5	5	-	1	2	1	1	1	-	-	-
Puerp. Fever	0·07	22	-	-	-	-	-	-	-	-	2	4	12	4	-	-	-	-
Diarr. and Dys.	1·03	337	222	59	9	1	-	291	3	1	1	-	3	-	1	8	13	16
Cholera	0·01	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-
Cancer	0·78	256	-	-	-	-	-	-	-	1	1	5	9	31	62	62	62	23
Scrofula	0·10	34	10	2	2	1	-	15	1	-	4	1	4	3	2	2	2	-
Tabes Mesent.	0·25	83	41	14	6	4	4	69	7	1	4	-	-	1	-	1	-	-
Phthisis	2·35	770	15	12	6	5	-	38	18	18	61	64	219	163	101	70	15	3
Hydrocephalus	0·30	97	30	17	7	5	6	65	17	6	3	1	2	2	1	-	-	-
Diseases of: Nervous Syst.	2·00	655	108	35	16	10	2	171	16	14	6	13	16	31	45	93	147	103
Circulatory „	1·69	554	2	-	-	-	1	3	12	10	14	17	26	55	70	119	150	78
Respiratory „	3·26	1067	201	121	35	18	8	483	12	2	8	12	27	46	49	107	154	167
Digestive „	1·11	363	64	6	1	1	3	75	4	8	7	7	23	38	49	52	64	36
Urinary „	0·52	170	4	1	1	-	-	6	2	-	8	7	13	25	19	30	39	21
Generative „	0·06	18	-	-	-	-	-	-	-	-	-	1	3	4	4	-	4	2
Childbirth	0·08	26	-	-	-	-	-	-	-	-	1	2	12	10	1	-	-	-
Suicide	0·08	26	-	-	-	-	-	-	-	-	1	1	5	5	6	6	2	-
Other Violence	0·61	201	27	6	7	2	4	46	13	5	11	15	23	20	21	15	10	22
Other Causes	3·90	1277	568	44	18	12	6	648	17	13	10	13	28	31	36	52	103	326

Deaths of Infants (under one) to 1000 Births - 152 | Marriages - 2,151 | Births - 9,884 | Annual Rate per 1000 living: Persons Married - 13·15; Births - 30·21

180.—LINTON.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
ANNUAL DEATH RATE PER 1 00	—	16·79	—	—	—	—	—	31·74	4·27	2·79	4·88	5·85	7·99	7·70	11·96	19·94	54·64	161·33
Mean Pop. 1871-80	—	13,392	383	362	396	367	373	1881	1805	1575	1230	975	1526	1324	1137	938	701	300
ALL CAUSES	16·79	2249	385	109	39	36	28	597	77	44	60	57	122	102	136	187	383	484
Small-pox	0·08	11	1	-	-	-	-	1	3	1	2	1	-	-	3	-	-	-
Measles	0·15	20	6	6	3	1	1	17	2	-	-	-	-	1	-	-	-	-
Scarlet Fever	0·20	27	3	2	3	4	3	15	8	3	-	-	1	-	-	-	-	-
Diphtheria	0·12	16	1	2	-	1	1	5	6	1	-	-	1	1	-	1	1	-
Whooping-cough	0·39	52	19	16	8	4	2	49	3	-	-	-	-	-	-	-	-	-
Typhus	0·01	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Enteric Fever	0·28	37	-	1	-	2	3	6	7	2	9	6	2	2	2	1	-	-
Simple Cont. Fev.	0·02	3	-	-	-	-	1	1	-	-	-	-	1	-	-	-	1	-
Puerp. Fever	0·01	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Diarr. and Dys.	0·58	78	32	11	1	-	2	46	-	-	-	-	2	1	-	3	11	15
Cholera	0·02	3	1	-	-	-	1	2	-	-	-	-	-	-	1	-	-	-
Cancer	0·57	76	-	-	-	-	-	-	1	1	-	-	2	10	14	12	25	11
Scrofula	0·06	8	1	2	-	-	-	3	-	2	-	1	-	-	2	-	-	-
Tabes Mesent.	0·07	9	2	2	-	-	-	4	3	-	-	1	-	1	-	-	-	-
Phthisis	1·70	228	4	1	4	1	1	11	3	9	29	24	57	34	22	23	10	6
Hydrocephalus	0·28	38	13	5	3	6	3	30	4	3	-	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·14	287	31	9	6	7	4	57	10	6	3	2	7	6	17	29	75	75
Diseases of: Circulatory "	1·31	175	1	1	1	-	-	3	-	3	2	-	4	6	15	29	65	48
Diseases of: Respiratory "	2·59	347	82	29	6	3	3	123	7	3	2	4	13	12	14	35	66	68
Diseases of: Digestive "	0·98	131	11	3	1	-	-	15	3	2	1	1	4	9	17	22	36	21
Diseases of: Urinary "	0·40	54	-	-	-	-	-	-	2	1	1	4	6	2	6	8	15	9
Diseases of: Generative "	0·06	8	-	-	-	-	-	-	-	-	-	-	2	1	1	2	1	1
Childbirth	0·16	21	-	-	-	-	-	-	-	-	1	2	8	9	1	-	-	-
Suicide	0·04	5	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	-
Other Violence	0·41	55	8	-	-	3	-	11	6	4	4	4	5	1	8	4	7	1
OTHER CAUSES	4·16	556	169	19	3	4	3	198	9	3	6	3	6	6	10	16	70	229

Deaths of Infants (under one) to 1000 Births - 90

Marriages - 801
Births - 4,273

Annual Rate per 1000 living: Persons Married - 11·96; Births - 31·91

181.—NEWMARKET.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	18·29	—	—	—	—	—	44·97	4·04	3·50	5·04	6·74	8·71	9·91	11·84	21·09	51·59	144·15
Mean Pop. 1871-80	—	28,872	804	693	764	755	762	3778	3590	3253	2737	2285	3581	3048	2491	2072	1353	684
ALL CAUSES	18·29	5280	1184	304	113	50	48	1699	145	114	138	154	312	302	295	437	698	986
Small-pox	0·10	28	6	-	-	-	-	6	1	1	1	4	8	2	1	-	4	-
Measles	0·60	59	15	17	12	3	3	50	8	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·09	25	1	4	3	4	3	15	4	4	1	1	-	-	-	-	-	-
Diphtheria	0·06	17	1	-	1	1	-	3	8	2	2	-	-	-	2	-	-	-
Whooping-cough	0·23	67	34	18	10	3	1	66	1	-	-	-	-	-	-	-	-	-
Typhus	0·03	9	-	-	-	-	1	1	3	2	2	-	1	-	-	-	-	-
Enteric Fever	0·23	65	1	-	1	-	2	4	5	6	9	5	8	8	5	7	6	2
Simple Cont. Fev.	0·10	28	-	-	1	1	1	3	4	3	1	3	4	1	1	3	3	2
Puerp. Fever	0·04	11	-	-	-	-	-	-	-	-	-	3	6	2	-	-	-	-
Diarr. and Dys.	0·69	200	116	37	4	1	2	160	2	1	2	-	1	3	2	1	9	19
Cholera	0·01	4	2	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1
Cancer	0·55	159	-	-	-	-	-	-	-	1	-	1	7	16	21	42	48	23
Scrofula	0·15	42	5	5	2	-	1	13	1	4	4	3	4	2	3	3	3	2
Tabes Mesent.	0·21	62	19	17	1	1	2	40	6	6	2	2	-	1	2	1	2	-
Phthisis	2·23	645	31	14	1	3	5	54	19	27	65	43	145	112	77	35	16	2
Hydrocephalus	0·18	52	10	8	8	3	5	34	10	-	4	1	2	-	1	-	-	-
Diseases of: Nervous Syst.	2·30	664	94	30	14	7	8	153	24	11	13	2	24	33	30	61	138	175
Diseases of: Circulatory "	1·47	424	2	-	1	-	-	3	6	6	5	6	14	23	41	74	125	121
Diseases of: Respiratory "	2·81	810	220	85	30	14	9	358	13	5	5	3	21	22	31	63	128	156
Diseases of: Digestive "	1·14	328	19	3	2	1	2	27	7	9	5	6	19	32	37	62	74	50
Diseases of: Urinary "	0·32	92	6	-	-	1	-	7	-	1	2	1	5	6	8	17	20	25
Diseases of: Generative "	0·02	7	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	1
Childbirth	0·09	27	-	-	-	-	-	-	-	-	1	4	11	10	1	-	-	-
Suicide	0·06	17	-	-	-	-	-	-	-	-	-	2	2	3	4	5	1	-
Other Violence	0·41	119	13	1	8	3	1	26	10	10	3	9	12	9	5	12	8	15
OTHER CAUSES	4·57	1319	589	65	14	4	2	674	13	14	11	5	18	17	21	44	110	392

Deaths of Infants (under one) to 1000 Births - 131

Marriages - 1,856
Births - 9,024

Annual Rate per 1000 living: Persons Married - 12·86; Births - 31·26

182.—ELY.

—	Annual Death Rate per 1000.	All Ages	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
ANNUAL DEATH RATE PER 1000	—	19·59	—	—	—	—	—	54·62	5·27	3·69	6·35	6·35	7·10	9·91	10·95	23·20	48·08	161·44
Mean Pop. 1871-80	—	21,493	621	520	567	589	552	2849	2696	2494	2001	1654	2634	2221	1964	1556	965	459
ALL CAUSES	19·59	4210	1035	288	119	67	47	1556	142	92	127	105	187	220	215	361	464	741
Small-pox	0·02	4	1	1	-	-	-	2	1	-	-	-	-	-	-	1	-	-
Measles	0·20	42	8	17	8	2	2	37	3	1	-	1	-	-	-	-	-	-
Scarlet Fever	0·35	76	6	6	19	12	6	49	19	5	1	2	-	-	-	-	-	-
Diphtheria	0·10	22	3	-	1	3	2	9	8	4	1	-	-	-	-	-	-	-
Whooping-cough	0·58	125	67	30	17	4	2	120	5	-	-	-	-	-	-	-	-	-
Typhus	0·06	13	-	-	-	-	1	1	2	2	2	3	-	-	2	1	-	-
Enteric Fever	0·27	59	1	-	-	-	2	3	7	8	8	5	9	6	6	3	3	1
Simple Cont. Fev.	0·16	34	1	-	-	3	-	4	15	5	3	-	1	-	1	1	2	2
Puerp. Fever	0·05	10	-	-	-	-	-	-	-	-	-	5	2	3	-	-	-	-
Diarr. and Dys.	0·61	132	73	15	2	1	1	92	1	-	1	2	1	1	-	2	12	20
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·60	128	-	-	-	-	-	-	-	-	-	-	2	11	31	38	38	8
Scrofula	0·16	34	5	4	1	1	1	12	4	3	3	1	2	3	2	2	2	-
Tab's Mesent.	0·47	101	53	19	8	2	1	83	3	4	3	2	-	1	2	2	1	-
Phthisis	2·21	474	14	18	6	2	1	41	22	29	54	55	93	85	47	36	6	6
Hydrocephalus	0·24	51	15	13	5	3	3	39	5	3	1	-	-	2	1	-	-	-
Diseases of: Nervous Syst.	2·14	459	92	26	13	12	5	148	8	8	9	3	16	16	21	57	76	97
Diseases of: Circulatory "	1·13	242	1	-	1	-	-	2	2	-	5	2	10	19	14	57	74	57
Diseases of: Respiratory "	2·32	498	136	61	11	4	6	218	8	3	11	-	10	12	15	51	65	105
Diseases of: Digestive "	1·06	227	17	3	-	3	-	23	3	1	2	-	10	19	27	52	56	24
Diseases of: Urinary "	0·40	85	5	1	-	1	1	8	1	2	2	2	6	3	10	19	18	14
Diseases of: Generative "	0·07	15	-	-	-	-	-	-	-	-	-	-	1	2	4	4	3	1
Childbirth	0·09	19	-	-	-	-	-	-	-	-	2	3	7	7	-	-	-	-
Suicide	0·06	13	-	-	-	-	-	-	-	-	1	2	1	4	2	3	-	-
Other Violence	0·64	137	6	8	13	6	5	38	16	9	9	8	7	10	10	3	13	14
OTHER CAUSES	5·60	1210	531	66	14	8	8	627	9	5	9	9	9	16	20	29	95	382

Deaths of Infants (under one) to 1000 Births - 142 | Marriages - 1,354 | Births - 7,266 | Annual Rate per 1000 living: Persons Married - 12·60; Births - 33·81

183.—NORTH WITCHFORD.

—	Annual Death Rate per 1000	All Ages	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
ANNUAL DEATH RATE PER 1000	—	18·89	—	—	—	—	—	51·71	3·97	2·78	5·28	6·19	7·29	9·53	12·47	22·94	53·10	148·04
Mean Pop. 1871-80	—	15,525	431	405	410	416	419	2081	1990	1726	1497	1195	1908	1626	1371	1107	693	331
ALL CAUSES	18·89	2933	751	183	71	45	26	1076	79	48	79	74	139	155	171	254	368	490
Small-pox	0·07	11	2	-	-	1	-	3	-	2	-	1	3	-	1	1	-	-
Measles	0·25	39	8	16	7	1	1	33	5	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·43	67	1	7	14	12	5	39	24	1	1	2	-	-	-	-	-	-
Diphtheria	0·10	16	1	2	2	2	1	8	3	1	1	1	-	1	-	1	-	-
Whooping-cough	0·33	52	30	15	3	4	-	52	-	-	-	-	-	-	-	-	-	-
Typhus	0·08	12	-	-	-	-	-	-	1	1	1	1	-	3	1	2	2	-
Enteric Fever	0·31	48	1	1	3	1	-	6	6	4	6	2	1	5	5	5	6	2
Simple Cont. Fev.	0·05	8	-	2	-	1	-	3	1	-	-	-	-	2	-	2	-	-
Puerp. Fever	0·05	7	-	-	-	-	-	-	-	-	-	1	3	3	-	-	-	-
Diarr. and Dys.	0·71	110	64	16	-	-	-	80	1	-	-	1	3	1	1	4	5	14
Cholera	0·04	6	2	-	-	-	1	3	-	-	-	-	-	-	-	1	1	1
Cancer	0·65	103	-	-	-	-	-	-	-	-	-	-	9	4	21	27	20	22
Scrofula	0·17	26	6	3	1	-	-	10	3	2	5	1	1	1	3	-	-	-
Tabes Mesent.	0·29	45	25	10	3	1	-	39	-	1	-	-	1	1	-	1	2	-
Phthisis	1·57	243	12	4	2	-	-	18	3	5	36	38	44	43	30	18	6	2
Hydrocephalus	0·33	49	16	7	8	2	3	36	6	3	1	-	1	2	-	-	-	-
Diseases of: Nervous Syst.	2·11	328	60	24	3	5	1	93	6	5	5	3	8	12	12	34	79	71
Diseases of: Circulatory "	1·20	187	-	1	1	-	1	3	4	2	4	3	13	15	23	33	41	44
Diseases of: Respiratory "	3·01	467	142	35	10	5	2	194	7	3	6	3	11	12	30	45	84	73
Diseases of: Digestive "	1·04	161	19	5	3	1	3	31	1	2	3	2	10	12	17	31	31	18
Diseases of: Urinary "	0·50	77	1	1	-	1	-	3	-	3	1	1	10	8	6	7	22	16
Diseases of: Generative "	0·08	13	-	1	-	-	-	1	-	-	-	-	1	2	4	3	1	1
Childbirth	0·10	15	-	-	-	-	-	-	-	-	1	2	6	6	-	-	-	-
Suicide	0·10	15	-	-	-	-	-	-	-	-	3	-	-	4	2	3	1	2
Other Violence	0·60	93	14	6	6	6	4	36	4	9	2	4	5	8	7	5	7	6
OTHER CAUSES	4·72	735	347	27	5	2	4	385	4	3	3	8	9	10	8	29	57	229

Deaths of Infants (under one) to 1000 Births - 142 | Marriages - 1,072 | Births - 5,277 | Annual Rate per 1000 living: Persons Married - 13·81; Births - 33·99

184.—WHITTLESEY.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	20·02	—	—	—	—	—	52·04	6·32	2·82	4·52	7·27	6·87	9·19	11·76	23·08	54·81	135·59
Mean Pop. 1871–80	—	6729	190	164	186	185	184	909	854	779	619	440	786	664	638	520	343	177
ALL CAUSES	20·02	1347	323	79	33	28	10	473	54	22	28	32	54	61	75	120	188	240
Small-pox	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	0·27	18	1	9	2	2	2	16	1	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·39	26	-	1	3	5	2	11	10	3	2	-	-	-	-	-	-	-
Diphtheria	0·09	6	-	-	-	1	2	3	3	-	-	-	-	-	-	-	-	-
Whooping cough	0·46	31	13	11	2	3	1	30	1	-	-	-	-	-	-	-	-	-
Typhus	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	0·22	15	-	-	1	1	1	3	6	-	2	2	1	-	1	-	-	-
Simple Cont. Fev.	0·18	12	-	-	-	2	-	2	3	-	1	2	1	-	1	-	2	-
Puerp. Fever	0·01	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diarr. and Dys.	1·25	84	45	8	4	2	-	59	3	-	-	-	1	-	-	-	4	17
Cholera	0·01	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Cancer	0·64	43	-	-	-	-	-	-	-	-	1	-	1	3	8	15	11	4
Scrofula	0·19	13	10	1	-	-	1	12	-	-	-	-	-	1	-	-	-	-
Tabes Mesent.	0·24	16	6	2	1	-	-	11	3	1	-	1	-	-	-	-	-	-
Phthisis	2·10	141	14	7	1	4	-	26	2	6	11	21	30	23	9	8	5	-
Hydrocephalus	0·34	23	9	5	2	1	-	17	4	-	-	-	2	-	-	-	-	-
Diseases of Nervous Syst.	2·13	143	30	6	2	1	-	39	3	4	4	-	3	4	11	21	30	24
Diseases of Circulatory "	1·50	101	-	-	-	-	-	-	1	1	1	-	5	6	8	27	32	20
Diseases of Respiratory "	2·21	149	34	15	6	5	-	60	1	-	-	1	1	5	8	11	25	27
Diseases of Digestive "	1·43	100	23	1	1	-	-	25	1	1	2	-	3	4	14	20	19	11
Diseases of Urinary "	0·49	33	-	-	-	-	-	-	-	-	-	2	1	3	4	7	8	8
Diseases of Generative "	0·06	4	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1
Childbirth	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	0·16	11	-	-	-	-	-	-	-	-	-	-	-	3	3	-	4	1
Other Violence	0·56	38	-	2	5	1	1	9	8	1	1	2	4	3	1	3	5	1
Other Causes	5·03	338	133	11	3	-	-	150	3	4	3	1	1	5	6	6	33	126

Deaths of Infants (under one) to 1000 Births - 151

Marriages - 447
Births - 2,140

Annual Rate per 1000 living: Persons Married - 13·29; Births - 31·80

185.—WISBECH.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·31	—	—	—	—	—	52·80	5·06	3·53	4·26	6·76	7·72	8·60	10·94	23·90	49·69	154·74
Mean Pop. 1871–80	—	33,336	954	820	885	829	859	4347	4091	3686	3122	2574	4186	3490	3016	2477	1598	749
ALL CAUSES	19·31	6437	1596	401	143	89	66	2295	207	130	133	174	323	300	330	592	794	1159
Small-pox	0·17	56	8	1	3	-	-	12	1	1	1	6	24	3	3	4	1	-
Measles	0·20	66	24	20	9	6	3	62	3	-	-	-	1	-	-	-	-	-
Scarlet Fever	0·38	126	3	13	18	17	16	67	41	8	4	1	3	2	-	-	-	-
Diphtheria	0·07	25	-	-	1	3	3	7	11	3	1	-	1	-	1	1	-	-
Whooping-cough	0·51	171	87	47	17	11	6	168	3	-	-	-	-	-	-	-	-	-
Typhus	0·02	8	-	-	-	-	-	-	-	2	2	-	-	2	-	-	2	-
Enteric Fever	0·19	65	-	1	-	1	1	3	7	7	8	7	5	8	6	6	6	2
Simple Cont. Fev.	0·11	37	2	1	-	-	1	4	5	3	4	1	2	-	2	6	8	2
Puerp. Fever	0·05	17	-	-	-	-	-	-	-	-	1	2	8	6	-	-	-	-
Diarr. and Dys.	0·67	223	118	23	6	5	2	154	3	2	-	-	2	6	-	5	18	33
Cholera	0·02	7	-	-	2	-	-	2	-	-	-	-	-	-	2	1	1	1
Cancer	0·73	245	-	-	-	-	-	-	-	1	1	-	7	27	46	65	65	33
Scrofula	0·06	21	2	-	2	2	1	7	1	2	4	1	2	-	1	2	1	-
Tabes Mesent.	0·14	46	23	9	3	2	-	37	1	6	1	-	1	-	-	-	-	-
Phthisis	1·48	493	15	10	2	1	3	31	14	25	48	83	118	77	48	36	13	-
Hydrocephalus	0·27	89	19	23	11	3	4	60	10	6	3	5	4	-	1	-	-	-
Diseases of Nervous Syst.	2·20	734	184	31	14	11	1	241	18	8	7	9	21	20	39	84	138	149
Diseases of Circulatory "	1·29	430	4	1	-	1	-	6	5	6	4	10	25	38	33	99	129	81
Diseases of Respiratory "	2·94	979	248	121	24	10	8	411	16	4	12	7	22	33	45	104	154	171
Diseases of Digestive "	0·73	245	24	4	2	-	-	30	10	4	6	3	9	23	21	48	54	37
Diseases of Urinary "	0·42	141	2	-	2	-	1	5	2	7	1	3	14	9	16	24	32	25
Diseases of Generative "	0·06	20	-	-	-	-	-	-	-	-	1	2	4	1	6	3	3	-
Childbirth	0·06	21	-	-	-	-	-	-	-	-	-	6	7	6	2	-	-	-
Suicide	0·06	19	-	-	-	-	-	-	-	-	1	-	-	1	5	7	5	-
Other Violence	0·70	234	9	6	12	7	7	41	22	20	18	14	17	14	17	23	15	23
Other Causes	5·78	1929	824	90	15	9	9	947	24	15	5	14	23	24	33	74	158	590

Deaths of Infants (under one) to 1000 Births - 146

Marriages - 2,369
Births - 10,902

Annual Rate per 1000 living: Persons Married - 14·21; Births - 32·70

ESSEX.

186.—WEST HAM.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	17·79	—	—	—	—	—	55·54	5·61	3·41	4·22	5·56	7·26	10·25	16·09	28·26	59·84	144·08
Mean Pop. 1871-80	—	150,050	4998	4524	4643	4630	4420	23215	20601	17500	13157	12232	23234	17716	11342	6685	3202	1166
ALL CAUSES	17·79	26,693	7831	2627	1159	730	497	12894	1156	596	555	680	1686	1816	1825	1889	1916	1680
Small-pox	0·43	638	69	18	20	22	21	150	53	47	66	77	129	76	28	10	2	-
Measles	0·33	502	103	171	109	53	29	468	30	4	-	-	-	-	-	-	-	-
Scarlet Fever	0·56	845	47	121	150	120	109	547	225	42	10	5	12	3	1	-	-	-
Diphtheria	0·10	148	14	22	18	21	21	96	35	7	2	-	5	2	-	1	-	-
Whooping-cough	0·63	946	363	276	144	87	33	906	39	1	-	-	-	-	-	-	-	-
Typhus	0·02	36	-	-	1	1	1	3	7	4	6	-	6	4	1	3	2	-
Enteric Fever	0·24	362	11	11	9	21	12	64	51	39	39	24	51	35	25	17	13	4
Simple Cont. Fev.	0·08	117	6	9	9	9	6	39	20	11	7	2	8	8	9	4	3	6
Puerp. Fever	0·07	107	-	-	-	-	-	-	-	-	2	27	54	23	1	-	-	-
Diarr. and Dys.	0·90	1334	980	205	20	11	7	1223	5	5	2	2	12	9	7	22	19	23
Cholera	0·03	41	20	8	1	-	1	30	1	-	-	1	1	4	-	3	1	-
Cancer	0·36	546	1	-	-	1	1	3	1	1	1	1	29	74	129	154	112	41
Scrofula	0·13	190	55	26	12	11	7	111	22	20	7	1	9	6	3	5	5	1
Tabes Mesent.	0·40	597	334	131	41	30	10	546	34	8	2	3	1	-	2	1	-	-
Phthisis	1·92	2875	45	36	17	15	13	126	79	139	181	277	680	672	434	266	67	14
Hydrocephalus	0·33	494	206	117	52	33	23	431	47	7	2	1	5	-	1	-	-	-
Diseases of: Nervous Syst.	2·40	3605	1287	325	128	77	55	1872	147	42	41	34	96	141	234	319	394	235
Diseases of: Circulatory ,,	0·87	1305	16	3	1	5	4	29	27	45	43	31	101	185	215	274	251	104
Diseases of: Respiratory ,,	3·32	4982	1497	749	267	99	68	2671	124	40	29	45	149	205	308	428	531	432
Diseases of: Digestive ,,	0·64	968	163	18	12	12	3	211	29	23	22	19	56	107	153	140	137	68
Diseases of: Urinary ,,	0·21	322	5	7	5	5	3	25	10	9	7	6	27	34	49	62	57	36
Diseases of: Generative ,,	0·03	49	-	-	1	-	-	1	-	-	1	3	3	5	13	10	12	1
Childbirth	0·08	119	-	-	-	-	-	-	-	-	2	17	57	42	1	-	-	-
Suicide	0·04	63	-	-	-	-	-	-	-	-	3	5	12	10	15	10	5	3
Other Violence	0·41	615	43	38	24	17	14	136	42	47	41	53	85	74	62	42	19	14
OTHER CAUSES	3·23	4837	2610	345	118	77	56	3206	128	52	39	45	98	97	134	178	286	623

Deaths of Infants (under one) to 1000 Births - 145 | Marriages - 8,645 | Births - 54,262 | Annual Rate per 1000 living: Persons Married - 11·52; Births - - - 36·16

187.—EPPING.

—	Annual Death Rate per 1000																	
ANNUAL DEATH RATE PER 1000	—	16·86	—	—	—	—	—	41·46	4·72	2·32	4·71	4·76	7·13	9·38	12·40	23·02	54·27	157·36
Mean Pop. 1871-80	—	20,997	575	517	549	559	564	2764	2670	2410	1933	1640	2705	2323	1911	1399	855	387
ALL CAUSES	16·86	3540	750	199	95	58	44	1146	126	56	91	78	193	218	237	322	464	609
Small-pox	0·19	39	4	4	1	-	-	9	1	3	3	2	8	4	4	3	2	-
Measles	0·19	40	11	9	5	5	2	32	3	-	2	-	-	2	1	-	-	-
Scarlet Fever	0·41	86	3	5	19	13	5	45	28	9	2	-	2	-	-	-	-	-
Diphtheria	0·12	26	-	3	2	1	1	7	13	2	2	-	-	2	-	-	-	-
Whooping cough	0·40	83	36	29	7	4	2	78	5	-	-	-	-	-	-	-	-	-
Typhus	0·06	12	-	-	-	-	-	-	1	1	2	-	2	2	1	1	1	1
Enteric Fever	0·23	48	1	-	2	2	2	7	9	2	9	3	5	4	1	4	2	2
Simple Cont. Fev.	0·06	13	-	-	-	1	-	1	1	2	1	-	1	-	2	2	1	2
Puerp. Fever	0·03	6	-	-	-	-	-	-	-	-	-	1	3	2	-	-	-	-
Diarr. and Dys.	0·63	133	84	15	-	1	3	103	1	-	-	-	-	-	3	7	9	16
Cholera	0·03	7	4	1	-	-	-	5	-	-	-	-	-	-	1	-	1	-
Cancer	0·44	93	-	-	-	-	-	-	-	-	-	-	1	14	20	26	22	10
Scrofula	0·10	19	6	2	-	-	-	8	2	2	1	1	2	1	-	-	1	1
Tabes Mesent.	0·17	36	20	5	2	1	1	29	1	-	4	-	2	-	-	-	-	-
Phthisis	1·35	284	2	1	1	-	4	8	3	4	28	36	71	54	47	26	7	-
Hydrocephalus	0·20	41	14	8	4	2	2	30	4	3	1	1	1	1	-	-	-	-
Diseases of: Nervous Syst.	2·25	473	101	30	9	5	6	151	15	2	9	6	10	15	34	62	87	82
Diseases of: Circulatory ,,	1·22	257	1	1	-	-	1	3	1	5	2	4	12	20	20	46	78	57
Diseases of: Respiratory ,,	2·48	521	140	51	18	10	4	223	11	1	5	3	17	23	22	34	37	94
Diseases of: Digestive ,,	1·05	220	18	2	3	3	3	29	3	2	8	2	19	20	27	41	47	22
Diseases of: Urinary ,,	0·33	70	2	-	-	-	2	4	2	1	1	2	3	6	12	17	16	6
Diseases of: Generative ,,	0·07	14	-	-	-	-	-	-	-	-	-	2	2	1	4	3	2	-
Childbirth	0·10	19	-	-	-	-	-	-	-	-	-	6	6	7	-	-	-	-
Suicide	0·10	21	-	-	-	-	-	-	-	-	-	-	5	4	5	4	2	1
Other Violence	0·52	109	5	6	7	1	2	21	9	7	6	5	9	12	9	12	13	9
OTHER CAUSES	4·13	870	298	27	15	9	4	353	13	10	5	4	12	15	23	34	89	312

Deaths of Infants (under one) to 1000 Births - 117 | Marriages - 959 | Births - 6,419 | Annual Rate per 1000 living: Persons Married - 9·13; Births - - - 30·57

188.—ONGAR.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	16·99	—	—	—	—	—	38·97	3·19	1·78	3·70	4·99	6·02	9·33	12·15	20·95	50·08	169·48
Mean Pop. 1871-80	—	11,097	306	264	294	281	287	1432	1440	1346	973	801	1328	1158	1012	797	561	249
ALL CAUSES	16·99	1885	375	93	42	24	24	558	46	24	36	40	80	108	123	167	281	422
Small pox	0·11	12	2	-	-	-	-	2	-	-	-	2	3	3	1	1	-	-
Measles	0·14	15	3	8	1	-	1	13	2	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·23	26	3	1	2	3	6	15	8	3	-	-	-	-	-	-	-	-
Diphtheria	0·05	7	-	1	3	-	1	5	1	-	-	-	1	-	-	-	-	-
Whooping-cough	0·14	49	28	12	4	2	1	47	2	-	-	-	-	-	-	-	-	-
Typhus	0·05	5	-	-	-	-	-	-	-	-	1	-	1	2	-	-	1	-
Enteric Fever	0·16	18	-	-	1	-	1	2	-	1	4	3	-	2	-	4	1	1
Simple Cont. Fev.	0·05	5	1	-	1	-	-	2	-	-	1	-	-	-	-	1	1	-
Puerp. Fever	0·07	8	-	-	-	-	-	-	-	-	-	3	1	4	-	-	-	-
Diarr. and Dys.	0·51	57	33	8	1	-	-	42	-	-	-	-	-	1	-	2	6	6
Cholera	0·01	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Cancer	0·45	50	-	-	1	-	-	1	-	-	-	-	3	2	11	14	9	10
Scrofula	0·09	10	-	-	1	-	1	2	-	1	2	-	1	-	2	-	2	-
Tabes Mesent.	0·14	16	7	3	3	-	-	13	-	-	1	-	1	-	-	-	1	-
Phthisis	1·35	150	1	3	-	-	-	4	2	7	12	14	35	28	23	11	12	2
Hydrocephalus	0·15	17	8	2	1	1	-	12	4	1	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·10	233	38	10	6	4	5	63	5	1	3	5	6	11	12	25	52	50
Circulatory "	1·31	145	-	-	-	-	-	-	1	2	5	2	5	7	18	22	43	39
Respiratory "	2·91	323	80	24	8	1	3	116	6	3	1	-	7	12	19	28	53	72
Digestive "	0·86	95	7	1	1	3	-	12	2	-	3	2	1	9	14	18	20	14
Urinary "	0·37	41	-	-	-	1	-	1	1	1	1	-	-	3	7	8	13	6
Generative "	0·03	3	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-
Childbirth	0·13	14	-	-	-	-	-	-	-	-	-	1	7	6	-	-	-	-
Suicide	0·07	8	-	-	-	-	-	-	-	-	-	-	2	-	2	1	1	2
Other Violence	0·42	47	2	2	2	1	3	10	3	1	1	3	3	5	5	8	2	6
Other Causes	4·78	530	162	18	6	7	2	195	9	3	1	5	3	13	8	21	53	214

Deaths of Infants (under one) to 1000 Births - 113

Marriages - 578
Births - 3,309

Annual Rate per 1000 living: Persons Married - 10·42; Births - 29·82

189.—ROMFORD.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–05	3·17	4·92	5·17	7·54	10·87	15·89	27·03	55·25	161·38
Annual Death Rate per 1000	—	18·67	—	—	—	—	—	50·99	5·05	3·17	4·92	5·17	7·54	10·87	15·89	27·03	55·25	161·38
Mean Pop. 1871-80	—	34,020	1031	928	986	980	974	4899	4552	4036	3109	2727	4508	3781	2775	1957	1153	523
ALL CAUSES	18·67	6352	1549	503	178	151	117	2498	230	128	153	141	340	411	441	529	637	844
Small-pox	0·18	62	6	2	3	-	1	12	8	2	5	7	14	7	6	-	1	-
Measles	0·25	84	20	33	8	10	5	76	7	-	1	-	-	-	-	-	-	-
Scarlet Fever	0·59	200	10	26	26	35	31	128	50	17	3	1	-	1	-	-	-	-
Diphtheria	0·11	37	1	4	4	4	4	17	11	5	-	-	2	1	1	-	-	-
Whooping-cough	0·42	141	56	49	16	9	8	138	3	-	-	-	-	-	-	-	-	-
Typhus	0·02	8	-	-	-	-	-	-	-	2	3	1	-	-	-	1	-	1
Enteric Fever	0·18	61	-	3	3	-	1	7	6	6	9	7	11	7	3	4	1	-
Simple Cont. Fev.	0·06	22	1	1	1	1	1	5	5	1	2	-	3	3	2	-	-	1
Puerp. Fever	0·06	22	-	-	-	-	-	-	-	-	-	9	8	4	-	-	-	-
Diarr. and Dys.	0·93	318	199	52	8	1	2	262	3	-	-	2	-	3	4	8	9	27
Cholera	0·03	11	5	1	-	-	-	6	1	-	-	-	-	1	1	-	2	-
Cancer	0·46	158	-	-	-	-	-	-	2	-	-	1	4	21	32	39	41	18
Scrofula	0·14	48	15	7	6	3	2	33	4	2	1	1	-	1	2	3	-	1
Tabes Mesent.	0·34	116	62	30	7	3	4	106	5	2	1	-	1	1	-	-	-	-
Phthisis	1·71	583	4	6	1	-	1	12	13	19	38	52	151	129	87	58	21	3
Hydrocephalus	0·42	144	64	31	15	11	4	125	12	6	1	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·38	811	261	57	23	11	8	363	30	13	17	9	11	22	48	81	117	100
Circulatory "	1·36	461	-	1	1	1	1	4	8	10	11	11	32	47	58	90	103	87
Respiratory "	2·97	1011	245	110	25	23	15	423	18	4	15	7	18	48	79	114	141	144
Digestive "	0·67	229	25	6	2	2	-	35	6	4	5	5	14	19	32	39	41	29
Urinary "	0·41	139	1	-	-	2	4	7	7	3	1	-	15	18	22	18	30	14
Generative "	0·06	22	-	-	-	-	-	-	-	-	-	-	7	6	2	4	1	2
Childbirth	0·07	25	-	-	-	-	-	-	-	-	1	2	10	12	-	-	-	-
Suicide	0·05	17	-	-	-	-	-	-	-	-	2	1	1	5	3	1	4	-
Other Violence	0·71	241	14	15	8	6	7	50	14	14	17	17	17	32	26	26	14	14
Other Causes	4·09	1392	560	69	18	24	18	689	17	18	20	8	21	23	33	43	111	399

Deaths of Infants (under one) to 1000 Births - 130

Marriages - 1,750
Births - 11,904

Annual Rate per 1000 living: Persons Married - 10·29; Births - 34·99

190.—ORSETT

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	16·57	—	—	—	—	—	43·79	5·56	4·68	5·12	6·15	6·90	9·74	12·34	24·46	48·96	166·67
Mean Pop. 1871-80	—	14,826	439	408	413	399	401	2060	1818	2009	1522	1155	1913	1531	1216	875	482	195
ALL CAUSES	16·57	2457	593	146	79	53	31	902	101	94	78	71	132	154	150	214	236	325
Small-pox	0·16	24	-	-	-	-	-	-	-	-	1	6	8	2	2	3	1	1
Measles	0·30	45	19	10	10	2	1	42	2	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·57	85	3	14	11	16	7	51	21	10	1	2	-	-	-	-	-	-
Diphtheria	0·17	25	1	1	2	6	3	13	7	4	1	-	-	-	-	-	-	-
Whooping-cough	0·42	62	33	15	8	2	-	58	4	-	-	-	-	-	-	-	-	-
Typhus	0·05	8	1	-	-	-	1	2	-	-	2	-	1	-	2	-	1	-
Enteric Fever	0·35	52	-	3	4	2	1	10	11	5	4	2	6	7	2	4	-	1
Simple Cont. Fev.	0·16	23	-	2	2	1	1	6	4	3	3	-	1	1	1	3	-	1
Puerp. Fever	0·08	12	-	-	-	-	-	-	-	-	-	4	6	2	-	-	-	-
Diarr. and Dys.	0·39	57	56	11	2	3	-	72	-	-	-	1	-	-	-	-	3	11
Cholera	0·01	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cancer	0·38	56	-	-	-	-	-	-	-	-	1	-	3	3	8	15	13	13
Scrofula	0·13	19	3	1	1	2	-	7	2	-	2	1	2	1	3	1	-	-
Tabes Mesent.	0·19	28	14	5	3	-	1	23	4	-	-	-	-	-	-	1	-	-
Phthisis	1·48	220	4	2	2	-	1	9	2	14	18	33	42	42	29	21	8	2
Hydrocephalus	0·47	69	27	18	8	3	3	59	7	3	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	1·69	250	65	12	5	3	1	86	7	6	2	2	9	8	10	20	44	56
Diseases of: Circulatory „	1·13	168	-	-	-	-	-	-	1	3	2	2	5	11	14	39	47	44
Diseases of: Respiratory „	2·67	396	92	30	8	9	6	145	5	6	6	7	11	26	30	51	49	60
Diseases of: Digestive „	0·67	100	20	1	2	-	-	23	3	2	3	-	2	14	9	14	19	11
Diseases of: Urinary „	0·38	57	-	-	1	-	1	2	-	1	2	-	4	10	8	8	14	8
Diseases of: Generative „	0·03	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1
Childbirth	0·08	12	-	-	-	-	-	-	-	-	1	4	4	3	-	-	-	-
Suicide	0·03	5	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	-
Other Violence	0·90	134	6	-	3	-	2	11	8	30	16	6	18	10	15	8	3	9
Other Causes	3·48	515	249	20	7	4	2	282	13	6	13	1	9	13	16	22	33	107

Deaths of Infants (under one) to 1000 Births - 122 | Marriages - 715, Births - 4,845 | Annual Rate per 1000 living: Persons Married - 9·65, Births - 32·68

191.—BILLERICAY.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	19·99	—	—	—	—	—	41·02	5·28	3·18	5·57	5·92	12·09	17·74	22·67	34·78	57·47	156·67
Mean Pop. 1871-80	—	18,097	428	430	416	439	451	2167	2218	2107	1795	1588	2299	1995	1606	1156	736	330
ALL CAUSES	19·99	3617	539	167	85	61	37	889	117	67	100	94	290	354	364	402	423	517
Small-pox	0·15	28	5	-	2	-	-	7	1	-	3	4	6	-	4	3	-	-
Measles	0·15	27	3	9	6	2	2	22	2	2	-	1	-	-	-	-	-	-
Scarlet Fever	0·20	37	2	4	7	4	3	20	7	5	1	1	1	1	-	1	-	-
Diphtheria	0·13	24	2	1	3	1	1	8	13	2	-	1	-	-	-	-	-	-
Whooping-cough	0·43	78	31	24	10	6	2	73	4	1	-	-	-	-	-	-	-	-
Typhus	0·04	7	-	-	-	-	-	-	-	-	-	1	1	2	3	-	-	-
Enteric Fever	0·14	25	-	1	-	1	1	3	2	4	5	1	3	3	2	1	1	-
Simple Cont. Fev.	0·09	17	-	-	-	-	2	2	2	1	1	1	1	1	3	3	1	1
Puerp. Fever	0·03	5	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-
Diarr. and Dys.	0·60	108	61	15	7	3	-	86	-	-	-	-	3	1	3	3	2	10
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·61	111	-	-	-	1	-	1	-	-	-	1	2	11	23	34	29	10
Scrofula	0·07	12	-	1	-	-	-	1	1	-	-	2	2	2	2	2	-	-
Tabes Mesent.	0·12	21	7	1	4	2	-	14	3	-	1	-	1	1	1	-	-	-
Phthisis	2·16	391	4	-	-	2	3	9	17	14	41	41	99	64	68	27	9	2
Hydrocephalus	0·27	48	14	10	3	4	3	34	7	3	1	1	2	-	-	-	-	-
Diseases of: Nervous Syst.	4·17	751	53	17	11	5	4	90	10	6	15	12	74	141	106	116	108	76
Diseases of: Circulatory „	1·74	315	3	2	1	-	1	7	4	6	5	2	20	28	38	57	86	62
Diseases of: Respiratory „	2·78	501	88	43	16	10	5	162	9	4	11	7	19	38	38	56	70	90
Diseases of: Digestive „	0·80	144	12	1	1	1	1	16	5	1	-	3	8	19	24	27	29	12
Diseases of: Urinary „	0·33	59	-	-	-	1	-	1	4	1	2	3	10	8	8	8	5	9
Diseases of: Generative „	0·04	7	-	-	-	-	-	-	-	-	-	-	-	-	5	1	1	-
Childbirth	0·07	13	-	-	-	-	-	-	-	-	1	1	7	4	-	-	-	-
Suicide	0·09	16	-	-	-	-	-	-	-	-	1	-	3	2	4	4	2	-
Other Violence	0·44	79	6	2	1	2	1	12	5	4	3	3	10	10	7	10	7	8
Other Causes	4·34	787	248	36	13	16	8	321	21	13	9	7	15	17	25	49	73	237

Deaths of Infants (under one) to 1000 Births - 110 | Marriages - 927, Births - 4,898 | Annual Rate per 1000 living: Persons Married - 10·24, Births - 27·07

192.—CHELMSFORD.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	17·94	—	—	—	—	—	40·87	5·27	3·47	5·05	5·95	7·57	9·82	12·11	23·38	54·84	149·05
Mean Pop. 1871-80	—	33,372	928	859	911	853	880	4431	4228	3808	3050	2489	4134	3473	3105	2408	1508	738
ALL CAUSES	17·94	5988	1131	343	160	97	80	1811	223	132	154	148	313	341	376	563	827	1100
Small-pox	0·06	21	1	-	-	-	-	1	-	1	1	5	3	4	1	4	1	-
Measles	0·17	58	17	19	8	2	4	50	7	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·42	141	6	10	23	25	21	85	38	14	2	-	1	1	-	-	-	-
Diphtheria	0·35	118	5	8	9	11	11	44	45	16	5	2	4	1	1	-	-	-
Whooping-cough	0·36	121	63	36	12	7	3	121	-	-	-	-	-	-	-	-	-	-
Typhus	0·01	3	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-
Enteric Fever	0·22	75	3	4	1	2	1	11	10	5	13	8	6	6	6	6	4	-
Simple Cont. Fev.	0·05	16	1	2	1	1	-	5	1	1	1	1	1	3	-	2	1	-
Puerp. Fever	0·03	11	-	-	-	-	-	-	-	-	-	1	5	5	-	-	-	-
Diarr. and Dys.	0·42	139	84	11	4	4	-	103	-	-	2	-	1	-	2	5	8	18
Cholera	0·06	20	13	2	1	-	-	16	2	-	-	-	-	-	-	1	1	-
Cancer	0·54	182	-	-	-	-	-	-	-	-	1	-	2	22	33	49	42	23
Scrofula	0·19	63	15	17	6	2	-	40	5	3	5	1	5	1	2	1	-	-
Tabes Mesent.	0·25	85	36	20	3	2	-	61	7	5	5	3	3	-	-	1	-	-
Phthisis	1·69	564	6	4	4	1	2	17	13	17	55	73	140	100	78	48	14	-
Hydrocephalus	0·30	99	30	27	13	4	3	77	7	6	5	1	-	2	-	1	-	-
Diseases of: Nervous Syst.	2·29	765	133	29	17	7	9	195	14	11	9	9	17	22	39	96	179	174
Diseases of: Circulatory „	1·71	572	2	1	1	1	1	6	8	8	10	5	27	39	52	112	190	115
Diseases of: Respiratory „	2·80	934	221	98	33	11	12	375	16	7	6	7	29	29	43	92	146	181
Diseases of: Digestive „	1·10	368	43	7	1	4	1	56	11	7	11	5	13	37	43	66	60	56
Diseases of: Urinary „	0·40	133	3	1	1	2	1	8	2	2	2	7	9	12	11	17	36	27
Diseases of: Generative „	0·07	19	-	-	-	-	-	-	-	-	-	1	4	4	4	1	3	2
Childbirth	0·07	23	-	-	-	-	-	-	-	-	-	-	14	8	1	-	-	-
Suicide	0·08	27	-	-	-	-	-	-	-	-	1	1	4	4	7	6	3	1
Other Violence	0·42	140	8	12	5	2	3	30	12	11	8	5	13	12	10	12	12	15
Other Causes	3·88	1291	441	35	17	9	8	510	22	17	11	13	12	20	34	42	127	483

Deaths of Infants (under one) to 1000 Births - 111 | Marriages - 1,886 | Births - 10,222 | Annual Rate per 1000 living: Persons Married - 11·30; Births - 30·63

193.—ROCHFORD.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	16·48	—	—	—	—	—	42·25	4·66	2·38	4·25	4·29	5·99	10·24	13·74	27·35	55·79	155·91
Mean Pop. 1871-80	—	22,493	668	631	628	630	596	3153	2771	2137	2120	1957	3186	2510	1870	1382	794	313
ALL CAUSES	16·48	3707	904	210	97	67	54	1332	129	58	90	84	191	257	257	378	443	433
Small-pox	0·12	28	4	1	-	1	1	7	-	-	-	6	6	2	4	1	2	-
Measles	0·16	35	7	13	5	4	2	31	2	1	-	-	1	-	-	-	-	-
Scarlet Fever	0·28	62	4	4	9	9	12	38	16	6	1	-	1	-	-	-	-	-
Diphtheria	0·10	22	1	-	2	5	3	11	9	-	1	1	-	-	-	-	-	-
Whooping-cough	0·39	88	53	17	7	7	1	85	3	-	-	-	-	-	-	-	-	-
Typhus	0·02	4	-	-	-	1	-	1	1	-	1	-	-	-	-	1	-	-
Enteric Fever	0·31	70	2	-	1	-	2	5	14	3	9	12	9	4	5	2	1	1
Simple Cont. Fev.	0·06	14	-	-	-	1	2	3	1	2	-	-	1	-	-	3	4	-
Puerp. Fever	0·03	7	-	-	-	-	-	-	-	-	-	-	5	2	-	-	-	-
Diarr. and Dys.	0·88	198	141	26	6	1	3	177	-	-	-	-	2	-	-	6	7	6
Cholera	0·04	8	6	-	-	1	-	7	-	-	-	-	-	-	-	-	1	-
Cancer	0·51	114	-	-	-	-	-	-	-	-	-	-	2	14	22	39	21	16
Scrofula	0·08	19	2	1	1	1	1	6	3	2	3	-	-	1	1	-	2	1
Tabes Mesent.	0·23	57	30	11	6	2	1	50	5	-	-	1	-	-	-	1	-	-
Phthisis	1·28	288	3	4	3	2	1	13	4	7	31	24	64	68	60	31	10	6
Hydrocephalus	0·22	49	19	11	5	3	-	38	5	1	3	-	1	-	1	-	-	-
Diseases of: Nervous Syst.	1·86	419	108	20	9	6	6	149	14	10	5	6	7	20	29	51	74	54
Diseases of: Circulatory „	1·10	248	1	-	-	-	-	1	9	3	7	3	14	26	36	46	59	44
Diseases of: Respiratory „	2·78	625	142	55	15	8	7	227	14	9	4	7	24	39	50	82	97	72
Diseases of: Digestive „	0·88	199	20	3	5	-	-	28	4	1	4	6	13	21	25	36	43	18
Diseases of: Urinary „	0·47	106	4	-	-	2	1	7	4	1	2	1	10	9	17	16	30	9
Diseases of: Generative „	0·04	9	-	-	-	-	-	-	-	-	-	1	-	5	-	3	-	-
Childbirth	0·09	21	-	-	-	-	-	-	-	-	2	4	9	6	-	-	-	-
Suicide	0·09	20	-	-	-	-	-	-	-	-	2	1	1	5	5	2	3	1
Other Violence	0·52	117	7	4	5	3	4	23	5	1	8	8	15	18	8	16	11	4
Other Causes	3·92	880	350	40	13	10	7	425	16	6	7	3	6	17	21	42	78	256

Deaths of Infants (under one) to 1000 Births - 120 | Marriages - 1,397 | Births - 7,546 | Annual Rate per 1000 living: Persons Married 12·42; Births - 33·55

194.—MALDON.*

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	17·48	—	—	—	—	—	41·43	4·72	3·00	4·89	7·08	7·51	8·68	12·29	21·17	53·25	101·88
Mean Pop. 1871-80	—	* 23,238	680	656	637	654	677	3304	3159	2734	2126	1582	2704	2374	2066	1724	1061	404
ALL CAUSES	17·48	4063	886	258	109	69	47	1369	149	82	104	112	203	206	254	365	565	654
Small-pox	0·14	32	4	1	1	–	–	6	1	1	3	5	8	2	4	2	–	–
Measles	0·11	24	2	13	2	3	2	22	1	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·42	98	5	7	14	11	16	53	34	7	3	–	1	–	–	–	–	–
Diphtheria	0·11	26	–	3	3	3	3	12	10	3	1	–	–	–	–	–	–	–
Whooping-cough	0·49	111	68	31	10	3	1	113	–	1	–	–	–	–	–	–	–	–
Typhus	0·03	6	–	–	–	–	–	–	–	–	2	2	–	2	–	–	–	–
Enteric Fever	0·28	66	1	2	1	3	2	9	6	6	11	6	9	4	5	4	4	2
Simple Cont. Fev.	0·03	7	1	–	–	1	–	2	1	2	1	–	–	–	–	–	–	1
Puerp. Fever	0·03	6	–	–	–	–	–	–	–	–	–	2	4	–	–	–	–	–
Diarr. and Dys.	0·43	99	63	14	4	3	–	84	–	–	1	–	–	–	–	4	3	7
Cholera	0·02	4	1	1	–	–	–	2	–	–	–	–	–	–	–	1	–	1
Cancer	0·48	111	–	–	–	–	–	–	–	–	1	–	4	9	21	28	37	11
Scrofula	0·15	36	10	–	1	1	–	12	2	3	1	2	–	4	4	4	4	–
Tabes Mesent.	0·25	57	31	9	6	3	–	49	6	1	–	1	–	–	–	–	–	–
Phthisis	1·64	382	11	8	5	2	1	27	10	16	31	55	91	53	46	36	10	1
Hydrocephalus	0·35	81	22	23	6	9	3	63	12	2	2	–	–	2	–	–	–	–
Diseases of: Nervous Syst.	2·12	492	108	29	18	11	4	170	22	8	10	6	17	28	37	58	80	56
Circulatory ,,	1·24	287	–	–	–	–	1	1	–	4	7	2	14	10	42	51	95	51
Respiratory ,,	2·41	559	137	64	18	6	9	234	11	4	5	9	14	26	32	57	97	70
Digestive ,,	0·81	189	22	4	2	–	1	29	6	4	6	5	6	13	27	32	35	26
Urinary ,,	0·30	70	–	2	–	1	–	3	2	1	–	2	7	8	5	22	12	8
Generative ,,	0·05	11	–	–	–	–	–	–	–	–	–	1	1	2	5	1	1	–
Childbirth	0·08	19	–	–	–	–	–	–	–	–	1	2	5	11	–	–	–	–
Suicide	0·06	14	–	–	–	–	–	–	–	–	–	–	2	–	1	6	4	1
Other Violence	0·53	123	14	5	3	2	1	25	13	13	8	6	8	11	10	12	8	9
OTHER CAUSES	4·92	1150	386	42	15	7	3	453	12	5	7	6	9	12	15	47	174	410

Deaths of Infants (under one) to 1000 Births - 112 | Marriages - 1,438 | Births - 7,927 | Annual Rate per 1000 living: Persons Married - 12·38; Births - 34·11

* Changes were made in the boundary of this District during the decade; *see* pp. 371–78.

195.—TENDRING.*

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	18·10	—	—	—	—	—	41·24	5·40	3·70	6·40	7·04	7·46	8·93	12·50	23·63	53·98	154·16
Mean Pop. 1871-80	—	* 29,604	856	782	795	796	784	4013	3796	3327	2·27	2187	3699	3157	2744	2146	1295	613
ALL CAUSES	18·10	5357	1098	300	122	61	74	1655	205	123	168	154	276	282	343	507	699	945
Small-pox	0·18	53	4	–	–	–	2	6	3	5	9	5	10	3	8	–	2	2
Measles	0·16	48	9	13	6	5	6	39	8	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·29	87	4	15	16	12	8	55	23	5	2	1	1	–	–	–	–	–
Diphtheria	0·08	25	2	–	1	–	1	4	15	6	–	–	–	–	–	–	–	–
Whooping-cough	0·43	126	30	42	10	6	2	120	5	1	–	–	–	–	–	–	–	–
Typhus	0·02	6	–	–	–	–	–	–	2	1	–	1	1	–	–	1	–	–
Enteric Fever	0·26	75	1	4	6	–	2	13	11	10	10	5	6	4	3	3	8	3
Simple Cont. Fev.	0·16	46	–	1	2	3	3	9	7	6	6	1	4	3	4	4	2	–
Puerp. Fever	0·06	19	–	–	–	–	–	–	–	–	1	1	10	7	–	–	–	–
Diarr. and Dys.	0·71	209	117	17	7	3	1	145	5	–	2	–	2	3	–	8	20	24
Cholera	0·01	4	3	1	–	–	–	4	–	–	–	–	–	–	–	–	–	–
Cancer	0·47	139	2	–	–	–	–	2	–	–	–	–	4	10	19	42	38	21
Scrofula	0·13	39	6	4	–	1	1	12	4	4	1	4	4	4	4	–	2	–
Tabes Mesent.	0·32	95	63	16	7	–	–	86	4	2	–	1	1	1	–	–	–	–
Phthisis	1·82	539	9	7	–	–	4	20	9	25	68	78	118	82	78	46	15	–
Hydrocephalus	0·19	57	14	20	5	4	4	47	7	2	1	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·37	702	143	40	16	8	8	215	30	14	15	8	17	28	37	75	114	149
Circulatory ,,	1·35	399	6	1	–	1	1	9	6	9	10	3	14	29	55	76	121	67
Respiratory ,,	2·51	744	153	61	29	2	9	257	19	7	8	4	10	23	38	103	137	133
Digestive ,,	1·07	316	25	1	3	1	2	32	8	1	2	7	14	31	31	70	79	41
Urinary ,,	0·40	119	2	–	1	1	2	6	1	2	2	5	8	11	11	23	24	25
Generative ,,	0·05	15	–	–	–	–	–	–	–	–	–	2	1	2	4	2	2	2
Childbirth	0·07	20	–	–	–	–	–	–	–	–	2	3	5	7	3	–	–	–
Suicide	0·09	23	–	–	–	–	–	–	–	–	–	2	4	3	5	6	4	2
Other Violence	0·55	162	15	4	2	4	6	31	9	8	16	17	17	19	18	11	9	7
OTHER CAUSES	4·35	1283	457	53	11	10	12	543	29	14	13	6	25	12	25	37	122	469

Deaths of Infants (under one) to 1000 Births - 117 | Marriages - 1,927 | Births - 9,386 | Annual Rate per 1000 living: Persons Married - 13·02; Births - 31·71

* Changes were made in the boundary of this District during the decade; *see* pp. 371–78.

196.—COLCHESTER.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·88	—	—	—	—	—	55·77	5·37	4·42	5·40	6·24	8·49	12·99	17·79	30·63	34·88	173·20
Mean Pop. 1871–80	—	27,360	758	650	649	653	663	3373	2945	2718	3109	2868	4207	3049	2170	1567	951	403
ALL CAUSES	19·88	5440	1191	376	143	109	62	1881	158	120	168	179	357	396	386	489	617	698
Small-pox	0·08	21	4	-	-	-	1	5	1	-	1	2	5	2	3	-	2	-
Measles	0·29	80	17	29	17	8	4	75	4	-	1	-	-	-	-	-	-	-
Scarlet Fever	0·28	77	4	6	6	16	10	42	24	7	2	1	-	-	-	1	-	-
Diphtheria	0·12	32	1	3	3	8	4	19	7	2	1	1	-	-	1	1	-	-
Whooping-cough	0·57	157	71	61	13	8	3	156	1	-	-	-	-	-	-	-	-	-
Typhus	0·02	5	-	-	-	-	-	-	-	1	1	-	2	-	1	-	-	-
Enteric Fever	0·33	91	-	2	2	1	4	9	13	9	7	4	17	6	8	9	7	2
Simple Cont. Fev.	0·08	23	-	-	-	1	-	1	7	-	1	1	2	2	2	3	3	1
Puerp. Fever	0·05	13	-	-	-	-	-	-	-	-	-	7	5	1	-	-	-	-
Diarr. and Dys.	1·17	321	131	60	11	5	6	213	9	2	1	2	5	3	5	13	13	23
Cholera	0·01	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Cancer	0·53	145	-	-	-	-	-	-	-	-	-	1	3	19	24	46	39	13
Scrofula	0·12	32	2	3	2	4	-	11	5	4	2	1	2	5	1	1	-	-
Tabes Mesent.	0·36	99	62	17	4	2	2	87	1	4	2	1	3	-	-	1	-	-
Phthisis	2·48	678	7	6	6	1	-	20	12	36	73	93	163	144	87	35	15	-
Hydrocephalus	0·35	97	31	19	13	7	6	76	16	4	-	-	-	-	-	1	-	-
Diseases of: Nervous Syst.	2·42	661	147	22	16	13	5	203	10	10	16	8	24	33	53	63	116	120
Diseases of: Circulatory	1·74	475	2	-	-	-	2	4	4	5	5	7	23	62	57	101	127	80
Diseases of: Respiratory	3·14	859	276	89	31	17	7	380	16	9	16	14	32	40	35	76	116	125
Diseases of: Digestive	1·08	295	27	2	-	3	-	32	4	5	9	7	23	37	41	56	60	21
Diseases of: Urinary	0·37	100	-	-	1	-	-	1	3	5	4	4	7	5	17	19	19	16
Diseases of: Generative	0·05	13	-	-	-	-	-	-	-	-	1	-	1	3	5	1	2	-
Childbirth	0·08	21	-	-	-	-	-	-	-	-	2	2	11	6	-	-	-	-
Suicide	0·10	29	-	-	-	-	-	-	-	-	2	3	7	4	7	1	5	-
Other Violence	0·38	104	17	2	5	2	1	27	8	3	6	8	8	9	16	8	3	8
Other Causes	3·68	1010	402	55	13	13	7	490	13	14	15	12	14	14	22	39	90	287

Deaths of Infants (under one) to 1000 Births - 135 | Marriages - 2,430 | Births - 8,828 | Annual Rate per 1000 living: Persons Married - 17·76; Births - 32·27

197.—LEXDEN.*

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	16·62	—	—	—	—	—	35·60	3·76	2·97	4·78	5·99	6·86	9·05	10·95	22·36	51·61	146·58
Mean Pop. 1871–80	—	23,858	677	647	684	632	736	3376	3249	2831	2071	1670	2739	2121	2191	1695	1089	526
ALL CAUSES	16·62	3,966	781	226	87	64	44	1202	122	84	99	100	188	219	240	379	562	771
Small-pox	0·05	12	2	1	-	-	-	3	-	-	1	2	2	3	1	-	-	-
Measles	0·13	32	5	8	9	6	-	28	2	1	1	-	-	-	-	-	-	-
Scarlet Fever	0·24	57	3	5	4	11	4	27	18	6	3	1	1	1	-	-	-	-
Diphtheria	0·18	44	1	1	2	7	6	17	16	3	2	1	1	1	1	2	-	-
Whooping-cough	0·33	79	55	16	3	2	2	78	1	-	-	-	-	-	-	-	-	-
Typhus	0·05	12	-	-	-	-	-	-	1	2	4	-	1	1	1	-	2	-
Enteric Fever	0·26	63	4	6	2	3	2	17	10	9	7	2	3	6	4	1	3	1
Simple Cont. Fev.	0·07	17	1	2	2	-	-	5	2	1	-	-	-	1	-	3	4	1
Puerp. Fever	0·05	12	-	-	-	-	-	-	-	-	1	1	6	4	-	-	-	-
Diarr. and Dys.	0·56	134	65	16	6	4	3	94	4	2	-	-	-	1	2	3	13	15
Cholera	0·01	3	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-
Cancer	0·57	136	-	-	-	-	-	-	-	-	1	1	5	8	31	33	36	21
Scrofula	0·10	23	8	2	-	-	-	10	1	-	-	2	3	2	2	2	1	-
Tabes Mesent.	0·16	38	13	8	3	3	1	28	1	1	2	-	2	-	2	1	1	-
Phthisis	1·93	461	17	12	3	-	4	36	16	19	36	62	103	71	49	45	18	6
Hydrocephalus	0·26	61	21	21	5	-	1	48	4	2	5	-	-	2	-	-	-	-
Diseases of: Nervous Syst.	2·04	487	83	23	11	6	3	131	10	4	9	5	6	21	29	54	90	128
Diseases of: Circulatory	1·51	360	2	-	2	-	-	4	3	5	4	3	9	21	31	64	128	88
Diseases of: Respiratory	2·58	616	123	54	11	11	8	207	6	2	3	2	7	26	20	66	106	171
Diseases of: Digestive	0·84	200	14	3	3	2	1	23	4	3	5	4	7	14	27	40	43	25
Diseases of: Urinary	0·37	89	-	-	1	1	1	3	-	3	2	1	5	4	9	15	27	20
Diseases of: Generative	0·05	12	-	-	-	-	-	-	-	-	-	-	1	4	1	2	2	2
Childbirth	0·05	13	-	-	-	-	-	-	-	-	1	3	4	4	1	-	-	-
Suicide	0·05	12	-	-	-	-	-	-	-	-	2	-	-	3	2	3	2	-
Other Violence	0·46	109	10	4	5	1	3	23	10	8	5	7	11	9	10	5	10	11
Other Causes	3·72	884	351	39	15	7	5	417	13	13	5	3	11	12	17	40	71	232

Deaths of Infants (under one) to 1000 Births - 100 | Marriages - 1,501 | Births - 7,848 | Annual Rate per 1000 living: Persons Married - 12·58; Births - 32·89

* Changes were made in the boundary of this district during the decade; see pp. 371–78.

WITHAM (Deaths in 9½ years).*

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·02	—	—	—	—	—	38·46	5·11	3·61	5·15	7·72	8·10	8·07	12·32	26·00	53·62	165·16
Mean Pop. In 9½ Years*	—	15,127	415	376	377	393	417	1978	1971	1831	1346	1102	1764	1613	1458	1010	728	326
ALL CAUSES	18·02	2596	444	132	82	39	27	724	96	63	66	81	136	124	171	250	372	513
Small-pox	0·06	9	1	1	–	–	–	2	–	2	–	1	1	–	2	–	1	–
Measles	0·14	20	6	4	2	2	1	15	4	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·32	46	–	3	7	6	8	24	19	1	–	–	1	–	1	–	–	–
Diphtheria	0·30	43	–	3	5	4	2	14	17	10	–	2	–	–	–	–	–	–
Whooping-cough	0·52	75	30	24	10	7	3	74	1	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·23	33	–	–	1	2	–	3	2	6	4	6	6	3	1	1	1	–
Simple Cont. Fev.	0·01	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Puerp. Fever	0·02	3	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
Diarr. and Dys.	0·57	82	32	9	3	4	1	49	–	1	1	–	–	1	–	5	13	12
Cholera	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·67	97	–	–	–	–	–	–	–	–	–	–	3	8	22	27	23	11
Scrofula	0·28	40	7	5	3	–	1	16	9	4	1	1	3	2	2	1	–	1
Tabes Mesent.	0·15	22	10	4	1	1	–	16	2	2	2	–	–	–	–	–	–	–
Phthisis	1·90	274	–	2	–	1	–	3	3	12	28	40	74	53	32	25	3	1
Hydrocephalus	0·37	54	18	12	5	–	2	37	8	4	3	2	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·14	308	46	7	12	2	1	68	7	8	6	10	5	11	22	34	60	77
Diseases of: Circulatory „	1·91	275	–	–	–	–	–	–	–	–	3	6	10	12	21	51	90	82
Diseases of: Respiratory „	2·78	401	100	32	13	4	3	152	5	4	7	3	5	8	22	47	65	83
Diseases of: Digestive „	0·94	135	5	–	–	1	2	8	3	3	1	–	10	7	15	27	39	22
Diseases of: Urinary „	0·39	56	–	2	1	1	–	4	–	–	2	3	5	3	9	6	13	11
Diseases of: Generative „	0·09	13	–	–	–	–	–	–	–	–	–	–	–	2	4	4	2	1
Childbirth	0·07	10	–	–	–	–	–	–	–	–	–	1	3	6	–	–	–	–
Suicide	0·05	7	–	–	–	–	–	–	–	–	–	1	1	–	1	2	2	–
Other Violence	0·40	58	5	2	3	–	2	12	5	2	6	2	2	1	6	7	10	5
Other Causes	3·71	533	184	22	16	4	1	227	10	3	2	2	4	7	11	13	47	207

Deaths of Infants (under one) to 1000 Births - 101 | Marriages - 829 | Births - 4,378 | Annual Rate per 1000 living: Persons Married - 11·51; Births - - - 30·39

* This District was abolished 1st July 1880, *see* pp. 371-78.

198.—HALSTEAD.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·78	—	—	—	—	—	45·80	6·11	4·41	4·87	7·38	8·47	8·99	12·05	21·64	60·00	158·79
Mean Pop. 1871-80	—	17,729	448	419	459	439	473	2238	2210	2040	1704	1341	2136	1869	1701	1331	795	364
ALL CAUSES	18·78	3329	614	220	97	54	40	1025	135	90	83	99	181	168	205	288	477	578
Small-pox	0·07	13	1	1	–	–	1	3	1	–	–	2	1	1	2	3	–	–
Measles	0·15	27	4	12	2	–	4	22	5	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·69	123	4	14	21	13	9	61	37	16	5	4	–	–	–	–	–	–
Diphtheria	0·07	13	–	–	3	–	1	4	6	1	–	–	–	1	–	1	–	–
Whooping-cough	0·34	60	23	24	5	1	1	59	1	–	–	–	–	–	–	–	–	–
Typhus	0·05	8	–	–	–	–	–	–	1	–	1	–	–	1	–	4	1	–
Enteric Fever	0·19	34	–	1	–	–	1	2	3	3	4	4	3	3	4	4	2	2
Simple Cont. Fev.	0·08	15	–	–	1	–	1	2	1	1	–	1	–	1	–	3	6	–
Puerp. Fever	0·04	7	–	–	–	–	–	–	–	–	–	–	3	4	–	–	–	–
Diarr. and Dys.	0·47	83	42	12	3	1	1	59	–	3	–	2	2	1	1	4	5	6
Cholera	0·03	6	3	1	–	–	–	4	–	–	–	–	–	–	1	1	–	–
Cancer	0·58	103	–	–	1	–	–	1	–	–	–	–	2	10	22	23	28	17
Scrofula	0·11	19	2	1	1	1	1	6	2	1	–	2	3	1	2	2	–	–
Tabes Mesent.	0·20	53	16	10	8	2	1	37	7	6	1	2	–	–	–	–	–	–
Phthisis	2·16	383	14	10	4	2	1	31	6	15	48	51	108	58	40	17	8	1
Hydrocephalus	0·23	41	13	10	4	3	1	31	6	2	2	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·37	421	61	24	7	9	1	102	20	7	5	4	13	12	22	46	102	88
Diseases of: Circulatory „	1·79	318	11	1	–	1	1	14	9	5	3	4	9	19	35	55	92	73
Diseases of: Respiratory „	2·93	519	103	65	17	10	4	199	8	2	5	7	6	22	17	51	95	107
Diseases of: Digestive „	0·77	137	11	3	–	1	–	15	6	3	2	5	5	9	23	29	27	13
Diseases of: Urinary „	0·46	81	–	–	1	–	–	1	2	4	1	–	3	10	9	16	14	21
Diseases of: Generative „	0·05	9	–	–	–	–	–	–	–	–	–	–	–	2	2	–	4	1
Childbirth	0·07	13	–	–	–	–	–	–	–	–	1	2	6	4	–	–	–	–
Suicide	0·06	10	–	–	–	–	–	–	–	–	–	–	1	–	4	2	–	3
Other Violence	0·51	90	10	3	10	4	2	29	7	11	–	3	4	1	8	4	13	10
Other Causes	4·22	743	291	28	9	6	9	343	7	10	5	6	12	8	13	23	80	236

Deaths of Infants (under one) to 1000 Births - 115 | Marriages - 1,157 | Births - 5,354 | Annual Rate per 1000 living: Persons Married - 13·05; Births - - - 30·20

199.—BRAINTREE.*

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·83	—	—	—	—	—	47·26	4·10	1·83	4·97	7·35	8·12	9·52	12·09	23·37	56·52	158·22
Mean Pop. 1871-80	—	* 17,522	496	418	463	438	448	2266	2193	1970	1649	1320	2032	1828	1638	1361	844	371
ALL CAUSES	18·83	3299	702	204	76	54	85	1071	90	36	82	97	169	174	198	318	477	587
Small-pox	0·03	5	1	-	-	-	-	1	-	-	2	2	-	-	-	-	-	-
Measles	0·21	36	11	10	9	2	1	33	2	-	1	-	-	-	-	-	-	-
Scarlet Fever	0·21	36	3	2	3	8	8	24	9	3	-	-	-	-	-	-	-	-
Diphtheria	0·18	32	1	4	1	4	7	17	12	2	1	-	-	-	-	-	-	-
Whooping-cough	0·60	106	51	40	13	1	-	105	1	-	-	-	-	-	-	-	-	-
Typhus	0·02	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-
Enteric Fever	0·07	13	1	-	-	-	1	2	2	1	2	2	2	2	-	-	-	-
Simple Cont. Fev.	0·04	7	-	-	-	-	-	-	3	1	-	1	2	-	-	-	-	-
Puerp. Fever	0·04	7	-	-	-	-	-	-	-	-	-	-	3	4	-	-	-	-
Diarr. and Dys.	0·61	107	58	9	7	2	1	77	2	1	-	-	1	3	1	1	9	12
Cholera	0·01	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Cancer	0·58	102	-	-	-	-	-	-	-	-	-	1	2	13	21	29	26	10
Scrofula	0·19	33	13	8	3	-	-	24	-	1	3	1	-	1	-	-	2	1
Tabes Mesent.	0·13	23	8	3	1	1	2	15	3	2	1	-	-	1	-	1	-	-
Phthisis	2·28	400	5	10	4	2	-	21	4	5	45	67	87	69	49	32	14	7
Hydrocephalus	0·10	17	6	5	1	2	-	14	2	-	-	-	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·67	468	73	33	4	12	1	123	15	8	7	3	12	11	24	67	104	94
Diseases of: Circulatory „	1·55	274	2	-	-	-	-	2	2	3	4	1	9	19	29	68	83	54
Diseases of: Respiratory „	2·89	507	158	50	13	6	6	233	12	1	3	3	15	16	19	41	87	77
Diseases of: Digestive „	1·14	199	19	1	1	2	-	23	4	2	4	3	13	10	23	39	46	32
Diseases of: Urinary „	0·42	73	1	-	1	-	3	5	3	-	-	5	9	7	10	8	12	14
Diseases of: Generative „	0·02	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1
Childbirth	0·10	17	-	-	-	-	-	-	-	-	3	4	3	5	-	-	-	-
Suicide	0·06	10	-	-	-	-	-	-	-	-	-	-	2	1	1	1	4	1
Other Violence	0·35	62	4	2	1	3	1	11	5	3	1	-	1	5	8	9	11	8
Other Causes	4·32	757	285	27	14	9	4	339	9	3	4	4	5	6	13	22	76	276

Deaths of Infants (under one) to 1000 Births - 125 | Marriages - 1,166 | Births - 5,601 | Annual Rate per 1000 living: Persons Married - 13·31; Births - - - 31·97

* Changes were made in the boundary of this District during the Decade; *see* pp. 371–78.

200.—DUNMOW.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·83	—	—	—	—	—	34·82	3·29	3·10	6·36	6·21	7·84	8·92	11·61	23·75	54·25	163·13
Mean Pop. 1871-80	—	18,845	509	450	505	481	479	2424	2429	2321	1697	1239	2016	1950	1818	1499	999	453
ALL CAUSES	17·83	3361	568	150	61	36	28	844	80	72	108	77	158	174	211	356	542	739
Small-pox	0·05	9	-	-	-	-	-	-	-	-	-	1	3	2	-	-	2	1
Measles	0·10	18	3	8	4	1	1	17	1	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·15	28	1	2	5	2	1	11	13	1	3	-	-	-	-	-	-	-
Diphtheria	0·12	23	3	3	2	3	1	12	5	3	1	-	-	2	-	-	-	-
Whooping-cough	0·41	77	40	19	11	2	4	76	1	-	-	-	-	-	-	-	-	-
Typhus	0·01	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
Enteric Fever	0·32	61	1	-	1	-	1	3	12	12	3	3	5	5	4	7	4	3
Simple Cont. Fev.	0·05	10	-	-	-	-	-	-	1	1	2	-	1	-	3	1	1	-
Puerp. Fever	0·01	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diarr. and Dys.	0·38	71	31	3	5	1	1	41	2	1	-	-	1	2	-	5	5	11
Cholera	0·01	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Cancer	0·48	91	-	-	-	-	-	-	-	-	-	-	2	8	14	24	25	18
Scrofula	0·23	43	12	6	-	2	-	20	3	2	4	3	2	5	2	2	-	-
Tabes Mesent.	0·20	38	14	6	2	1	2	25	3	2	3	1	1	1	-	1	1	-
Phthisis	1·73	326	2	-	1	-	-	3	4	12	44	42	78	48	53	28	12	2
Hydrocephalus	0·16	30	7	7	3	-	-	17	7	2	1	1	2	-	-	-	-	-
Diseases of: Nervous Syst.	2·42	456	81	23	7	2	4	120	4	9	10	7	8	13	19	59	103	101
Diseases of: Circulatory „	1·59	299	-	-	-	1	-	1	2	7	7	2	10	15	33	68	100	54
Diseases of: Respiratory „	2·64	502	101	40	10	12	9	173	5	2	5	4	11	17	26	42	110	105
Diseases of: Digestive „	0·93	175	30	4	-	1	1	36	4	4	6	1	5	15	21	39	25	19
Diseases of: Urinary „	0·39	74	1	1	-	1	-	3	-	-	2	2	4	5	6	16	24	12
Diseases of: Generative „	0·04	8	-	-	-	-	-	-	-	-	-	-	1	2	2	-	2	1
Childbirth	0·10	19	-	-	-	-	-	-	-	-	3	1	5	10	-	-	-	-
Suicide	0·06	12	-	-	-	-	-	-	-	-	-	-	2	2	2	3	3	-
Other Violence	0·43	81	4	6	5	4	1	20	5	5	3	1	4	7	10	11	10	5
Other Causes	4·89	905	231	22	5	3	3	264	8	9	11	6	13	15	16	49	110	401

Deaths of Infants (under one) to 1000 Births - 100 | Marriages - 991 | Births - 5,600 | Annual Rate per 1000 living: Persons Married - 10·52; Births - - - 30·19

201.—SAFFRON WALDEN.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	--	18·04	—	—	—	—	—	39·05	4·19	2·40	4·07	5·88	8·43	9·73	10·75	22·79	53·85	156·93
Mean Pop. 1871-80	—	19,065	540	481	517	445	524	2507	2457	2293	1697	1360	2207	1912	1749	1426	988	469
ALL CAUSES	18·04	3439	634	168	84	53	40	979	103	55	69	80	186	186	188	325	532	736
Small-pox	0·03	6	-	-	-	-	-	-	-	-	1	-	-	1	2	2	-	-
Measles	0·09	18	3	4	4	2	1	14	3	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·37	70	1	7	11	6	11	36	25	6	-	2	-	1	-	-	-	-
Diphtheria	0·13	25	1	1	4	4	4	14	6	5	-	-	-	-	-	-	-	-
Whooping-cough	0·35	63	28	21	8	2	3	62	4	-	-	-	-	-	-	-	-	-
Typhus	0·02	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
Enteric Fever	0·19	36	-	1	-	1	-	2	5	2	8	1	6	5	-	2	5	-
Simple Cont. Fev.	0·08	15	1	-	-	-	-	1	1	4	-	1	3	-	3	2	-	-
Puerp. Fever	0·06	11	-	-	-	-	-	-	-	-	-	1	5	5	-	-	-	-
Diarr. and Dys.	0·52	100	54	10	-	1	-	65	3	2	-	-	-	1	1	1	11	16
Cholera	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Cancer	0·74	141	-	-	-	-	-	-	-	-	-	-	3	10	24	46	37	21
Scrofula	0·10	20	4	1	-	1	1	7	3	3	1	1	-	1	2	1	-	1
Tabes Mesent.	0·16	30	6	8	2	1	-	17	2	3	4	1	2	-	-	1	-	-
Phthisis	1·58	302	7	6	1	1	-	15	5	10	27	41	84	51	32	27	8	2
Hydrocephalus	0·18	34	16	8	1	3	2	30	2	-	2	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·51	478	83	15	14	10	7	129	11	2	6	2	9	16	15	41	100	144
Diseases of: Circulatory	1·45	276	-	-	-	-	-	-	4	4	3	2	8	19	22	59	102	53
Diseases of: Respiratory	2·86	546	107	57	21	11	3	199	13	2	3	6	19	10	21	56	96	103
Diseases of: Digestive	1·10	210	25	1	1	1	1	29	3	-	6	9	12	23	20	34	48	25
Diseases of: Urinary	0·34	65	1	-	-	-	-	1	1	1	-	3	6	4	14	17	8	10
Diseases of: Generative	0·08	16	-	-	-	-	-	-	-	-	1	-	1	3	6	1	3	1
Childbirth	0·08	15	-	-	-	-	-	-	-	-	-	2	6	7	-	-	-	-
Suicide	0·05	10	-	-	-	-	-	-	-	-	-	-	3	2	1	1	3	-
Other Violence	0·37	71	7	3	6	1	1	18	4	4	4	3	6	6	7	4	5	10
OTHER CAUSES	4·59	874	290	25	11	8	6	340	8	6	3	5	13	11	15	26	105	312

Deaths of Infants (under one) to 1000 Births - 107 | Marriages - 1,132 | Births - 5,946 | Annual Rate per 1000 living: Persons Married - 11·88; Births - 31·19

[SUFFOLK.

202.—RISBRIDGE.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	18·32	—	—	—	—	—	40·72	3·95	3·30	6·04	6·71	8·14	10·13	10·86	22·07	57·05	164·74
Mean Pop. 1871-80	—	17,825	546	456	540	491	509	2542	2406	2213	1690	1311	1991	1727	1529	1246	773	397
ALL CAUSES	18·32	3266	696	198	78	40	23	1035	95	73	102	88	162	175	166	275	441	654
Small-pox	0·13	24	2	-	1	2	-	5	-	-	4	2	3	4	-	1	4	1
Measles	0·12	21	3	5	5	3	3	19	2	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·43	76	4	2	13	6	8	33	22	10	7	2	1	1	-	-	-	-
Diphtheria	0·06	11	1	-	2	-	-	3	4	2	1	-	-	-	-	1	-	-
Whooping-cough	0·53	94	45	37	6	4	1	93	1	-	-	-	-	-	-	-	-	-
Typhus	0·03	5	-	-	-	-	-	-	-	2	-	-	-	-	1	1	1	-
Enteric Fever	0·11	19	1	-	-	2	-	3	2	5	1	-	2	1	2	2	1	-
Simple Cont. Fev.	0·15	26	-	2	1	-	-	3	2	7	4	1	1	4	1	-	1	2
Puerp. Fever	0·04	7	-	-	-	-	-	-	-	-	1	-	5	1	-	-	-	-
Diarr. and Dys.	0·59	106	54	19	3	-	-	76	1	-	-	-	2	2	-	2	7	16
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·45	81	-	-	-	-	-	-	-	-	-	1	2	5	15	28	27	3
Scrofula	0·16	29	8	2	-	-	-	10	2	-	1	1	5	1	1	3	4	1
Tabes Mesent.	0·33	58	21	14	7	3	2	47	3	1	2	2	1	1	-	1	-	-
Phthisis	1·63	291	2	6	2	1	-	11	2	16	38	45	66	52	25	24	12	-
Hydrocephalus	0·11	20	6	8	3	-	-	17	2	1	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·00	356	57	16	5	5	2	85	13	9	7	7	12	15	24	44	75	65
Diseases of: Circulatory	0·96	171	-	-	-	-	-	-	1	2	2	5	6	12	11	42	48	42
Diseases of: Respiratory	2·90	517	117	42	12	4	4	179	14	6	11	1	18	23	28	47	105	85
Diseases of: Digestive	0·93	166	15	3	1	-	2	21	3	2	7	3	5	17	17	31	45	15
Diseases of: Urinary	0·25	45	-	-	1	1	-	2	1	-	-	2	3	6	4	12	12	3
Diseases of: Generative	0·04	7	-	-	-	-	-	-	-	-	-	-	-	1	3	-	2	1
Childbirth	0·10	18	-	-	-	-	-	-	-	-	2	5	7	4	-	-	-	-
Suicide	0·08	14	-	-	-	-	-	-	-	-	-	1	-	4	4	2	2	1
Other Violence	0·38	67	8	1	4	2	-	15	9	2	3	4	6	4	9	5	6	4
OTHER CAUSES	5·81	1037	352	41	12	7	1	413	11	8	11	6	17	17	21	29	89	415

Deaths of Infants (under one) to 1000 Births - 114 | Marriages - 1,219 | Births - 6,082 | Annual Rate per 1000 living: Persons Married - 13·68; Births - 34·12

203.—SUDBURY.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·36	—	—	—	—	—	42·12	5·07	3·03	4·75	7·07	7·62	9·00	11·93	22·80	56·69	160·66
Mean Pop. 1871–80	—	30,974	840	784	825	811	831	4091	3968	3567	2908	2290	3611	3233	2917	2268	1427	694
ALL CAUSES	18·36	5687	1141	261	141	100	80	1723	201	108	138	162	275	291	348	517	809	1115
Small-pox	0·06	20	1	-	1	1	-	3	1	-	1	3	3	2	3	-	2	2
Measles	0·16	49	20	6	8	6	4	44	5	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·41	126	8	12	18	24	17	79	32	9	2	1	2	1	-	-	-	-
Diphtheria	0·06	20	-	-	2	3	2	7	8	2	1	-	-	-	-	-	2	-
Whooping-cough	0·33	101	49	26	7	9	5	96	5	-	-	-	-	-	-	-	-	-
Typhus	0·03	8	-	-	-	-	-	-	1	1	-	2	1	-	3	-	-	-
Enteric Fever	0·12	38	2	-	2	1	1	6	8	4	2	6	2	3	-	2	4	1
Simple Cont. Fev.	0·09	28	-	-	2	-	-	2	7	3	1	1	1	1	5	1	5	1
Puerp. Fever	0·05	15	-	-	-	-	-	-	-	-	-	4	6	5	-	-	-	-
Diarr. and Dys.	0·61	189	93	16	8	1	2	120	5	1	-	1	4	1	2	3	19	33
Cholera	0·02	6	-	1	-	-	1	2	-	-	-	-	-	-	-	1	2	1
Cancer	0·55	170	-	-	1	-	-	1	-	-	1	1	4	10	39	36	48	30
Scrofula	0·12	37	6	1	2	-	-	9	3	6	2	2	3	4	3	3	-	2
Tabes Mesent.	0·27	85	45	18	2	1	5	71	5	2	1	1	1	-	1	1	1	1
Phthisis	2·15	665	9	13	4	2	6	34	15	23	77	95	144	167	83	63	29	4
Hydrocephalus	0·26	80	21	19	15	9	7	71	5	4	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·19	679	84	23	11	10	5	133	18	8	11	9	10	33	52	92	151	162
Diseases of: Circulatory	1·25	386	-	-	-	-	1	1	4	1	3	5	9	25	40	84	137	77
Diseases of: Respiratory	3·05	944	207	75	28	18	10	338	18	5	7	7	19	28	35	90	181	216
Diseases of: Digestive	1·03	318	25	2	3	3	-	33	13	4	7	3	18	26	35	57	68	54
Diseases of: Urinary	0·33	102	-	-	1	2	-	3	3	5	5	3	4	11	7	13	21	27
Diseases of: Generative	0·07	22	-	-	-	-	-	-	-	-	-	1	-	2	6	3	3	2
Childbirth	0·05	17	-	-	-	-	-	-	-	-	2	2	10	3	-	-	-	-
Suicide	0·08	24	-	-	-	-	-	-	-	-	-	-	6	2	-	8	7	1
Other Violence	0·45	140	8	3	6	3	4	24	21	12	10	3	10	9	8	13	16	14
Other Causes	4·57	1418	563	46	20	7	10	646	24	18	5	12	18	18	26	42	122	487

Deaths of Infants (under one) to 1000 Births - 118 | Marriages - 1,880 | Births - 9,644 | Annual Rate per 1000 living: Persons Married - 12·14; Births - 31·14

204.—COSFORD.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·61	—	—	—	—	—	40·81	3·90	2·51	5·11	6·89	8·58	7·83	11·87	22·03	50·00	167·31
Mean Pop. 1871–80	—	16,457	452	419	438	436	441	2186	2051	1914	1488	1219	1864	1672	1533	1230	884	416
ALL CAUSES	18·61	3062	608	160	51	48	25	892	80	48	76	84	160	131	182	271	442	696
Small-pox	0·04	6	-	-	-	-	-	-	-	-	-	2	1	-	3	-	-	-
Measles	0·11	18	1	7	2	5	-	15	3	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·10	16	2	2	1	1	1	7	3	2	3	-	1	-	-	-	-	-
Diphtheria	0·10	17	-	2	1	2	2	7	5	1	-	1	2	-	1	-	-	-
Whooping-cough	0·34	56	25	22	2	3	-	52	4	-	-	-	-	-	-	-	-	-
Typhus	0·01	2	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
Enterie Fever	0·16	26	-	1	1	2	1	5	4	-	6	1	1	2	1	3	2	1
Simple Cont. Fev.	0·07	12	-	2	-	-	-	2	2	1	1	-	-	2	1	1	2	-
Puerp. Fever	0·02	4	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-
Diarr. and Dys.	0·39	65	33	8	1	-	-	42	4	-	-	-	1	2	3	2	3	8
Cholera	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Cancer	0·35	57	-	-	-	-	1	1	-	-	1	1	2	3	10	8	17	14
Scrofula	0·15	25	6	-	2	1	-	9	1	3	4	-	2	2	2	2	-	-
Tabes Mesent.	0·35	57	23	10	6	1	2	47	2	3	1	-	1	1	2	-	-	-
Phthisis	1·81	298	3	-	-	-	-	3	7	11	34	47	88	43	37	21	7	-
Hydrocephalus	0·21	35	14	5	3	2	1	25	4	2	1	-	-	1	1	-	1	-
Diseases of: Nervous Syst.	2·04	336	34	13	7	6	4	64	11	5	7	8	12	15	25	53	77	59
Diseases of: Circulatory	1·34	221	2	1	-	-	-	3	1	4	2	5	10	3	21	46	80	46
Diseases of: Respiratory	2·91	479	107	44	12	13	5	181	3	-	2	2	8	21	24	70	85	98
Diseases of: Digestive	1·03	170	14	1	2	-	3	20	4	2	1	5	4	11	14	33	54	22
Diseases of: Urinary	0·43	70	-	-	-	-	-	-	-	2	2	2	3	2	8	16	22	15
Diseases of: Generative	0·07	12	-	-	-	-	-	-	-	-	-	-	1	4	2	3	2	-
Childbirth	0·07	12	-	-	-	-	-	-	-	-	3	-	4	4	1	-	-	-
Suicide	0·07	11	-	-	-	-	-	-	-	-	-	-	2	1	1	3	3	1
Other Violence	0·46	76	6	3	2	2	1	14	7	3	5	3	2	4	3	11	9	15
Other Causes	5·97	980	333	39	9	9	4	394	10	8	2	7	14	8	22	18	78	419

Deaths of Infants (under one) to 1000 Births - 117 | Marriages - 1,071 | Births - 5,217 | Annual Rate per 1000 living: Persons Married - 13·02; Births - 31·70

205.—THINGOE.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	16·22	—	—	—	—	—	33·85	5·05	2·76	5·32	8·23	7·79	8·68	9·07	17·52	44·53	136·58
Mean Pop. 1871-80	—	17,000	451	439	471	440	468	2269	2179	1917	1523	1179	2002	1740	1577	1306	887	421
ALL CAUSES	16·22	2758	519	133	64	36	16	768	110	53	81	97	156	151	143	229	395	575
Small-pox	0·03	5	–	–	–	–	–	–	–	–	–	–	2	1	–	2	–	–
Measles	0·08	14	2	5	1	–	–	8	4	2	–	–	–	–	–	–	–	–
Scarlet Fever	0·44	74	2	5	11	9	4	31	37	3	3	–	–	–	–	–	–	–
Diphtheria	0·04	7	2	–	–	–	2	4	3	–	–	–	–	–	–	–	–	–
Whooping-cough	0·27	46	23	14	5	2	–	44	1	1	–	–	–	–	–	–	–	–
Typhus	0·05	9	–	–	1	–	–	1	1	1	3	1	–	1	–	–	1	–
Enteric Fever	0·21	36	–	–	2	1	1	4	4	4	1	4	2	3	9	1	3	1
Simple Cont. Fev.	0·11	19	–	1	–	2	–	3	2	3	1	1	5	1	1	–	1	1
Puerp. Fev.	0·08	13	–	–	–	–	–	–	–	–	1	4	5	1	2	–	–	–
Diarr. and Dys.	0·31	52	27	5	4	1	1	38	1	–	–	1	1	–	–	1	6	4
Cholera	0·01	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·55	93	–	–	–	–	–	–	–	–	–	1	2	8	18	20	30	14
Scrofula	0·12	20	6	5	–	–	–	11	–	1	3	1	2	1	–	1	–	–
Tabes Mesent.	0·17	29	11	5	4	3	–	23	5	–	1	–	–	–	–	–	–	–
Phthisis	2·05	349	14	6	3	1	2	26	10	12	40	56	85	56	30	16	15	3
Hydrocephalus	0·29	49	18	15	7	2	–	42	4	3	–	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	1·78	303	40	10	4	2	1	66	6	5	7	5	6	9	18	43	67	71
Diseases of: Circulatory „	1·36	231	1	1	–	–	–	2	–	1	5	5	9	12	14	38	77	68
Diseases of: Respiratory „	2·25	383	67	37	8	6	–	118	7	7	3	2	11	17	15	37	69	97
Diseases of: Digestive „	0·96	163	18	1	1	–	1	21	9	2	4	2	6	11	17	25	37	29
Diseases of: Urinary „	0·27	46	1	–	–	–	–	1	–	–	–	1	1	4	4	13	11	11
Diseases of: Generative „	0·08	14	–	–	–	–	–	–	–	–	–	–	2	3	2	2	4	1
Childbirth	0·12	20	–	–	–	–	–	–	–	–	–	4	8	8	–	–	–	–
Suicide	0·07	12	–	–	–	–	–	–	–	–	–	–	2	3	–	3	2	2
Other Violence	0·40	68	1	–	5	4	3	13	8	3	4	2	1	4	4	6	12	11
Other Causes	4·12	702	277	23	8	3	1	312	8	5	5	7	6	8	9	21	59	262

Deaths of Infants (under one) to 1000 Births - 100

Marriages - 1,097
Births - 5,181

Annual Rate per 1000 living: Persons Married - 12·91; Births - 30·48

206.—BURY ST. EDMUNDS.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	22·13	—	—	—	—	—	60·72	6·26	3·27	4·59	6·36	9·71	12·58	18·51	31·57	62·96	194·86
Mean Pop. 1871-80	—	15,520	381	382	363	368	385	1884	1790	1774	1722	1321	2100	1637	1313	1039	648	292
ALL CAUSES	22·13	3435	753	207	97	46	41	1144	112	58	79	84	204	206	243	328	408	569
Small-pox	0·13	20	3	–	–	–	–	3	–	1	2	2	6	1	3	–	2	–
Measles	0·21	32	8	12	6	3	–	29	3	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·72	111	7	15	20	8	15	65	38	2	1	2	3	–	–	–	–	–
Diphtheria	0·06	10	1	1	3	2	3	10	–	–	–	–	–	–	–	–	–	–
Whooping-cough	0·61	94	36	28	12	10	4	90	4	–	–	–	–	–	–	–	–	–
Typhus	0·01	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever	0·15	23	–	1	–	–	1	2	1	4	1	–	4	2	2	6	1	–
Simple Cont. Fev.	0·07	11	–	3	–	–	–	3	4	–	–	–	–	–	1	3	–	–
Puerp. Fever	0·06	10	–	–	–	–	–	–	–	–	–	4	2	4	–	–	–	–
Diarr. and Dys.	0·83	129	82	12	3	–	1	98	1	–	–	–	1	1	–	4	5	19
Cholera	0·01	2	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–
Cancer	0·59	92	–	–	–	–	–	–	–	–	–	–	2	14	22	24	24	6
Scrofula	0·28	43	17	6	4	1	1	29	3	2	1	–	1	2	–	2	3	–
Tabes Mesent.	0·43	66	38	10	6	1	–	55	4	1	1	2	2	–	–	1	–	–
Phthisis	2·40	372	8	6	2	1	1	18	9	9	41	44	81	63	58	31	18	–
Hydrocephalus	0·48	74	28	16	8	4	4	60	6	4	3	1	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·41	374	40	15	5	6	2	68	9	7	7	2	18	18	32	66	75	72
Diseases of: Circulatory „	1·73	268	–	–	1	–	–	1	1	3	5	4	15	21	27	57	74	60
Diseases of: Respiratory „	3·37	523	125	52	17	4	5	203	11	3	7	6	15	24	37	56	67	94
Diseases of: Digestive „	0·89	138	23	1	2	–	–	29	3	4	2	2	3	11	19	23	34	8
Diseases of: Urinary „	0·46	71	–	–	–	–	–	–	2	1	–	2	6	6	10	10	23	11
Diseases of: Generative „	0·11	17	–	–	–	–	–	–	–	–	–	–	2	5	4	1	4	1
Childbirth	0·12	18	–	–	–	–	–	–	–	–	1	1	8	8	–	–	–	–
Suicide	0·13	20	–	–	–	–	–	–	–	–	–	1	2	3	5	6	1	2
Other Violence	0·46	71	7	3	4	–	–	14	4	2	2	3	9	6	9	10	6	6
Other Causes	5·41	845	327	25	4	6	4	366	9	15	5	8	23	16	14	28	71	290

Deaths of Infants (under one) to 1000 Births - 154

Marriages - 1,111
Births - 4,880

Annual Rate per 1000 living: Persons Married - 14·32; Births - 31·44

207.—MILDENHALL.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·92	—	—	—	—	—	42·00	3·91	4·74	4·59	8·61	8·30	10·59	11·63	23·96	52·28	154·99
Mean Pop. 1871-80	—	9090	253	247	253	258	251	1262	1175	1033	806	674	1060	916	817	682	461	204
ALL CAUSES	18·92	1720	356	99	45	13	17	530	46	49	37	58	88	97	95	163	241	316
Small-pox	0·03	3	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–
Measles	0·12	11	3	1	3	–	–	7	2	1	1	–	–	–	–	–	–	–
Scarlet Fever	0·11	10	1	–	1	1	–	3	5	1	1	–	–	–	–	–	–	–
Diphtheria	0·13	12	1	–	1	–	1	3	5	3	1	–	–	–	–	–	–	–
Whooping-cough	0·48	44	26	11	4	2	1	44	–	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·23	24	–	–	1	–	2	3	5	4	–	2	5	2	2	1	–	–
Simple Cont. Fev.	0·17	15	–	–	–	–	1	1	–	3	1	1	–	2	3	1	2	1
Puerp. Fever	0·04	4	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–
Diarr. and Dys.	0·41	37	11	2	2	2	1	18	1	1	–	–	–	1	1	2	5	8
Cholera	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·52	47	–	1	–	–	–	1	–	–	–	–	1	–	10	18	10	7
Scrofula	0·10	9	–	1	–	–	–	1	1	1	2	–	1	–	–	1	1	1
Tabes Mesent.	0·24	22	5	3	3	1	–	12	4	4	–	–	–	–	–	1	1	–
Phthisis	1·87	170	–	2	–	–	1	3	1	6	20	32	44	30	14	13	5	2
Hydrocephalus	0·13	12	2	4	3	–	–	9	1	1	–	–	–	1	–	–	–	–
Diseases of: Nervous Syst.	2·06	187	22	3	3	2	–	30	4	5	2	3	4	7	8	21	47	53
Diseases of: Circulatory „	1·15	105	1	–	2	–	–	3	2	–	1	4	5	8	10	21	34	17
Diseases of: Respiratory „	3·09	281	65	32	9	2	6	114	6	5	2	5	6	11	13	23	40	46
Diseases of: Digestive „	1·20	109	16	2	1	–	–	19	2	1	1	1	5	10	12	27	22	9
Diseases of: Urinary „	0·41	37	–	–	2	1	–	3	–	2	1	1	2	5	–	5	6	12
Diseases of: Generative „	0·06	5	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	–
Childbirth	0·04	4	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–
Suicide	0·11	10	–	–	–	–	–	–	–	–	–	–	1	–	1	2	5	1
Other Violence	0·42	38	–	1	1	–	–	2	2	8	1	–	3	6	2	7	5	2
Other Causes	5·77	524	203	36	9	2	4	254	5	3	2	8	7	10	16	18	47	154

Deaths of Infants (under one) to 1000 Births - 122 | Marriages - 599 | Births - 2,930 | Annual Rate per 1000 living: Persons Married - 13·18; Births - 32·23

208.—STOW.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·25	—	—	—	—	—	42·85	3·92	2·76	3·83	5·94	8·16	9·71	11·54	21·47	54·08	150·00
Mean Pop. 1871-80	—	20,506	589	556	563	573	536	2817	2626	2388	1855	1549	2450	2050	1907	1481	967	506
ALL CAUSES	18·25	3758	808	240	72	51	36	1207	103	66	71	92	200	199	220	318	523	759
Small-pox	0·02	4	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–
Measles	0·16	32	4	13	7	6	–	30	1	–	–	1	–	–	–	–	–	–
Scarlet Fever	0·29	60	2	6	7	11	4	30	23	3	–	1	2	1	–	–	–	–
Diphtheria	0·09	18	3	–	4	1	1	9	7	–	1	–	–	–	1	–	–	–
Whooping-cough	0·53	109	54	38	8	5	2	107	2	–	–	–	–	–	–	–	–	–
Typhus	0·03	6	–	–	–	–	–	–	–	1	–	–	–	2	1	1	1	–
Enteric Fever	0·13	27	–	2	–	2	–	4	1	4	2	1	5	1	2	4	3	–
Simple Cont. Fev.	0·12	25	–	1	–	–	1	2	–	2	–	1	3	2	4	2	6	3
Puerp. Fever	0·02	5	–	–	–	–	–	–	–	–	1	–	3	–	1	–	–	–
Diarr. and Dys.	0·43	89	52	10	2	–	–	64	4	–	–	–	–	1	3	2	8	7
Cholera	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·53	110	–	–	–	–	–	–	–	–	–	–	2	9	19	28	34	18
Scrofula	0·21	44	3	3	–	–	1	7	3	1	6	5	6	6	6	3	1	–
Tabes Mesent.	0·27	55	33	7	4	1	–	45	3	3	1	2	1	–	–	1	–	–
Phthisis	1·84	379	14	10	–	4	1	29	4	13	30	45	98	66	43	38	13	–
Hydrocephalus	0·23	47	13	13	4	2	5	37	7	1	–	–	2	–	–	–	–	–
Diseases of: Nervous Syst.	1·87	385	54	15	5	2	4	80	8	9	9	8	9	16	36	37	88	85
Diseases of: Circulatory „	1·51	312	2	–	–	–	–	2	3	5	2	7	14	10	28	62	103	73
Diseases of: Respiratory „	2·34	482	114	66	14	7	7	208	10	2	4	3	9	16	25	37	76	92
Diseases of: Digestive „	0·99	205	26	4	1	2	1	34	6	6	5	2	13	16	20	39	43	21
Diseases of: Urinary „	0·31	63	1	–	–	–	1	2	–	1	–	2	7	6	3	10	17	15
Diseases of: Generative „	0·10	21	–	–	–	–	–	–	–	–	–	–	1	7	3	5	4	1
Childbirth	0·10	21	–	–	–	–	–	–	–	–	–	3	6	11	1	–	–	–
Suicide	0·05	11	–	–	–	–	–	–	–	–	–	2	1	1	2	2	2	1
Other Violence	0·60	125	4	5	5	4	4	22	9	13	6	5	10	13	7	14	8	16
Other Causes	5·45	1134	429	47	11	4	4	495	12	2	4	4	8	14	13	32	113	427

Deaths of Infants (under one) to 1000 Births - 117 | Marriages - 1,373 | Births - 6,887 | Annual Rate per 1000 living: Persons Married - 13·33; Births - 33·44

209.—HARTISMERE.

--	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	18·42	—	—	—	—	—	30·49	3·85	3·23	4·60	7·52	7·86	8·31	10·84	21·15	53·21	155·45
Mean Pop. 1871-80	—	16,267	454	419	434	426	455	2188	2079	1948	1494	1170	1807	1528	1504	1267	842	410
ALL CAUSES	18·42	2997	614	132	57	34	27	864	80	63	70	88	142	127	163	268	448	634
Small-pox	0·03	5	-	1	-	-	-	1	-	-	-	-	1	-	-	2	1	-
Measles	0·19	31	7	10	5	3	2	27	3	-	1	-	-	-	-	-	-	-
Scarlet Fever	0·25	41	1	7	3	6	5	22	15	2	1	1	-	-	-	-	-	-
Diphtheria	0·09	15	2	-	1	2	1	6	4	4	-	-	-	-	1	-	-	-
Whooping-cough	0·42	68	36	19	4	5	2	66	2	-	-	-	-	-	-	-	-	-
Typhus	0·01	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
Enteric Fever	0·23	38	2	-	1	-	2	5	4	3	3	5	2	2	5	1	5	3
Simple Cont. Fev.	0·03	5	-	-	-	-	-	-	-	1	-	-	1	-	-	-	3	-
Puerp. Fever	0·07	11	-	-	-	-	-	-	-	-	-	2	5	4	-	-	-	-
Diarr. and Dys.	0·50	81	37	5	3	-	1	46	2	-	-	1	1	1	-	-	12	18
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·61	100	-	-	-	-	1	1	-	-	-	-	1	6	17	34	23	13
Scrofula	0·09	15	2	1	-	1	1	5	-	1	1	1	2	1	1	1	2	-
Tabes Mesent.	0·08	13	3	1	1	1	-	6	2	2	2	-	-	1	-	-	-	-
Phthisis	2·21	360	10	4	5	1	-	20	8	18	38	51	79	43	44	33	25	1
Hydrocephalus	0·21	34	14	9	4	1	-	28	4	2	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	1·81	294	54	9	4	4	3	74	7	5	4	5	12	11	12	25	69	70
Diseases of: Circulatory	1·54	251	-	-	-	-	-	-	-	1	2	4	10	11	23	47	86	62
Diseases of: Respiratory	2·97	483	112	36	16	5	2	171	11	7	6	4	7	20	16	38	77	126
Diseases of: Digestive	0·87	142	16	1	-	-	1	18	2	5	2	4	1	4	11	31	39	25
Diseases of: Urinary	0·58	95	1	-	-	-	-	1	2	2	3	2	2	2	11	18	26	23
Diseases of: Generative	0·06	10	-	-	-	-	-	-	-	-	-	-	-	4	1	3	2	-
Childbirth	0·09	14	-	-	-	-	-	-	-	-	-	2	5	7	-	-	-	-
Suicide	0·10	16	-	-	-	-	-	-	-	-	-	-	-	3	3	5	4	1
Other Violence	0·55	89	8	5	6	3	5	27	5	4	2	1	4	2	5	8	15	16
Other Causes	4·83	784	300	24	4	2	1	340	8	6	5	5	9	5	8	21	54	323

Deaths of Infants (under one) to 1000 Births - 120 | Marriages - 1,086 | Births - 5,136 | Annual Rate per 1000 living: Persons Married - 13·35; Births - 31·57

210.—HOXNE.

--	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	17·97	—	—	—	—	—	40·51	3·27	2·17	5·71	8·19	7·20	9·22	9·09	19·61	45·06	142·96
Mean Pop. 1871-80	—	13,503	395	369	357	358	365	1844	1745	1613	1225	965	1445	1280	1232	1050	719	405
ALL CAUSES	17·97	2427	502	135	46	46	18	747	57	35	70	79	104	118	112	202	324	579
Small-pox	0·02	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
Measles	0·15	20	5	5	3	1	1	15	5	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·17	23	1	1	1	5	2	10	5	4	3	-	-	1	-	-	-	-
Diphtheria	0·09	12	-	-	1	2	2	5	5	-	-	-	1	1	-	-	-	-
Whooping-cough	0·28	38	21	8	5	1	-	35	3	-	-	-	-	-	-	-	-	-
Typhus	0·06	8	-	-	-	-	-	-	-	-	1	-	2	-	-	4	1	-
Enteric Fever	0·23	31	-	1	-	3	-	4	2	3	1	4	1	4	5	3	3	1
Simple Cont. Fev.	0·02	3	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	1
Puerp. Fever	0·09	12	-	-	-	-	-	-	-	-	1	2	8	-	1	-	-	-
Diarr. and Dys.	0·44	59	15	9	1	3	-	28	1	-	-	-	-	-	-	3	10	17
Cholera	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Cancer	0·52	70	1	-	-	1	-	2	-	-	1	-	-	5	8	21	17	16
Scrofula	0·09	12	2	1	-	-	-	3	2	-	1	-	1	1	2	1	1	-
Tabes Mesent.	0·12	16	3	3	-	1	2	9	-	3	2	1	-	1	-	-	-	-
Phthisis	1·84	249	11	10	3	-	-	24	3	5	30	46	47	43	23	19	8	1
Hydrocephalus	0·38	51	27	11	5	1	2	46	3	-	-	1	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·20	297	35	14	5	7	3	64	6	9	7	4	5	7	12	25	61	97
Diseases of: Circulatory	1·16	156	1	-	-	-	-	1	1	1	2	4	8	14	9	22	49	45
Diseases of: Respiratory	3·27	442	101	42	11	6	2	162	4	2	5	4	5	12	10	34	60	144
Diseases of: Digestive	0·95	129	16	1	2	1	-	20	3	2	2	3	1	5	10	28	36	19
Diseases of: Urinary	0·49	66	-	-	-	-	-	-	1	3	-	-	3	4	6	10	22	17
Diseases of: Generative	0·10	14	-	-	-	-	-	-	-	-	-	-	-	-	7	3	2	2
Childbirth	0·11	15	-	-	-	-	-	-	-	-	-	3	7	3	2	-	-	-
Suicide	0·12	16	-	-	-	-	-	-	-	-	-	-	1	4	3	4	1	3
Other Violence	0·61	83	2	2	4	7	2	17	10	2	8	3	7	2	7	12	5	10
Other Causes	4·44	601	261	26	5	7	2	301	2	1	5	3	5	11	7	13	48	205

Deaths of Infants (under one) to 1000 Births - 116 | Marriages - 921 | Births - 4,343 | Annual Rate per 1000 living: Persons Married - 13·64; Births - 32·16

211.—BOSMERE.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·87	—	—	—	—	—	40·27	4·61	2·73	4·82	6·74	8·72	9·42	10·36	21·94	46·50	152·71
Mean Pop. 1871-80	—	15,586	434	398	421	419	404	2076	1996	1831	1410	1098	1767	1634	1467	1135	785	387
ALL CAUSES	17·87	2785	580	156	53	28	19	836	92	50	68	74	154	154	152	249	365	591
Small-pox	0·05	8	–	–	–	–	–	–	–	–	–	1	–	4	–	1	–	2
Measles	0·14	22	7	9	2	2	–	20	1	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·35	54	1	3	4	8	6	27	16	5	2	1	2	–	–	1	–	–
Diphtheria	0·15	23	–	1	–	1	1	3	11	2	2	2	–	2	–	–	1	–
Whooping-cough	0·38	59	33	19	5	–	–	57	2	–	–	–	–	–	–	–	–	–
Typhus	0·01	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Enteric Fever	0·28	43	–	1	1	2	–	4	9	3	4	2	9	4	4	1	2	1
Simple Cont. Fev.	0·12	18	1	2	–	–	1	4	2	2	1	1	1	–	1	1	2	3
Puerp. Fever	0·03	5	–	–	–	–	–	–	–	–	1	2	2	–	–	–	–	–
Diarr. and Dys.	0·53	82	31	5	1	2	1	40	4	1	1	–	–	1	–	5	8	22
Cholera	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·35	54	–	–	–	–	–	–	–	–	–	–	–	2	7	28	9	8
Scrofula	0·17	26	4	2	–	1	1	8	2	1	2	1	3	4	1	1	2	1
Tabes Mesent.	0·20	31	11	7	2	–	2	22	5	–	1	–	1	–	1	–	1	–
Phthisis	2·03	316	11	9	3	–	1	24	1	13	30	47	74	67	34	16	10	–
Hydrocephalus	0·13	20	6	7	1	2	–	16	1	–	–	1	–	1	–	1	–	–
Diseases of: Nervous Syst.	1·86	290	48	12	7	–	2	69	10	6	6	3	8	5	15	29	65	74
Diseases of: Circulatory „	1·66	258	1	–	–	–	–	1	2	4	3	3	6	7	20	54	85	73
Diseases of: Respiratory „	2·41	376	78	42	13	3	1	137	7	3	2	3	12	12	20	26	67	87
Diseases of: Digestive „	1·07	166	18	1	–	1	–	20	2	–	1	1	9	15	19	43	30	26
Diseases of: Urinary „	0·36	56	–	–	–	–	–	–	–	1	–	–	5	2	5	10	12	21
Diseases of: Generative „	0·07	11	–	1	–	–	–	1	–	–	–	–	–	3	1	2	1	3
Childbirth	0·12	18	–	–	–	–	–	–	–	–	1	1	5	11	–	–	–	–
Suicide	0·10	15	–	–	–	–	–	–	–	–	–	–	1	3	3	3	3	2
Other Violence	0·51	79	11	3	5	3	2	24	11	3	3	1	6	2	5	7	9	8
Other Causes	4·79	753	319	27	9	3	1	359	6	5	8	4	8	9	16	20	58	269

Deaths of Infants (under one) to 1000 Births - 117 | Marriages - 972 | Births - 4,940 | Annual Rate per 1000 living: Persons Married - 12·47; Births - 31·70

212.—SAMFORD.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·81	—	—	—	—	—	37·07	4·11	3·73	6·33	6·72	8·55	9·36	11·01	22·25	52·55	154·24
Mean Pop. 1871-80	—	11,990	326	304	312	334	305	1581	1532	1363	1027	818	1356	1303	1181	944	609	271
ALL CAUSES	17·81	2136	395	110	41	22	18	586	63	51	65	55	116	122	130	210	320	418
Small-pox	0·03	4	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–
Measles	0·09	11	1	1	2	1	1	6	3	2	–	–	–	–	–	–	–	–
Scarlet Fever	0·16	19	–	5	–	2	3	10	5	1	1	–	2	–	–	–	–	–
Diphtheria	0·09	11	1	1	–		–	2	5	1	1	1	–	–	–	1	–	–
Whooping-cough	0·31	37	20	11	3	1	–	35	2	–	–	–	–	–	–	–	–	–
Typhus	0·08	9	–	–	–	–	–	–	–	–	1	–	2	1	–	–	2	3
Enteric Fever	0·33	40	4	1	1	1	1	8	3	1	–	4	3	8	1	8	3	1
Simple Cont. Fev.	0·45	54	1	3	–	–	1	5	7	3	5	1	5	4	3	6	6	9
Puerp. Fever	0·05	6	–	–	–	–	–	–	–	–	–	1	5	–	–	–	–	–
Diarr. and Dys.	0·50	60	22	6	1	3	–	32	1	–	1	2	–	3	1	5	7	8
Cholera	0·02	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Cancer	0·50	60	–	–	–	–	1	1	–	1	–	–	2	3	15	16	16	6
Scrofula	0·12	14	1	1	–	–	–	2	3	–	–	3	2	1	1	1	1	–
Tabes Mesent.	0·13	17	5	3	1	–	–	9	–	4	1	–	–	1	1	–	–	1
Phthisis	2·09	250	3	5	2	–	1	11	6	14	33	25	54	44	32	19	9	3
Hydrocephalus	0·12	14	5	2	2	1	1	11	1	1	–	–	1	–	–	–	–	–
Diseases of: Nervous Syst.	1·93	237	36	12	6	3	1	58	5	9	5	2	3	13	14	20	55	43
Diseases of: Circulatory „	1·46	175	–	–	–	–	1	1	–	1	1	4	8	10	17	32	63	34
Diseases of: Respiratory „	3·10	372	104	29	10	4	1	148	5	2	3	3	7	10	14	42	64	74
Diseases of: Digestive „	0·98	118	19	1	–	–	1	21	5	2	3	2	2	5	16	20	31	11
Diseases of: Urinary „	0·27	32	–	–	1	–	–	1	–	1	1	–	2	1	–	3	10	13
Diseases of: Generative „	0·04	5	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	–
Childbirth	0·09	11	–	–	–	–	–	–	–	–	–	–	6	5	–	–	–	–
Suicide	0·07	8	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	3
Other Violence	0·45	54	7	2	1	3	1	14	5	3	3	1	7	2	3	6	6	4
Other Causes	4·50	536	166	27	11	3	4	211	7	5	6	6	5	8	6	15	46	201

Deaths of Infants (under one) to 1000 Births - 111 | Marriages - 770 | Births - 3,560 | Annual Rate per 1000 living: Persons Married - 12·84; Births - 29·69

213.—IPSWICH.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	22·19	—	—	—	—	—	63·25	5·95	3·46	5·40	6·88	10·30	13·90	18·98	31·47	63·61	174·52
Mean Pop. 1871-80	—	46,580	1321	1193	1143	1161	1169	5987	5341	5028	4632	4170	6560	5157	4279	2955	1737	734
ALL CAUSES	22·19	10,337	2404	755	305	187	136	3787	318	174	250	287	676	717	812	930	1105	1281
Small-pox	0·33	153	8	2	2	3	1	16	19	14	16	21	27	18	10	5	4	3
Measles	0·17	81	21	27	15	8	2	73	8	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·43	202	10	28	32	25	26	121	47	14	4	3	3	7	2	–	1	–
Diphtheria	0·14	63	2	1	9	10	10	32	19	3	1	2	3	1	2	–	–	–
Whooping-cough	0·56	262	104	86	33	15	15	253	7	2	–	–	–	–	–	–	–	–
Typhus	0·00	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·27	128	–	2	5	3	2	12	19	11	19	15	19	11	11	5	6	–
Simp. Cont. Fev.	0·04	20	1	–	2	2	–	5	6	2	1	1	1	–	–	4	–	–
Puerp. Fever	0·05	23	–	–	–	–	–	–	–	–	2	5	12	4	–	–	–	–
Diarr. and Dys.	1·34	625	420	75	17	3	4	519	3	–	2	1	5	9	8	15	24	39
Cholera	0·01	5	–	1	–	–	–	1	–	–	–	–	1	–	1	1	1	–
Cancer	0·63	294	1	–	–	2	–	3	–	1	–	3	10	42	60	86	65	24
Scrofula	0·09	40	7	3	1	1	1	13	5	5	3	3	2	3	1	3	2	–
Tabes Mesent.	0·43	199	96	35	11	8	4	154	9	3	5	2	1	7	1	5	7	5
Phthisis	2·60	1210	16	10	9	5	–	40	24	34	101	149	325	247	185	85	28	1
Hydrocephalus	0·23	108	25	30	15	7	3	80	14	10	2	–	2	–	–	–	–	–
Diseases of: Nervous Syst.	2·96	1378	224	123	49	30	24	450	41	22	22	25	48	93	138	175	207	157
Diseases of: Circulatory „	1·35	629	3	–	1	–	1	5	11	8	10	13	38	59	82	147	164	92
Diseases of: Respiratory „	3·39	1579	389	191	67	34	23	704	32	7	8	11	43	65	117	167	222	203
Diseases of: Digestive „	0·93	431	28	4	1	3	1	37	10	10	12	10	26	45	68	87	86	40
Diseases of: Urinary „	0·40	184	2	1	1	2	2	8	5	5	3	7	19	23	20	38	35	21
Diseases of: Generative „	0·08	39	–	–	–	–	–	–	–	–	1	–	2	7	15	5	5	4
Childbirth	0·08	35	–	–	–	–	–	–	–	–	–	3	16	15	1	–	–	–
Suicide	0·07	31	–	–	–	–	–	–	–	–	–	2	7	2	9	8	2	1
Other Violence	0·46	215	24	7	5	6	5	47	14	13	19	10	22	17	23	21	18	11
OTHER CAUSES	5·15	2402	1023	129	30	29	12	1214	25	10	18	10	44	42	58	73	228	680

Deaths of Infants (under one) to 1000 Births - 154

Marriages - 4,148
Births - 15,601

Annual Rate per 1000 living: Persons Married - 17·81; Births - 33·49

214.—WOODBRIDGE.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	19·70	—	—	—	—	—	36·66	3·11	2·41	5·12	7·95	10·55	12·76	16·61	26·73	52·99	151·92
Mean Pop. 1871-80	—	22,604	610	574	571	583	570	2908	2763	2577	1973	1559	2607	2390	2192	1807	1204	624
ALL CAUSES	19·70	4452	714	211	75	37	29	1066	86	62	101	124	275	305	364	483	638	948
Small-pox	0·07	15	2	–	–	–	–	2	1	–	3	2	3	2	1	–	1	–
Measles	0·19	22	7	7	4	1	–	19	2	–	1	–	–	–	–	–	–	–
Scarlet Fever	0·24	54	1	12	5	8	7	33	9	8	2	2	–	–	–	–	–	–
Diphtheria	0·03	7	1	–	1	1	–	3	2	–	–	–	–	2	–	–	–	–
Whooping-cough	0·27	60	27	23	6	2	–	58	2	–	–	–	–	–	–	–	–	–
Typhus	0·01	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Enteric Fever	0·27	62	2	2	1	2	2	9	7	7	3	3	5	8	4	9	6	1
Simp. Cont. Fever	0·06	14	1	–	2	–	1	4	1	–	1	1	–	–	–	1	3	3
Puerp. Fever	0·02	5	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	–
Diarr. and Dys.	0·61	139	61	13	1	1	1	77	2	–	–	–	2	5	8	8	13	24
Cholera	0·00	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·56	127	–	–	–	–	–	–	–	–	1	–	4	14	19	38	33	18
Scrofula	0·10	23	1	1	–	–	–	2	4	1	1	2	4	1	2	2	3	1
Tabes Mesent.	0·18	41	19	7	2	3	1	32	4	1	–	1	1	–	2	–	–	–
Phthisis	1·88	425	5	6	1	1	–	13	3	14	40	60	98	73	63	46	15	–
Hydrocephalus	0·13	30	9	8	3	1	1	22	2	3	–	1	–	1	1	–	–	–
Diseases of: Nervous Syst.	3·69	835	79	19	13	3	4	98	8	10	17	18	70	95	126	117	150	126
Diseases of: Circulatory „	1·21	273	–	–	–	–	–	–	5	2	5	5	16	12	22	63	82	61
Diseases of: Respiratory „	3·04	688	157	62	16	9	4	248	10	2	7	7	15	25	34	69	116	155
Diseases of: Digestive „	0·95	214	14	2	2	–	1	19	4	2	4	2	10	13	24	51	49	36
Diseases of: Urinary „	0·46	103	–	–	–	–	–	–	–	–	1	3	5	10	8	15	35	26
Diseases of: Generative „	0·08	18	1	–	–	–	–	1	–	–	–	–	–	–	6	7	1	3
Childbirth	0·05	11	–	–	–	–	–	–	–	–	–	2	5	3	1	–	–	–
Suicide	0·10	23	–	–	–	–	–	–	–	–	2	–	3	8	2	5	1	2
Other Violence	0·51	116	6	6	4	–	3	19	8	2	5	6	18	14	12	9	12	11
OTHER CAUSES	5·08	1144	341	43	14	5	4	407	12	10	8	8	14	17	27	43	117	481

Deaths of Infants (under one) to 1000 Births - 107

Marriages - 1,385
Births - 6,652

Annual Rate per 1000 living: Persons Married - 12·25; Births - 29·43

215.—PLOMESGATE.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·23	—	—	—	—	—	36·86	3·68	2·96	5·35	6·66	7·81	8·66	11·14	18·55	45·40	142·76
Mean Pop. 1871-80	—	20,598	543	508	555	536	533	2675	2529	2434	1907	1531	2368	2045	1876	1547	1099	587
ALL CAUSES	17·23	3550	672	164	69	40	41	986	93	72	102	102	185	177	209	287	499	838
Small-pox	0·02	5	-	-	-	-	-	-	-	1	-	-	1	2	-	-	1	-
Measles	0·10	20	6	8	3	-	-	17	3	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·21	43	2	2	6	5	7	22	11	5	2	1	2	-	-	-	-	-
Diphtheria	0·15	31	2	1	1	-	2	6	14	9	-	1	-	1	-	-	-	-
Whooping-cough	0·44	90	44	34	8	3	1	90	-	-	-	-	-	-	-	-	-	-
Typhus	0·02	4	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-
Enteric Fever	0·17	36	-	-	1	1	1	3	2	5	3	1	4	2	5	4	3	4
Simple Cont. Fev.	0·02	5	-	-	-	-	1	1	2	-	-	-	-	1	-	-	-	1
Puerp. Fever	0·05	11	-	-	-	-	-	-	-	-	1	4	5	1	-	-	-	-
Diarr. and Dys.	0·38	79	30	6	-	1	-	37	-	-	1	1	1	-	2	2	7	28
Cholera	0·02	5	-	-	-	1	1	2	-	-	-	-	-	1	1	-	1	-
Cancer	0·57	117	-	-	-	-	-	-	-	-	1	-	2	5	24	34	33	18
Scrofula	0·11	22	3	1	1	-	-	5	1	-	3	1	5	1	2	1	1	2
Tubes Mesent.	0·25	52	22	7	-	1	1	31	9	4	1	3	1	-	1	1	-	1
Phthisis	1·89	389	6	4	2	1	-	13	6	18	58	57	93	71	33	20	18	2
Hydrocephalus	0·21	43	14	13	3	3	2	35	2	-	2	-	2	-	1	1	-	-
Diseases of: Nervous Syst.	2·02	416	57	14	6	4	7	68	12	10	11	6	9	18	29	40	76	137
Diseases of: Circulatory „	1·43	295	-	1	-	-	1	2	1	3	4	2	9	8	22	46	112	86
Diseases of: Respiratory „	2·72	561	135	33	13	2	4	192	5	3	3	5	7	17	22	44	102	161
Diseases of: Digestive „	0·98	201	24	4	2	5	1	36	6	2	-	4	9	18	21	30	44	31
Diseases of: Urinary „	0·42	86	-	-	1	1	-	2	2	-	-	1	3	6	5	17	24	26
Diseases of: Generative „	0·05	11	-	-	-	-	-	-	-	-	-	-	-	1	4	3	2	1
Childbirth	0·06	12	-	-	-	-	-	-	-	-	-	2	6	3	1	-	-	-
Suicide	0·07	14	-	-	-	-	-	-	-	-	-	2	-	1	2	3	3	3
Other Violence	0·50	102	8	3	9	3	6	29	4	7	6	4	9	4	8	12	7	12
Other Causes	4·37	900	339	28	13	9	6	395	13	5	5	6	17	14	26	29	65	325

Deaths of Infants (under one) to 1000 Births - 108

Marriages - 1,291
Births - 6,294

Annual Rate per 1000 living { Persons Married - 12·54
Births - - - 30·12

216.—BLYTHING.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·79	—	—	—	—	—	37·12	4·81	2·80	5·47	8·13	8·27	9·58	10·85	20·81	46·94	139·47
Mean Pop. 1871-80	—	23,120	777	688	713	664	719	3561	3328	3004	2286	1894	3034	2590	2405	1946	1355	717
ALL CAUSES	17·79	4646	960	211	100	56	55	1322	160	84	125	154	251	248	261	405	636	1000
Small-pox	0·06	16	4	-	-	-	-	4	-	1	2	2	2	-	1	2	1	1
Measles	0·12	31	4	10	6	1	1	22	4	4	-	-	-	-	-	-	1	-
Scarlet Fever	0·28	74	2	8	15	9	7	41	23	6	3	1	-	-	-	-	-	-
Diphtheria	0·18	47	1	1	3	3	11	19	15	6	3	-	2	2	-	-	-	-
Whooping-cough	0·51	132	80	32	12	-	1	125	6	1	-	-	-	-	-	-	-	-
Typhus	0·02	4	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-
Enteric Fever	0·21	54	1	-	1	-	2	4	9	9	7	3	3	2	4	5	3	-
Simple Cont. Fev.	0·05	13	1	-	1	-	-	2	4	-	3	1	1	2	-	-	-	-
Puerp. Fever	0·02	5	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-
Diarr. and Dys.	0·46	120	43	9	3	1	3	59	2	1	2	-	2	-	3	7	13	31
Cholera	0·02	6	1	1	-	-	-	2	-	1	-	-	-	-	-	-	1	2
Cancer	0·67	176	-	-	-	-	-	-	1	1	-	1	5	15	35	46	53	19
Scrofula	0·16	41	3	4	2	1	-	15	2	6	1	5	5	5	2	-	-	-
Tubes Mesent.	0·24	62	31	7	6	3	1	48	4	2	1	1	2	2	1	-	1	-
Phthisis	2·09	547	9	9	3	3	3	27	20	18	55	87	144	86	47	44	16	3
Hydrocephalus	0·22	57	12	8	5	7	9	41	9	4	2	-	-	-	1	-	-	-
Diseases of: Nervous Syst.	1·73	452	70	19	13	6	1	109	16	6	3	5	7	22	31	59	91	103
Diseases of: Circulatory „	1·42	341	1	-	2	-	1	4	3	3	8	2	14	18	35	71	120	66
Diseases of: Respiratory „	2·22	605	174	50	12	13	7	256	6	2	6	4	13	21	17	54	95	131
Diseases of: Digestive „	0·81	238	19	1	3	2	3	28	8	2	6	5	9	18	26	41	64	31
Diseases of: Urinary „	0·36	93	1	-	-	-	-	1	-	2	-	2	5	10	17	13	19	24
Diseases of: Generative „	0·07	19	-	-	-	-	-	-	-	-	-	2	2	4	5	3	2	1
Childbirth	0·10	25	-	-	-	-	-	-	-	-	1	3	8	11	2	-	-	-
Suicide	0·07	19	-	-	-	-	-	-	-	-	1	2	3	-	3	5	3	2
Other Violence	0·48	125	9	6	4	2	1	22	12	4	11	9	9	12	11	13	12	10
Other Causes	5·12	1341	429	46	9	5	4	493	15	4	9	11	15	16	19	42	141	576

Deaths of Infants (under one) to 1000 Births - 109

Marriages - 1,690
Births - 8,281

Annual Rate per 1000 living { Persons Married - 12·94
Births - - - 31·70

217.—WANGFORD.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·66	—	—	—	—	—	40·57	4·23	2·49	4·96	7·76	7·00	9·43	13·37	24·23	53·01	153·42
Mean Pop. 1871-80	—	14,247	407	360	374	368	379	1888	1724	1646	1331	1032	1714	1442	1279	1044	732	365
ALL CAUSES	18·66	2658	553	114	44	30	25	766	73	41	66	84	120	136	171	253	388	560
Small-pox	0·13	19	1	–	1	–	–	2	1	–	2	3	4	1	3	1	1	1
Measles	0·10	14	2	4	1	2	2	11	2	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·32	45	3	4	6	10	8	31	10	2	1	–	1	–	–	–	–	–
Diphtheria	0·06	9	–	–	1	2	–	3	3	1	–	1	–	1	–	–	–	–
Whooping-cough	0·16	23	12	7	1	1	1	22	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	2	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Enteric Fever	0·20	28	1	–	–	–	1	2	3	4	4	2	4	4	2	2	–	1
Simple Cont. Fev.	0·07	10	–	–	–	–	–	–	3	2	–	–	–	1	–	–	4	–
Puerp. Fever	0·05	7	–	–	–	–	–	–	–	–	1	1	3	1	1	–	–	–
Diarr. and Dys.	0·51	72	44	6	2	–	–	52	1	–	–	–	–	–	3	1	5	10
Cholera	0·01	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	0·60	86	–	–	–	–	–	–	–	–	2	–	–	8	17	23	26	10
Scrofula	0·14	20	8	1	–	–	–	9	3	2	3	1	2	–	–	–	–	–
Tabes Mesent.	0·43	61	38	10	1	–	–	49	4	–	2	–	–	1	–	1	3	1
Phthisis	2·34	333	16	6	5	1	–	28	2	12	32	54	58	52	40	37	16	2
Hydrocephalus	0·34	48	7	13	6	3	4	33	9	3	2	–	–	1	–	–	–	–
Diseases of: Nervous Syst.	2·25	321	69	19	3	–	2	93	7	3	2	4	10	8	23	30	70	71
Diseases of: Circulatory „	1·83	259	1	–	–	–	–	1	2	1	1	4	5	17	25	43	87	73
Diseases of: Respiratory „	2·58	367	96	26	11	6	1	140	5	3	5	3	5	10	19	38	58	81
Diseases of: Digestive „	0·90	128	15	1	1	–	–	17	2	–	1	2	7	7	11	29	27	22
Diseases of: Urinary „	0·55	78	–	–	–	1	–	1	2	1	–	2	3	4	8	17	28	12
Diseases of: Generative „	0·05	7	–	–	–	–	–	–	–	–	1	–	1	1	2	–	2	–
Childbirth	0·04	5	–	–	–	–	–	–	–	–	–	–	4	–	1	–	–	–
Suicide	0·10	14	–	–	–	–	–	–	–	–	1	–	1	1	2	5	3	1
Other Violence	0·49	70	8	2	3	1	3	17	7	3	5	4	4	9	3	8	8	2
Other Causes	4·41	631	232	15	2	3	3	255	5	2	1	3	8	8	8	18	50	273

Deaths of Infants (under one) to 1000 Births - 124 | Marriages - 958 | Births - 4,450 | Annual Rate per 1000 living: Persons Married - 13·45; Births - 31·23

218.—MUTFORD.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·39	—	—	—	—	—	49·42	4·38	2·74	4·17	6·08	6·96	9·37	13·03	21·65	50·96	155·27
Mean Pop. 1871-80	—	35,421	1091	982	1025	1001	1000	5099	4447	3797	3553	3125	4840	3734	2925	2106	1254	511
ALL CAUSES	17·39	6160	1819	368	167	95	71	2520	195	104	148	190	337	350	381	456	639	840
Small-pox	0·23	80	8	6	3	–	3	20	11	10	3	12	8	5	8	1	1	1
Measles	0·20	71	17	17	18	9	8	69	–	1	–	–	1	–	–	–	–	–
Scarlet Fever	0·33	117	6	20	18	15	13	72	36	4	1	1	2	–	1	–	–	–
Diphtheria	0·12	41	1	7	2	2	8	20	15	5	–	–	–	1	–	–	–	–
Whooping-cough	0·31	109	63	26	13	4	1	107	1	1	–	–	–	–	–	–	–	–
Typhus	0·02	8	–	1	–	–	–	1	2	2	–	1	1	–	–	1	–	–
Enteric Fever	0·28	99	1	3	2	2	3	11	4	12	14	14	11	15	10	3	3	2
Simple Cont. Fev.	0·15	54	1	5	5	1	2	14	6	2	2	4	8	4	4	3	2	5
Puerp. Fever	0·08	30	–	–	–	–	–	–	–	–	1	6	17	6	–	–	–	–
Diarr. and Dys.	1·04	368	230	46	3	4	1	314	3	–	–	–	2	1	–	6	18	14
Cholera	0·01	5	–	–	–	–	–	–	–	–	–	–	–	2	–	2	1	–
Cancer	0·46	164	–	–	–	–	–	–	1	–	1	1	6	23	38	33	41	20
Scrofula	0·20	70	37	6	3	1	–	47	6	1	1	2	4	2	2	5	–	–
Tabes Mesent.	0·24	85	59	10	6	–	1	76	3	1	4	–	1	–	–	–	–	–
Phthisis	1·37	486	12	6	2	2	2	24	11	14	45	72	130	93	54	34	9	–
Hydrocephalus	0·15	53	16	13	5	–	1	35	11	4	1	2	–	–	–	–	–	–
Diseases of: Nervous Syst.	1·81	640	126	30	19	14	6	195	22	8	9	7	16	31	46	88	116	102
Diseases of: Circulatory „	1·11	392	6	1	–	–	1	8	1	6	3	8	22	19	49	80	115	61
Diseases of: Respiratory „	2·50	885	297	71	35	12	12	427	17	3	8	3	28	32	57	67	112	132
Diseases of: Digestive „	0·86	305	55	6	4	3	2	70	5	2	7	4	13	32	36	52	54	30
Diseases of: Urinary „	0·34	122	3	1	–	–	2	6	7	3	2	3	8	7	20	17	26	23
Diseases of: Generative „	0·07	25	–	–	–	–	–	–	–	–	1	2	2	4	8	5	2	1
Childbirth	0·07	25	–	–	–	–	–	–	–	–	–	9	9	7	–	–	–	–
Suicide	0·08	27	–	–	–	–	–	–	–	–	1	1	4	4	4	7	4	2
Other Violence	0·64	225	16	13	8	5	3	45	13	17	33	21	27	22	18	9	13	7
Other Causes	4·72	1673	835	80	21	21	2	959	20	8	11	17	17	20	26	45	122	439

Deaths of Infants (under one) to 1000 Births - 145 | Marriages - 2,589 | Births - 12,569 | Annual Rate per 1000 living: Persons Married - 14·62; Births - 35·48

NORFOLK.

219.—YARMOUTH.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	22·94	—	—	—	—	—	75·37	7·40	2·87	4·24	6·69	8·24	14·01	18·38	29·92	58·11	156·35
Mean Pop. 1871-80	—	36,158	995	857	807	873	854	4479	3946	3595	3682	3362	5144	4225	3329	2336	1430	630
ALL CAUSES	22·94	8295	2335	509	225	157	150	3376	292	103	156	225	424	592	612	699	831	985
Small-pox	0·30	107	14	4	1	2	4	25	20	6	12	18	12	7	4	3	-	-
Measles	0·19	69	22	23	10	5	5	65	3	-	-	-	-	-	1	-	-	-
Scarlet Fever	1·01	367	21	42	61	57	65	246	98	9	7	1	3	2	-	1	-	-
Diphtheria	0·09	31	1	2	1	6	5	15	10	4	-	1	-	-	1	-	-	-
Whooping-cough	0·34	122	53	33	19	5	3	118	3	1	-	-	-	-	-	-	-	-
Typhus	0·02	6	-	1	-	-	-	1	-	-	1	2	1	-	-	1	-	-
Enteric Fever	0·40	145	12	3	6	4	4	29	30	11	13	9	15	18	8	7	2	3
Simple Cont. Fev.	0·10	35	5	3	1	1	-	10	6	1	1	2	4	3	-	3	3	2
Puerp. Fever	0·06	22	-	-	-	-	-	-	-	-	1	7	11	4	-	-	-	-
Diarr. and Dys.	2·00	722	569	65	6	2	2	644	3	-	1	2	2	7	5	12	11	35
Cholera	0·02	6	2	1	-	1	1	5	-	-	-	-	-	-	-	-	-	1
Cancer	0·67	243	-	-	-	-	1	1	-	-	-	-	16	32	56	66	43	29
Scrofula	0·17	63	18	7	4	5	5	39	4	4	1	3	1	-	2	6	2	1
Tabes Mesent.	0·68	245	189	36	5	-	3	233	9	2	-	-	-	-	-	1	-	-
Phthisis	1·96	707	16	12	4	2	4	38	11	17	51	101	132	157	109	64	23	4
Hydrocephalus	0·25	92	40	19	12	4	3	78	8	3	1	-	-	1	1	-	-	-
Diseases of: Nervous Syst.	3·03	1105	189	38	17	9	2	275	24	12	12	11	74	142	112	126	179	158
Diseases of: Circulatory	1·42	515	1	-	-	1	-	2	5	2	6	9	26	47	77	105	148	88
Diseases of: Respiratory	3·29	1191	314	155	50	29	16	564	18	5	7	11	32	35	61	112	179	167
Diseases of: Digestive	1·01	365	54	1	3	1	1	60	6	6	12	7	16	40	57	70	59	33
Diseases of: Urinary	0·43	155	2	2	4	4	2	14	4	2	2	2	14	14	18	30	29	26
Diseases of: Generative	0·07	26	-	-	-	-	-	-	-	-	1	1	2	7	2	5	6	2
Childbirth	0·06	20	-	-	-	-	-	-	-	-	-	2	8	9	1	-	-	-
Suicide	0·08	29	-	-	-	-	-	-	-	-	-	1	4	6	10	6	1	1
Other Violence	0·58	208	12	1	7	2	5	27	9	9	16	24	23	28	26	18	13	15
OTHER CAUSES	4·68	1697	796	61	14	17	19	907	21	9	11	11	28	33	61	63	133	420

Deaths of Infants (under one) to 1000 Births	199	Marriages	3,693	Annual Rate per 1000 living: Persons Married	20·43
		Births	11,732	Births	32·45

220.—FLEGG.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	18·45	—	—	—	—	—	49·93	5·20	4·09	6·84	6·60	8·71	7·96	11·61	17·16	40·28	127·76
Mean Pop. 1871-80	—	9548	287	260	263	272	258	1340	1270	1075	819	712	1136	962	887	670	432	245
ALL CAUSES	18·45	1762	470	106	35	31	27	669	66	44	56	47	99	76	103	115	174	313
Small-pox	0·07	7	-	-	-	-	-	-	-	-	1	-	3	-	3	-	-	-
Measles	0·16	10	3	3	1	2	-	9	1	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·72	69	6	7	6	12	9	40	14	10	2	1	2	-	-	-	-	-
Diphtheria	0·05	6	-	-	-	-	-	-	5	1	-	-	-	-	-	-	-	-
Whooping-cough	0·58	36	21	9	2	2	1	35	1	-	-	-	-	-	-	-	-	-
Typhus	0·03	3	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
Enteric Fever	0·23	25	2	-	1	-	3	6	6	1	4	1	-	2	2	2	-	1
Simple Cont. Fev.	0·13	12	-	-	-	1	-	1	2	1	2	-	-	2	2	-	2	-
Puerp. Fever	0·07	7	-	-	-	-	-	-	-	-	-	2	2	3	-	-	-	-
Diarr. and Dys.	0·40	86	56	9	2	1	-	68	3	-	-	-	-	2	1	-	5	7
Cholera	0·03	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
Cancer	0·65	65	-	-	-	-	-	-	-	-	-	-	4	3	19	15	18	6
Scrofula	0·06	6	-	1	-	-	1	2	-	2	-	-	1	-	1	-	-	-
Tabes Mesen.	0·58	55	43	8	-	-	-	51	4	-	-	-	-	-	-	-	-	-
Phthisis	1·74	166	1	1	-	1	-	3	4	7	31	27	49	19	13	10	3	-
Hydrocephalus	0·07	7	1	4	1	1	-	7	-	-	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	1·81	173	31	12	4	1	-	48	4	5	3	3	4	8	13	14	24	42
Diseases of: Circulatory	0·83	80	-	-	-	-	-	-	-	2	-	2	2	5	11	16	22	29
Diseases of: Respiratory	2·97	284	59	25	11	7	4	106	8	2	2	1	3	6	10	24	44	78
Diseases of: Digestive	0·79	75	6	2	1	-	2	11	2	3	-	1	4	5	5	15	15	14
Diseases of: Urinary	0·52	50	-	-	-	-	-	-	-	1	1	1	3	5	5	5	17	12
Diseases of: Generative	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Childbirth	0·12	11	-	-	-	-	-	-	-	-	-	-	6	5	-	-	-	-
Suicide	0·09	9	-	-	-	-	-	-	-	-	-	1	2	2	3	-	1	-
Other Violence	0·48	46	1	2	2	2	3	10	5	2	8	5	8	2	2	2	2	-
OTHER CAUSES	4·85	461	240	2[illegible]	4	1	4	272	7	6	2	2	5	6	8	11	13	124

Deaths of Infants (under one) to 1000 Births	113	Marriages	6[illegible]	Annual Rate per 1000 living: Persons Married	12·65
		Births	3,278	Births	34·33

221.—SMALLBURGH.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	16·99	—	—	—	—	—	38·59	3·97	3·19	6·23	7·28	7·01	7·45	9·59	18·48	40·13	140·44
Mean Pop. 1871-80	—	14,577	420	349	392	386	368	1915	1841	1601	1236	1003	1712	1516	1345	1055	745	408
ALL CAUSES	16·99	2442	538	104	41	27	29	739	73	51	77	73	120	113	129	195	299	573
Small-pox	0·05	7	-	-	-	-	-	-	-	-	1	3	1	-	1	1	-	-
Measles	0·06	8	2	3	2	-	-	7	1	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·31	45	2	1	5	5	10	23	18	1	2	-	-	-	-	1	-	-
Diphtheria	0·19	28	2	4	1	4	1	12	5	5	4	-	-	1	-	-	1	-
Whooping-cough	0·26	37	21	10	3	2	-	36	1	-	-	-	-	-	-	-	-	-
Typhus	0·06	8	-	-	-	-	-	-	2	1	1	-	1	1	-	1	1	-
Enteric Fever	0·19	28	1	-	2	1	2	6	2	2	2	2	4	4	3	2	-	1
Simp. Cont. Fev.	0·03	5	-	1	-	-	-	1	3	1	-	-	-	-	-	-	-	-
Puerp. Fever	0·10	14	-	-	-	-	-	-	-	-	2	3	8	1	-	-	-	-
Diarr. and Dys.	0·54	77	31	7	2	1	4	45	3	-	1	-	1	-	3	3	11	10
Cholera	0·01	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cancer	0·47	67	-	-	-	-	-	-	-	-	-	-	2	3	10	13	19	20
Scrofula	0·15	22	11	1	-	-	-	12	-	-	-	-	1	3	1	4	1	-
Tabes Mesent.	0·32	46	17	5	5	2	1	30	6	3	1	1	2	1	-	2	-	-
Phthisis	1·75	251	5	2	-	1	2	10	2	11	35	41	52	40	35	15	9	1
Hydrocephalus	0·15	22	4	4	2	1	2	13	2	4	-	1	-	2	-	-	-	-
Diseases of: Nervous Syst.	1·80	259	51	18	6	2	2	79	7	4	6	6	7	11	11	20	47	61
Diseases of: Circulatory "	1·26	181	2	-	-	-	-	2	-	1	2	-	8	15	19	50	49	35
Diseases of: Respiratory "	1·68	242	50	29	5	4	1	89	5	2	4	3	8	7	10	22	37	55
Diseases of: Digestive "	0·68	98	4	-	-	1	-	5	2	2	4	2	3	5	11	20	27	17
Diseases of: Urinary "	0·34	49	-	-	-	-	-	-	-	-	2	1	-	5	2	8	15	16
Diseases of: Generative "	0·10	15	-	-	-	-	-	-	-	-	-	-	-	1	3	5	4	2
Childbirth	0·08	11	-	-	-	-	-	-	-	-	-	4	5	2	-	-	-	-
Suicide	0·08	11	-	-	-	-	-	-	-	-	-	1	1	1	1	1	5	1
Other Violence	0·52	75	7	-	2	1	2	12	2	8	6	4	8	8	6	9	4	8
Other Causes	5·81	835	327	19	6	2	2	356	12	6	4	1	8	2	13	18	69	346

Deaths of Infants (under one) to 1000 Births - 123 | Marriages - 940 | Births - 4,372 | Annual Rate per 1000 living: Persons Married - 13·08; Births - 30·41

222.—ERPINGHAM.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·19	—	—	—	—	—	39·57	4·50	2·39	4·05	7·38	7·59	8·68	10·51	20·85	46·10	155·65
Mean Pop. 1871-80	—	20,040	525	483	509	521	502	2540	2376	2213	1825	1463	2331	2063	1980	1559	1115	575
ALL CAUSES	18·19	3645	745	141	55	26	38	1005	107	53	74	108	177	179	208	325	514	895
Small-pox	0·04	9	-	-	-	1	-	1	-	1	-	1	3	-	1	1	1	-
Measles	0·12	25	6	10	2	3	2	23	2	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·27	55	4	2	9	7	10	32	20	-	1	-	-	1	-	-	-	1
Diphtheria	0·04	9	-	-	-	-	-	-	4	1	1	1	-	1	1	-	-	-
Whooping-cough	0·36	73	34	23	7	3	3	70	2	-	-	-	-	-	-	-	1	-
Typhus	0·05	10	-	-	-	-	2	2	3	-	-	2	1	1	1	-	-	-
Enteric Fever	0·14	28	-	-	-	-	-	-	4	4	2	1	4	2	2	4	3	2
Simple Cont. Fev.	0·02	5	-	1	-	-	-	1	1	-	-	-	-	1	1	1	-	-
Puerp. Fever	0·06	13	-	-	-	-	-	-	-	-	1	3	7	2	-	-	-	-
Diarr. and Dys.	0·38	76	34	3	-	-	3	40	1	-	-	-	1	1	-	3	7	23
Cholera	0·02	4	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1
Cancer	0·70	141	-	-	1	-	-	1	-	1	-	-	5	9	27	35	43	20
Scrofula	0·25	51	34	5	2	-	-	41	2	-	1	-	-	1	1	2	2	1
Tabes Mesent.	0·20	41	24	7	2	-	-	33	3	-	1	2	-	2	-	-	-	-
Phthisis	1·89	378	13	6	2	-	3	24	11	11	37	51	87	70	43	28	15	1
Hydrocephalus	0·21	42	11	4	5	1	4	25	7	6	1	-	3	-	-	-	-	-
Diseases of: Nervous Syst.	2·37	474	72	13	5	2	2	94	8	5	8	11	11	9	28	63	107	130
Diseases of: Circulatory "	1·69	339	4	-	-	-	-	4	2	3	1	4	4	16	23	70	100	112
Diseases of: Respiratory "	2·16	433	86	35	12	5	3	141	4	2	4	5	14	15	19	33	85	111
Diseases of: Digestive "	0·78	157	18	2	1	-	2	23	4	2	-	4	4	15	16	29	35	25
Diseases of: Urinary "	0·41	83	-	-	1	-	1	2	1	1	-	2	2	3	10	20	19	23
Diseases of: Generative "	0·08	16	-	-	-	-	-	-	-	-	-	-	2	3	3	5	2	1
Childbirth	0·11	22	-	-	-	-	-	-	-	-	-	4	11	7	-	-	-	-
Suicide	0·03	6	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	1
Other Violence	0·50	100	8	2	2	1	1	14	8	9	7	11	9	7	9	8	6	12
Other Causes	5·31	1055	397	28	4	3	2	434	19	7	8	6	9	13	21	21	86	431

Deaths of Infants (under one) to 1000 Births - 126 | Marriages - 1,241 | Births - 5,891 | Annual Rate per 1000 living: Persons Married - 12·39; Births - 29·40

223.—AYLSHAM.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
ANNUAL DEATH RATE PER 1000	—	18·04	—	—	—	—	—	38·32	4·93	2·80	4·09	7·13	7·82	7·24	10·94	16·93	50·75	154·75
Mean Pop. 1871-80	—	18,086	498	497	467	470	466	2338	2229	2036	1663	1263	2047	1864	1709	1412	999	526
ALL CAUSES	18·04	3263	652	132	57	27	28	896	110	57	68	90	160	135	187	239	507	814
Small-pox	0·11	19	2	-	-	-	-	2	4	-	1	2	6	4	-	-	-	-
Measles	0·08	15	4	3	2	-	2	11	2	1	-	-	1	-	-	-	-	-
Scarlet Fever	0·28	51	2	2	9	6	8	27	21	1	-	-	-	1	-	1	-	-
Diphtheria	0·12	22	1	1	2	4	-	8	7	4	-	1	-	2	-	-	-	-
Whooping-cough	0·32	58	29	16	7	1	1	54	3	1	-	-	-	-	-	-	-	-
Typhus	0·01	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Enteric Fever	0·20	37	-	1	1	-	3	5	7	6	5	2	2	2	1	3	3	1
Simple Cont. Fev.	0·15	27	1	-	-	1	1	3	4	1	1	-	2	2	3	3	3	5
Puerp. Fever	0·01	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Diarr. and Dys.	0·40	73	33	6	1	2	-	42	-	1	-	2	1	2	2	3	5	15
Cholera	0·01	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Cancer	0·53	95	-	1	-	-	-	1	-	-	-	-	-	6	23	20	31	8
Scrofula	0·14	25	9	3	-	-	-	12	-	1	-	2	5	1	1	2	1	-
Tabes Mesent.	0·24	44	22	5	2	1	1	31	7	-	5	-	1	-	-	-	-	-
Phthisis	1·71	309	1	1	-	1	-	3	11	16	35	52	80	46	33	17	14	2
Hydrocephalus	0·22	39	13	11	3	1	1	29	5	4	1	-	-	-	-	-	-	-
Disease of Nervous Syst.	2·16	390	67	19	10	-	4	100	10	5	5	9	6	4	22	37	85	107
Disease of Circulatory	2·02	365	3	-	-	-	-	3	4	2	-	6	11	21	27	57	120	114
Disease of Respiratory	2·44	441	95	33	11	5	1	145	7	6	3	3	11	10	21	22	86	127
Disease of Digestive	1·03	186	18	1	-	1	3	23	1	-	2	2	9	14	24	26	45	40
Disease of Urinary	0·49	88	-	-	1	-	-	1	2	2	1	-	4	6	8	16	31	17
Disease of Generative	0·07	12	-	-	-	-	-	-	-	-	-	1	-	-	1	7	3	-
Childbirth	0·06	11	-	-	-	-	-	-	-	-	-	-	8	2	1	-	-	-
Suicide	0·06	11	-	-	-	-	-	-	-	-	-	-	1	1	3	3	2	1
Other Violence	0·40	72	9	3	2	3	1	18	10	2	5	3	5	4	2	8	5	10
OTHER CAUSES	4·80	868	341	26	6	1	2	376	5	4	4	4	6	6	9	14	73	367

Deaths of Infants (under one) to 1000 Births - 123 | Marriages - 1,141 | Births - 5,311 | Annual Rate per 1000 living: Persons Married - 12·62; Births - 29·37

224.—ST. FAITHS.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
ANNUAL DEATH RATE PER 1000	—	17·54	—	—	—	—	—	42·29	4·44	3·84	5·70	7·33	7·42	8·48	9·23	19·30	46·14	140·28
Mean Pop. 1871-80	—	11,160	312	269	288	289	280	1433	1351	1223	1017	887	1347	1156	1051	829	583	283
ALL CAUSES	17·54	1957	459	80	40	16	11	606	60	47	58	65	100	98	97	160	269	397
Small-pox	0·40	45	7	1	1	-	-	9	4	2	5	8	7	6	3	-	-	1
Measles	0·15	17	4	4	3	-	2	13	2	2	-	-	-	-	-	-	-	-
Scarlet Fever	0·27	30	4	3	2	4	-	13	9	6	-	1	1	-	-	-	-	-
Diphtheria	0·12	13	3	1	2	-	2	8	3	1	-	1	-	-	-	-	-	-
Whooping-cough	0·30	33	12	11	5	3	1	32	1	-	-	-	-	-	-	-	-	-
Typhus	0·04	5	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	1
Enteric Fever	0·21	23	-	-	1	-	-	1	3	1	3	3	2	3	2	3	1	1
Simple Cont. Fev.	0·04	4	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-
Puerp. Fever	0·06	7	-	-	-	-	-	-	-	-	1	4	2	-	-	-	-	-
Diarr. and Dys.	0·32	35	22	3	-	-	-	25	1	-	-	-	-	-	1	4	3	1
Cholera	0·02	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Cancer	0·51	57	-	1	-	-	-	1	-	-	-	-	1	12	9	18	11	5
Scrofula	0·12	13	1	-	1	-	-	2	2	-	3	2	2	1	-	1	-	-
Tabes Mesent.	0·08	9	4	-	1	-	1	6	1	1	1	-	-	-	-	-	-	-
Phthisis	1·89	211	5	-	-	1	-	6	8	18	24	29	52	31	21	7	12	3
Hydrocephalus	0·05	6	2	2	-	1	-	5	-	-	1	-	-	-	-	-	-	-
Disease of Nervous Syst.	1·65	184	31	8	5	1	1	46	4	3	3	1	6	11	11	21	48	30
Disease of Circulatory	1·24	138	2	-	-	-	-	2	-	3	1	1	5	5	7	26	43	45
Disease of Respiratory	2·00	223	48	16	9	3	1	77	3	-	4	1	5	6	10	20	47	50
Disease of Digestive	0·79	88	12	-	-	-	-	12	1	3	2	1	3	3	12	23	17	11
Disease of Urinary	0·25	28	-	-	-	-	-	-	3	-	1	-	2	2	1	7	9	3
Disease of Generative	0·10	11	-	-	-	-	-	-	-	-	-	3	1	2	1	3	1	-
Childbirth	0·12	13	-	-	-	-	-	-	-	-	1	2	5	5	-	-	-	-
Suicide	0·02	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Other Violence	0·24	27	2	3	1	-	-	6	3	-	4	1	-	1	2	2	4	4
OTHER CAUSES	6·55	733	300	27	9	3	3	342	10	6	2	6	6	10	15	22	72	242

Deaths of Infants (under one) to 1000 Births - 131 | Marriages - 750 | Births - 3,504 | Annual Rate per 1000 living: Persons Married - 13·44; Births - 31·40

225.—NORWICH.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	23·32	—	—	—	—	—	72·29	6·23	3·75	5·36	7·18	8·82	12·63	17·31	30·37	62·23	157·93
Mean Pop. 1871-80	—	84,114	2381	2031	2061	2019	2004	10496	9314	8882	8472	7449	11467	9351	7901	5526	3566	1690
ALL CAUSES	23·32	19,616	5203	1291	489	348	257	7588	580	333	454	535	1011	1181	1368	1678	2219	2669
Small-pox	0·67	566	84	20	17	11	10	142	67	41	81	71	88	45	17	7	5	2
Measles	0·24	205	44	70	46	21	13	194	11	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·57	481	26	67	75	72	72	212	124	19	7	6	11	1	-	1	-	-
Diphtheria	0·09	77	4	12	7	7	8	38	21	8	4	1	2	1	1	-	1	-
Whooping-cough	0·61	509	229	165	61	25	13	493	14	2	-	-	-	-	-	-	-	-
Typhus	0·05	39	-	1	-	-	4	5	6	3	9	4	3	4	2	1	2	-
Enteric Fever	0·35	291	4	13	10	16	11	54	42	31	39	30	31	23	16	12	11	2
Simple Cont. Fev.	0·10	82	3	8	4	9	6	30	14	8	5	2	4	6	2	3	7	1
Puerp. Fever	0·10	88	-	-	-	-	-	-	-	-	8	16	43	21	-	-	-	-
Diarr. and Dys.	1·42	1191	889	118	15	2	2	1026	4	2	2	3	8	7	9	17	44	69
Cholera	0·01	12	4	-	-	1	-	5	-	-	1	-	-	1	1	1	2	1
Cancer	0·62	520	-	-	-	-	-	-	-	2	1	7	24	64	119	140	104	59
Scrofula	0·18	155	47	28	9	7	8	99	11	3	9	5	6	7	3	6	5	1
Tabes Mesent.	0·15	123	65	13	6	4	3	91	11	9	4	2	3	-	-	2	1	-
Phthisis	2·24	1887	64	43	16	15	7	145	34	51	147	228	380	398	309	151	39	5
Hydrocephalus	0·17	146	43	42	18	9	6	118	13	7	2	2	1	1	2	-	-	-
Diseases of: Nervous Syst.	2·60	2187	502	107	44	26	27	706	43	22	18	23	65	124	206	284	401	295
Diseases of: Circulatory „	1·24	1044	2	1	-	1	1	5	10	12	22	18	50	81	161	244	286	155
Diseases of: Respiratory „	3·04	2560	646	301	82	48	29	1106	39	25	10	17	70	99	157	278	441	318
Diseases of: Digestive „	0·91	765	78	6	9	9	4	106	21	12	21	18	37	80	123	146	144	57
Diseases of: Urinary „	0·38	321	-	1	1	1	3	6	3	6	9	9	27	32	40	66	84	39
Diseases of: Generative „	0·09	78	-	-	-	-	-	-	-	-	-	5	10	19	15	12	12	5
Childbirth	0·08	71	-	-	-	-	-	-	-	-	5	16	25	25	-	-	-	-
Suicide	0·10	81	-	-	-	-	-	-	-	-	1	2	11	14	16	18	16	3
Other Violence	0·51	432	22	6	11	14	13	66	32	32	22	23	47	42	37	58	26	47
OTHER CAUSES	6·80	5705	2447	269	58	50	17	2841	60	38	27	27	65	86	132	231	588	1610

Deaths of Infants (under one) to 1000 Births - 188 | Marriages - 7,311 | Births - 27,636 | Annual Rate per 1000 living: Persons Married - 17·38; Births - 32·86

226.—FOREHOE.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	17·39	—	—	—	—	—	36·59	3·47	3·13	4·45	6·35	7·66	7·06	12·38	19·52	46·42	146·20
Mean Pop. 1871-80	—	12,140	311	275	298	306	294	1484	1498	1376	1101	850	1357	1289	1179	953	698	355
ALL CAUSES	17·39	2111	407	82	27	15	12	543	52	43	49	54	104	91	146	186	324	519
Small-pox	0·08	10	2	1	-	-	-	3	-	-	2	-	2	1	2	-	-	-
Measles	0·10	12	1	4	1	2	1	9	3	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·12	14	1	1	1	4	1	8	3	1	-	1	1	-	-	-	-	-
Diphtheria	0·07	8	-	-	-	-	1	1	2	3	-	-	-	1	-	1	-	-
Whooping-cough	0·24	29	17	7	3	-	-	27	2	-	-	-	-	-	-	-	-	-
Typhus	0·03	4	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1
Enteric Fever	0·17	21	-	-	-	-	-	-	2	3	3	2	4	1	2	3	1	-
Simple Cont. Fev.	0·03	4	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-
Puerp. Fever	0·05	6	-	-	-	-	-	-	-	-	1	2	2	1	-	-	-	-
Diarr. and Dys.	0·42	51	24	4	2	-	2	32	-	-	-	-	3	-	2	2	5	7
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·59	72	-	-	-	-	-	-	-	1	1	-	-	7	13	20	16	14
Scrofula	0·05	6	1	-	1	-	-	2	-	-	-	-	3	1	-	-	-	-
Tabes Mesent.	0·20	24	10	6	1	-	-	17	1	4	2	-	-	-	-	-	-	-
Phthisis	1·88	228	6	2	-	1	1	10	6	10	23	32	48	29	29	20	18	3
Hydrocephalus	0·09	11	3	3	2	1	-	9	1	1	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	1·93	234	96	12	-	1	1	50	7	5	3	1	3	9	18	21	57	60
Diseases of: Circulatory „	1·48	180	-	-	1	-	-	1	4	3	1	-	3	9	25	39	59	36
Diseases of: Respiratory „	2·22	270	51	17	7	3	2	80	6	-	1	3	11	8	15	21	50	75
Diseases of: Digestive „	0·59	72	7	-	-	-	1	8	2	2	1	1	2	6	13	19	12	6
Diseases of: Urinary „	0·30	36	1	-	-	-	-	1	-	-	-	3	4	1	4	7	6	10
Diseases of: Generative „	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Childbirth	0·05	6	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-
Suicide	0·10	12	-	-	-	-	-	-	-	-	2	-	1	-	1	2	4	2
Other Violence	0·36	44	1	1	-	1	-	3	4	4	4	3	2	4	2	5	2	11
OTHER CAUSES	6·23	753	216	24	8	2	2	282	8	4	4	6	9	11	20	26	92	294

Deaths of Infants (under one) to 1000 Births - 119 | Marriages - 680 | Births - 3,413 | Annual Rate per 1000 living: Persons Married - 11·20; Births - 28·11

227.—HENSTEAD.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·40	—	—	—	—	—	38·44	4·06	2·88	4·94	7·44	8·70	8·79	11·59	18·77	42·06	140·41
Mean Pop. 1871-80	—	10,681	280	256	265	282	254	1337	1280	1146	951	833	1253	1104	1027	847	611	292
ALL CAUSES	17·40	1859	389	67	24	21	13	514	52	33	47	62	109	97	119	159	257	410
Small-pox	0·23	30	8	2	1	-	-	11	-	-	2	5	6	2	4	-	-	-
Measles	0·05	5	1	1	1	1	-	4	1	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·41	44	5	5	5	3	4	22	16	4	1	1	-	-	-	-	-	-
Diphtheria	0·03	9	-	-	-	2	1	3	4	-	-	-	-	-	1	1	-	-
Whooping-cough	0·25	28	16	8	2	2	-	28	-	-	-	-	-	-	-	-	-	-
Typhus	0·01	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Enteric Fever	0·20	21	1	1	1	-	1	4	1	2	4	1	1	1	4	2	1	-
Simple Cont. Fev.	0·27	29	-	3	2	2	-	7	5	1	2	2	1	1	1	4	5	-
Puerp. Fever	0·10	11	-	-	-	-	-	-	-	-	-	1	9	1	-	-	-	-
Diarr. and Dys.	0·43	46	27	3	-	-	-	30	1	-	-	-	1	-	-	2	7	5
Cholera	0·02	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Cancer	0·42	45	-	-	-	-	-	-	-	-	-	-	1	1	11	12	14	6
Scrofula	0·10	11	-	1	-	-	-	1	2	2	-	-	3	-	1	1	1	-
Tabes Mesent.	0·20	21	14	2	-	2	-	18	-	3	-	-	-	-	-	-	-	-
Phthisis	2·00	214	18	7	-	-	-	25	3	7	18	34	44	37	20	15	11	-
Hydrocephalus	0·08	9	5	2	-	-	-	7	1	1	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	1·84	197	32	5	-	1	-	38	4	3	4	2	4	10	6	26	42	58
Diseases of: Circulatory "	0·96	103	-	-	1	-	-	1	1	-	-	1	8	7	20	15	30	20
Diseases of: Respiratory "	2·53	270	46	10	6	4	4	70	2	-	4	1	11	8	20	27	50	77
Diseases of: Digestive "	0·87	93	4	-	1	1	2	8	1	1	4	1	4	8	9	18	26	13
Diseases of: Urinary "	0·39	42	-	-	-	-	-	-	-	1	2	2	2	5	8	11	10	1
Diseases of: Generative "	0·03	4	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-
Childbirth	0·10	11	-	-	-	-	-	-	-	-	-	1	3	6	1	-	-	-
Suicide	0·05	5	-	-	-	-	-	-	-	-	-	1	2	-	1	-	1	-
Other Violence	0·40	43	1	2	-	-	-	3	1	4	4	5	4	4	3	4	2	9
Other Causes	5·32	565	211	15	4	3	1	234	9	4	2	3	5	5	7	18	57	221

Deaths of Infants (under one) to 1000 Births - 123 | Marriages - 688 | Births - 3,152 | Annual Rate per 1000 living: Persons Married - 12·88; Births - 29·51

228.—BLOFIELD.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	22·21	—	—	—	—	—	41·20	6·79	3·08	7·47	10·85	11·82	14·67	17·09	26·19	61·81	162·42
Mean Pop. 1871-80	—	11,472	307	280	281	271	276	1415	1325	1201	964	894	1421	1295	1141	905	597	314
ALL CAUSES	22·21	2548	411	79	28	35	30	583	90	37	72	97	168	190	195	237	369	510
Small-pox	0·10	12	-	-	-	-	1	1	-	1	3	1	3	2	1	-	-	-
Measles	0·11	13	6	5	-	1	1	13	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·85	98	2	9	11	14	16	52	30	9	-	-	1	3	1	-	2	-
Diphtheria	0·03	7	-	1	-	1	2	4	2	1	-	-	-	-	-	-	-	-
Whooping-cough	0·26	30	15	9	2	3	-	29	1	-	-	-	-	-	-	-	-	-
Typhus	0·06	7	-	-	-	-	1	1	-	2	2	-	1	1	-	-	-	-
Enteric Fever	0·15	17	-	1	-	-	-	1	5	2	2	1	1	2	1	-	1	1
Simple Cont. Fev.	0·07	8	-	-	-	2	-	2	1	1	3	-	-	-	1	-	-	-
Puerp. Fever	0·04	5	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-
Diarr. and Dys.	0·51	58	27	3	3	1	2	36	1	1	-	-	-	1	1	4	7	7
Cholera	0·01	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cancer	0·59	68	-	-	-	-	-	-	-	-	1	-	2	6	15	14	18	12
Scrofula	0·22	25	3	4	2	-	1	10	8	3	-	1	4	1	-	1	2	-
Tabes Mesent.	0·09	10	3	3	-	-	-	6	2	1	-	1	-	-	-	-	-	-
Phthisis	2·34	269	1	3	1	-	1	6	6	2	29	49	67	52	35	16	6	-
Hydrocephalus	0·05	7	-	1	2	1	-	4	1	-	2	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	3·89	446	31	8	3	4	1	47	10	4	6	13	37	52	63	66	84	64
Diseases of: Circulatory "	1·49	171	-	-	-	-	-	-	1	3	3	5	5	12	16	21	61	44
Diseases of: Respiratory "	2·48	285	53	12	3	2	2	72	7	1	2	5	10	11	15	37	52	73
Diseases of: Digestive "	1·26	144	10	-	-	-	1	11	2	1	2	6	7	13	17	27	32	23
Diseases of: Urinary "	0·44	50	-	-	-	-	-	-	2	-	-	-	3	3	4	9	16	13
Diseases of: Generative "	0·04	5	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-
Childbirth	0·08	9	-	-	-	-	-	-	-	-	1	-	7	1	-	-	-	-
Suicide	0·07	8	-	-	-	-	-	-	-	-	-	1	1	-	1	4	-	1
Other Violence	0·77	88	6	5	-	-	1	12	8	2	10	6	9	14	8	7	7	5
Other Causes	6·17	708	253	15	1	6	-	275	8	3	4	7	8	16	13	30	60	264

Deaths of Infants (under one) to 1000 Births - 123 | Marriages - 696 | Births - 3,330 | Annual Rate per 1000 living: Persons Married - 12·13; Births - 29·03

229.—LODDON.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·37	—	—	—	—	—	34·12	4·33	2·80	5·65	7·57	7·78	7·22	10·55	19·89	46·26	152·60
Mean Pop. 1871-80	—	13,686	386	339	348	365	350	1788	1684	1536	1133	977	1581	1412	1355	1101	735	384
ALL CAUSES	17·37	2377	443	90	31	25	21	610	73	43	64	74	123	102	143	219	340	586
Small-pox	0·03	4	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-
Measles	0·11	15	4	6	1	1	-	12	2	-	-	-	-	1	-	-	-	-
Scarlet Fever	0·30	41	-	5	2	3	6	16	16	7	-	-	1	1	-	-	-	-
Diphtheria	0·05	7	-	1	-	-	2	3	2	-	1	-	-	-	1	-	-	-
Whooping-cough	0·25	36	17	13	3	-	3	36	-	-	-	-	-	-	-	-	-	-
Typhus	0·04	6	-	-	-	-	-	-	-	-	2	2	-	1	1	-	1	-
Enteric Fever	0·22	30	-	1	-	-	-	1	4	1	7	3	4	1	3	3	3	-
Simple Cont. Fev.	0·09	12	-	-	2	-	1	3	4	1	1	-	1	-	1	1	-	-
Puerp. Fever	0·05	7	-	-	-	-	-	-	-	-	-	3	4	-	-	-	-	-
Diarr. and Dys.	0·31	43	20	1	-	-	-	21	-	-	-	-	-	1	1	2	12	6
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·56	77	-	-	-	-	-	-	-	1	-	-	5	9	17	27	14	4
Scrofula	0·11	15	2	1	2	1	-	6	3	-	-	1	1	-	3	-	1	-
Tabes Mesent.	0·26	35	21	6	-	1	-	28	3	-	-	-	-	1	1	1	1	-
Phthisis	1·89	258	8	3	-	2	1	14	10	9	29	43	65	33	23	23	7	2
Hydrocephalus	0·19	26	5	10	-	-	-	15	2	3	1	1	2	1	-	-	1	-
Diseases of: Nervous Syst.	1·81	248	40	11	5	2	2	60	7	6	6	5	5	10	17	29	44	59
Diseases of: Circulatory "	1·42	194	1	-	1	-	-	2	-	2	2	-	1	9	14	44	72	48
Diseases of: Respiratory "	2·36	323	74	13	10	4	2	103	9	1	5	3	9	9	15	22	67	80
Diseases of: Digestive "	0·87	119	21	1	-	1	2	25	1	4	-	2	6	8	14	23	22	14
Diseases of: Urinary "	0·47	64	1	-	-	-	-	1	-	2	2	-	1	2	7	11	20	18
Diseases of: Generative "	0·02	3	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-
Childbirth	0·08	11	-	-	-	-	-	-	-	-	-	1	6	4	-	-	-	-
Suicide	0·07	10	-	-	-	-	-	-	-	-	-	1	1	-	3	2	2	1
Other Violence	0·47	65	2	2	2	2	-	8	5	2	6	7	3	7	4	13	5	5
OTHER CAUSES	5·33	728	226	16	3	8	2	255	5	4	2	3	7	3	15	17	68	349

Deaths of Infants (under one) to 1000 Births - 108 | Marriages - 866 | Births - 4,094 | Annual Rate per 1000 living: Persons Married - 12·66; Births - 29·91

230.—DEPWADE.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·91	—	—	—	—	—	39·92	4·04	2·83	4·78	7·97	7·98	8·58	10·26	20·45	43·63	147·40
Mean Pop. 1871-80	—	23,927	635	585	619	619	613	3071	2997	2717	2218	1744	2683	2390	2262	1858	1295	692
ALL CAUSES	17·91	4285	883	187	74	49	33	1226	121	77	106	139	214	205	232	380	565	1020
Small-pox	0·02	5	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1
Measles	0·11	26	8	3	4	1	3	19	4	2	-	1	-	-	-	-	-	-
Scarlet Fever	0·31	73	3	9	3	12	8	35	25	6	4	2	-	1	-	-	-	-
Diphtheria	0·13	31	-	1	-	5	6	12	7	5	1	2	1	2	-	1	-	-
Whooping-cough	0·33	78	45	24	6	2	1	78	-	-	-	-	-	-	-	-	-	-
Typhus	0·06	14	-	-	-	-	1	1	-	2	3	2	2	-	3	1	-	-
Enteric Fever	0·26	62	-	-	3	2	1	6	4	8	5	10	9	1	4	5	8	2
Simple Cont. Fev.	0·05	12	-	1	1	-	-	2	-	1	-	2	-	1	-	2	2	2
Puerp. Fever	0·04	9	-	-	-	-	-	-	-	-	1	3	4	1	-	-	-	-
Diarr and Dys.	0·38	91	42	8	3	-	-	53	5	1	-	1	1	-	-	6	8	16
Cholera	0·02	5	3	-	-	-	-	3	-	-	-	-	-	-	-	2	-	-
Cancer	0·59	141	-	-	-	-	-	-	1	-	-	1	4	13	29	34	35	24
Scrofula	0·14	34	5	4	-	1	-	10	5	1	4	2	7	-	2	1	2	-
Tabes Mesent.	0·21	50	25	10	4	4	1	44	1	2	2	-	1	-	-	-	-	-
Phthisis	1·76	420	11	7	3	1	-	22	10	12	46	70	97	72	44	33	14	-
Hydrocephalus	0·19	45	13	12	3	4	-	32	6	6	-	-	-	1	-	-	-	-
Diseases of: Nervous Syst.	2·17	519	96	20	6	2	3	127	12	9	7	4	12	15	25	48	115	145
Diseases of: Circulatory "	1·41	337	-	1	-	-	-	1	1	5	4	4	13	19	29	65	113	83
Diseases of: Respiratory "	2·19	524	117	35	20	6	3	181	8	3	5	13	24	19	27	47	77	120
Diseases of: Digestive "	0·85	204	20	2	1	3	-	26	6	1	6	4	6	16	21	41	38	39
Diseases of: Urinary "	0·39	94	2	-	1	-	-	3	2	-	1	3	3	9	12	20	22	19
Diseases of: Generative "	0·08	19	-	-	-	-	-	-	-	1	-	-	2	1	5	3	5	2
Childbirth	0·08	18	-	-	-	-	-	-	-	-	1	5	4	7	1	-	-	-
Suicide	0·07	17	-	-	-	-	-	-	-	-	1	1	-	4	2	8	-	1
Other Violence	0·39	93	2	6	7	2	1	18	7	6	6	4	8	6	6	9	8	15
OTHER CAUSES	5·68	1354	491	44	9	4	5	553	17	6	9	4	16	17	21	54	116	551

Deaths of Infants (under one) to 1000 Births - 123 | Marriages - 1,480 | Births - 7,191 | Annual Rate per 1000 living: Persons Married - 22·37; Births - 30·05

231.—GUILTCROSS.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·86	—	—	—	—	—	38·60	3·46	3·59	4·98	8·65	9·01	9·89	10·98	21·59	51·16	149·08
Mean Pop. 1871-80	—	10,910	284	261	287	292	275	1399	1359	1225	963	763	1243	1112	1050	866	604	326
ALL CAUSES	18·86	2058	395	77	25	28	15	540	47	44	48	66	112	110	109	187	309	486
Small-pox	0·05	6	-	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-
Measles	0·04	4	1	2	-	-	-	3	-	-	-	-	-	-	-	1	-	-
Scarlet Fever	0·33	36	-	3	4	7	5	19	9	4	2	2	-	-	-	-	-	-
Diphtheria	0·13	14	-	1	-	2	1	4	6	2	-	-	2	-	-	-	-	-
Whooping-cough	0·28	31	16	8	2	2	-	28	2	1	-	-	-	-	-	-	-	-
Typhus	0·05	6	-	-	-	-	-	-	1	2	-	1	-	1	1	-	-	-
Enteric Fever	0·17	19	-	-	-	-	-	-	1	7	-	4	2	2	1	1	-	1
Simple Cont. Fev.	0·07	8	-	-	-	-	1	1	2	1	-	-	-	-	1	1	2	-
Puerp. Fever	0·06	7	-	-	-	-	-	-	-	-	1	3	1	2	-	-	-	-
Diarr. and Dys.	0·26	28	15	2	-	-	1	18	-	-	-	-	1	1	1	3	-	4
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·49	54	-	-	-	-	-	-	-	-	-	-	1	5	7	19	10	12
Scrofula	0·18	20	6	1	-	-	1	8	-	-	2	5	1	-	-	3	1	-
Tabes Mesent.	0·18	20	14	3	-	-	-	17	-	-	-	-	2	1	-	-	-	-
Phthisis	1·81	198	1	3	1	1	-	6	1	11	21	33	65	27	22	9	2	1
Hydrocephalus	0·25	27	8	3	4	3	1	19	4	-	1	1	-	1	-	-	1	-
Diseases of: Nervous Syst.	1·88	205	30	6	4	2	1	43	6	4	4	1	2	13	14	27	38	53
Diseases of: Circulatory	1·47	160	-	-	-	-	-	-	-	2	2	4	4	6	15	32	67	28
Diseases of: Respiratory	2·22	242	43	19	6	5	2	75	3	1	4	2	7	11	9	26	46	58
Diseases of: Digestive	1·07	117	5	1	-	-	-	6	2	-	2	2	3	12	10	21	41	18
Diseases of: Urinary	0·37	40	-	-	-	1	-	1	-	-	3	1	1	1	6	8	11	8
Diseases of: Generative	0·13	14	-	-	-	-	-	-	-	-	-	-	2	1	3	4	2	2
Childbirth	0·65	6	-	-	-	-	-	-	-	-	-	1	4	1	-	-	-	-
Suicide	0·05	6	-	-	-	-	-	-	-	-	-	-	1	3	-	1	1	-
Other Violence	0·43	47	5	-	1	-	-	6	6	4	2	2	7	3	4	5	5	3
Other Causes	6·84	743	251	25	3	5	2	286	4	5	3	3	5	18	13	26	82	298

Deaths of Infants (under one) to 1000 Births - 125 | Marriages - 638 | Births - 3,155 | Annual Rate per 1000 living: Persons Married - 11·70; Births - 28·92

232.—WAYLAND.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·42	—	—	—	—	—	45·17	5·25	2·97	4·07	9·13	8·04	8·80	11·92	24·34	44·54	159·80
Mean Pop. 1871-80	—	10,905	289	275	294	268	260	1386	1314	1211	983	767	1256	1148	1091	867	586	296
ALL CAUSES	19·42	2118	481	75	30	18	22	626	69	36	40	70	101	101	130	211	261	473
Small-pox	0·07	8	1	-	-	-	-	1	-	-	-	-	1	1	2	2	1	-
Measles	0·08	9	1	4	1	-	1	7	2	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·32	35	-	1	2	5	5	13	14	3	1	1	-	2	1	-	-	-
Diphtheria	0·12	13	2	1	2	-	-	5	5	2	-	-	1	-	-	-	-	-
Whooping-cough	0·32	35	18	9	2	-	1	30	4	1	-	-	-	-	-	-	-	-
Typhus	0·03	3	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
Enteric Fever	0·23	25	-	-	1	-	-	1	3	2	5	4	-	4	2	2	1	1
Simple Cont. Fev.	0·23	25	-	1	1	-	1	3	3	2	1	1	1	2	1	4	5	2
Puerp. Fever	0·09	10	-	-	-	-	-	-	-	-	1	-	7	1	1	-	-	-
Diarr. and Dys.	0·39	43	13	4	-	-	-	17	2	-	-	1	-	-	7	2	4	10
Cholera	0·01	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cancer	0·59	64	-	-	-	-	-	-	-	-	1	-	1	9	14	22	8	9
Scrofula	0·13	14	1	-	1	-	-	2	1	1	-	1	2	5	-	-	2	-
Tabes Mesent.	0·05	5	2	1	-	-	-	3	-	1	1	-	-	-	-	-	-	-
Phthisis	1·85	202	1	2	1	-	1	5	4	12	17	37	55	31	23	11	6	1
Hydrocephalus	0·06	7	2	1	-	2	-	5	-	1	-	-	-	-	-	-	-	1
Diseases of: Nervous Syst.	2·33	254	46	7	6	6	3	68	10	1	2	3	4	7	18	31	62	48
Diseases of: Circulatory	1·21	132	1	-	2	-	1	4	1	1	3	2	5	7	13	38	29	29
Diseases of: Respiratory	3·05	333	102	18	2	1	2	125	5	4	1	7	2	10	14	37	57	71
Diseases of: Digestive	1·04	113	13	2	2	1	-	18	2	-	2	2	6	6	12	27	22	16
Diseases of: Urinary	0·28	31	1	-	-	-	1	2	-	-	-	-	3	3	4	5	6	8
Diseases of: Generative	0·06	7	-	-	-	-	-	-	-	-	-	-	-	3	1	2	-	1
Childbirth	0·07	8	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-
Suicide	0·06	7	-	-	-	-	-	-	-	-	-	1	1	-	-	-	3	2
Other Violence	0·45	49	2	1	1	3	-	7	5	3	-	2	5	4	4	6	4	9
Other Causes	6·30	685	274	23	6	-	6	309	7	2	5	7	3	2	12	22	51	265

Deaths of Infants (under one) to 1000 Births - 147 | Marriages - 728 | Births - 3,264 | Annual Rate per 1000 living: Persons Married - 13·35; Births - 29·93

233.—MITFORD.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·42	—	—	—	—	—	41·28	4·50	3·71	4·56	7·30	7·68	9·01	10·28	20·14	47·19	148·81
Mean Pop. 1871-80	—	27,467	736	635	701	716	689	3527	3311	3049	2500	2040	3204	2819	2635	2110	1475	797
ALL CAUSES	18·42	5059	1056	215	81	61	43	1456	149	113	114	149	246	254	271	425	696	1186
Small-pox	0·03	8	1	-	-	-	-	1	-	-	1	2	2	-	2	-	-	-
Measles	0·11	30	11	7	4	2	4	28	2	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·24	66	1	7	7	11	6	32	26	8	-	-	-	-	-	-	-	-
Diphtheria	0·08	22	4	-	1	8	1	14	3	1	1	1	1	1	-	-	-	-
Whooping-cough	0·26	71	34	22	8	3	3	70	1	-	-	-	-	-	-	-	-	-
Typhus	0·03	9	-	-	-	-	-	-	1	2	2	2	-	-	-	1	1	-
Enteric Fever	0·20	54	-	-	1	1	1	3	7	7	7	7	8	3	5	5	2	-
Simple Cont. Fev.	0·05	13	-	-	1	1	-	2	5	2	-	1	-	-	2	1	-	-
Puerp. Fever	0·04	11	-	-	-	-	-	-	-	-	2	4	1	4	-	-	-	-
Diarr. and Dys.	0·44	122	64	11	7	2	-	84	4	-	-	-	-	2	1	9	9	13
Cholera	0·01	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Cancer	0·66	182	-	-	-	-	-	-	-	-	-	1	6	17	35	60	41	22
Scrofula	0·13	35	3	1	1	2	1	8	3	5	3	2	5	3	4	1	1	-
Tabes Mesent.	0·20	55	27	6	4	-	2	39	7	2	3	1	1	-	-	1	1	-
Phthisis	1·93	531	11	13	5	4	3	36	16	25	54	87	125	96	43	37	12	-
Hydrocephalus	0·15	41	13	6	3	3	-	25	10	4	1	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·31	635	117	32	12	7	6	174	24	16	4	5	10	22	31	62	145	142
Diseases of: Circulatory	1·17	320	-	1	1	-	1	3	1	3	3	2	8	13	31	61	115	80
Diseases of: Respiratory	2·66	730	121	64	10	19	4	209	10	5	6	7	23	22	32	73	142	201
Diseases of: Digestive	0·79	216	11	-	-	-	3	14	5	5	3	3	12	17	31	37	57	32
Diseases of: Urinary	0·43	119	1	1	-	-	-	2	4	4	4	3	10	12	9	17	28	26
Diseases of: Generative	0·05	14	-	-	-	-	-	-	-	-	1	-	-	3	1	3	3	3
Childbirth	0·11	31	-	-	-	-	-	-	-	-	3	4	14	10	-	-	-	-
Suicide	0·06	17	-	-	-	-	-	-	-	-	-	4	-	5	3	2	2	1
Other Violence	0·39	108	10	2	3	-	2	17	7	10	5	5	9	5	13	12	10	15
Other Causes	5·89	1617	627	42	13	7	6	695	13	14	11	7	11	18	28	43	126	651

Deaths of Infants (under one) to 1000 Births - 129

Marriages - 1,798
Births - 8,197

Annual Rate per 1000 living: Persons Married - 13·09; Births - 29·84

234.—WALSINGHAM.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·55	—	—	—	—	—	40·91	4·46	2·61	3·97	6·72	7·18	8·91	10·09	20·06	50·05	155·72
Mean Pop. 1871-80	—	19,997	547	436	513	508	513	2547	2377	2185	1839	1502	2325	2053	1912	1570	1093	594
ALL CAUSES	18·55	3709	714	172	66	45	45	1042	106	57	73	101	167	183	193	315	547	925
Small-pox	0·06	12	3	-	-	-	-	3	1	2	-	1	3	2	-	-	-	-
Measles	0·13	26	6	7	4	3	2	22	3	-	-	-	1	-	-	-	-	-
Scarlet Fever	0·31	62	5	3	6	8	7	29	21	8	1	1	1	1	-	-	-	-
Diphtheria	0·22	44	-	1	2	8	7	18	16	6	2	-	-	1	1	-	-	-
Whooping-cough	0·39	77	39	25	5	3	4	76	1	-	-	-	-	-	-	-	-	-
Typhus	0·04	8	-	-	-	1	1	2	-	-	1	2	-	1	-	-	1	1
Enteric Fever	0·23	46	1	-	2	1	2	6	5	8	7	4	7	1	1	3	3	1
Simple Cont. Fev.	0·05	9	1	1	-	1	-	3	-	1	2	-	-	-	-	2	-	1
Puerp. Fever	0·04	8	-	-	-	-	-	-	-	-	-	2	5	1	-	-	-	-
Diarr. and Dys.	0·37	73	26	6	1	-	-	33	1	-	-	-	-	2	2	6	9	20
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·63	125	-	-	1	-	1	2	-	-	1	1	2	9	22	30	32	26
Scrofula	0·15	29	6	3	2	-	-	11	-	2	2	3	3	1	2	1	3	1
Tabes Mesent.	0·18	35	24	7	2	1	-	34	-	-	-	-	1	-	-	-	-	-
Phthisis	1·91	381	25	11	6	3	2	47	6	8	31	56	75	62	47	30	17	2
Hydrocephalus	0·14	28	6	7	4	2	2	21	6	1	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·40	479	85	23	2	4	1	115	11	5	5	5	10	14	21	50	101	142
Diseases of: Circulatory	1·56	312	2	2	1	-	-	5	-	-	4	4	13	14	32	50	111	79
Diseases of: Respiratory	2·46	491	79	34	14	3	6	136	9	1	5	5	7	25	19	37	103	144
Diseases of: Digestive	0·91	182	17	3	-	1	-	21	4	3	1	4	13	10	19	35	41	31
Diseases of: Urinary	0·58	115	1	1	-	2	2	6	1	-	3	3	4	9	6	23	30	30
Diseases of: Generative	0·05	10	-	-	-	-	-	-	-	-	1	-	-	3	4	-	2	-
Childbirth	0·04	8	-	-	-	-	-	-	-	-	1	-	1	6	-	-	-	-
Suicide	0·04	7	-	-	-	-	-	-	-	-	-	-	-	3	1	2	-	1
Other Violence	0·46	94	7	2	4	-	3	16	10	5	3	3	10	7	4	15	8	13
Other Causes	5·20	1048	381	36	10	4	5	436	11	7	3	7	11	11	12	31	86	433

Deaths of Infants (under one) to 1000 Births - 125

Marriages - 1,275
Births 5,712

Annual Rate per 1000 living: Persons Married - 12·75; Births - 28·56

235.—DOCKING.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·83	—	—	—	—	—	48·65	5·67	3·46	5·83	5·90	7·84	8·41	11·04	19·38	46·77	141·89
Mean Pop. 1871-80	—	17,406	475	412	439	444	458	2228	2169	1939	1544	1220	2042	1879	1675	1326	928	456
ALL CAUSES	18·83	3277	764	177	52	44	47	1084	123	67	90	72	160	158	185	257	434	647
Small-pox	0·02	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-
Measles	0·07	12	3	6	-	-	1	10	1	-	-	-	-	-	-	1	-	-
Scarlet Fever	0·65	114	5	17	14	15	16	67	37	8	-	1	1	-	-	-	-	-
Diphtheria	0·17	29	3	1	1	5	3	13	8	3	1	-	-	-	-	3	1	-
Whooping-cough	0·37	65	38	12	7	4	3	64	1	-	-	-	-	-	-	-	-	-
Typhus	0·01	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Enteric Fever	0·11	20	-	1	-	-	2	3	5	3	2	1	1	2	2	1	-	-
Simp. Cont. Fev.	0·11	20	-	-	2	-	-	2	5	5	2	-	2	-	1	3	-	-
Puerp. Fever	0·03	5	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-
Diarr. and Dys.	0·34	60	37	4	1	-	1	43	-	2	-	1	1	1	2	3	1	6
Cholera	0·01	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Cancer	0·36	63	-	-	-	-	-	-	-	-	-	-	-	6	12	14	18	13
Scrofula	0·07	12	1	-	-	-	-	1	1	-	5	1	2	1	1	-	-	-
Tabes Mesent.	0·17	30	20	6	-	-	-	26	3	-	-	-	1	-	-	-	-	-
Phthisis	1·64	286	2	5	2	1	1	11	8	15	43	45	69	41	29	17	8	-
Hydrocephalus	0·22	38	14	6	2	2	2	26	6	5	1	-	-	-	-	-	-	-
Diseases of Nervous Syst.	2·32	403	97	26	2	6	-	131	9	6	9	4	15	13	31	47	68	70
Diseases of Circulatory "	0·99	172	1	-	1	-	-	2	2	2	6	4	15	18	13	35	53	22
Diseases of Respiratory "	2·18	379	82	31	8	3	7	131	10	2	4	6	10	20	31	33	70	62
Diseases of Digestive "	0·84	147	12	-	3	-	2	17	6	2	3	1	11	14	18	31	33	12
Diseases of Urinary "	0·25	43	1	-	1	-	-	2	2	1	1	-	4	-	5	8	18	2
Diseases of Generative "	0·10	18	-	-	-	-	-	-	-	-	-	-	2	6	5	4	1	-
Childbirth	0·13	22	-	-	-	-	-	-	-	-	2	2	10	8	-	-	-	-
Suicide	0·05	9	-	-	-	-	-	-	-	-	1	-	1	1	2	3	1	-
Other Violence	0·40	70	3	3	2	2	2	12	7	6	5	2	3	10	4	6	8	7
OTHER CAUSES	7·22	1255	445	59	6	6	6	522	12	6	4	3	8	16	29	48	153	454

Deaths of Infants (under one) to 1000 Births - 143

Marriages - 1,150
Births - 5,359

Annual Rate per 1000 living: Persons Married - 13·21; Births - - - 30·79

236.—FREEBRIDGE LYNN.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·56	—	—	—	—	—	50·48	4·42	3·79	4·43	7·23	5·79	8·22	10·26	20·57	47·80	146·93
Mean Pop. 1871-80	—	12,837	348	309	350	330	329	1666	1652	1397	1151	968	1572	1326	1189	977	613	326
ALL CAUSES	18·56	2383	605	118	57	33	28	841	73	53	51	70	91	109	122	201	293	479
Small-pox	0·07	9	-	-	-	-	-	-	1	-	2	2	1	3	-	-	-	-
Measles	0·17	22	5	7	2	2	1	17	4	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·57	73	2	5	15	13	11	46	19	3	3	1	1	-	-	-	-	-
Diphtheria	0·15	19	-	1	2	2	-	5	8	4	-	-	1	-	-	1	-	-
Whooping-cough	0·44	57	33	18	4	1	-	56	-	-	-	-	-	-	-	-	1	-
Typhus	0·03	4	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-
Enteric Fever	0·26	34	2	-	-	-	1	3	7	8	1	3	2	1	5	3	1	-
Simple Cont. Fev.	0·05	6	1	1	-	-	-	2	1	-	-	-	-	-	-	2	1	-
Puerp. Fever	0·01	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diarr. and Dys.	0·55	70	41	10	2	2	-	55	-	-	-	-	2	-	-	1	3	9
Cholera	0·02	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Cancer	0·65	83	-	-	1	-	1	2	-	-	-	-	2	10	14	25	18	12
Scrofula	0·10	13	4	2	1	1	-	8	1	1	-	1	1	-	1	-	-	-
Tabes Mesent.	0·13	17	11	1	2	-	-	14	-	1	1	-	-	-	-	-	1	-
Phthisis	1·61	207	3	1	-	1	1	6	6	5	22	28	49	39	23	20	9	-
Hydrocephalus	0·19	24	7	6	2	3	2	20	3	1	-	-	-	-	-	-	-	-
Diseases of Nervous Syst.	2·24	288	70	7	10	3	3	93	7	2	5	5	1	7	13	29	51	75
Diseases of Circulatory "	0·96	123	2	-	-	-	1	3	-	2	2	3	4	11	7	28	38	25
Diseases of Respiratory "	2·66	342	82	24	5	1	2	114	4	6	2	6	5	16	15	34	60	80
Diseases of Digestive "	0·79	102	10	-	-	1	1	12	3	2	2	3	4	6	11	16	19	24
Diseases of Urinary "	0·32	41	-	-	1	-	-	1	-	2	1	1	2	1	7	11	7	8
Diseases of Generative "	0·03	4	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-
Childbirth	0·11	14	-	-	-	-	-	-	-	-	-	5	4	5	-	-	-	-
Suicide	0·05	7	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	1
Other Violence	0·44	57	2	1	3	1	-	7	2	8	5	2	4	2	8	4	8	7
OTHER CAUSES	5·96	764	329	34	7	2	4	376	7	6	3	9	7	7	13	22	76	238

Deaths of Infants (under one) to 1000 Births - 144

Marriages - 876
Births - 4,205

Annual Rate per 1000 living: Persons Married - 13·65; Births - - - 32·76

237.—KING'S LYNN.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	20·89	—	—	—	—	—	56·51	5·30	3·49	4·18	6·45	8·44	11·14	16·71	29·68	54·45	161·43
Mean Pop. 1871-80	—	18,169	472	408	421	421	421	2143	1964	1861	1867	1597	2476	1974	1700	1304	876	407
ALL CAUSES	20·89	3795	797	224	88	62	40	1211	104	65	78	103	209	220	284	387	477	657
Small-pox	0·38	69	8	1	2	1	3	15	8	6	12	11	10	3	4	-	-	-
Measles*	0·18	32	4	16	1	5	2	28	3	-	-	-	-	-	-	1	-	-
Scarlet Fever	0·66	120	8	16	29	17	11	81	26	11	-	-	-	-	1	1	-	-
Diphtheria	0·06	10	2	-	1	2	2	7	2	1	-	-	-	-	-	-	-	-
Whooping-cough	0·41	75	33	25	10	1	5	74	1	-	-	-	-	-	-	-	-	-
Typhus	0·03	5	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	1
Enteric Fever	0·20	37	3	5	-	2	1	11	4	2	3	1	6	1	3	1	4	1
Simple Cont. Fev.	0·14	26	1	4	-	2	-	7	6	3	1	-	-	1	2	2	1	3
Puerp. Fever	0·06	11	-	-	-	-	-	-	-	-	-	1	8	2	-	-	-	-
Diarr. and Dys.	0·63	115	64	6	1	1	-	72	-	1	-	1	2	4	1	5	13	16
Cholera	0·04	8	6	1	-	-	-	7	1	-	-	-	-	-	-	-	-	-
Cancer	0·66	120	-	-	-	-	-	-	-	-	-	-	5	16	25	35	27	12
Scrofula	0·16	29	7	2	1	1	1	12	1	2	3	3	1	1	4	-	1	1
Tabes Mesent.	0·14	25	8	3	-	2	-	13	6	3	2	-	1	-	-	-	-	-
Phthisis	1·85	337	1	3	-	2	1	7	3	7	25	50	81	64	55	37	8	-
Hydrocephalus	0·19	34	7	17	2	2	1	29	1	3	-	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·60	472	120	24	9	10	1	164	14	7	5	2	12	20	31	59	83	75
Diseases of: Circulatory "	1·69	307	1	-	1	-	1	3	4	2	5	6	15	22	47	71	76	56
Diseases of: Respiratory "	2·83	515	129	55	14	8	2	208	5	1	4	1	11	17	30	51	90	97
Diseases of: Digestive "	0·92	167	7	1	-	-	1	9	1	2	1	3	11	20	25	35	30	30
Diseases of: Urinary "	0·58	106	-	-	-	1	-	1	1	-	1	2	4	13	18	27	21	18
Diseases of: Generative "	0·09	16	-	-	-	-	-	-	-	-	-	-	1	2	5	6	2	-
Childbirth	0·09	16	-	-	-	-	-	-	-	-	1	7	5	2	1	-	-	-
Suicide	0·07	13	-	-	-	-	-	-	-	-	1	-	2	2	1	3	1	3
Other Violence	0·75	136	6	2	1	3	2	14	9	8	9	11	18	16	13	15	10	13
OTHER CAUSES	5·48	994	382	43	16	2	6	449	7	6	4	3	14	14	18	38	110	331

Deaths of Infants (under one) to 1000 Births - 155

Marriages - 1,469
Births - 5,156

Annual Rate per 1000 living: Persons Married - 16·17; Births - 28·38

238.—DOWNHAM.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	18·89	—	—	—	—	—	51·07	4·44	3·33	4·70	7·24	7·38	7·87	10·24	19·55	47·89	153·88
Mean Pop. 1871-80	—	19,994	574	485	537	523	534	2653	2454	2375	1893	1465	2316	2032	1884	1473	946	503
ALL CAUSES	18·89	3777	928	242	87	48	50	1355	109	79	89	106	171	160	193	288	453	774
Small-pox	0·05	10	-	2	-	-	-	2	1	-	-	1	4	1	-	1	-	-
Measles	0·22	44	5	13	9	3	5	35	9	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·43	85	2	15	11	13	12	53	22	7	-	1	1	1	-	-	-	-
Diphtheria	0·04	7	-	-	-	-	-	-	2	4	-	-	-	1	-	-	-	-
Whooping-cough	0·32	63	33	17	9	2	-	61	1	-	-	-	1	-	-	-	-	-
Typhus	0·05	10	-	-	-	-	1	1	-	-	-	1	2	-	2	-	3	1
Enteric Fever	0·31	61	5	5	-	1	1	12	2	6	9	4	8	3	4	4	4	5
Simple Cont. Fev.	0·16	31	6	2	1	-	2	11	3	1	-	-	2	-	1	5	5	3
Puerp. Fever	0·08	15	-	-	-	-	-	-	-	-	-	3	6	6	-	-	-	-
Diarr. and Dys.	0·77	153	68	16	3	2	2	91	3	1	-	1	2	2	-	4	14	35
Cholera	0·04	8	-	1	1	-	-	2	-	-	-	-	-	1	-	2	3	-
Cancer	0·67	134	-	-	-	-	-	-	-	-	-	-	8	12	30	26	36	22
Scrofula	0·22	44	18	7	2	1	1	29	1	2	5	1	1	1	3	1	-	-
Tabes Mesent.	0·15	29	7	7	1	1	-	16	4	4	-	3	-	-	2	-	-	-
Phthisis	1·86	373	31	9	4	4	1	49	7	22	41	63	70	42	32	30	13	4
Hydrocephalus	0·13	26	8	3	1	3	1	16	7	1	-	-	1	-	-	1	-	-
Diseases of: Nervous Syst.	2·05	411	88	26	12	3	4	133	7	5	9	3	9	12	17	41	76	99
Diseases of: Circulatory "	1·51	301	-	1	-	1	-	2	2	2	6	3	11	21	27	48	85	94
Diseases of: Respiratory "	3·18	637	145	59	21	6	6	237	14	2	4	4	12	15	27	44	93	185
Diseases of: Digestive "	0·99	198	19	3	1	1	1	25	1	4	2	2	3	14	17	42	40	48
Diseases of: Urinary "	0·50	100	1	1	-	1	-	3	1	1	2	-	5	6	5	17	28	32
Diseases of: Generative "	0·07	13	-	-	-	-	-	-	-	-	-	-	1	3	1	2	3	3
Childbirth	0·06	12	-	-	-	-	-	-	-	-	-	4	4	4	-	-	-	-
Suicide	0·05	10	-	-	-	-	-	-	-	-	-	-	-	-	4	3	-	3
Other Violence	0·48	96	5	6	2	2	5	20	11	11	6	6	6	6	6	7	6	11
OTHER CAUSES	4·50	906	487	49	9	4	8	557	11	6	5	6	14	9	15	10	44	229

Deaths of Infants (under one) to 1000 Births - 146

Marriages - 1,350
Births 6,353

Annual Rate per 1000 living: Persons Married - 13·50; Births - 31·77

239.—SWAFFHAM.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	16·83	—	—	—	—	—	39·18	3·35	2·71	4·49	5·14	6·24	7·77	9·47	20·87	47·42	149·85
Mean Pop. 1871-80	—	13,233	347	285	340	364	346	1682	1672	1478	1225	992	1571	1326	1256	1011	677	343
ALL CAUSES	16·83	2227	510	77	38	19	15	659	56	40	55	51	98	103	119	211	321	514
Small-pox	0·04	5	2	-	-	-	-	2	-	-	-	-	2	-	-	1	-	-
Measles	0·05	6	1	1	-	1	-	3	2	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·14	18	3	2	2	2	4	13	4	1	-	-	-	-	-	-	-	-
Diphtheria	0·03	4	-	-	1	-	2	3	-	1	-	-	-	-	-	-	-	-
Whooping-cough	0·24	32	14	7	6	1	2	30	2	-	-	-	-	-	-	-	-	-
Typhus	0·02	3	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-
Enteric Fever	0·29	39	2	-	1	1	1	5	7	6	5	2	3	2	4	2	2	1
Simple Cont. Fev.	0·08	10	-	-	-	-	-	-	2	-	3	2	1	1	-	1	-	-
Puerp. Fever	0·05	7	-	-	-	-	-	-	-	-	-	-	4	3	-	-	-	-
Diarr. and Dys.	0·30	40	21	1	-	-	-	22	-	-	-	2	1	-	-	-	7	8
Cholera	0·03	4	1	-	-	-	-	1	-	-	-	-	1	-	-	1	-	1
Cancer	0·68	87	-	-	-	-	-	-	-	-	-	-	-	15	16	27	20	9
Scrofula	0·13	17	2	4	-	2	-	8	1	1	1	-	1	1	1	1	1	1
Tabes Mesent.	0·30	40	19	4	2	1	-	26	5	-	4	1	2	2	-	-	-	-
Phthisis	1·35	179	7	-	-	1	-	8	6	8	23	25	44	27	19	12	6	1
Hydrocephalus	0·19	25	7	3	4	1	-	15	4	2	-	3	-	1	-	-	-	-
Diseases of: Nervous Syst.	1·79	237	40	6	2	1	-	49	3	3	3	1	4	8	14	31	58	63
Diseases of: Circulatory "	1·25	166	-	1	-	-	-	1	-	2	1	2	2	8	20	41	51	38
Diseases of: Respiratory "	2·61	345	90	26	11	2	1	130	8	3	3	2	11	10	16	33	56	73
Diseases of: Digestive "	0·91	121	13	-	1	1	-	15	3	4	2	2	6	8	8	18	34	21
Diseases of: Urinary "	0·33	48	-	-	-	1	-	1	-	-	3	1	2	3	2	10	10	16
Diseases of: Generative "	0·07	9	-	-	-	-	-	-	-	-	-	1	2	2	1	1	2	-
Childbirth	0·06	8	-	-	-	-	-	-	-	-	-	3	2	2	1	-	-	-
Suicide	0·68	10	-	-	-	-	-	-	-	-	-	-	-	1	3	6	-	-
Other Violence	0·45	58	3	1	3	-	3	10	4	7	3	1	3	2	4	7	7	10
OTHER CAUSES	5·35	709	285	21	5	4	2	317	4	1	4	3	6	7	9	19	67	272

Deaths of Infants (under one) to 1000 Births - 130

Marriages - 859
Births - 3,925

Annual Rate per 1000 living: Persons Married - 12·98; Births - - - 29·66

240.—THETFORD.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·98	—	—	—	—	—	44·59	3·71	3·39	6·37	8·00	8·64	9·87	12·66	20·12	52·70	154·42
Mean Pop. 1871-80	—	17,867	490	441	464	475	478	2348	2184	2003	1585	1300	2165	1874	1698	1382	909	419
ALL CAUSES	18·98	3392	756	170	63	34	24	1047	81	68	101	104	187	185	215	278	479	647
Small-pox	0·11	20	2	-	-	-	-	2	1	-	1	1	10	3	1	1	-	-
Measles	0·15	26	7	8	4	2	1	22	4	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·17	30	1	3	7	5	2	18	8	-	3	-	1	-	-	-	-	-
Diphtheria	0·05	9	-	-	2	3	-	5	2	-	-	-	-	1	1	-	-	-
Whooping-cough	0·37	67	39	17	6	1	3	66	1	-	-	-	-	-	-	-	-	-
Typhus	0·01	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Enteric Fever	0·17	30	-	-	2	-	1	3	1	3	4	5	3	4	5	1	1	-
Simple Cont. Fev.	0·05	9	1	-	-	-	-	1	1	3	1	-	-	1	-	1	1	-
Puerp. Fever	0·08	14	-	-	-	-	-	-	-	-	-	1	7	6	-	-	-	-
Diarr. and Dys.	0·39	90	48	8	2	2	1	61	2	-	2	-	-	1	2	2	7	13
Cholera	0·02	3	1	1	-	-	-	2	-	-	-	-	-	-	1	-	-	-
Cancer	0·60	107	-	-	-	-	-	-	-	-	-	-	4	15	21	27	23	17
Scrofula	0·22	40	13	2	1	-	1	17	2	2	4	1	5	2	3	2	1	1
Tabes Mesent.	0·14	24	14	1	3	-	-	18	-	1	1	2	1	-	-	-	1	-
Phthisis	2·36	422	24	9	3	4	1	41	8	30	47	66	97	60	39	24	8	2
Hydrocephalus	0·18	33	16	4	3	1	3	27	4	1	-	-	-	-	-	1	-	-
Diseases of: Nervous Syst.	2·06	368	61	18	7	7	4	97	12	9	8	3	6	14	29	36	85	69
Diseases of: Circulatory "	1·47	262	1	-	-	-	-	1	3	-	2	2	7	14	23	57	84	69
Diseases of: Respiratory "	2·76	493	142	44	16	2	2	206	7	2	4	5	6	15	26	32	93	97
Diseases of: Digestive "	1·33	238	24	7	2	2	1	36	8	4	4	5	12	19	24	38	55	33
Diseases of: Urinary "	0·37	67	-	-	1	-	-	1	3	-	1	1	6	4	8	13	16	14
Diseases of: Generative "	0·04	8	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	1
Childbirth	0·13	23	-	-	-	-	-	-	-	-	2	5	9	7	-	-	-	-
Suicide	0·08	14	-	-	-	-	-	-	-	-	1	-	-	1	3	4	5	-
Other Violence	0·45	80	4	8	-	1	1	14	9	7	10	3	5	4	7	11	5	5
OTHER CAUSES	5·11	914	358	40	4	3	3	408	5	6	6	4	7	14	21	26	91	326

Deaths of Infants (under one) to 1000 Births - 137

Marriages - 1,162
Births - 5,526

Annual Rate per 1000 living: Persons Married - 13·01; Births - - - 30·93

WILTSHIRE.

241.—HIGHWORTH.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·73	—	—	—	—	—	49·36	6·42	3·48	4·35	6·59	6·93	9·77	12·79	26·48	57·64	164·86
Mean Pop. 1871-80	—	30,717	1022	956	927	916	893	4714	4003	3302	2875	2779	4603	3326	2330	1552	883	350
ALL CAUSES	17·73	5446	1460	420	196	146	105	2327	257	115	125	183	319	325	298	411	509	577
Small-pox	0·13	41	7	–	–	–	–	7	2	1	1	10	7	4	4	4	–	1
Measles	0·31	95	18	41	16	8	6	89	5	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·64	290	19	31	40	39	43	172	93	17	4	1	2	1	–	–	–	–
Diphtheria	0·05	15	–	1	2	5	4	12	1	–	–	2	–	–	–	–	–	–
Whooping-cough	0·34	104	51	27	8	13	4	103	–	1	–	–	–	–	–	–	–	–
Typhus	0·01	2	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Enteric Fever	0·32	99	–	3	2	5	3	13	22	11	8	16	16	4	8	1	–	–
Simple Cont. Fev.	0·05	14	1	–	1	–	–	2	2	1	1	2	2	1	–	2	1	–
Puerp. Fever	0·07	21	–	–	–	–	–	–	–	–	1	4	11	5	–	–	–	–
Diarr. and Dys.	0·48	146	79	19	2	3	–	103	3	2	–	1	1	3	3	2	10	18
Cholera	0·00	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	0·42	129	–	–	–	–	–	–	–	–	–	2	4	23	29	36	28	7
Scrofula	0·07	22	2	–	1	–	–	3	2	5	1	–	3	2	3	1	1	1
Tabes Mesent.	0·63	195	134	35	8	2	–	179	7	4	2	–	1	2	–	–	–	–
Phthisis	1·65	507	32	20	1	3	4	60	11	17	45	65	118	100	49	28	12	2
Hydrocephalus	0·31	94	27	25	13	7	5	77	10	3	2	–	2	–	–	–	–	–
Diseases of: Nervous Syst.	2·02	620	193	28	15	8	4	248	26	9	10	13	21	20	33	66	89	85
Diseases of: Circulatory „	1·32	407	1	–	–	–	–	1	2	8	10	16	29	32	33	91	112	73
Diseases of: Respiratory „	3·03	931	284	116	42	26	13	481	20	5	7	6	20	38	50	77	116	111
Diseases of: Digestive „	0·76	232	32	2	6	–	2	42	7	8	4	7	17	25	32	33	37	20
Diseases of: Urinary „	0·37	115	5	3	3	–	3	14	8	1	4	9	9	17	9	18	13	13
Diseases of: Generative „	0·05	15	–	1	–	–	–	1	–	–	–	–	5	2	1	3	2	1
Childbirth	0·10	31	–	–	–	–	–	–	–	–	2	6	11	12	–	–	–	–
Suicide	0·07	21	–	–	–	–	–	–	–	–	5	1	2	2	1	7	2	1
Other Violence	0·56	173	12	10	11	7	6	46	19	4	9	7	19	14	21	14	11	9
OTHER CAUSES	3·67	1126	562	58	25	20	8	673	17	17	9	15	18	18	21	28	75	235

Deaths of Infants (under one) to 1000 Births - 120 | Marriages - 2,147 | Births - 12,138 | Annual Rate per 1000 living: Persons Married - 13·98; Births - - - 39·52

242.—CRICKLADE.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·87	—	—	—	—	—	40·47	4·30	3·50	6·76	6·96	7·27	9·62	11·26	20·99	45·66	151·41
Mean Pop. 1871-80	—	11,706	344	298	317	326	316	1601	1534	1402	1020	833	1348	1195	1057	867	565	284
ALL CAUSES	17·87	2092	428	118	47	29	26	648	66	49	69	58	98	115	119	182	258	430
Small-pox	0·07	8	–	–	–	–	–	–	–	–	1	2	–	2	–	2	1	–
Measles	0·08	9	1	2	2	1	1	7	–	–	–	1	–	–	1	–	–	–
Scarlet Fever	0·26	30	–	2	7	4	4	17	9	2	1	–	1	–	–	–	–	–
Diphtheria	0·11	13	2	1	–	1	3	7	3	1	1	–	–	1	–	–	–	–
Whooping-cough	0·15	18	9	7	–	1	1	18	–	–	–	–	–	–	–	–	–	–
Typhus	0·03	4	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–
Enteric Fever	0·19	22	–	1	–	–	2	3	5	3	2	–	3	2	1	2	1	–
Simple Cont. Fev.	0·05	6	–	–	–	–	–	–	–	2	1	–	1	–	–	–	1	1
Puerp. Fever	0·03	3	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
Diarr. and Dys.	0·36	42	22	4	4	–	–	30	2	–	1	–	–	1	–	2	2	4
Cholera	0·01	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	0·40	47	–	–	–	–	–	–	–	–	–	–	2	6	7	18	9	5
Scrotula	0·09	10	1	1	–	–	1	3	–	–	–	–	2	4	–	–	–	1
Tabes Mesent.	0·29	34	16	16	–	1	–	33	–	–	–	–	–	–	1	–	–	–
Phthisis	1·90	222	3	3	2	–	2	10	1	8	38	31	42	41	25	17	9	–
Hydrocephalus	0·23	27	7	4	3	1	1	16	7	3	–	–	1	–	–	–	–	–
Diseases of: Nervous Syst.	1·91	223	51	6	3	6	2	68	2	7	6	6	8	7	9	26	35	49
Diseases of: Circulatory „	1·47	172	2	–	–	–	–	2	1	4	2	1	5	18	19	41	40	39
Diseases of: Respiratory „	3·23	378	110	37	9	2	1	159	5	1	5	1	9	6	22	35	52	83
Diseases of: Digestive „	1·04	122	9	2	1	–	1	13	3	8	1	3	4	6	17	17	34	16
Diseases of: Urinary „	0·41	48	1	1	–	1	1	4	4	2	1	2	2	2	4	2	16	9
Diseases of: Generative „	0·06	7	–	–	–	–	–	–	–	–	–	1	–	–	2	1	3	–
Childbirth	0·16	19	–	–	–	–	–	–	–	–	–	–	8	9	2	–	–	–
Suicide	0·06	7	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	1
Other Violence	0·54	63	8	4	4	6	1	23	9	1	5	4	6	2	2	2	4	5
OTHER CAUSES	4·74	557	186	27	12	5	5	235	15	6	3	3	3	7	6	14	48	217

Deaths of Infants (under one) to 1000 Births - 115 | Marriages - 767 | Births - 3,717 | Annual Rate per 1000 living: Persons Married - 13·10; Births - - 31·75

243.—MALMSBURY.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·02	—	—	—	—	—	34·53	3·62	2·95	4·86	7·20	7·50	7·87	13·69	22·24	52·23	143·93
Mean Pop. 1871-80	—	14,330	398	377	404	383	384	1946	1825	1661	1277	1056	1721	1487	1264	1052	695	346
ALL CAUSES	17·02	2439	462	111	41	30	28	672	66	49	62	76	129	117	173	234	363	498
Small-pox	0·01	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Measles	0·13	18	4	5	-	3	1	13	2	2	-	-	1	-	-	-	-	-
Scarlet Fever	0·17	24	3	1	3	5	3	15	6	2	-	-	-	1	-	-	-	-
Diphtheria	0·11	16	-	-	1	-	2	3	7	3	2	-	-	-	-	1	-	-
Whooping-cough	0·15	21	14	4	2	1	-	21	-	-	-	-	-	-	-	-	-	-
Typhus	0·02	3	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-
Enteric Fever	0·37	53	1	1	2	1	5	10	3	10	8	5	3	10	1	2	1	-
Simple Cont. Fev.	0·04	6	-	-	-	-	-	-	3	-	-	-	-	-	1	1	1	-
Puerp. Fever	0·07	10	-	-	-	-	-	-	-	-	1	1	7	1	-	-	-	-
Diarr. and Dys.	0·31	44	20	3	1	2	-	26	-	-	-	1	1	1	2	1	2	10
Cholera	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Cancer	0·45	65	-	-	-	-	-	-	-	-	-	-	2	2	21	18	10	12
Scrofula	0·07	10	2	-	1	-	-	3	1	-	1	1	2	1	1	-	-	-
Tabes Mesent.	0·14	20	7	2	2	-	1	12	2	3	1	1	-	-	-	1	-	-
Phthisis	1·68	241	4	6	1	-	-	11	5	10	23	45	54	44	30	15	3	1
Hydrocephalus	0·16	23	8	4	2	2	-	16	4	1	1	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	1·79	256	65	3	2	-	2	72	5	2	4	2	11	9	27	28	47	49
Diseases of: Circulatory „	1·42	204	-	-	-	-	1	1	2	1	4	2	8	10	22	41	73	40
Diseases of: Respiratory „	3·89	557	128	46	15	8	4	201	10	1	3	6	11	14	23	55	118	115
Diseases of: Digestive „	0·98	141	15	1	1	2	-	19	1	1	2	2	4	9	22	26	33	22
Diseases of: Urinary „	0·34	49	-	-	-	-	-	-	1	1	-	-	2	5	3	10	14	13
Diseases of: Generative „	0·08	12	-	-	-	-	-	-	-	-	-	-	3	1	3	3	1	1
Childbirth	0·06	9	-	-	-	-	-	-	-	-	-	4	5	-	-	-	-	-
Suicide	0·08	12	-	-	-	-	-	-	-	-	-	1	2	1	2	1	2	3
Other Violence	0·63	90	11	4	4	1	5	25	6	4	4	1	6	1	7	14	6	16
Other Causes	3·86	553	189	31	4	5	4	224	8	8	6	3	16	6	8	17	51	216

Deaths of Infants (under one) to 1000 Births - 101

Marriages - 931
Births - 4,566

Annual Rate per 1000 living: Persons Married - 12·99; Births - 31·86

244.—CHIPPENHAM.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·81	—	—	—	—	—	37·92	3·92	2·89	5·22	6·46	7·30	10·64	13·46	26·16	51·70	152·63
Mean Pop. 1871-80	—	21,523	597	547	581	564	559	2848	2680	2453	1914	1610	2656	2294	1999	1567	1027	475
ALL CAUSES	17·81	3833	692	197	98	52	41	1080	105	71	100	104	194	244	269	410	531	725
Small-pox	0·00	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Measles	0·22	47	7	21	8	2	1	39	4	3	-	-	-	1	-	-	-	-
Scarlet Fever	0·20	44	6	3	9	5	4	27	11	5	1	-	-	-	-	-	-	-
Diphtheria	0·07	16	1	4	1	1	2	9	3	1	1	1	1	-	-	-	-	-
Whooping-cough	0·21	45	22	11	4	-	3	40	4	1	-	-	-	-	-	-	-	-
Typhus	0·04	8	-	-	-	-	-	-	-	1	1	2	-	2	1	-	1	-
Enteric Fever	0·46	99	2	4	4	1	1	12	9	13	14	9	12	10	6	7	3	4
Simple Cont. Fev.	0·08	18	2	1	-	1	1	5	5	-	1	1	2	2	1	1	-	-
Puerp. Fever	0·04	8	-	-	-	-	-	-	-	-	-	1	4	3	-	-	-	-
Diarr. and Dys.	0·41	88	37	8	1	3	2	51	6	1	2	1	2	2	-	6	7	10
Cholera	0·00	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Cancer	0·40	87	-	-	-	-	-	-	-	-	-	-	3	12	14	22	21	15
Scrofula	0·09	19	-	1	1	-	-	2	3	-	2	3	-	2	1	4	2	-
Tabes Mesent.	0·20	44	20	8	2	-	1	31	1	4	1	1	2	-	-	1	3	-
Phthisis	1·68	362	17	4	4	1	2	28	4	12	32	47	79	69	42	41	7	1
Hydrocephalus	0·12	25	8	9	5	1	-	23	2	-	1	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·35	505	95	19	10	3	4	131	11	6	10	10	14	19	51	72	102	79
Diseases of: Circulatory „	1·36	292	1	-	-	-	-	1	1	3	4	4	11	31	33	76	91	37
Diseases of: Respiratory „	2·91	627	160	53	22	9	6	250	11	3	2	5	13	21	35	61	126	100
Diseases of: Digestive „	1·01	217	15	2	1	1	2	21	3	2	3	8	11	24	33	50	35	27
Diseases of: Urinary „	0·25	54	-	-	-	-	1	1	-	1	3	2	2	9	6	8	14	8
Diseases of: Generative „	0·06	13	-	-	-	-	-	-	-	-	-	1	3	2	3	2	2	-
Childbirth	0·08	18	-	-	-	-	-	-	-	-	-	3	10	5	-	-	-	-
Suicide	0·04	9	-	-	-	-	-	-	-	-	1	-	1	1	2	1	3	-
Other Violence	0·62	133	9	6	5	7	4	31	11	10	11	1	9	11	20	11	8	10
Other Causes	4·91	1052	290	43	21	17	7	378	16	5	10	4	15	18	21	45	106	434

Deaths of Infants (under one) to 1000 Births - 105

Marriages - 1,234
Births - 6,596

Annual Rate per 1000 living: Persons Married - 11·47; Births - 30·65

245.—CALNE.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·56	—	—	—	—	—	31·64	3·65	3·43	4·28	5·76	9·11	9·77	11·01	24·05	55·66	164·71
Mean Pop. 1871-80	—	8771	248	209	223	232	210	1122	1122	1050	747	642	966	921	890	657	433	221
ALL CAUSES	17·56	1540	227	72	29	16	11	355	41	36	32	37	88	90	98	158	241	364
Small-pox	0·02	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Measles	0·06	5	-	3	1	1	-	5	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·08	7	1	-	-	1	2	4	3	-	-	-	-	-	-	-	-	-
Diphtheria	0·07	6	-	-	-	-	1	1	3	1	-	1	-	-	-	-	-	-
Whooping-cough	0·35	31	15	13	1	-	2	31	-	-	-	-	-	-	-	-	-	-
Typhus	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	0·29	25	-	1	1	-	-	2	-	4	4	3	3	4	1	1	2	1
Simple Cont. Fev.	0·02	2	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-
Puerp. Fever	0·10	9	-	-	-	-	-	-	-	-	1	2	2	4	-	-	-	-
Diarr. and Dys.	0·46	40	8	4	1	-	-	13	-	-	-	-	1	-	-	7	3	16
Cholera	0·03	3	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-
Cancer	0·58	51	-	-	-	-	-	-	-	-	1	-	1	5	9	12	15	8
Scrofula	0·08	7	1	1	-	-	1	3	-	-	-	2	1	-	-	-	-	1
Tabes Mesent.	0·22	19	6	6	-	-	-	12	1	3	1	-	1	-	1	-	-	-
Phthisis	1·43	125	-	1	-	-	-	1	3	12	12	18	44	24	7	2	2	-
Hydrocephalus	0·21	18	8	7	-	-	-	15	1	1	1	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·39	210	22	-	5	4	1	32	6	5	1	2	7	13	10	21	62	51
Diseases of: Circulatory "	2·10	184	1	-	-	-	-	1	-	-	1	1	5	14	17	45	53	47
Diseases of: Respiratory "	3·21	282	39	15	11	3	2	70	8	1	4	2	8	4	15	29	56	85
Diseases of: Digestive "	0·75	66	7	-	1	-	-	8	1	-	1	2	1	4	13	9	17	10
Diseases of: Urinary "	0·70	61	-	-	-	-	-	-	-	3	2	-	4	5	9	14	9	15
Diseases of: Generative "	0·07	6	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-
Childbirth	0·13	11	-	-	-	-	-	-	-	-	-	1	4	5	1	-	-	-
Suicide	0·05	4	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-
Other Violence	0·48	42	6	1	3	2	-	12	6	3	-	1	2	1	5	5	1	6
Other Causes	3·68	324	113	20	5	4	2	144	8	3	2	1	2	4	6	10	20	124

Deaths of Infants (under one) to 1000 Births - 88 | Marriages - 542 | Births - 2,582 | Annual Rate per 1000 living: Persons Married - 12·36; Births - 29·44

246.—MARLBOROUGH.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	16·84	—	—	—	—	—	39·93	4·66	2·98	4·65	7·74	8·11	8·73	13·39	25·65	62·37	165·12
Mean Pop. 1871-80	—	9860	240	209	258	227	253	1187	1179	1309	1311	736	1085	985	896	620	380	172
ALL CAUSES	16·84	1660	305	85	38	30	16	474	55	39	61	57	88	86	120	159	237	284
Small-pox	0·05	5	-	-	1	-	-	1	-	-	-	1	2	-	1	-	-	-
Measles	0·12	12	1	4	3	-	1	9	2	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·18	18	-	2	4	1	2	9	8	-	1	-	-	-	-	-	-	-
Diphtheria	0·12	12	1	-	-	2	2	5	5	2	-	-	-	-	-	-	-	-
Whooping-cough	0·22	22	11	7	2	1	-	21	1	-	-	-	-	-	-	-	-	-
Typhus	0·11	11	-	-	-	-	-	-	1	-	2	5	2	1	-	-	-	-
Enteric Fever	0·28	28	1	-	-	2	-	3	2	7	3	5	1	3	2	1	1	-
Simple Cont. Fev.	0·06	6	-	-	-	-	-	-	3	1	-	1	1	-	-	-	-	-
Puerp. Fever	0·04	4	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-
Diarr. and Dys.	0·50	49	21	7	4	2	2	36	-	1	-	1	-	-	-	2	3	6
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·55	54	-	-	-	-	-	-	-	-	1	-	1	4	9	15	22	2
Scrofula	0·08	8	1	2	-	-	-	3	-	1	2	-	2	-	-	-	-	-
Tabes Mesent.	0·26	26	14	3	2	2	-	21	2	-	1	1	-	-	-	1	-	-
Phthisis	1·70	168	3	3	1	-	-	7	-	6	18	19	45	39	16	14	4	-
Hydrocephalus	0·35	35	8	6	2	2	5	23	4	2	5	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·06	203	49	5	5	2	-	61	9	4	8	1	5	8	19	25	33	30
Diseases of: Circulatory "	1·28	126	-	1	-	-	-	1	-	2	1	3	5	5	20	33	36	20
Diseases of: Respiratory "	2·26	223	46	21	8	3	2	80	4	2	7	3	5	7	11	24	50	30
Diseases of: Digestive "	0·91	90	14	-	-	1	-	15	2	3	-	1	4	5	22	13	17	8
Diseases of: Urinary "	0·43	42	1	-	-	1	-	2	1	1	1	5	3	4	5	8	6	6
Diseases of: Generative "	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth	0·10	10	-	-	-	-	-	-	-	-	-	3	4	2	1	-	-	-
Suicide	0·03	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1
Other Violence	0·49	48	6	2	1	4	-	13	5	2	3	2	1	2	6	4	6	4
Other Causes	4·66	457	128	22	5	7	2	164	6	4	7	3	5	5	8	19	59	177

Deaths of Infants (under one) to 1000 Births - 110 | Marriages - 638 | Births - 2,777 | Annual Rate per 1000 living: Persons Married - 12·94; Births - 28·16

247.—DEVIZES.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	21·12	—	—	—	—	—	37·98	4·42	3·61	6·83	7·08	10·41	14·34	18·26	31·26	71·40	165·96
Mean Pop. 1871-80	—	20,890	510	525	538	510	505	2588	2580	2273	1933	1540	2508	2281	2032	1657	1028	470
ALL CAUSES	21·12	4411	612	180	92	52	47	983	114	82	132	109	261	327	371	518	734	780
Small-pox	0·05	11	1	1	-	-	-	2	-	-	-	3	1	1	2	-	2	-
Measles	0·20	42	7	14	9	5	1	36	5	-	-	-	-	-	1	-	-	-
Scarlet Fever	0·52	108	6	13	18	13	12	62	25	10	3	3	2	2	1	-	-	-
Diphtheria	0·08	16	-	-	2	2	3	7	2	5	1	-	-	-	-	-	1	-
Whooping-cough	0·34	71	40	15	10	4	1	70	1	-	-	-	-	-	-	-	-	-
Typhus	0·01	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Enteric Fever	0·18	37	2	-	1	1	2	6	2	3	6	2	10	4	1	2	1	-
Simple Cont. Fev.	0·07	15	1	1	-	-	1	3	-	2	6	-	-	1	1	-	-	2
Puerp. Fever	0·07	14	-	-	-	-	-	-	-	-	1	1	5	7	-	-	-	-
Diarr. and Dys.	0·50	104	34	5	7	2	3	51	4	2	1	-	1	3	4	9	11	18
Cholera	0·01	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Cancer	0·67	141	-	-	-	-	-	-	1	-	-	1	4	15	26	36	38	20
Scrofula	0·13	27	3	1	-	-	-	4	4	1	6	2	2	-	1	3	4	-
Tabes Mesent.	0·14	30	10	4	1	-	2	17	7	2	2	-	-	-	2	-	-	-
Phthisis	2·34	489	11	8	3	3	-	25	7	13	56	56	100	91	64	47	28	2
Hydrocephalus	0·27	56	9	13	5	5	1	33	6	7	3	1	3	1	-	2	-	-
Diseases of Nervous Syst.	3·34	698	62	18	6	8	5	99	14	10	18	8	43	66	77	101	157	105
Diseases of Circulatory „	1·91	398	-	-	-	-	-	-	2	5	4	8	17	27	42	80	138	75
Diseases of Respiratory „	3·81	796	125	56	18	5	6	210	10	5	4	5	23	29	44	103	168	195
Diseases of Digestive „	1·26	263	24	2	1	2	1	30	3	7	2	1	12	24	46	58	56	24
Diseases of Urinary „	0·53	110	-	-	-	-	-	-	2	-	5	1	10	5	19	17	30	21
Diseases of Generative „	0·06	13	-	-	-	-	-	-	-	-	-	2	1	1	5	2	2	-
Childbirth	0·11	23	-	-	-	-	-	-	-	-	-	3	9	10	1	-	-	-
Suicide	0·06	12	-	-	-	-	-	-	-	-	1	-	1	2	2	2	3	1
Other Violence	0·69	144	30	6	5	-	2	43	12	4	5	9	8	14	11	10	14	14
OTHER CAUSES	3·77	789	247	23	6	2	7	285	7	6	7	2	7	24	21	46	81	303

Deaths of Infants (under one) to 1000 Births - 98

Marriages - 1,386
Births - 6,218

Annual Rate per 1000 living: Persons Married - 13·27; Births - - - 29·77

248.—MELKSHAM.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	20·33	—	—	—	—	—	50·80	5·34	3·53	3·90	6·97	7·52	10·34	15·10	32·06	60·39	160·88
Mean Pop. 1871-80	—	18,247	503	470	463	488	456	2380	2190	1982	1821	1464	2394	1915	1662	1235	818	386
ALL CAUSES	20·33	3709	787	204	94	74	50	1209	117	70	71	102	180	198	251	396	494	621
Small-pox	0·06	11	-	-	-	-	1	1	1	2	1	1	1	3	1	-	-	-
Measles	0·45	82	19	25	16	10	8	78	4	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·60	109	8	11	20	17	19	75	24	5	1	2	1	1	-	-	-	-
Diphtheria	0·05	10	1	1	-	3	-	5	-	-	1	-	1	1	-	2	-	-
Whooping-cough	0·32	58	26	9	7	5	1	58	-	-	-	-	-	-	-	-	-	-
Typhus	0·01	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Enteric Fever	0·27	49	-	-	2	3	2	7	12	9	7	3	5	2	2	-	2	-
Simple Cont. Fev.	0·06	11	-	-	1	1	-	2	6	-	1	1	-	-	-	-	-	1
Puerp. Fever	0·04	8	-	-	-	-	-	-	-	-	-	2	5	1	-	-	-	-
Diarr. and Dys.	0·83	151	99	17	5	-	-	121	-	-	-	1	1	1	-	3	9	15
Cholera	0·01	2	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Cancer	0·47	86	-	-	1	-	-	1	-	-	-	-	3	10	15	27	20	10
Scrofula	0·10	19	2	1	-	-	-	3	1	3	-	6	1	-	2	3	-	-
Tabes Mesent.	0·53	96	62	15	3	2	-	82	5	3	2	3	-	-	1	-	-	-
Phthisis	1·67	305	2	3	2	1	-	8	6	14	33	51	68	48	45	22	9	1
Hydrocephalus	0·22	40	14	6	3	2	4	29	7	1	1	-	1	-	1	-	-	-
Diseases of Nervous Syst.	2·58	470	72	20	5	5	2	104	17	4	4	4	9	15	41	97	89	86
Diseases of Circulatory „	1·69	309	3	-	-	1	-	4	4	7	3	7	13	24	38	81	75	53
Diseases of Respiratory „	3·41	622	157	65	15	9	4	250	6	4	2	5	15	27	31	59	112	111
Diseases of Digestive „	1·47	269	42	5	1	2	1	51	5	4	3	8	19	24	31	48	52	24
Diseases of Urinary „	0·45	83	1	1	-	-	-	2	2	3	-	-	7	13	9	12	23	12
Diseases of Generative „	0·07	12	1	-	-	-	-	1	-	-	-	-	1	3	-	5	1	1
Childbirth	0·07	13	-	-	-	-	-	-	-	-	-	-	7	4	2	-	-	-
Suicide	0·05	10	-	-	-	-	-	-	-	-	-	-	2	2	1	2	2	1
Other Violence	0·79	107	29	5	4	5	2	45	9	5	4	2	7	2	11	6	5	11
OTHER CAUSES	4·26	775	239	19	9	8	6	281	7	6	8	5	13	16	20	29	95	295

Deaths of Infants (under one) to 1000 Births - 132

Marriages - 1,402
Births - 5,959

Annual Rate per 1000 living: Persons Married - 15·37; Births - - - 32·66

249.—BRADFORD.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	18·94	—	—	—	—	—	39·02	4·00	3·14	4·49	6·10	6·92	10·03	13·48	26·09	60·71	182·99
Mean Pop. 1871–80	—	10,753	289	247	289	271	270	1366	1324	1209	1024	820	1286	1107	1016	828	532	241
ALL CAUSES	18·94	2037	346	95	53	22	17	533	53	38	46	50	89	111	137	216	323	441
Small-pox	0·02	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Measles	0·13	14	2	6	4	–	–	12	1	–	–	–	–	1	–	–	–	–
Scarlet Fever	0·41	44	2	4	11	6	5	28	13	2	–	1	–	–	–	–	–	–
Diphtheria	0·06	6	1	1	–	–	–	2	2	–	–	–	–	–	–	1	1	–
Whooping-cough	0·36	39	14	15	9	–	–	38	1	–	–	–	–	–	–	–	–	–
Typhus	0·03	3	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–
Enteric Fever	0·33	35	–	–	–	–	–	–	1	11	2	7	8	3	1	–	2	–
Simple Cont. Fev.	0·11	12	–	–	–	1	–	1	2	2	2	1	1	1	–	–	2	–
Puerp. Fever	0·04	4	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–
Diarr. and Dys.	0·48	52	18	6	1	3	–	28	–	–	–	–	–	–	1	2	7	14
Cholera	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·38	41	–	–	–	–	–	–	–	–	–	–	1	6	8	10	8	8
Scrofula	0·15	16	2	–	–	–	–	2	–	1	6	1	2	2	–	1	1	–
Tabes Mesent.	0·13	14	7	2	–	–	–	9	2	–	–	1	1	–	–	1	–	–
Phthisis	1·17	126	1	1	–	–	–	2	2	2	18	16	29	38	7	12	–	–
Hydrocephalus	0·06	6	–	1	–	–	1	2	3	1	–	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·53	272	36	8	8	2	5	59	5	5	4	2	9	13	20	31	67	57
Diseases of: Circulatory „	2·25	242	–	–	–	–	–	–	1	1	3	3	6	9	31	51	75	62
Diseases of: Respiratory „	3·34	359	81	26	11	5	3	126	5	5	1	4	6	10	27	39	54	82
Diseases of: Digestive „	1·45	156	11	–	–	1	1	13	5	1	2	4	6	14	16	36	35	24
Diseases of: Urinary „	0·37	40	–	–	1	–	–	1	–	–	1	1	2	1	7	6	10	11
Diseases of: Generative „	0·11	12	–	–	–	–	–	–	–	–	–	–	1	3	4	4	–	–
Childbirth	0·05	5	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–
Suicide	0·03	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–
Other Violence	0·78	84	11	5	5	2	–	23	9	4	3	3	9	5	6	2	8	12
OTHER CAUSES	4·17	450	160	20	3	2	2	187	1	2	3	1	5	1	9	19	51	171

Deaths of Infants (under one to 1000 Births) - 105 | Marriages - 730 | Births - 3,290 | Annual Rate per 1000 living: Persons Married - 13·58; Births - - - 30·60

250.—WESTBURY.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	19·50	—	—	—	—	—	44·72	3·77	2·37	4·48	7·95	7·50	8·93	13·56	22·05	59·15	173·95
Mean Pop. 1871–80	—	11,088	291	268	293	290	298	1440	1434	1264	959	755	1280	1176	1062	889	568	261
ALL CAUSES	19·50	2162	433	118	47	30	16	644	54	30	43	60	96	105	144	196	336	454
Small-pox	0·01	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Measles	0·35	39	4	21	5	3	2	35	3	–	–	–	–	1	–	–	–	–
Scarlet Fever	0·56	62	5	15	11	6	5	42	13	2	5	–	–	–	–	–	–	–
Diphtheria	0·02	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Whooping-cough	0·18	20	10	5	2	2	1	20	–	–	–	–	–	–	–	–	–	–
Typhus	0·01	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·07	8	–	–	–	–	1	1	1	–	3	1	1	–	1	–	–	–
Simple Cont. Fev.	0·02	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Puerp. Fever	0·05	6	–	–	–	–	–	–	–	–	–	1	4	1	–	–	–	–
Diarr. and Dys.	0·47	52	38	6	3	–	–	47	1	–	–	–	–	–	–	–	1	3
Cholera	0·02	2	–	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Cancer	0·60	67	–	–	–	–	–	–	–	–	–	–	1	6	12	13	19	16
Scrofula	0·13	15	3	1	–	–	1	5	–	–	2	2	1	–	2	2	–	1
Tabes Mesent.	0·43	48	23	12	2	3	2	42	1	1	1	3	–	–	–	–	–	–
Phthisis	1·34	149	1	1	1	–	–	3	–	1	14	30	41	21	20	15	3	1
Hydrocephalus	0·19	21	7	2	2	1	–	12	7	–	1	–	1	–	–	–	–	–
Diseases of: Nervous Syst.	2·45	272	32	4	5	3	1	45	6	8	6	3	7	15	18	38	56	70
Diseases of: Circulatory „	2·45	272	–	1	–	–	–	1	2	6	3	3	8	14	30	56	94	55
Diseases of: Respiratory „	2·66	295	80	31	8	2	2	123	3	3	1	2	12	9	13	23	61	45
Diseases of: Digestive „	1·33	147	21	1	3	–	–	25	2	3	2	2	6	15	18	22	32	20
Diseases of: Urinary „	0·50	55	–	–	2	1	–	3	3	–	–	3	4	5	8	6	12	11
Diseases of: Generative „	0·07	8	–	–	–	–	–	–	–	–	–	1	1	1	2	–	1	2
Childbirth	0·13	14	–	–	–	–	–	–	–	–	–	4	3	6	1	–	–	–
Suicide	0·08	9	–	–	–	–	–	–	–	–	–	1	–	–	3	4	1	–
Other Violence	0·45	50	12	8	–	2	–	22	3	1	2	2	2	2	8	3	3	2
OTHER CAUSES	4·93	545	196	8	3	7	1	215	7	2	3	2	4	9	8	14	53	228

Deaths of Infants (under one) to 1000 Births - 121 | Marriages - 663 | Births - 3,578 | Annual Rate per 1000 living: Persons Married - 11·96; Births - - - 32·27

251.—WARMINSTER.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·85	—	—	—	—	—	36·73	3·97	3·15	4·50	8·25	7·28	11·05	12·89	25·41	64·57	166·37
Mean Pop. 1871-80	—	14,550	365	324	352	356	348	1745	1765	1712	1443	1030	1663	1484	1443	1161	762	342
ALL CAUSES	18·85	2742	388	105	66	44	38	641	70	54	65	85	121	164	186	295	492	569
Small-pox	0·01	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Measles	0·05	7	3	2	-	-	-	5	1	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·47	68	5	6	10	7	11	39	19	7	1	1	1	-	-	-	-	-
Diphtheria	0·23	33	1	5	1	5	1	13	14	4	-	-	-	-	-	-	2	-
Whooping-cough	0·13	19	11	4	1	1	-	17	2	-	-	-	-	-	-	-	-	-
Typhus	0·01	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Enteric Fever	0·12	18	-	-	1	-	1	2	1	1	5	1	3	1	-	3	1	-
Simple Cont. Fev.	0·05	7	-	1	-	1	-	2	-	2	-	-	1	-	2	-	-	-
Puerp. Fever	0·07	10	-	-	-	-	-	-	-	-	-	3	4	3	-	-	-	-
Diarr. and Dys.	0·31	45	17	4	-	-	-	21	-	1	-	-	-	-	-	-	8	15
Cholera	0·03	4	-	1	-	-	1	2	-	-	-	-	1	-	1	-	-	-
Cancer	0·58	84	-	-	-	-	-	-	-	-	-	-	3	6	17	25	24	9
Scrofula	0·09	13	1	2	1	1	-	5	-	1	1	1	2	1	2	-	-	-
Tabes Mesent.	0·18	26	9	9	4	2	-	24	-	1	-	-	-	1	-	-	-	-
Phthisis	1·97	286	5	4	2	3	1	15	6	11	30	57	58	49	33	19	8	-
Hydrocephalus	0·26	38	8	4	4	3	4	23	10	4	1	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·45	356	47	10	2	4	3	66	5	5	6	4	10	19	26	57	91	67
Diseases of: Circulatory „	2·61	292	-	-	-	-	-	-	-	3	4	4	4	15	23	65	119	55
Diseases of: Respiratory „	3·24	472	67	20	13	5	7	112	1	3	3	4	10	22	30	65	125	97
Diseases of: Digestive „	0·98	143	15	3	1	2	2	23	2	3	3	3	6	15	19	23	31	15
Diseases of: Urinary „	0·51	74	-	-	2	-	1	3	-	-	2	1	7	7	12	13	15	14
Diseases of: Generative „	0·06	9	-	-	-	-	-	-	-	-	-	1	-	-	3	-	4	1
Childbirth	0·10	14	-	-	-	-	-	-	-	-	-	3	3	7	1	-	-	-
Suicide	0·02	3	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-
Other Violence	0·54	79	14	3	5	-	2	24	3	2	2	-	3	9	8	8	14	6
Other Causes	4·38	639	185	27	19	10	4	245	6	5	6	1	5	9	7	15	50	290

Deaths of Infants (under one) to 1000 Births - 96 | Marriages - 946 | Births - 4,037 | Annual Rate per 1000 living: Persons Married - 13·00; Births - - - 27·75

252.—PEWSEY.*

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·07	—	—	—	—	—	38·69	4·94	3·48	4·78	6·82	7·89	10·13	12·04	24·75	60·36	155·94
Mean Pop. 1871-80	—	* 11,596	324	298	307	301	308	1538	1519	1351	1025	836	1280	1135	1105	913	608	286
ALL CAUSES	19·07	2211	379	112	50	35	19	595	75	47	49	57	101	115	133	226	367	446
Small-pox	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Measles	0·13	15	2	7	1	1	1	12	1	1	-	1	-	-	-	-	-	-
Scarlet Fever	0·54	63	3	9	12	8	4	36	20	5	2	-	-	-	-	-	-	-
Diphtheria	0·15	17	3	2	-	2	2	9	7	-	-	-	-	1	-	-	-	-
Whooping-cough	0·31	36	21	9	2	2	1	35	-	-	-	-	-	-	-	-	-	1
Typhus	0·01	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Enteric Fever	0·23	27	-	1	1	-	1	3	3	3	5	4	3	-	4	1	1	-
Simple Cont. Fev.	0·03	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-
Puerp. Fever	0·03	4	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-
Diarr. and Dys.	0·37	43	8	11	1	-	-	20	-	-	-	1	-	1	2	1	7	11
Cholera	0·01	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Cancer	0·60	69	-	-	-	-	-	-	-	-	-	1	3	6	8	18	24	9
Scrofula	0·09	11	2	2	1	-	-	5	1	1	-	-	2	-	-	1	1	-
Tabes Mesent.	0·13	15	5	3	3	-	-	11	-	4	-	-	-	-	-	-	-	-
Phthisis	2·04	237	1	4	3	-	1	9	4	5	21	33	53	34	34	23	13	8
Hydrocephalus	0·18	21	4	4	4	2	1	15	2	2	1	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·62	304	36	6	4	3	1	50	9	4	6	7	6	6	27	36	78	75
Diseases of: Circulatory „	2·10	243	-	-	-	-	-	-	1	4	2	1	10	17	13	43	84	68
Diseases of: Respiratory „	3·36	390	90	25	5	9	4	142	4	1	2	2	3	10	13	53	70	90
Diseases of: Digestive „	1·03	119	8	5	1	-	1	15	4	4	3	-	6	15	12	15	24	21
Diseases of: Urinary „	0·38	44	-	-	-	-	-	-	-	1	-	-	-	7	2	13	14	7
Diseases of: Generative „	0·09	10	-	-	-	-	-	-	-	-	-	-	1	2	3	1	2	1
Childbirth	0·12	14	-	-	-	-	-	-	-	-	1	1	5	7	-	-	-	-
Suicide	0·01	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Violence	0·63	73	16	3	5	2	-	26	8	7	3	1	3	2	5	7	5	6
Other Causes	3·87	448	171	21	7	6	1	206	10	5	2	2	4	6	9	13	42	149

Deaths of Infants (under one) to 1000 Births - 107 | Marriages - 744 | Births - 3,533 | Annual Rate per 1000 living: Persons Married - 12·83; Births - - - 30·47

* Changes were made in the boundary of this District during the Decade; see pp. 371-78.

253.—AMESBURY.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	16·77	—	—	—	—	—	35·47	3·88	2·20	4·53	5·34	6·81	8·46	11·00	26·46	62·36	155·48
Mean Pop. 1871–80	—	7788	196	198	211	203	176	984	1005	908	706	543	896	851	791	601	348	155
ALL CAUSES	16·77	1306	220	69	28	18	14	349	39	20	32	29	61	72	87	159	217	241
Small-pox	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	0·12	9	3	2	1	2	-	8	1	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·45	35	2	2	7	4	4	19	13	1	1	-	1	-	-	-	-	-
Diphtheria	0·09	7	-	1	1	1	2	5	2	-	-	-	-	-	-	-	-	-
Whooping-cough	0·36	28	11	8	7	-	-	26	1	1	-	-	-	-	-	-	-	-
Typhus	0·06	5	-	-	-	-	-	-	-	-	1	-	-	-	1	3	-	-
Enteric Fever	0·12	9	-	-	-	-	-	-	-	1	2	1	2	-	-	-	1	2
Simple Cont. Fev.	0·17	13	-	-	-	-	1	1	-	1	1	-	-	1	1	1	3	4
Puerp. Fever	0·09	7	-	-	-	-	-	-	-	-	-	3	2	2	-	-	-	-
Diarr. and Dys.	0·28	22	7	5	1	1	-	14	-	-	-	-	-	-	-	2	4	2
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·40	31	-	-	-	-	-	-	-	-	-	-	2	4	6	10	5	4
Scrofula	0·06	5	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	-
Tabes Mesent.	0·08	6	-	1	-	2	-	3	1	-	-	1	-	-	1	-	-	-
Phthisis	1·64	128	1	-	1	-	-	2	-	7	15	16	23	24	20	14	7	-
Hydrocephalus	0·13	10	3	4	2	-	-	9	1	-	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·25	175	32	3	1	-	-	36	4	2	2	-	6	7	8	24	51	35
Diseases of: Circulatory	1·33	105	1	-	-	-	1	2	-	4	1	2	3	9	14	21	32	14
Diseases of: Respiratory	3·66	285	52	29	2	4	2	89	4	2	2	2	8	8	16	37	58	59
Diseases of: Digestive	0·82	65	8	-	1	-	-	9	1	1	3	-	4	7	8	14	11	7
Diseases of: Urinary	0·37	29	1	-	-	-	1	2	1	-	-	1	1	1	5	8	6	4
Diseases of: Generative	0·09	7	-	-	-	-	-	-	-	-	1	-	1	1	1	1	2	-
Childbirth	0·04	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
Suicide	0·03	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Other Violence	0·36	28	-	3	-	-	1	4	3	-	-	2	4	2	1	1	5	6
Other Causes	3·74	292	99	11	4	4	2	120	7	-	2	1	2	4	4	19	30	103

Deaths of Infants (under one) to 1000 Births - 97 | Marriages - 454 | Births - 2,274 | Annual Rate per 1000 living: Persons Married - 11·66; Births - 29·20

254.—ALDERBURY (exclusive of *Salisbury* sub-district).

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·94	—	—	—	—	—	35·92	4·84	3·58	6·00	7·63	11·18	18·19	19·56	35·35	60·24	174·30
Mean Pop. 1871–80	—	17,332	452	456	456	442	421	2227	2087	1929	1668	1467	2263	1880	1575	1205	747	284
ALL CAUSES	19·94	3455	501	140	69	55	35	800	101	69	100	112	253	342	308	426	450	495
Small-pox	0·03	6	-	-	-	-	-	-	-	1	-	2	2	-	1	-	-	-
Measles	0·18	31	6	10	4	5	-	25	5	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·51	88	5	10	11	16	8	50	24	9	3	1	-	1	-	-	-	-
Diphtheria	0·06	11	-	1	1	-	3	5	3	2	-	-	-	-	-	1	-	-
Whooping-cough	0·29	51	28	15	2	3	2	51	-	-	-	-	-	-	-	-	-	-
Typhus	0·02	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-
Enteric Fever	0·17	29	-	-	-	-	1	1	4	5	1	2	7	3	-	3	2	1
Simple Cont. Fev.	0·06	10	-	-	-	1	-	1	1	2	-	3	2	-	1	-	-	-
Puerp. Fever	0·06	11	-	-	-	-	-	-	-	-	-	2	5	3	1	-	-	-
Diarr. and Dys.	0·45	78	39	13	1	-	-	53	-	2	-	-	2	1	3	3	5	9
Cholera	0·02	3	1	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-
Cancer	0·55	96	-	-	-	1	-	1	1	-	1	1	4	10	21	29	21	7
Scrofula	0·13	23	3	-	1	-	-	4	4	3	1	5	3	1	-	1	1	-
Tabes Mesent.	0·13	22	10	4	2	-	-	16	4	-	2	-	-	-	-	-	-	-
Phthisis	1·92	332	3	-	2	1	1	7	5	8	31	50	83	64	42	29	12	1
Hydrocephalus	0·28	48	15	9	4	1	2	31	9	4	1	-	2	1	-	-	-	-
Diseases of: Nervous Syst.	3·80	658	59	14	7	5	5	90	5	6	7	13	71	100	102	91	105	68
Diseases of: Circulatory	1·79	310	1	-	-	-	-	1	5	2	5	7	10	31	39	83	77	50
Diseases of: Respiratory	3·25	514	122	48	16	12	6	204	6	2	9	5	14	34	27	70	93	100
Diseases of: Digestive	0·85	148	11	1	2	-	-	14	2	5	7	3	5	22	20	29	21	20
Diseases of: Urinary	0·70	122	-	-	-	-	-	-	2	3	5	5	12	11	15	28	27	14
Diseases of: Generative	0·09	15	-	-	-	-	-	-	-	-	-	1	1	5	3	3	2	-
Childbirth	0·10	18	-	-	-	-	-	-	-	-	3	2	6	6	1	-	-	-
Suicide	0·10	17	-	-	-	-	-	-	-	1	1	3	-	4	1	4	2	1
Other Violence	0·61	106	6	1	6	6	1	20	8	5	8	2	7	15	15	12	9	5
Other Causes	3·79	656	192	13	10	4	6	225	13	8	14	5	17	29	16	39	71	219

Deaths of Infants (under one) to 1000 Births - 101 | Marriages* - 1,843 | Births - 4,952 | Annual Rate per 1000 living: Persons Married* - 21·27; Births - 28·57

* The figures relating to marriages are for the entire District of Alderbury.

SALISBURY (sub-district).*

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	20·77	—	—	—	—	—	53·64	4·71	2·11	4·07	4·77	8·11	11·90	19·76	31·32	71·46	207·89
Mean Pop. 1871-80	—	9048	233	212	204	196	212	1057	997	1044	1007	818	1172	958	850	597	396	152
ALL CAUSES	20·77	1879	355	101	55	38	18	567	47	22	41	39	95	114	168	187	283	316
Small-pox	0·01	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Measles	0·46	42	13	9	10	6	-	38	3	-	1	-	-	-	-	-	-	-
Scarlet Fever	0·62	56	3	5	6	13	10	37	15	1	3	-	-	-	-	-	-	-
Diphtheria	0·07	6	-	1	1	1	1	4	1	-	-	-	-	-	-	1	-	-
Whooping-cough	0·42	38	24	7	5	2	-	38	-	-	-	-	-	-	-	-	-	-
Typhus	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	0·10	9	-	3	1	-	1	5	1	-	-	-	-	-	1	1	1	-
Simple Cont. Fev.	0·04	4	-	-	-	-	1	1	-	2	-	-	-	-	-	-	1	-
Puerp. Fever	0·08	7	-	-	-	-	-	-	-	-	-	3	3	1	-	-	-	-
Diarr. and Dys.	0·78	71	50	5	3	1	1	60	-	-	-	-	-	1	-	2	3	5
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·61	55	-	-	-	-	-	-	-	-	-	-	2	8	15	12	11	7
Scrofula	0·08	7	2	1	-	-	-	3	1	-	-	2	-	-	1	-	-	-
Tabes Mesent.	0·07	6	4	1	-	-	-	5	-	-	-	-	-	-	1	-	-	-
Phthisis	2·32	210	1	1	2	1	-	5	1	6	18	21	45	46	32	21	13	2
Hydrocephalus	0·28	25	7	10	1	1	1	20	2	2	-	-	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·66	241	33	6	4	2	-	48	5	3	5	2	3	13	29	34	57	42
Diseases of: Circulatory „	1·88	170	-	-	-	-	-	-	2	2	4	2	9	12	33	28	48	30
Diseases of: Respiratory „	3·67	332	86	34	17	3	3	143	3	1	3	1	8	12	28	34	47	52
Diseases of: Digestive „	1·06	96	5	2	-	2	-	9	-	2	1	4	3	8	10	20	18	15
Diseases of: Urinary „	0·75	68	-	-	-	-	-	-	4	-	1	-	9	7	11	19	12	5
Diseases of: Generative „	0·02	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Childbirth	0·03	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
Suicide	0·07	6	-	-	-	-	-	-	-	-	1	1	2	1	-	1	-	-
Other Violence	0·32	29	7	-	1	-	-	8	3	-	1	-	-	1	2	3	3	8
Other Causes	4·37	395	116	16	4	6	-	142	6	3	2	2	3	4	5	10	68	130

Deaths of Infants (under one) to 1000 Births 137 — Marriages* - — Births - 2,598 — Annual Rate per 1000 living: Persons Married* - — Births - - - 23·71

* For the births and deaths in the remainder of the ALDERBURY District, of which *Salisbury* forms a part, and for the marriages for the whole District, *see* page 177.

255.—WILTON.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·46	—	—	—	—	—	35·80	3·87	3·13	3·82	5·47	6·95	9·12	13·99	24·76	53·28	164·44
Mean Pop. 1871-80	—	10,575	298	271	265	273	273	1380	1345	1246	968	750	1166	1130	1008	824	533	225
ALL CAUSES	17·46	1846	331	80	32	32	19	494	52	39	37	41	81	103	141	204	284	370
Small-pox	0·04	4	-	-	-	-	1	1	-	-	-	1	1	-	1	-	-	-
Measles	0·26	27	4	6	4	5	2	21	5	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·29	31	3	4	3	4	5	19	10	2	-	-	-	-	-	-	-	-
Diphtheria	0·05	6	-	1	1	1	-	3	2	1	-	-	-	-	-	-	-	-
Whooping-cough	0·16	17	9	5	1	2	-	17	-	-	-	-	-	-	-	-	-	-
Typhus	0·09	10	-	-	-	-	-	-	2	4	-	-	2	1	-	1	-	-
Enteric Fever	0·08	8	-	-	-	-	-	-	1	-	2	1	1	1	1	-	-	1
Simple Cont. Fev.	0·12	13	-	1	1	3	-	5	2	3	-	-	-	-	1	2	-	-
Puerp. Fever	0·05	6	-	-	-	-	-	-	-	-	2	3	-	1	-	-	-	-
Diarr. and Dys.	0·26	27	11	2	-	1	1	15	1	-	-	-	-	-	-	4	1	6
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·64	68	-	-	-	-	-	-	-	-	-	-	2	6	17	19	19	5
Scrofula	0·09	9	-	1	-	-	-	1	1	2	-	1	1	1	-	2	-	-
Tabes Mesent.	0·16	17	6	6	1	-	1	14	2	1	-	-	-	-	-	-	-	-
Phthisis	1·52	161	1	1	-	-	-	2	5	5	19	19	23	33	28	12	4	1
Hydrocephalus	0·16	17	4	4	1	1	1	11	2	4	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·13	231	46	10	4	4	-	64	3	3	2	7	6	13	14	36	51	32
Diseases of: Circulatory „	1·91	202	2	1	-	-	1	4	2	1	2	1	7	16	32	51	57	29
Diseases of: Respiratory „	2·53	268	65	19	8	6	3	101	3	4	-	-	5	8	12	36	50	42
Diseases of: Digestive „	0·74	78	8	1	1	-	-	10	3	2	3	3	1	3	13	14	20	6
Diseases of: Urinary „	0·43	49	-	1	-	-	-	1	-	1	-	-	7	5	6	13	12	4
Diseases of: Generative „	0·07	7	-	-	-	-	-	-	-	-	1	-	-	2	2	1	-	1
Childbirth	0·09	9	-	-	-	-	-	-	-	-	1	-	3	5	-	-	-	-
Suicide	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Other Violence	0·43	45	6	2	3	2	-	13	4	1	2	1	5	3	6	4	4	3
Other Causes	5·05	534	106	15	4	3	4	192	4	4	3	4	7	5	8	8	66	233

Deaths of Infants (under one) to 1000 Births 106 — Marriages - 661 — Births - 3,114 — Annual Rate per 1000 living: Persons Married - 12·50 — Births - - - 29·45

256.—TISBURY.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	16·94	—	—	—	—	—	32·31	3·99	1·90	4·88	6·10	6·62	8·88	11·29	26·38	64·38	171·04
Mean Pop. 1871-80	—	9602	266	251	259	254	245	1275	1252	1155	820	672	1118	1036	930	709	452	183
ALL CAUSES	16·94	1627	264	87	26	16	19	412	50	22	40	41	74	92	105	187	291	313
Small-pox	0·01	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Measles	0·23	22	2	9	1	2	3	17	3	-	1	-	1	-	-	-	-	-
Scarlet Fever	0·37	36	1	2	3	1	7	14	13	3	3	1	1	-	1	-	-	-
Diphtheria	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	0·10	10	4	3	2	1	-	10	-	-	-	-	-	-	-	-	-	-
Typhus	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	0·15	14	-	-	-	-	1	1	2	2	4	1	2	-	-	2	-	-
Simple Cont. Fev.	0·03	3	-	-	-	1	-	1	1	-	-	-	-	-	-	1	-	-
Puerp. Fever	0·07	7	-	-	-	-	-	-	-	-	-	-	4	3	-	-	-	-
Diarr. and Dys.	0·32	31	9	4	2	1	1	17	-	2	-	-	1	-	-	1	5	5
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·51	49	-	-	-	-	-	-	-	-	-	-	-	5	10	15	14	5
Scrofula	0·21	20	4	1	1	1	1	8	-	-	5	1	-	3	1	1	1	-
Tabes Mesent.	0·26	25	15	5	1	1	-	22	2	-	-	-	-	-	1	-	-	-
Phthisis	1·51	146	6	3	-	-	-	9	6	2	13	27	33	19	19	13	5	-
Hydrocephalus	0·27	26	9	9	2	1	1	22	3	1	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·09	201	35	9	2	1	1	48	1	1	3	-	-	7	15	31	48	47
Diseases of: Circulatory „	2·03	195	-	-	-	-	-	-	-	2	1	1	5	10	18	46	72	40
Diseases of: Respiratory „	3·17	304	45	21	4	3	1	74	10	2	3	4	7	14	15	38	60	77
Diseases of: Digestive „	0·93	89	4	2	1	-	-	7	3	2	1	-	5	3	8	18	26	16
Diseases of: Urinary „	0·34	33	-	-	-	-	-	-	-	-	-	1	4	5	4	5	12	2
Diseases of: Generative „	0·02	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Childbirth	0·12	12	-	-	-	-	-	-	-	-	-	2	3	7	-	-	-	-
Suicide	0·03	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1
Other Violence	0·41	39	5	1	-	1	1	8	2	2	4	3	2	3	7	3	4	1
Other Causes	3·76	359	124	18	7	2	2	153	4	3	2	-	6	10	6	12	44	119

Deaths of Infants (under one) to 1000 Births - 93

Marriages - 530
Births - 2,828

Annual Rate per 1000 living: Persons Married - 11·04; Births - 29·45

257.—MERE.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	17·89	—	—	—	—	—	40·10	4·73	3·21	4·98	5·22	6·46	7·91	10·68	26·62	52·13	150·82
Mean Pop. 1871-80	—	7727	206	201	186	203	204	1000	993	903	703	536	883	796	730	601	399	183
ALL CAUSES	17·89	1382	266	69	17	21	28	401	47	29	35	28	57	63	78	160	208	276
Small-pox	0·03	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Measles	0·08	6	-	3	-	-	1	4	2	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·49	38	2	-	2	6	6	16	14	5	1	1	1	-	-	-	-	-
Diphtheria	0·16	12	-	1	-	2	1	4	5	2	1	-	-	-	-	-	-	-
Whooping-cough	0·35	27	15	4	2	2	2	25	2	-	-	-	-	-	-	-	-	-
Typhus	0·01	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Enteric Fever	0·16	12	-	1	-	-	1	2	1	2	1	-	-	3	2	-	1	-
Simple Cont. Fev.	0·06	5	-	-	-	1	1	2	-	-	1	1	-	-	-	1	-	-
Puerp. Fever	0·06	5	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-
Diarr. and Dys.	0·58	45	29	5	-	2	2	38	1	-	-	-	-	-	-	-	2	4
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·78	60	-	-	-	1	-	1	-	-	-	-	-	6	13	19	17	4
Scrofula	0·18	14	2	2	-	1	-	5	-	3	1	1	1	-	1	-	1	1
Tabes Mesent.	0·21	16	4	4	1	-	-	9	2	-	1	1	2	-	-	1	-	-
Phthisis	1·16	90	-	-	1	-	-	1	2	2	14	15	20	16	13	5	2	-
Hydrocephalus	0·17	13	1	5	-	1	1	8	2	2	1	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·17	168	32	6	2	-	1	41	4	3	2	1	3	4	11	22	33	39
Diseases of: Circulatory „	1·37	106	-	-	-	-	-	-	-	1	2	-	3	7	10	28	39	16
Diseases of: Respiratory „	3·42	264	51	22	4	2	3	82	4	2	2	2	6	5	11	42	49	59
Diseases of: Digestive „	1·00	77	5	-	1	-	1	7	1	1	1	-	5	8	9	19	13	13
Diseases of: Urinary „	0·45	35	1	-	-	-	-	1	1	-	-	-	5	1	2	3	9	13
Diseases of: Generative „	0·06	5	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	1
Childbirth	0·13	10	-	-	-	-	-	-	-	-	-	4	1	5	-	-	-	-
Suicide	0·04	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1
Other Violence	0·48	37	8	4	-	-	2	14	-	2	1	1	3	2	2	3	4	5
Other Causes	4·29	331	115	12	4	3	6	140	6	4	4	-	2	5	4	14	32	120

Deaths of Infants (under one) to 1000 Births - 114

Marriages - 459
Births - 2,332

Annual Rate per 1000 living: Persons Married - 11·88; Births - 30·18

DORSETSHIRE.

258.—SHAFTESBURY.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	16·97	—	—	—	—	—	32·43	4·14	3·08	4·30	7·73	6·57	8·25	14·11	24·45	55·95	142·24
Mean Pop. 1871-80	—	12,900	351	305	346	355	342	1699	1593	1459	1232	932	1538	1369	1212	916	647	303
ALL CAUSES	16·97	2189	351	104	51	29	16	551	66	45	53	72	101	113	171	224	362	431
Small-pox	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·13	17	8	3	2	2	–	15	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·39	50	1	5	12	6	2	26	15	7	1	–	1	–	–	–	–	–
Diphtheria	0·06	8	–	1	–	2	–	3	3	1	–	1	–	–	–	–	–	–
Whooping-cough	0·19	24	14	7	–	1	1	23	1	–	–	–	–	–	–	–	–	–
Typhus	0·04	5	–	–	–	–	–	–	2	1	–	1	–	–	1	–	–	–
Enteric Fever	0·06	8	–	2	–	–	–	2	1	1	2	1	–	–	–	1	–	–
Simple Cont. Fev.	0·16	21	1	–	2	–	–	3	–	–	–	–	2	1	2	1	6	6
Puerp. Fever	0·07	9	–	–	–	–	–	–	–	–	–	2	4	3	–	–	–	–
Diarr. and Dys.	0·40	52	22	4	1	3	–	30	1	–	–	–	1	–	–	3	7	10
Cholera	0·01	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	0·51	66	–	–	–	–	–	–	–	–	–	–	3	6	17	15	17	8
Scrofula	0·14	18	1	3	1	1	–	6	–	2	2	2	2	3	1	–	–	–
Tabes Mesent.	0·09	12	3	1	2	–	–	6	3	3	–	–	–	–	–	–	–	–
Phthisis	1·46	188	2	1	–	–	–	3	3	2	20	40	45	36	20	13	6	–
Hydrocephalus	0·26	33	10	13	–	1	1	25	1	6	–	–	1	–	–	–	–	–
Diseases of: Nervous Syst.	2·24	289	52	10	6	1	3	72	6	5	6	5	5	14	18	46	77	35
Diseases of: Circulatory „	1·60	206	–	–	1	–	–	1	1	3	3	5	5	10	34	39	68	37
Diseases of: Respiratory „	2·78	358	73	33	9	4	4	123	7	6	2	3	6	16	28	53	64	50
Diseases of: Digestive „	0·98	127	16	3	1	–	–	20	5	3	6	1	7	4	17	18	31	15
Diseases of: Urinary „	0·52	67	–	–	–	–	–	–	2	–	1	1	5	3	9	10	25	11
Diseases of: Generative „	0·09	11	–	–	–	–	–	–	–	–	–	–	1	1	4	3	2	–
Childbirth	0·03	10	–	–	–	–	–	–	–	–	2	1	4	3	–	–	–	–
Suicide	0·02	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1
Other Violence	0·35	45	6	1	3	1	–	11	2	2	2	4	3	6	5	5	3	2
OTHER CAUSES	4·34	561	142	17	11	7	5	182	11	3	6	5	6	7	13	16	56	256

Deaths of Infants (under one) to 1000 Births 93 — Marriages 821, Births 3,764 — Annual Rate per 1000 living: Persons Married 12·73, Births 29·18

259.—STURMINSTER.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	18·14	—	—	—	—	—	34·88	4·42	3·29	5·54	7·31	7·88	10·57	13·84	25·67	60·64	151·04
Mean Pop. 1871-80	—	10,456	268	284	296	270	258	1376	1291	1186	975	807	1294	1050	990	748	498	241
ALL CAUSES	18·14	1897	316	88	38	17	21	480	57	39	54	59	102	111	137	192	302	364
Small-pox	0·01	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Measles	0·02	2	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·26	27	2	5	2	2	4	15	9	1	–	1	1	–	–	–	–	–
Diphtheria	0·15	16	–	1	2	–	2	5	7	2	1	–	1	–	–	–	–	–
Whooping-cough	0·22	23	13	6	4	–	–	23	–	–	–	–	–	–	–	–	–	–
Typhus	0·01	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	0·11	12	–	–	–	–	–	–	3	1	3	1	1	1	1	–	1	–
Simple Cont. Fev.	0·03	3	–	–	–	–	1	1	–	1	–	–	–	1	–	–	–	–
Puerp. Fever	0·07	7	–	–	–	–	–	–	–	–	–	1	4	2	–	–	–	–
Diarr. and Dys.	0·32	33	18	8	–	–	2	28	–	–	1	–	1	–	–	–	1	2
Cholera	0·01	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·54	56	–	–	–	–	–	–	–	–	–	1	1	4	7	11	20	9
Scrofula	0·15	16	1	1	1	–	–	3	3	1	1	1	1	2	2	2	–	–
Tabes Mesent.	0·19	20	8	2	2	2	–	14	1	3	1	1	–	–	–	–	–	–
Phthisis	1·97	206	3	1	1	–	1	6	2	3	23	34	46	40	22	23	7	–
Hydrocephalus	0·21	22	6	3	2	2	8	16	2	1	1	–	2	–	–	–	–	–
Diseases of: Nervous Syst.	2·37	248	56	17	4	2	1	80	3	5	8	4	5	11	19	30	48	35
Diseases of: Circulatory „	1·59	166	–	–	–	1	1	2	–	3	3	2	5	16	22	28	58	27
Diseases of: Respiratory „	2·70	282	44	20	10	3	–	77	3	3	3	5	11	11	23	35	61	50
Diseases of: Digestive „	1·08	113	16	4	2	–	1	23	4	4	2	2	7	9	15	9	25	13
Diseases of: Urinary „	0·46	48	–	–	–	–	–	–	2	2	1	1	3	2	7	13	14	3
Diseases of: Generative „	0·04	4	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	–
Childbirth	0·08	8	–	–	–	–	–	–	–	–	3	1	3	1	–	–	–	–
Suicide	0·11	12	–	–	–	–	–	–	–	–	1	–	–	–	2	8	–	1
Other Violence	0·33	34	2	1	1	–	1	5	4	5	1	1	3	3	4	3	1	4
OTHER CAUSES	5·11	536	115	19	6	4	4	178	14	3	1	2	7	8	12	25	66	229

Deaths of Infants (under one) to 1000 Births 102 — Marriages 668, Births 3,086 — Annual Rate per 1000 living: Persons Married 12·78, Births 29·51

260.—BLANDFORD.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	15·80	—	—	—	—	—	34·33	4·61	2·53	4·24	6·71	5·96	8·88	12·03	18·48	56·69	147·04
Mean Pop. 1871-80	—	14,218	353	325	345	358	352	1733	1712	1622	1414	1132	1694	1487	1413	1066	658	287
ALL CAUSES	15·80	2246	342	129	51	42	31	595	79	41	60	76	101	132	170	197	373	422
Small-pox	0·02	3	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-
Measles	0·20	28	9	8	3	3	1	24	2	1	-	-	-	-	1	-	-	-
Scarlet Fever	0·26	37	-	3	5	3	5	16	14	4	3	-	-	-	-	-	-	-
Diphtheria	0·11	15	1	1	1	2	4	9	5	1	-	-	-	-	-	-	-	-
Whooping-cough	0·28	40	21	12	3	2	-	38	1	1	-	-	-	-	-	-	-	-
Typhus	0·06	8	-	-	-	-	-	-	1	1	2	-	1	1	2	-	-	-
Enteric Fever	0·18	26	1	-	1	1	-	3	3	2	4	3	3	-	2	4	2	-
Simple Cont. Fev.	0·05	7	-	-	1	-	-	1	1	-	-	-	-	-	2	-	3	-
Puerp. Fever	0·02	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
Diarr. and Dys.	0·24	34	12	2	2	2	2	20	-	-	-	-	-	-	1	2	4	7
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·48	68	-	-	-	-	1	1	1	-	1	2	4	3	13	14	21	8
Scrofula	0·10	14	2	1	1	-	1	5	2	1	2	1	2	-	1	-	-	-
Tabes Mesent.	0·15	21	8	3	-	2	1	14	4	1	1	-	1	-	-	-	-	-
Phthisis	1·56	222	1	5	-	-	1	7	5	5	24	41	45	44	25	17	9	-
Hydrocephalus	0·29	41	13	9	2	3	2	29	8	1	-	1	2	-	-	-	-	-
Diseases of: Nervous Syst.	1·91	272	42	10	5	1	2	60	4	3	3	5	9	12	13	40	52	71
Diseases of: Circulatory ,,	1·10	155	-	-	-	-	-	-	-	1	4	-	5	14	20	26	59	36
Diseases of: Respiratory ,,	3·23	459	72	42	10	8	1	133	10	6	4	7	10	21	31	33	101	103
Diseases of: Digestive ,,	0·83	118	13	2	-	1	1	17	3	4	2	3	2	7	20	20	28	12
Diseases of: Urinary ,,	0·42	60	1	-	-	-	1	2	-	1	2	2	2	6	11	11	15	8
Diseases of: Generative ,,	0·04	6	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	1
Childbirth	0·08	12	-	-	-	-	-	-	-	-	-	3	3	6	-	-	-	-
Suicide	0·06	9	-	-	-	-	-	-	-	-	-	-	-	2	1	3	2	1
Other Violence	0·43	61	3	4	6	4	-	17	5	2	2	2	3	4	7	9	6	4
OTHER CAUSES	3·70	526	143	27	11	10	8	199	9	6	5	4	8	11	16	17	80	171

Deaths of Infants (under one) to 1000 Births - 88

Marriages - 967
Births - 3,889

Annual Rate per 1000 living: Persons Married - 13·60; Births - 27·35

261.—WIMBORNE.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	15·80	—	—	—	—	—	33·06	3·28	2·54	5·01	6·57	6·06	8·98	10·87	18·46	53·24	152·73
Mean Pop. 1871-80	—	17,157	462	427	447	447	440	2223	2165	1967	1636	1308	2078	1714	1592	1289	819	366
ALL CAUSES	15·80	2710	463	135	80	34	23	735	71	50	82	86	126	154	173	238	436	559
Small-pox	0·02	3	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
Measles	0·09	15	3	3	5	1	-	12	3	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·16	27	-	4	4	4	3	15	5	4	2	1	-	-	-	-	-	-
Diphtheria	0·07	12	-	-	-	1	1	2	5	1	1	-	1	-	1	1	-	-
Whooping-cough	0·37	64	33	18	7	3	1	62	1	-	1	-	-	-	-	-	-	-
Typhus	0·03	5	-	-	-	1	-	1	1	-	-	-	1	-	1	-	1	-
Enteric Fever	0·23	39	1	-	-	-	1	2	4	2	5	5	2	4	2	2	8	3
Simple Cont. Fev.	0·06	10	-	1	2	1	1	5	1	-	2	2	-	-	-	-	-	-
Puerp. Fever	0·06	11	-	-	-	-	-	-	-	-	-	1	5	4	1	-	-	-
Diarr. and Dys.	0·30	52	14	3	5	2	2	26	2	-	-	-	-	2	-	1	7	14
Cholera	0·01	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Cancer	0·68	117	-	-	-	-	-	-	-	-	-	-	3	11	21	23	31	28
Scrofula	0·09	16	-	5	1	1	-	7	-	-	4	1	2	2	-	-	-	-
Tabes Mesent.	0·12	20	2	8	2	-	-	12	3	-	-	2	2	1	-	-	-	-
Phthisis	1·39	239	2	3	2	-	-	7	4	11	29	42	62	44	25	9	6	-
Hydrocephalus	0·22	38	10	7	9	-	1	27	7	4	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·26	388	72	17	6	7	1	103	6	8	12	4	5	17	25	37	79	92
Diseases of: Circulatory ,,	1·48	254	2	-	-	-	-	2	4	7	4	1	5	16	21	49	95	60
Diseases of: Respiratory ,,	2·95	506	120	45	21	5	4	195	8	2	3	3	4	9	25	46	79	132
Diseases of: Digestive ,,	0·86	147	5	2	1	1	-	9	1	4	5	4	6	12	13	37	32	24
Diseases of: Urinary ,,	0·43	73	-	1	1	-	-	2	3	-	3	4	5	4	9	9	17	17
Diseases of: Generative ,,	0·05	8	-	-	-	-	-	-	-	-	-	-	1	2	-	3	2	-
Childbirth	0·08	13	-	-	-	-	-	-	-	-	1	3	4	5	-	-	-	-
Suicide	0·04	7	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	-
Other Violence	0·50	86	5	4	5	3	4	21	6	5	4	7	8	8	11	2	8	6
OTHER CAUSES	3·25	559	194	14	9	4	4	225	6	2	6	6	10	9	16	17	69	193

Deaths of Infants (under one) to 1000 Births - 91

Marriages - 1,203
Births - 5,068

Annual Rate per 1000 living: Persons Married - 14·02; Births - 29·54

262.—POOLE.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·93	—	—	—	—	—	45·68	4·94	2·62	5·52	5·29	7·07	10·69	12·86	29·07	54·84	145·58
Mean Pop. 1871-80	—	16,718	491	450	498	460	463	2362	2087	1871	1557	1342	2206	1853	1478	1039	640	283
ALL CAUSES	17·93	2997	625	224	102	66	62	1079	103	49	86	71	156	198	190	302	351	412
Small-pox	0·04	6	-	-	-	-	-	-	2	-	-	1	1	-	-	2	-	-
Measles	0·36	60	15	16	8	12	3	54	5	-	-	-	-	1	-	-	-	-
Scarlet Fever	0·43	72	5	6	13	6	14	44	20	5	2	1	-	-	-	-	-	-
Diphtheria	0·14	23	1	-	-	3	2	6	12	3	1	1	-	-	-	-	-	-
Whooping-cough	0·31	51	23	16	5	4	3	51	-	-	-	-	-	-	-	-	-	-
Typhus	0·07	11	1	-	-	-	1	2	1	1	3	-	2	-	-	1	1	-
Enteric Fever	0·25	41	1	-	-	4	2	7	5	-	6	5	10	4	1	-	-	3
Simple Cont. Fev.	0·08	13	1	-	1	-	1	3	1	1	2	1	3	-	-	-	2	-
Puerp. Fever	0·04	7	-	-	-	-	-	-	-	-	-	-	6	1	-	-	-	-
Diarr. and Dys.	0·59	83	40	12	3	2	2	59	1	-	-	-	1	1	1	2	3	15
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·40	67	-	-	-	-	-	-	-	-	-	-	-	10	13	20	15	9
Scrofula	0·20	33	9	9	3	1	1	23	2	1	2	-	2	1	1	1	-	-
Tabes Mesent.	0·22	37	10	11	7	2	-	30	4	-	3	-	-	-	-	-	-	-
Phthisis	1·98	331	12	12	1	2	-	27	6	9	36	36	72	67	42	27	8	1
Hydrocephalus	0·43	72	26	17	8	1	3	55	8	4	2	1	1	1	-	-	-	-
Diseases of: Nervous Syst.	2·36	394	107	21	12	3	8	151	5	7	6	3	5	22	26	57	65	47
Diseases of: Circulatory „	1·11	186	2	1	-	-	-	3	3	1	3	1	8	21	22	49	49	26
Diseases of: Respiratory „	3·31	553	152	60	25	14	10	261	10	2	5	5	9	18	30	64	85	64
Diseases of: Digestive „	0·87	145	12	2	1	1	1	17	5	5	7	1	6	14	22	28	28	12
Diseases of: Urinary „	0·39	66	1	1	-	-	1	3	1	1	1	-	3	7	7	19	17	7
Diseases of: Generative „	0·04	6	-	-	-	-	-	-	-	-	-	-	3	-	1	2	-	-
Childbirth	0·10	16	-	-	-	-	-	-	-	-	-	2	7	7	-	-	-	-
Suicide	0·03	5	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	-
Other Violence	0·54	90	9	7	2	1	3	22	8	6	6	6	6	8	10	8	5	5
Other Causes	3·73	623	198	33	13	10	7	261	4	3	1	7	10	15	13	22	70	223

Deaths of Infants (under one) to 1000 Births - 109 | Marriages - 1,321 | Births - 5,753 | Annual Rate per 1000 living: Persons Married - 15·80; Births - 34·41

263.—WAREHAM.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	16·41	—	—	—	—	—	35·02	3·50	2·05	4·20	8·15	8·04	9·08	11·00	21·35	49·16	143·19
Mean Pop. 1871-80	—	17,086	479	439	486	427	468	2290	2169	1947	1547	1289	2101	1774	1545	1204	838	382
ALL CAUSES	16·41	2804	514	136	77	44	31	802	76	40	65	105	169	161	170	257	412	547
Small-pox	0·02	4	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-
Measles	0·12	20	4	7	4	2	-	17	-	-	2	1	-	-	-	-	-	-
Scarlet Fever	0·22	37	1	6	8	6	4	25	7	4	-	-	-	1	-	-	-	-
Diphtheria	0·13	22	1	-	2	2	4	9	10	3	-	-	-	-	-	-	-	-
Whooping-cough	0·32	55	29	15	5	4	1	54	1	-	-	-	-	-	-	-	-	-
Typhus	0·01	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Enteric Fever	0·27	46	-	2	5	1	2	10	7	6	4	5	3	2	2	3	4	-
Simple Cont. Fev.	0·06	10	-	-	-	1	-	1	2	1	1	-	-	1	1	-	2	1
Puerp. Fever	0·03	5	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-
Diarr. and Dys.	0·34	58	19	1	2	-	-	22	1	1	-	-	1	2	2	5	8	16
Cholera	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Cancer	0·61	104	1	-	-	-	-	1	-	-	-	-	2	10	18	23	32	18
Scrofula	0·05	9	2	-	-	-	1	3	-	-	2	-	2	1	-	1	-	-
Tabes Mesent.	0·19	33	11	4	2	4	1	22	5	2	-	-	1	2	-	1	-	-
Phthisis	1·94	332	7	4	2	-	-	13	2	6	37	64	90	55	33	20	12	-
Hydrocephalus	0·23	40	10	11	7	-	-	28	7	2	-	1	2	-	-	-	-	-
Diseases of: Nervous Syst.	1·97	336	79	12	11	6	6	114	6	6	4	5	9	13	22	45	51	53
Diseases of: Circulatory „	1·47	251	2	-	-	-	-	2	-	2	3	5	6	14	21	46	81	71
Diseases of: Respiratory „	2·86	489	128	44	15	7	3	197	10	1	1	5	8	16	10	31	95	105
Diseases of: Digestive „	0·97	165	11	-	1	1	1	14	3	-	1	5	10	12	17	30	47	26
Diseases of: Urinary „	0·41	70	-	-	-	1	-	1	1	1	3	-	5	4	14	16	18	7
Diseases of: Generative „	0·01	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Childbirth	0·08	13	-	-	-	-	-	-	-	-	-	1	4	8	-	-	-	-
Suicide	0·05	8	-	-	-	-	-	-	-	-	-	-	3	1	1	2	1	-
Other Violence	0·48	82	3	3	5	2	3	16	4	3	4	5	9	9	6	10	9	7
Other Causes	3·56	610	206	27	8	7	5	253	10	2	3	4	12	8	10	23	48	237

Deaths of Infants (under one) to 1000 Births - 101 | Marriages - 1,052 | Births - 5,100 | Annual Rate per 1000 living: Persons Married 12·31; Births - 29·90

264.—WEYMOUTH.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	16·27	—	—	—	—	—	44·39	4·13	3·08	4·39	6·07	7·26	11·52	12·53	24·95	52·23	155·12
Mean Pop. 1871-80	—	31,585	775	730	749	718	698	3670	3412	3112	3277	3195	5025	3627	2689	1932	1187	459
ALL CAUSES	16·27	5138	995	325	138	97	74	1629	141	96	144	194	365	418	337	482	620	712
Small-pox	0·22	71	4	1	4	5	3	17	9	10	9	7	9	6	4	-	-	-
Measles	0·24	76	15	32	12	9	3	71	5	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·30	96	5	25	12	11	9	62	21	7	-	2	4	-	-	-	-	-
Diphtheria	0·11	34	-	1	2	4	6	13	13	4	-	1	1	1	-	-	1	-
Whooping-cough	0·19	59	30	11	10	3	3	57	2	-	-	-	-	-	-	-	-	-
Typhus	0·01	3	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-
Enteric Fever	0·17	53	1	1	2	3	2	9	5	5	5	4	8	4	4	5	3	1
Simple Cont. Fev.	0·03	9	-	1	1	-	-	2	1	-	2	-	1	-	2	1	-	-
Puerp. Fever	0·06	20	-	-	-	-	-	-	-	-	-	5	11	4	-	-	-	-
Diarr. and Dys.	0·50	158	87	9	2	1	2	101	3	-	-	-	5	2	5	4	18	20
Cholera	0·01	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Cancer	0·43	135	-	-	-	-	1	1	2	1	1	-	6	18	27	36	26	17
Scrofula	0·06	19	3	3	2	1	1	10	1	-	1	3	1	-	-	2	1	-
Tabes Mesent.	0·18	56	30	12	2	-	2	46	4	2	-	1	1	-	1	1	-	-
Phthisis	1·55	490	4	5	-	-	2	11	4	9	57	88	130	104	48	32	6	1
Hydrocephalus	0·19	60	20	9	5	3	1	38	7	8	-	2	2	3	-	-	-	-
Diseases of: Nervous Syst.	2·12	670	127	27	13	14	6	187	12	8	10	17	23	33	52	87	123	118
Diseases of: Circulatory „	1·27	401	2	-	-	-	-	2	2	6	11	12	25	51	47	75	107	58
Diseases of: Respiratory „	3·44	1,088	231	125	35	18	14	423	14	9	8	12	40	53	49	114	160	206
Diseases of: Digestive „	0·92	290	41	4	2	5	3	55	3	6	5	3	14	35	27	53	64	25
Diseases of: Urinary „	0·41	131	4	1	1	1	1	8	2	3	-	2	6	24	19	23	25	19
Diseases of: Generative „	0·06	19	-	-	-	-	-	-	-	-	-	1	3	4	6	3	1	1
Childbirth	0·04	14	-	-	-	-	-	-	-	-	-	3	5	6	-	-	-	-
Suicide	0·04	13	-	-	-	-	-	-	-	-	-	1	5	2	5	-	-	-
Other Violence	0·64	201	15	7	6	4	4	36	11	7	20	20	35	27	16	13	9	7
Other Causes	3·08	970	376	51	26	15	11	479	29	10	15	10	29	36	25	32	75	239

Deaths of Infants (under one) to 1000 Births - 116 | Marriages - 2,125 | Births - 8,000 | Annual Rate per 1000 living: Persons Married - 13·46; Births - 27·23

265.—DORCHESTER.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·39	—	—	—	—	—	40·89	3·17	2·58	3·73	7·07	9·36	13·00	15·22	27·85	57·23	159·18
Mean Pop. 1871-80	—	25,467	628	648	627	616	609	3128	2906	2794	2519	2137	3345	2770	2378	1824	1176	490
ALL CAUSES	18·39	4684	848	225	108	62	36	1279	92	72	94	151	313	360	362	508	673	780
Small-pox	0·02	6	-	-	-	-	-	-	-	-	-	3	1	1	-	1	-	-
Measles	0·18	48	11	16	9	5	1	42	4	2	-	-	-	-	-	-	-	-
Scarlet Fever	0·24	62	1	8	9	7	9	34	19	3	1	1	1	1	2	-	-	-
Diphtheria	0·07	18	-	1	2	3	4	10	6	2	-	-	-	-	-	-	-	-
Whooping-cough	0·31	78	37	28	6	3	3	77	1	-	-	-	-	-	-	-	-	-
Typhus	0·03	7	-	-	-	-	-	-	-	-	1	1	2	-	2	1	-	-
Enteric Fever	0·24	60	-	-	4	3	1	8	5	6	5	5	5	9	6	7	3	1
Simple Cont. Fev.	0·02	6	-	1	-	-	-	1	-	1	-	-	-	-	1	1	2	-
Puerp. Fever	0·04	11	-	-	-	-	-	-	-	-	-	3	5	3	-	-	-	-
Diarr. and Dys.	0·27	70	37	6	3	3	-	49	2	-	-	-	4	1	5	1	7	1
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·50	127	-	-	-	-	1	1	-	-	1	-	4	16	23	38	26	18
Scrofula	0·14	35	1	5	1	-	-	7	2	1	3	3	8	5	2	3	1	-
Tabes Mesent.	0·17	43	25	9	3	1	-	38	1	1	-	1	1	1	-	-	-	-
Phthisis	2·00	510	13	6	2	4	-	25	9	15	39	75	134	103	59	39	12	-
Hydrocephalus	0·13	32	9	7	4	-	1	21	5	2	2	-	1	1	-	-	-	-
Diseases of: Nervous Syst.	2·87	730	113	16	15	7	5	156	10	8	12	13	43	73	69	100	152	94
Diseases of: Circulatory „	1·91	487	2	1	1	-	1	5	3	5	6	6	21	35	71	107	134	94
Diseases of: Respiratory „	3·20	814	209	81	24	13	7	339	5	4	6	11	15	34	35	75	137	153
Diseases of: Digestive „	0·81	207	14	3	3	1	-	21	3	5	6	6	15	22	33	40	41	15
Diseases of: Urinary „	0·34	86	-	-	-	1	-	1	1	1	-	2	9	9	9	16	25	13
Diseases of: Generative „	0·05	13	-	-	-	-	-	-	-	-	1	1	1	3	1	3	3	-
Childbirth	0·07	18	-	-	-	-	-	-	-	-	1	2	8	7	-	-	-	-
Suicide	0·04	11	-	-	-	-	-	-	-	-	-	-	3	1	2	5	-	-
Other Violence	0·49	125	11	3	6	2	-	22	7	4	8	9	15	16	16	12	9	7
Other Causes	4·25	1080	365	29	16	9	3	422	9	12	2	9	17	19	16	59	121	384

Deaths of Infants (under one) to 1000 Births - 116 | Marriages - 1,781 | Births - 7,300 | Annual Rate per 1000 living: Persons Married - 13·99; Births - 28·66

266.—SHERBORNE.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	18·44	—	—	—	—	—	39·62	5·85	2·98	4·87	6·42	7·84	10·85	14·61	25·95	61·96	150·52
Mean Pop. 1871-80	—	13,338	362	304	347	336	342	1691	1573	1610	1354	1028	1632	1429	1184	925	623	289
ALL CAUSES	18·44	2459	430	112	55	40	33	670	92	48	66	66	128	155	173	240	386	435
Small-pox	0·01	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Measles	0·16	21	5	4	4	3	1	17	2	1	-	-	-	1	-	-	-	-
Scarlet Fever	0·64	86	2	10	12	12	16	52	27	5	1	-	1	-	-	-	-	-
Diphtheria	0·05	7	2	-	1	-	-	3	3	1	-	-	-	-	-	-	-	-
Whooping-cough	0·42	56	31	15	2	3	2	53	3	-	-	-	-	-	-	-	-	-
Typhus	0·07	9	-	-	1	-	1	2	1	1	1	1	2	-	-	-	-	1
Enteric Fever	0·28	38	-	-	3	-	2	5	8	10	3	2	6	2	-	1	1	-
Simple Cont. Fev.	0·09	12	-	-	-	1	-	1	2	-	4	-	1	1	-	2	-	1
Puerp. Fever	0·03	4	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-
Diarr. and Dys.	0·30	40	24	1	-	-	1	26	-	-	-	1	-	-	1	3	2	7
Cholera	0·01	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Cancer	0·60	80	-	-	1	-	-	1	-	-	-	-	5	7	17	19	19	12
Scrofula	0·08	11	-	-	-	-	-	-	1	1	3	2	1	2	-	-	1	-
Tabes Mesent.	0·19	25	13	7	1	1	1	23	-	-	1	1	-	1	-	-	-	-
Phthisis	1·64	219	3	4	2	-	1	10	9	2	26	32	60	31	27	13	9	-
Hydrocephalus	0·14	19	3	6	1	1	1	12	2	2	-	2	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·21	295	82	8	4	3	-	97	9	2	4	4	2	14	24	34	65	40
Diseases of: Circulatory „	1·64	219	-	-	-	-	-	-	2	2	4	1	12	17	30	44	69	38
Diseases of: Respiratory „	2·60	347	72	29	7	7	1	116	6	3	3	4	6	13	15	41	78	62
Diseases of: Digestive „	1·03	138	12	2	1	2	-	17	2	6	7	4	11	16	15	20	28	12
Diseases of: Urinary „	0·70	94	-	-	-	-	2	2	2	2	2	3	3	9	15	21	24	11
Diseases of: Generative „	0·06	8	-	-	-	-	-	-	-	-	-	-	2	1	2	3	-	-
Childbirth	0·10	14	-	-	-	-	-	-	-	-	-	2	6	6	-	-	-	-
Suicide	0·04	5	-	-	-	-	-	-	-	-	-	-	-	1	-	4	-	-
Other Violence	0·53	71	1	-	5	2	1	9	5	4	4	2	3	16	8	7	9	4
OTHER CAUSES	4·82	637	180	26	10	5	3	224	8	6	3	5	5	13	17	28	81	247

Deaths of Infants (under one) to 1000 Births - 112 | Marriages - 882 | Births - 3,838 | Annual Rate per 1000 living: Persons Married - 13·23; Births - 28·77

267.—BEAMINSTER.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	19·68	—	—	—	—	—	46·65	5·62	3·31	3·35	6·54	7·29	9·45	12·82	27·90	53·61	160·26
Mean Pop. 1871-80	—	12,289	340	302	297	314	301	1554	1565	1359	1163	917	1467	1259	1131	921	651	302
ALL CAUSES	19·68	2418	430	140	64	48	34	725	88	45	39	60	107	119	145	257	349	484
Small-pox	0·11	14	1	-	1	1	-	3	-	2	1	3	2	1	-	2	-	-
Measles	0·24	30	4	7	8	-	3	22	7	-	-	-	1	-	-	-	-	-
Scarlet Fever	0·33	41	2	5	4	3	9	23	16	2	-	-	-	-	-	-	-	-
Diphtheria	0·17	21	1	-	1	4	3	9	8	1	1	1	-	-	1	-	-	-
Whooping-cough	0·34	42	16	9	5	5	3	38	3	1	-	-	-	-	-	-	-	-
Typhus	0·05	6	-	-	-	1	-	1	-	2	-	1	-	-	2	-	-	-
Enteric Fever	0·13	16	-	-	-	-	2	2	3	3	1	1	1	-	1	4	-	-
Simple Cont. Fev.	0·07	8	-	-	-	-	-	-	-	1	1	-	-	2	-	1	3	-
Puerp. Fever	0·04	5	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-
Diarr. and Dys.	0·30	37	14	7	1	2	-	24	-	1	-	-	-	2	-	1	2	7
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·38	47	-	-	-	-	-	-	-	1	-	-	-	-	4	22	11	9
Scrofula	0·14	17	3	2	3	-	-	8	1	3	-	2	-	1	-	1	1	-
Tabes Mesent.	0·27	33	12	6	1	3	3	25	5	-	1	-	-	2	-	-	-	-
Phthisis	1·82	224	2	1	2	1	1	7	5	6	22	37	54	40	28	16	8	1
Hydrocephalus	0·16	20	4	5	1	2	1	13	5	1	1	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·13	261	49	14	7	2	2	74	4	2	-	2	5	12	17	39	58	43
Diseases of: Circulatory „	1·87	230	1	-	1	-	-	2	3	5	-	-	5	16	32	57	67	43
Diseases of: Respiratory „	3·50	430	90	38	18	10	2	158	6	4	3	5	3	16	24	39	79	93
Diseases of: Digestive „	1·21	149	5	-	1	2	1	9	4	1	2	1	8	6	17	33	45	23
Diseases of: Urinary „	0·38	47	-	-	-	-	-	-	1	-	1	-	4	3	4	4	15	15
Diseases of: Generative „	0·03	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-
Childbirth	0·10	12	-	-	-	-	-	-	-	-	-	-	7	5	-	-	-	-
Suicide	0·05	6	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-
Other Violence	0·47	58	2	3	3	1	3	12	6	6	1	1	6	3	8	6	4	5
OTHER CAUSES	5·39	660	233	43	7	11	1	295	11	3	4	6	7	8	6	29	51	240

Deaths of Infants (under one) to 1000 Births - 118 | Marriages - 823 | Births - 3,723 | Annual Rate per 1000 living: Persons Married - 13·39; Births - 30·30

268.—BRIDPORT.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	19·67	—	—	—	—	—	47·73	5·14	3·00	4·12	6·44	8·04	10·54	13·54	26·01	57·01	156·75
Mean Pop. 1871-80	—	15,772	442	411	412	423	403	2091	1964	1834	1528	1212	1902	1585	1396	1134	763	363
ALL CAUSES	19·67	3103	612	180	98	59	49	998	101	55	63	78	153	167	189	295	435	569
Small-pox	0·37	58	4	1	4	2	4	15	15	9	3	7	6	2	-	1	-	-
Measles	0·31	49	6	18	10	7	3	44	5	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·51	80	1	14	11	10	14	50	20	5	1	3	-	1	-	-	-	-
Diphtheria	0·10	15	-	3	2	4	1	10	4	-	-	-	-	-	-	1	-	-
Whooping-cough	0·29	45	21	8	9	3	3	44	1	-	-	-	-	-	-	-	-	-
Typhus	0·01	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Enteric Fever	0·10	16	1	-	1	-	-	2	2	2	4	2	2	-	1	-	1	-
Simple Cont. Fev.	0·03	4	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-
Puerp. Fever	0·06	9	-	-	-	-	-	-	-	-	-	2	4	3	-	-	-	-
Diarr. and Dys.	0·22	34	19	2	-	-	-	21	-	-	-	-	1	-	-	2	3	7
Cholera	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Cancer	0·54	85	-	-	-	-	-	-	-	-	-	-	2	6	15	22	19	11
Scrofula	0·22	35	11	8	2	2	-	23	2	1	-	2	3	-	1	1	1	1
Tabes Mesent.	0·26	41	10	10	4	1	2	27	6	2	4	-	1	-	1	-	-	-
Phthisis	1·61	254	3	2	2	1	-	8	5	6	34	32	67	47	27	22	5	1
Hydrocephalus	0·19	30	5	4	6	1	2	18	5	4	-	-	2	1	-	-	-	-
Diseases of: Nervous Syst.	2·85	450	118	21	6	4	4	153	4	10	3	7	12	19	25	46	64	107
Diseases of: Circulatory ,,	2·07	326	-	-	-	-	-	-	2	5	3	3	11	23	26	69	113	71
Diseases of: Respiratory ,,	3·59	567	120	48	20	10	7	215	6	1	2	5	14	20	34	47	108	115
Diseases of: Digestive ,,	0·91	144	9	1	2	1	-	13	-	1	-	1	2	13	21	31	40	22
Diseases of: Urinary ,,	0·52	82	1	-	-	-	1	2	2	1	1	5	5	5	7	16	21	17
Diseases of: Generative ,,	0·06	10	-	-	-	-	-	-	-	-	-	-	-	1	3	4	-	2
Childbirth	0·10	15	-	-	-	-	-	-	-	-	1	1	6	6	1	-	-	-
Suicide	0·10	15	-	-	-	-	-	-	-	-	-	1	2	-	2	6	1	3
Other Violence	0·42	66	1	2	3	2	3	11	8	2	6	4	5	9	8	6	4	3
OTHER CAUSES	4·22	670	272	38	16	11	5	342	13	3	1	3	8	11	16	20	44	209

Deaths of Infants (under one) to 1000 Births - 120 | Marriages - 1,151 | Births - 5,079 | Annual Rate per 1000 living: Persons Married - 14·60; Births - 32·20

DEVONSHIRE.]

269.—AXMINSTER.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	18·63	—	—	—	—	—	42·09	4·87	3·21	4·56	6·01	6·55	10·51	13·18	22·48	51·63	156·57
Mean Pop. 1871-80	—	19,414	478	445	491	505	469	2388	2404	2277	1862	1415	2167	1974	1889	1517	1019	502
ALL CAUSES	18·63	3617	625	201	79	57	43	1005	117	73	85	85	142	208	249	341	526	786
Small-pox	0·01	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Measles	0·09	18	9	3	6	-	-	18	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·29	57	4	9	4	7	10	34	17	4	2	-	-	-	-	-	-	-
Diphtheria	0·06	12	1	2	-	-	2	5	5	1	-	-	1	-	-	-	-	-
Whooping-cough	0·38	73	55	17	9	5	5	71	2	-	-	-	-	-	-	-	-	-
Typhus	0·05	10	-	-	-	-	-	-	-	1	2	-	3	2	-	1	1	-
Enteric Fever	0·29	56	-	-	2	-	2	4	8	6	7	4	5	12	4	3	2	1
Simple Cont. Fev.	0·09	18	-	-	-	1	1	2	8	3	1	1	-	2	-	-	1	-
Puerp. Fever	0·05	9	-	-	-	-	-	-	-	-	-	2	2	4	1	-	-	-
Diarr. and Dys.	0·38	73	27	6	4	1	-	38	3	-	-	-	2	2	1	1	13	13
Cholera	0·02	4	-	2	-	-	-	2	-	-	-	-	1	-	-	-	1	-
Cancer	0·47	92	-	-	-	-	-	-	-	-	-	-	-	3	9	29	34	17
Scrofula	0·14	27	3	3	-	-	-	6	1	5	4	-	2	4	-	3	2	-
Tabes Mesent.	0·22	43	16	10	3	4	1	34	5	1	2	1	-	-	-	-	-	-
Phthisis	1·78	345	8	6	3	1	-	18	6	14	38	53	69	59	47	30	9	2
Hydrocephalus	0·23	45	9	10	4	7	1	31	11	-	2	-	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·24	435	103	20	6	4	3	139	9	6	7	6	9	12	26	45	93	80
Diseases of: Circulatory ,,	1·80	349	3	-	-	1	-	4	6	5	4	1	8	23	48	68	117	65
Diseases of: Respiratory ,,	2·81	545	118	54	22	6	3	203	8	4	2	4	11	23	35	55	87	108
Diseases of: Digestive ,,	1·14	222	24	7	1	-	2	34	6	1	3	3	5	20	35	46	46	23
Diseases of: Urinary ,,	0·36	69	-	-	-	-	-	-	-	2	1	-	4	6	10	14	19	13
Diseases of: Generative ,,	0·07	13	-	1	-	-	-	1	-	-	-	-	1	4	3	-	2	2
Childbirth	0·06	11	-	-	-	-	-	-	-	-	-	2	4	5	-	-	-	-
Suicide	0·09	18	-	-	-	-	-	-	-	-	-	-	-	4	2	6	2	4
Other Violence	0·51	99	7	3	4	5	3	22	9	9	3	4	6	3	12	12	7	12
OTHER CAUSES	5·00	972	255	48	11	15	10	339	13	10	6	4	8	15	16	28	87	446

Deaths of Infants (under one) to 1000 Births - 113 | Marriages - 1,178 | Births - 5,547 | Annual Rate per 1000 living: Persons Married - 12·14; Births - 28·57

270.—HONITON.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·78	—	—	—	—	—	41·18	4·43	3·22	4·67	7·31	8·07	9·66	12·40	22·75	53·22	153·37
Mean Pop. 1871–80	—	21,685	549	525	526	530	539	2669	2575	2512	2055	1670	2540	2185	2056	1679	1165	579
ALL CAUSES	18·78	4073	749	178	73	55	44	1099	114	81	96	122	205	211	255	382	620	888
Small-pox	0·02	4	-	1	-	-	-	1	-	1	-	1	-	1	-	-	-	-
Measles	0·13	28	2	12	7	1	1	23	4	-	-	-	1	-	-	-	-	-
Scarlet Fever	0·31	67	3	5	13	2	7	30	16	8	3	-	-	-	-	-	-	-
Diphtheria	0·13	28	2	2	1	4	2	11	14	3	-	-	-	-	-	-	-	-
Whooping-cough	0·35	76	35	24	7	6	-	72	4	-	-	-	-	-	-	-	-	-
Typhus	0·03	6	-	-	-	-	-	-	2	1	2	1	-	-	-	-	-	-
Enteric Fever	0·26	57	-	-	2	2	2	6	4	10	10	5	7	2	9	4	-	-
Simple Cont. Fev.	0·11	24	-	1	-	2	-	3	5	6	3	1	3	1	1	1	-	-
Puerp. Fever	0·04	9	-	-	-	-	-	-	-	-	-	-	6	3	-	-	-	-
Diarr. and Dys.	0·42	92	51	5	-	1	-	57	-	-	-	1	2	-	1	4	16	11
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·59	129	-	-	-	1	-	1	-	-	-	-	1	10	33	38	30	16
Scrofula	0·09	20	3	-	-	1	2	6	-	2	4	4	2	1	-	-	1	-
Tabes Mesent.	0·15	32	14	3	1	-	1	19	8	3	-	-	1	1	-	-	-	-
Phthisis	1·73	375	2	2	1	-	1	6	2	15	38	61	92	67	48	37	9	-
Hydrocephalus	0·14	31	11	4	2	2	1	20	5	3	2	-	-	-	-	-	1	-
Diseases of: Nervous Syst.	2·47	536	174	25	12	5	3	219	9	7	6	7	17	17	28	52	92	82
Diseases of: Circulatory „	1·24	269	5	2	1	1	-	9	2	2	4	5	12	13	39	47	81	52
Diseases of: Respiratory „	2·90	629	95	42	9	8	7	161	7	7	7	14	13	28	37	72	154	129
Diseases of: Digestive „	1·05	229	23	2	3	3	4	35	6	1	5	6	10	27	21	51	40	27
Diseases of: Urinary „	0·31	68	1	-	-	1	2	4	-	-	1	2	7	5	6	15	15	13
Diseases of: Generative „	0·05	10	-	-	-	-	-	-	-	-	-	-	3	2	3	1	1	-
Childbirth	0·09	19	-	-	-	-	-	-	-	-	-	4	12	3	-	-	-	-
Suicide	0·07	15	-	-	-	-	-	-	-	-	-	1	-	-	5	4	4	1
Other Violence	0·49	106	18	3	2	6	3	32	8	3	6	4	4	11	6	11	12	9
Other Causes	5·60	1214	310	45	12	9	8	384	8	9	5	5	12	19	18	45	161	548

Deaths of Infants (under one) to 1000 Births - 107 | Marriages - 1,361 | Births - 6,970 | Annual Rate per 1000 living: Persons Married - 12·55; Births - 32·14

271.—ST. THOMAS.*

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	20·06	—	—	—	—	—	42·08	4·84	3·68	6·27	8·04	9·64	12·00	15·63	26·40	58·55	154·44
Mean Pop. 1871–80	—	49,188	1276	1196	1193	1221	1191	6077	5748	5301	4547	3916	6317	5260	4581	3815	2516	1170
ALL CAUSES	20·06	9866	1625	490	188	153	101	2557	278	195	285	315	609	624	716	1007	1473	1807
Small-pox	0·11	56	5	1	-	1	-	7	7	4	7	12	9	5	5	-	-	-
Measles	0·39	192	30	72	35	18	16	171	18	2	1	-	-	-	-	-	-	-
Scarlet Fever	0·33	163	9	25	26	26	16	102	44	10	2	2	3	-	-	-	-	-
Diphtheria	0·05	24	-	5	1	1	-	7	9	3	1	-	2	1	-	-	-	1
Whooping-cough	0·29	145	69	32	24	13	6	144	1	-	-	-	-	-	-	-	-	-
Typhus	0·07	36	-	-	-	1	-	1	4	5	6	4	6	4	2	2	1	1
Enteric Fever	0·39	193	2	4	2	9	4	21	21	21	24	25	28	17	13	11	9	3
Simple Cont. Fev.	0·11	55	1	1	4	5	4	15	9	6	7	4	1	2	2	3	5	1
Puerp. Fever	0·04	22	-	-	-	-	-	-	-	-	1	5	10	6	-	-	-	-
Diarr. and Dys.	0·64	314	170	26	4	1	1	202	1	1	-	1	7	9	7	19	30	37
Cholera	0·02	10	2	-	-	-	-	2	-	-	-	-	-	1	2	3	2	-
Cancer	0·63	309	-	-	1	-	-	1	-	1	-	2	6	19	63	86	97	34
Scrofula	0·14	68	14	5	5	2	2	28	2	5	5	2	11	4	4	3	4	-
Tabes Mesent.	0·19	91	41	20	1	3	2	67	9	5	6	1	-	1	1	1	-	-
Phthisis	2·38	1674	30	16	5	7	-	58	21	40	122	151	260	168	113	82	50	9
Hydrocephalus	0·21	104	28	23	14	5	13	83	12	3	2	-	2	1	1	-	-	-
Diseases of: Nervous Syst.	3·11	1530	248	62	11	14	6	341	29	24	27	21	88	133	141	187	283	256
Diseases of: Circulatory „	1·51	744	3	1	-	-	-	4	7	10	15	11	26	52	75	163	246	135
Diseases of: Respiratory „	3·19	1571	301	111	27	17	7	463	25	10	18	18	38	49	118	195	298	339
Diseases of: Digestive „	0·96	471	51	7	1	5	4	68	9	6	4	9	16	40	53	93	103	67
Diseases of: Urinary „	0·36	179	2	-	-	2	1	5	6	3	3	6	25	17	16	30	54	31
Diseases of: Generative „	0·07	33	-	-	-	-	-	-	-	1	-	2	-	4	7	8	8	3
Childbirth	0·09	46	-	-	-	-	-	-	-	-	2	4	17	21	2	-	-	-
Suicide	0·11	52	-	-	-	-	-	-	-	1	1	2	10	4	11	12	7	4
Other Violence	0·52	254	20	10	4	6	8	58	17	19	15	10	23	21	24	24	26	17
Other Causes	4·35	2130	529	69	23	17	11	709	27	15	16	23	21	45	56	85	207	896

Deaths of Infants (under one) to 1000 Births - 114 | Marriages - 2,943 | Births - 14,268 | Annual Rate per 1000 living: Persons Married - 11·97; Births - 29·01

* Changes were made in the boundary of this District during the decade; *see* pp. 371-78.

272.—EXETER.*

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	24·99	—	—	—	—	—	30·08	5·97	4·71	6·23	7·48	10·26	14·99	19·93	33·33	65·57	165·11
Mean Pop. 1871-80	—	35,747	913	797	775	770	735	3990	3683	3570	3806	3422	5143	4042	3267	2472	1647	705
ALL CAUSES	24·99	8934	1854	722	316	181	122	3195	220	168	237	256	533	606	651	824	1080	1164
Small-pox	0·06	21	4	–	1	–	–	5	7	2	–	1	3	3	–	–	–	–
Measles	0·82	294	62	105	67	27	21	282	8	1	1	–	1	1	–	–	–	–
Scarlet Fever	0·50	179	17	30	25	32	23	127	35	13	2	–	1	–	1	–	–	–
Diphtheria	0·07	25	3	3	5	2	1	14	9	–	–	–	–	1	–	1	–	–
Whooping-cough	0·59	212	78	71	31	13	9	205	7	–	–	–	–	–	–	–	–	–
Typhus	0·06	23	–	–	–	–	–	–	3	4	1	3	6	–	4	2	–	–
Enteric Fever	0·35	127	2	2	1	7	4	16	18	21	20	18	14	8	5	3	2	2
Simple Cont. Fev.	0·17	62	2	6	7	6	3	24	12	4	3	2	4	5	3	2	3	–
Puerp. Fever	0·05	18	–	–	–	–	–	–	–	–	–	5	10	3	–	–	–	–
Diarr. and Dys.	1·04	372	259	43	5	1	–	308	1	–	–	–	5	2	4	12	18	22
Cholera	0·02	6	1	–	–	–	–	1	–	–	–	–	–	1	–	–	2	2
Cancer	0·77	276	–	–	–	–	–	–	–	–	5	3	14	28	58	62	82	24
Scrofula	0·16	57	20	6	1	–	3	30	3	6	9	1	1	3	–	1	2	1
Tabes Mesent.	0·36	129	66	20	9	2	5	102	6	7	4	–	4	4	1	1	–	–
Phthisis	2·66	953	18	16	5	5	2	46	12	40	82	117	237	188	122	77	30	2
Hydrocephalus	0·32	114	31	29	6	13	3	82	22	3	1	2	1	2	1	–	–	–
Diseases of: Nervous Syst.	3·33	1192	264	106	48	17	8	443	14	15	14	15	37	50	79	141	205	179
Diseases of: Circulatory „	1·83	655	15	3	–	–	–	18	6	6	16	18	37	70	85	127	187	105
Diseases of: Respiratory „	4·34	1552	305	182	64	24	13	588	16	3	12	11	43	68	102	194	275	240
Diseases of: Digestive „	1·06	379	41	3	3	3	3	53	8	8	13	9	22	48	61	67	61	29
Diseases of: Urinary „	0·51	183	1	1	1	–	–	3	–	4	10	8	18	28	31	25	31	25
Diseases of: Generative „	0·11	38	–	–	–	–	–	–	–	–	1	1	4	9	7	9	6	1
Childbirth	0·09	31	–	–	–	–	–	–	–	–	2	6	12	11	–	–	–	–
Suicide	0·10	35	–	–	–	–	–	–	–	2	4	1	4	5	8	6	4	1
Other Violence	0·70	252	15	13	9	10	11	61	12	8	17	14	25	24	22	25	26	18
OTHER CAUSES	4·92	1749	650	83	25	19	10	787	21	21	20	21	30	44	57	69	166	513

Deaths of Infants (under one) to 1000 Births - 170 | Marriages - 3,935 | Births - 10,875 | Annual Rate per 1000 living: Persons Married - 22·02; Births - 30·42

* Changes were made in the boundary of this district during the decade; *see* pp. 371–78.

273.—NEWTON ABBOTT.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	17·68	—	—	—	—	—	45·83	4·61	2·75	4·86	6·52	8·09	10·04	13·04	23·41	50·03	147·87
Mean Pop. 1871-80	—	71,599	1835	1584	1747	1674	1663	8503	7967	7343	6825	6383	9882	7976	6871	5190	3224	1435
ALL CAUSES	17·68	12,660	2448	770	362	191	126	3897	367	202	332	416	799	801	896	1215	1613	2122
Small-pox	0·02	12	3	–	–	1	–	4	1	–	2	1	1	3	–	–	–	–
Measles	0·27	192	35	72	47	14	8	176	13	1	–	1	1	–	–	–	–	–
Scarlet Fever	0·33	237	12	35	43	36	21	147	67	10	4	2	3	2	1	1	–	–
Diphtheria	0·07	50	5	5	7	4	7	28	12	6	–	–	2	1	1	–	–	–
Whooping-cough	0·41	290	131	81	34	24	5	275	14	1	–	–	–	–	–	–	–	–
Typhus	0·02	14	–	–	–	–	–	–	1	3	–	4	1	3	–	1	1	–
Enteric Fever	0·27	195	3	3	8	6	9	29	27	16	26	25	30	12	8	15	5	2
Simple Cont. Fev.	0·09	61	2	2	5	–	5	14	4	6	6	1	4	6	6	1	9	4
Puerp. Fever	0·05	33	–	–	–	–	–	–	–	–	2	5	18	6	2	–	–	–
Diarr. and Dys.	0·49	352	230	31	7	2	–	270	1	–	–	1	2	6	4	11	22	35
Cholera	0·02	11	6	–	1	–	1	8	–	–	–	–	–	2	1	–	–	–
Cancer	0·54	384	–	1	–	–	–	1	–	1	1	–	12	37	93	102	93	39
Scrofula	0·09	67	13	13	4	4	1	35	4	6	5	3	5	2	1	4	2	–
Tabes Mesent.	0·23	166	89	32	12	4	2	139	11	2	8	3	–	1	1	–	1	–
Phthisis	2·11	1510	18	28	5	5	3	59	30	37	157	245	397	280	168	107	25	5
Hydrocephalus	0·23	168	53	37	13	8	9	120	31	9	4	2	1	1	–	–	–	–
Diseases of: Nervous Syst.	2·32	1663	365	89	48	20	6	529	38	26	16	20	56	76	98	202	304	298
Diseases of: Circulatory „	1·33	967	2	2	2	1	1	8	8	14	17	13	47	81	110	209	277	200
Diseases of: Respiratory „	3·11	2226	522	219	76	26	19	862	33	7	17	21	50	91	142	219	365	419
Diseases of: Digestive „	0·89	638	66	8	4	3	5	86	11	8	15	12	37	49	98	123	136	64
Diseases of: Urinary „	0·43	306	2	3	1	1	–	7	7	2	5	15	29	39	45	60	46	50
Diseases of: Generative „	0·06	43	–	–	–	–	–	–	–	–	1	1	6	5	8	15	8	1
Childbirth	0·07	48	–	–	–	–	–	–	–	1	2	4	19	18	4	–	–	–
Suicide	0·04	31	–	–	–	–	–	–	–	–	–	–	4	3	7	12	4	1
Other Violence	0·46	331	22	15	15	10	7	69	25	22	21	22	30	25	27	31	34	25
OTHER CAUSES	3·73	2665	868	91	30	22	17	1031	29	24	23	14	44	49	66	105	301	979

Deaths of Infants (under one) to 1000 Births - 122 | Marriages - 4,954 | Births - 20,001 | Annual Rate per 1000 living: Persons Married - 13·84; Births - 27·93

274.—TOTNES.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·09	—	—	—	—	—	42·63	4·44	2·57	4·63	6·66	7·68	9·15	11·77	23·25	52·28	152·55
Mean Pop. 1871–80	—	36,066	976	919	965	950	933	4743	4387	3973	3324	2838	4583	3769	3271	2598	1758	822
ALL CAUSES	18·09	6524	1270	379	183	106	87	2025	195	102	154	189	352	345	385	604	919	1254
Small-pox	0·04	15	–	1	–	–	–	1	–	1	3	2	4	2	2	–	–	–
Measles	0·29	106	21	33	25	7	9	95	10	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·42	151	11	22	24	24	21	102	37	7	2	–	2	1	–	–	–	–
Diphtheria	0·07	24	1	1	5	4	3	14	5	2	–	1	–	1	–	–	1	–
Whooping-cough	0·42	150	65	45	23	10	4	147	2	–	–	1	–	–	–	–	–	–
Typhus	0·08	28	1	–	–	–	–	1	–	8	3	4	1	5	1	1	2	2
Enteric Fever	0·41	147	2	3	5	4	1	15	20	14	28	9	14	7	15	12	10	3
Simp. Cont. Fev.	0·10	36	3	2	2	4	5	16	9	3	–	1	2	1	–	1	1	2
Puerp. Fever	0·08	29	–	–	–	–	–	–	–	–	–	6	17	6	–	–	–	–
Diarr. and Dys.	0·38	136	70	18	5	2	2	97	1	–	–	1	–	1	1	4	13	13
Cholera	0·01	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Cancer	0·51	185	1	–	–	1	–	2	–	–	–	1	5	13	37	55	44	28
Scrofula	0·06	20	1	2	–	1	1	5	4	–	1	2	2	2	–	3	1	–
Tabes Mesent.	0·10	36	11	9	2	2	1	25	6	1	4	–	–	–	–	–	–	–
Phthisis	1·47	531	12	7	6	2	3	30	10	15	61	82	144	85	53	33	13	5
Hydrocephalus	0·11	38	19	7	2	2	2	32	4	2	–	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·40	865	198	38	16	10	9	271	13	6	6	9	21	42	51	107	182	157
Diseases of: Circulatory	1·45	522	7	1	4	–	3	12	5	7	3	9	25	37	48	119	165	92
Diseases of: Respiratory	2·93	1057	245	99	34	15	12	405	13	6	11	13	28	45	73	101	176	186
Diseases of: Digestive	0·96	347	43	3	6	1	–	53	13	6	4	11	25	19	41	60	76	39
Diseases of: Urinary	0·33	119	–	1	–	–	1	2	–	3	3	2	11	15	14	21	26	22
Diseases of: Generative	0·06	21	–	–	–	–	–	–	–	–	1	–	3	1	3	6	5	2
Childbirth	0·09	33	–	–	–	–	–	–	–	–	1	6	7	17	2	–	–	–
Suicide	0·09	32	–	–	–	–	–	–	–	–	–	2	1	4	5	11	6	3
Other Violence	0·49	178	14	8	8	3	1	34	20	9	12	13	16	19	14	14	19	8
Other Causes	4·74	1716	545	79	19	14	9	666	23	11	11	14	23	22	25	56	178	687

Deaths of Infants (under one) to 1000 Births - 113

Marriages - 22,45
Births - 11,246

Annual Rate per 1000 living: Persons Married - 12·45; Births - 31·18

275.—KINGSBRIDGE.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·20	—	—	—	—	—	40·48	3·75	3·26	4·86	7·06	6·98	8·46	12·00	20·90	54·40	147·18
Mean Pop. 1871–80	—	19,275	510	460	491	473	472	2406	2427	2056	1768	1445	2363	1963	1750	1536	1046	515
ALL CAUSES	18·20	3509	638	202	67	42	25	974	91	67	86	102	165	166	210	321	569	758
Small-pox	0·01	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
Measles	0·31	59	4	14	7	3	10	38	18	2	–	–	–	–	1	–	–	–
Scarlet Fever	0·12	24	1	2	6	1	1	11	10	2	1	–	–	–	–	–	–	–
Diphtheria	0·02	3	–	–	–	1	1	2	–	–	–	1	–	–	–	–	–	–
Whooping-cough	0·52	100	44	35	10	7	1	97	3	–	–	–	–	–	–	–	–	–
Typhus	0·01	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·28	54	1	–	–	–	–	1	9	6	9	5	6	3	4	8	3	–
Simp. Cont. Fever	0·04	8	–	1	–	–	–	1	1	–	–	1	1	2	2	–	–	–
Puerp. Fever	0·06	12	–	–	–	–	–	–	–	–	1	2	5	4	–	–	–	–
Diarr. and Dys.	0·23	44	27	2	–	–	–	29	1	–	–	1	1	1	2	–	3	6
Cholera	0·01	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cancer	0·56	107	–	–	–	–	–	–	–	–	–	1	3	4	17	32	28	22
Scrofula	0·08	15	2	4	–	–	–	6	–	2	2	1	1	2	–	1	–	–
Tabes Mesent.	0·17	33	19	3	2	1	–	25	3	3	–	–	1	–	–	1	–	–
Phthisis	1·83	352	14	6	–	–	1	21	8	16	44	53	75	45	37	32	17	4
Hydrocephalus	0·07	14	6	2	2	1	1	12	1	1	–	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·82	544	132	26	8	5	3	174	14	10	2	6	10	17	36	51	101	120
Diseases of: Circulatory	1·36	262	1	1	–	–	1	3	2	3	4	7	15	15	22	40	96	55
Diseases of: Respiratory	3·34	651	125	62	14	11	2	214	10	7	6	6	14	23	31	56	130	154
Diseases of: Digestive	0·85	165	13	1	2	–	–	16	1	–	3	2	6	11	19	31	44	30
Diseases of: Urinary	0·38	74	1	–	1	–	–	2	–	2	–	2	6	3	10	7	18	24
Diseases of: Generative	0·08	16	–	–	–	–	–	–	–	–	1	–	1	4	1	7	2	–
Childbirth	0·12	23	–	–	–	–	–	–	–	–	2	3	6	10	2	–	–	–
Suicide	0·05	9	–	–	–	–	–	–	–	–	–	–	–	1	–	3	2	3
Other Violence	0·45	87	6	2	3	3	–	14	4	4	5	6	9	13	10	12	5	5
Other Causes	4·39	8·1	212	41	12	9	4	308	6	8	5	5	4	7	16	40	117	335

Deaths of Infants (under one) to 1000 Births - 109

Marriages - 1,077
Births - 5,873

Annual Rate per 1000 living: Persons Married - 11·18; Births - 30·47

276.—PLYMPTON ST. MARY.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	16·80	—	—	—	—	—	41·60	3·34	3·18	4·02	5·27	7·22	8·08	13·13	21·19	49·41	143·65
Mean Pop. 1871-80	—	23,185	622	585	603	564	590	2964	2816	2577	2286	1916	2855	2462	2033	1675	1097	504
ALL CAUSES	16·80	3895	761	246	111	63	52	1233	94	82	92	101	206	199	267	355	542	724
Small-pox	0·10	23	2	1	–	–	–	3	5	2	3	3	3	3	1	–	–	–
Measles	0·23	54	7	24	9	3	5	48	3	3	–	–	–	–	–	–	–	–
Scarlet Fever	0·22	52	3	9	11	7	7	37	10	5	–	–	–	–	–	–	–	–
Diphtheria	0·05	12	2	2	–	5	2	11	–	–	1	–	–	–	–	–	–	–
Whooping-cough	0·41	94	40	28	12	7	4	91	2	1	–	–	–	–	–	–	–	–
Typhus	0·03	6	–	–	–	–	1	1	1	1	–	1	1	–	–	–	1	–
Enteric Fever	0·27	63	1	–	2	–	1	4	7	5	8	7	10	8	5	4	3	2
Simple Cont. Fev.	0·04	10	–	1	–	–	1	2	2	2	–	–	–	1	–	2	–	1
Puerp. Fev.	0·03	6	–	–	–	–	–	–	–	–	–	2	1	3	–	–	–	–
Diarr. and Dys.	0·52	120	65	14	4	2	1	86	–	1	–	–	2	–	2	8	3	18
Cholera	0·01	2	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Cancer	0·53	124	–	–	–	–	1	1	–	–	2	–	3	4	24	33	33	24
Scrofula	0·14	32	11	6	1	3	1	22	–	–	2	–	1	2	–	3	1	1
Tabes Mesent.	0·19	44	17	10	2	4	1	34	4	3	1	–	1	1	–	–	–	–
Phthisis	1·69	391	17	7	7	3	–	34	7	13	38	46	83	58	51	34	24	3
Hydrocephalus	0·19	44	13	11	7	–	2	33	7	2	1	–	1	–	–	–	–	–
Diseases of: Nervous Syst.	2·29	530	97	17	8	3	2	127	13	8	6	12	10	21	34	54	115	130
Diseases of: Circulatory „	1·22	282	1	–	–	1	–	2	1	2	5	6	11	18	39	61	77	60
Diseases of: Respiratory „	3·11	722	132	64	27	13	8	244	8	10	7	7	17	19	48	73	134	155
Diseases of: Digestive „	0·78	182	18	2	–	1	1	22	5	1	5	–	12	11	18	34	48	26
Diseases of: Urinary „	0·34	78	–	–	1	–	1	2	1	2	–	1	2	10	10	14	18	18
Diseases of: Generative „	0·02	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–
Childbirth	0·08	19	–	–	–	–	–	–	–	–	1	4	7	5	2	–	–	–
Suicide	0·09	22	–	–	–	–	–	–	–	–	–	–	7	–	5	5	3	2
Other Violence	0·47	110	7	2	5	3	1	18	9	6	4	7	17	7	9	9	14	10
Other Causes	3·75	869	327	48	15	8	12	410	9	15	8	4	17	27	18	21	66	274

Deaths of Infants (under one) to 1000 Births - 113

Marriages - 912
Births - 6,712

Annual Rate per 1000 living { Persons Married - 7·87
Births - 28·95

277.—PLYMOUTH.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	22·63	—	—	—	—	—	75·08	6·96	4·40	5·56	7·24	8·90	12·61	17·69	29·69	58·49	161·04
Mean Pop. 1871-80	—	71,348	1911	1668	1691	1668	1560	8498	7815	7179	7197	6604	10207	8182	6839	4919	2816	1101
ALL CAUSES	22·63	16,146	3598	1487	652	398	245	6380	544	316	400	478	908	1032	1210	1458	1647	1773
Small-pox	0·38	273	39	9	12	10	17	87	59	23	31	20	32	16	3	2	–	–
Measles	1·13	806	160	299	152	94	53	758	44	2	–	1	1	–	–	–	–	–
Scarlet Fever	0·25	180	13	37	33	25	21	129	32	11	1	2	3	1	–	–	–	1
Diphtheria	0·21	149	9	20	26	19	23	97	34	8	1	2	3	2	–	1	–	1
Whooping-cough	0·70	501	183	163	75	40	16	477	23	1	–	–	–	–	–	–	–	–
Typhus	0·01	9	1	–	–	–	–	1	1	1	2	–	1	1	1	1	–	–
Enteric Fever	0·34	246	2	2	13	6	8	31	33	31	32	26	31	19	19	8	12	4
Simple Cont. Fev.	0·12	88	6	9	9	5	2	31	18	4	5	4	2	4	4	3	7	6
Puerp. Fever	0·06	41	–	–	–	–	–	–	–	–	1	6	22	11	1	–	–	–
Diarr. and Dys.	1·01	724	533	64	8	1	1	607	4	1	2	3	8	9	6	20	22	42
Cholera	0·04	32	20	3	–	–	–	23	2	–	1	–	1	2	–	2	1	–
Cancer	0·77	548	–	–	–	–	–	–	1	1	–	2	17	51	132	142	138	64
Scrofula	0·38	271	91	63	23	17	8	202	14	5	8	13	7	6	8	4	3	1
Tabes Mesent.	0·31	221	108	51	16	7	1	183	8	14	3	3	1	3	1	–	–	–
Phthisis	2·55	1816	50	49	23	17	10	149	45	55	169	239	391	319	221	134	85	9
Hydrocephalus	0·36	254	65	66	23	18	12	184	42	21	4	1	–	1	1	–	–	–
Diseases of: Nervous Syst.	2·51	1790	310	83	42	32	15	482	50	22	26	30	71	91	154	247	326	231
Diseases of: Circulatory „	1·30	931	4	1	2	1	1	9	13	27	17	14	53	110	139	214	221	114
Diseases of: Respiratory „	4·00	2854	810	280	120	46	25	1281	35	17	14	21	53	108	180	280	390	374
Diseases of: Digestive „	0·93	665	99	12	7	8	2	128	9	8	15	15	36	67	84	110	122	71
Diseases of: Urinary „	0·39	281	2	1	2	3	1	9	3	5	4	8	24	38	48	56	52	34
Diseases of: Generative „	0·07	53	–	–	–	–	–	–	–	–	–	4	7	13	10	13	4	2
Childbirth	0·06	42	–	–	–	–	–	–	–	–	2	7	15	17	1	–	–	–
Suicide	0·06	46	–	–	–	–	–	–	–	1	2	2	6	5	12	11	7	–
Other Violence	0·56	400	49	12	13	11	5	90	20	19	22	24	50	35	46	39	31	24
Other Causes	4·13	2925	1044	163	53	38	24	1322	53	39	33	31	73	103	139	171	226	735

Deaths of Infants (under one) to 1000 Births - 163

Marriages - 7,556
Births - 22,042

Annual Rate per 1000 living { Persons Married - 21·18
Births - 30·89

278.—EAST STONEHOUSE.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	28·33	—	—	—	—	—	33·50	6·40	3·71	14·45	12·42	14·11	19·15	20·53	32·62	75·00	182·67
Mean Pop. 1871-80	—	14,813	466	450	414	397	346	2073	1655	1321	1232	1409	2537	1875	1198	843	468	202
ALL CAUSES	28·33	4197	991	380	190	105	65	1731	106	49	178	175	358	359	246	275	351	369
Small-pox	0·30	44	9	-	1	1	2	13	7	7	9	5	3	-	-	-	-	-
Measles	1·79	265	49	97	47	29	14	236	22	1	5	1	-	-	-	-	-	-
Scarlet Fever	0·33	49	4	9	7	8	5	33	12	-	2	-	2	-	-	-	-	-
Diphtheria	0·18	27	1	5	7	4	3	20	4	1	1	-	1	-	-	-	-	-
Whooping-cough	0·49	72	41	19	6	4	1	71	-	1	-	-	-	-	-	-	-	-
Typhus	0·04	6	-	-	-	-	-	-	-	1	3	1	-	-	-	1	-	-
Enteric Fever	0·48	71	2	3	7	2	4	18	5	1	15	13	9	5	3	2	-	-
Simple Cont. Fev.	0·17	25	-	2	3	4	1	10	2	1	3	2	2	1	-	2	2	-
Puerp. Fever	0·06	9	-	-	-	-	-	-	-	-	-	2	5	2	-	-	-	-
Diarr. and Dys.	1·09	162	117	13	7	3	1	141	1	-	-	-	2	6	2	3	3	4
Cholera	0·02	3	2	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-
Cancer	0·70	103	-	-	-	-	-	-	-	-	1	1	12	13	24	36	11	5
Scrofula	0·19	28	10	3	1	1	-	15	1	-	3	2	3	1	2	-	1	-
Tabes Mesent.	0·37	55	25	13	7	-	2	47	4	-	3	-	-	-	-	1	-	-
Phthisis	3·56	528	11	17	7	2	1	38	4	12	50	72	163	124	38	18	8	1
Hydrocephalus	0·41	61	21	16	2	6	6	51	4	2	3	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	3·48	516	146	44	12	7	9	218	14	5	16	5	18	24	39	58	74	45
Diseases of: Circulatory	1·61	239	1	-	-	-	-	1	2	2	9	11	31	53	29	23	48	25
Diseases of: Respiratory	5·07	751	198	98	45	23	10	374	7	1	27	14	36	48	45	59	82	58
Diseases of: Digestive	0·95	141	15	-	2	-	1	18	5	8	6	7	13	22	18	14	26	9
Diseases of: Urinary	0·52	77	-	2	2	-	1	5	-	-	1	5	14	12	11	16	8	5
Diseases of: Generative	0·05	7	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	1
Childbirth	0·08	12	-	-	-	-	-	-	-	-	2	1	5	3	1	-	-	-
Suicide	0·08	12	-	-	-	-	-	-	-	-	-	1	5	2	2	1	1	-
Other Violence	0·67	99	4	2	6	2	2	16	4	4	14	19	11	9	7	7	4	4
Other Causes	5·64	835	335	37	21	9	2	404	8	7	5	12	23	31	22	28	88	212

Deaths of Infants (under one) to 1000 Births - 169 | Marriages - 1,657 | Births - 5,870 | Annual Rate per 1000 living: Persons Married - 22·37; Births - 39·63

279.—STOKE DAMEREL.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	20·42	—	—	—	—	—	67·84	7·18	4·45	4·19	5·66	7·85	12·87	16·23	29·69	58·74	154·24
Mean Pop. 1871-80	—	49,194	1320	1137	1125	1149	1086	5817	5098	4451	5965	4683	7746	5533	4455	3052	1699	695
ALL CAUSES	20·42	10,044	2118	963	426	258	181	3946	366	198	250	265	608	712	723	906	998	1072
Small-pox	0·39	194	25	-	3	8	13	49	50	24	18	17	19	10	5	2	-	-
Measles	1·19	586	103	218	113	71	43	518	34	1	-	1	1	-	1	-	-	-
Scarlet Fever	0·37	183	10	42	34	22	23	131	43	4	1	2	1	-	-	1	-	-
Diphtheria	0·07	36	3	5	1	6	6	21	10	1	1	-	-	2	-	1	-	-
Whooping-cough	0·64	317	136	94	43	23	12	308	9	-	-	-	-	-	-	-	-	-
Typhus	0·02	12	-	1	-	1	1	3	1	1	1	-	-	-	2	3	1	-
Enteric Fever	0·34	166	2	3	6	5	8	24	30	24	23	18	17	11	5	7	5	2
Simple Cont. Fev.	0·13	66	1	6	5	6	4	22	17	4	2	1	3	1	2	6	6	2
Puerp. Fever	0·06	28	-	-	-	-	-	-	-	-	-	9	12	6	1	-	-	-
Diarr. and Dys.	0·82	404	235	48	6	5	1	325	4	1	3	2	4	4	6	11	21	23
Cholera	0·01	4	2	-	-	1	-	3	-	-	-	-	-	-	1	-	-	-
Cancer	0·58	286	1	-	-	-	-	1	1	1	1	-	15	39	56	78	70	24
Scrofula	0·17	86	25	17	9	7	2	60	5	2	5	3	2	2	2	2	3	-
Tabes Mesent.	0·18	88	28	21	11	7	5	72	3	4	4	2	1	1	-	-	1	-
Phthisis	1·91	938	11	18	10	5	5	49	23	41	97	106	235	299	111	56	7	4
Hydrocephalus	0·30	146	33	36	26	14	6	115	16	10	3	1	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·35	1157	208	62	33	21	11	335	34	17	17	11	43	63	100	166	206	165
Diseases of: Circulatory	1·42	700	4	4	-	1	2	11	4	15	12	17	61	111	98	143	169	68
Diseases of: Respiratory	3·34	1643	372	213	69	24	15	693	29	8	12	22	63	79	120	182	248	187
Diseases of: Digestive	0·89	435	46	4	3	4	2	59	10	7	9	11	20	32	64	82	64	37
Diseases of: Urinary	0·36	179	1	-	3	1	-	5	1	6	5	6	18	31	35	32	23	17
Diseases of: Generative	0·09	44	-	-	-	-	-	-	-	-	-	3	4	13	9	9	6	3
Childbirth	0·10	47	-	-	-	-	-	-	-	-	3	7	24	13	-	-	-	-
Suicide	0·07	36	-	-	-	-	-	-	-	-	2	2	4	9	7	9	3	-
Other Violence	0·33	162	25	9	4	5	7	50	9	8	5	8	10	11	15	22	12	12
Other Causes	4·38	2141	817	162	47	21	15	1062	33	19	26	16	50	65	83	94	165	528

Deaths of Infants (under one) to 1000 Births - 141 | Marriages - 6,134 | Births - 15,023 | Annual Rate per 1000 living: Persons Married - 24·94; Births - 30·54

280.—TAVISTOCK.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	17·39	—	—	—	—	—	41·18	4·44	3·46	5·19	7·61	7·59	9·52	12·89	25·68	57·29	146·28
Mean Pop. 1871-80	—	30,215	764	694	728	743	752	3681	3810	3525	3100	2393	3637	3068	2862	2231	1344	564
ALL CAUSES	17·39	5255	932	308	136	88	52	1516	169	122	161	182	276	292	369	573	770	825
Small-pox	0·15	45	4	-	-	-	1	5	2	6	9	9	7	5	1	1	-	-
Measles	0·18	54	11	20	8	3	4	46	6	2	-	-	-	-	-	-	-	-
Scarlet Fever	0·16	47	2	10	6	9	5	32	9	3	2	1	-	-	-	-	-	-
Diphtheria	0·16	49	3	1	4	5	5	18	18	11	-	-	1	-	-	-	-	1
Whooping-cough	0·31	93	42	26	12	7	3	90	2	-	-	1	-	-	-	-	-	-
Typhus	0·01	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Enteric Fever	0·24	73	2	2	2	1	1	8	12	11	10	4	12	3	1	6	6	-
Simple Cont. Fev.	0·17	52	1	1	2	1	-	5	5	6	6	4	3	6	4	9	2	2
Puerp. Fever	0·04	13	-	-	-	-	-	-	-	-	1	1	5	6	-	-	-	-
Diarr. and Dys.	0·35	107	61	11	2	3	-	77	2	-	-	2	-	1	-	6	7	12
Cholera	0·05	16	4	3	-	2	1	10	-	-	-	-	-	1	-	2	3	-
Cancer	0·50	151	-	-	-	-	1	1	1	-	-	1	6	10	27	55	33	17
Scrofula	0·15	46	12	6	4	1	2	25	3	5	1	3	2	1	2	1	3	-
Tabes Mesent.	0·21	63	23	17	7	4	1	52	2	2	-	1	1	1	-	2	2	-
Phthisis	2·09	631	17	22	12	1	2	54	23	20	63	89	107	84	83	59	39	10
Hydrocephalus	0·14	41	10	11	4	5	1	31	6	2	1	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	1·84	555	110	17	11	10	7	155	15	8	15	10	17	23	30	79	107	96
Diseases of: Circulatory „	1·44	435	2	1	1	-	-	4	4	2	1	10	16	30	52	98	137	81
Diseases of: Respiratory „	3·16	955	200	92	31	14	2	339	14	6	9	11	22	42	73	104	196	139
Diseases of: Digestive „	0·96	290	40	3	1	4	4	52	6	7	10	5	12	16	32	42	59	29
Diseases of: Urinary „	0·41	123	1	-	-	-	-	1	1	-	2	4	11	15	14	27	27	21
Diseases of: Generative „	0·03	8	-	-	-	-	-	-	-	-	1	-	1	-	4	2	-	-
Childbirth	0·08	23	-	-	-	-	-	-	-	-	-	2	10	11	-	-	-	-
Suicide	0·07	20	-	-	-	-	-	-	-	-	-	1	-	1	4	7	5	2
Other Violence	0·65	197	10	7	5	4	3	29	17	18	22	14	27	15	17	16	14	8
OTHER CAUSES	3·84	1166	377	58	21	14	9	482	21	12	7	8	16	21	25	37	130	407

Deaths of Infants (under one) to 1000 Births - 109

Marriages - 1,682
Births - 8,518

Annual Rate per 1000 living { Persons Married - 11·13; Births - 28·19

281.—OKEHAMPTON.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	18·07	—	—	—	—	—	37·94	5·00	3·59	4·88	5·72	7·49	9·12	10·80	22·54	53·43	155·69
Mean Pop. 1871-80	—	18,105	443	476	435	488	438	2280	2222	2116	1823	1415	2096	1754	1620	1362	934	483
ALL CAUSES	18·07	3272	545	148	89	55	28	865	111	76	89	81	157	160	175	307	499	752
Small-pox	0·01	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Measles	0·29	52	8	12	5	7	2	34	11	5	1	-	-	1	-	-	-	-
Scarlet Fever	0·29	53	3	5	9	10	4	31	13	7	1	1	-	-	-	-	-	-
Diphtheria	0·08	15	1	-	-	1	2	4	6	2	1	-	1	-	-	-	1	-
Whooping-cough	0·38	69	31	18	12	2	4	67	2	-	-	-	-	-	-	-	-	-
Typhus	0·02	3	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-
Enteric Fever	0·23	42	-	1	-	1	1	3	-	5	7	6	6	4	3	7	1	-
Simple Cont. Fev.	0·10	19	-	-	-	1	-	1	4	2	3	-	2	1	2	2	1	1
Puerp. Fever	0·04	7	-	-	-	-	-	-	-	-	1	1	3	2	-	-	-	-
Diarr. and Dys.	0·27	49	23	6	-	-	-	29	2	-	-	-	-	1	1	4	4	8
Cholera	0·01	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
Cancer	0·54	98	-	-	-	-	-	-	-	1	-	-	4	8	11	28	29	17
Scrofula	0·23	41	15	3	3	2	-	23	4	1	2	2	3	3	-	-	3	-
Tabes Mesent.	0·18	33	11	9	5	1	1	27	1	2	1	-	1	-	-	1	-	-
Phthisis	1·55	281	4	2	1	1	-	8	9	11	35	44	58	57	18	29	9	3
Hydrocephalus	0·25	45	18	6	4	1	2	31	5	4	3	1	2	-	-	-	-	-
Diseases of: Nervous Syst.	2·31	418	103	16	15	5	2	141	11	4	7	4	17	15	32	46	60	81
Diseases of: Circulatory „	1·53	283	-	-	1	-	-	1	2	7	3	7	9	16	23	57	106	52
Diseases of: Respiratory „	3·11	563	96	41	16	9	2	164	11	4	7	4	14	13	34	61	132	119
Diseases of: Digestive „	0·88	159	18	2	4	1	1	26	4	3	2	1	9	11	15	28	42	20
Diseases of: Urinary „	0·25	46	-	-	-	-	-	-	2	2	1	1	4	4	9	5	11	7
Diseases of: Generative „	0·03	5	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	1
Childbirth	0·08	14	-	-	-	-	-	-	-	-	2	1	6	5	-	-	-	-
Suicide	0·04	8	-	-	-	-	-	-	-	-	-	1	1	1	2	1	2	-
Other Violence	0·47	85	1	6	5	5	-	17	12	5	6	4	7	6	12	5	5	6
OTHER CAUSES	4·87	880	213	21	9	8	7	258	12	9	5	2	9	11	12	32	93	437

Deaths of Infants (under one) to 1000 Births - 99

Marriages - 1,084
Births - 5,490

Annual Rate per 1000 living { Persons Married - 11·97; Births - 30·32

282.—CREDITON.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·28	—	—	—	—	—	34·43	2·96	3·23	5·72	8·43	7·57	9·44	11·74	22·89	53·26	161·54
Mean Pop. 1871-80	—	18,088	470	463	487	482	462	2364	2355	2105	1784	1364	2113	1791	1755	1503	1027	507
ALL CAUSES	1 ·28	8413	529	133	66	46	40	814	69	68	102	115	160	169	206	344	547	819
Small-pox	0·02	4	2	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-
Measles	0·21	39	8	7	4	4	3	26	7	2	-	1	1	2	-	-	-	-
Scarlet Fever	0·13	25	1	3	6	4	7	21	3	-	-	1	-	-	-	-	-	-
Diphtheria	0·04	7	1	-	-	-	1	2	3	1	1	-	-	-	-	-	-	-
Whooping-cough	0·33	62	31	14	6	5	3	59	3	-	-	-	-	-	-	-	-	-
Typhus	0·05	10	-	-	1	-	1	2	-	2	2	3	1	-	-	-	-	-
Enteric Fever	0·43	81	1	-	1	2	6	10	14	17	12	9	4	7	3	4	1	-
Simple Cont. Fev.	0·08	15	-	-	1	-	-	1	2	1	1	-	3	1	2	2	2	-
Puerp. Fever	0·05	9	-	-	-	-	-	-	-	-	-	2	4	3	-	-	-	-
Diarr. and Dys.	0·25	47	20	4	1	-	-	25	-	-	2	-	-	-	-	3	2	15
Cholera	0·01	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Cancer	0·55	103	-	-	-	-	-	-	1	1	2	-	-	7	20	36	23	13
Scrofula	0·09	17	3	3	1	-	1	8	1	1	1	3	1	-	1	1	-	-
Tabes Mesent.	0·13	25	9	5	2	2	2	20	1	-	-	1	-	-	-	1	2	-
Phthisis	1·52	283	3	3	2	1	-	9	-	8	41	50	68	43	30	19	14	1
Hydrocephalus	0·21	39	16	10	3	3	1	33	2	3	-	-	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·49	465	101	13	6	3	2	125	7	9	9	8	17	13	22	59	103	93
Diseases of: Circulatory	1·43	267	-	-	2	-	-	2	-	3	4	5	10	23	32	61	82	45
Diseases of: Respiratory	3·17	593	101	20	11	9	4	154	4	2	2	5	16	18	32	63	128	168
Diseases of: Digestive	1·02	190	19	1	2	-	-	22	6	4	7	4	8	14	22	34	45	24
Diseases of: Urinary	0·28	53	-	-	-	-	1	1	-	1	-	1	1	5	3	7	18	16
Diseases of: Generative	0·09	16	-	-	-	-	-	-	-	-	-	1	-	2	4	1	6	2
Childbirth	0·10	18	-	-	-	-	-	-	-	-	1	4	7	6	-	-	-	-
Suicide	0·07	13	-	-	-	-	-	-	-	-	1	1	1	2	4	1	2	1
Other Violence	0·50	94	4	5	4	4	1	18	2	6	6	5	2	5	15	10	15	10
Other Causes	5·03	948	209	36	13	9	7	274	13	7	9	11	15	16	16	42	104	431

Deaths of Infants (under one) to 1000 Births - 96 | Marriages - 1,044 | Births - 5,517 | Annual Rate per 1000 living: Persons Married - 11·18; Births - 29·55

283.—TIVERTON.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·61	—	—	—	—	—	40·25	5·50	3·14	5·10	7·91	8·21	10·56	14·13	23·26	57·61	161·96
Mean Pop. 1871-80	—	29,119	778	707	777	719	721	3702	3526	3346	2843	2162	3423	2926	2697	2206	1505	723
ALL CAUSES	19·61	5709	936	274	133	75	69	1490	194	105	145	171	281	309	381	595	867	1171
Small-pox	0·07	19	2	4	2	-	-	8	2	-	1	2	2	3	1	-	-	-
Measles	0·30	88	12	33	16	8	5	74	9	3	-	-	-	1	1	-	-	-
Scarlet Fever	0·28	109	6	17	21	22	20	86	65	11	3	1	2	1	-	-	-	-
Diphtheria	0·09	25	-	1	3	1	3	8	7	3	1	4	-	-	1	-	1	-
Whooping-cough	0·26	76	35	20	12	3	3	73	3	-	-	-	-	-	-	-	-	-
Typhus	0·05	15	-	-	-	-	-	-	2	3	1	1	2	2	1	2	1	-
Enteric Fever	0·21	62	2	1	1	1	2	7	8	6	8	9	5	5	4	6	4	-
Simple Cont. Fev.	0·10	30	2	-	-	4	-	6	4	3	1	2	4	5	1	-	2	2
Puerp. Fever	0·05	15	-	-	-	-	-	-	-	-	1	1	10	3	-	-	-	-
Diarr. and Dys.	0·35	103	53	8	3	-	1	70	1	-	-	2	1	5	3	4	9	8
Cholera	0·01	4	-	1	-	-	-	1	-	-	-	-	-	1	1	1	-	-
Cancer	0·43	124	-	-	-	-	-	-	-	-	-	-	4	9	20	40	26	25
Scrofula	0·09	27	10	5	1	1	-	17	-	1	2	2	2	1	2	-	-	-
Tabes Mesent.	0·10	29	8	4	4	-	4	20	2	2	2	-	2	-	-	1	-	-
Phthisis	1·91	557	2	5	1	-	2	10	8	19	63	83	142	92	74	40	24	2
Hydrocephalus	0·24	70	27	11	11	3	-	52	9	3	2	2	2	-	-	-	-	-
Diseases of: Nervous Syst.	2·23	665	157	34	9	13	10	223	18	13	9	8	12	24	44	92	113	106
Diseases of: Circulatory	1·37	429	-	-	-	-	-	-	6	6	12	10	15	29	47	90	151	63
Diseases of: Respiratory	3·20	930	169	70	23	7	8	277	17	11	7	12	24	43	76	134	215	144
Diseases of: Digestive	0·94	274	13	5	5	1	2	31	6	3	7	5	12	21	33	62	61	33
Diseases of: Urinary	0·44	129	1	1	1	2	-	5	5	3	4	6	9	12	12	32	16	25
Diseases of: Generative	0·04	11	-	-	-	-	-	-	-	-	-	-	2	-	3	3	2	1
Childbirth	0·05	15	-	-	-	-	-	-	-	-	-	4	5	6	-	-	-	-
Suicide	0·08	23	-	-	-	-	-	-	-	-	-	1	1	5	4	5	4	3
Other Violence	0·49	143	9	5	8	3	1	26	9	7	6	6	13	20	16	19	9	12
Other Causes	5·68	1647	418	49	15	6	3	496	13	8	15	19	19	21	37	61	223	747

Deaths of Infants (under one) to 1000 Births - 112 | Marriages - 1,876 | Births - 8,267 | Annual Rate per 1000 living: Persons Married - 12·89; Births - 28·73

284.—SOUTH MOLTON.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	17·73	—	—	—	—	—	36·51	4·55	2·77	4·17	4·79	7·05	9·09	12·20	23·84	57·20	157·27
Mean Pop. 1871-80	—	17,807	457	420	469	463	440	2249	2243	2060	1845	1379	2113	1727	1566	1338	930	447
ALL CAUSES	17·73	3174	503	181	63	46	28	821	102	57	77	66	149	157	191	319	532	703
Small-pox	0·06	10	1	2	-	-	-	3	-	-	1	2	3	-	1	-	-	-
Measles	0·20	35	7	11	5	2	2	27	2	1	2	1	-	2	-	-	-	-
Scarlet Fever	0·37	66	2	17	7	11	6	43	17	5	-	-	-	-	1	-	-	-
Diphtheria	0·05	9	1	-	2	-	2	5	3	1	-	-	-	-	-	-	-	-
Whooping-cough	0·31	56	31	15	8	1	1	56	-	-	-	-	-	-	-	-	-	-
Typhus	0·01	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Enteric Fever	0·26	46	-	-	-	1	-	1	4	5	6	5	6	6	4	1	5	3
Simple Cont. Fev.	0·03	5	-	1	-	-	1	2	-	-	1	-	-	-	-	1	1	-
Puerp. Fever	0·03	6	-	-	-	-	-	-	-	-	2	2	1	1	-	-	-	-
Diarr. and Dys.	0·33	59	23	4	1	-	-	33	1	-	-	1	3	1	-	3	5	12
Cholera	0·01	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Cancer	0·64	114	-	-	-	-	-	-	-	-	3	-	1	4	24	23	34	25
Scrofula	0·16	28	5	3	2	1	1	12	5	1	3	1	-	-	-	4	2	-
Tabes Mesent.	0·19	34	20	8	1	-	1	30	1	1	1	1	-	-	-	-	-	-
Phthisis	1·89	338	4	7	4	3	-	18	13	17	34	31	71	56	27	36	30	5
Hydrocephalus	0·27	48	17	13	2	4	-	36	7	2	1	2	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·21	395	80	22	9	6	3	120	10	8	1	3	12	10	22	54	74	81
Diseases of: Circulatory "	1·97	352	-	-	-	-	-	-	2	-	2	-	11	20	29	59	133	96
Diseases of: Respiratory "	2·96	530	102	50	13	6	2	173	8	5	6	6	8	14	30	67	99	114
Diseases of: Digestive "	0·93	166	11	-	-	1	1	13	6	3	4	4	11	11	17	31	40	26
Diseases of: Urinary "	0·35	62	-	-	-	1	-	1	-	1	1	2	5	6	5	8	15	18
Diseases of: Generative "	0·05	9	-	-	-	-	-	-	-	-	-	-	2	3	2	-	2	-
Childbirth	0·04	8	-	-	-	-	-	-	-	-	-	1	3	3	1	-	-	-
Suicide	0·07	12	-	-	-	-	-	-	-	-	-	1	1	3	3	2	-	2
Other Violence	0·32	57	5	4	3	3	1	16	6	2	1	2	4	6	7	3	7	3
OTHER CAUSES	4·02	726	189	24	6	6	7	232	17	5	8	1	7	10	17	27	85	317

Deaths of Infants (under one) to 1000 Births - 96 | Marriages - 1,130 | Births - 5,241 | Annual Rate per 1000 living: Persons Married - 12·63; Births - 29·28

285.—BARNSTAPLE.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	18·83	—	—	—	—	—	12·75	5·09	3·21	4·70	7·08	8·28	9·86	12·98	21·94	52·93	146·87
Mean Pop. 1871-80	—	37,806	927	876	942	920	904	4579	4477	4047	3826	3050	4640	3916	3428	2826	1980	1037
ALL CAUSES	18·83	7118	1174	360	203	117	104	1958	228	130	180	216	384	386	445	620	1048	1523
Small-pox	0·08	32	4	-	1	-	1	6	2	3	3	3	8	3	3	1	-	-
Measles	0·23	86	16	20	10	13	7	75	10	-	1	-	-	-	-	-	-	-
Scarlet Fever	0·48	180	20	37	33	22	17	129	41	5	1	3	-	-	-	-	1	-
Diphtheria	0·19	71	4	9	8	12	12	45	17	6	-	1	-	2	-	-	-	-
Whooping-cough	0·31	118	50	29	21	9	2	111	5	1	1	-	-	-	-	-	-	-
Typhus	0·00	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Enteric Fever	0·20	77	2	-	-	1	1	4	5	7	11	13	10	9	9	3	5	1
Simple Cont. Fev.	0·06	22	-	1	-	1	1	3	1	4	2	2	1	-	1	3	2	3
Puerp. Fever	0·05	18	-	-	-	-	-	-	-	-	-	4	10	4	-	-	-	-
Diarr. and Dys.	0·69	228	163	26	4	1	-	194	2	-	-	1	1	-	1	2	11	16
Cholera	0·01	4	-	1	-	-	-	1	-	1	-	-	-	-	-	1	-	1
Cancer	0·72	271	-	-	-	1	-	1	2	-	2	-	6	22	39	74	66	59
Scrofula	0·08	30	9	6	1	-	1	17	1	1	1	1	2	-	3	3	1	-
Tabes Mesent.	0·13	51	15	14	7	1	2	39	1	1	4	2	1	-	1	2	-	-
Phthisis	2·11	799	9	7	4	3	3	26	12	20	76	114	178	121	86	82	68	16
Hydrocephalus	0·28	107	28	18	19	5	9	79	15	9	3	-	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·20	832	144	24	14	8	7	197	26	14	6	7	25	50	54	95	180	178
Diseases of: Circulatory "	1·39	527	3	-	-	-	-	3	8	10	11	5	25	25	62	78	168	132
Diseases of: Respiratory "	3·30	1247	257	115	40	17	16	445	29	4	11	11	28	42	59	100	243	275
Diseases of: Digestive "	0·90	339	44	7	2	3	3	59	4	7	7	7	24	26	40	54	58	53
Diseases of: Urinary "	0·53	199	1	-	-	1	1	3	6	2	2	3	14	19	25	36	52	37
Diseases of: Generative "	0·06	24	-	-	-	-	-	-	-	-	-	1	3	2	8	4	5	1
Childbirth	0·06	23	-	-	-	-	-	-	-	-	-	3	8	12	-	-	-	-
Suicide	0·05	18	-	-	-	-	-	-	-	-	-	1	-	2	6	6	3	-
Other Violence	0·57	217	14	3	5	8	10	40	15	17	16	19	20	19	18	20	13	20
OTHER CAUSES	4·24	1597	591	34	31	11	11	481	26	18	22	15	19	27	30	56	172	731

Deaths of Infants (under one) to 1000 Births - 110 | Marriages - 2,503 | Births - 10,677 | Annual Rate per 1000 living: Persons Married - 13·24; Births - 28·24

286.—TORRINGTON.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·78	—	—	—	—	—	37·21	5·28	3·43	5·20	8·48	8·09	9·10	11·71	22·25	47·77	152·08
Mean Pop. 1871-80	—	15,577	411	356	396	382	390	1935	1949	1865	1604	1203	1780	1495	1417	1137	783	409
ALL CAUSES	17·78	2769	423	145	74	43	35	720	103	64	85	102	144	136	166	253	374	622
Small-pox	0·10	15	2	-	2	2	-	6	1	-	1	2	3	1	-	1	-	-
Measles	0·13	20	5	3	4	2	1	15	3	1	1	-	-	-	-	-	-	-
Scarlet Fever	0·52	81	5	14	12	10	9	50	24	5	-	-	-	2	-	-	-	-
Diphtheria	0·14	22	-	-	2	1	1	4	10	6	-	1	-	-	-	1	-	-
Whooping-cough	0·31	49	22	13	7	3	3	48	1	-	-	-	-	-	-	-	-	-
Typhus	0·02	3	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1
Enteric Fever	0·25	39	-	-	-	-	1	1	2	9	7	5	3	3	5	1	3	-
Simp. Cont. Fever	0·09	14	1	1	-	-	1	3	3	2	1	3	1	-	-	-	1	-
Puerp. Fever	0·06	9	-	-	-	-	-	-	-	-	-	2	4	3	-	-	-	-
Diarr. and Dys.	0·30	47	26	4	-	-	1	31	-	2	-	-	-	-	-	2	6	6
Cholera	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Cancer	0·49	76	-	-	-	-	-	-	-	-	-	-	1	7	10	25	16	17
Scrofula	0·09	14	3	3	-	-	-	6	1	1	-	1	1	-	2	1	1	-
Tabes Mesent.	0·21	33	11	6	3	1	2	23	-	2	2	1	1	1	2	1	-	-
Phthisis	2·28	355	6	4	3	3	-	16	6	15	42	50	78	51	40	20	24	4
Hydrocephalus	0·21	32	12	5	1	4	2	24	6	1	1	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·08	324	70	8	6	2	2	97	6	3	5	4	8	9	16	32	64	80
Diseases of: Circulatory "	1·77	276	-	-	-	-	-	-	2	-	4	-	6	17	33	64	82	68
Diseases of: Respiratory "	2·74	427	66	35	14	4	4	120	13	-	4	6	9	13	24	33	81	124
Diseases of: Digestive "	0·73	113	15	1	-	-	2	18	5	3	3	4	7	2	13	20	19	19
Diseases of: Urinary "	0·40	62	-	-	-	2	-	2	-	-	2	2	3	4	5	11	15	18
Diseases of: Generative "	0·01	7	-	-	-	-	-	-	-	-	-	-	1	-	4	-	2	-
Childbirth	0·10	16	-	-	-	-	-	-	-	-	1	6	4	5	-	-	-	-
Suicide	0·05	8	-	-	-	-	-	-	-	1	-	-	1	-	1	1	2	2
Other Violence	0·42	65	3	8	7	2	2	22	1	4	3	1	2	4	5	9	6	8
Other Causes	4·24	661	170	40	13	7	4	234	19	9	6	5	11	14	6	31	51	275

Deaths of Infants (under one) to 1000 Births - 93 | Marriages - 973 | Births - 4,565 | Annual Rate per 1000 living: Persons Married - 12·49; Births - 29·31

287.—BIDEFORD.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·90	—	—	—	—	—	42·63	7·10	3·92	5·67	8·37	8·50	8·69	11·62	22·95	50·48	147·52
Mean Pop. 1871-80	—	19,132	511	474	484	476	494	2439	2266	2169	1905	1566	2330	1921	1661	1329	941	505
ALL CAUSES	18·90	3616	632	198	101	56	54	1041	168	85	108	131	198	167	193	305	475	745
Small-pox	0·74	141	9	4	10	1	5	29	28	15	9	16	24	8	10	1	1	-
Measles	0·30	58	12	22	9	2	7	52	4	2	-	-	-	-	-	-	-	-
Scarlet Fever	0·49	93	3	11	12	8	12	46	34	5	6	1	1	-	-	-	-	-
Diphtheria	0·16	31	3	3	3	4	2	15	9	2	-	1	-	1	-	1	2	-
Whooping-cough	0·45	87	33	29	11	6	5	84	3	-	-	-	-	-	-	-	-	-
Typhus	0·01	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Enteric Fever	0·40	77	1	5	-	-	-	6	8	8	16	12	8	6	6	4	1	2
Simp. Cont. Fever	0·15	29	2	2	1	1	2	8	3	2	3	1	7	-	-	3	1	1
Puerp. Fever	0·06	12	-	-	-	-	-	-	-	-	1	2	7	2	-	-	-	-
Diarr. and Dys.	0·47	90	52	8	1	-	-	61	-	2	-	-	-	-	-	2	9	16
Cholera	0·03	5	2	-	-	-	-	2	2	-	-	-	-	-	-	-	1	-
Cancer	0·52	99	-	-	-	-	-	-	-	-	-	-	1	8	5	28	31	26
Scrofula	0·11	22	2	5	3	-	2	12	2	1	2	-	2	-	1	-	1	1
Tabes Mesent.	0·17	32	12	6	5	2	-	25	-	2	2	-	2	-	1	-	-	-
Phthisis	1·56	298	3	9	1	-	-	13	6	4	24	48	70	53	34	31	10	5
Hydrocephalus	0·33	63	18	14	7	2	3	44	9	4	2	1	1	1	-	1	-	-
Diseases of: Nervous Syst.	2·23	427	90	16	6	5	2	119	16	5	6	8	15	11	17	53	86	101
Diseases of: Circulatory "	1·42	272	1	-	-	-	-	1	4	2	2	4	7	12	25	55	82	78
Diseases of: Respiratory "	3·21	615	116	31	12	5	5	169	14	4	11	12	6	17	35	56	122	169
Diseases of: Digestive "	0·82	157	15	8	3	1	-	27	6	5	4	3	9	8	20	16	30	29
Diseases of: Urinary "	0·46	88	-	-	-	-	-	-	-	4	4	5	5	6	9	9	24	22
Diseases of: Generative "	0·05	10	-	-	1	-	-	1	-	-	-	-	-	2	3	2	2	-
Childbirth	0·10	19	-	-	-	-	-	-	-	-	-	5	5	8	1	-	-	-
Suicide	0·03	5	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-
Other Violence	0·55	107	7	3	5	3	1	19	6	9	9	7	11	8	4	10	9	15
Other Causes	4·02	768	251	22	11	16	8	308	13	9	7	5	16	16	21	31	62	289

Deaths of Infants (under one) to 1000 Births - 108 | Marriages - 1,336 | Births - 5,825 | Annual Rate per 1000 living: Persons Married - 13·97; Births - 30·50

288.—HOLSWORTHY.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·24	—	—	—	—	—	41·26	4·10	4·03	6·49	7·03	8·68	7·79	10·59	22·24	54·29	161·75
Mean Pop. 1871-80	—	9218	247	228	223	233	225	1161	1170	1092	956	740	1094	886	784	652	466	217
ALL CAUSES	18·24	1681	305	99	30	27	18	479	48	44	62	52	95	69	83	145	253	351
Small-pox	0·02	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
Measles	0·26	24	3	5	3	-	2	13	4	2	3	-	1	1	-	-	-	-
Scarlet Fever	0·27	25	1	5	1	5	1	13	6	6	-	-	-	-	-	-	-	-
Diphtheria	0·11	10	-	1	1	1	1	4	4	2	-	-	-	-	-	-	-	-
Whooping-cough	0·46	42	22	10	5	2	1	40	2	-	-	-	-	-	-	-	-	-
Typhus	0·01	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Enteric Fever	0·27	25	-	1	-	-	-	1	2	2	4	4	1	2	1	1	7	-
Simple Cont. Fev.	0·05	5	-	-	-	-	-	-	2	-	-	1	1	-	1	-	-	-
Puerp. Fever	0·05	5	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-
Diarr. and Dys.	0·29	27	16	2	-	-	1	19	1	-	-	-	-	-	-	1	1	5
Cholera	0·01	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Cancer	0·54	50	-	-	-	-	-	-	-	-	-	-	2	4	5	14	16	9
Scrofula	0·18	17	3	1	-	2	-	6	3	-	2	-	2	-	2	1	-	1
Tabes Mesent.	0·36	33	12	13	-	2	1	28	-	2	1	1	1	-	-	-	-	-
Phthisis	2·08	192	4	3	1	1	-	9	1	12	26	29	42	21	20	18	10	4
Hydrocephalus	0·16	15	8	3	2	-	1	14	-	-	1	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	1·81	167	44	12	3	3	1	63	7	7	7	1	3	1	2	16	32	28
Diseases of: Circulatory „	1·26	116	-	-	-	-	-	-	-	1	3	2	7	8	16	15	35	29
Diseases of: Respiratory „	4·15	383	68	24	6	6	5	109	4	3	7	3	7	9	20	32	77	112
Diseases of: Digestive „	0·93	86	9	1	1	-	1	12	2	1	-	3	5	3	8	17	12	23
Diseases of: Urinary „	0·34	31	-	-	-	-	-	-	-	1	-	2	1	2	2	6	9	8
Diseases of: Generative „	0·03	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-
Childbirth	0·11	10	-	-	-	-	-	-	-	-	-	2	6	2	-	-	-	-
Suicide	0·04	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-
Other Violence	0·49	45	4	-	2	2	-	8	3	4	3	1	4	7	3	7	2	3
Other Causes	3·96	362	111	18	4	3	3	139	6	1	3	3	10	5	3	14	49	129

Deaths of Infants (under one) to 1000 Births - 105

Marriages - 605
Births - 2,901

Annual Rate per 1000 living: Persons Married - 13·13; Births - - - 31·47

CORNWALL.]

289.—STRATTON.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·29	—	—	—	—	—	36·87	4·78	3·51	3·55	5·75	6·55	8·52	9·30	18·18	48·27	168·91
Mean Pop. 1871-80	—	7642	197	203	197	203	190	999	962	855	760	591	901	751	656	550	433	193
ALL CAUSES	17·29	1321	237	69	31	17	11	365	46	30	27	34	59	64	61	100	209	326
Small-pox	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	0·27	21	4	3	4	1	1	13	6	2	-	-	-	-	-	-	-	-
Scarlet Fever	0·24	18	2	3	4	2	1	12	4	1	-	-	1	-	-	-	-	-
Diphtheria	0·12	9	-	-	1	3	-	4	5	-	-	-	-	-	-	-	-	-
Whooping-cough	0·25	19	13	3	1	-	-	17	2	-	-	-	-	-	-	-	-	-
Typhus	0·03	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Enteric Fever	0·16	12	1	1	-	1	1	4	-	2	2	2	-	2	-	-	-	-
Simple Cont. Fev.	0·03	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
Puerp. Fever	0·04	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
Diarr. and Dys.	0·25	19	11	1	1	-	-	13	-	-	2	1	-	-	-	-	-	5
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·72	55	-	-	-	-	-	-	-	-	1	1	1	2	6	9	22	13
Scrofula	0·08	6	2	2	-	-	-	4	-	1	-	-	-	1	-	-	-	-
Tabes Mesent.	0·12	9	6	-	1	-	-	7	-	1	-	-	1	-	-	-	-	-
Phthisis	2·00	153	14	8	3	-	1	26	3	5	10	16	27	21	16	14	13	2
Hydrocephalus	0·13	10	5	1	-	-	1	7	1	-	1	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·12	162	27	10	1	1	1	40	6	5	2	4	5	7	9	13	35	36
Diseases of: Circulatory „	1·31	100	1	-	-	-	-	1	-	1	-	-	5	7	4	17	37	28
Diseases of: Respiratory „	2·52	192	48	22	5	3	2	80	2	2	2	1	3	3	5	20	26	48
Diseases of: Digestive „	0·84	64	5	1	-	-	-	6	2	3	2	2	2	6	4	12	18	7
Diseases of: Urinary „	0·54	41	-	1	-	-	-	1	-	2	1	2	1	6	1	4	14	9
Diseases of: Generative „	0·10	8	-	-	-	-	-	-	-	-	-	-	-	1	4	-	3	-
Childbirth	0·04	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
Suicide	0·07	5	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	1
Other Violence	0·55	42	2	-	-	3	1	6	6	2	3	2	3	2	7	2	4	5
Other Causes	4·76	366	96	13	10	3	2	124	7	3	2	1	5	3	4	9	36	172

Deaths of Infants (under one) to 1000 Births - 102

Marriages - 470
Births 319

Annual Rate per 1000 living: Persons Married - 12·30; Births - - - 30·35

290.—CAMELFORD.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65 –	75 and upwds.
Annual Death Rate per 1000	—	18·92	—	—	—	—	—	44·07	4·52	4·05	5·45	7·46	6·84	10·96	12·11	21·67	50·63	167·37
Mean Pop. 1871–80	—	8011	217	208	229	186	206	1046	995	938	789	603	980	785	702	586	397	190
ALL CAUSES	18·92	1516	283	130	23	17	8	461	45	33	43	45	67	86	85	127	201	318
Small-pox	0·04	3	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-
Measles	0·07	6	-	2	2	-	-	4	1	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·24	19	-	1	2	2	2	7	7	2	2	-	1	-	-	-	-	-
Diphtheria	0·17	14	-	-	-	-	1	1	9	3	1	-	-	-	-	-	-	-
Whooping cough	0·91	73	35	27	4	4	1	71	-	2	-	-	-	-	-	-	-	-
Typhus	0·02	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Enteric Fever	0·34	27	1	-	1	-	-	2	7	3	3	3	3	2	1	2	1	-
Simple Cont. Fev.	0·15	12	-	-	-	-	-	-	-	1	1	3	2	2	1	2	-	-
Puerp. Fever	0·02	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Diarr. and Dys.	0·44	35	21	1	1	-	-	23	-	1	-	-	-	-	-	-	2	9
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·42	34	-	-	-	-	-	-	-	-	-	-	-	4	5	9	9	7
Scrofula	0·26	21	4	6	1	1	-	12	1	1	1	1	1	-	1	1	2	-
Tabes Mesent.	0·42	34	10	13	2	1	-	26	1	2	1	2	1	-	1	-	-	-
Phthisis	1·64	131	-	6	1	2	-	9	1	9	9	21	25	19	18	12	5	2
Hydrocephalus	0·34	27	9	12	-	1	-	22	1	2	2	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·35	188	38	15	1	-	-	54	3	2	6	-	3	8	8	18	33	53
Diseases of: Circulatory „	2·28	183	1	-	-	-	-	1	2	-	-	3	4	11	15	42	62	43
Diseases of: Respiratory „	1·80	144	25	22	2	4	2	55	3	-	3	4	9	10	8	14	23	15
Diseases of: Digestive „	0·71	57	9	-	1	-	-	10	4	1	-	1	1	8	8	7	15	2
Diseases of: Urinary „	0·25	20	-	-	-	-	-	-	-	1	1	-	3	1	-	2	2	10
Diseases of: Generative „	0·05	4	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-
Childbirth	0·06	5	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-
Suicide	0·05	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1
Other Violence	0·52	42	2	1	1	-	1	5	-	3	6	3	6	5	4	6	1	3
Other Causes	5·37	429	128	24	4	2	1	159	4	4	6	2	4	11	10	10	46	173

Deaths of Infants (under one) to 1000 Births - 110

Marriages - 483
Births - 2,576

Annual Rate per 1000 living: Persons Married - 12·06; Births - 32·16

291.—LAUNCESTON.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65 –	75 and upwds.
Annual Death Rate per 1000	—	18·40	—	—	—	—	—	43·57	5·81	2·95	4·89	7·62	7·22	8·84	12·54	22·87	57·70	153·78
Mean Pop. 1871–80	—	16,600	430	433	427	431	393	2114	2066	1965	1737	1339	1940	1618	1467	1185	799	370
ALL CAUSES	18·40	3054	574	186	71	56	34	921	120	58	85	102	140	143	184	271	461	569
Small-pox	0·01	2	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-
Measles	0·13	22	7	3	3	3	-	16	6	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·35	58	3	6	6	8	9	32	19	4	1	1	1	-	-	-	-	-
Diphtheria	0·36	60	2	2	7	4	7	22	19	5	2	1	-	1	-	-	-	-
Whooping-cough	0·46	76	32	28	7	6	1	74	2	-	-	-	-	-	-	-	-	-
Typhus	0·07	11	-	-	-	-	1	1	3	-	3	1	1	1	-	-	1	-
Enteric Fever	0·20	33	1	2	1	-	-	4	6	1	2	4	1	1	6	3	4	1
Simple Cont. Fev.	0·14	23	4	2	-	2	-	8	2	-	2	2	1	3	1	-	2	2
Puerp. Fever	0·06	10	-	-	-	-	-	-	-	-	-	2	4	4	-	-	-	-
Diarr. and Dys.	0·30	50	29	13	-	-	1	33	-	-	-	-	1	-	-	2	6	8
Cholera	0·01	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Cancer	0·57	94	-	-	-	-	-	-	1	-	-	-	2	2	12	31	30	16
Scrofula	0·14	24	3	8	-	1	-	12	1	1	1	3	1	3	2	-	-	-
Tabes Mesent.	0·17	28	10	8	4	-	-	22	1	1	1	1	-	2	-	-	-	-
Phthisis	1·72	286	6	9	1	1	1	18	3	6	32	45	63	38	37	26	17	1
Hydrocephalus	0·37	62	16	11	5	6	6	44	6	4	6	1	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·25	373	72	13	5	5	1	96	8	9	9	4	10	12	13	32	86	89
Diseases of: Circulatory „	1·48	246	1	-	-	1	-	2	1	1	6	3	5	10	18	51	83	66
Diseases of: Respiratory „	3·40	565	124	49	16	7	3	199	7	3	3	13	12	27	34	52	93	122
Diseases of: Digestive „	0·89	147	24	3	4	2	1	34	5	8	2	8	6	7	18	16	25	18
Diseases of: Urinary „	0·54	89	1	-	-	1	1	3	1	1	1	3	6	12	7	17	22	16
Diseases of: Generative „	0·04	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	-
Childbirth	0·07	11	-	-	-	-	-	-	-	-	2	1	2	6	-	-	-	-
Suicide	0·04	7	-	-	-	-	-	-	-	-	-	1	1	-	2	1	2	-
Other Violence	0·46	76	3	6	2	2	1	14	2	8	6	1	9	5	10	10	6	5
Other Causes	4·17	693	235	32	9	7	1	284	17	6	6	7	12	9	18	29	80	225

Deaths of Infants (under one) to 1000 Births - 112

Marriages - 390
Births - 5,137

Annual Rate per 1000 living: Persons Married - 11·93; Births - 30·95

292.—ST. GERMANS.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
ANNUAL DEATH RATE PER 1000	—	18·99	—	—	—	—	—	46·23	5·67	3·39	5·84	7·08	9·34	10·40	10·32	23·78	52·17	143·73
Mean Pop. 1871-80	—	17,365	435	418	406	451	399	2109	2081	1974	1645	1370	2044	1798	1608	1409	920	407
ALL CAUSES	18·99	3,297	586	203	90	50	41	975	118	67	96	97	191	187	166	335	480	585
Small-pox	0·12	21	3	–	–	1	–	4	2	4	4	2	3	2	–	–	–	–
Measles	0·24	42	6	15	9	3	3	36	4	–	1	1	–	–	–	–	–	–
Scarlet Fever	0·23	40	1	8	10	4	4	27	10	1	–	1	–	1	–	–	–	–
Diphtheria	0·14	25	–	1	3	2	1	7	15	3	–	–	–	–	–	–	–	–
Whooping-cough	0·50	86	42	27	5	4	3	81	5	–	–	–	–	–	–	–	–	–
Typhus	0·01	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·48	84	–	2	2	2	2	8	11	7	14	8	16	5	6	3	4	2
Simple Cont. Fev.	0·26	45	–	1	6	2	3	12	4	3	–	3	2	2	1	4	3	11
Puerp. Fever	0·02	4	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–
Diarr. and Dys.	0·59	102	55	11	3	3	1	73	3	–	–	1	–	1	3	1	6	14
Cholera	0·02	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–
Cancer	0·60	104	–	–	–	1	–	1	–	–	–	–	2	9	14	31	24	23
Scrofula	0·10	18	7	–	2	–	–	9	–	1	1	1	1	1	3	–	1	–
Tabes Mesent.	0·23	40	13	8	7	1	1	30	6	–	1	1	–	–	–	–	1	1
Phthisis	1·97	342	6	9	1	–	2	18	1	13	34	44	87	54	28	38	20	5
Hydrocephalus	0·29	50	11	17	6	–	5	39	6	2	3	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·52	438	80	20	9	6	5	120	17	4	8	2	14	15	24	56	93	87
Diseases of: Circulatory „	1·53	266	–	1	–	–	–	1	3	1	1	5	9	18	28	56	75	69
Diseases of: Respiratory „	2·86	496	93	48	14	10	4	169	8	3	5	3	11	19	18	57	104	99
Diseases of: Digestive „	1·05	183	28	3	–	2	1	34	5	2	5	–	9	12	12	42	38	24
Diseases of: Urinary „	0·40	70	1	–	1	–	–	2	2	2	1	3	3	5	6	16	22	8
Diseases of: Generative „	0·02	4	–	–	–	–	–	–	–	1	–	–	–	–	1	–	2	–
Childbirth	0·09	16	–	–	–	–	–	–	–	–	1	3	5	7	–	–	–	–
Suicide	0·05	9	–	–	–	–	–	–	–	–	–	1	1	1	2	1	2	1
Other Violence	0·85	148	4	4	3	3	4	18	7	13	13	15	22	23	12	10	8	7
OTHER CAUSES	3·82	630	236	33	9	6	2	286	9	7	4	3	4	10	7	18	76	235

Deaths of Infants (under one) to 1000 Births - 119 | Marriages - 635 | Births - 4,932 | Annual Rate per 1000 living: Persons Married - 7·31; Births - 28·40

293.—LISKEARD.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
ANNUAL DEATH RATE PER 1000	—	17·40	—	—	—	—	—	43·14	4·79	3·35	5·40	6·91	7·03	9·50	13·35	22·31	51·53	145·45
Mean Pop. 1871-80	—	31,489	878	760	834	822	804	4098	4153	3822	3349	2459	3528	3115	2801	2156	1370	638
ALL CAUSES	17·40	5479	1089	378	145	93	63	1768	199	128	181	170	248	296	374	481	706	928
Small-pox	0·06	18	8	1	–	–	1	10	–	1	1	1	2	1	–	1	–	1
Measles	0·31	97	15	29	9	7	11	71	17	4	2	2	1	–	–	–	–	–
Scarlet Fever	0·30	95	2	12	14	10	9	47	30	7	6	1	1	3	–	–	–	–
Diphtheria	0·10	32	1	1	1	1	3	7	14	5	2	–	1	1	1	1	–	–
Whooping cough	0·44	140	64	47	13	8	2	134	5	1	–	–	–	–	–	–	–	–
Typhus	0·03	11	–	–	–	–	–	–	–	2	4	–	2	1	1	1	–	–
Enteric Fever	0·32	100	–	1	–	–	1	2	8	8	30	7	8	13	12	8	4	–
Simple Cont. Fev.	0·12	37	–	–	4	4	–	8	5	1	2	1	2	2	4	3	6	3
Puerp. Fever	0·05	16	–	–	–	–	–	–	–	–	1	3	8	4	–	–	–	–
Diarr. and Dys.	0·31	98	59	6	2	1	1	69	3	1	1	–	1	2	3	3	4	11
Cholera	0·01	3	2	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–
Cancer	0·51	161	–	–	–	–	–	–	–	1	1	–	4	22	25	41	44	23
Scrofula	0·11	36	8	1	1	1	2	13	5	4	2	3	3	1	3	2	–	–
Tabes Mesent.	0·28	87	38	15	6	2	1	62	6	7	7	3	1	1	–	–	–	–
Phthisis	1·90	600	12	13	3	3	2	33	12	31	59	92	109	95	85	54	24	6
Hydrocephalus	0·22	70	18	22	5	6	1	52	11	4	2	1	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·23	702	166	34	20	11	4	235	15	11	13	12	11	22	47	77	129	127
Diseases of: Circulatory „	1·14	358	–	–	–	–	1	1	4	6	6	9	13	22	33	37	101	66
Diseases of: Respiratory „	2·85	897	208	106	33	15	7	372	20	2	11	7	22	26	57	76	169	135
Diseases of: Digestive „	0·82	257	45	3	1	2	2	53	16	7	7	8	10	12	31	34	47	32
Diseases of: Urinary „	0·43	136	2	2	–	1	–	5	–	4	2	5	11	15	15	25	35	19
Diseases of: Generative „	0·05	16	–	–	–	–	–	–	–	–	2	–	2	1	6	2	2	1
Childbirth	0·06	19	–	–	–	–	–	–	–	–	1	2	6	10	–	–	–	–
Suicide	0·06	20	–	–	–	–	–	–	–	–	1	–	1	3	4	6	4	1
Other Violence	0·44	137	8	1	2	7	5	23	5	8	11	11	13	17	20	10	8	11
OTHER CAUSES	4·25	1336	433	84	28	14	10	569	23	13	7	2	13	22	27	40	128	492

Deaths of Infants (under one) to 1000 Births - 117 | Marriages - 1,667 | Births - 9,340 | Annual Rate per 1000 living: Persons Married - 10·59; Births - 29·66

294.—BODMIN.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	21·69	—	—	—	—	—	50·68	6·05	4·70	6·82	9·12	10·5	13·53	14·41	25·43	54·02	154·27
Mean Pop. 1871-80	—	19,512	464	456	453	440	450	2263	2266	2147	1995	1563	2299	2033	1811	1561	1107	527
ALL CAUSES	21·69	4233	712	249	100	51	35	1147	137	101	136	137	231	275	261	397	598	813
Small-pox	0·18	36	2	–	–	1	–	3	2	6	16	1	3	2	2	–	1	–
Measles	0·23	45	9	11	8	4	4	36	5	2	–	1	1	–	–	–	–	–
Scarlet Fever	0·58	114	10	15	8	12	10	55	43	7	2	–	3	1	–	–	–	–
Diphtheria	0·16	31	2	4	4	4	4	18	6	5	–	1	–	–	1	–	–	–
Whooping-cough	0·34	66	34	20	5	3	2	64	2	–	–	–	–	–	–	–	–	–
Typhus	0·02	3	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–
Enteric Fever	0·30	58	–	1	1	1	–	3	3	12	10	9	9	4	4	3	1	–
Simple Cont. Fev.	0·08	16	1	–	–	–	1	2	3	1	4	1	1	1	–	2	1	–
Puerp. Fever	0·08	16	–	–	–	–	–	–	–	–	–	5	4	7	–	–	–	–
Diarr. and Dys.	0·26	51	24	3	1	–	–	28	–	–	1	1	–	2	1	4	5	9
Cholera	0·02	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1
Cancer	0·54	105	–	–	–	–	–	–	–	–	–	2	2	12	14	20	35	20
Scrofula	0·12	23	3	1	3	–	–	7	2	1	2	2	–	–	3	3	3	–
Tabes Mesent.	0·37	73	26	14	11	2	1	54	6	3	2	4	1	2	1	–	–	–
Phthisis	2·26	441	3	5	1	–	1	10	9	15	49	63	101	74	44	51	21	4
Hydrocephalus	0·15	30	6	10	3	1	1	21	3	2	2	2	–	–	–	–	–	–
Diseases of: Nervous Syst.	3·68	718	102	24	10	6	–	142	11	14	8	11	35	67	64	95	131	140
Diseases of: Circulatory „	1·25	244	1	–	1	–	–	2	1	2	4	4	10	14	30	42	88	47
Diseases of: Respiratory „	2·85	556	122	54	17	6	2	201	4	7	10	8	17	23	29	58	99	100
Diseases of: Digestive „	0·92	179	13	1	–	1	–	15	7	2	6	5	3	18	13	32	59	23
Diseases of: Urinary „	0·44	85	–	–	–	1	–	1	2	1	2	2	5	4	10	22	20	16
Diseases of: Generative „	0·04	8	–	–	–	–	–	–	–	–	–	1	–	2	3	2	–	–
Childbirth	0·11	22	–	–	–	–	–	–	–	–	–	3	6	13	–	–	–	–
Suicide	0·06	12	–	–	–	–	–	–	–	–	–	–	1	2	2	3	2	2
Other Violence	0·52	101	8	4	2	3	2	19	6	7	7	5	10	8	13	11	11	4
OTHER CAUSES	6·13	1197	346	82	25	6	7	466	19	14	8	6	18	19	27	49	129	412

Deaths of Infants (under one) to 1000 Births - 127 | Marriages - 1,133 | Births - 5,593 | Annual Rate per 1000 living: Persons Married - 11·61; Births - 28·66

295.—ST. COLUMB.

—	Annual Death Rate per 1000																	
ANNUAL DEATH RATE PER 1000	—	19·09	—	—	—	—	—	49·41	5·17	4·80	5·88	8·10	8·55	7·26	12·22	22·63	50·32	146·34
Mean Pop. 1871-80	—	16,571	438	420	450	390	403	2101	2068	1859	1683	1383	2011	1645	1465	1171	775	410
ALL CAUSES	19·09	3163	644	209	103	36	46	1038	107	80	99	112	172	121	179	265	390	600
Small-pox	0·02	4	–	–	–	–	–	–	1	–	1	–	1	–	1	–	–	–
Measles	0·27	44	9	7	11	4	2	33	10	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·18	29	2	4	5	3	6	20	4	5	–	–	–	–	–	–	–	–
Diphtheria	0·25	42	–	1	5	1	6	13	18	7	1	1	2	–	–	–	–	–
Whooping-cough	0·59	97	50	25	8	5	5	93	3	1	–	–	–	–	–	–	–	–
Typhus	0·01	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever	0·40	67	–	1	–	1	–	2	7	11	12	6	15	5	6	2	–	1
Simple Cont. Fev.	0·14	23	1	–	–	–	1	2	2	1	2	3	3	2	4	2	1	1
Puerp. Fever	0·04	6	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–
Diarr. and Dys.	0·34	57	31	2	3	1	–	37	–	1	2	–	2	–	–	1	5	9
Cholera	0·02	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–
Cancer	0·27	44	–	–	–	–	–	–	–	–	–	–	1	4	7	16	9	7
Scrofula	0·10	16	3	5	–	–	–	8	1	–	1	2	–	–	1	2	1	–
Tabes Mesent.	0·31	52	24	18	5	1	–	43	4	2	–	1	–	–	–	–	–	–
Phthisis	1·91	316	7	6	3	1	–	17	5	16	44	55	70	39	46	18	6	–
Hydrocephalus	0·12	20	4	3	2	–	–	9	8	2	1	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·54	421	78	23	13	3	5	122	7	11	7	4	12	13	22	41	90	92
Diseases of: Circulatory „	1·15	190	1	–	1	1	–	3	–	1	4	1	12	12	12	47	53	45
Diseases of: Respiratory „	2·56	425	83	53	18	5	11	170	7	3	4	7	17	13	25	36	69	74
Diseases of: Digestive „	0·83	137	13	3	1	1	3	21	2	1	5	7	5	7	12	29	27	21
Diseases of: Urinary „	0·28	47	–	1	1	–	–	2	2	–	–	2	2	2	3	9	15	10
Diseases of: Generative „	0·08	13	–	–	–	–	–	–	–	–	–	–	–	1	5	4	1	2
Childbirth	0·09	15	–	–	–	–	–	–	–	–	–	4	8	2	1	–	–	–
Suicide	0·07	12	–	–	–	–	–	–	–	1	2	2	–	–	2	3	2	–
Other Violence	0·50	83	5	4	4	3	–	16	8	4	7	8	2	5	9	8	4	12
OTHER CAUSES	6·02	995	336	53	23	6	7	425	18	12	6	9	16	13	23	46	105	326

Deaths of Infants (under one) to 1000 Births - 122 | Marriages - 1,014 | Births - 5,293 | Annual Rate per 1000 living: Persons Married - 12·24; Births - 31·94

296.—ST. AUSTELL.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	21·00	—	—	—	—	—	62·61	6·18	4·96	5·52	8·58	7·68	9·02	11·56	24·24	56·31	162·05
Mean Pop. 1871–80	—	30,690	835	748	813	772	761	3929	3962	3589	3300	2343	3635	3025	2708	2182	1403	614
ALL CAUSES	21·00	6445	1521	501	224	115	99	2460	245	178	182	201	279	273	313	529	790	995
Small-pox	0·17	53	2	4	1	2	1	10	9	6	7	11	5	3	1	1	-	-
Measles	0·33	101	19	24	16	11	8	78	17	1	1	1	-	3	-	-	-	-
Scarlet Fever	0·85	260	19	32	36	35	38	160	69	27	2	1	1	-	-	-	-	-
Diphtheria	0·14	42	2	5	3	8	3	21	13	2	1	2	-	1	1	-	1	-
Whooping-cough	0·59	182	107	48	15	2	7	179	2	1	-	-	-	-	-	-	-	-
Typhus	0·01	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
Enteric Fever	0·35	107	-	2	6	5	2	15	11	21	18	9	12	4	4	6	4	3
Simple Cont. Fev.	0·05	16	-	-	1	1	-	2	1	1	2	2	2	-	2	3	1	-
Puerp. Fever	0·06	19	-	-	-	-	-	-	-	-	-	8	6	5	-	-	-	-
Diarr. and Dys.	0·41	126	88	6	-	2	1	97	1	-	1	-	1	2	1	3	11	9
Cholera	0·03	8	1	2	1	-	-	4	-	-	1	-	-	1	1	-	-	1
Cancer	0·46	142	-	-	-	-	-	-	-	-	-	-	2	14	23	41	42	17
Scrofula	0·12	37	10	3	4	2	-	19	1	4	1	4	2	4	-	-	2	-
Tabes Mesent.	0·34	104	51	28	7	2	-	88	9	1	4	1	-	1	-	-	-	-
Phthisis	2·33	715	38	50	9	2	1	100	13	35	74	92	134	88	67	65	45	2
Hydrocephalus	0·25	76	12	20	6	2	5	45	16	6	2	3	3	1	-	-	-	-
Diseases of: Nervous Syst.	2·44	750	199	39	19	7	6	261	15	18	12	8	13	24	42	74	147	136
Diseases of: Circulatory	1·15	352	2	-	-	-	1	3	6	8	8	4	13	19	38	71	116	66
Diseases of: Respiratory	2·87	881	216	91	45	15	4	571	18	6	10	14	14	20	47	100	147	154
Diseases of: Digestive	0·83	255	35	6	2	2	3	48	7	7	4	10	11	11	30	51	45	31
Diseases of: Urinary	0·45	138	1	1	3	1	2	8	4	5	3	2	9	19	13	26	29	29
Diseases of: Generative	0·04	11	-	-	-	-	-	-	-	-	-	-	2	1	4	3	1	-
Childbirth	0·12	36	-	-	-	-	-	-	-	-	6	4	11	12	-	-	-	-
Suicide	0·04	12	-	-	-	-	-	-	-	-	-	-	-	1	4	3	3	1
Other Violence	0·49	151	16	8	6	-	2	32	8	11	14	12	15	14	15	16	6	8
OTHER CAUSES	6·08	1868	712	132	44	16	15	919	24	18	10	12	20	25	20	63	190	567

Deaths of Infants (under one) to 1000 Births - 147

Marriages - 2,166
Births - 10,320

Annual Rate per 1000 living: Persons Married - 14·12; Births - - - 33·63

297.—TRURO.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	20·44	—	—	—	—	—	55·28	5·96	3·78	6·93	8·32	8·71	10·84	12·86	26·72	56·34	158·95
Mean Pop. 1871–80	—	38,852	950	848	889	847	916	4450	4698	4470	4201	3199	4638	3901	3638	2927	1892	838
ALL CAUSES	20·44	7941	1520	478	239	129	94	2460	280	169	291	266	404	423	468	782	1066	1332
Small-pox	0·27	103	10	3	2	3	1	19	25	10	12	6	15	11	3	2	-	-
Measles	0·15	57	13	26	7	5	2	53	2	-	1	-	1	-	-	-	-	-
Scarlet Fever	0·45	176	9	20	24	19	22	94	60	10	8	1	3	-	-	-	-	-
Diphtheria	0·14	55	5	6	4	9	3	27	15	9	1	-	-	1	2	-	-	-
Whooping-cough	0·50	196	85	56	21	15	12	189	7	-	-	-	-	-	-	-	-	-
Typhus	0·04	15	-	-	-	-	-	-	-	1	5	1	2	1	1	2	2	-
Enteric Fever	0·39	153	-	4	1	3	5	13	11	18	35	16	18	15	12	11	3	1
Simple Cont. Fev.	0·13	49	-	1	2	4	1	8	9	8	3	4	2	1	4	6	4	-
Puerp. Fever	0·02	9	-	-	-	-	-	-	-	-	-	1	6	2	-	-	-	-
Diarr. and Dys.	0·45	173	102	17	3	-	2	124	4	-	1	3	1	3	4	11	13	9
Cholera	0·01	5	-	-	2	-	-	2	-	-	-	-	-	-	1	1	1	-
Cancer	0·49	191	-	-	-	-	-	-	1	1	2	-	-	11	49	54	52	21
Scrofula	0·14	56	12	3	3	1	1	20	3	3	2	6	1	6	4	7	4	-
Tabes Mesent.	0·15	58	22	14	6	2	2	46	4	1	3	2	1	1	-	-	-	-
Phthisis	2·25	873	21	10	8	1	4	44	15	35	105	149	188	125	96	95	27	3
Hydrocephalus	0·17	66	10	20	8	6	2	46	14	5	-	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·46	957	192	52	27	13	7	291	29	15	20	19	24	33	51	114	201	160
Diseases of: Circulatory	1·21	469	-	2	2	-	1	5	3	4	8	9	23	37	52	129	123	72
Diseases of: Respiratory	2·68	1041	192	99	39	16	10	356	19	6	23	16	36	53	65	151	186	130
Diseases of: Digestive	0·88	342	21	3	5	-	2	31	9	5	7	11	19	28	51	64	77	40
Diseases of: Urinary	0·27	104	1	-	1	1	-	3	1	3	2	3	7	14	12	16	26	17
Diseases of: Generative	0·08	30	-	-	-	-	-	-	-	-	2	1	1	6	6	6	6	1
Childbirth	0·09	36	-	-	-	-	-	-	-	-	3	2	13	18	-	-	-	-
Suicide	0·03	13	-	-	-	-	-	-	-	-	-	-	2	3	2	3	3	-
Other Violence	0·56	216	23	3	8	8	4	49	15	13	29	14	18	20	15	17	16	10
OTHER CAUSES	6·43	2498	799	130	66	23	13	1010	34	22	19	10	19	34	38	93	322	867

Deaths of Infants (under one) to 1000 Births - 142

Marriages - 2,530
Births - 10,736

Annual Rate per 1000 living: Persons Married - 13·02; Births - - - 27·63

298.—FALMOUTH.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·93	—	—	—	—	—	59·47	6·14	4·50	5·23	6·98	8·47	9·80	13·37	25·12	55·67	156·13
Mean Pop. 1871-80	—	25,328	636	562	603	599	556	2956	2832	2534	2790	2232	3530	2888	2289	1656	1085	506
ALL CAUSES	19·93	5048	1104	340	155	84	75	1758	174	114	146	158	299	283	306	416	694	790
Small-pox	0·36	91	29	8	10	2	5	45	8	5	5	9	10	5	2	1	1	-
Measles	0·32	80	17	25	29	5	8	75	3	2	-	-	-	-	-	-	-	-
Scarlet Fever	0·70	176	6	21	29	27	28	111	45	11	7	1	3	-	-	-	-	-
Diphtheria	0·08	19	2	4	2	1	1	10	4	4	-	1	-	-	-	-	-	-
Whooping-cough	0·43	109	50	32	11	10	2	105	4	-	-	-	-	-	-	-	-	-
Typhus	0·04	11	-	-	-	1	-	1	-	-	5	-	-	4	1	-	-	-
Enteric Fever	0·28	71	3	-	4	2	-	9	4	4	9	13	6	11	6	4	2	3
Simp. Cont. Fev.	0·13	34	2	-	1	2	2	7	2	-	1	3	3	4	4	3	5	2
Puerp. Fever	0·02	6	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-
Diarr. and Dys.	0·71	179	113	14	1	2	2	132	-	-	2	4	6	9	5	6	4	11
Cholera	0·01	3	1	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-
Cancer	0·47	119	-	-	-	-	-	-	-	-	-	-	2	15	21	35	32	14
Scrofula	0·09	24	2	5	1	1	-	9	3	-	2	3	2	1	3	1	-	-
Tabes Mesent.	0·12	31	4	12	7	-	-	23	2	2	3	-	1	-	-	-	-	-
Phthisis	1·92	486	17	8	5	4	1	35	10	23	51	65	121	81	50	33	12	2
Hydrocephalus	0·25	63	13	9	10	4	2	33	17	7	1	-	-	-	-	-	-	-
Diseases of Nervous Syst.	2·70	684	168	42	15	3	7	235	16	19	9	9	14	21	37	68	130	123
Diseases of Circulatory "	1·01	255	2	1	-	-	-	3	2	4	4	5	19	26	40	40	61	51
Diseases of Respiratory "	2·95	748	143	85	16	14	5	263	19	5	9	11	30	24	43	85	140	116
Diseases of Digestive "	0·97	246	17	1	1	-	1	20	5	8	1	4	12	24	42	51	44	35
Diseases of Urinary "	0·30	75	-	-	1	-	1	2	2	1	2	1	8	13	3	13	21	9
Diseases of Generative "	0·05	13	-	-	-	-	-	-	-	-	1	-	-	2	-	5	1	4
Childbirth	0·06	16	-	-	-	-	-	-	-	-	1	2	7	5	1	-	-	-
Suicide	0·05	12	-	-	-	-	-	-	-	-	1	2	2	1	2	1	3	-
Other Violence	0·53	135	4	5	3	2	6	20	14	9	19	10	20	11	11	12	6	3
Other Causes	5·38	1360	520	68	18	4	4	614	14	10	13	12	30	25	32	54	143	414

Deaths of Infants (under one) to 1000 Births - 154 | Marriages - 1,678 | Births - 7,172 | Annual Rate per 1000 living: Persons Married - 13·25; Births - 28·32

299.—HELSTON.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	22·00	—	—	—	—	—	61·42	5·86	4·06	6·41	8·71	9·29	10·34	15·92	26·63	58·37	154·03
Mean Pop. 1871-80	—	26,050	666	583	620	637	641	3147	3190	3051	2747	2078	3143	2678	2255	1851	1290	620
ALL CAUSES	22·00	5730	1269	379	123	90	72	1933	187	124	176	181	292	277	359	493	753	955
Small-pox	0·49	127	18	2	6	4	4	34	12	11	17	12	18	11	8	2	2	-
Measles	0·10	25	6	10	-	4	2	22	3	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·57	148	12	12	14	15	22	75	45	17	3	3	4	1	-	-	-	-
Diphtheria	0·05	13	-	-	1	3	3	7	3	1	2	-	-	-	-	-	-	-
Whooping-cough	0·36	95	54	26	3	9	-	92	3	-	-	-	-	-	-	-	-	-
Typhus	0·09	24	-	-	-	-	-	-	6	3	5	2	4	1	2	1	-	-
Enteric Fever	0·24	63	3	1	1	-	-	5	7	8	9	10	9	6	5	6	3	1
Simp. Cont. Fev.	0·17	43	2	1	2	1	3	9	6	4	4	2	1	2	4	4	5	2
Puerp. Fever	0·03	7	-	-	-	-	-	-	-	-	1	-	3	3	-	-	-	-
Diarr. and Dys.	0·34	89	42	4	4	1	-	53	-	-	1	-	2	-	1	6	9	12
Cholera	0·00	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Cancer	0·42	110	-	-	-	-	-	-	-	-	1	1	3	7	24	31	32	11
Scrofula	0·11	29	4	2	1	-	2	9	-	2	3	1	1	3	6	2	1	1
Tabes Mesent.	0·12	32	5	9	2	1	2	19	2	2	4	3	-	1	-	1	-	-
Phthisis	2·80	730	33	19	7	8	4	71	16	26	72	103	125	88	94	93	38	4
Hydrocephalus	0·18	46	12	7	4	-	2	25	10	7	1	1	1	1	-	-	-	-
Diseases of Nervous Syst.	1·91	497	108	43	9	6	6	175	16	11	6	5	15	17	23	59	110	64
Diseases of Circulatory "	0·76	197	-	-	1	2	-	3	6	2	5	2	11	21	24	48	69	15
Diseases of Respiratory "	2·84	739	138	76	29	16	7	256	13	5	6	8	20	29	62	102	143	95
Diseases of Digestive "	0·96	251	17	4	3	-	1	25	4	5	4	2	14	17	32	50	67	31
Diseases of Urinary "	0·21	53	-	-	1	-	1	2	3	1	-	2	3	3	8	10	13	8
Diseases of Generative "	0·05	13	-	-	-	-	-	-	-	-	-	1	2	2	3	3	1	1
Childbirth	0·10	26	-	-	-	-	-	-	-	-	1	7	5	13	-	-	-	-
Suicide	0·02	5	-	-	-	-	-	-	-	-	1	1	-	2	-	1	-	-
Other Violence	0·64	167	7	7	6	5	3	23	9	8	18	9	27	21	18	6	11	12
Other Causes	8·43	2194	811	153	23	15	10	1018	23	11	12	6	24	18	40	77	257	648

Deaths of Infants (under one) to 1000 Births - 163 | Marriages - 1,690 | Births - 7,798 | Annual Rate per 1000 living: Persons Married - 12·98; Births - 29·93

300.—REDRUTH.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	21·42	—	—	—	—	—	68·93	7·92	4·18	5·11	7·78	7·78	10·54	15·82	30·99	61·47	159·39
Mean Pop. 1871-80	—	49,815	1273	1081	1250	1163	1233	6000	6188	5790	5788	4357	6211	5134	4399	3237	1918	793
ALL CAUSES	21·42	10,669	2636	758	377	212	153	4136	490	242	296	339	483	541	696	1003	1179	1264
Small-pox	0·21	104	29	11	3	6	3	52	12	6	13	8	9	4	-	-	-	-
Measles	0·17	83	21	25	12	9	-	67	15	1	-	-	-	-	-	-	-	-
Scarlet Fever	1·09	541	31	43	81	74	55	284	178	53	9	5	5	2	-	-	-	-
Diphtheria	0·14	71	5	3	6	7	11	32	30	6	1	-	1	-	1	-	-	-
Whooping-cough	0·60	297	165	63	45	10	6	289	7	1	-	-	-	-	-	-	-	-
Typhus	0·04	22	-	-	-	-	-	-	5	2	2	3	2	2	3	2	1	-
Enteric Fever	0·33	165	2	5	1	4	3	15	16	18	24	12	16	16	16	15	10	7
Simple Cont. Fev.	0·05	32	-	1	1	2	-	4	11	4	2	2	2	-	2	1	4	-
Puerp. Fever	0·04	19	-	-	-	-	-	-	-	-	1	4	8	6	-	-	-	-
Diarr. and Dys.	0·61	306	202	35	14	4	1	256	6	1	1	2	3	5	2	6	11	13
Cholera	0·03	12	3	1	-	-	-	4	2	-	-	-	-	3	1	1	-	1
Cancer	0·66	329	-	-	-	1	1	2	1	2	1	1	8	23	64	108	85	29
Scrofula	0·11	53	13	8	6	-	1	28	3	6	1	6	2	2	4	1	-	-
Tabes Mesent.	0·30	150	69	34	15	6	1	125	12	3	3	2	-	2	2	1	-	-
Phthisis	2·48	1237	46	26	13	7	6	98	31	36	107	156	225	161	184	169	63	8
Hydrocephalus	0·23	113	21	32	9	5	5	72	25	7	4	3	1	1	-	-	-	-
Diseases of: Nervous Syst.	2·14	1067	233	72	36	12	9	362	33	11	10	26	27	37	73	134	195	159
Diseases of: Circulatory "	0·93	462	2	-	-	1	-	3	5	11	10	9	24	40	66	112	120	62
Diseases of: Respiratory "	2·97	1481	328	192	68	29	22	639	27	10	17	17	31	71	113	205	214	134
Diseases of: Digestive "	0·75	372	41	6	3	2	2	54	4	6	10	11	28	30	44	72	76	37
Diseases of: Urinary "	0·38	191	5	2	1	-	1	9	6	2	8	8	10	24	21	37	48	18
Diseases of: Generative "	0·04	20	-	-	-	-	-	-	-	-	-	1	3	4	6	3	3	-
Childbirth	0·10	51	-	-	-	-	-	-	-	1	3	7	18	19	3	-	-	-
Suicide	0·02	12	-	-	-	-	-	-	-	-	-	1	-	4	2	5	-	-
Other Violence	0·65	325	16	11	7	6	5	45	13	33	53	42	28	38	31	18	6	11
Other Causes	6·35	3154	1401	188	53	27	21	1690	43	17	14	13	29	42	58	113	344	785

Deaths of Infants (under one to 1000 Births) - 171 | Marriages - 3,745 | Births - 15,422 | Annual Rate per 1000 living: Persons Married - 15·04; Births - 30·96

301.—PENZANCE.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	21·40	—	—	—	—	—	68·31	6·81	4·14	5·40	7·66	8·08	10·75	14·21	25·36	55·67	159·66
Mean Pop. 1871-80	—	52,235	1323	1203	1306	1194	1235	6264	6171	5794	5668	4650	6757	5424	4198	3667	2348	994
ALL CAUSES	21·40	11,179	2809	709	321	183	167	4279	420	240	306	356	546	583	639	930	1293	1587
Small-pox	0·29	107	19	4	2	-	2	27	19	8	19	15	14	2	2	1	-	-
Measles	0·31	160	30	59	19	17	15	140	17	3	-	-	-	-	-	-	-	-
Scarlet Fever	0·62	326	23	45	43	44	35	190	99	26	5	2	3	1	-	-	-	-
Diphtheria	0·09	47	2	4	6	4	4	20	20	2	1	-	1	2	1	-	-	-
Whooping-cough	0·57	296	149	85	33	11	6	284	12	-	-	-	-	-	-	-	-	-
Typhus	0·06	29	-	-	1	-	2	3	2	6	8	3	1	2	1	-	3	-
Enteric Fever	0·41	212	4	14	9	8	7	42	29	20	26	24	26	13	11	12	7	2
Simple Cont. Fev.	0·11	59	4	1	1	2	1	9	17	4	2	5	2	3	5	5	5	2
Puerp. Fever	0·02	10	-	-	-	-	-	-	-	-	-	2	5	3	-	-	-	-
Diarr. and Dys.	0·93	485	337	42	9	-	3	391	1	-	1	1	3	7	3	10	23	45
Cholera	0·01	5	-	1	-	-	-	1	-	-	-	-	-	-	1	1	-	2
Cancer	0·50	230	-	-	-	-	1	1	-	-	-	-	8	23	35	84	82	22
Scrofula	0·18	93	26	11	6	4	-	47	1	8	7	9	12	6	1	1	1	-
Tabes Mesent.	0·50	261	154	59	12	4	5	234	6	3	8	3	2	2	-	1	2	-
Phthisis	2·24	1171	18	12	8	4	3	45	28	45	118	164	259	172	159	135	43	7
Hydrocephalus	0·25	132	29	32	15	10	3	90	24	9	3	5	-	1	-	-	-	-
Diseases of: Nervous Syst.	2·12	1109	180	58	24	19	15	296	26	21	21	13	25	47	68	145	243	204
Diseases of: Circulatory "	0·95	496	1	2	-	-	-	3	4	7	9	12	27	44	61	104	153	72
Diseases of: Respiratory "	2·91	1520	324	170	53	25	23	595	25	12	12	20	57	73	121	177	251	197
Diseases of: Digestive "	1·27	661	129	15	12	2	6	164	19	15	11	12	27	36	66	136	127	78
Diseases of: Urinary "	0·38	198	2	3	-	2	4	11	5	6	9	5	21	19	15	27	41	47
Diseases of: Generative "	0·06	30	-	-	-	-	-	-	-	-	2	2	1	10	7	5	3	-
Childbirth	0·09	48	-	-	-	-	-	-	-	-	1	8	19	19	1	-	-	-
Suicide	0·02	13	-	-	-	-	-	-	-	1	-	2	1	1	6	1	1	-
Other Violence	0·52	271	14	4	8	6	5	37	20	24	20	23	31	36	23	19	16	19
Other Causes	6·08	3180	1364	175	59	21	27	1649	46	20	23	23	30	46	52	98	285	910

Deaths of Infants (under one) to 1000 Births - 173 | Marriages - 3,709 | Births - 16,270 | Annual Rate per 1000 living: Persons Married - 14·26; Births - 31·15

302.—SCILLY ISLANDS.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	22·13	—	—	—	—	—	32·93	3·03	3·83	7·94	20·37	26·85	20·83	12·04	17·31	44·87	116·67
Mean Pop. 1871-80	—	2,205	40	48	43	56	53	240	231	209	189	162	298	240	191	208	156	72
ALL CAUSES	22·13	488	55	9	9	5	4	82	7	8	15	33	80	50	23	36	70	84
Small-pox	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·09	2	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-
Diphtheria	0·09	2	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough	0·14	3	1	1	1	-	-	3	-	-	-	-	-	-	-	-	-	-
Typhus	0·14	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
Enteric Fever	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Cont. Fev.	0·36	8	-	-	-	-	1	1	1	1	-	2	2	-	-	-	1	-
Puerp. Fever	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarr. and Dys.	0·59	13	3	-	-	-	-	3	-	-	-	-	1	-	-	-	3	6
Cholera	0·14	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-
Cancer	0·45	10	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	2
Scrofula	0·14	3	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-
Tabes Mesent.	0·14	3	1	-	1	-	-	2	-	-	-	-	-	1	-	-	-	-
Phthisis	1·95	43	1	-	-	-	-	1	-	-	7	9	17	3	3	2	1	-
Hydrocephalus	0·05	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-		-
Diseases of: Nervous Syst.	2·54	56	13	2	1	1	-	17	2	-	-	1	1	3	1	7	13	11
Diseases of: Circulatory ,,	1·59	35	-	-	-	-	-	-	-	-	-	1	-	2	2	7	15	8
Diseases of: Respiratory ,,	1·59	35	6	2	-	-	1	9	-	-	-	-	-	3	2	5	7	9
Diseases of: Digestive ,,	1·36	30	4	-	1	1	1	7	-	-	-	1	1	3	4	3	6	5
Diseases of: Urinary ,,	0·50	11	1	-	-	-	-	1	-	1	-	-	-	-	-	2	1	6
Diseases of: Generative ,,	0·05	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Childbirth	0·14	3	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
Suicide	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violence	6·21	137	1	-	2	2	1	6	3	3	5	15	57	30	10	4	3	1
Other Causes	3·87	86	22	3	1	-	-	26	-	1	2	1	1	2	-	3	14	33

Deaths of Infants (under one) to 1000 Births - 99 | Marriages - 105 | Births - 558 | Annual Rate per 1000 living: Persons Married - 9·52; Births - 25·31

[SOMERSETSHIRE.

303.—WILLITON.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·32	—	—	—	—	—	35·12	5·50	3·12	4·24	5·46	7·82	9·21	12·47	22·13	50·91	143·61
Mean Pop. 1871-80	—	19,246	506	504	506	479	525	2520	2583	2277	1814	1338	2149	1933	1780	1410	933	509
ALL CAUSES	17·32	3334	553	150	71	73	38	885	142	71	77	73	168	178	222	312	475	731
Small-pox	0·01	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Measles	0·14	26	4	8	1	4	5	22	3	-	-	-	1	-	-	-	-	-
Scarlet Fever	0·57	110	7	19	18	15	11	70	30	7	2	-	-	-	1	-	-	-
Diphtheria	0·23	44	4	1	2	3	4	14	21	9	-	-	-	-	-	-	-	-
Whooping-cough	0·40	77	37	18	7	9	2	73	4	-	-	-	-	-	-	-	-	-
Typhus	0·05	10	-	-	-	-	-	-	1	4	-	1	-	2	-	-	2	-
Enteric Fever	0·16	30	-	-	1	4	1	6	6	5	-	2	4	1	4	-	-	2
Simple Cont. Fev.	0·06	12	1	-	1	-	-	2	2	1	1	-	-	4	-	2	-	-
Puerp. Fever	0·04	7	-	-	-	-	-	-	-	-	-	1	5	1	-	-	-	-
Diarr. and Dys.	0·33	63	37	2	2	2	-	43	1	-	-	-	1	-	1	-	4	13
Cholera	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Cancer	0·47	91	-	-	-	1	-	1	-	-	-	-	3	3	20	28	22	14
Scrofula	0·12	23	2	2	-	-	-	4	4	3	1	3	4	1	2	1	-	-
Tabes Mesent.	0·11	22	10	4	-	1	2	17	3	-	-	1	1	-	-	-	-	-
Phthisis	1·42	274	5	-	2	-	-	7	4	9	23	35	62	56	47	23	8	2
Hydrocephalus	0·13	25	6	4	-	2	1	13	5	4	2	-	-	1	-	-	-	-
Diseases of: Nervous Syst.	2·61	503	106	23	1	4	2	136	13	4	7	6	15	15	26	62	126	93
Diseases of: Circulatory ,,	1·09	209	-	-	-	-	-	-	-	5	5	3	7	13	25	46	60	45
Diseases of: Respiratory ,,	3·07	591	130	37	20	15	3	195	12	9	8	7	18	18	32	61	98	134
Diseases of: Digestive ,,	1·06	204	24	2	2	2	-	30	7	3	1	2	14	11	28	33	46	29
Diseases of: Urinary ,,	0·35	67	-	-	-	-	1	1	1	1	1	-	6	9	10	9	18	11
Diseases of: Generative ,,	0·06	12	-	-	-	-	-	-	-	-	-	-	1	3	3	2	2	1
Childbirth	0·08	16	-	-	-	-	-	-	-	-	1	-	5	10	-	-	-	-
Suicide	0·05	9	-	-	-	-	-	-	-	-	2	1	-	2	2	2	-	-
Other Violence	0·53	102	4	4	3	3	2	16	6	5	9	6	10	17	10	8	9	6
Other Causes	4·17	801	186	26	11	8	4	235	19	2	9	5	11	10	17	35	80	331

Deaths of Infants (under one) to 1000 Births - 95 | Marriages - 920 | Births - 5,794 | Annual Rate per 1000 living: Persons Married - 9·56; Births - 30·10

304.—DULVERTON.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	15·99	—	—	—	—	—	31·96	4·17	2·80	4·00	5·71	4·77	5·86	11·43	22·54	50·00	156·06
Mean Pop. 1871-80	—	5,621	149	133	147	150	147	726	719	643	575	385	629	580	516	417	302	132
ALL CAUSES	15·99	899	145	41	26	13	7	232	30	18	23	22	30	34	59	94	151	206
Small-pox	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	0·09	5	1	4	-	-	-	5	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·34	19	1	2	1	2	2	8	5	3	1	-	1	1	-	-	-	-
Diphtheria	0·04	2	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Whooping-cough	0·27	15	8	5	-	1	-	14	-	-	1	-	-	-	-	-	-	-
Typhus	0·02	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Enteric Fever	0·09	5	-	-	1	-	-	1	2	-	-	-	-	1	-	-	-	1
Simple Cont. Fev.	0·12	7	-	1	2	-	1	4	1	-	-	1	-	-	-	-	1	-
Puerp. Fever	0·02	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diarr. and Dys.	0·23	13	5	-	-	2	-	7	-	-	-	-	-	-	-	-	1	5
Cholera	0·05	3	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-
Cancer	0·69	39	-	-	-	1	-	1	-	-	-	-	-	-	6	10	19	3
Scrofula	0·12	7	-	-	-	-	-	-	-	-	2	-	1	-	-	1	2	1
Tabes Mesent.	0·12	7	1	2	-	-	-	3	2	-	-	-	-	-	1	1	-	-
Phthisis	1·16	65	1	4	-	1	1	7	-	4	10	10	12	7	8	5	1	1
Hydrocephalus	0·04	2	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	1·81	102	22	2	2	-	2	28	2	1	1	-	1	3	8	11	26	21
Diseases of: Circulatory „	1·69	95	3	-	-	-	-	3	1	2	-	-	4	4	4	25	31	21
Diseases of: Respiratory „	3·50	197	44	11	7	2	-	64	3	1	1	3	2	7	11	18	34	53
Diseases of: Digestive „	1·00	56	4	-	3	-	-	7	1	1	-	1	1	2	8	7	15	13
Diseases of: Urinary „	0·20	11	-	-	-	-	-	-	-	-	-	1	-	-	1	2	4	3
Diseases of: Generative „	0·09	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-
Childbirth	0·00	5	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-
Suicide	0·14	8	-	-	-	-	-	-	-	-	2	2	1	-	1	2	-	-
Other Violence	0·57	32	-	1	2	1	-	4	4	2	2	2	2	2	3	4	2	5
Other Causes	3·50	197	55	7	8	2	1	73	6	3	3	1	3	3	8	7	11	79

Deaths of Infants (under one) to 1000 Births - 85

Marriages - 316
Births - 1,710

Annual Rate per 1000 living: Persons Married - 11·24; Births - 30·41

305.—WELLINGTON.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	17·64	—	—	—	—	—	33·92	3·73	3·19	4·26	5·46	8·34	9·17	12·42	22·91	53·88	150·37
Mean Pop. 1871-80	—	19,085	545	506	536	504	512	2603	2469	2286	1903	1519	2339	1973	1795	1519	1045	534
ALL CAUSES	17·64	3525	554	165	77	51	36	883	92	73	81	83	195	181	223	348	563	803
Small-pox	0·01	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Measles	0·23	45	6	12	9	7	4	38	4	1	-	1	-	-	1	-	-	-
Scarlet Fever	0·30	59	7	8	9	5	9	38	15	5	1	-	-	-	-	-	-	-
Diphtheria	0·10	19	-	1	4	-	3	8	3	3	1	2	2	-	-	-	-	-
Whooping-cough	0·29	57	31	17	4	5	-	57	-	-	-	-	-	-	-	-	-	-
Typhus	0·05	9	-	-	-	1	1	2	1	-	2	1	2	1	-	-	-	-
Enteric Fever	0·31	62	-	-	-	-	-	-	3	9	13	10	4	4	8	9	2	-
Simple Cont. Fev.	0·05	10	1	-	-	2	-	3	-	2	-	-	-	1	1	1	1	1
Puerp. Fever	0·06	11	-	-	-	-	-	-	-	-	-	2	4	5	-	-	-	-
Diarr. and Dys.	0·29	57	32	8	1	-	-	41	-	-	1	-	-	1	2	1	5	6
Cholera	0·03	5	1	-	-	-	-	1	-	-	1	-	-	1	1	-	-	1
Cancer	0·67	135	-	-	-	-	-	-	-	-	-	1	-	13	25	42	36	18
Scrofula	0·09	18	3	1	-	1	1	6	1	2	1	3	1	1	1	-	2	-
Tabes Mesent.	0·21	42	16	6	7	2	3	34	2	4	2	-	-	-	-	-	-	-
Phthisis	1·52	304	3	2	1	1	-	7	1	14	35	29	88	47	31	33	17	2
Hydrocephalus	0·20	40	11	10	5	1	1	28	4	7	-	-	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·07	414	71	20	8	4	1	104	12	5	4	3	10	15	27	36	88	116
Diseases of: Circulatory „	1·48	297	2	-	-	-	-	2	2	7	3	4	15	19	33	59	108	45
Diseases of: Respiratory „	3·28	656	118	52	13	13	7	203	14	2	7	10	18	29	35	75	135	137
Diseases of: Digestive „	0·81	162	20	-	2	1	-	23	3	3	2	4	9	16	17	34	33	18
Diseases of: Urinary „	0·27	53	-	-	-	-	-	-	2	-	1	3	2	6	6	9	16	8
Diseases of: Generative „	0·11	22	-	-	-	-	-	-	-	-	-	-	2	1	4	7	4	4
Childbirth	0·08	15	-	-	-	-	-	-	-	-	1	1	11	2	-	-	-	-
Suicide	0·04	8	-	-	-	-	-	-	-	-	1	-	1	2	2	1	-	1
Other Violence	0·52	103	8	4	2	-	2	16	7	4	2	6	11	12	12	13	12	8
Other Causes	4·57	924	224	24	12	8	4	272	18	5	3	3	13	14	17	28	104	444

Deaths of Infants (under one) to 1000 Births - 97

Marriages - 1,111
Births - 5,685

Annual Rate per 1000 living: Persons Married - 11·72; Births - 28·45

306.—TAUNTON.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Year	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·15	—	—	—	—	—	40·23	4·56	3·17	4·51	7·22	9·02	10·77	13·96	24·63	54·43	147·62
Mean Pop. 1871–80	—	35,752	865	812	849	845	833	4210	4168	4284	3836	2853	4345	3567	3295	2615	1716	863
ALL CAUSES	18·15	6488	1113	266	152	99	65	1695	190	136	173	206	392	384	460	644	934	1274
Small-pox	0·06	23	3	2	1	2	–	8	8	2	–	2	3	–	–	–	–	–
Measles	0·22	78	13	21	20	11	3	68	7	1	–	–	–	1	–	1	–	–
Scarlet Fever	0·40	143	9	17	28	16	14	84	39	15	3	–	2	–	–	–	–	–
Diphtheria	0·09	32	4	4	1	6	–	15	8	2	3	1	2	1	–	–	–	–
Whooping-cough	0·38	136	68	35	20	5	4	132	4	–	–	–	–	–	–	–	–	–
Typhus	0·02	6	–	–	–	–	–	–	–	1	2	–	1	–	–	1	–	1
Enteric Fever	0·27	95	1	2	2	1	3	9	10	13	19	10	12	10	4	3	1	4
Simple Cont. Fev.	0·05	18	–	–	2	2	2	6	2	–	2	2	2	–	–	2	1	1
Puerp. Fever	0·04	15	–	–	–	–	–	–	–	–	–	2	8	5	–	–	–	–
Diarr. and Dys.	0·51	183	104	13	4	4	1	126	2	–	–	2	–	4	3	4	17	23
Cholera	0·01	3	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–
Cancer	0·54	194	–	–	–	–	–	–	–	1	2	–	4	20	41	51	51	24
Scrofula	0·13	46	4	1	3	4	–	12	5	4	3	4	8	1	5	1	3	–
Tabes Mesent.	0·15	53	19	7	3	2	1	32	8	6	2	3	–	–	–	1	1	–
Phthisis	1·94	693	4	9	1	1	4	19	6	18	72	111	193	110	67	39	34	4
Hydrocephalus	0·20	72	22	10	3	8	2	45	10	11	3	1	2	–	–	–	–	–
Diseases of Nervous Syst.	2·34	837	160	17	7	9	7	200	13	9	11	14	23	37	76	98	166	184
Diseases of Circulatory "	1·44	514	1	2	–	2	–	5	6	8	7	12	28	46	63	111	134	94
Diseases of Respiratory "	2·97	1063	261	68	28	12	7	376	12	5	13	8	19	31	72	128	203	216
Diseases of Digestive "	0·93	334	35	1	2	1	1	40	5	10	11	9	11	23	43	69	72	43
Diseases of Urinary "	0·49	175	–	–	–	2	–	2	7	7	3	2	29	17	21	23	29	29
Diseases of Generative "	0·09	32	–	–	–	–	–	–	–	–	–	1	4	6	5	9	5	2
Childbirth	0·08	29	–	–	–	–	–	–	–	–	–	3	10	16	–	–	–	–
Suicide	0·08	27	–	–	–	–	–	–	–	–	1	1	5	4	7	4	4	1
Other Violence	0·58	208	12	6	6	2	7	33	12	15	9	7	23	22	22	24	27	14
Other Causes	4·14	1479	453	51	21	9	9	543	20	8	7	11	12	24	30	58	176	590

Deaths of Infants (under one) to 1000 Births - 114 | Marriages - 2,862 | Births - 9,753 | Annual Rate per 1000 living: Persons Married - 16·01; Births - 27·28

307.—BRIDGWATER.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Year	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·69	—	—	—	—	—	41·98	5·89	3·53	5·19	7·90	8·71	9·44	14·31	24·44	52·41	150·63
Mean Pop. 1871–80	—	34,272	925	854	892	908	921	4500	4247	3992	3293	2577	4122	3540	3109	2443	1559	790
ALL CAUSES	18·69	6405	1132	357	178	128	94	1889	256	141	171	206	359	334	445	597	817	1190
Small-pox	0·45	153	22	4	3	2	8	39	26	8	5	20	39	13	3	–	–	–
Measles	0·53	181	19	58	39	27	15	158	19	2	–	–	1	–	1	–	–	–
Scarlet Fever	0·37	127	12	34	24	29	18	127	52	10	5	–	2	1	–	–	–	–
Diphtheria	0·07	23	2	4	1	2	4	13	6	2	–	–	2	–	–	–	–	–
Whooping-cough	0·25	88	48	26	5	5	3	87	1	–	–	–	–	–	–	–	–	–
Typhus	0·13	43	–	1	–	4	1	6	8	6	6	8	4	–	2	1	2	–
Enteric Fever	0·28	95	1	2	7	4	4	18	12	15	11	5	9	8	4	10	3	–
Simple Cont. Fev.	0·11	38	1	1	–	1	2	5	9	4	5	3	2	1	2	2	4	1
Puerp. Fever	0·06	22	–	–	–	–	–	–	–	–	2	3	12	5	–	–	–	–
Diarr. and Dys.	0·43	147	73	11	2	2	–	93	1	–	–	1	2	1	7	7	10	25
Cholera	0·01	4	1	–	–	–	–	1	–	–	–	–	–	–	–	1	2	–
Cancer	0·48	163	–	–	–	–	–	–	–	1	–	–	1	7	33	57	34	33
Scrofula	0·11	37	9	1	2	3	1	16	1	2	5	3	4	3	1	1	1	–
Tabes Mesent.	0·30	102	63	11	5	2	–	81	7	1	1	1	–	–	–	1	–	–
Phthisis	1·63	557	3	4	1	2	3	13	4	22	53	96	143	86	73	47	16	1
Hydrocephalus	0·19	66	27	11	5	–	3	49	11	–	2	1	1	2	–	–	–	–
Diseases of Nervous Syst.	2·45	838	133	29	10	10	7	189	11	12	12	9	17	39	66	103	161	175
Diseases of Circulatory "	1·60	547	1	–	–	–	1	2	11	2	16	11	29	43	64	109	145	113
Diseases of Respiratory "	2·99	1021	183	67	27	17	6	298	19	7	5	9	27	32	66	99	183	279
Diseases of Digestive "	0·99	340	45	3	3	2	5	58	4	7	5	3	11	31	44	50	63	54
Diseases of Urinary "	0·40	135	–	–	–	1	1	2	6	4	4	4	10	8	21	23	31	20
Diseases of Generative "	0·07	24	–	–	–	–	–	–	–	–	–	1	6	6	3	5	2	1
Childbirth	0·08	26	–	–	–	–	–	–	–	–	–	3	10	12	1	–	–	–
Suicide	0·08	26	–	–	–	–	–	–	–	–	2	2	–	2	8	6	6	–
Other Violence	0·71	242	14	10	11	5	3	43	24	20	17	11	9	22	27	21	24	21
Other Causes	3·60	1311	429	67	23	12	9	531	24	16	15	12	15	19	19	49	124	487

Deaths of Infants (under one) to 1000 Births - 106 | Marriages - 2,444 | Births - 10,641 | Annual Rate per 1000 living: Persons Married - 14·26; Births - 31·05

308.—LANGPORT.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	18·04	—	—	—	—	—	36·55	4·13	3·43	5·34	8·84	7·64	8·59	11·41	24·12	53·45	164·48
Mean Pop. 1871-80	—	16,612	408	413	398	432	409	2060	2129	1923	1628	1176	1949	1653	1573	1285	825	411
ALL CAUSES	18·04	2996	485	128	66	35	39	753	88	66	87	104	149	142	180	310	441	676
Small-pox	0·05	8	-	-	-	-	-	-	-	-	1	4	2	-	1	-	-	-
Measles	0·22	37	10	14	2	5	1	32	4	-	-	-	1	-	-	-	-	-
Scarlet Fever	0·40	67	6	6	12	3	12	39	20	8	-	-	-	-	-	-	-	-
Diphtheria	0·11	19	1	1	2	2	2	8	8	1	1	1	-	-	-	-	-	-
Whooping-cough	0·31	51	27	13	5	4	1	50	1	-	-	-	-	-	-	-	-	-
Typhus	0·05	9	-	-	-	-	-	-	1	-	-	3	1	2	1	-	1	-
Enteric Fever	0·30	50	1	-	2	-	1	4	5	5	8	5	8	3	8	4	-	-
Simple Cont. Fev.	0·07	12	-	-	-	-	-	-	1	3	2	2	1	2	-	-	1	-
Puerp. Fever	0·04	6	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-
Diarr. and Dys.	0·42	69	34	9	1	2	-	46	-	-	-	-	1	-	2	3	6	11
Cholera	0·01	2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Cancer	0·40	67	-	-	-	-	-	-	-	-	1	1	3	5	12	18	18	9
Scrofula	0·14	23	9	1	-	-	1	11	1	1	2	2	1	4	-	-	-	1
Tabes Mesent.	0·25	41	19	5	4	-	-	28	3	-	3	1	1	1	-	1	3	-
Phthisis	1·63	270	1	-	1	1	-	3	3	14	41	55	68	43	22	11	10	-
Hydrocephalus	0·11	19	7	4	3	-	-	14	-	3	-	-	2	-	-	-	-	-
Diseases of: Nervous Syst.	2·55	424	75	18	6	5	5	109	8	8	4	4	9	14	23	61	83	101
Diseases of: Circulatory „	1·15	191	1	-	-	-	1	2	2	6	3	1	12	6	24	40	57	38
Diseases of: Respiratory „	2·83	470	95	19	17	3	6	140	9	4	3	6	10	16	26	63	90	103
Diseases of: Digestive „	1·11	184	4	1	3	-	-	8	6	5	4	3	7	13	18	38	52	90
Diseases of: Urinary „	0·33	55	1	1	1	2	-	5	1	-	-	1	1	1	12	11	14	9
Diseases of: Generative „	0·04	7	-	-	-	-	-	-	-	-	-	-	-	1	3	2	1	-
Childbirth	0·11	19	-	-	-	-	-	-	-	-	-	5	3	11	-	-	-	-
Suicide	0·09	15	-	-	-	-	-	-	-	-	1	-	2	1	4	4	3	-
Other Violence	0·60	100	5	11	5	5	3	29	10	4	6	3	5	13	4	6	11	9
OTHER CAUSES	4·72	781	188	24	2	3	6	223	5	4	7	4	8	6	20	48	91	365

Deaths of Infants (under one) to 1000 Births - 99 | Marriages - 971 | Births - 4,836 | Annual Rate per 1000 living: Persons Married - 11·69; Births - 29·41

309.—CHARD

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	19·47	—	—	—	—	—	48·54	4·66	3·77	4·94	7·01	8·80	9·85	12·85	24·26	59·60	163·52
Mean Pop. 1871-80	—	25,895	702	681	683	697	683	3449	3305	3025	2634	1984	3078	2649	2257	1797	1188	529
ALL CAUSES	19·47	5042	1078	293	130	91	82	1674	154	114	130	139	271	261	290	436	708	865
Small-pox	0·01	3	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-
Measles	0·22	57	15	13	10	5	7	50	7	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·55	143	11	11	24	15	22	83	38	16	1	3	1	1	-	-	-	-
Diphtheria	0·04	11	1	-	-	2	-	3	4	-	-	1	1	-	1	-	-	1
Whooping-cough	0·40	103	53	22	13	6	3	102	1	-	-	-	-	-	-	-	-	-
Typhus	0·04	11	-	-	-	-	-	-	1	1	5	-	2	-	1	1	-	-
Enteric Fever	0·29	76	-	-	2	1	3	6	7	13	6	10	10	10	7	5	1	1
Simple Cont. Fev.	0·08	21	1	-	-	2	-	3	6	1	2	3	2	-	1	2	1	-
Puerp. Fever	0·07	17	-	-	-	-	-	-	-	-	1	3	8	5	-	-	-	-
Diarr. and Dys.	0·50	130	76	17	5	-	1	99	-	-	1	-	2	4	1	4	9	10
Cholera	0·00	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Cancer	0·47	121	-	-	-	-	-	-	2	-	1	-	4	12	31	27	28	16
Scrofula	0·16	41	13	10	4	2	1	30	2	2	-	1	3	1	2	-	-	-
Tabes Mesent.	0·18	47	13	9	3	1	6	32	2	4	3	1	4	1	-	-	-	-
Phthisis	1·74	450	24	11	3	3	2	43	5	16	45	61	118	86	39	25	10	2
Hydrocephalus	0·24	63	24	9	1	4	3	41	13	2	6	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·24	580	135	26	11	7	6	185	12	13	9	13	22	19	33	64	119	91
Diseases of: Circulatory „	1·91	494	2	1	-	-	1	4	4	1	11	5	23	34	46	102	159	105
Diseases of: Respiratory „	3·30	855	213	75	25	18	12	343	20	8	8	8	19	27	44	132	147	130
Diseases of: Digestive „	0·96	248	21	5	3	2	1	32	3	3	5	2	15	18	31	49	63	27
Diseases of: Urinary „	0·32	83	-	1	1	3	1	6	1	2	3	2	4	8	13	12	22	10
Diseases of: Generative „	0·04	10	-	-	-	-	-	-	-	-	-	1	-	2	4	-	2	1
Childbirth	0·05	14	-	-	-	-	-	-	-	-	1	3	4	6	-	-	-	-
Suicide	0·05	14	-	-	-	-	-	-	-	-	-	-	1	1	3	3	3	3
Other Violence	0·54	139	12	6	5	4	4	31	6	15	9	10	6	12	9	12	13	16
OTHER CAUSES	5·17	1339	459	77	20	16	9	581	20	17	12	10	22	14	23	38	130	443

Deaths of Infants (under one) to 1000 Births - 126 | Marriages - 1,766 | Births - 8,550 | Annual Rate per 1000 living: Persons Married - 13·64; Births - 33·02

310.—YEOVIL.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	19·61	—	—	—	—	—	47·18	5·81	3·29	4·03	7·92	8·65	10·51	14·45	30·20	58·72	158·51
Mean Pop. 1871-80	—	28,279	771	729	763	747	786	3796	3545	3317	2756	2210	3537	2922	2492	1914	1238	532
ALL CAUSES	19·61	5545	1165	300	135	117	74	1791	206	109	111	175	306	307	360	578	727	875
Small-pox	0·40	113	23	8	4	7	4	45	12	8	8	14	17	3	4	2	-	-
Measles	0·34	96	21	27	16	11	4	79	14	2	1	-	-	-	-	-	-	-
Scarlet Fever	0·76	215	12	25	43	23	21	122	69	18	3	1	1	-	-	-	-	-
Diphtheria	0·04	11	1	1	-	1	-	3	6	-	1	-	-	-	-	-	1	-
Whooping-cough	0·41	115	56	35	8	11	3	113	2	-	-	-	-	-	-	-	-	-
Typhus	0·03	9	-	1	1	-	-	2	1	1	1	2	1	1	-	-	-	-
Enteric Fever	0·22	62	1	-	-	1	3	5	7	9	7	7	6	6	2	7	1	5
Simple Cont. Fev.	0·15	43	-	2	2	2	1	7	6	4	3	2	3	2	2	7	6	1
Puerp. Fever	0·05	15	-	-	-	-	-	-	-	-	1	1	9	4	-	-	-	-
Diarr. and Dys.	0·40	113	65	16	4	1	-	86	-	1	-	1	1	1	1	3	9	10
Cholera	0·01	2	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Cancer	0·50	142	-	-	-	-	-	-	-	1	-	-	7	9	29	44	33	19
Scrofula	0·08	23	7	2	-	1	-	10	1	3	-	2	2	-	1	1	3	-
Tabes Mesent.	0·27	75	28	21	3	3	2	57	10	2	5	-	1	-	-	-	-	-
Phthisis	1·79	507	5	8	1	2	-	16	7	11	42	86	132	87	65	43	15	3
Hydrocephalus	0·22	63	25	12	2	4	2	45	11	5	1	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·29	649	114	20	13	8	6	161	16	12	6	11	13	29	53	88	129	131
Diseases of: Circulatory „	1·67	472	-	-	-	-	-	-	-	9	9	7	25	25	47	126	149	75
Diseases of: Respiratory „	2·90	819	227	62	23	13	9	334	18	2	5	10	17	48	45	94	120	126
Diseases of: Digestive „	1·13	319	25	4	3	1	3	36	11	6	2	8	23	30	48	74	55	26
Diseases of: Urinary „	0·40	114	1	1	-	3	-	5	-	1	3	2	7	8	17	16	27	28
Diseases of: Generative „	0·06	18	-	-	-	-	-	-	-	-	1	-	4	1	6	4	-	2
Childbirth	0·11	30	-	-	-	-	-	-	-	-	1	8	8	13	-	-	-	-
Suicide	0·06	17	-	-	-	-	-	-	-	-	1	1	-	3	5	5	2	-
Other Violence	0·49	139	18	7	4	8	6	43	5	10	5	2	6	16	10	16	18	8
OTHER CAUSES	4·83	1364	557	47	8	12	7	611	19	4	5	9	22	21	25	48	159	441

Deaths of Infants (under one) to 1000 Births - 131 | Marriages - 1,975 | Births - 8,888 | Annual Rate per 1000 living: Persons Married - 13·97; Births - 31·43

311.—WINCANTON.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	18·13	—	—	—	—	—	37·92	3·98	2·02	5·00	6·01	8·28	10·57	14·15	24·37	61·05	155·53
Mean Pop. 1871-80	—	20,415	515	524	535	526	511	2611	2537	2326	1919	1563	2523	2139	1831	1539	968	459
ALL CAUSES	18·13	3702	670	167	71	47	35	990	101	47	96	94	209	226	259	375	591	714
Small-pox	0·01	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Measles	0·13	26	6	7	4	2	2	21	3	1	-	-	1	-	-	-	-	-
Scarlet Fever	0·39	80	7	3	11	11	8	40	27	8	4	-	1	-	-	-	-	-
Diphtheria	0·09	18	1	1	-	3	2	7	4	2	-	-	2	2	-	1	-	-
Whooping-cough	0·28	58	33	11	4	1	2	54	4	-	-	-	-	-	-	-	-	-
Typhus	0·04	8	-	-	-	-	-	-	-	-	1	1	2	2	1	-	1	-
Enteric Fever	0·34	69	1	1	2	2	3	9	10	5	10	7	12	7	4	2	1	2
Simple Cont. Fev.	0·06	12	-	2	-	1	2	5	2	1	-	1	1	1	-	1	-	-
Puerp. Fever	0·01	3	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-
Diarr. and Dys.	0·47	95	49	3	4	1	1	58	6	-	1	1	2	2	2	3	7	13
Cholera	0·02	4	1	1	-	-	-	2	-	-	-	-	-	-	-	2	-	-
Cancer	0·55	113	-	-	-	-	-	-	2	-	-	1	3	8	16	22	41	20
Scrofula	0·12	24	3	2	1	1	1	8	2	3	2	-	1	1	2	4	-	1
Tabes Mesent.	0·14	29	9	8	4	2	1	24	1	1	2	1	-	-	-	-	-	-
Phthisis	1·59	325	-	2	3	1	-	6	2	7	37	50	100	57	42	19	5	-
Hydrocephalus	0·18	37	10	10	1	1	-	22	8	4	1	-	1	1	-	-	-	-
Diseases of: Nervous Syst.	2·34	478	96	25	10	5	2	138	5	2	13	3	8	26	27	62	110	84
Diseases of: Circulatory „	1·73	354	2	1	-	-	-	3	1	1	5	2	13	22	36	85	119	67
Diseases of: Respiratory „	3·45	704	149	51	13	5	5	223	11	2	6	3	12	30	43	80	149	145
Diseases of: Digestive „	0·98	201	25	6	2	2	1	36	1	1	1	9	11	15	34	33	37	23
Diseases of: Urinary „	0·39	80	-	1	2	-	-	3	1	-	1	3	5	7	13	14	10	23
Diseases of: Generative „	0·08	17	-	-	-	-	-	-	-	-	1	-	1	3	5	2	3	2
Childbirth	0·13	26	-	-	-	-	-	-	-	-	1	1	13	11	-	-	-	-
Suicide	0·05	11	-	-	-	-	-	-	-	-	-	-	2	1	4	2	2	-
Other Violence	0·50	102	12	1	3	5	1	22	4	4	5	3	4	15	14	8	14	9
OTHER CAUSES	4·06	826	256	28	7	4	4	300	7	5	5	7	12	15	14	35	92	325

Deaths of Infants (under one) to 1000 Births - 109 | Marriages - 1,273 | Births - 6,119 | Annual Rate per 1000 living: Persons Married - 12·47; Births - 29·97

312.—FROME.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	18·68	—	—	—	—	—	40·14	4·14	2·87	4·55	5·70	7·02	9·80	13·87	26·90	56·29	163·87
Mean Pop. 1871-80	—	23,712	657	565	621	606	608	3057	2925	2720	2264	1841	2851	2500	2185	1662	1112	595
ALL CAUSES	18·68	4430	831	205	87	62	42	1227	121	78	103	105	200	245	303	447	626	975
Small-pox	0·01	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Measles	0·19	45	13	14	6	3	3	39	6	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·21	50	-	7	3	9	4	23	22	2	2	1	-	-	-	-	-	-
Diphtheria	0·07	17	-	-	1	1	2	4	6	4	-	-	1	1	-	-	-	1
Whooping-cough	0·27	64	28	22	5	5	1	61	3	-	-	-	-	-	-	-	-	-
Typhus	0·00	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Enteric Fever	0·25	60	-	2	1	1	3	7	11	13	13	6	5	2	2	1	-	-
Simple Cont. Fev.	0·08	20	-	1	1	-	1	3	4	2	4	-	3	-	2	2	-	-
Puerp. Fever	0·05	12	-	-	-	-	-	-	-	-	-	4	4	4	-	-	-	-
Diarr. and Dys.	0·67	160	84	11	4	1	1	101	2	2	1	-	2	1	1	5	18	27
Cholera	0·03	6	4	-	-	-	-	4	-	-	-	-	1	-	1	-	-	-
Cancer	0·45	106	-	-	-	-	-	-	-	1	-	-	1	10	27	38	16	13
Scrofula	0·09	21	6	2	1	1	1	11	3	-	1	1	1	-	3	1	-	-
Tabes Mesent.	0·17	41	22	4	-	1	1	28	5	4	2	1	-	-	1	-	-	-
Phthisis	1·28	303	9	4	-	1	-	14	5	4	34	50	82	63	24	29	5	2
Hydrocephalus	0·14	34	8	8	3	1	2	22	4	3	1	1	1	1	1	-	-	-
Diseases of: Nervous Syst.	2·60	616	99	25	8	7	4	143	12	8	8	8	20	24	46	76	104	167
Diseases of: Circulatory „	1·79	425	2	-	-	-	-	2	4	5	7	4	12	32	43	87	143	83
Diseases of: Respiratory „	3·34	793	182	64	25	15	7	293	7	4	4	10	16	27	54	80	125	173
Diseases of: Digestive „	1·06	252	12	2	2	1	2	19	3	6	8	1	11	27	27	33	66	46
Diseases of: Urinary „	0·44	105	-	1	-	-	1	2	2	1	-	1	1	8	10	25	36	19
Diseases of: Generative „	0·07	16	-	-	-	-	-	-	-	-	-	1	2	4	5	2	2	-
Childbirth	0·10	24	-	-	-	-	-	-	-	-	-	3	12	8	1	-	-	-
Suicide	0·04	9	-	-	-	-	-	-	-	-	-	-	1	-	3	1	3	1
Other Violence	0·62	148	13	4	10	3	2	32	7	10	8	7	10	14	16	20	10	14
Other Causes	4·66	1100	349	34	17	12	7	419	15	9	9	4	14	19	36	51	95	429

Deaths of Infants (under one) to 1000 Births - 112 | Marriages - 1,605 | Births - 7,425 | Annual Rate per 1000 living: Persons Married - 13·54; Births - 31·31

313.—SHEPTON MALLET.*

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	17·97	—	—	—	—	—	39·50	3·18	1·96	4·31	6·02	7·57	8·59	14·68	25·02	55·94	140·23
Mean Pop. 1871-80	—	15,779	410	391	395	383	411	1990	1952	1786	1485	1212	1877	1642	1512	1135	758	430
ALL CAUSES	17·97	2836	517	134	63	47	25	786	62	35	64	73	142	141	222	284	424	603
Small-pox	0·01	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Measles	0·11	17	3	3	6	3	-	15	2	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·23	37	4	6	2	4	4	20	10	4	2	-	1	-	-	-	-	-
Diphtheria	0·04	6	-	-	-	-	3	3	3	-	-	-	-	-	-	-	-	-
Whooping-cough	0·20	22	13	9	5	3	-	30	2	-	-	-	-	-	-	-	-	-
Typhus	0·04	6	-	-	-	-	1	1	-	-	4	-	1	-	-	-	-	-
Enteric Fever	0·11	18	-	-	-	-	-	-	2	3	4	3	4	-	-	2	-	-
Simple Cont. Fev.	0·10	16	-	-	-	1	1	2	4	1	3	-	2	1	1	-	1	1
Puerp. Fever	0·04	6	-	-	-	-	-	-	-	-	2	1	2	1	-	-	-	-
Diarr. and Dys.	0·35	55	30	2	-	-	-	32	-	1	-	-	2	1	3	2	4	10
Cholera	0·01	2	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-
Cancer	0·45	71	-	-	-	-	-	-	-	-	-	2	3	3	17	18	20	8
Scrofula	0·15	23	5	-	-	1	2	8	-	2	3	3	-	-	5	1	1	-
Tabes Mesent.	0·13	20	6	7	3	2	-	18	1	-	-	-	1	-	-	-	-	-
Phthisis	1·36	215	5	2	2	-	-	9	6	4	23	34	51	32	29	18	7	2
Hydrocephalus	0·16	25	9	10	1	2	-	22	2	-	1	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·25	355	81	19	7	4	2	113	3	4	4	3	11	17	37	44	50	60
Diseases of: Circulatory „	1·38	218	4	-	-	-	-	4	3	1	3	3	7	14	29	51	72	31
Diseases of: Respiratory „	2·75	434	107	34	19	13	4	177	4	1	2	4	9	11	39	44	64	88
Diseases of: Digestive „	1·17	185	14	-	2	1	1	18	3	4	4	5	10	19	23	34	44	21
Diseases of: Urinary „	0·25	39	-	1	-	1	-	2	-	-	1	-	2	6	4	9	7	8
Diseases of: Generative „	0·10	15	-	-	-	-	-	-	-	-	-	1	1	2	4	3	2	2
Childbirth	0·11	18	-	-	-	-	-	-	-	-	-	-	9	8	1	-	-	-
Suicide	0·07	11	-	-	-	-	-	-	-	-	-	-	1	1	2	4	3	-
Other Violence	0·78	123	10	4	3	6	3	26	8	4	4	7	12	10	11	19	11	11
Other Causes	5·62	888	226	36	13	6	4	285	8	6	4	7	13	15	25	35	129	361

Deaths of Infants (under one) to 1000 Births - 108 | Marriages - 945 | Births - 4,766 | Annual Rate per 1000 living: Persons Married - 11·98; Births - 30·20

* Changes were made in the boundary of this District during the decade; *see* Table, pp. 371–73.

314.—WELLS.*

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	20·32	—	—	—	—	—	40·17	3·71	3·24	5·35	7·45	9·00	13·62	18·26	31·01	63·76	166·99
Mean Pop. 1871-80	—	22,273	559	547	531	567	552	2756	2612	2409	2186	1839	2867	2335	2086	1622	1043	518
ALL CAUSES	20·32	4526	736	177	90	66	38	1107	97	78	117	137	258	318	381	503	665	865
Small-pox	0·04	8	2	-	-	-	-	2	1	1	-	2	-	-	2	-	-	-
Measles	0·17	38	10	13	4	4	4	35	2	-	-	1	-	-	-	-	-	-
Scarlet Fever	0·16	35	1	5	6	7	2	21	11	3	-	-	-	-	-	-	-	-
Diphtheria	0·04	9	-	-	2	-	1	3	3	1	-	1	1	-	-	-	-	-
Whooping-cough	0·25	55	26	15	5	5	3	54	-	1	-	-	-	-	-	-	-	-
Typhus	0·06	13	-	-	1	1	-	2	2	1	6	1	1	-	-	-	-	-
Enteric Fever	0·26	59	1	3	4	1	3	12	3	6	8	8	10	3	4	4	-	1
Simple Cont. Fev.	0·08	18	1	2	-	-	-	3	3	3	3	2	1	-	1	-	1	1
Puerp. Fever	0·03	7	-	-	-	-	-	-	-	-	-	2	2	3	-	-	-	-
Diarr. and Dys.	0·54	125	55	11	5	1	1	73	1	1	-	-	2	1	2	1	13	31
Cholera	0·01	3	2	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-
Cancer	0·51	114	-	-	-	-	-	-	2	1	1	1	6	11	23	28	26	15
Scrofula	0·08	18	2	3	-	5	-	10	1	1	1	2	-	1	-	1	1	-
Tabes Mesent.	0·24	54	24	14	4	-	1	43	4	2	3	-	2	-	-	-	-	-
Phthisis	1·78	396	2	3	2	2	1	10	10	11	39	57	98	66	53	35	17	-
Hydrocephalus	0·22	49	16	11	3	2	4	36	7	3	2	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	3·74	834	81	14	8	10	5	118	9	12	10	22	54	98	92	123	148	148
Diseases of: Circulatory „	1·87	417	2	-	-	-	-	2	1	6	10	9	15	25	57	91	119	82
Diseases of: Respiratory „	3·36	749	146	54	27	14	7	248	10	5	9	8	16	32	52	88	112	169
Diseases of: Digestive „	1·23	274	37	2	1	3	-	43	6	1	7	3	14	34	31	50	56	36
Diseases of: Urinary „	0·35	79	-	-	1	-	-	1	1	-	2	3	5	4	12	19	25	7
Diseases of: Generative „	0·04	9	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	2
Childbirth	0·09	20	-	-	-	-	-	-	-	-	-	1	10	8	1	-	-	-
Suicide	0·12	26	-	-	-	-	-	-	-	-	-	3	2	5	5	3	4	4
Other Violence	0·47	105	16	4	6	1	3	30	8	8	6	-	7	5	10	11	14	6
Other Causes	4·53	1005	312	23	10	10	3	358	12	11	10	10	12	20	34	47	128	333

Deaths of Infants (under one) to 1000 Births - 114 | Marriages - 1,267 | Births - 6,482 | Annual Rate per 1000 living: Persons Married - 11·38; Births - 29·10

* Changes were made in the boundary of this District during the decade; see pp. 371–78.

315.—AXBRIDGE.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·37	—	—	—	—	—	39·84	4·51	3·29	4·80	5·97	7·62	10·05	13·73	25·59	48·64	137·79
Mean Pop. 1871-80	—	40,031	1007	962	955	973	962	4859	4702	4505	4004	3332	5108	4201	3634	2825	1873	958
ALL CAUSES	17·37	6955	1252	363	142	103	76	1936	212	148	192	199	389	422	503	723	911	1320
Small-pox	0·03	14	1	-	2	-	-	3	1	1	2	1	1	3	-	2	-	-
Measles	0·18	73	16	18	13	6	2	55	11	4	2	-	-	-	1	-	-	-
Scarlet Fever	0·21	84	6	11	11	9	9	46	21	12	1	2	1	-	1	-	-	-
Diphtheria	0·20	81	2	3	6	5	6	22	31	17	7	1	-	-	1	1	-	1
Whooping-cough	0·30	121	63	37	11	6	1	118	2	-	-	-	1	-	-	-	-	-
Typhus	0·05	19	-	-	-	-	-	-	1	1	4	3	2	2	1	5	-	-
Enteric Fever	0·20	81	2	2	2	6	2	14	11	10	13	1	12	6	4	5	4	1
Simple Cont. Fev.	0·06	25	-	1	2	3	-	6	5	3	1	2	1	2	1	1	1	2
Puerp. Fever	0·04	18	-	-	-	-	-	-	-	-	-	4	10	4	-	-	-	-
Diarr. and Dys.	0·40	162	107	12	3	-	-	122	1	2	-	-	1	1	6	-	10	19
Cholera	0·01	3	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-
Cancer	0·56	224	-	-	-	-	-	-	1	-	2	-	6	24	40	56	55	40
Scrofula	0·12	47	7	6	3	2	2	20	2	2	4	3	10	-	2	1	2	1
Tabes Mesent.	0·37	149	75	37	7	5	6	130	7	1	3	2	2	3	-	-	1	-
Phthisis	1·68	671	8	3	1	1	2	15	13	20	71	109	155	127	76	58	24	3
Hydrocephalus	0·27	110	36	25	10	8	5	84	13	7	2	2	1	-	-	1	-	-
Diseases of: Nervous Syst	2·06	823	123	31	12	7	5	183	18	16	13	14	28	43	65	130	157	156
Diseases of: Circulatory „	1·45	579	5	-	-	-	1	6	8	7	15	8	28	39	66	107	169	128
Diseases of: Re-piratory „	2·77	1108	249	104	28	18	13	412	14	10	12	13	31	40	58	101	189	228
Diseases of: Digestive „	1·14	456	39	4	3	3	2	51	9	8	8	7	27	34	59	102	93	61
Diseases of: Urinary „	0·46	186	2	2	-	1	-	5	5	4	5	4	18	20	24	37	36	28
Diseases of: Generative „	0·04	17	-	-	-	-	-	-	-	-	-	2	1	3	4	1	6	-
Childbirth	0·05	19	-	-	-	-	-	-	-	-	-	2	11	6	-	-	-	-
Suicide	0·07	30	-	-	-	-	-	-	-	-	1	-	3	10	4	10	1	1
Other Violence	0·56	224	10	12	10	9	12	53	13	8	9	9	19	19	32	23	24	15
Other Causes	4·09	1631	496	55	18	14	8	591	24	15	17	10	20	35	48	81	139	633

Deaths of Infants (under one) to 1000 Births - 110 | Marriages - 2,175 | Births - 11,404 | Annual Rate per 1000 living: Persons Married - 10·87; Births - 28·49

316.—CLUTTON.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·36	—	—	—	—	—	42·44	4·63	3·02	4·76	6·99	8·01	8·49	13·31	22·18	49·91	152·64
Mean Pop. 1871-80	—	23,670	679	634	637	660	677	3287	3133	2812	2039	1673	2772	2368	2142	1745	1150	549
ALL CAUSES	18·36	4346	916	241	196	77	55	1395	145	85	97	117	222	201	285	387	574	838
Small-pox	0·04	10	1	–	–	–	–	1	1	–	1	3	2	–	–	1	1	–
Measles	0·27	63	10	22	8	6	3	49	10	4	–	–	–	–	–	–	–	–
Scarlet Fever	0·48	113	10	13	11	20	10	64	38	11	–	–	–	–	–	–	–	–
Diphtheria	0·12	29	1	4	3	2	3	13	9	3	3	–	1	–	–	–	–	–
Whooping-cough	0·33	77	43	16	11	3	2	75	2	–	–	–	–	–	–	–	–	–
Typhus	0·03	6	–	–	1	–	1	2	1	1	1	–	1	–	–	–	–	–
Enteric Fever	0·27	64	4	2	1	1	3	11	6	8	17	4	7	3	3	3	2	–
Simple Cont. Fev.	0·08	19	1	1	1	1	1	5	2	2	3	–	2	2	–	–	3	–
Puerp. Fever	0·06	15	–	–	–	–	–	–	–	–	–	2	10	3	–	–	–	–
Diarr. and Dys.	0·52	123	71	17	3	2	–	93	2	–	1	–	2	1	1	2	10	11
Cholera	0·01	2	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–
Cancer	0·46	110	–	–	–	–	1	1	–	–	–	–	7	12	15	25	31	19
Scrofula	0·18	42	7	0	4	1	–	18	1	3	2	4	3	–	4	4	3	–
Tabes Mesent.	0·18	42	15	10	5	1	2	33	3	1	1	1	2	1	–	–	–	–
Phthisis	1·35	320	11	0	1	1	2	21	5	9	19	44	82	50	52	25	11	2
Hydrocephalus	0·16	39	14	10	3	1	–	28	6	3	2	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·29	520	120	21	9	8	3	161	4	7	6	9	17	14	31	58	101	112
Diseases of: Circulatory „	1·54	364	3	–	–	–	–	3	1	4	6	6	16	21	46	83	117	61
Diseases of: Respiratory „	2·75	651	154	61	19	15	9	258	15	1	0	5	11	23	33	69	108	122
Diseases of: Digestive „	1·04	247	33	7	3	2	2	47	2	5	7	5	16	18	27	47	45	23
Diseases of: Urinary „	0·37	88	1	1	2	–	1	5	1	–	4	4	11	6	9	12	17	19
Diseases of: Generative „	0·05	11	–	–	–	–	–	–	–	–	1	2	1	1	3	2	–	1
Childbirth	0·09	22	–	–	–	–	–	–	–	–	–	4	10	7	1	–	–	–
Suicide	0·05	13	–	–	–	–	–	–	–	–	–	1	1	–	5	2	2	2
Other Violence	0·59	139	9	5	4	4	2	24	13	14	9	9	6	19	20	10	10	5
OTHER CAUSES	5·14	1,219	408	39	16	8	10	481	23	9	8	14	14	20	35	44	113	478

Deaths of Infants (under one) to 1000 Births - 116

Marriages - 1,062
Births - 7,863

Annual Rate per 1000 living { Persons Married - 8·97
Births - 33·22

317.—BATH.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	21·48	—	—	—	—	—	56·15	5·50	3·80	4·21	5·42	8·75	13·36	19·52	31·80	62·92	159·71
Mean Pop. 1871-80	—	70,108	1596	1412	1504	1537	1478	7557	7114	7236	7338	6347	9907	7911	6582	5125	3420	1571
ALL CAUSES	21·48	15,062	2643	860	371	213	156	4243	391	275	309	344	867	1057	1285	1630	2152	2509
Small-pox	0·12	81	9	5	2	1	4	21	7	12	11	8	12	7	2	1	–	–
Measles	0·33	228	43	85	51	26	8	213	11	3	–	1	–	–	–	–	–	–
Scarlet Fever	0·48	336	21	51	50	55	46	223	76	15	7	2	5	5	2	–	–	1
Diphtheria	0·06	45	4	3	2	4	3	16	17	5	1	1	1	2	1	1	–	–
Whooping-cough	0·35	243	107	76	33	10	5	231	14	1	–	–	–	–	–	–	–	–
Typhus	0·02	12	–	–	–	–	–	–	–	1	3	1	1	–	2	4	–	–
Enteric Fever	0·27	183	4	3	4	7	5	23	23	29	47	29	18	11	6	2	4	4
Simple Cont. Fev.	0·06	44	2	2	1	3	2	10	6	7	2	3	2	2	–	7	5	–
Puerp. Fever	0·05	34	–	–	–	–	–	–	–	–	2	4	10	8	1	–	–	–
Diarr and Dys.	0·78	548	325	66	9	1	2	403	4	1	1	2	10	6	10	22	42	47
Cholera	0·01	7	–	1	–	–	–	1	–	–	–	–	–	–	3	1	1	1
Cancer	0·73	509	–	–	–	–	–	–	1	–	2	2	20	45	103	147	115	69
Scrofula	0·11	80	12	11	7	3	3	36	11	2	4	7	4	5	5	5	1	–
Tabes Mesent.	0·21	148	53	23	11	5	6	101	9	13	5	2	7	4	3	4	–	–
Phthisis	1·89	1328	10	10	2	2	1	25	20	41	103	126	330	313	227	105	34	4
Hydrocephalus	0·21	149	40	30	26	4	5	105	20	15	4	1	2	–	1	–	1	–
Diseases of: Nervous Syst.	2·90	2031	476	81	37	23	10	607	42	24	31	49	60	97	145	271	380	345
Diseases of: Circulatory „	1·91	1338	2	2	1	3	1	9	13	26	16	19	71	135	182	286	331	219
Diseases of: Respiratory „	3·98	2787	503	263	87	32	20	911	42	10	14	22	74	102	208	336	515	533
Diseases of: Digestive „	1·14	798	61	10	4	4	2	81	8	10	9	18	44	88	122	160	161	97
Diseases of: Urinary „	0·02	438	3	4	3	1	2	13	8	9	11	9	31	57	67	82	90	61
Diseases of: Generative „	0·10	70	–	–	–	–	–	–	–	–	–	2	3	11	25	12	12	5
Childbirth	0·08	55	–	–	–	–	–	–	–	–	–	9	24	21	1	–	–	–
Suicide	0·07	48	–	–	–	–	–	–	–	1	–	3	7	12	10	11	2	2
Other Violence	0·69	485	70	17	13	11	12	123	36	13	21	20	54	47	47	4	36	43
OTHER CAUSES	4·31	3031	968	114	24	18	13	1091	23	37	25	24	68	78	107	135	332	1078

Deaths of Infants (under one) to 1000 Births - 140

Marriages - 6,189
Births - 18,838

Annual Rate per 1000 living { Persons Married - 17·66
Births - 26·87

318.—KEYNSHAM.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·41	—	—	—	—	—	43·64	4·97	3·57	5·37	6·55	7·69	8·65	11·18	26·34	54·71	148·50
Mean Pop. 1871-80	—	24,336	717	679	672	687	678	3433	3138	2746	2421	1985	3095	2452	2058	1511	998	499
ALL CAUSES	18·41	4480	1064	302	111	77	47	1601	156	98	130	130	238	212	230	398	546	741
Small-pox	0·10	24	2	–	–	–	3	5	2	1	10	3	2	1	–	–	–	–
Measles	0·27	65	19	21	9	5	1	55	8	1	–	–	1	–	–	–	–	–
Scarlet Fever	0·33	92	7	13	12	13	9	54	32	6	–	–	–	–	–	–	–	–
Diphtheria	0·07	18	1	1	1	3	3	9	5	–	1	–	2	–	1	–	–	–
Whooping-cough	0·43	105	49	33	12	4	3	101	4	–	–	–	–	–	–	–	–	–
Typhus	0·01	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Enteric Fever	0·18	44	1	–	1	3	–	5	6	8	6	6	6	3	1	1	–	2
Simple Cont. Fev.	0·07	17	–	1	–	–	–	1	2	2	2	1	–	1	3	2	3	–
Puerp. Fever	0·06	15	–	–	–	–	–	–	–	–	1	4	6	4	–	–	–	–
Diarr. and Dys.	0·62	151	93	15	1	–	–	109	1	–	–	–	–	1	1	4	8	27
Cholera	0·02	5	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	1
Cancer	0·53	137	–	–	–	–	–	–	–	–	1	–	5	13	22	40	37	19
Scrofula	0·32	77	34	20	4	–	1	59	5	2	2	2	–	4	–	2	1	–
Tabes Mesent.	0·23	55	29	11	1	1	2	44	5	2	3	1	–	–	–	–	–	–
Phthisis	1·69	412	2	2	1	–	–	5	7	19	52	59	103	78	45	30	13	1
Hydrocephalus	0·32	79	20	21	6	2	5	54	15	4	5	1	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·18	530	151	24	4	7	4	190	16	12	12	9	18	23	28	53	77	89
Diseases of: Circulatory	1·38	337	–	–	1	–	–	1	3	8	8	11	23	21	34	83	93	53
Diseases of: Respiratory	3·14	763	201	68	30	13	7	319	10	8	6	2	21	11	28	74	138	146
Diseases of: Digestive	0·89	216	26	3	2	2	–	33	5	4	5	7	6	9	21	45	56	25
Diseases of: Urinary	0·30	73	–	–	–	2	–	2	–	1	1	3	3	8	13	19	14	9
Diseases of: Generative	0·03	7	–	–	–	–	–	–	–	–	–	–	1	–	3	1	2	–
Childbirth	0·09	21	–	–	–	–	–	–	–	–	–	4	13	4	–	–	–	–
Suicide	0·05	11	–	–	–	–	–	–	–	–	–	–	4	3	4	–	–	–
Other Violence	0·56	136	11	9	6	2	4	32	12	11	3	11	10	17	12	14	5	9
Other Causes	4·45	1088	418	60	29	20	5	523	18	8	10	6	13	11	13	27	99	350

Deaths of Infants (under one) to 1000 Births - 124 | Marriages - 1,393 | Births - 8,575 | Annual Rate per 1000 living: Persons Married - 11·45; Births - 35·24

319.—BEDMINSTER.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	20·35	—	—	—	—	—	61·48	5·37	3·55	5·16	6·30	7·81	10·50	15·90	30·25	56·44	152·92
Mean Pop. 1871-80	—	60,638	1885	1748	1724	1673	1701	8731	7741	6653	5580	5132	8863	6607	4936	3398	2011	890
ALL CAUSES	20·35	12,340	3312	1115	455	289	197	5368	416	236	288	328	692	703	785	1028	1135	1361
Small-pox	0·13	77	14	5	7	1	6	33	11	7	2	5	13	4	2	–	–	–
Measles	0·37	226	47	76	51	29	9	213	11	1	–	1	–	–	–	–	–	–
Scarlet Fever	0·85	517	22	95	82	62	69	330	117	24	6	5	3	2	–	–	–	–
Diphtheria	0·09	56	8	8	5	3	2	26	17	4	2	2	–	–	3	1	1	–
Whooping cough	0·39	355	150	116	45	28	9	349	6	–	–	–	–	–	–	–	–	–
Typhus	0·03	21	–	–	–	–	–	–	1	1	5	5	4	–	1	1	2	1
Enteric Fever	0·32	195	5	7	6	5	4	27	28	23	38	21	21	12	9	8	7	1
Simple Cont. Fev.	0·21	125	6	11	8	7	7	39	18	9	8	3	5	8	5	11	8	11
Puerp. Fever	0·06	39	–	–	–	–	–	–	–	–	2	7	19	11	–	–	–	–
Diarr. and Dys.	0·75	452	295	65	18	3	2	383	2	2	–	1	6	6	5	7	11	29
Cholera	0·01	4	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–
Cancer	0·46	281	–	–	1	–	–	1	–	1	–	2	7	30	61	80	69	30
Scrofula	0·13	76	23	13	1	5	2	44	2	9	4	2	4	5	3	1	2	–
Tabes Mesent.	0·12	103	76	32	3	2	1	114	3	3	5	2	1	2	1	1	1	–
Phthisis	1·57	950	16	13	4	5	5	43	16	37	92	132	272	177	117	64	18	2
Hydrocephalus	0·34	204	68	49	25	11	12	165	19	14	2	1	2	–	1	–	–	–
Diseases of: Nervous Syst.	2·12	1291	543	109	36	22	21	736	33	20	22	24	30	49	39	168	218	183
Diseases of: Circulatory	1·49	845	8	3	–	–	1	12	12	17	18	16	80	95	146	180	185	116
Diseases of: Respiratory	3·87	2347	621	376	109	49	21	1127	40	14	13	26	73	100	144	255	283	278
Diseases of: Digestive	0·81	489	62	11	4	6	3	86	10	5	6	10	30	44	65	83	81	69
Diseases of: Urinary	0·44	265	6	3	2	–	3	14	3	6	5	11	27	44	40	47	46	22
Diseases of: Generative	0·05	32	–	–	–	–	–	–	–	–	–	3	2	4	11	8	2	2
Childbirth	0·08	47	–	–	–	–	–	–	–	–	2	6	18	20	1	–	–	–
Suicide	0·06	35	–	–	–	–	–	–	–	–	1	3	6	7	10	5	3	–
Other Violence	0·92	574	30	18	13	7	3	72	27	19	33	24	46	44	42	31	19	25
Other Causes	4·27	2591	1307	145	43	13	16	1524	42	20	13	15	27	383	38	77	179	522

Deaths of Infants (under one) to 1000 Births - 142 | Marriages - 3,936 | Births - 23,332 | Annual Rate per 1000 living: Persons Married - 12·98; Births - 38·48

GLOUCESTERSHIRE.

320.—BRISTOL.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	25·51	—	—	—	—	—	78·26	7·85	5·20	6·64	8·59	12·05	18·49	26·04	39·27	69·21	152·44
Mean Pop. 1871-80	—	60,070	1579	1492	1419	1416	1338	7174	6347	6104	6193	5678	9049	7189	5395	3738	2085	818
ALL CAUSES	25·51	15326	3366	1134	556	354	202	5612	498	339	411	488	1090	1325	1405	1468	1443	1247
Small-pox	0·21	124	12	3	5	3	2	25	21	11	10	16	20	16	4	1	-	-
Measles	0·40	239	60	75	54	16	15	220	15	2	-	1	-	-	1	-	-	-
Scarlet Fever	0·63	377	29	53	65	69	48	263	82	15	3	3	3	1	1	-	-	-
Diphtheria	0·11	65	6	5	10	9	6	36	13	7	3	1	-	3	2	-	-	-
Whooping-cough	0·53	317	126	93	40	26	17	305	12	-	-	-	-	-	-	-	-	-
Typhus	0·03	20	-	-	1	-	-	1	2	1	1	1	4	5	1	2	-	2
Enteric Fever	0·36	219	3	3	6	4	6	22	28	39	32	37	38	11	7	2	3	-
Simple Cont. Fev.	0·04	24	2	2	1	2	3	10	2	1	-	3	2	2	3	-	1	-
Puerp. Fever	0·07	42	-	-	-	-	-	-	-	-	5	9	18	10	-	-	-	-
Diarr. and Dys.	0·92	552	362	85	21	6	4	478	1	2	-	1	3	6	9	11	13	23
Cholera	0·01	6	2	1	1	-	-	4	-	-	-	-	-	-	-	1	-	1
Cancer	0·56	334	-	-	-	-	-	-	2	2	4	4	18	53	77	98	54	22
Scrofula	0·14	83	14	13	8	6	4	45	8	5	6	4	6	3	1	4	1	-
Tabes Mesent.	0·22	133	45	35	14	7	-	101	12	6	8	2	2	2	-	-	-	-
Phthisis	2·49	1493	14	11	13	7	6	51	28	50	107	169	358	361	241	104	22	2
Hydrocephalus	0·34	202	46	44	25	13	16	147	36	16	1	1	-	-	1	-	-	-
Diseases of: Nervous Syst.	3·03	1822	534	132	45	32	15	808	33	30	33	24	57	107	138	199	237	156
Diseases of: Circulatory	1·64	986	6	-	2	-	-	8	15	24	38	33	113	166	189	201	161	48
Diseases of: Respiratory	5·23	3142	663	354	146	76	18	1257	51	20	25	46	99	167	271	416	469	321
Diseases of: Digestive	1·04	627	62	4	9	1	1	77	12	10	21	14	43	87	111	109	102	36
Diseases of: Urinary	0·72	432	1	4	3	5	3	16	7	6	9	19	37	69	85	78	52	34
Diseases of: Generative	0·11	68	-	-	-	-	-	-	-	-	-	3	8	9	21	15	7	5
Childbirth	0·10	53	-	-	-	-	-	-	-	-	7	10	19	22	-	-	-	-
Suicide	0·11	68	-	-	-	-	-	-	-	1	3	9	13	16	11	7	6	2
Other Violence	1·51	909	33	40	35	32	19	162	78	53	53	50	109	108	118	84	52	42
Other Causes	4·36	2624	1293	169	52	37	19	1570	49	38	42	38	95	101	113	136	263	543

Deaths of Infants (under one) to 1000 Births - 168 | Marriages - 12,505 | Births - 20,021 | Annual Rate per 1000 living: Persons Married - 41·63; Births - 33·33

321.—BARTON REGIS (CLIFTON).*

—	Annual Death Rate per 1000.	—	20·04	—	—	—	—	—	62·53	5·41	3·56	4·30	5·54	7·78	11·46	16·89	30·93	64·23	161·64
Mean Pop. 1871-80		—	147,114	4332	3850	3890	3859	3768	19639	17581	16135	15115	13583	21896	16453	11924	8058	4758	1908
ALL CAUSES		20·04	29479	7639	2563	1045	603	464	12317	951	574	650	752	1704	1885	2014	2492	3056	3084
Small-pox		6·19	232	37	5	9	7	12	70	49	29	32	38	30	10	9	3	3	-
Measles		0·43	631	133	204	125	50	32	594	19	5	1	1	1	-	-	-	-	-
Scarlet Fever		0·59	872	56	153	131	130	127	597	203	37	9	5	11	5	2	-	-	-
Diphtheria		0·07	95	8	8	11	13	9	49	23	15	2	1	2	3	-	-	1	-
Whooping-cough		0·53	780	314	210	108	59	40	732	28	-	-	-	-	-	-	-	-	-
Typhus		0·04	58	-	-	-	2	-	2	3	2	6	7	12	6	6	11	2	1
Enteric Fever		0·32	435	11	17	20	18	17	83	68	60	70	46	59	27	23	11	13	2
Simple Cont. Fev.		0·03	83	5	4	5	6	8	28	18	15	3	3	2	9	3	4	1	-
Puerp. Fever		0·06	87	-	-	-	-	-	-	-	-	8	22	39	16	2	-	-	-
Diarr. and Dys.		0·76	1115	747	154	28	7	4	940	8	-	6	4	6	12	20	29	50	40
Cholera		0·01	15	5	2	-	1	1	9	-	-	-	1	-	1	-	3	-	1
Cancer		0·47	683	-	1	1	-	-	2	3	2	2	3	37	74	172	191	147	55
Scrofula		0·14	200	43	38	10	7	10	108	20	18	15	6	12	7	8	10	1	-
Tabes Mesent.		0·23	345	145	86	34	9	7	278	17	23	11	3	6	4	1	-	2	-
Phthisis		2·13	3130	110	75	57	13	16	251	53	112	269	331	732	625	413	227	67	9
Hydrocephalus		0·43	631	139	127	55	41	28	403	83	33	10	3	4	2	-	-	-	-
Diseases of: Nervous Syst.		2·78	4092	1310	227	81	43	26	1692	63	57	43	52	135	260	298	465	585	497
Diseases of: Circulatory		1·26	1856	5	3	2	4	4	18	35	42	32	44	139	191	191	402	420	289
Diseases of: Respiratory		3·63	5333	1514	716	255	114	60	2659	76	46	29	33	116	216	265	536	712	625
Diseases of: Digestive		0·81	1194	154	34	9	8	4	239	21	16	17	29	62	115	169	192	215	119
Diseases of: Urinary		0·39	575	3	4	6	3	1	17	2	5	15	9	53	71	97	119	120	67
Diseases of: Generative		0·65	67	1	-	-	-	-	1	-	-	-	4	4	12	14	19	11	2
Childbirth		0·09	133	-	-	-	-	-	-	-	1	4	14	65	49	-	-	-	-
Suicide		0·05	78	-	-	-	-	-	-	-	1	1	3	15	15	19	10	10	4
Other Violence		0·35	514	65	31	22	14	13	145	44	39	30	24	43	48	39	36	31	35
Other Causes		4·17	6156	2704	344	99	58	45	3250	107	38	44	46	110	107	137	214	665	1448

Deaths of Infants (under one) to 1000 Births - 144 | Marriages - 9,810 | Births - 53,160 | Annual Rate per 1000 living: Persons Married - 13·34; Births - 36·14

* The name of this District was changed from CLIFTON to BARTON REGIS on 1st April 1877.

322.—CHIPPING SODBURY.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·10	—	—	—	—	—	42·46	4·20	3·73	5·78	5·53	7·29	10·75	11·70	21·94	56·52	167·71
Mean Pop. 1871-80	—	18,089	497	444	484	481	453	2359	2331	2089	1593	1266	2112	1889	1735	1372	897	446
ALL CAUSES	19·10	3455	704	145	78	46	28	1001	98	78	92	70	154	203	203	301	507	748
Small-pox	0·03	5	1	–	1	–	–	2	1	–	1	–	1	–	–	–	–	–
Measles	0·27	46	13	16	10	3	1	43	3	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·29	53	2	3	13	10	7	35	15	2	1	–	–	–	–	–	–	–
Diphtheria	0·05	9	–	–	–	1	1	2	3	1	2	–	–	1	–	–	–	–
Whooping-cough	0·24	44	23	9	4	3	–	39	5	–	–	–	–	–	–	–	–	–
Typhus	0·07	12	–	–	–	–	–	–	–	2	2	2	3	1	1	–	–	1
Enteric Fever	0·33	60	2	1	1	3	1	8	9	10	4	6	11	9	1	–	2	–
Simp. Cont. Fev.	0·08	14	–	–	–	1	–	1	4	2	3	–	–	1	1	1	1	–
Puerp. Fever	0·04	8	–	–	–	–	–	–	–	–	–	2	1	5	–	–	–	–
Diarr. and Dys.	0·45	81	39	4	3	1	2	49	–	1	–	–	–	1	1	2	9	18
Cholera	0·02	3	–	1	–	–	–	1	–	–	–	–	–	1	–	1	–	–
Cancer	0·37	67	–	–	–	–	–	–	–	2	–	–	–	6	14	16	21	8
Scrofula	0·21	38	16	3	1	–	–	20	2	3	3	1	4	–	4	–	1	–
Tabes Mesent.	0·23	41	17	10	–	–	2	29	5	3	2	–	–	2	–	–	–	–
Phthisis	1·25	226	4	2	–	1	–	7	1	7	27	36	61	46	19	17	4	1
Hydrocephalus	0·12	22	5	5	3	1	1	15	2	2	3	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·58	412	190	10	8	2	1	321	7	4	5	3	15	19	33	41	76	83
Diseases of: Circulatory	1·80	325	1	–	–	–	–	1	3	8	3	3	9	32	40	63	196	55
Diseases of: Respiratory	3·13	567	138	47	12	13	3	203	9	3	11	5	13	28	19	53	91	132
Diseases of: Digestive	1·06	192	17	2	1	1	1	22	5	8	6	–	8	11	24	37	42	29
Diseases of: Urinary	0·37	67	–	1	–	–	–	1	1	1	1	4	2	2	15	13	14	13
Diseases of: Generative	0·06	10	–	–	–	–	–	–	–	–	–	–	1	–	2	2	4	1
Childbirth	0·14	24	–	–	–	–	–	–	–	–	–	3	10	11	–	–	–	–
Suicide	0·09	17	–	–	–	–	–	–	–	–	2	–	2	2	3	6	2	–
Other Violence	0·59	106	8	9	4	2	3	26	11	7	7	–	4	11	6	11	12	11
Other Causes	3·55	605	328	22	17	4	5	376	12	12	9	5	9	14	20	35	122	391

Deaths of Infants (under one) to 1000 Births - 125

Marriages - 740
Births - 5,648

Annual Rate per 1000 living: Persons Married - 8·18; Births - 31·22

323.—THORNBURY.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·20	—	—	—	—	—	34·45	3·93	2·38	4·92	7·17	6·93	8·55	13·30	25·38	55·74	156·12
Mean Pop. 1871-80	—	17,204	458	438	488	437	479	2300	2188	1892	1504	1283	2192	1837	1533	1219	784	392
ALL CAUSES	17·20	2959	520	145	60	35	32	792	86	45	74	92	152	157	220	292	437	612
Small-pox	0·15	25	1	1	–	–	1	3	1	–	1	5	9	3	3	–	–	–
Measles	0·29	35	6	9	9	4	3	31	3	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·27	46	2	7	8	4	6	27	11	3	2	1	1	1	–	–	–	–
Diphtheria	0·05	8	–	–	–	–	3	3	2	1	–	–	–	1	–	1	–	–
Whooping cough	0·25	43	23	16	3	1	–	43	–	–	–	–	–	–	–	–	–	–
Typhus	0·03	5	–	–	–	–	–	–	–	–	1	–	1	1	–	2	–	–
Enteric Fever	0·21	36	–	–	1	–	–	1	6	6	7	4	6	3	3	2	1	–
Simple Cont. Fev.	0·07	12	–	–	1	1	–	2	1	–	2	2	1	–	2	1	1	–
Puerp. Fever	0·03	5	–	–	–	–	–	–	–	–	–	–	3	2	–	–	–	–
Diarr. and Dys.	0·41	68	17	7	–	–	–	24	–	1	–	–	–	–	2	5	14	22
Cholera	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·59	101	–	–	–	–	–	–	–	–	1	–	–	7	24	18	33	18
Scrofula	0·07	12	–	–	–	1	–	1	–	–	3	2	3	1	2	–	–	–
Tabes Mesent.	0·08	14	4	2	–	–	–	6	2	1	1	2	1	1	–	–	–	–
Phthisis	1·37	235	6	7	–	–	1	15	11	7	13	35	59	37	51	21	3	–
Hydrocephalus	0·14	24	5	7	2	2	–	16	4	–	1	1	1	1	–	–	–	–
Diseases of: Nervous Syst.	2·53	440	79	19	10	3	6	117	10	8	11	6	8	15	30	51	94	90
Diseases of: Circulatory	1·39	239	–	–	1	–	–	1	1	5	1	3	9	16	23	51	81	48
Diseases of: Respiratory	3·27	563	121	36	11	7	4	179	11	3	4	8	14	18	40	62	102	122
Diseases of: Digestive	0·92	158	25	3	2	–	–	30	3	2	3	3	5	10	21	30	35	13
Diseases of: Urinary	0·31	53	–	–	–	–	–	–	2	–	2	2	6	3	9	6	13	10
Diseases of: Generative	0·02	4	1	–	–	–	–	1	–	–	–	–	1	–	1	–	1	–
Childbirth	0·09	15	–	–	–	–	–	–	–	–	1	–	5	8	1	–	–	–
Suicide	0·09	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violence	0·83	142	11	4	5	4	5	29	10	2	9	15	13	17	16	14	9	8
Other Causes	3·96	676	219	27	7	8	2	263	8	5	8	3	9	12	9	28	50	281

Deaths of Infants (under one) to 1000 Births - 97

Marriages - 746
Births 5,344

Annual Rate per 1000 living: Persons Married - 8·67; Births - 31·06

324.—DURSLEY.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·95	—	—	—	—	—	39·42	5·36	3·05	5·11	7·92	7·41	10·59	12·08	22·27	54·03	164·80
Mean Pop. 1871-80	—	12,814	338	294	317	328	311	1588	1549	1444	1154	922	1437	1322	1209	1033	744	392
ALL CAUSES	19·95	2557	390	110	47	39	40	626	83	44	59	73	108	140	146	230	402	646
Small-pox	0·05	6	-	-	-	-	-	-	-	-	2	-	2	1	-	1	-	-
Measles	0·28	36	7	9	4	2	6	28	4	4	-	-	-	-	-	-	-	-
Scarlet Fever	0·62	80	6	14	11	5	11	47	27	4	1	1	-	-	-	-	-	-
Diphtheria	0·17	22	-	4	3	-	5	12	6	3	-	-	-	-	-	-	1	-
Whooping-cough	0·22	28	14	9	3	1	-	27	-	1	-	-	-	-	-	-	-	-
Typhus	0·02	3	-	-	-	1	-	1	1	-	-	-	-	-	-	1	-	-
Enteric Fever	0·39	50	-	2	1	2	1	6	8	4	7	3	4	9	3	2	3	1
Simple Cont. Fev.	0·09	11	-	-	1	-	2	3	1	-	1	-	1	-	1	2	1	1
Puerp. Fever	0·08	10	-	-	-	-	-	-	-	-	-	2	4	4	-	-	-	-
Diarr. and Dys.	0·48	62	27	6	1	-	1	35	-	-	-	1	-	2	2	4	7	11
Cholera	0·02	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Cancer	0·65	83	-	-	-	-	-	-	-	-	-	-	-	8	12	27	27	9
Scrofula	0·06	8	2	-	-	-	-	2	1	-	1	-	3	1	-	-	-	-
Tabes Mesent.	0·28	36	23	3	-	1	1	28	3	3	-	1	-	-	-	-	1	-
Phthisis	1·46	187	4	2	-	1	-	7	4	7	25	31	33	41	19	9	5	-
Hydrocephalus	0·20	25	8	7	2	1	3	21	3	1	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·76	354	41	7	6	7	-	61	6	4	3	3	10	11	24	41	79	112
Diseases of: Circulatory „	1·47	189	-	-	-	-	-	-	-	1	5	3	7	16	19	41	69	23
Diseases of: Respiratory „	3·01	386	83	23	8	5	1	123	3	5	1	6	5	14	15	37	79	98
Diseases of: Digestive „	1·04	133	11	3	-	-	3	17	4	1	1	5	5	13	15	22	48	22
Diseases of: Urinary „	0·50	64	-	1	-	-	1	2	-	2	1	1	8	1	12	11	15	11
Diseases of: Generative „	0·05	6	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	-
Childbirth	0·12	16	-	-	-	-	-	-	-	-	-	4	8	4	-	-	-	-
Suicide	0·09	12	-	-	-	-	-	-	-	-	1	1	1	3	1	2	3	-
Other Violence	0·52	66	5	6	-	4	-	15	5	-	3	2	5	4	3	7	9	13
Other Causes	5·32	682	156	14	7	9	5	191	7	4	7	5	9	7	18	22	72	340

Deaths of Infants (under one) to 1000 Births - 107 | Marriages - 743 | Births - 3,635 | Annual Rate per 1000 living: Persons Married - 11·60; Births - 28·37

325.—WESTBURY-ON-SEVERN.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·96	—	—	—	—	—	51·71	5·50	3·29	5·31	6·94	6·96	9·55	13·05	24·65	56·15	161·67
Mean Pop. 1871-80	—	23,105	748	640	710	657	666	3421	3109	2733	2109	1757	2947	2357	1954	1505	853	360
ALL CAUSES	18·96	4381	1125	343	146	90	65	1769	171	90	112	122	205	225	255	371	479	582
Small-pox	0·12	28	7	1	-	-	-	8	1	-	2	5	8	2	1	1	-	-
Measles	0·35	81	14	27	12	13	3	69	10	-	-	-	-	1	1	-	-	-
Scarlet Fever	0·74	171	10	22	35	23	17	107	44	12	3	2	2	1	-	-	-	-
Diphtheria	0·09	20	4	2	4	1	2	13	6	-	-	1	-	-	-	-	-	-
Whooping-cough	0·35	80	46	17	6	3	3	75	4	-	1	-	-	-	-	-	-	-
Typhus	0·03	7	-	-	-	-	1	1	-	1	-	3	1	-	1	-	-	-
Enteric Fever	0·21	48	1	5	2	1	1	10	9	8	3	5	5	3	-	4	1	-
Simple Cont. Fev.	0·12	27	-	3	-	1	2	6	4	3	3	-	2	3	2	3	-	1
Puerp. Fever	0·10	22	-	-	-	-	-	-	-	-	3	7	9	3	-	-	-	-
Diarr. and Dys.	0·39	90	45	9	4	4	1	63	-	-	-	-	1	3	4	2	10	7
Cholera	0·00	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Cancer	0·37	85	-	-	-	-	-	-	-	-	1	-	3	3	17	29	21	11
Scrofula	0·13	30	7	4	1	-	-	12	3	1	5	2	2	2	-	2	1	-
Tabes Mesent.	0·63	156	90	42	8	2	1	143	2	2	1	4	1	-	-	3	-	-
Phthisis	1·25	289	2	5	1	-	1	9	10	15	34	49	63	57	33	14	5	-
Hydrocephalus	0·26	61	27	13	5	3	2	50	6	2	-	1	2	-	-	-	-	-
Diseases of: Nervous Syst.	2·30	532	184	26	8	6	6	230	12	11	8	8	11	16	34	63	82	57
Diseases of: Circulatory „	1·35	311	1	1	-	1	-	3	4	4	8	5	22	21	40	75	86	43
Diseases of: Respiratory „	3·51	811	270	108	36	20	11	445	17	4	6	3	13	32	49	67	97	78
Diseases of: Digestive „	1·02	235	53	9	1	1	1	70	5	6	3	4	13	20	17	45	35	17
Diseases of: Urinary „	0·31	71	2	1	-	-	-	3	3	3	2	1	6	11	8	9	20	5
Diseases of: Generative „	0·06	13	-	-	-	-	-	-	-	-	-	-	-	2	3	7	1	-
Childbirth	0·11	26	-	-	-	-	-	-	-	-	-	7	9	8	2	-	-	
Suicide	0·03	8	-	-	-	-	-	-	-	-	1	-	1	2	1	2	-	1
Other Violence	0·74	170	5	4	7	2	5	23	12	15	16	13	22	19	20	13	15	2
Other Causes	4·34	1008	352	44	16	9	8	429	19	3	12	1	9	16	22	32	105	360

Deaths of Infants (under one) to 1000 Births - 126 | Marriages - 1,692 | Births - 8,942 | Annual Rate per 1000 living: Persons Married - 14·65; Births - 38·70

326.—NEWENT.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75— and upwds.
Annual Death Rate per 1000	—	17·55	—	—	—	—	—	37·85	3·40	3·09	4·75	7·70	6·59	8·45	10·04	19·12	19·45	169·27
Mean Pop. 1871-80	—	11,522	303	285	299	296	294	1477	1440	1328	989	805	1336	1184	1126	995	635	297
ALL CAUSES	17·55	2022	579	85	47	29	28	559	49	41	47	62	88	100	113	173	314	476
Small pox	0·03	3	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
Measles	0·22	25	4	3	3	3	4	17	6	1	-	-	-	-	-	1	-	-
Scarlet Fever	0·23	32	2	4	5	3	4	18	7	4	2	-	1	-	-	-	-	-
Diphtheria	0·18	21	-	-	2	2	5	9	3	4	3	-	1	-	-	1	-	-
Whooping-cough	0·21	24	10	6	1	3	1	21	3	-	-		-	-	-	-	-	-
Typhus	0·02	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Enteric Fever	0·15	17	-	-	1	-	-	1	2	1	3	1	6	2	-	-	1	-
Simple Cont. Fev.	0·19	22	-	-	-	1	1	2	3	-	3	4	2	3	-	2	2	1
Puerp. Fever	0·10	11	-	-	-	-	-	-	-	-	-	2	4	5	-	-	-	-
Diarr. and Dys.	0·33	38	13	1	-	-	-	14	1	-	1	-	-	5	-	2	6	9
Cholera	0·01	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cancer	0·41	47	-	-	-	-	-	-	-	-	-	-	1	1	8	12	20	5
Scrofula	0·10	11	3	1	-	-	-	4	-	1	2	1	1	-	2	-	-	-
Tabes Mesent.	0·19	22	12	5	-	-	1	18	-	2	1	1	-	-	-	-	-	-
Phthisis	0·99	114	-	-	-	-	-	-	-	2	11	27	32	25	12	3	2	-
Hydrocephalus	0·15	17	3	3	4	-	1	11	2	1	2	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	1·81	208	40	8	3	1	-	52	3	4	1	3	6	9	13	27	50	40
Diseases of: Circulatory „	1·74	177	-	-	-	-	-	-	-	2	3	2	7	10	18	40	53	42
Diseases of: Respiratory „	3·54	408	98	57	13	6	5	159	5	1	3	5	7	13	16	37	67	95
Diseases of: Digestive „	0·85	98	6	2	3	-	1	12	1	1	-	3	6	8	21	12	22	12
Diseases of: Urinary „	0·30	35	-	-	-	-	-	-	-	-	-	-	2	1	2	8	11	11
Diseases of: Generative „	0·03	3	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-
Childbirth	0·09	10	-	-	-	-	-	-	-	-	-	2	6	2	-	-	-	-
Suicide	0·08	9	-	-	-	-	-	-	-	-	1	-	1	1	2	2	1	1
Other Violence	0·52	60	6	4	4	1	-	15	5	7	6	5	2	3	4	4	4	5
Other Causes	5·23	607	181	11	8	-	5	205	7	9	4	4	2	10	15	21	75	255

Deaths of Infants (under one) to 1000 Births - 110

Marriages - 612
Births - 3,441

Annual Rate per 1000 living { Persons Married - 10·62
Births - - - 29·86

327.—GLOUCESTER.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75— and upwds.
Annual Death Rate per 1000	—	20·87	—	—	—	—	—	55·48	6·09	3·81	5·59	7·46	9·60	13·28	19·56	32·87	69·07	160·66
Mean Pop. 1871-80	—	44,250	1241	1116	1210	1134	1088	5789	5271	4703	4385	3979	6395	5059	3886	2635	1510	638
ALL CAUSES	20·87	9234	2089	543	266	173	141	3212	321	179	245	257	614	672	760	863	1043	1025
Small-pox	0·38	167	17	2	5	2	2	28	23	29	19	24	25	11	9	3	1	2
Measles	0·41	181	59	65	25	22	10	181	17	2	-	-	-	-	-	-	-	-
Scarlet Fever	0·65	289	18	32	37	42	47	195	73	8	2	1	5	2	-	-	-	-
Diphtheria	0·07	29	3	1	3	-	2	9	11	4	1	1	1	1	-	-	1	-
Whooping-cough	0·44	195	73	38	25	19	9	164	12	-	-	-	-	-	-	-	-	-
Typhus	0·01	3	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
Enteric Fever	0·35	154	-	-	4	6	9	19	14	15	21	17	23	26	13	9	3	1
Simple Cont. Fev.	0·08	37	1	1	2	-	2	6	4	1	8	2	6	1	2	4	2	1
Puerp. Fever	0·05	21	-	-	-	-	-	-	-	-	2	3	12	4	-	-	-	-
Diarr. and Dys.	0·85	377	247	64	10	3	2	326	1	1	-	1	1	3	-	8	29	16
Cholera	0·04	18	8	2	-	-	-	10	1	-	-	-	-	1	1	2	3	-
Cancer	0·50	221	-	-	-	-	-	-	-	-	-	1	7	23	53	66	53	10
Scrofula	0·14	64	14	6	2	3	2	27	6	5	8	3	4	4	5	1	1	-
Tabes Mesent.	0·23	100	43	25	14	5	1	88	4	2	2	3	-	1	-	-	-	-
Phthisis	1·85	815	11	7	4	2	1	26	13	21	65	101	226	188	112	64	16	3
Hydrocephalus	0·24	107	31	23	19	5	5	74	19	8	6	2	-	-	-	1	-	-
Diseases of: Nervous Syst.	3·15	1394	271	37	21	9	9	345	33	13	21	31	79	144	138	179	250	146
Diseases of: Circulatory „	1·53	678	3	-	-	2	3	8	5	10	15	6	43	52	106	136	177	97
Diseases of: Respiratory „	3·10	1372	421	131	40	21	17	630	19	9	18	19	37	67	75	154	233	131
Diseases of: Digestive „	0·91	403	39	4	4	1	2	50	6	6	10	13	28	43	76	72	69	39
Diseases of: Urinary „	0·44	194	1	1	2	2	1	7	4	3	5	3	11	33	37	35	35	18
Diseases of: Generative „	0·07	30	-	-	-	-	-	-	-	-	-	1	6	2	10	6	5	-
Childbirth	0·03	34	-	-	-	-	-	-	-	-	3	6	14	10	1	-	-	-
Suicide	0·09	49	-	-	-	-	-	-	-	-	2	4	9	7	5	9	4	-
Other Violence	0·74	329	5	7	11	12	8	43	22	21	18	37	41	28	49	28	27	24
Other Causes	4·47	1979	844	77	28	13	9	974	30	23	13	18	41	47	52	63	163	546

Deaths of Infants (under one) to 1000 Births - 142

Marriages - 4,184
Births - 14,740

Annual Rate per 1000 living { Persons Married - 18·91
Births - - - 33·31

328.—WHEATENHURST.

	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·52	—	—	—	—	—	33·45	5·53	3·14	4·33	6·61	7·61	8·65	12·01	22·38	48·17	149·22
Mean Pop. 1871-80	—	7581	192	200	200	193	200	985	923	859	693	575	907	775	708	581	382	193
ALL CAUSES	17·52	1328	229	66	27	22	15	359	51	27	30	38	69	67	85	130	184	288
Small-pox	0·07	5	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-
Measles	0·25	19	6	5	2	-	2	15	2	1	-	1	-	-	-	-	-	-
Scarlet Fever	0·54	41	2	9	2	6	6	25	11	2	1	1	1	-	-	-	-	-
Diphtheria	0·28	21	1	1	2	4	2	10	9	2	-	-	-	-	-	-	-	-
Whooping-cough	0·24	18	12	5	1	-	-	18	-	-	-	-	-	-	-	-	-	-
Typhus	0·07	5	-	-	1	-	1	2	1	-	-	-	1	-	-	-	1	-
Enteric Fever	0·13	10	-	-	-	-	-	-	-	1	3	1	1	2	1	-	1	-
Simple Cont. Fev.	0·01	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Puerp. Fever	0·13	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Diarr. and Dys.	0·42	32	19	1	2	-	1	23	-	1	-	-	-	-	-	2	4	2
Cholera	0·03	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Cancer	0·55	42	-	-	-	-	-	-	-	-	-	-	2	8	6	14	6	6
Scrofula	0·11	8	2	1	-	-	-	3	1	-	1	2	-	-	-	1	-	-
Tabes Mesent.	0·17	13	4	4	-	1	-	9	1	2	1	-	-	-	-	-	-	-
Phthisis	1·53	116	1	-	1	-	-	2	2	6	17	16	33	20	10	5	5	-
Hydrocephalus	0·37	28	8	9	1	-	-	18	8	-	-	-	-	-	1	-	-	1
Diseases of Nervous Syst.	2·15	163	16	4	3	3	-	26	2	3	1	2	2	4	15	22	41	45
Diseases of Circulatory ,,	1·83	139	-	-	-	-	-	-	1	1	-	-	5	4	15	33	45	35
Diseases of Respiratory ,,	2·04	155	30	17	4	4	-	55	4	-	1	1	1	10	9	12	23	39
Diseases of Digestive ,,	0·95	72	11	2	-	-	-	13	-	-	1	1	4	6	7	11	21	8
Diseases of Urinary ,,	0·50	38	-	-	1	1	-	2	1	-	-	4	-	-	7	8	7	9
Diseases of Generative ,,	0·03	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Childbirth	0·05	4	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-
Suicide	0·03	3	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-
Other Violence	0·75	57	2	1	1	1	1	6	4	4	1	3	6	7	3	11	6	6
Other Causes	4·39	332	115	7	6	2	2	132	4	3	2	3	6	3	9	10	24	136

Deaths of Infants (under one) to 1000 Births - 104 | Marriages - 386 | Births - 2,195 | Annual Rate per 1000 living: Persons Married - 10·18; Births - 28·95

329.—STROUD.

	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·98	—	—	—	—	—	46·98	4·80	3·13	4·35	6·22	7·22	9·53	14·75	25·34	61·58	160·75
Mean Pop. 1871-80	—	40,351	1081	994	1063	995	1035	5168	4787	4443	4003	3279	5292	4384	3601	2723	1848	823
ALL CAUSES	18·98	7657	1650	435	140	119	84	2428	230	139	174	204	382	418	531	690	1138	1323
Small-pox	0·07	28	4	-	-	-	-	4	1	3	4	2	2	5	3	4	-	-
Measles	0·21	84	19	33	12	8	2	74	9	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·35	141	6	29	13	21	12	81	42	10	3	3	1	1	-	-	-	-
Diphtheria	0·15	63	3	3	5	10	9	30	22	8	-	-	1	-	1	-	1	-
Whooping-cough	0·33	133	65	37	8	10	6	125	6	1	-	-	-	-	-	-	-	-
Typhus	0·03	14	-	1	-	-	1	2	2	3	1	1	1	2	1	1	-	-
Enteric Fever	0·12	47	1	-	1	2	3	7	3	4	8	7	5	6	4	2	1	-
Simple Cont. Fev.	0·03	14	-	-	-	1	-	1	-	1	2	-	2	3	1	1	2	1
Puerp. Fever	0·04	18	-	-	-	-	-	-	-	-	-	5	7	6	-	-	-	-
Diarr. and Dys.	0·60	243	144	23	6	1	-	174	3	-	1	1	3	2	3	10	17	29
Cholera	0·01	4	1	1	-	-	-	2	-	-	-	1	-	-	1	-	-	-
Cancer	0·52	209	-	-	-	1	-	1	1	-	1	1	3	25	42	58	44	33
Scrofula	0·15	61	14	9	1	1	-	25	6	5	3	4	5	3	6	2	2	-
Tabes Mesent.	0·29	118	59	24	3	2	3	91	4	9	5	5	1	1	1	1	-	-
Phthisis	1·45	585	14	5	1	3	1	24	8	18	67	106	164	119	52	20	7	-
Hydrocephalus	0·21	86	25	17	12	5	4	63	13	5	1	1	3	-	-	-	-	-
Diseases of Nervous Syst.	2·49	1003	185	44	11	11	4	255	13	17	17	7	30	34	72	111	233	209
Diseases of Circulatory ,,	1·85	745	-	2	-	1	1	4	6	4	7	8	25	46	95	182	244	124
Diseases of Respiratory ,,	3·37	1359	335	130	27	19	18	529	32	7	16	10	38	51	97	117	243	219
Diseases of Digestive ,,	0·93	374	49	5	1	1	2	58	8	5	4	4	14	24	46	76	91	44
Diseases of Urinary ,,	0·36	146	-	1	-	-	2	3	2	1	3	6	14	15	22	32	31	17
Diseases of Generative ,,	0·07	28	-	-	-	-	-	-	-	-	1	2	2	10	1	5	3	4
Childbirth	0·08	34	-	-	-	-	-	-	-	-	1	5	12	15	1	-	-	-
Suicide	0·05	20	-	-	-	-	-	-	-	-	-	-	2	1	8	3	5	1
Other Violence	0·53	212	9	7	14	4	7	41	22	16	12	11	20	21	23	19	15	13
Other Causes	4·63	1858	717	64	25	18	9	833	27	21	17	14	27	28	52	46	194	629

Deaths of Infants (under one) to 1000 Births - 131 | Marriages - 2,906 | Births - 12,637 | Annual Rate per 1000 living: Persons Married - 14·85; Births - 31·32

330.—TETBURY.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	15·83	—	—	—	—	—	30·58	3·36	3·24	4·50	3·21	8·19	9·32	15·19	21·11	59·04	168·52
Mean Pop. 1871-80	—	6013	156	149	160	154	156	775	745	709	578	498	733	601	586	431	249	108
ALL CAUSES	15·83	952	168	39	14	10	6	237	25	23	26	16	60	56	89	91	147	182
Small-pox	0·05	3	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-
Measles	0·28	17	4	6	2	1	-	13	2	1	-	-	-	1	-	-	-	-
Scarlet Fever	0·13	8	1	1	2	1	1	6	2	-	-	-	-	-	-	-	-	-
Diphtheria	0·03	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Whooping-cough	0·15	9	4	2	1	-	1	8	1	-	-	-	-	-	-	-	-	-
Typhus	0·22	13	-	-	1	-	1	2	2	2	1	-	2	-	-	1	2	1
Enteric Fever	0·20	12	3	-	-	-	-	3	-	2	1	-	-	1	1	4	-	-
Simple Cont. Fev.	0·12	7	-	-	-	-	-	-	2	-	1	-	1	2	1	-	-	-
Puerp. Fever	0·08	5	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-
Diarr. and Dys.	0·35	21	5	3	1	-	-	9	-	-	-	-	-	2	-	2	5	3
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·50	30	-	-	-	-	1	1	-	-	-	-	-	1	7	9	6	6
Scrofula	0·10	6	-	-	-	-	-	-	1	-	-	1	-	1	2	-	1	-
Tabes Mesent.	0·28	17	5	5	1	2	-	13	-	3	-	1	-	-	-	-	-	-
Phthisis	1·88	113	4	2	1	-	-	7	2	5	13	10	33	18	11	9	4	1
Hydrocephalus	0·12	7	4	-	1	2	-	7	-	-	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·18	131	25	4	1	-	-	30	2	2	2	-	3	4	14	13	31	30
Diseases of: Circulatory „	1·20	72	-	-	-	-	-	-	-	1	2	1	3	6	17	15	19	8
Diseases of: Respiratory „	2·41	145	37	11	3	3	1	55	4	1	-	-	4	5	16	13	28	19
Diseases of: Digestive „	0·80	48	5	-	-	-	-	5	1	-	2	-	6	5	7	7	13	2
Diseases of: Urinary „	0·27	16	-	-	-	-	-	-	-	-	-	-	1	1	3	5	5	1
Diseases of: Generative „	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth	0·08	5	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-
Suicide	0·05	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-
Other Violence	0·35	21	1	-	-	1	1	3	2	4	-	-	2	-	2	3	2	3
Other Causes	4·00	241	70	5	-	-	-	75	2	2	3	1	3	2	7	9	29	108

Deaths of Infants (under one) to 1000 Births - 95 | Marriages - 386 | Births - 1,776 | Annual Rate per 1000 living: Persons Married - 12·84; Births - - - 29·54

331.—CIRENCESTER.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·73	—	—	—	—	—	41·88	2·90	2·86	4·24	6·44	6·79	9·99	13·47	23·50	57·32	155·56
Mean Pop. 1871-80	—	21,337	564	504	539	516	530	2653	2618	2341	2125	1645	2679	2262	1967	1566	1031	450
ALL CAUSES	17·73	3782	765	190	87	41	28	1111	76	67	90	106	182	226	265	368	591	700
Small-pox	0·00	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Measles	0·15	32	7	16	4	-	-	27	3	1	1	-	-	-	-	-	-	-
Scarlet Fever	0·24	51	2	5	8	4	6	25	16	6	1	1	2	-	-	-	-	-
Diphtheria	0·07	14	-	2	1	2	1	6	6	1	-	-	-	-	1	-	-	-
Whooping-cough	0·23	50	25	13	7	4	1	50	-	-	-	-	-	-	-	-	-	-
Typhus	0·01	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
Enteric Fever	0·13	27	-	-	1	-	-	1	1	3	10	1	4	1	5	1	-	-
Simple Cont. Fev.	0·05	11	1	-	-	-	-	1	-	1	-	3	3	-	1	-	1	1
Puerp. Fever	0·08	17	-	-	-	-	-	-	-	-	1	6	5	5	-	-	-	-
Diarr. and Dys.	0·43	91	47	9	5	2	-	63	1	1	1	-	1	2	2	3	6	11
Cholera	0·02	4	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-
Cancer	0·72	154	-	-	-	-	-	-	1	-	1	1	5	17	33	42	35	19
Scrofula	0·12	26	7	3	1	-	-	11	-	3	-	2	2	4	3	-	1	-
Tabes Mesent.	0·20	42	12	10	4	1	1	28	9	2	1	1	-	1	-	-	-	-
Phthisis	1·52	324	1	2	-	-	-	3	4	6	34	61	79	58	45	20	10	4
Hydrocephalus	0·20	42	21	7	5	2	3	38	1	-	2	-	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·32	496	86	20	7	5	4	122	9	8	4	9	10	23	34	56	117	104
Diseases of: Circulatory „	2·00	427	-	-	-	-	-	-	2	5	3	5	7	31	39	74	148	113
Diseases of: Respiratory „	2·62	559	137	60	17	4	5	223	3	6	8	2	16	21	25	54	99	102
Diseases of: Digestive „	0·99	212	18	11	3	2	1	35	3	3	7	6	15	13	27	38	46	19
Diseases of: Urinary „	0·47	100	-	-	2	-	-	2	-	2	1	2	6	14	7	23	23	15
Diseases of: Generative „	0·03	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	-
Childbirth	0·07	15	-	-	-	-	-	-	-	-	-	-	5	9	1	-	-	-
Suicide	0·07	15	-	-	-	-	-	-	-	-	1	-	1	5	1	7	-	-
Other Violence	0·55	117	7	6	8	3	1	25	4	10	6	3	8	5	18	10	19	9
Other Causes	4·44	946	394	26	14	12	5	451	13	8	5	3	12	16	23	37	75	308

Deaths of Infants (under one) to 1000 Births - 120 | Marriages - 1,888 | Births - 6,368 | Annual Rate per 1000 living: Persons Married - 13·01; Births - - - 29·84

332.—NORTHLEACH.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	16·85	—	—	—	—	—	36·01	3·07	2·51	3·82	5·97	5·72	8·15	10·75	25·95	59·43	148·70
Mean Pop. 1871-80	—	10,234	273	252	265	285	269	1344	1337	1196	917	704	1189	1030	986	763	488	230
ALL CAUSES	16·85	1724	335	84	28	17	20	484	41	30	35	42	68	88	106	198	290	342
Small-pox	0·02	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
Measles	0·07	7	4	3	-	-	-	7	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·16	16	2	2	5	2	1	12	3	1	-	-	-	-	-	-	-	-
Diphtheria	0·13	13	-	3	1	1	3	8	4	1	-	-	-	-	-	-	-	-
Whooping-cough	0·14	14	7	5	-	-	1	13	1	-	-	-	-	-	-	-	-	-
Typhus	0·05	5	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-
Enteric Fever	0·15	15	-	-	-	-	-	-	1	2	2	1	2	4	2	-	1	-
Simple Cont. Fev.	0·05	5	-	1	-	-	-	1	2	-	-	-	-	1	-	-	1	-
Puerp. Fever	0·05	5	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-
Diarr. and Dys.	0·33	34	10	7	-	-	-	17	-	-	1			-	-	3	4	9
Cholera	0·02	2	-	-	-		-	-	-	-	-	-	-	1	-	1	-	-
Cancer	0·42	43	-	1	-	-	-	1	-	-	-	1	2	3	9	13	5	9
Scrofula	0·13	13	3	1	-	-	1	5	2	1	1	1		-	-	3	-	-
Tabes Mesent.	0·19	19	10	5	-	-	-	15	1	1	-	1	-	1	-	-	-	-
Phthisis	1·20	123	1	-	-	1	-	2	-	3	13	19	29	19	19	15	3	1
Hydrocephalus	0·17	17	7	6	-	-	1	14	1	1	1	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·36	242	60	9	5	4	2	80	4	6	4	4	4	6	12	26	54	42
Circulatory „	1·52	156	-	-	-	-	-	-	3	3	1	3	4	8	14	37	53	25
Respiratory „	2·67	273	65	28	7	4	3	107	10	1	2	2	3	11	14	33	45	45
Digestive „	0·93	95	4	2	5	1	-	12	3	-	2	3	5	8	9	25	20	8
Urinary „	0·34	35	-	-	-	-	-	-		1	-	-	1	3	4	8	10	8
Generative „	0·05	6	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-
Childbirth	0·16	16	-	-	-	-	-	-	-	-	1	1	4	9	1	-	-	-
Suicide	0·02	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Other Violence	0·50	51	3	2	5	1	4	15	3	1	4	4	6	5	2	3	5	3
OTHER CAUSES	5·01	515	159	9	-	3	4	175	2	7	3	1	3	7	15	26	34	192

Deaths of Infants (under one) to 1000 Births - 110 | Marriages - 607 | Births - 3,056 | Annual Rate per 1000 living: Persons Married - 11·86; Births - 29·86

333.—STOW-ON-THE-WOLD.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	17·17	—	—	—	—	—	33·91	3·53	2·26	5·28	7·61	7·41	8·76	13·98	25·17	55·60	149·20
Mean Pop. 1871-80	—	9375	260	228	241	236	247	1212	1190	1017	833	696	1120	1005	894	719	500	180
ALL CAUSES	17·17	1610	265	84	30	23	9	411	42	23	44	53	83	88	125	181	278	282
Small-pox	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Measles	0·15	14	3	5	1	-	1	10	4	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·22	21	2	4	2	4	-	12	7	2	-	-	-	-	-	-	-	-
Diphtheria	0·11	10	-	2	1	1	1	5	4	-	-	-	-	1	-	-	-	-
Whooping-cough	0·35	34	17	10	4	2	-	33	1	-	-	-	-	-	-	-	-	-
Typhus	0·04	4	-	-	-	1	-	1	-	1	-	-	1	-	-	-	1	-
Enteric Fever	0·46	43	1	3	1	-	2	7	6	5	-	6	5	7	3	1	2	1
Simple Cont. Fev.	0·04	4	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-
Puerp. Fever	0·03	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
Diarr. and Dys.	0·23	22	6	3	1	1	-	11	1	-	-	1	-	1	1	1	2	4
Cholera	0·01	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Cancer	0·46	43	-	-	-	-	-	-	-	-	-	-	1	4	9	12	11	6
Scrofula	0·07	7	1	1	-	-	-	2	-	-	1	2	-	1	1	-	-	-
Tabes Mesent.	0·06	6	1	3	-	1	-	5	-	-	-	-	-	1	-	-	-	-
Phthisis	1·87	175	8	4	2	1	-	15	3	6	29	25	42	21	18	10	6	-
Hydrocephalus	0·12	11	5	3	-	1	-	9	1	-	1	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·23	209	28	7	5	4	-	44	2	2	2	4	2	7	18	35	63	30
Circulatory „	1·34	125	-	-	-	-	-	-	-	1	3	-	1	13	19	34	42	13
Respiratory „	2·59	243	61	22	5	3	4	95	3	-	2	2	5	7	20	35	42	32
Digestive „	0·85	80	8	1	1	1	-	11	2	-	1	3	4	6	15	14	18	6
Urinary „	0·37	35	-	1	-	-	-	1	-	3	-	1	1	6	2	8	6	7
Generative „	0·03	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-
Childbirth	0·13	12	-	-	-	-	-	-	-	-	-	3	7	-	2	-	-	-
Suicide	0·05	5	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-
Other Violence	0·52	49	7	2	4	2	1	16	3	1	1	1	6	4	5	2	8	2
OTHER CAUSES	4·82	449	117	13	3	1	-	134	2	1	4	3	4	7	10	28	75	181

Deaths of Infants (under one) to 1000 Births - 96 | Marriages - 631 | Births - 2,757 | Annual Rate per 1000 living: Persons Married - 13·46; Births - 29·41

334.—WINCHCOMB.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·01	—	—	—	—	—	33·31	3·83	2·70	3·76	6·80	6·90	9·84	11·48	20·77	56·61	158·12
Mean Pop. 1871–80	—	9932	272	241	258	263	260	1294	1253	1111	852	721	1189	1067	976	751	484	234
ALL CAUSES	17·01	1689	315	61	25	17	13	431	43	30	32	49	82	105	112	156	274	370
Small-pox	0·05	5	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-
Measles	0·13	13	2	3	2	1	-	8	3	1	-	-	1	-	-	-	-	-
Scarlet Fever	0·36	36	1	6	2	5	4	18	9	3	3	1	1	-	1	-	-	-
Diphtheria	0·05	5	1	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-
Whooping-cough	0·16	16	10	3	2	-	1	16	-	-	-	-	-	-	-	-	-	-
Typhus	0·01	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Enteric Fever	0·23	23	-	-	-	-	-	-	2	6	3	6	3	2	1	-	-	-
Simple Cont. Fev.	0·06	6	-	-	1	-	1	2	1	-	-	1	-	-	1	1	-	-
Puerp. Fever	0·08	8	-	-	-	-	-	-	-	-	-	1	5	2	-	-	-	-
Diarr. and Dys.	0·32	32	18	1	-	-	1	20	1	-	-	-	1	-	1	1	4	4
Cholera	0·01	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Cancer	0·43	43	-	-	-	-	-	-	-	-	-	1	-	7	7	6	13	9
Scrofula	0·12	12	4	-	-	-	-	4	3	-	-	2	-	2	1	-	-	-
Tabes Mesent.	0·05	5	1	1	-	-	-	2	-	-	2	-	1	-	-	-	-	-
Phthisis	1·27	126	4	1	-	1	2	8	2	4	10	19	29	26	17	9	2	-
Hydrocephalus	0·09	9	3	2	2	-	-	7	1	1	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·01	200	56	6	1	2	1	66	2	4	2	2	6	11	14	20	39	34
Circulatory	1·33	132	-	-	-	-	-	-	-	-	2	1	2	10	18	27	40	32
Respiratory	2·63	261	60	22	11	2	1	96	5	4	3	4	11	9	13	32	42	42
Digestive	1·10	109	13	1	-	-	-	14	4	2	2	2	2	2	16	24	27	14
Urinary	0·43	43	-	-	-	-	-	-	1	-	-	-	4	11	5	11	11	-
Generative	0·03	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
Childbirth	0·14	14	-	-	-	-	-	-	-	-	1	1	7	5	-	-	-	-
Suicide	0·01	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Violence	0·37	37	-	4	1	1	1	7	4	1	1	3	2	2	3	4	7	3
Other Causes	5·54	548	142	11	3	5	-	161	8	1	3	4	5	15	13	19	87	232

Deaths of Infants (under one) to 1000 Births - 105 | Marriages - 588 | Births - 2,992 | Annual Rate per 1000 living: Persons Married - 11·84; Births - 30·12

335.—CHELTENHAM.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·89	—	—	—	—	—	48·41	4·42	3·21	3·62	4·80	6·95	9·81	14·96	25·92	53·38	153·15
Mean Pop. 1871–80	—	54,335	1216	1083	1161	1196	1100	5765	5543	5735	6001	5128	7673	6023	4966	3878	2513	1110
ALL CAUSES	17·89	9723	1829	476	239	149	98	2791	245	184	217	246	533	591	743	1005	1467	1701
Small-pox	0·11	58	9	4	2	-	-	15	6	5	1	8	14	5	2	2	-	-
Measles	0·38	208	39	60	47	25	14	185	17	5	1	-	-	-	-	-	-	-
Scarlet Fever	0·33	182	12	23	24	28	22	112	50	13	3	-	1	1	-	2	-	-
Diphtheria	0·07	39	1	3	6	3	6	19	6	4	3	-	2	1	2	1	1	-
Whooping-cough	0·16	89	44	19	13	5	3	84	5	-	-	-	-	-	-	-	-	-
Typhus	0·02	12	-	-	-	-	-	-	1	2	3	2	2	-	-	1	1	-
Enteric Fever	0·14	74	-	1	-	2	1	4	6	9	8	11	10	9	5	6	3	3
Simple Cont. Fev.	0·09	50	-	-	3	2	1	6	10	8	4	4	5	-	1	4	5	3
Puerp. Fever	0·04	20	-	-	-	-	-	-	-	-	-	4	9	7	-	-	-	-
Diarr. and Dys.	0·65	355	239	30	8	2	-	279	3	2	-	1	-	3	4	17	18	23
Cholera	0·01	4	2	-	1	-	-	3	-	-	-	-	-	-	1	-	-	-
Cancer	0·59	322	-	-	-	1	-	1	-	-	1	-	8	35	75	82	73	47
Scrofula	0·07	39	9	4	1	-	1	15	4	1	6	2	6	4	1	-	-	-
Tabes Mesent.	0·13	72	13	13	5	4	2	47	9	8	1	2	-	2	-	3	-	-
Phthisis	1·68	911	8	3	2	3	3	19	9	39	85	126	246	185	120	52	20	1
Hydrocephalus	0·20	109	38	20	16	5	6	85	13	3	6	1	-	-	1	-	-	-
Diseases of: Nervous Syst.	2·28	1239	272	52	23	13	11	371	27	16	21	11	31	51	77	155	230	219
Circulatory	1·33	725	5	-	1	-	-	6	5	16	15	7	40	55	95	156	192	138
Respiratory	3·33	1812	294	140	57	19	11	531	22	6	13	15	50	78	134	223	336	384
Digestive	1·14	620	27	7	4	2	3	43	9	9	14	15	36	56	90	117	146	89
Urinary	0·40	220	1	1	-	1	-	3	4	4	3	3	15	23	29	38	52	46
Generative	0·08	42	-	-	-	-	-	-	-	-	2	1	2	7	9	12	6	3
Childbirth	0·05	29	-	-	-	-	-	-	-	-	1	7	11	9	1	-	-	-
Suicide	0·04	24	-	-	-	-	-	-	-	-	1	3	-	5	6	5	3	1
Other Violence	0·33	181	21	7	5	4	5	42	13	12	10	5	15	8	11	22	27	16
Other Causes	4·24	2287	785	86	21	20	9	921	23	22	19	18	30	47	70	107	394	723

Deaths of Infants (under one) to 1000 Births - 133 | Marriages - 4,194 | Births - 13,741 | Annual Rate per 1000 living: Persons Married - 15·44; Births - 25·29

336.—TEWKESBURY.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·93	—	—	—	—	—	41·16	4·47	4·17	4·12	6·36	8·02	9·99	13·75	27·34	53·98	167·31
Mean Pop. 1871-80	—	13,641	364	325	343	345	348	1725	1678	1535	1262	1006	1658	1481	1287	1035	665	309
ALL CAUSES	18·93	2582	506	99	51	36	18	710	75	64	52	64	133	148	177	283	359	517
Small-pox	0·11	15	4	-	-	-	-	4	2	1	1	-	-	1	2	3	1	-
Measles	0·19	26	7	8	3	1	1	20	5	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·45	62	4	4	12	6	7	33	16	7	1	-	3	2	-	-	-	-
Diphtheria	0·07	9	-	-	-	2	-	2	3	2	-	-	-	1	-	-	1	-
Whooping-cough	0·34	47	25	11	2	7	1	46	1	-	-	-	-	-	-	-	-	-
Typhus	0·07	9	-	-	-	-	-	-	3	-	2	1	1	1	-	1	-	-
Enteric Fever	0·16	22	-	-	-	1	1	2	1	3	3	3	3	3	1	2	1	-
Simple Cont. Fev.	0·08	11	-	-	-	-	-	-	7	1	1	-	1	1	-	-	-	-
Puerp. Fever	0·04	6	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-
Diarr. and Dys.	0·54	74	31	8	3	1	-	43	1	-	-	-	-	1	1	6	6	16
Cholera	0·04	5	-	-	1	-	-	1	-	-	-	-	-	2	-	-	1	1
Cancer	0·66	90	-	-	-	-	-	-	-	-	-	2	1	7	21	25	23	11
Scrofula	0·11	15	4	4	1	-	-	9	3	1	-	-	-	1	-	-	-	1
Tabes Mesent.	0·11	15	11	2	1	1	-	15	-	-	-	-	-	-	-	-	-	-
Phthisis	1·64	224	6	2	1	-	1	10	3	7	19	35	52	38	31	17	10	2
Hydrocephalus	0·23	32	8	9	1	1	1	20	6	5	1	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·53	345	61	6	3	3	1	74	9	8	5	4	15	16	30	55	73	56
Diseases of: Circulatory „	1·72	234	2	-	-	-	-	2	-	6	3	7	13	16	21	68	69	29
Diseases of: Respiratory „	2·51	343	86	23	13	5	1	128	3	2	3	1	14	9	21	32	63	67
Diseases of: Digestive „	1·17	160	20	1	2	1	-	24	2	7	1	3	7	13	23	21	28	51
Diseases of: Urinary „	0·43	65	1	-	1	-	-	2	3	2	1	3	4	4	5	13	18	10
Diseases of: Generative „	0·02	3	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-
Childbirth	0·04	6	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-	-
Suicide	0·04	6	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	-
Other Violence	0·67	92	4	3	3	4	4	18	5	8	7	-	9	10	10	10	11	4
Other Causes	4·91	666	232	18	4	3	-	257	2	3	3	4	6	14	11	26	51	289

Deaths of Infants (under one) to 1000 Births - 125 | Marriages - 796 | Births - 4,054 | Annual Rate per 1000 living: Persons Married - 11·67; Births - - - 29·72

HEREFORDSHIRE.]

337.—LEDBURY.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·07	—	—	—	—	—	32·64	3·68	3·67	3·20	6·53	7·35	7·94	11·44	25·00	61·68	155·03
Mean Pop. 1871-80	—	12,854	306	298	317	315	296	1532	1547	1443	1188	949	1605	1398	1259	980	655	298
ALL CAUSES	17·07	2194	329	78	37	31	25	500	57	53	38	62	118	111	144	245	404	462
Small-pox	0·02	3	1	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-
Measles	0·12	15	2	4	2	2	2	12	-	1	-	1	-	1	-	-	-	-
Scarlet Fever	0·23	30	2	3	4	6	4	19	8	2	-	1	-	-	-	-	-	-
Diphtheria	0·29	37	1	1	4	3	6	15	11	8	1	-	-	2	-	-	-	-
Whooping-cough	0·13	17	7	2	2	4	-	15	2	-	-	-	-	-	-	-	-	-
Typhus	0·02	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
Enteric Fever	0·09	12	-	-	-	-	-	-	1	3	2	2	1	2	-	-	1	-
Simple Cont. Fev.	0·04	5	-	-	-	1	-	1	2	1	-	1	-	-	-	-	-	-
Puerp. Fever	0·02	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
Diarr. and Dys.	0·22	28	16	4	-	1	-	21	-	-	-	-	-	-	1	1	-	5
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·68	87	-	-	-	-	-	-	-	-	-	-	2	5	9	23	35	13
Scrofula	0·09	11	-	-	1	1	-	2	-	3	1	1	-	2	-	1	-	1
Tabes Mesent.	0·09	11	3	1	2	1	-	7	1	-	-	-	2	1	-	-	-	-
Phthisis	1·35	174	2	-	3	-	-	5	2	5	16	24	56	23	25	11	7	-
Hydrocephalus	0·30	38	9	8	5	2	5	29	2	3	2	2	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·14	275	28	15	2	2	-	47	6	4	2	3	11	13	24	46	64	55
Diseases of: Circulatory „	1·73	222	2	1	-	-	-	3	1	3	3	8	11	7	24	51	63	43
Diseases of: Respiratory „	2·62	337	61	23	5	1	3	93	6	4	-	5	8	19	16	45	74	67
Diseases of: Digestive „	0·84	108	10	1	1	-	2	14	3	2	1	1	4	11	11	23	30	8
Diseases of: Urinary „	0·37	48	1	-	-	1	-	2	-	1	1	2	2	2	8	6	18	6
Diseases of: Generative „	0·07	9	-	-	-	-	-	-	-	-	1	-	1	2	1	-	4	-
Childbirth	0·08	10	-	-	-	-	-	-	-	-	-	1	5	2	2	-	-	-
Suicide	0·11	14	-	-	-	-	-	-	-	-	-	-	1	-	3	6	3	1
Other Violence	0·53	68	5	2	2	3	1	13	8	6	4	1	5	7	8	7	5	4
Other Causes	4·89	630	179	13	4	3	2	201	4	7	3	9	6	11	12	23	95	239

Deaths of Infants (under one) to 1000 Births - 96 | Marriages - 667 | Births - 3,431 | Annual Rate per 1000 living: Persons Married - 10·38; Births - - - 26·69

338.—ROSS.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·98	—	—	—	—	—	43·09	4·10	2·82	4·85	5·23	7·27	9·74	12·11	27·11	53·10	147·52
Mean Pop. 1871-80	—	16,487	449	379	419	425	435	2107	2048	1880	1505	1242	2062	1797	1503	1221	779	343
ALL CAUSES	17·98	2964	646	129	64	35	34	908	84	53	73	65	150	175	182	331	437	506
Small-pox	0·01	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Measles	0·22	36	8	11	3	2	4	28	6	1	-	-	-	1	-	-	-	-
Scarlet Fever	0·24	40	2	6	8	5	6	27	10	1	2	-	-	-	-	-	-	-
Diphtheria	0·18	29	-	3	1	5	5	14	10	3	2	-	-	-	-	-	-	-
Whooping cough	0·28	46	20	10	6	4	4	44	2	-	-	-	-	-	-	-	-	-
Typhus	0·04	6	-	-	-	-	-	-	-	3	-	-	1	1	-	-	1	-
Enteric Fever	0·24	40	7	2	2	-	1	12	3	3	5	2	2	3	3	1	4	2
Simp. Cont. Fev.	0·11	18	-	1	-	1	-	2	3	4	1	-	1	-	1	3	3	-
Puerp. Fever	0·06	10	-	-	-	-	-	-	-	-	1	1	5	3	-	-	-	-
Diarr. and Dys.	0·35	58	32	13	1	-	-	46	1	-	-	-	-	2	-	3	1	5
Cholera	0·04	6	-	1	-	-	-	1	-	-	1	-	-	-	1	-	1	2
Cancer	0·53	88	-	-	-	-	-	-	-	-	-	-	2	8	9	27	30	12
Scrofula	0·08	14	2	1	1	-	-	4	2	2	-	1	4	-	1	-	-	-
Tabes Mesent.	0·27	44	23	3	3	1	1	31	5	1	1	2	2	2	-	-	-	-
Phthisis	1·33	220	1	1	1	-	-	3	4	7	25	33	51	39	25	17	12	1
Hydrocephalus	0·15	25	10	3	4	1	2	20	3	1	-	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·39	394	86	12	8	5	2	113	6	5	6	4	13	24	34	53	72	61
Diseases of: Circulatory „	1·60	264	1	-	-	-	-	1	1	2	5	3	10	16	28	75	85	38
Diseases of: Respiratory „	2·91	480	129	34	13	5	3	184	10	6	2	2	7	20	20	52	87	90
Diseases of: Digestive „	1·04	172	22	3	1	2	-	28	4	4	5	2	10	13	18	29	36	23
Diseases of: Urinary „	0·31	51	-	-	-	-	-	-	1	1	3	1	6	3	9	8	14	5
Diseases of: Generative „	0·07	11	-	-	-	-	-	-	-	-	-	-	1	2	2	-	4	2
Childbirth	0·13	22	-	-	-	-	-	-	-	-	-	2	8	12	-	-	-	-
Suicide	0·10	17	-	-	-	-	-	-	-	-	2	1	2	-	3	7	2	-
Other Violence	0·53	92	6	5	2	4	2	19	4	5	6	4	11	10	6	14	6	7
Other Causes	4·74	780	207	20	10	-	4	331	9	4	6	3	13	16	22	39	79	258

Deaths of Infants (under one) to 1000 Births - 124 | Marriages - 881 | Births - 5,224 | Annual Rate per 1000 living: Persons Married - 10·69; Births - 31·69

339.—HEREFORD.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·47	—	—	—	—	—	42·01	5·01	3·55	4·97	5·60	8·72	12·10	16·75	31·40	63·21	169·77
Mean Pop. 1871-80	—	42,834	1090	991	1101	1043	1055	5280	5073	4762	4041	3426	5666	4843	3977	2987	1892	887
ALL CAUSES	19·47	8340	1494	363	165	111	85	2218	254	169	201	192	494	586	666	938	1196	1126
Small-pox	0·02	9	2	1	-	-	-	3	-	1	-	-	1	1	1	1	1	-
Measles	0·18	79	15	22	15	8	6	66	9	1	-	1	2	-	-	-	-	-
Scarlet Fever	0·49	212	11	25	27	29	23	115	61	20	6	1	8	1	-	-	-	-
Diphtheria	0·15	65	1	6	3	6	5	21	23	8	5	2	2	-	3	1	1	-
Whooping-cough	0·34	146	75	40	11	9	1	136	10	-	-	-	-	-	-	-	-	-
Typhus	0·02	7	-	-	-	-	-	-	-	1	1	-	-	2	1	2	-	-
Enteric Fever	0·17	71	1	1	4	1	1	8	7	8	11	2	12	8	6	2	7	-
Simp. Cont. Fever	0·10	42	-	2	1	-	2	5	5	3	2	1	4	3	4	7	3	5
Puerp. Fever	0·07	30	-	-	-	-	-	-	-	-	5	2	10	12	1	-	-	-
Diarr. and Dys.	0·52	224	122	19	16	2	2	161	3	3	1	-	1	8	5	10	12	29
Cholera	0·01	4	1	-	1	-	-	2	-	-	-	-	-	-	1	1	-	-
Cancer	0·60	258	-	-	-	1	-	1	-	1	2	2	11	26	58	64	65	28
Scrofula	0·10	44	15	6	-	-	1	22	-	4	2	1	5	4	2	2	1	1
Tabes Mesent.	0·11	47	18	11	3	-	1	33	4	4	2	1	1	1	1	-	-	-
Phthisis	1·82	780	23	9	9	4	1	46	15	23	70	89	191	153	97	71	25	-
Hydrocephalus	0·14	59	19	12	4	3	3	41	7	7	2	-	1	1	-	-	-	-
Diseases of: Nervous Syst.	2·92	1251	339	39	14	10	1	403	23	20	12	16	47	67	107	168	203	182
Diseases of: Circulatory „	1·75	750	1	-	2	-	-	3	6	12	15	14	23	67	85	171	224	127
Diseases of: Respiratory „	3·08	1318	265	93	23	13	20	417	26	8	16	11	38	63	98	183	233	222
Diseases of: Digestive „	0·85	366	42	3	3	2	1	51	4	10	3	3	23	40	59	64	71	33
Diseases of: Urinary „	0·45	191	3	-	1	2	1	7	3	1	5	5	18	23	30	37	45	14
Diseases of: Generative „	0·09	38	-	-	-	-	-	-	1	-	1	1	8	8	10	5	3	1
Childbirth	0·09	37	-	-	-	-	-	-	-	-	-	7	14	14	2	-	-	-
Suicide	0·03	27	-	-	-	-	-	-	-	-	2	4	7	1	9	3	-	1
Other Violence	0·13	238	18	12	4	7	5	46	15	13	20	12	23	30	31	33	23	17
Other Causes	4·71	2016	523	59	24	14	11	631	32	21	18	17	31	47	55	113	276	775

Deaths of Infants (under one) to 1000 Births - 121 | Marriages - 2,924 | Births - 12,309 | Annual Rate per 1000 living: Persons Married - 13·65; Births - 28·74

340.—WEOBLY.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	16·89	—	—	—	—	—	29·61	4·02	3·73	3·97	6·69	7·26	8·61	13·72	27·88	55·53	143·14
Mean Pop. 1871-80	—	8605	243	194	249	214	218	1118	1045	966	756	598	1033	976	860	642	407	204
ALL CAUSES	16·89	1453	223	40	26	25	17	331	42	36	30	40	75	84	118	179	226	292
Small-pox	0·02	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Measles	0·05	4	2	1	-	-	-	3	1	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·38	33	1	2	5	6	6	20	8	4	1	-	-	-	-	-	-	-
Diphtheria	0·27	23	1	1	1	3	4	10	6	4	2	-	-	-	1	-	-	-
Whooping-cough	0·19	16	6	7	1	1	-	15	-	1	-	-	-	-	-	-	-	-
Typhus	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	0·22	19	-	-	-	-	1	1	4	1	1	2	4	1	1	3	-	1
Simple Cont. Fev.	0·13	11	-	-	-	1	-	1	2	-	1	-	3	3	-	1	-	-
Puerp. Fever	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarr. and Dys.	0·41	35	20	1	1	1	-	23	-	-	1	-	2	-	-	2	3	4
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·49	42	-	-	-	-	-	-	-	-	1	-	1	3	10	10	11	6
Scrofula	0·05	4	-	1	-	-	-	1	-	2	-	-	-	1	-	-	-	-
Tabes Mesent.	0·09	8	1	2	2	-	-	5	1	1	-	1	-	-	-	-	-	-
Phthisis	1·28	110	-	-	1	-	-	1	1	4	10	17	27	19	13	13	4	1
Hydrocephalus	0·14	12	5	2	-	1	-	8	4	-	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·12	182	27	3	3	1	-	34	-	4	2	4	5	8	12	32	45	36
Diseases of: Circulatory "	2·15	185	-	-	-	-	-	-	1	2	2	2	6	10	24	50	56	32
Diseases of: Respiratory "	2·80	241	49	8	6	7	2	72	8	2	-	4	12	13	19	28	42	41
Diseases of: Digestive "	0·85	73	9	3	-	-	-	12	3	1	-	1	3	3	15	14	11	10
Diseases of: Urinary "	0·36	31	1	-	-	-	-	1	-	1	1	-	2	4	9	5	4	4
Diseases of: Generative "	0·05	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-
Childbirth	0·08	7	-	-	-	-	-	-	-	-	-	3	3	1	-	-	-	-
Suicide	0·05	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Other Violence	0·53	46	3	-	3	2	1	9	2	4	3	2	1	6	7	4	2	6
Other Causes	4·18	361	93	9	3	2	3	115	1	5	5	3	6	10	6	16	43	151

Deaths of Infants (under one) to 1000 Births - 92

Marriages - 419
Births - 2,132

Annual Rate per 1000 living: Persons Married - 9·74; Births - - - 28·26

341.—BROMYARD.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·88	—	—	—	—	—	40·18	4·12	2·83	3·32	5·40	6·68	8·80	13·67	21·98	59·85	161·43
Mean Pop. 1871-80	—	11,494	275	270	286	291	294	1416	1408	1309	1024	889	1457	1239	1165	869	518	280
ALL CAUSES	17·88	2055	407	80	33	27	22	569	58	37	34	48	96	109	151	191	310	452
Small-pox	0·07	8	-	1	-	-	-	1	1	-	-	2	-	1	2	-	1	-
Measles	0·18	21	2	4	2	2	1	11	4	1	2	-	1	2	-	-	-	-
Scarlet Fever	0·23	26	-	-	6	4	3	13	9	3	-	-	1	-	-	-	-	-
Diphtheria	0·02	2	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough	0·17	20	15	3	-	1	-	19	1	-	-	-	-	-	-	-	-	-
Typhus	0·04	5	-	-	-	-	-	-	1	-	1	-	1	1	-	-	1	-
Enteric Fever	0·14	16	-	-	1	1	1	3	-	5	2	-	-	-	4	1	-	1
Simple Cont. Fev.	0·10	12	-	-	-	1	-	1	2	-	1	-	1	2	1	1	3	-
Puerp. Fever	0·08	9	-	-	-	-	-	-	-	-	-	1	6	2	-	-	-	-
Diarr. and Dys.	0·33	38	18	7	1	-	-	26	1	-	-	-	-	-	-	-	5	6
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·31	36	-	-	-	-	-	-	-	-	-	-	1	3	6	10	10	6
Scrofula	0·10	11	1	-	1	-	-	2	2	2	-	1	1	-	1	2	-	-
Tabes Mesent.	0·21	24	12	4	3	-	1	20	1	2	-	-	-	-	-	1	-	-
Phthisis	1·11	128	2	-	-	-	1	3	3	2	15	18	30	23	17	7	5	-
Hydrocephalus	0·08	9	3	2	-	-	-	5	2	1	-	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·51	289	66	12	5	3	1	87	6	3	3	2	8	8	19	41	46	66
Diseases of: Circulatory "	1·18	136	1	-	-	-	1	2	1	2	-	1	7	7	16	24	46	30
Diseases of: Respiratory "	3·32	382	72	25	8	3	6	114	7	3	2	6	13	21	34	44	70	68
Diseases of: Digestive "	0·86	99	11	-	-	2	-	13	3	1	2	3	4	8	9	21	23	12
Diseases of: Urinary "	0·26	30	-	-	-	-	-	-	-	-	-	1	1	2	5	5	9	7
Diseases of: Generative "	0·01	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Childbirth	0·08	9	-	-	-	-	-	-	-	-	-	1	4	4	-	-	-	-
Suicide	0·05	6	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	1
Other Violence	0·76	64	4	3	3	6	3	19	4	4	1	2	3	2	7	4	7	6
Other Causes	5·88	674	200	18	3	4	4	229	9	8	5	8	8	16	29	30	83	249

Deaths of Infants (under one) to 1000 Births - 119

Marriages - 538
Births - 3,432

Annual Rate per 1000 living: Persons Married - 9·36; Births - - - 29·86

342.—LEOMINSTER.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
Annual Death Rate per 1000	—	18·80	—	—	—	—	—	39·14	3·66	2·89	5·52	6·06	6·55	10·52	13·62	27·59	63·57	179·82
Mean Pop. 1871-80	—	15,029	362	338	379	365	380	1819	1859	1763	1394	1089	1801	1663	1461	1131	722	327
ALL CAUSES	18·80	2825	483	97	52	53	27	712	68	51	77	66	118	175	199	312	459	588
Small-pox	0·11	16	1	–	–	1	–	2	–	–	2	3	–	1	4	2	2	–
Measles	0·19	28	5	10	7	3	1	26	1	–	–	–	–	1	–	–	–	–
Scarlet Fever	0·37	56	2	5	9	14	8	38	12	4	1	–	1	–	–	–	–	–
Diphtheria	0·05	8	–	–	1	1	1	3	3	–	1	–	1	–	–	–	–	–
Whooping-cough	0·19	28	16	4	3	4	–	27	1	–	–	–	–	–	–	–	–	–
Typhus	0·03	4	–	–	–	–	–	–	2	–	1	–	1	–	–	–	–	–
Enteric Fever	0·25	37	1	2	2	3	–	8	–	3	3	5	3	6	–	4	2	3
Simple Cont. Fev.	0·06	9	–	1	–	–	–	1	4	2	–	–	–	–	1	1	–	–
Puerp. Fever	0·07	11	–	–	–	–	–	–	–	–	1	3	3	4	–	–	–	–
Diarr. and Dys.	0·45	68	29	6	3	–	–	38	1	–	1	1	–	–	3	4	9	11
Cholera	0·01	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·63	99	–	–	–	–	–	–	–	–	1	–	–	13	22	35	27	11
Scrofula	0·02	3	1	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–
Tabes Mesent.	0·27	41	28	4	2	3	–	37	1	2	1	–	–	–	–	–	–	–
Phthisis	1·46	219	2	2	1	3	–	8	5	7	34	35	49	41	21	13	6	–
Hydrocephalus	0·11	16	4	3	1	2	–	10	2	3	–	–	–	–	–	1	–	–
Diseases of: Nervous Syst.	2·65	399	85	6	4	2	2	99	4	9	10	3	8	19	20	70	85	72
Diseases of: Circulatory „	1·96	295	1	–	–	–	–	1	2	2	3	5	7	24	35	64	101	51
Diseases of: Respiratory „	3·19	479	85	30	9	7	4	135	13	2	4	2	11	26	38	46	93	199
Diseases of: Digestive „	1·07	161	14	5	2	1	2	24	2	1	4	2	13	11	21	34	34	15
Diseases of: Urinary „	0·37	56	–	–	1	–	–	1	2	3	1	–	3	–	5	10	19	12
Diseases of: Generative „	0·03	5	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–
Childbirth	0·09	14	–	–	–	–	–	–	–	–	–	1	5	6	2	–	–	–
Suicide	0·04	6	–	–	–	–	–	–	–	–	–	1	2	–	1	1	1	–
Other Violence	0·50	75	7	3	3	2	3	18	6	5	5	2	4	6	6	10	10	3
Other Causes	4·58	691	292	15	4	7	6	235	7	8	3	3	6	16	19	24	69	301

Deaths of Infants (under one) to 1000 Births - 114 | Marriages - 817 | Births - 4,236 | Annual Rate per 1000 living: Persons Married - 10·87; Births - 28·19

343.—KINGTON.*

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
Annual Death Rate per 1000	—	17·32	—	—	—	—	—	36·27	3·97	2·28	5·25	7·71	7·50	9·86	12·41	23·09	57·55	166·80
Mean Pop. 1871-80	—	11,954	300	268	327	292	299	1486	1434	1403	1182	895	1494	1217	1144	892	563	244
ALL CAUSES	17·32	2070	396	81	28	20	14	539	57	32	62	69	112	120	142	206	324	407
Small-pox	0·06	7	–	–	–	–	–	–	–	–	1	1	–	5	–	–	–	–
Measles	0·08	10	2	4	2	1	–	9	–	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·22	26	4	1	2	3	4	14	10	1	1	–	–	–	–	–	–	–
Diphtheria	0·08	10	1	–	2	–	2	5	3	1	–	–	–	–	–	–	1	–
Whooping-cough	0·32	38	15	15	3	2	–	35	3	–	–	–	–	–	–	–	–	–
Typhus	0·03	3	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–
Enteric Fever	0·30	36	–	1	2	–	–	3	3	4	4	2	2	4	3	2	7	2
Simple Cont. Fev.	0·15	18	2	1	–	–	1	4	4	1	3	–	1	–	–	4	1	–
Puerp. Fever	0·03	4	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–
Diarr. and Dys.	0·23	33	14	–	2	–	1	17	–	–	–	–	2	2	–	4	4	4
Cholera	0·01	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·49	59	–	–	–	–	–	–	1	–	–	–	1	7	12	12	13	13
Scrofula	0·08	9	1	–	–	–	–	1	1	1	1	1	2	2	–	–	–	–
Tabes Mesent.	0·10	12	5	2	1	1	–	9	1	1	1	–	–	–	–	–	–	–
Phthisis	1·53	183	3	–	–	–	–	3	3	3	23	37	47	25	22	11	9	–
Hydrocephalus	0·09	11	4	1	–	–	1	6	2	1	1	–	1	–	–	–	–	–
Diseases of: Nervous Syst	2·69	322	101	10	4	2	–	117	6	4	4	3	8	17	16	30	65	52
Diseases of: Circulatory „	1·66	199	–	–	–	–	–	–	1	1	3	3	5	4	12	42	64	54
Diseases of: Respiratory „	2·30	275	49	23	4	6	1	83	5	1	5	4	12	20	17	30	54	44
Diseases of: Digestive „	0·95	114	7	3	–	1	–	11	5	–	4	2	5	10	12	28	24	13
Diseases of: Urinary „	0·27	32	–	–	–	–	–	–	1	1	–	2	2	1	6	5	8	6
Diseases of: Generative „	0·10	12	–	–	–	–	–	–	–	–	–	1	1	2	6	1	1	–
Childbirth	0·11	13	–	–	–	–	–	–	–	–	–	–	7	5	1	–	–	–
Suicide	0·04	5	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1
Other Violence	0·51	61	3	3	4	1	2	13	2	2	4	2	7	4	8	9	3	7
Other Causes	4·84	577	185	17	2	3	2	209	6	7	7	10	7	10	16	25	68	211

Deaths of Infants (under one) to 1000 Births - 110 | Marriages - 653 | Births 3,609 | Annual Rate per 1000 living: Persons Married - 10·93; Births - 30·19

* Changes were made in the boundary of this District during the decade; *see* pp. 371-78.

SHROPSHIRE.

344.—LUDLOW.

—	Annual Death Rate per 1000.	All Ages	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
ANNUAL DEATH RATE PER 1000	—	18·85	—	—	—	—	—	44·67	4·85	3·51	3·17	6·70	7·42	9·86	13·92	25·08	58·09	158·80
Mean Pop. 1871-80	—	18,333	518	436	459	486	454	2353	2226	2025	1734	1463	2333	2019	1674	1232	859	415
ALL CAUSES	18·85	3455	721	149	78	66	37	1051	108	71	55	98	173	199	233	309	499	659
Small-pox	0·14	25	3	–	–	–	–	3	3	1	2	2	5	3	4	2	–	–
Measles	0·21	33	11	10	9	5	1	36	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·41	75	5	9	11	12	10	47	14	6	1	2	1	3	–	1	–	–
Diphtheria	0·43	78	2	6	4	8	7	27	25	15	2	3	2	1	–	1	1	1
Whooping-cough	0·25	46	28	12	3	2	–	45	1	–	–	–	–	–	–	–	–	–
Typhus	0·03	6	–	–	–	–	–	–	2	–	–	–	1	–	2	1	–	–
Enteric Fever	0·32	58	–	–	1	1	2	4	3	5	5	3	11	12	4	2	8	1
Simple Cont. Fev.	0·09	16	–	–	–	–	1	1	4	3	1	1	4	1	–	1	–	–
Puerp. Fever	0·05	9	–	–	–	–	–	–	–	–	–	3	3	3	–	–	–	–
Diarr. and Dys.	0·76	140	72	9	2	2	1	86	–	1	–	2	1	3	2	10	11	24
Cholera	0·02	3	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1
Cancer	0·37	68	–	–	–	–	–	–	–	–	–	3	1	4	16	21	15	8
Scrofula	0·11	20	1	3	1	–	–	5	4	3	1	–	5	1	–	–	–	1
Tabes Mesent.	0·13	24	11	2	1	2	2	18	–	1	–	4	–	–	–	–	1	–
Phthisis	1·21	221	1	–	–	1	–	2	1	5	17	42	61	33	28	21	7	1
Hydrocephalus	0·08	14	4	2	2	2	–	10	3	–	1	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·42	443	121	18	11	2	1	153	12	4	5	6	8	15	26	43	87	84
Diseases of: Circulatory „	1·42	261	–	–	–	–	–	–	2	5	5	6	11	23	33	47	75	54
Diseases of: Respiratory „	3·50	642	155	47	18	16	6	242	14	6	4	4	19	29	40	68	108	108
Diseases of: Digestive „	1·31	241	19	4	–	2	1	26	4	–	4	2	15	19	32	49	59	31
Diseases of: Urinary „	0·30	55	1	–	1	–	–	2	–	2	2	1	1	8	6	8	17	8
Diseases of: Generative „	0·05	10	–	–	–	–	–	–	–	–	–	–	1	3	2	2	1	1
Childbirth	0·03	14	–	–	–	–	–	–	–	–	–	–	8	5	1	–	–	–
Suicide	0·05	9	–	–	–	–	–	–	–	–	–	1	–	4	–	3	–	1
Other Violence	0·57	104	3	3	5	6	2	19	8	7	4	6	8	11	12	13	9	7
OTHER CAUSES	4·54	825	284	24	9	5	3	325	6	6	1	7	7	15	24	16	100	328

Deaths of Infants (under one) to 1000 Births - 130 | Marriages - 1,159 | Births - 5,541 | Annual Rate per 1000 living: Persons Married - 12·64; Births - 30·22

345.—CLUN.

—	Annual Death Rate per 1000	All Ages	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
ANNUAL DEATH RATE PER 1000	—	17·90	—	—	—	—	—	38·33	7·15	4·24	3·66	7·23	7·21	7·84	12·46	22·38	56·35	159·32
Mean Pop. 1871-80	—	10,484	294	230	302	257	271	1354	1357	1179	1012	802	1289	1071	923	773	488	236
ALL CAUSES	17·90	1877	314	80	41	31	23	519	97	50	37	58	93	84	115	173	275	376
Small-pox	0·05	5	–	–	–	–	–	–	–	–	–	–	3	–	1	1	–	–
Measles	0·11	12	2	5	1	–	1	9	1	–	–	–	1	1	–	–	–	–
Scarlet Fever	0·75	79	3	5	13	8	5	34	31	9	1	–	2	1	1	–	–	–
Diphtheria	0·44	46	–	1	–	7	5	13	22	9	1	–	–	1	–	–	–	–
Whooping-cough	0·41	43	24	11	4	–	2	41	2	–	–	–	–	–	–	–	–	–
Typhus	0·05	5	1	–	–	–	–	1	–	–	1	–	1	1	1	–	–	–
Enteric Fever	0·20	21	1	–	–	–	2	3	3	4	3	2	2	2	2	–	–	–
Simple Cont. Fev.	0·09	9	–	1	–	–	–	1	–	–	1	–	–	1	1	–	4	1
Puerp. Fever	0·07	7	–	–	–	–	–	–	–	–	–	2	4	1	–	–	–	–
Diarr. and Dys.	0·21	22	7	2	–	–	–	9	1	–	–	1	1	–	1	1	3	5
Cholera	0·02	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Cancer	0·60	63	–	–	–	–	–	–	–	–	1	–	1	2	13	20	18	8
Scrofula	0·10	11	1	2	–	–	–	3	–	1	–	3	4	–	–	–	–	–
Tabes Mesent.	0·16	17	6	3	1	1	1	12	1	–	1	3	–	–	–	–	–	–
Phthisis	1·43	150	2	2	–	1	1	6	3	12	17	27	36	23	10	9	7	–
Hydrocephalus	0·14	15	3	7	2	–	–	12	2	–	1	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·31	242	67	6	2	2	–	77	3	3	2	9	3	6	20	33	35	51
Diseases of: Circulatory „	1·51	158	–	–	–	–	–	–	2	–	1	1	6	8	17	33	61	29
Diseases of: Respiratory „	2·38	249	46	15	7	7	1	76	6	3	–	2	6	10	14	20	61	48
Diseases of: Digestive „	0·98	103	12	2	–	–	1	15	7	1	3	1	2	8	8	20	24	14
Diseases of: Urinary „	0·42	44	1	–	–	–	–	1	2	–	1	1	–	–	3	10	12	14
Diseases of: Generative „	0·06	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	–
Childbirth	0·17	18	–	–	–	–	–	–	–	–	–	1	9	8	–	–	–	–
Suicide	0·07	7	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	1
Other Violence	0·49	51	5	2	5	–	2	14	4	3	1	2	3	4	8	7	–	5
OTHER CAUSES	4·68	492	163	16	6	5	2	192	7	5	2	3	3	6	12	15	42	200

Deaths of Infants (under one) to 1000 Births - 107 | Marriages - 635 | Births - 3,224 | Annual Rate per 1000 living: Persons Married - 12·11; Births - 30·75

346.—CHURCH STRETTON.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·17	—	—	—	—	—	31·18	3·41	2·79	3·69	5·87	7·00	10·24	14·19	22·76	51·30	171·03
Mean Pop. 1871–80	—	6003	155	128	159	149	153	744	734	681	569	426	700	654	585	457	308	145
ALL CAUSES	17·17	1031	151	38	12	21	10	232	25	19	21	25	49	67	83	104	158	248
Small-pox	0·05	3	2	-	-	-	-	2	-	-	-	-	-	-	-	1	-	
Measles	0·05	3	-	2	1	-	-	3	-	-	-	-	-	-	-	-	-	
Scarlet Fever	0·32	19	1	5	1	4	2	13	2	3	-	-	-	1	-	-	-	-
Diphtheria	0·40	24	1	2	2	6	2	13	6	2	-	1	-	1	-	-	1	-
Whooping-cough	0·30	18	6	5	-	4	2	17	1	-	-	-	-	-	-	-	-	-
Typhus	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	0·13	8	-	-	-	-	-	-	-	-	2	1	1	1	-	2	1	-
Simp. Cont. Fev.	0·05	3	-	1	-	1	-	2	-	-	-	-	-	-	-	1	-	-
Puerp. Fever	0·03	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Diarr. and Dys.	0·25	15	9	-	1	-	-	10	-	-	-	-	-	1	-	-	1	3
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·68	41	-	-	-	-	-	-	-	-	-	-	2	7	6	8	12	6
Scrofula	0·22	13	-	1	1	1	-	3	-	-	3	1	-	-	4	1	1	-
Tabes Mesent.	0·15	9	4	1	-	-	-	5	-	1	1	-	1	1	-	-	-	-
Phthisis	1·28	77	3	-	-	-	-	3	1	5	11	12	15	16	11	1	2	-
Hydrocephalus	0·05	3	1	2	-	-	-	3	2	-	-	-	-	-	-	-	-	-
Diseases of Nervous Syst.	2·70	162	29	3	3	-	-	35	1	2	-	1	12	10	13	15	26	42
Diseases of Circulatory "	2·32	139	1	-	-	-	-	1	-	-	2	2	2	5	15	20	30	33
Diseases of Respiratory "	2·28	137	30	9	1	1	3	44	1	-	1	1	2	1	9	18	22	33
Diseases of Digestive "	1·12	67	7	-	-	-	-	7	2	1	-	-	3	3	7	10	13	15
Diseases of Urinary "	0·38	23	-	-	-	-	-	-	-	-	-	1	1	3	2	1	8	7
Diseases of Generative "	0·05	3	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-
Childbirth	0·07	4	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-
Suicide	0·13	8	-	-	-	-	-	-	-	-	-	1	-	2	3	-	2	-
Other Violence	0·77	46	2	2	1	3	-	8	3	5	-	1	5	5	2	3	7	7
Other Causes	3·38	202	55	5	1	1	1	63	6	-	1	3	3	4	6	7	12	97

Deaths of Infants (under one) to 1000 Births - 80 | Marriages - 303 | Births - 1,607 | Annual Rate per 1000 living: Persons Married - 10·09; Births - 28·27

347.—CLEOBURY MORTIMER.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·99	—	—	—	—	—	33·83	4·71	2·67	3·43	6·27	7·60	8·57	10·74	22·33	56·46	172·43
Mean Pop. 1871–80	—	8228	208	203	232	216	220	1079	1019	899	729	590	987	875	782	636	418	214
ALL CAUSES	17·90	1480	271	51	16	14	13	365	48	24	25	37	75	75	84	142	236	369
Small-pox	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Measles	0·13	11	1	3	-	2	1	7	2	-	-	1	-	-	1	-	-	-
Scarlet Fever	0·27	22	2	4	-	3	2	11	8	2	-	-	-	-	1	-	-	-
Diphtheria	0·12	10	1	-	1	-	1	3	2	4	1	-	-	-	-	-	-	-
Whooping-cough	0·18	15	9	5	-	1	-	15	-	-	-	-	-	-	-	-	-	-
Typhus	0·04	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
Enteric Fever	0·29	24	-	-	-	1	-	1	5	4	1	4	1	1	2	4	1	-
Simple Cont. Fev.	0·12	10	-	-	-	-	1	1	3	-	1	-	-	1	3	-	1	-
Puerp. Fever	0·09	7	-	-	-	-	-	-	-	-	1	1	2	3	-	-	-	-
Diarr. and Dys.	0·49	40	13	2	1	1	-	17	1	-	-	-	-	-	2	3	3	14
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·44	36	-	-	1	-	-	1	-	-	-	-	-	5	5	8	11	6
Scrofula	0·10	8	-	2	-	-	-	2	-	-	-	1	2	-	-	2	-	1
Tabes Mesent.	0·16	13	9	-	3	-	1	13	-	-	-	-	-	-	-	-	-	-
Phthisis	1·17	96	3	-	-	-	-	3	1	-	5	19	23	23	11	4	3	1
Hydrocephalus	0·06	5	2	1	1	-	-	4	1	-	-	-	-	-	-	-	-	-
Diseases of Nervous Syst.	2·32	191	43	16	1	-	-	51	3	1	1	2	9	4	6	20	50	41
Diseases of Circulatory "	1·17	96	1	-	-	-	-	1	2	1	-	1	2	1	14	24	33	17
Diseases of Respiratory "	3·32	273	58	12	3	4	4	81	2	2	3	2	11	13	16	27	57	39
Diseases of Digestive "	1·06	87	8	1	-	-	-	9	3	1	3	1	4	5	5	26	24	6
Diseases of Urinary "	0·30	25	-	-	-	-	-	-	-	-	-	-	3	4	4	1	7	6
Diseases of Generative "	0·03	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Childbirth	0·10	8	-	-	-	-	-	-	-	-	1	1	4	2	-	-	-	-
Suicide	0·07	6	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1
Other Violence	0·56	46	1	1	1	2	-	5	6	2	2	2	8	3	3	8	3	4
Other Causes	5·39	445	129	10	4	-	3	137	8	7	4	2	2	10	9	12	41	213

Deaths of Infants (under one) to 1000 Births - 108 | Marriages - 427 | Births - 2,501 | Annual Rate per 1000 living: Persons Married - 10·38; Births - 30·40

348.—BRIDGNORTH.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
Annual Death Rate per 1000	—	17·04	—	—	—	—	—	37·63	4·94	2·81	3·35	5·26	6·91	8·31	12·58	21·22	55·56	157·94
Mean Pop. 1871-80	—	15,364	409	350	387	377	377	1900	1922	1779	1374	1159	1897	1624	1425	1197	747	340
ALL CAUSES	17·04	2618	488	119	48	33	27	715	95	50	46	61	131	135	179	254	415	537
Small-pox	0·04	6	-	-	1	1	-	2	-	-	1	-	-	1	1	1	-	-
Measles	0·19	29	12	10	3	1	1	27	2	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·28	43	1	4	4	6	4	19	14	7	2	-	1	-	-	-	-	-
Diphtheria	0·14	22	3	1	-	4	-	8	7	5	-	-	1	-	1	-	-	-
Whooping-cough	0·16	21	12	7	3	-	2	21	-	-	-	-	-	-	-	-	-	-
Typhus	0·02	3	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-
Enteric Fever	0·21	32	2	1	2	-	1	6	4	5	4	1	2	3	2	1	3	1
Simple Cont. Fev.	0·07	10	-	-	-	-	1	1	2	1	-	-	3	2	-	1	-	-
Puerp. Fever	0·08	13	-	-	-	-	-	-	-	-	-	3	6	3	1	-	-	-
Diarr. and Dys.	0·61	93	62	6	2	1	-	71	3	-	-	-	-	1	-	3	7	8
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·53	81	-	-	-	-	-	-	1	-	-	-	1	12	15	18	19	15
Scrotula	0·03	9	3	2	-	-	-	5	-	-	-	1	1	2	-	-	-	-
Tabes Mesent.	0·08	12	4	3	-	-	1	8	3	-	-	-	-	-	1	-	-	-
Phthisis	1·22	187	1	2	2	-	1	6	8	8	14	24	47	36	26	9	9	-
Hydrocephalus	0·11	21	9	6	2	1	-	18	2	1	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·32	357	83	11	4	2	4	104	7	3	5	3	10	10	21	30	79	85
Diseases of: Circulatory „	1·47	225	-	-	-	-	-	-	4	3	7	8	14	12	23	43	66	46
Diseases of: Respiratory „	3·17	487	88	40	10	6	2	146	9	5	2	3	8	16	35	63	96	104
Diseases of: Digestive „	1·13	174	24	4	3	2	1	34	3	2	3	2	6	14	21	31	38	20
Diseases of: Urinary „	0·64	98	-	1	1	2	-	4	1	-	1	3	8	6	10	15	24	26
Diseases of: Generative „	0·05	7	-	-	-	-	-	-	-	-	-	1	-	1	2	1	2	-
Childbirth	0·06	9	-	-	-	-	-	-	-	-	1	1	4	3	-	-	-	-
Suicide	0·06	9	-	-	-	-	-	-	-	-	-	1	1	1	2	4	-	-
Other Violence	0·54	86	2	6	6	2	2	18	9	5	2	6	9	6	5	7	8	11
Other Causes	3·75	589	182	15	5	5	7	214	15	5	4	4	9	5	13	27	63	221

Deaths of Infants (under one) to 1000 Births - 109 | Marriages - 862, Births - 4,489 | Annual Rate per 1000 living: Persons Married - 11·22, Births - 29·22

349.—SHIFNAL.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
Annual Death Rate per 1000	—	17·08	—	—	—	—	—	13·22	4·81	2·20	4·13	4·35	7·37	7·95	10·06	27·07	60·19	158·64
Mean Pop. 1871-80	—	12,804	358	339	333	334	346	1710	1643	1498	1235	942	1587	1408	1173	868	520	220
ALL CAUSES	17·08	2187	474	132	48	56	29	739	79	33	51	41	117	112	118	235	313	349
Small-pox	0·05	6	-	-	-	-	-	-	-	1	-	-	4	-	-	1	-	-
Measles	0·25	32	10	13	2	4	-	29	1	-	-	-	-	-	1	1	-	-
Scarlet Fever	0·67	86	1	12	10	22	9	54	25	2	1	1	3	-	-	-	-	-
Diphtheria	0·12	15	-	2	-	-	4	6	6	1	-	-	1	1	-	-	-	-
Whooping-cough	0·22	28	13	9	3	3	-	28	-	-	-	-	-	-	-	-	-	-
Typhus	0·02	3	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-
Enteric Fever	0·21	27	2	2	-	1	2	7	5	1	3	2	3	1	3	-	2	-
Simple Cont. Fev.	0·09	11	1	1	3	1	-	6	1	-	-	-	-	-	1	2	1	-
Puerp. Fever	0·08	10	-	-	-	-	-	-	-	-	2	1	2	5	-	-	-	-
Diarr. and Dys.	0·77	99	51	18	2	-	-	71	1	-	-	1	2	-	1	3	8	12
Cholera	0·02	2	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Cancer	0·51	65	-	-	-	1	-	1	-	-	-	-	2	3	8	20	24	7
Scrofula	0·09	12	2	1	-	-	-	3	4	1	-	1	1	-	-	1	1	-
Tabes Mesent.	0·22	28	22	4	-	-	1	27	-	-	-	-	1	-	-	-	-	-
Phthisis	1·31	168	2	-	1	1	-	4	3	3	24	19	39	28	22	16	10	-
Hydrocephalus	0·16	20	5	3	3	2	1	14	2	2	1	-	1	-	-	-	-	-
Diseases of: Nervous Syst.	1·94	249	62	8	3	3	1	77	3	4	1	4	7	8	11	41	53	40
Diseases of: Circulatory „	1·07	137	-	1	-	-	-	1	1	4	2	-	5	13	15	33	39	24
Diseases of: Respiratory „	3·37	432	115	39	14	8	4	180	8	1	3	1	7	16	12	47	88	69
Diseases of: Digestive „	0·83	113	20	2	2	-	-	24	4	2	2	1	13	7	15	22	13	10
Diseases of: Urinary „	0·38	49	3	1	-	1	-	5	4	1	-	-	3	5	8	9	10	4
Diseases of: Generative „	0·02	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-
Childbirth	0·09	11	-	-	-	-	-	-	-	-	-	1	5	5	-	-	-	-
Suicide	0·05	8	-	-	-	-	-	-	-	-	-	-	2	3	2	-	1	-
Other Violence	0·61	78	4	3	3	2	4	16	4	3	6	5	5	9	8	8	9	5
Other Causes	3·87	495	111	12	2	7	2	134	7	6	5	3	11	7	11	30	53	178

Deaths of Infants (under one) to 1000 Births - 117 | Marriages - 841, Births - 4,065 | Annual Rate per 1000 living: Persons Married - 13·14, Births - 31·75

350.—MADELEY.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	21·02	—	—	—	—	—	60·76	5·59	3·40	4·09	7·21	8·34	10·63	13·71	25·69	65·32	166·97
Mean Pop. 1871-80	—	28,830	855	759	799	785	820	4037	3885	3440	2707	2108	2488	3028	2574	1950	1200	442
ALL CAUSES	21·02	6062	1612	405	216	123	97	2453	216	117	135	152	291	322	353	501	784	738
Small-pox	0·06	18	1	–	–	1	–	2	1	–	1	2	1	2	4	3	–	–
Measles	0·33	95	22	36	21	4	2	85	7	1	–	–	2	–	–	–	–	–
Scarlet Fever	0·84	243	16	20	53	33	40	171	55	7	2	3	3	2	–	–	–	–
Diphtheria	0·12	33	–	2	10	8	1	21	12	2	1	–	–	1	1	–	–	–
Whooping-cough	0·35	100	54	25	7	4	5	95	5	–	–	–	–	–	–	–	–	–
Typhus	0·03	8	–	–	–	–	–	–	3	2	–	1	–	1	–	1	–	–
Enteric Fever	0·22	64	2	4	1	3	2	12	12	7	6	7	5	5	3	6	1	–
Simple Cont. Fev.	0·07	19	2	–	1	1	3	7	6	1	–	2	2	–	1	–	–	–
Puerp. Fever	0·10	29	–	–	–	–	–	–	–	–	4	5	8	12	1	–	–	–
Diarr. and Dys.	0·74	214	142	26	6	3	–	177	2	1	–	3	4	2	1	4	9	11
Cholera	0·01	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
Cancer	0·42	122	–	–	–	–	–	–	–	–	–	–	4	15	31	23	31	18
Scrofula	0·12	24	12	9	–	–	–	21	2	2	2	–	3	1	1	1	1	–
Tabes Mesent.	0·23	65	33	17	6	–	1	57	3	2	2	–	1	–	–	–	–	–
Phthisis	1·91	552	21	22	8	5	2	58	12	18	50	74	125	83	72	38	17	–
Hydrocephalus	0·23	65	23	19	2	4	3	51	7	4	2	–	1	–	–	–	–	–
Diseases of: Nervous Syst.	2·75	792	233	50	23	12	9	360	21	5	15	8	23	24	42	87	108	99
Diseases of: Circulatory „	1·29	371	2	1	1	–	–	4	4	12	10	7	23	20	43	85	113	35
Diseases of: Respiratory „	3·55	1024	257	103	41	22	7	470	13	6	9	11	22	42	51	105	184	105
Diseases of: Digestive „	0·95	273	36	3	2	3	4	48	5	5	4	7	16	24	36	45	67	16
Diseases of: Urinary „	0·33	95	1	2	3	–	1	7	2	1	–	1	7	10	14	19	20	14
Diseases of: Generative „	0·05	13	–	–	–	–	–	–	–	–	–	–	2	3	2	5	1	–
Childbirth	0·11	32	–	–	–	–	–	–	–	–	2	4	14	12	–	–	–	–
Suicide	0·03	9	–	–	–	–	–	–	–	–	–	–	–	2	3	1	3	–
Other Violence	0·63	180	2	8	9	8	7	34	20	22	21	10	12	17	11	10	23	9
Other Causes	5·51	1587	630	43	22	12	10	757	24	19	4	7	13	29	30	68	205	431

Deaths of Infants (under one) to 1000 Births - 153 | Marriages - 1,580 | Births - 10 564 | Annual Rate per 1000 living: Persons Married - 10·96; Births - - - 36·68

351.—ATCHAM.*

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·10	—	—	—	—	—	32·05	3·82	2·85	4·26	6·21	7·23	8·47	12·01	24·12	52·90	173·11
Mean Pop. 1871-80	—	18,228	451	402	512	475	475	2315	2251	2035	1668	1304	2230	1971	1715	1393	947	409
ALL CAUSES	17·10	3118	509	107	64	40	31	742	86	58	71	81	162	167	206	336	501	708
Small-pox	0·01	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Measles	0·13	24	5	7	3	3	–	18	3	1	–	1	–	–	1	–	–	–
Scarlet Fever	0·39	71	4	5	13	9	8	42	22	4	1	–	1	1	–	–	–	–
Diphtheria	0·06	11	1	–	1	1	1	4	1	2	2	1	–	–	–	–	1	–
Whooping-cough	0·25	45	21	13	3	1	4	42	3	–	–	–	–	–	–	–	–	–
Typhus	0·04	8	–	–	–	–	1	1	1	–	–	1	1	2	1	1	–	–
Enteric Fever	0·21	38	1	–	1	2	–	4	8	1	4	3	6	2	5	4	2	1
Simple Cont. Fev.	0·05	10	–	–	–	1	1	2	2	1	–	2	–	–	–	2	1	–
Puerp. Fever	0·07	13	–	–	–	–	–	–	–	–	2	–	5	6	–	–	–	–
Diarr. and Dys.	0·33	61	21	3	1	–	1	26	–	–	–	–	–	1	2	3	5	24
Cholera	0·01	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	0·60	110	–	–	–	–	–	–	–	–	–	1	1	8	20	36	27	17
Scrofula	0·10	18	3	–	–	–	–	3	1	2	2	3	2	1	2	2	–	–
Tabes Mesent.	0·17	31	15	7	2	3	–	27	1	–	1	1	–	–	1	–	–	–
Phthisis	1·64	299	3	2	2	1	1	9	6	9	18	42	58	54	39	34	14	6
Hydrocephalus	0·15	27	9	4	3	–	2	18	7	1	–	–	1	–	–	–	–	–
Diseases of: Nervous Syst.	2·24	408	100	19	8	4	1	132	11	8	8	3	12	10	15	41	80	83
Diseases of: Circulatory „	1·41	257	–	–	–	–	–	–	1	3	1	3	11	7	27	49	88	67
Diseases of: Respiratory „	2·79	508	90	26	13	4	3	136	3	5	6	6	10	22	30	49	108	123
Diseases of: Digestive „	1·03	187	21	–	2	1	–	24	3	5	3	4	16	11	20	32	42	37
Diseases of: Urinary „	0·40	73	1	1	1	–	1	4	–	1	–	–	5	8	10	18	15	12
Diseases of: Generative „	0·05	9	1	–	–	–	–	1	–	–	–	–	–	–	5	1	1	1
Childbirth	0·10	19	–	–	–	–	–	–	–	–	–	3	–	10	6	–	–	–
Suicide	0·07	13	–	–	–	–	–	–	–	–	–	–	1	2	2	4	3	1
Other Violence	0·65	119	7	3	1	7	4	22	4	6	8	6	10	15	13	12	11	12
Other Causes	4·10	747	197	17	7	3	3	227	9	9	2	4	12	10	14	38	103	319

Deaths of Infants (under one) to 1000 Births - 97 | Marriages* - 3,236 | Births - 5,139 | Annual Rate per 1000 living: Persons Married* - 14·00; Births - - - 28·18

* The Registration District of SHREWSBURY was incorporated with ATCHAM on 1st October 1871. The births and deaths in Shrewsbury have been separately abstracted for the whole period of ten years, and are given on the next page, but the figures relating to marriages in the above Table relate to the entire District of ATCHAM.

SHREWSBURY.*

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	22·12	—	—	—	—	—	53·73	6·11	3·54	5·23	8·28	11·29	16·39	20·47	37·72	70·95	179·86
Mean Pop. 1871-80	—	28,861	724	684	709	646	680	3443	3126	2940	2961	2608	4261	3434	2604	1914	1153	417
ALL CAUSES	22·12	6383	1177	333	167	104	69	1850	191	104	155	216	481	563	533	722	818	750
Small-pox	0·01	3	1	-	1	-	-	2	-	-	-	-	-	1	-	-	-	-
Measles	0·32	92	24	26	18	9	5	82	7	1	1	1	-	-	-	-	-	-
Scarlet Fever	0·51	147	4	19	20	25	14	91	33	13	4	-	6	-	-	-	-	-
Diphtheria	0·10	30	1	4	4	3	6	18	9	2	-	-	1	-	-	-	-	-
Whooping-cough	0·33	95	31	39	12	8	4	94	1	-	-	-	-	-	-	-	-	-
Typhus	0·05	13	-	-	-	-	-	-	2	-	1	1	2	3	-	2	2	-
Enteric Fever	0·50	143	1	2	8	4	5	20	13	13	22	18	26	6	10	6	5	4
Simple Cont. Fev.	0·09	26	-	1	1	-	1	3	9	3	1	1	3	1	1	1	3	-
Puerp. Fever	0·07	20	-	-	-	-	-	-	-	-	-	3	12	5	-	-	-	-
Diarr. and Dys.	0·91	262	165	27	5	2	-	199	-	-	-	-	1	4	5	9	19	25
Cholera	0·01	4	1	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-
Cancer	0·70	201	-	-	-	-	-	-	1	1	-	-	8	20	32	66	54	19
Scrofula	0·11	33	6	2	1	-	-	9	3	4	1	7	-	3	2	2	2	-
Tabes Mesent.	0·23	65	44	7	1	-	1	53	7	3	-	-	-	-	1	1	-	-
Phthisis	2·37	684	5	2	5	1	1	14	11	11	59	95	166	145	82	71	21	9
Hydrocephalus	0·23	69	22	9	3	5	4	43	20	4	-	2	-	-	-	-	-	-
Diseases of: Nervous Syst.	3·32	959	196	20	8	4	6	234	18	10	12	19	65	101	115	115	141	129
Diseases of: Circulatory „	1·76	509	2	1	-	1	-	4	4	8	9	8	40	57	74	97	144	64
Diseases of: Respiratory „	3·84	1,108	253	116	29	22	7	430	11	5	4	11	34	58	57	140	173	185
Diseases of: Digestive „	1·14	329	33	4	2	3	1	43	3	3	5	7	25	38	52	61	66	26
Diseases of: Urinary „	0·56	161	2	-	-	-	1	3	5	3	4	7	18	17	22	33	29	20
Diseases of: Generative „	0·10	30	-	-	-	-	-	-	-	-	1	2	3	7	6	6	2	3
Childbirth	0·09	27	-	-	-	-	-	-	-	-	-	5	10	12	-	-	-	-
Suicide	0·08	22	-	-	-	-	-	-	-	-	1	-	6	7	6	2	-	-
Other Violence	1·03	296	14	8	17	8	5	52	15	10	13	22	35	37	35	37	21	19
Other Causes	3·66	1,055	369	46	23	9	8	455	19	10	17	7	26	40	32	73	135	247

Deaths of Infants (under one) to 1000 Births - 140

Marriages - *
Births - 8,378

Annual Rate per 1000 living: Persons Married - *; Births - - - 29·03

* See note to ATCHAM on previous page.

352.—OSWESTRY.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·88	—	—	—	—	—	42·51	5·40	3·39	5·42	6·91	7·96	11·41	13·42	27·78	60·33	168·02
Mean Pop. 1871-80	—	26,960	742	698	717	683	707	3552	3390	2979	2566	2097	3519	2919	2421	1861	1137	519
ALL CAUSES	18·88	5091	980	253	123	81	73	1510	183	101	139	145	280	333	325	517	686	872
Small-pox	0·16	42	4	-	1	-	-	5	1	3	3	6	8	5	7	4	-	-
Measles	0·13	36	6	8	6	4	4	28	7	-	-	-	-	1	-	-	-	-
Scarlet Fever	0·65	179	5	24	39	24	26	118	44	10	4	3	-	-	-	-	-	-
Diphtheria	0·19	52	3	2	3	3	3	14	27	5	3	-	1	-	1	1	-	-
Whooping-cough	0·27	72	37	17	6	4	5	69	3	-	-	-	-	-	-	-	-	-
Typhus	0·06	15	1	-	-	-	-	1	1	1	3	2	-	1	2	3	1	-
Enteric Fever	0·17	45	2	-	1	1	-	4	6	5	10	4	3	6	5	-	2	-
Simple Cont. Fev.	0·09	24	1	2	-	-	1	4	4	1	-	1	2	2	3	3	4	-
Puerp. Fever	0·05	17	-	-	-	-	-	-	-	-	1	4	7	5	-	-	-	-
Diarr. and Dys.	0·32	85	41	6	1	2	-	50	-	-	-	-	-	-	4	3	9	19
Cholera	0·03	7	1	-	-	-	-	1	-	-	-	-	1	2	2	1	-	-
Cancer	0·46	125	-	-	-	-	-	-	-	-	-	-	5	13	19	36	34	18
Scrofula	0·09	23	4	2	1	-	-	7	2	3	1	3	1	2	2	1	1	-
Tabes Mesent.	0·18	48	15	10	3	4	2	34	3	3	4	2	-	-	1	1	-	-
Phthisis	2·01	542	14	8	3	2	2	29	4	23	56	71	133	112	53	39	20	2
Hydrocephalus	0·23	61	23	10	7	-	2	45	9	3	1	-	2	-	1	-	-	-
Diseases of: Nervous Syst.	2·70	729	295	35	9	6	3	348	11	6	4	12	14	28	40	65	103	98
Diseases of: Circulatory „	1·45	391	1	2	-	-	1	4	5	10	9	8	20	31	45	77	125	57
Diseases of: Respiratory „	2·77	748	118	67	23	14	7	229	9	3	10	3	15	35	49	103	159	133
Diseases of: Digestive „	0·99	268	28	4	4	1	1	38	10	5	4	2	18	27	31	59	44	31
Diseases of: Urinary „	0·36	97	-	3	1	-	-	4	2	-	3	2	12	12	9	24	15	14
Diseases of: Generative „	0·05	14	-	1	-	-	-	1	-	-	-	-	2	3	2	4	2	-
Childbirth	0·08	21	-	-	-	-	-	-	-	-	-	3	12	5	1	-	-	-
Suicide	0·03	9	-	-	-	-	-	-	-	-	1	-	-	2	2	3	1	-
Other Violence	0·69	185	7	10	6	4	6	33	10	8	14	12	13	24	20	22	13	16
Other Causes	4·65	1256	371	42	9	12	10	444	25	12	8	7	11	17	26	68	153	435

Deaths of Infants (under one) to 1000 Births - 116

Marriages - 1,580
Births - 8,461

Annual Rate per 1000 living: Persons Married - 11·72; Births - - - 31·38

353.—ELLESMERE.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·15	—	—	—	—	—	35·50	6·27	2·76	4·36	6·78	8·26	9·64	12·28	24·25	54·37	173·73
Mean Pop. 1871-80	—	14,086	253	315	330	353	333	1693	1648	1557	1422	1076	1659	1494	1352	1126	743	316
ALL CAUSES	18·15	2557	404	83	56	35	23	601	105	43	62	73	137	144	166	273	404	549
Small-pox	0·06	9	-	-	-	-	-	-	-	-	3	-	1	2	3	-	-	-
Measles	0·10	14	5	3	3	1	1	13	1	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·52	73	4	11	5	9	7	36	23	5	4	1	-	1	-	-	-	-
Diphtheria	0·31	43	1	3	4	5	2	15	17	6	2	-	1	2	-	-	-	-
Whooping-cough	0·23	32	18	9	3	-	1	31	1	-	-	-	-	-	-	-	-	-
Typhus	0·06	8	-	-	-	-	-	-	1	-	-	-	2	3	1	-	1	-
Enteric Fever	0·25	35	2	1	-	1	-	4	2	1	1	2	1	6	1	3	12	2
Simple Cont. Fev.	0·06	8	-	-	-	-	-	-	1	3	-	1	-	-	1	-	1	1
Puerp. Fever	0·04	6	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-
Diarr. and Dys.	0·29	41	16	2	3	-	-	21	-	-	-	-	1	-	-	3	7	9
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·72	102	1	-	-	-	-	1	-	-	-	1	2	6	15	39	24	14
Scrofula	0·08	11	2	-	1	-	-	3	-	1	1	2	-	-	1	3	-	-
Tabes Mesent.	0·13	18	8	2	1	1	-	12	2	3	-	-	1	-	-	-	-	-
Phthisis	1·72	242	-	-	-	-	-	-	7	7	27	44	58	49	28	14	7	1
Hydrocephalus	0·13	19	5	3	5	-	-	13	5	1	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·37	334	192	7	1	5	2	117	2	3	2	4	7	11	19	50	60	59
Diseases of: Circulatory	1·33	187	-	-	-	-	-	-	1	-	4	2	9	7	21	44	66	73
Diseases of: Respiratory	2·41	340	53	20	18	7	2	103	13	2	6	2	8	8	16	37	75	70
Diseases of: Digestive	1·19	168	25	1	2	-	3	31	3	1	1	2	4	16	25	35	27	23
Diseases of: Urinary	0·45	64	1	-	-	-	-	1	2	2	1	-	7	6	9	16	10	10
Diseases of: Generative	0·04	5	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	-
Childbirth	0·13	18	-	-	-	-	-	-	-	-	-	2	9	6	1	-	-	-
Suicide	0·06	9	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	-
Other Violence	0·55	77	7	5	5	3	1	21	8	2	6	5	5	6	3	2	13	6
Other Causes	4·92	694	151	16	5	3	4	179	13	6	4	5	14	11	20	23	98	321

Deaths of Infants (under one) to 1000 Births - 105 | Marriages - 724 | Births - 3,844 | Annual Rate per 1000 living: Persons Married - 10·28; Births - 27·29

354.—WEM.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	16·33	—	—	—	—	—	30·39	3·73	1·91	3·96	6·55	7·82	9·15	10·02	20·81	52·60	169·26
Mean Pop. 1871-80	—	10,722	264	247	279	258	265	1313	1312	1202	1010	779	1215	1169	1068	865	545	244
ALL CAUSES	16·33	1751	267	58	25	30	19	399	49	23	40	51	95	107	107	180	287	413
Small-pox	0·02	2	-	-	-	-	-	-	-	-	-	-	-	2	-		-	-
Measles	0·08	9	5	1	1	-	-	7	2	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·38	41	1	5	3	9	4	22	12	1	2	1	1	1	1	-	-	-
Diphtheria	0·18	19	-	1	1	2	3	7	10	-	1	-	1	-	-	-	-	-
Whooping-cough	0·21	22	11	6	3	2	-	22	-	-	-	-	-	-	-	-	-	-
Typhus	0·01	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Enteric Fever	0·13	14	-	1	-	1	-	2	2	-	2	1	2	1	4	-	-	-
Simple Cont. Fev.	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Puerp. Fever	0·05	5	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-
Diarr. and Dys.	0·54	58	25	5	1	2	1	34	-	-	-	1	-	-	1	2	8	12
Cholera	0·03	3	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-
Cancer	0·59	63	-	-	-	-	-	-	-	-	-	-	1	7	8	13	21	13
Scrofula	0·08	9	2	1	-	-	-	3	1	2	-	3	-	-	-	-	-	-
Tabes Mesent.	0·04	9	2	2	1	-	1	6	3	-	-	-	-	-	-	-	-	-
Phthisis	1·85	198	1	-	-	-	-	1	3	5	14	25	55	29	26	23	11	6
Hydrocephalus	0·17	18	5	4	-	2	3	14	3	1	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·02	217	49	7	5	-	1	63	-	2	4	5	3	8	11	22	55	54
Diseases of: Circulatory	1·35	145	-	-	-	-	-	-	1	2	4	3	1	6	10	28	53	37
Diseases of: Respiratory	2·10	225	51	14	7	5	-	77	2	2	1	2	9	15	8	21	38	50
Diseases of: Digestive	1·31	140	10	-	-	1	-	11	4	3	3	2	2	14	14	33	35	19
Diseases of: Urinary	0·44	49	-	-	1	-	-	1	-	3	2	-	3	5	1	11	13	10
Diseases of: Generative	0·07	8	-	-	-	-	-	-	-	-	-	-	-	2	3	2	1	-
Childbirth	0·07	8	-	-	-	-	-	-	-	-	-	1	5	2	-	-	-	-
Suicide	0·04	4	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-
Other Violence	0·53	57	5	-	-	3	4	12	3	1	3	1	4	3	8	6	8	8
Other Causes	3·97	426	109	11	2	3	2	127	2	1	3	4	6	9	11	16	41	203

Deaths of Infants (under one) to 1000 Births - 91 | Marriages - 582 | Births - 2,939 | Annual Rate per 1000 living: Persons Married - 10·86; Births - 27·41

355.—WHITCHURCH.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	19·15	—	—	—	—	—	48·02	4·18	2·77	4·99	5·85	7·00	9·71	12·56	27·59	60·07	150·61
Mean Pop. 1871-80	—	11,335	297	268	287	283	279	1414	1363	1191	1122	923	1486	1164	1019	830	576	247
ALL CAUSES	19·15	2171	474	112	33	41	19	679	57	33	56	54	104	113	128	229	346	372
Small-pox	0·06	7	-	-	-	-	-	-	-	-	-	2	2	-	1	-	2	-
Measles	0·18	20	2	13	2	2	-	19	1	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·32	36	3	3	6	9	5	26	7	1	2	-	-	-	-	-	-	-
Diphtheria	0·37	42	3	3	2	8	4	20	14	5	2	1	-	-	-	-	-	-
Whooping-cough	0·23	25	15	8	1	1	1	25	-	-	-	-	-	-	-	-	-	-
Typhus	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	0·20	23	2	-	-	2	-	4	2	1	3	1	5	3	1	2	1	-
Simple Cont. Fev.	0·04	5	-	-	-	-	-	-	2	-	1	-	-	-	1	-	1	-
Puerp. Fever	0·05	6	-	-	-	-	-	-	-	-	1	2	3	-	-	-	-	-
Diarr. and Dys.	0·65	74	46	7	3	1	-	57	-	-	-	-	-	2	1	1	8	5
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·61	69	-	-	-	-	1	1	-	-	-	2	1	4	11	19	24	7
Scrofula	0·05	6	-	2	-	-	-	2	-	1	-	-	-	1	-	2	-	-
Tabes Mesent.	0·11	12	7	1	-	-	-	8	1	1	-	1	-	-	-	1	-	-
Phthisis	1·80	204	6	3	2	-	-	11	4	6	20	21	53	36	16	26	6	2
Hydrocephalus	0·18	20	8	7	-	2	1	18	1	-	-	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·40	272	66	12	2	3	1	84	4	2	3	4	7	3	20	39	48	58
Circulatory ,,	1·54	175	-	-	-	-	-	-	3	1	4	2	6	13	17	33	72	19
Respiratory ,,	2·63	298	70	32	2	1	-	105	4	1	3	2	2	14	20	32	64	41
Digestive ,,	1·27	144	11	1	1	1	2	16	2	3	3	3	6	17	18	31	29	16
Urinary ,,	0·36	41	-	-	-	-	-	-	1	-	1	1	5	1	3	8	15	6
Generative ,,	0·04	5	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-
Childbirth	0·08	9	-	-	-	-	-	-	-	-	-	2	4	3	-	-	-	-
Suicide	0·06	7	-	-	-	-	-	-	-	-	-	-	1	-	-	4	2	-
Other Violence	0·55	62	7	1	2	6	1	17	7	3	3	3	3	5	4	2	10	5
Other Causes	5·37	608	28	19	10	5	3	265	4	8	9	2	6	11	14	23	63	293

Deaths of Infants (under one) to 1000 Births - 132 | Marriages - 724 | Births - 3,603 | Annual Rate per 1000 living: Persons Married - 12·77; Births - 31·79

356.—MARKET DRAYTON.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	17·11	—	—	—	—	—	38·31	3·31	3·17	4·26	5·86	6·78	10·56	10·35	22·01	58·35	164·43
Mean Pop. 1871-80	—	14,753	372	359	408	364	384	1887	1904	1610	1386	1126	1843	1600	1362	1045	689	301
ALL CAUSES	17·11	2524	498	121	51	26	27	723	63	51	59	66	125	169	141	230	402	495
Small-pox	0·04	6	1	-	-	-	-	1	-	1	-	1	-	-	-	-	2	1
Measles	0·07	11	2	3	2	2	-	9	1	-	1	-	-	-	-	-	-	-
Scarlet Fever	0·13	26	3	3	5	-	5	16	7	2	1	-	-	-	-	-	-	-
Diphtheria	0·11	16	1	2	2	3	1	9	4	2	-	1	-	-	-	-	-	-
Whooping-cough	0·21	31	17	9	3	-	1	30	1	-	-	-	-	-	-	-	-	-
Typhus	0·05	7	-	-	-	-	-	-	1	-	2	1	1	1	-	1	-	-
Enteric Fever	0·20	30	1	-	3	1	-	5	4	2	3	2	3	3	1	2	3	2
Simple Cont. Fev.	0·09	13	-	1	1	-	-	2	1	4	2	1	-	1	-	1	1	-
Puerp. Fever	0·03	12	-	-	-	-	-	-	-	-	-	3	4	5	-	-	-	-
Diarr. and Dys.	0·52	77	55	7	1	-	3	46	-	2	-	-	-	2	2	2	7	16
Cholera	0·02	3	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-
Cancer	0·52	76	-	-	-	-	-	-	-	-	1	1	1	9	19	20	14	11
Scrofula	0·11	16	5	1	2	-	-	8	1	3	1	-	1	-	-	1	-	1
Tabes Mesent.	0·23	41	23	9	2	-	-	34	2	1	-	2	1	-	-	1	-	-
Phthisis	1·38	204	5	2	2	-	-	9	2	6	16	28	53	50	20	15	5	-
Hydrocephalus	0·12	17	5	4	-	-	1	10	2	2	1	-	2	-	-	-	-	-
Diseases of: Nervous Syst.	2·35	346	117	15	5	5	3	145	6	5	2	2	9	7	12	35	59	64
Circulatory ,,	1·23	189	1	-	-	-	-	1	3	4	3	5	6	9	14	40	66	38
Respiratory ,,	3·09	456	84	30	10	2	3	129	8	4	4	4	9	18	23	39	99	116
Digestive ,,	1·20	177	22	3	2	3	3	33	6	3	4	2	12	25	16	20	33	20
Urinary ,,	0·53	78	2	1	1	-	1	5	1	4	2	-	4	6	7	9	24	16
Generative ,,	0·03	4	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-
Childbirth	0·12	17	-	-	-	-	-	-	-	-	1	4	6	6	-	-	-	-
Suicide	0·07	10	-	-	-	-	-	-	-	-	-	-	-	2	2	5	-	1
Other Violence	0·46	68	3	4	3	4	4	18	2	2	7	3	7	7	3	6	5	8
Other Causes	4·00	593	171	23	7	6	2	212	10	4	7	6	5	17	17	33	81	201

Deaths of Infants (under one) to 1000 Births - 113 | Marriages - 880 | Births - 4,412 | Annual Rate per 1000 living: Persons Married - 11·93; Births - 29·91

357.—WELLINGTON.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·82	—	—	—	—	—	57·51	5·53	2·97	3·90	7·03	7·85	9·74	12·43	26·47	57·78	162·50
Mean Pop. 1871-80	—	25,834	822	697	739	738	770	3766	3473	3066	2413	1863	3285	2814	2196	1579	971	408
ALL CAUSES	19·82	5121	1454	399	153	98	62	2163	192	91	94	131	258	274	273	418	561	663
Small-pox	0·27	71	10	5	3	3	2	23	9	7	3	5	10	8	2	2	1	1
Measles	0·19	48	14	22	1	3	1	41	5	–	1	–	1	–	–	–	–	–
Scarlet Fever	0·71	184	10	33	33	26	15	117	51	9	3	2	–	2	–	–	–	–
Diphtheria	0·13	34	2	5	6	4	3	20	11	2	–	1	–	–	–	–	–	–
Whooping-cough	0·33	85	40	31	7	3	3	84	–	2	–	–	–	–	–	–	–	–
Typhus	0·02	6	–	–	–	–	–	–	1	1	1	–	1	1	1	–	–	–
Enteric Fever	0·24	63	–	4	2	5	1	12	6	11	8	3	4	7	7	2	3	–
Simple Cont. Fev.	0·13	34	4	6	2	–	–	12	5	6	4	–	2	1	–	1	3	–
Puerp. Fev.	0·09	22	–	–	–	–	–	–	–	–	1	6	8	7	–	–	–	–
Diarr. and Dys.	0·93	240	157	32	6	1	3	199	–	1	1	–	3	1	4	7	5	19
Cholera	0·02	5	2	2	–	–	–	4	1	–	–	–	–	–	–	–	–	–
Cancer	0·38	97	–	–	–	–	–	–	–	–	–	1	4	14	20	28	18	12
Scrofula	0·07	17	6	1	1	–	–	8	3	–	1	1	1	1	–	2	–	–
Tabes Mesent.	0·41	107	60	27	5	3	–	95	4	2	1	–	1	1	1	2	–	–
Phthisis	1·34	347	14	11	3	3	–	31	7	10	24	65	102	50	36	17	5	–
Hydrocephalus	0·15	38	16	11	3	2	1	33	1	1	1	1	–	1	–	–	–	–
Diseases of: Nervous Syst.	2·55	658	324	31	12	10	7	394	21	9	4	4	16	25	21	36	68	60
Diseases of: Circulatory „	1·10	283	–	1	–	–	–	1	1	7	10	9	12	33	41	65	60	44
Diseases of: Respiratory „	3·85	994	295	109	40	11	7	462	14	5	6	13	31	45	53	105	138	122
Diseases of: Digestive „	1·29	333	54	12	2	3	1	72	5	2	3	4	23	25	41	66	69	23
Diseases of: Urinary „	0·26	66	4	–	–	–	1	5	1	2	1	1	6	6	9	11	15	9
Diseases of: Generative „	0·04	11	–	–	–	–	–	–	–	–	1	2	2	1	–	5	–	–
Childbirth	0·07	19	–	–	–	–	–	–	–	–	2	3	5	8	1	–	–	–
Suicide	0·04	10	–	–	–	–	–	–	–	–	1	–	2	–	4	2	1	–
Other Violence	0·52	135	1	8	10	7	7	33	27	9	7	5	7	11	9	11	10	6
Other Causes	4·69	1213	431	48	17	14	19	520	19	5	10	5	17	26	23	56	165	367

Deaths of Infants (under one) to 1000 Births - 149

Marriages - 2,073
Births - 9,748

Annual Rate per 1000 living: Persons Married - 16·05; Births - 37·73

358.—NEWPORT.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·12	—	—	—	—	—	41·10	4·37	3·54	4·05	5·75	6·89	8·29	11·97	22·27	34·30	144·57
Mean Pop. 1871-80	—	15,598	433	368	428	395	405	2029	1969	1863	1505	1182	1859	1605	1445	1091	709	341
ALL CAUSES	17·12	2,670	557	143	57	43	34	834	86	66	61	68	128	133	173	243	385	493
Small-pox	0·03	5	3	–	–	–	–	3	–	–	–	1	–	–	–	–	–	1
Measles	0·13	21	7	6	4	2	–	19	–	1	–	–	1	–	–	–	–	–
Scarlet Fever	0·37	57	3	7	13	9	4	36	12	5	–	2	2	–	–	–	–	–
Diphtheria	0·17	27	1	1	2	3	3	10	8	7	–	–	1	–	1	–	–	–
Whooping-cough	0·26	41	18	16	3	3	1	41	–	–	–	–	–	–	–	–	–	–
Typhus	0·02	3	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
Enteric Fever	0·21	32	2	2	1	–	1	6	5	2	3	7	2	1	3	1	2	–
Simple Cont. Fev.	0·02	3	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Puerp. Fever	0·04	6	–	–	–	–	–	–	–	–	1	1	4	–	–	–	–	–
Diarr. and Dys.	0·47	74	48	4	3	4	–	59	1	–	–	–	1	–	–	3	4	6
Cholera	0·01	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Cancer	0·40	62	–	–	–	–	–	–	–	–	–	–	3	5	12	20	13	4
Scrofula	0·06	9	4	1	–	–	–	5	–	–	–	–	3	1	–	–	–	–
Tabes Mesent.	0·12	18	7	3	–	–	2	12	–	2	2	–	1	1	–	–	–	–
Phthisis	1·28	200	8	5	1	–	–	14	3	7	18	24	45	42	25	18	4	–
Hydrocephalus	0·17	26	8	7	1	–	1	17	4	1	2	1	1	–	–	–	–	–
Diseases of: Nervous Syst.	2·18	340	134	27	6	5	3	175	8	6	4	–	2	14	21	32	55	23
Diseases of: Circulatory „	1·15	180	1	–	–	–	–	1	1	1	4	4	9	13	23	35	56	33
Diseases of: Respiratory „	2·51	391	82	32	11	5	4	134	7	7	3	2	9	16	27	46	77	63
Diseases of: Digestive „	0·83	130	17	2	1	2	2	24	3	6	2	6	7	12	26	18	19	7
Diseases of: Urinary „	0·29	45	2	–	–	2	1	5	2	1	1	2	3	3	7	9	7	5
Diseases of: Generative „	0·04	6	–	–	–	–	–	–	–	–	–	–	1	–	–	2	3	–
Childbirth	0·11	17	–	–	–	–	–	–	–	–	–	3	9	5	–	–	–	–
Suicide	0·03	4	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–
Other Violence	0·72	113	6	2	5	4	8	25	13	10	15	9	6	11	5	8	6	5
Other Causes	5·50	858	206	27	6	4	4	247	16	8	6	4	17	8	23	50	133	316

Deaths of Infants (under one) to 1000 Births - 119

Marriages - 869
Births - 4,665

Annual Rate per 1000 living: Persons Married - 11·14; Births - 29·91

STAFFORDSHIRE.

359.—STAFFORD.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	22·99	—	—	—	—	—	53·35	6·28	3·23	4·64	7·72	11·92	19·15	24·23	38·93	72·70	171·11
Mean Pop. 1871-80	—	28,657	816	734	753	752	752	3807	3471	2999	2779	2487	4178	3274	2414	1739	1066	443
ALL CAUSES	22·99	6587	1280	367	163	126	95	2031	218	97	129	192	498	627	585	677	775	758
Small-pox	0·04	11	1	-	-	1	-	2	-	1	2	-	2	2	2	-	-	-
Measles	0·15	44	9	15	8	5	3	40	3	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·80	230	12	26	29	41	32	140	74	9	3	2	1	-	1	-	-	-
Diphtheria	0·16	47	2	2	4	7	5	20	17	4	2	1	-	1	-	2	-	-
Whooping-cough	0·45	128	66	33	16	9	4	128	-	-	-	-	-	-	-	-	-	-
Typhus	0·01	3	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
Enteric Fever	0·23	67	1	4	3	2	1	11	9	7	4	5	7	8	10	3	3	-
Simple Cont. Fev.	0·03	9	1	-	-	1	1	3	1	1	1	1	-	-	1	-	1	-
Puerp. Fever	0·09	26	-	-	-	-	-	-	-	-	-	11	10	5	-	-	-	-
Diarr. and Dys.	0·62	179	102	23	5	-	2	132	-	-	-	2	-	2	5	10	14	14
Cholera	0·02	6	-	2	-	-	-	2	1	-	-	1	-	-	-	1	1	-
Cancer	0·64	182	-	-	-	-	-	-	1	-	-	-	6	19	33	53	51	19
Scrofula	0·09	27	3	2	4	-	-	9	3	-	-	2	3	1	1	6	-	2
Tabes Mesent.	0·21	61	31	11	5	2	2	51	4	-	3	-	1	1	-	1	-	-
Phthisis	2·59	742	34	20	6	8	5	73	9	12	48	92	175	143	111	59	20	-
Hydrocephalus	0·16	47	13	9	4	2	3	31	10	4	1	-	-	-	-	-	1	-
Diseases of: Nervous Syst.	4·69	1343	261	55	19	12	9	356	15	19	18	23	142	211	176	165	152	66
Diseases of: Circulatory „	1·80	515	3	-	1	-	-	4	2	7	7	9	31	54	67	118	128	88
Diseases of: Respiratory „	2·86	820	183	104	26	9	8	330	15	6	9	6	25	68	63	87	124	87
Diseases of: Digestive „	0·89	254	26	3	4	2	3	38	7	4	5	6	15	33	48	45	36	17
Diseases of: Urinary „	0·38	108	1	1	-	1	1	4	8	3	8	1	14	4	11	24	23	8
Diseases of: Generative „	0·03	8	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	1
Childbirth	0·11	31	-	-	-	-	-	-	-	-	-	5	14	12	-	-	-	
Suicide	0·10	30	-	-	-	-	-	-	-	-	1	3	1	8	3	9	4	1
Other Violence	0·72	207	12	9	13	11	6	51	17	14	8	12	24	20	16	17	16	12
Other Causes	5·12	1462	519	48	16	13	10	606	21	4	9	10	26	34	36	74	199	443

Deaths of Infants (under one) to 1000 Births - 130 | Marriages - 2,133 | Births - 9,882 | Annual Rate per 1000 living: Persons Married - 14·89; Births - 34·48

360.—STONE.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	20·01	—	—	—	—	—	54·65	6·19	2·87	3·82	6·19	8·67	11·56	15·26	30·47	65·85	163·51
Mean Pop. 1871-80	—	26,910	781	697	743	732	692	3645	3344	2957	2670	2279	3669	2940	2339	1667	978	422
ALL CAUSES	20·01	5384	1260	365	166	118	83	1992	207	85	102	141	318	340	337	508	644	690
Small-pox	0·07	18	2	-	-	-	-	2	1	-	3	4	1	2	1	4	-	-
Measles	0·24	64	14	22	12	6	-	54	8	-	1	-	1	-	-	-	-	-
Scarlet Fever	0·79	212	5	24	32	39	30	130	62	10	4	1	2	2	1	-	-	-
Diphtheria	0·14	38	1	5	4	2	7	19	14	1	2	1	1	-	-	-	-	-
Whooping-cough	0·25	67	34	20	7	4	1	66	1	-	-	-	-	-	-	-	-	-
Typhus	0·03	9	-	-	-	-	-	-	2	1	-	1	1	1	-	2	1	-
Enteric Fever	0·19	50	1	3	3	3	3	13	6	5	4	6	8	3	2	2	1	-
Simple Cont. Fev.	0·10	28	2	1	1	-	1	5	3	3	2	3	2	2	2	2	3	1
Puerp. Fever	0·12	32	-	-	-	-	-	-	-	-	2	7	18	5	-	-	-	-
Diarr. and Dys.	0·81	220	138	30	5	3	2	178	2	1	-	-	3	1	6	7	11	11
Cholera	0·01	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1
Cancer	0·36	97	-	-	-	-	-	-	-	-	-	-	2	18	17	34	20	6
Scrofula	0·06	17	3	2	-	-	-	5	2	1	2	1	2	1	1	2	-	-
Tabes Mesent.	0·21	56	30	13	2	4	1	50	2	2	-	-	1	-	1	-	-	-
Phthisis	2·04	550	15	10	9	1	2	37	16	19	44	59	141	112	74	36	12	-
Hydrocephalus	0·20	53	22	18	5	1	1	47	5	-	-	-	-	-	1	-	-	-
Diseases of: Nervous Syst.	3·06	824	351	52	31	14	9	457	26	10	4	8	20	9	30	76	100	74
Diseases of: Circulatory „	1·25	335	1	-	-	-	-	1	5	6	10	8	14	33	34	75	91	58
Diseases of: Respiratory „	3·52	947	219	99	23	15	12	373	16	3	7	9	23	46	63	103	160	144
Diseases of: Digestive „	1·43	385	26	5	1	4	2	38	9	5	3	5	22	34	56	81	95	37
Diseases of: Urinary „	0·35	93	3	-	-	-	-	3	-	2	4	4	2	10	11	19	21	17
Diseases of: Generative „	0·05	14	-	-	-	-	-	-	-	-	-	-	-	1	2	6	2	3
Childbirth	0·10	27	-	-	-	-	-	-	-	-	-	4	15	8	-	-	-	
Suicide	0·10	28	-	-	-	-	-	-	-	-	1	5	6	3	4	7	1	1
Other Violence	0·54	145	6	1	6	5	4	22	12	8	5	6	13	17	24	18	8	12
Other Causes	3·99	1071	337	60	20	17	8	442	15	7	4	9	20	22	27	34	116	325

Deaths of Infants (under one) to 1000 Births - 141 | Marriages - 1,650 | Births - 8,957 | Annual Rate per 1000 living: Persons Married - 12·26; Births - 33·29

361.—NEWCASTLE-UNDER-LYME.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	21·41	—	—	—	—	—	63·28	5·58	3·85	5·82	8·36	9·33	12·90	18·06	31·98	74·09	172·58
Mean Pop. 1871-80	—	32,443	1013	931	983	961	980	4818	4318	3740	3091	2702	4608	3644	2616	1720	876	310
ALL CAUSES	21·41	6945	1924	556	276	160	133	3049	241	144	180	226	430	470	471	550	649	535
Small-pox	0·30	97	11	1	3	3	4	22	9	6	7	11	18	15	6	1	2	-
Measles	0·54	175	40	58	28	22	13	161	14	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·60	194	8	27	32	30	31	128	50	10	1	1	2	2	-	-	-	-
Diphtheria	0·10	33	4	4	3	4	3	18	7	3	2	1	1	1	-	-	-	-
Whooping-cough	0·33	118	50	39	15	10	1	115	3	-	-	-	-	-	-	-	-	-
Typhus	0·03	10	-	-	1	-	-	1	3	-	4	1	1	-	-	-	-	-
Enteric Fever	0·25	80	1	1	5	4	3	14	10	14	11	9	8	6	3	3	1	1
Simple Cont. Fev.	0·10	33	1	1	6	3	1	12	7	3	1	2	-	2	-	3	2	1
Puerp. Fever	0·12	39	-	-	-	-	-	-	-	-	1	6	17	15	-	-	-	-
Diarr. and Dys.	0·89	290	156	37	21	3	5	222	2	-	1	1	6	5	5	15	21	12
Cholera	0·00	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Cancer	0·40	130	-	-	-	-	-	-	1	-	-	-	4	17	40	28	27	13
Scrofula	0·08	25	4	-	1	-	-	5	2	4	2	2	2	3	3	2	-	-
Tabes Mesent.	0·24	73	40	21	4	2	-	67	5	1	-	-	-	-	-	-	-	-
Phthisis	1·79	582	7	12	7	2	3	31	20	29	58	75	119	118	86	20	16	1
Hydrocephalus	0·35	112	33	37	11	6	6	93	10	5	1	1	2	-	-	-	-	-
Diseases of: Nervous Syst.	3·01	978	485	77	28	21	10	621	18	16	8	9	18	36	44	76	80	52
Diseases of: Circulatory	0·89	288	2	-	-	2	2	6	6	8	8	6	23	35	51	62	60	23
Diseases of: Respiratory	3·69	1196	308	140	64	25	17	554	22	6	6	9	36	66	80	151	180	86
Diseases of: Digestive	0·83	280	39	9	2	1	4	55	5	6	5	7	20	35	45	51	40	10
Diseases of: Urinary	0·26	85	-	-	1	1	1	3	5	3	1	3	5	9	12	16	21	7
Diseases of: Generative	0·03	9	-	-	-	-	-	-	-	-	-	-	4	1	3	1	-	-
Childbirth	0·15	49	-	-	-	-	-	-	-	-	3	12	20	13	1	-	-	-
Suicide	0·04	14	-	-	-	-	-	-	-	-	1	-	2	6	1	2	1	1
Other Violence	1·27	412	16	12	11	9	6	54	15	25	48	61	90	43	36	13	17	7
OTHER CAUSES	5·06	1612	719	80	33	12	23	867	27	5	11	9	32	38	54	97	181	321

Deaths of Infants (under one) to 1000 Births - 147

Marriages - 2,197
Births - 13,035

Annual Rate per 1000 living: Persons Married - 13·54; Births - 40·27

362.—WOLSTANTON.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	24·33	—	—	—	—	—	85·73	6·45	3·38	4·52	6·58	8·51	13·74	21·59	38·47	82·83	185·47
Mean Pop. 1871-80	—	72,199	2461	2083	2234	2226	2058	11062	9689	8320	7056	6505	10556	8211	5739	3276	1391	405
ALL CAUSES	24·33	17,566	6011	1969	732	470	302	9484	625	281	319	428	898	1123	1239	1258	1153	753
Small-pox	0·11	79	10	5	2	3	4	24	5	8	7	15	10	9	-	1	-	-
Measles	0·58	417	99	159	71	37	23	389	28	-	-	-	-	-	-	-	-	-
Scarlet Fever	1·06	763	54	122	130	135	89	530	194	26	6	3	2	2	-	-	-	-
Diphtheria	0·04	32	7	2	2	5	3	19	8	2	1	-	2	-	-	-	-	-
Whooping-cough	0·55	394	193	122	36	20	13	384	10	-	-	-	-	-	-	-	-	-
Typhus	0·05	34	-	-	-	3	2	5	5	4	-	8	5	1	3	3	-	-
Enteric Fever	0·33	235	10	13	10	15	7	55	23	20	34	28	38	15	15	5	2	-
Simple Cont. Fev.	0·21	149	7	10	29	25	7	69	29	11	6	9	9	6	4	5	1	-
Puerp. Fever	0·10	73	-	-	-	-	-	-	-	-	5	15	42	11	-	-	-	-
Diarr. and Dys.	1·49	1012	659	188	27	17	5	896	10	3	-	5	3	13	9	24	24	25
Cholera	0·01	9	1	-	-	-	-	1	-	-	1	1	-	-	3	2	1	-
Cancer	0·28	201	-	1	-	-	-	1	-	-	1	2	9	25	66	60	29	8
Scrofula	0·08	57	16	13	2	-	-	31	7	7	2	6	1	1	-	2	-	-
Tabes Mesent.	0·51	367	195	111	29	6	2	343	14	2	2	1	2	1	1	1	-	-
Phthisis	1·70	1227	17	24	5	6	9	61	24	47	109	155	306	295	162	55	13	2
Hydrocephalus	0·30	216	77	73	25	13	2	190	14	9	1	-	1	1	-	-	-	-
Diseases of: Nervous Syst.	3·71	2676	1569	249	71	31	31	1951	49	20	19	21	62	88	128	159	161	78
Diseases of: Circulatory	0·89	642	-	2	-	1	1	4	14	23	18	17	70	95	122	131	121	19
Diseases of: Respiratory	4·79	3391	805	449	138	80	49	1521	55	19	18	33	110	163	391	471	554	149
Diseases of: Digestive	0·90	653	108	14	16	5	7	150	18	9	10	17	42	79	121	119	74	14
Diseases of: Urinary	0·28	201	3	7	2	3	4	19	8	1	2	14	20	31	36	37	23	10
Diseases of: Generative	0·04	28	-	-	-	-	-	-	-	-	-	1	3	7	8	6	3	-
Childbirth	0·14	104	-	-	-	-	-	-	-	-	10	14	44	35	1	-	-	-
Suicide	0·05	31	-	-	-	-	-	-	-	1	1	2	4	12	7	1	2	1
Other Violence	0·73	530	18	24	36	23	15	116	47	32	41	58	69	77	76	36	21	6
OTHER CAUSES	5·78	4014	2223	321	110	42	29	2735	64	37	25	23	49	53	105	142	324	431

Deaths of Infants (under one) to 1000 Births - 183

Marriages - 6,960
Births - 32,797

Annual Rate per 1000 living: Persons Married - 19·28; Births - 45·43

363.—STOKE-UPON-TRENT.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwd
Annual Death Rate per 1000	—	25·80	—	—	—	—	—	86·76	7·66	3·90	5·51	7·45	9·25	16·50	24·27	40·69	84·37	183·11
Mean Pop. 1871-80	—	96,787	3391	2821	2915	2831	2761	14719	12513	10840	9761	8715	14572	10958	7597	4519	1983	610
ALL CAUSES	25·80	24,967	7914	2610	1108	653	485	12770	958	423	533	649	1348	1808	1844	1839	1673	1117
Small-pox	0·20	190	25	10	7	4	5	51	39	28	19	18	18	10	4	3	-	-
Measles	0·49	478	99	174	164	49	23	449	26	1	1	-	1	-	-	-	-	-
Scarlet Fever	1·22	1183	79	210	227	177	152	845	274	40	12	5	6	-	-	-	-	-
Diphtheria	0·10	99	9	20	9	10	6	54	39	5	2	-	-	6	2	-	-	-
Whooping-cough	0·51	495	224	147	56	30	14	480	15	-	-	-	-	-	-	-	-	-
Typhus	0·04	41	1	-	2	-	4	7	6	6	4	4	6	1	3	4	-	-
Enteric Fever	0·44	428	11	14	20	12	20	77	63	45	56	48	49	31	33	19	6	1
Simple Cont. Fev.	0·14	137	2	12	15	12	6	47	21	16	9	3	11	8	7	8	6	1
Puerp. Fever	0·11	106	-	-	-	-	-	-	-	-	8	22	51	24	1	-	-	-
Diarr. and Dys.	1·67	1619	1101	284	49	16	9	1459	9	1	4	4	12	14	13	31	47	25
Cholera	0·03	32	13	2	1	-	-	16	1	1	1	-	4	2	3	2	1	1
Cancer	0·39	378	-	-	-	-	1	1	1	5	1	3	25	67	100	100	56	19
Scrofula	0·15	145	51	25	7	9	6	98	9	5	6	7	5	3	3	6	3	-
Tabes Mesent.	0·42	402	202	101	40	16	2	361	12	7	5	1	7	3	-	6	-	-
Phthisis	2·23	2163	88	39	14	17	5	163	39	67	157	266	481	524	320	118	25	3
Hydrocephalus	0·37	354	123	100	42	17	22	304	31	11	6	1	-	1	-	-	-	-
Diseases of: Nervous Syst.	3·73	3606	1837	322	112	61	39	2431	92	31	48	128	81	124	176	246	237	112
Diseases of: Circulatory	1·17	1133	4	1	-	3	1	9	18	22	37	72	89	206	225	266	166	63
Diseases of: Respiratory	4·90	4741	1284	665	211	87	60	2307	77	27	39	53	161	249	506	554	482	186
Diseases of: Digestive	0·93	902	133	25	16	10	7	191	31	19	9	30	59	136	162	152	88	25
Diseases of: Urinary	0·31	297	6	5	6	5	9	31	12	5	9	17	40	54	48	40	33	8
Diseases of: Generative	0·04	34	-	-	-	-	-	-	-	-	1	1	7	6	11	6	2	-
Childbirth	0·11	110	-	-	-	-	-	-	-	-	6	18	47	39	-	-	-	-
Suicide	0·04	42	-	-	-	-	-	-	-	-	5	3	8	9	7	5	5	-
Other Violence	0·79	769	29	36	43	41	29	178	65	54	56	50	103	83	70	53	43	14
Other Causes	5·27	5084	2333	418	127	68	63	3211	87	27	37	35	77	108	150	220	473	659

Deaths of Infants (under one) to 1000 Births - 189

Marriages - 9,563
Births - 41,897

Annual Rate per 1000 living: Persons Married - 19·77; Births - 43·29

364.—LEEK.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwd
Annual Death Rate per 1000	—	21·22	—	—	—	—	—	60·48	5·42	4·20	5·98	7·34	8·48	11·90	15·92	31·56	66·41	170·48
Mean Pop. 1871-80	—	29,666	904	836	872	826	821	4259	3911	3381	2825	2467	4009	3192	2450	1752	1027	393
ALL CAUSES	21·22	6295	1636	592	202	133	100	2576	212	142	169	181	340	380	390	553	682	670
Small-pox	0·04	11	-	-	-	-	1	1	2	1	-	2	1	3	1	-	-	-
Measles	0·48	141	37	52	16	13	5	123	11	3	-	1	-	-	-	-	-	-
Scarlet Fever	0·71	211	15	33	37	33	25	143	50	11	3	1	1	-	2	-	-	-
Diphtheria	0·10	30	-	5	-	-	9	14	7	5	3	1	-	-	-	-	-	-
Whooping-cough	0·53	156	82	49	9	8	4	152	4	-	-	-	-	-	-	-	-	-
Typhus	0·01	4	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-
Enteric Fever	0·27	79	2	2	-	4	2	10	10	10	8	6	12	10	6	4	1	2
Simple Cont. Fev.	0·09	27	-	1	2	1	3	7	3	7	1	2	3	1	1	1	1	-
Puerp. Fever	0·09	28	-	-	-	-	-	-	-	-	2	10	11	5	-	-	-	-
Diarr. and Dys.	0·81	239	152	30	10	-	1	193	2	1	1	3	1	3	4	6	14	11
Cholera	0·01	3	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
Cancer	0·39	116	-	-	-	-	-	-	-	1	-	1	2	12	25	47	21	7
Scrofula	0·09	26	5	1	1	4	-	11	2	4	2	-	-	2	2	2	1	-
Tabes Mesent.	0·35	105	37	41	8	3	3	92	3	3	2	3	1	-	1	-	-	-
Phthisis	1·95	579	8	5	5	4	2	24	15	39	63	73	149	127	55	25	7	1
Hydrocephalus	0·32	94	40	17	5	5	3	70	13	6	3	1	-	1	-	-	-	-
Diseases of: Nervous Syst.	2·81	833	336	44	29	19	10	438	27	13	8	8	26	23	43	69	106	69
Diseases of: Circulatory	1·07	455	1	2	1	-	-	4	6	12	10	11	34	24	63	107	138	76
Diseases of: Respiratory	4·05	1200	301	153	49	24	14	541	23	5	17	9	35	56	74	140	184	116
Diseases of: Digestive	0·88	260	23	4	3	2	-	37	5	3	12	10	13	24	40	54	52	10
Diseases of: Urinary	0·44	132	2	2	2	-	2	8	6	2	3	11	10	12	17	25	18	20
Diseases of: Generative	0·03	9	-	-	-	-	-	-	-	-	-	-	-	1	3	3	2	-
Childbirth	0·10	31	-	-	-	-	-	-	-	-	-	8	7	16	-	-	-	-
Suicide	0·10	29	-	-	-	-	-	-	-	-	1	2	2	6	8	7	3	-
Other Violence	0·45	134	5	9	8	6	5	33	5	6	13	7	11	15	15	10	16	3
Other Causes	4·45	1323	585	52	17	10	11	675	15	9	12	10	21	25	25	53	123	355

Deaths of Infants (under one) to 1000 Births - 146

Marriages - 1,949
Births - 11,172

Annual Rate per 1000 living: Persons Married - 13·14; Births - 37·65

365.—CHEADLE.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·37	—	—	—	—	—	47·91	6·09	2·75	4·41	8·66	9·65	10·31	16·11	25·41	63·01	157·18
Mean Pop. 1871-80	—	21,962	673	628	639	610	614	3164	3007	2544	1994	1675	2714	2319	1899	1448	857	341
ALL CAUSES	19·37	4253	964	295	122	78	57	1516	183	70	88	145	262	239	306	368	540	536
Small-pox	0·03	17	2	1	-	-	-	3	2	-	2	4	5	1	-	-	-	-
Measles	0·22	49	10	19	3	8	2	42	6	-	-	1	-	-	-	-	-	-
Scarlet Fever	0·66	145	9	26	28	12	11	86	46	4	2	1	5	1	-	-	-	-
Diphtheria	0·19	42	1	9	6	4	2	22	14	2	1	1	-	1	-	-	1	-
Whooping-cough	0·41	91	47	23	12	2	4	88	3	-	-	-	-	-	-	-	-	-
Typhus	0·02	4	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-
Enteric Fever	0·25	56	1	7	3	4	5	20	5	3	3	7	5	5	5	2	-	1
Simple Cont. Fever	0·08	17	1	1	-	1	2	5	6	2	1	-	-	-	3	-	-	-
Puerp. Fever	0·09	19	-	-	-	-	-	-	-	-	1	4	7	7	-	-	-	-
Diarr. and Dys.	0·69	151	81	21	1	1	1	105	1	1	1	3	4	2	3	5	5	21
Cholera	0·05	10	4	-	-	1	-	5	-	1	-	1	1	-	2	-	-	-
Cancer	0·44	96	-	-	-	-	-	-	-	-	1	-	7	8	18	22	29	11
Scrofula	0·08	18	3	3	-	-	-	6	2	1	-	3	2	2	-	1	1	-
Tabes Mesent.	0·47	103	43	30	5	1	1	80	8	-	5	2	6	1	-	-	1	-
Phthisis	2·01	441	8	10	3	1	2	24	6	17	41	74	118	74	66	15	5	1
Hydrocephalus	0·23	51	15	6	5	4	6	36	10	3	-	-	1	1	-	-	-	-
Diseases of Nervous Syst.	2·50	548	221	35	7	10	4	277	7	9	5	7	13	19	30	40	76	65
Diseases of Circulatory "	1·55	340	1	-	-	-	-	1	4	3	3	5	16	22	47	77	104	58
Diseases of Respiratory "	3·28	720	151	58	19	8	9	245	9	4	5	4	18	23	59	84	147	116
Diseases of Digestive "	1·00	220	31	6	3	3	-	43	11	3	2	9	15	17	16	46	46	12
Diseases of Urinary "	0·43	94	2	-	2	-	-	4	2	-	4	2	5	6	14	18	22	17
Diseases of Generative "	0·07	16	-	-	-	-	-	-	-	-	-	-	4	4	5	2	-	1
Childbirth	0·08	17	-	-	-	-	-	-	-	-	-	4	5	8	-	-	-	-
Suicide	0·06	14	-	-	-	-	-	-	-	-	1	2	2	2	3	1	3	-
Other Violence	0·49	108	5	8	6	5	2	26	11	9	5	3	10	9	13	6	11	5
Other Causes	3·94	866	328	32	19	13	5	397	29	7	5	7	12	21	22	49	89	228

Deaths of Infants (under one) to 1000 Births - 122 | Marriages - 1,635 | Births - 7,879 | Annual Rate per 1000 living: Persons Married - 14·89; Births - 35·88

366.—UTTOXETER.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·14	—	—	—	—	—	35·08	4·23	2·80	4·52	5·13	8·12	12·20	13·08	27·47	61·93	162·62
Mean Pop. 1871-80	—	14,199	356	339	365	348	382	1790	1701	1570	1416	1149	1773	1459	1300	1052	676	313
ALL CAUSES	18·14	2576	400	100	52	37	30	628	72	44	64	59	144	178	170	289	419	509
Small-pox	0·03	4	1	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-
Measles	0·12	17	5	3	3	2	1	14	2	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·37	53	4	5	7	8	9	33	12	3	4	-	1	-	-	-	-	-
Diphtheria	0·20	29	-	2	-	4	5	11	6	4	2	3	2	1	-	-	-	-
Whooping-cough	0·28	40	20	9	6	2	1	38	2	-	-	-	-	-	-	-	-	-
Typhus	0·04	5	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-
Enteric Fever	0·30	43	-	2	2	1	-	5	7	3	2	5	7	1	2	8	2	-
Simple Cont. Fev.	0·03	4	1	-	-	-	-	1	-	-	1	-	-	-	-	1	-	1
Puerp. Fever	0·04	5	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-
Diarr. and Dys.	0·35	50	23	3	-	1	-	30	2	-	-	-	-	2	-	1	6	9
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·55	78	-	-	-	-	-	-	-	-	-	-	-	4	14	23	23	9
Scrofula	0·11	16	1	2	1	1	-	5	3	1	2	-	-	1	-	4	-	-
Tabes Mesent.	0·14	20	9	5	1	1	1	17	-	1	-	-	1	-	1	-	-	-
Phthisis	1·79	254	5	1	1	-	-	7	3	8	27	34	65	61	28	17	4	-
Hydrocephalus	0·31	44	20	7	1	5	1	34	6	1	1	-	1	1	-	-	-	-
Diseases of Nervous Syst.	2·79	396	97	15	7	1	-	120	3	3	4	3	10	20	28	40	80	85
Diseases of Circulatory "	1·46	207	-	-	-	-	-	-	2	2	1	4	8	8	22	44	77	39
Diseases of Respiratory "	3·02	429	56	22	9	4	4	95	6	1	1	1	14	20	28	48	83	122
Diseases of Digestive "	1·15	163	16	2	1	2	2	23	5	3	3	2	6	17	18	40	27	19
Diseases of Urinary "	0·56	80	1	-	1	-	1	3	4	1	4	-	4	4	8	16	29	7
Diseases of Generative "	0·04	6	-	-	-	-	-	-	-	-	-	-	-	4	-	-	1	1
Childbirth	0·09	13	-	-	-	-	-	-	-	-	2	-	7	4	-	-	-	-
Suicide	0·08	12	-	-	-	-	-	-	-	-	-	-	3	4	2	2	1	-
Other Violence	0·45	64	5	-	3	2	2	12	3	5	3	2	5	8	3	8	5	10
Other Causes	3·84	545	142	22	9	3	3	179	6	6	6	2	8	13	15	37	63	207

Deaths of Infants (under one) to 1000 Births - 97 | Marriages - 896 | Births - 4,215 | Annual Rate per 1000 living: Persons Married - 12·62; Births - 29·69

367.—BURTON-UPON-TRENT.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
Annual Death Rate per 1000	—	19·83	—	—	—	—	—	52·16	5·26	3·16	4·47	6·21	9·10	14·58	18·19	33·19	67·64	171·64
Mean Pop. 1871-80	—	63,253	2187	1944	2011	1952	1905	9999	8312	6768	5816	5525	9628	7032	4749	3073	1681	670
ALL CAUSES	19·83	12,541	3247	1009	461	287	211	5215	437	214	260	343	876	1025	864	1020	1137	1150
Small-pox	0·13	81	17	4	9	2	2	34	4	3	5	7	10	11	5	1	–	1
Measles	0·37	234	69	81	37	17	12	216	13	3	1	1	–	–	–	–	–	–
Scarlet Fever	0·79	497	31	80	88	76	61	336	119	26	9	2	3	2	–	–	–	–
Diphtheria	0·18	113	14	11	16	12	13	66	25	8	4	–	5	2	–	2	1	–
Whooping-cough	0·38	243	101	82	32	9	8	232	11	–	–	–	–	–	–	–	–	–
Typhus	0·02	14	–	–	–	–	–	–	2	1	2	2	1	5	–	–	1	–
Enteric Fever	0·23	146	6	4	8	2	4	24	18	7	16	13	34	16	9	6	1	2
Simp. Cont. Fev.	0·05	31	–	6	6	3	–	15	2	1	–	2	1	2	5	1	2	–
Puerp. Fever	0·13	81	–	–	–	–	–	–	–	–	5	15	37	24	–	–	–	–
Diarr. and Dys.	0·77	485	326	66	16	3	2	413	1	–	1	2	1	2	8	10	20	27
Cholera	0·02	11	1	–	2	–	–	3	–	1	–	2	–	2	–	1	2	–
Cancer	0·48	302	–	–	–	2	–	2	–	2	–	2	15	46	58	83	65	26
Scrofula	0·11	71	32	11	2	1	3	49	3	3	1	1	3	1	6	3	1	–
Tabes Mesent.	0·30	192	107	48	7	8	2	172	5	6	4	1	3	–	–	1	–	–
Phthisis	2·19	1387	62	41	15	9	10	137	32	38	84	143	347	312	170	87	34	3
Hydrocephalus	0·40	254	85	69	33	16	7	210	27	8	3	1	2	3	–	–	–	–
Diseases of: Nervous Syst.	2·74	1732	612	94	38	25	17	786	41	23	19	22	75	131	132	176	195	132
Diseases of: Circulatory „	1·17	743	2	1	1	–	1	5	9	10	8	12	43	84	113	180	180	94
Diseases of: Respiratory „	3·33	2107	625	269	85	40	23	1042	32	13	21	24	81	106	130	186	259	213
Diseases of: Digestive „	0·91	574	86	16	6	7	5	120	13	10	11	12	38	71	78	91	95	35
Diseases of: Urinary „	0·37	237	5	4	2	2	2	15	9	–	7	9	23	37	28	49	43	17
Diseases of: Generative „	0·06	40	1	–	–	–	–	1	–	–	1	4	7	10	4	8	2	3
Childbirth	0·09	58	–	–	–	–	–	–	–	–	3	10	22	23	–	–	–	–
Suicide	0·05	34	–	–	–	–	–	–	–	–	1	1	6	4	10	7	2	3
Other Violence	0·73	460	26	20	14	18	15	93	31	30	35	32	63	48	42	38	29	19
Other Causes	3·83	2414	1039	102	44	35	24	1244	40	21	19	23	51	83	66	87	205	575

Deaths of Infants (under one) to 1000 Births - 129

Marriages - 4,639
Births - 25,159

Annual Rate per 1000 living: Persons Married - 14·67; Births - 39·78

368.—TAMWORTH.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
Annual Death Rate per 1000	—	18·39	—	—	—	—	—	49·96	4·86	2·78	3·91	6·65	6·97	9·35	14·41	25·48	58·06	167·05
Mean Pop. 1871-80	—	18,105	573	552	551	530	518	2724	2367	2017	1740	1413	2455	1925	1499	1087	620	258
ALL CAUSES	18·39	3329	853	257	121	74	56	1361	115	56	68	94	171	180	216	277	360	431
Small-pox	0·12	21	7	3	–	–	–	10	2	–	1	2	2	1	2	–	–	1
Measles	0·45	81	18	25	20	9	6	78	3	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·56	101	6	13	19	15	19	72	24	3	–	2	–	–	–	–	–	–
Diphtheria	0·08	15	2	2	2	1	3	10	3	1	–	–	–	1	–	–	–	–
Whooping-cough	0·31	56	34	14	3	3	1	55	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	2	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
Enteric Fever	0·19	34	–	–	–	1	2	3	3	7	2	3	6	8	2	–	–	–
Simp. Cont. Fever	0·08	14	–	–	1	2	1	4	3	1	1	–	1	1	2	1	–	–
Puerp. Fever	0·07	13	–	–	–	–	–	–	–	–	1	2	7	3	–	–	–	–
Diarr. and Dys.	0·82	149	87	28	2	1	1	119	3	–	–	–	2	5	2	3	7	8
Cholera	0·01	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cancer	0·45	81	–	–	–	–	–	–	–	–	–	–	2	7	19	21	19	13
Scrofula	0·07	13	2	1	1	1	–	5	–	–	–	1	4	1	2	–	–	–
Tabes Mesent.	0·75	136	94	24	8	–	1	127	4	–	2	1	1	1	–	–	–	–
Phthisis	1·42	257	6	5	–	–	1	12	11	12	27	36	58	52	26	17	6	–
Hydrocephalus	0·43	77	41	13	8	4	3	69	7	–	1	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·50	452	178	20	12	6	5	221	15	7	7	9	12	14	29	39	47	52
Diseases of: Circulatory „	1·43	259	–	–	–	–	–	–	2	4	7	9	12	16	30	54	70	55
Diseases of: Respiratory „	3·36	609	147	76	21	16	2	262	5	2	2	9	11	20	24	71	163	100
Diseases of: Digestive „	1·01	182	12	1	4	3	–	20	4	4	4	6	10	17	37	28	39	13
Diseases of: Urinary „	0·35	64	2	2	1	–	–	5	1	–	1	1	3	4	4	14	14	17
Diseases of: Generative „	0·04	7	1	–	–	–	–	1	–	–	–	1	1	–	2	–	1	1
Childbirth	0·08	14	–	–	–	–	–	–	–	–	1	1	9	1	2	–	–	–
Suicide	0·05	9	–	–	–	–	–	–	–	–	–	–	1	2	3	2	1	–
Other Violence	0·69	125	11	3	7	3	5	29	12	10	5	7	13	15	12	6	6	10
Other Causes	3·06	557	205	27	12	9	6	259	11	5	6	4	15	11	17	21	47	161

Deaths of Infants (under one) to 1000 Births - 123

Marriages - 1,178
Births - 6,923

Annual Rate per 1000 living: Persons Married - 13·01; Births - 38·24

369.—LICHFIELD.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	19·54	—	—	—	—	—	47·68	5·16	3·37	4·71	5·77	8·61	12·05	18·34	29·13	62·53	153·94
Mean Pop. 1871-80	—	35,703	1036	969	1021	1048	976	5050	4516	3823	3251	2928	4012	4016	3021	2218	1371	597
ALL CAUSES	19·54	6976	1548	439	178	123	120	2408	233	129	153	169	423	484	554	646	858	919
Small-pox	0·10	37	5	-	-	-	2	7	3	6	2	3	7	2	4	3	-	-
Measles	0·21	75	15	26	17	9	3	70	4	-	-	-	-	1	-	-	-	-
Scarlet Fever	0·66	234	21	27	35	40	37	160	60	7	-	2	4	-	1	-	-	-
Diphtheria	0·15	52	3	4	6	7	7	27	13	4	-	1	5	1	-	-	-	1
Whooping-cough	0·31	112	56	31	10	4	4	105	4	-	-	-	-	-	-	-	-	-
Typhus	0·04	13	-	-	-	-	1	1	1	3	2	-	-	2	2	1	1	-
Enteric Fever	0·28	101	2	1	2	3	7	15	16	11	10	8	8	12	13	3	5	-
Simple Cont. Fev.	0·08	27	-	-	2	1	1	4	4	1	4	-	3	3	3	2	2	1
Puerp. Fever	0·05	19	-	-	-	-	-	-	-	-	2	6	7	4	-	-	-	-
Diarr. and Dys.	0·48	170	84	24	3	3	1	115	1	-	1	-	4	-	3	3	10	23
Cholera	0·02	7	2	-	1	1	-	4	-	-	1	-	-	-	-	2	-	-
Cancer	0·50	178	-	-	-	1	-	1	-	-	-	1	6	21	36	46	35	32
Scrofula	0·11	41	13	6	2	-	-	21	-	5	2	2	3	2	6	-	-	-
Tabes Mesent.	0·14	50	25	14	3	1	-	43	1	2	3	1	-	-	-	-	-	-
Phthisis	1·53	545	4	4	2	-	-	10	6	16	39	64	135	122	88	41	23	1
Hydrocephalus	0·20	71	31	15	3	5	3	57	10	2	-	-	1	-	1	-	-	-
Diseases of: Nervous Syst.	3·44	1227	260	42	14	7	6	329	17	25	41	27	99	121	150	139	171	108
Diseases of: Circulatory „	1·27	454	1	-	-	-	-	1	5	4	12	8	29	45	57	109	123	61
Diseases of: Respiratory „	3·17	1130	281	136	41	14	12	484	26	6	4	9	24	41	64	114	189	178
Diseases of: Digestive „	0·89	317	31	3	1	3	2	40	6	7	1	7	22	35	40	61	61	37
Diseases of: Urinary „	0·40	144	3	2	2	3	2	12	6	2	3	2	9	8	23	27	33	19
Diseases of: Generative „	0·05	17	-	-	-	-	-	-	-	-	1	1	2	2	3	6	1	1
Childbirth	0·08	30	-	-	-	-	-	-	-	-	2	2	12	14	-	-	-	-
Suicide	0·09	31	-	-	-	-	-	-	-	-	1	-	4	4	3	9	9	1
Other Violence	0·62	223	14	6	12	7	13	52	23	17	13	12	17	15	22	18	18	16
OTHER CAUSES	4·67	1671	637	95	21	14	19	847	27	11	9	13	22	29	35	62	173	440

Deaths of Infants (under one) to 1000 Births - 123 | Marriages - 2,364 | Births - 12,613 | Annual Rate per 1000 living: Persons Married - 13·24; Births - 35·33

370.—CANNOCK (PENKRIDGE).*

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	19·34	—	—	—	—	—	58·12	5·74	3·75	4·62	5·60	7·20	8·95	13·60	25·88	61·53	149·56
Mean Pop. 1871-80	—	29,914	962	877	922	925	910	4596	4062	3385	2660	2394	4109	3285	2471	1665	889	398
ALL CAUSES	19·34	5786	1753	459	215	153	91	2671	233	127	123	134	296	294	336	430	547	595
Small-pox	0·20	60	8	4	2	2	3	19	7	4	6	4	8	3	8	1	-	-
Measles	0·19	58	17	15	10	3	5	50	4	1	-	-	-	-	-	-	1	-
Scarlet Fever	0·84	252	17	38	48	44	27	174	61	13	3	-	-	1	-	-	-	-
Diphtheria	0·24	72	3	4	7	13	6	33	22	12	3	-	-	-	-	1	1	-
Whooping cough	0·36	108	52	37	4	7	4	104	4	-	-	-	-	-	-	-	-	-
Typhus	0·02	6	-	-	-	1	1	2	1	-	1	1	-	-	1	-	-	-
Enteric Fever	0·21	62	-	-	4	3	5	12	13	7	7	4	9	8	2	-	-	-
Simple Cont. Fev.	0·05	15	1	-	1	3	1	6	2	1	-	2	1	-	1	-	1	1
Puerp. Fever	0·06	18	-	-	-	-	-	-	-	-	1	3	9	5	-	-	-	-
Diarr. and Dys.	0·70	209	135	26	9	2	-	172	3	3	1	-	1	2	1	3	9	14
Cholera	0·06	17	7	2	1	-	-	10	-	1	-	-	-	1	1	3	1	-
Cancer	0·44	133	-	-	1	-	-	1	-	1	-	-	7	12	26	35	38	13
Scrofula	0·07	21	6	-	-	-	-	6	4	1	2	-	3	2	1	1	1	-
Tabes Mesent.	0·28	83	47	18	5	2	1	73	4	2	1	2	-	1	-	-	-	-
Phthisis	1·22	364	8	1	-	2	-	11	6	12	35	43	110	68	42	26	6	5
Hydrocephalus	0·19	56	18	10	4	1	1	40	5	5	2	-	2	2	-	-	-	-
Diseases of: Nervous Syst.	2·24	669	293	40	14	14	7	368	21	4	7	6	16	22	31	49	91	54
Diseases of: Circulatory „	1·21	363	7	1	-	1	-	9	4	11	9	6	22	29	45	86	85	57
Diseases of: Respiratory „	3·58	1070	358	148	59	18	15	598	28	10	4	11	32	33	47	84	129	94
Diseases of: Digestive „	0·99	295	33	5	5	2	4	52	3	5	5	12	13	27	46	61	47	24
Diseases of: Urinary „	0·30	91	1	1	1	1	1	5	2	4	3	3	5	9	11	22	17	10
Diseases of: Generative „	0·03	10	-	-	-	-	-	-	-	-	-	2	2	1	2	2	1	-
Childbirth	0·09	26	-	-	-	-	-	-	-	-	1	4	8	12	1	-	-	-
Suicide	0·06	17	-	-	-	-	-	-	-	-	1	1	1	2	6	2	3	1
Other Violence	0·93	278	17	9	13	15	2	56	20	22	26	21	31	26	34	15	15	12
OTHER CAUSES	4·78	1435	722	94	27	19	8	870	19	8	5	9	16	28	30	39	101	310

Deaths of Infants (under one) to 1000 Births - 141 | Marriages - 2,067 | Births - 12,459 | Annual Rate per 1000 living: Persons Married 13·82; Births - 41·65

* The name of this District was changed from PENKRIDGE to CANNOCK on 1st April 1877.

371.—WOLVERHAMPTON.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	22·78	—	—	—	—	—	73·26	7·48	3·52	4·90	6·65	8·20	11·96	18·90	35·55	73·51	171·00
Mean Pop. 1871-80	—	140,761	4567	3925	4077	3953	3986	20508	17853	15972	14233	12367	19593	15256	11878	7854	3915	1331
ALL CAUSES	22·78	32,065	9024	3029	1424	937	611	15025	1336	562	698	823	1606	1824	2245	2792	2878	2276
Small-pox	0·52	736	102	27	32	21	39	221	178	49	78	68	73	39	20	7	2	1
Measles	0·35	492	115	182	89	54	21	461	28	2	–	–	1	–	–	–	–	–
Scarlet Fever	1·05	1474	89	250	277	274	184	1074	329	38	12	11	7	3	–	–	–	–
Diphtheria	0·10	136	11	14	26	16	17	84	25	11	4	3	2	3	2	1	1	–
Whooping-cough	0·60	849	330	246	124	72	26	828	21	–	–	–	–	–	–	–	–	–
Typhus	0·02	34	2	1	–	2	3	8	3	4	3	6	3	5	2	–	–	–
Enteric Fever	0·29	411	10	13	16	14	16	69	64	56	48	24	50	36	27	17	13	7
Simple Cont. Fev.	0·19	273	12	14	16	23	23	88	50	17	13	17	21	18	18	18	11	2
Puerp. Fever	0·07	93	–	–	–	–	–	–	–	–	5	24	44	20	–	–	–	–
Diarr. and Dys.	1·27	1792	1076	390	98	34	11	1611	14	2	2	7	11	7	12	33	53	40
Cholera	0·01	18	2	–	1	1	–	4	1	1	–	–	1	4	5	–	2	–
Cancer	0·41	583	1	1	–	3	–	5	1	1	1	4	29	75	146	165	112	44
Scrofula	0·18	110	25	12	3	3	4	47	7	6	13	8	12	7	4	3	2	1
Tabes Mesent.	0·31	442	237	120	31	12	3	406	16	6	5	3	4	2	–	–	–	–
Phthisis	1·47	2070	41	37	22	9	5	114	45	77	172	273	515	386	319	125	39	4
Hydrocephalus	0·20	279	105	53	35	20	11	229	31	11	2	2	2	2	–	–	–	–
Diseases of: Nervous Syst.	2·65	3731	1495	265	85	68	38	1951	91	43	52	58	125	170	257	367	379	233
Diseases of: Circulatory ,,	1·15	1613	3	3	3	1	1	11	41	41	64	48	137	204	282	355	297	133
Diseases of: Respiratory ,,	4·51	6345	1784	819	300	150	81	3134	104	33	42	63	161	318	486	793	783	428
Diseases of: Digestive ,,	0·93	1307	179	34	20	16	7	256	33	24	35	47	86	131	198	259	185	53
Diseases of: Urinary ,,	0·37	522	7	8	4	7	2	28	11	13	8	20	43	52	91	124	90	42
Diseases of: Generative ,,	0·05	77	–	1	–	–	–	1	–	–	2	2	12	18	17	16	8	1
Childbirth	0·11	156	–	–	–	–	–	–	–	–	9	25	58	62	2	–	–	–
Suicide	0·04	63	–	–	–	–	–	–	–	–	–	6	6	7	13	17	12	2
Other Violence	0·73	1021	82	33	55	33	46	249	127	71	58	44	77	79	108	104	62	42
Other Causes	5·30	7433	3284	501	184	104	73	4146	116	51	70	60	126	176	236	387	827	1213

Deaths of Infants (under one) to 1000 Births - 161

Marriages - 11,161
Births - 55,958

Annual Rate per 1000 living: Persons Married - 15·86; Births - 39·75

372.—WALSALL.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	22·82	—	—	—	—	—	78·43	7·81	4·00	4·69	6·52	7·28	11·34	17·17	34·11	70·15	169·30
Mean Pop. 1871-80	—	77,970	2651	2271	2390	2242	2362	11916	10454	9032	7740	6808	10913	8571	6227	3864	1849	596
ALL CAUSES	22·82	17,790	5635	1960	824	551	376	9346	816	361	363	444	795	972	1069	1318	1297	1009
Small-pox	0·69	510	69	39	36	39	38	221	137	40	35	35	33	21	9	4	2	–
Measles	0·30	236	60	101	34	19	10	224	11	1	–	–	–	–	–	–	–	–
Scarlet Fever	1·21	943	64	169	167	161	121	682	205	34	8	4	3	4	2	–	1	–
Diphtheria	0·14	106	17	19	11	13	7	67	21	9	1	2	–	3	2	1	–	–
Whooping-cough	0·58	455	193	153	58	19	16	444	11	–	–	–	–	–	–	–	–	–
Typhus	0·04	31	–	1	1	2	1	5	5	5	5	3	2	2	1	1	1	1
Enteric Fever	0·48	371	7	24	16	15	8	70	60	55	45	33	37	33	20	10	7	1
Simple Cont. Fev.	0·15	118	4	14	8	10	6	42	25	13	8	6	8	7	2	2	4	1
Puerp. Fever	0·07	57	–	–	–	–	–	–	–	–	6	12	20	19	–	–	–	–
Diarr. and Dys.	1·38	1073	671	221	47	16	8	963	7	2	–	1	9	13	7	20	30	21
Cholera	0·01	10	1	2	1	–	–	4	–	–	–	–	1	1	2	1	–	1
Cancer	0·30	232	–	–	1	1	–	2	1	–	2	2	6	38	62	60	43	16
Scrofula	0·06	50	14	10	5	2	–	31	2	4	6	2	4	1	–	–	–	–
Tabes Mesent.	0·46	356	201	111	15	7	5	339	6	1	3	1	2	–	–	4	–	–
Phthisis	1·45	1128	57	35	8	7	4	111	16	40	90	142	233	203	154	96	19	4
Hydrocephalus	0·16	125	51	45	8	7	1	112	9	3	1	1	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·81	2189	992	172	83	43	23	1313	55	27	23	27	45	79	120	178	194	117
Diseases of: Circulatory ,,	1·07	833	7	3	2	1	4	17	14	14	20	23	82	107	116	192	161	57
Diseases of: Respiratory ,,	4·30	3351	1064	500	172	78	51	1865	70	22	23	34	83	153	218	368	344	171
Diseases of: Digestive ,,	0·86	670	110	18	13	8	8	157	13	12	11	13	50	72	122	123	73	24
Diseases of: Urinary ,,	0·29	230	5	4	4	9	2	24	15	7	10	4	21	38	28	46	25	12
Diseases of: Generative ,,	0·03	23	–	–	–	–	–	–	–	–	1	2	3	5	9	2	1	–
Childbirth	0·09	68	–	–	–	–	–	–	–	–	1	15	23	27	2	–	–	–
Suicide	0·05	39	–	–	–	–	–	–	–	1	4	6	11	4	2	6	4	1
Other Violence	0·77	600	22	19	27	38	35	141	58	39	39	43	72	60	69	39	21	19
Other Causes	5·07	3950	2021	300	107	51	28	2507	65	32	15	28	39	77	92	165	367	563

Deaths of Infants (under one) to 1000 Births - 168

Marriages - 5,738
Births - 33,488

Annual Rate per 1000 living: Persons Married - 14·72; Births - 42·95

373.—WEST BROMWICH.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	21·59	—	—	—	—	—	73·58	6·34	3·14	4·66	5·41	7·17	10·53	17·21	33·04	70·67	176·75
Mean Pop. 1871-80	—	116,394	3982	3426	3468	3505	3468	17849	15481	13356	11879	10479	16412	12429	9097	5720	2806	886
ALL CAUSES	21·59	25,135	7719	2878	1227	793	505	13125	981	419	553	567	1176	1309	1566	1890	1983	1566
Small-pox	0·27	315	35	11	13	13	11	83	53	27	38	28	53	23	6	1	2	1
Measles	0·36	420	71	167	84	54	22	398	20	1	1	–	–	–	–	–	–	–
Scarlet Fever	1·24	1438	89	254	279	278	171	1071	297	30	16	11	8	3	2	–	–	–
Diphtheria	0·11	124	12	15	23	21	17	88	18	5	3	2	1	3	2	2	–	–
Whooping-cough	0·50	578	267	177	63	34	15	561	17	–	–	–	–	–	–	–	–	–
Typhus	0·03	31	1	–	–	1	3	5	7	4	2	–	4	3	3	3	–	–
Enteric Fever	0·47	546	16	32	27	39	22	136	72	55	65	46	63	37	32	22	11	2
Simple Cont. Fev.	0·09	104	9	17	12	8	9	55	13	4	4	5	8	3	4	6	2	–
Puerp. Fever	0·06	74	–	–	–	–	–	–	–	–	5	20	31	18	–	–	–	–
Diarr. and Dys.	1·16	1351	778	301	69	13	15	1176	8	2	–	3	11	18	15	38	49	31
Cholera	0·01	17	1	1	2	2	1	7	1	–	1	–	3	–	–	2	2	1
Cancer	0·39	454	–	–	1	1	3	5	–	1	1	1	17	66	95	138	103	27
Scrofula	0·10	121	34	25	9	3	3	74	10	14	13	–	2	2	2	–	4	–
Tabes Mesent.	0·39	449	194	163	33	18	8	416	18	4	6	–	2	3	–	–	–	–
Phthisis	1·19	1380	10	4	7	3	1	25	26	41	137	190	367	302	177	95	26	4
Hydrocephalus	0·28	328	131	94	32	17	11	285	26	8	4	2	1	2	–	–	–	–
Diseases of: Nervous Syst.	2·57	2991	1177	268	103	55	35	1639	93	44	52	43	75	117	195	291	224	148
Diseases of: Circulatory	0·95	1109	5	2	–	–	4	11	22	29	32	32	103	120	209	260	230	61
Diseases of: Respiratory	3·86	4498	1255	727	435	107	38	2562	74	23	41	43	125	182	342	481	533	272
Diseases of: Digestive	0·90	1052	205	48	15	5	9	282	18	16	22	37	64	96	154	193	135	45
Diseases of: Urinary	0·32	369	4	14	11	5	6	40	8	3	12	8	33	63	57	73	48	24
Diseases of: Generative	0·04	50	1	–	–	–	–	1	–	–	–	1	10	12	15	8	3	–
Childbirth	0·10	111	–	–	–	–	–	–	–	–	5	18	31	57	–	–	–	–
Suicide	0·05	55	–	–	–	–	–	–	–	–	2	5	7	9	12	11	6	3
Other Violence	0·69	801	59	40	47	32	31	209	90	58	58	45	70	73	92	57	33	16
Other Causes	5·46	6369	3365	518	157	87	49	4176	90	50	33	37	82	97	152	209	512	931

Deaths of Infants (under one) to 1000 Births - 157

Marriages - 9,591
Births - 49,049

Annual Rate per 1000 living: Persons Married - 16·48; Births - 42·14

374.—DUDLEY.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	24·24	—	—	—	—	—	84·91	7·87	3·74	4·96	6·26	7·17	11·22	15·27	31·60	71·94	174·14
Mean Pop. 1871-80	—	137,174	4776	4189	4139	4144	4192	21440	18891	16052	13922	11809	18215	14081	10776	7155	3607	1226
ALL CAUSES	24·24	33,245	10,748	3992	1760	1040	665	18205	1487	600	691	739	1306	1580	1646	2261	2595	2135
Small-pox	0·88	1204	220	74	105	77	82	558	359	73	50	57	52	33	13	8	1	–
Measles	0·59	808	138	344	159	80	43	764	41	1	1	–	1	–	–	–	–	–
Scarlet Fever	1·13	1623	109	299	339	293	202	1242	320	42	11	3	2	2	–	–	–	–
Diphtheria	0·08	110	9	21	11	22	8	71	17	7	2	1	6	3	1	1	–	1
Whooping-cough	0·55	755	360	210	99	47	20	736	16	3	–	–	–	–	–	–	–	–
Typhus	0·07	92	1	–	1	1	2	5	14	7	12	9	11	11	8	10	3	2
Enteric Fever	0·52	713	20	43	29	27	28	147	113	81	88	70	78	57	30	34	12	3
Simple Cont. Fev.	0·12	165	11	19	17	15	12	74	18	9	6	7	12	13	10	7	7	2
Puerp. Fever	0·07	95	–	–	–	–	–	–	–	–	9	29	36	21	1	–	–	–
Diarr. and Dys.	1·32	1808	1002	463	100	32	7	1604	15	7	5	1	8	11	18	39	60	40
Cholera	0·01	13	1	1	–	–	1	3	–	–	–	1	–	4	–	2	2	1
Cancer	0·32	441	1	–	1	–	1	3	–	4	2	10	22	67	112	120	80	24
Scrotula	0·07	95	27	19	9	2	5	62	4	5	4	3	6	4	5	1	1	–
Tabes Mesent.	0·32	438	176	161	49	16	5	407	10	5	4	4	–	4	–	1	3	–
Phthisis	1·02	1402	15	20	18	7	6	66	33	42	144	205	336	290	149	90	36	2
Hydrocephalus	0·20	278	119	72	32	14	6	243	14	9	6	3	2	–	–	1	–	–
Diseases of: Nervous Syst.	2·73	3743	1618	276	102	76	33	2108	93	45	62	54	110	143	187	231	418	192
Diseases of: Circulatory	0·95	1310	5	1	–	3	2	11	25	34	38	38	102	183	243	300	288	53
Diseases of: Respiratory	4·21	5912	1809	833	310	114	73	3229	112	33	49	55	143	252	364	644	608	333
Diseases of: Digestive	1·02	1394	262	63	23	15	8	371	45	25	38	36	85	139	188	248	169	50
Diseases of: Urinary	0·30	406	5	16	10	11	6	48	17	13	12	14	35	32	50	74	49	32
Diseases of: Generative	0·03	44	–	–	–	–	–	–	–	–	1	2	4	14	6	9	6	2
Childbirth	0·10	142	–	–	–	–	–	–	–	–	9	17	47	64	5	–	–	–
Suicide	0·04	49	–	–	–	–	–	–	–	–	1	6	8	4	9	12	7	2
Other Violence	0·83	1143	62	67	62	46	57	294	127	98	85	67	101	103	93	86	55	31
Other Causes	6·61	9058	4778	330	284	112	55	6159	94	56	52	47	93	126	124	234	705	1365

Deaths of Infants (under one) to 1000 Births - 171

Marriages - 15,723
Births - 62,758

Annual Rate per 1000 living: Persons Married - 22·92; Births - 45·75

WORCESTERSHIRE.

375.— STOURBRIDGE.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	21·42	—	—	—	—	—	71·48	6·89	3·02	4·60	5·75	6·82	10·06	14·25	28·61	65·58	171·06
Mean Pop. 1871-80	—	76,491	2,506	2213	2234	2255	2345	11553	10257	9033	7630	6586	10219	7891	6079	4160	2278	805
ALL CAUSES	21·42	16,386	5151	1619	705	454	329	8258	707	273	351	379	697	794	866	1190	1494	1377
Small-pox	0·54	410	90	21	23	18	27	181	88	27	26	33	25	13	13	4	-	-
Measles	0·45	346	70	133	66	31	17	317	28	-	1	-	-	-	-	-	-	-
Scarlet Fever	1·13	862	53	149	153	150	120	625	181	37	10	2	5	1	1	-	-	-
Diphtheria	0·09	69	4	11	7	10	9	41	18	4	2	-	4	-	-	-	-	-
Whooping-cough	0·40	307	156	81	38	21	6	302	5	-	-	-	-	-	-	-	-	-
Typhus	0·02	16	-	-	-	-	1	1	3	-	4	1	4	2	1	-	-	-
Enteric Fever	0·38	294	6	17	13	11	12	59	38	26	48	37	34	24	10	12	6	-
Simple Cont. Fev.	0·10	80	4	3	8	8	10	33	10	5	6	6	7	2	5	3	2	1
Puerp. Fever	0·08	63	-	-	-	-	-	-	-	-	2	12	33	15	1	-	-	-
Diarr. and Dys.	1·00	765	453	161	35	10	6	665	4	-	-	1	5	4	7	15	31	33
Cholera	0·01	4	1	-	-	-	-	1	-	-	-	-	-	1	-	2	-	-
Cancer	0·35	265	-	1	1	-	-	2	-	1	1	2	7	41	60	73	51	27
Scrofula	0·08	59	9	9	3	1	3	25	8	2	2	4	5	5	4	4	-	-
Tabes Mesent.	0·44	335	185	91	25	5	4	310	10	4	4	2	1	-	1	2	-	1
Phthisis	1·22	931	23	8	7	1	5	44	19	37	81	120	227	195	110	67	26	5
Hydrocephalus	0·19	142	54	23	13	9	5	109	24	2	2	4	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·48	1398	763	91	40	34	14	942	51	31	27	23	47	64	120	178	245	170
Circulatory „	1·22	936	1	4	-	1	-	6	14	17	22	21	44	83	132	234	256	107
Respiratory „	3·74	2857	889	429	140	70	33	1561	63	11	12	30	60	89	140	268	359	264
Digestive „	0·89	677	119	31	7	3	4	155	6	9	13	14	34	73	95	132	107	39
Urinary „	0·38	290	5	9	7	2	1	24	4	9	7	3	24	33	40	57	58	31
Generative „	0·04	32	-	-	-	-	-	-	-	-	1	-	5	4	5	4	6	7
Childbirth	0·12	88	-	-	-	-	-	-	-	-	4	16	34	32	2	-	-	-
Suicide	0·04	30	-	-	-	-	-	-	-	1	2	3	5	9	2	5	3	-
Other Violence	0·68	519	32	31	33	16	23	135	67	32	43	25	39	38	45	29	41	25
OTHER CAUSES	5·35	4111	2246	369	86	53	29	2720	65	18	31	20	47	66	72	101	303	667

Deaths of Infants (under one) to 1000 Births - 160 | Marriages - 5,332 | Births - 32,212 | Annual Rate per 1000 living: Persons Married* - 13·94; Births - 42·11

376.—KIDDERMINSTER.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	19·25	—	—	—	—	—	55·04	4·72	2·40	4·32	5·57	6·62	9·46	15·74	29·40	61·28	162·87
Mean Pop. 1871-80	—	37,945	1123	995	1003	968	1004	5093	4554	4160	3817	3395	5149	4090	3310	2357	1379	641
ALL CAUSES	19·25	7303	1779	534	230	163	97	2803	215	100	165	189	341	387	521	693	845	1044
Small-pox	0·04	15	4	-	-	-	1	5	-	1	1	3	1	2	-	1	1	-
Measles	0·35	131	21	53	22	12	17	125	4	1	-	-	-	1	-	-	-	-
Scarlet Fever	0·68	258	25	55	51	54	26	211	40	2	3	1	1	-	-	-	-	-
Diphtheria	0·15	57	4	11	7	6	4	32	18	3	3	1	-	-	-	-	-	-
Whooping-cough	0·32	121	61	30	15	7	1	114	7	-	-	-	-	-	-	-	-	-
Typhus	0·03	12	-	-	-	-	1	1	2	3	-	-	-	-	1	2	3	-
Enteric Fever	0·18	67	1	-	4	5	1	11	12	4	11	7	3	2	6	8	3	-
Simple Cont. Fev.	0·14	55	12	7	3	5	2	29	9	-	2	-	-	1	5	1	4	4
Puerp. Fever	0·05	23	-	-	-	-	-	-	-	-	-	3	13	7	-	-	-	-
Diarr. and Dys.	0·99	375	250	63	5	4	3	325	5	-	-	1	1	1	4	3	15	20
Cholera	0·02	8	2	-	-	-	-	2	-	1	-	1	-	2	1	1	-	-
Cancer	0·50	189	-	-	-	-	-	-	-	1	2	1	8	25	38	50	44	20
Scrofula	0·06	23	7	2	1	1	-	11	4	3	3	1	1	-	-	-	-	-
Tabes Mesent.	0·25	94	55	22	7	3	1	88	1	2	2	1	-	-	-	-	-	-
Phthisis	1·77	672	44	21	5	3	1	74	11	15	48	104	130	119	90	49	30	2
Hydrocephalus	0·13	50	15	12	7	4	2	40	4	2	4	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·16	820	195	43	23	14	7	282	18	9	16	11	21	36	53	84	144	146
Circulatory „	1·30	495	3	2	-	2	-	7	11	13	11	15	33	41	70	113	121	60
Respiratory „	3·35	1270	284	102	31	20	12	449	13	4	17	9	34	45	111	169	237	191
Digestive „	0·94	360	52	6	3	4	1	66	13	5	6	6	17	22	53	79	59	34
Urinary „	0·39	149	4	3	5	1	1	14	2	4	2	5	17	14	21	30	18	22
Generative „	0·05	20	-	-	-	-	-	-	-	1	-	-	1	5	5	3	4	1
Childbirth	0·07	23	-	-	-	-	-	-	-	-	2	4	12	8	-	-	-	-
Suicide	0·06	24	-	-	-	-	-	-	-	-	-	2	2	5	5	6	3	1
Other Violence	0·61	230	37	6	12	7	5	67	19	18	15	3	13	22	20	27	13	10
OTHER CAUSES	4·65	1759	703	96	29	11	11	850	22	8	17	10	30	28	38	67	156	533

Deaths of Infants (under one) to 1000 Births - 138 | Marriages - 3,058 | Births - 12,874 | Annual Rate per 1000 living: Persons Married - 16·12; Births - 33·93

377.—TENBURY.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·24	—	—	—	—	—	35·93	4·44	3·32	4·49	4·33	7·01	9·11	15·51	26·08	61·51	180·86
Mean Pop. 1871-80	—	7708	217	191	202	206	213	1029	923	873	712	577	953	845	709	579	343	162
ALL CAUSES	18·24	1406	233	62	30	28	17	370	41	29	32	25	67	77	110	151	211	293
Small-pox	0·08	6	1	-	-	-	-	1	-	-	-	1	3	-	-	1	-	-
Measles	0·22	17	3	9	-	1	1	14	2	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·52	40	2	2	7	5	7	23	10	5	-	1	-	1	-	-	-	-
Diphtheria	0·14	11	-	1	1	1	1	4	6	-	-	1	-	-	-	-	-	-
Whooping-cough	0·26	20	7	5	3	4	1	20	-	-	-	-	-	-	-	-	-	-
Typhus	0·01	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Enteric Fever	0·29	22	-	1	1	1	1	4	3	-	1	1	3	3	4	2	1	-
Simple Cont. Fev.	0·07	5	-	-	-	1	-	1	-	2	-	-	-	-	1	-	1	-
Puerp. Fever	0·01	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diarr. and Dys.	0·49	38	15	2	-	-	-	17	-	-	-	-	-	-	4	2	28	7
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·51	39	-	-	-	-	-	-	-	-	-	-	1	3	10	12	10	3
Scrofula	0·05	4	1	1	-	-	-	2	1	-	-	-	-	1	-	-	-	-
Tabes Mesent.	0·08	6	4	-	-	-	-	4	-	1	1	-	-	-	-	-	-	-
Phthisis	1·19	92	1	-	2	-	-	3	3	5	11	9	23	18	11	4	2	-
Hydrocephalus	0·16	12	3	6	1	-	-	10	1	-	-	-	1	-	-	-	-	-
Diseases of Nervous Syst.	2·61	201	29	2	2	2	1	36	6	2	4	-	2	9	21	30	47	44
Diseases of Circulatory	1·19	92	-	-	-	-	-	-	1	1	2	3	3	8	11	18	28	17
Diseases of Respiratory	2·91	224	42	20	7	5	1	75	3	3	4	1	8	11	20	38	28	33
Diseases of Digestive	0·95	73	3	1	-	-	-	4	-	2	-	1	3	5	10	19	21	8
Diseases of Urinary	0·34	26	-	-	-	-	-	-	-	-	-	1	4	5	4	3	4	5
Diseases of Generative	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Childbirth	0·10	8	-	-	-	-	-	-	-	-	-	-	3	5	-	-	-	-
Suicide	0·09	7	-	-	-	-	-	-	-	-	-	-	1	-	2	3	-	1
Other Violence	0·53	41	-	3	3	3	2	11	1	3	5	1	2	5	1	3	7	2
OTHER CAUSES	5·44	419	122	9	3	5	2	141	4	4	3	4	7	3	11	16	53	173

Deaths of Infants (under one) to 1000 Births - 103 | Marriages - 412 | Births - 2,258 | Annual Rate per 1000 living: Persons Married - 10·69; Births - 29·29

378.—MARTLEY.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	16·55	—	—	—	—	—	31·44	3·97	2·36	3·06	5·30	7·07	8·14	12·32	25·63	53·85	155·09
Mean Pop. 1871-80	—	16,350	443	375	410	426	428	2112	2064	1781	1430	1188	1994	1819	1583	1194	793	383
ALL CAUSES	16·55	2706	470	91	44	30	29	664	82	42	44	63	141	148	195	306	427	594
Small-pox	0·07	12	-	-	-	1	-	1	-	-	2	2	5	-	1	1	-	-
Measles	0·17	27	7	8	3	4	2	24	-	1	-	-	1	1	-	-	-	-
Scarlet Fever	0·28	46	1	6	11	9	1	28	14	2	1	1	-	-	-	-	-	-
Diphtheria	0·13	22	2	-	2	1	2	7	11	1	2	1	-	-	-	-	-	-
Whooping-cough	0·18	29	17	10	1	1	-	29	-	-	-	-	-	-	-	-	-	-
Typhus	0·01	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
Enteric Fever	0·18	29	2	-	1	-	3	6	2	1	2	6	6	4	1	1	-	-
Simple Cont. Fev.	0·07	12	-	-	-	1	1	2	2	1	-	3	-	2	-	1	1	-
Puerp. Fever	0·02	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
Diarr. and Dys.	0·48	78	47	4	2	-	-	53	2	1	-	-	2	-	1	1	8	10
Cholera	0·01	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
Cancer	0·49	80	-	-	-	1	-	1	1	-	-	-	3	7	14	21	20	13
Scrofula	0·06	10	5	-	-	-	-	5	3	-	-	1	1	-	-	-	-	-
Tabes Mesent.	0·06	10	5	-	-	1	-	6	-	2	1	-	1	-	-	-	-	-
Phthisis	1·19	195	5	1	1	-	-	7	2	8	14	27	54	42	24	10	7	-
Hydrocephalus	0·15	24	9	2	1	3	1	16	4	-	2	1	-	1	-	-	-	-
Diseases of Nervous Syst.	2·10	343	45	10	3	3	2	63	3	3	4	5	9	10	23	65	78	80
Diseases of Circulatory	1·95	319	6	-	-	1	-	7	3	6	4	2	11	16	35	63	107	65
Diseases of Respiratory	2·76	451	100	29	7	9	2	147	7	4	2	-	12	19	31	74	83	92
Diseases of Digestive	1·02	167	16	2	-	2	1	21	3	1	-	-	6	12	21	45	28	29
Diseases of Urinary	0·38	62	-	-	1	-	-	1	-	-	-	1	2	11	12	14	9	12
Diseases of Generative	0·02	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Childbirth	0·08	13	-	-	-	-	-	-	-	-	-	2	7	4	-	-	-	-
Suicide	0·03	10	-	-	-	-	-	-	-	-	-	-	1	-	4	2	1	2
Other Violence	0·56	91	8	3	1	-	2	14	8	8	6	7	8	8	15	3	7	7
OTHER CAUSES	4·07	665	194	16	10	2	3	225	17	2	4	4	9	8	11	24	77	284

Deaths of Infants (under one) to 1000 Births - 101 | Marriages - 823 | Births - 4,648 | Annual Rate per 1000 living: Persons Married - 10·13; Births - 28·43

379.—WORCESTER.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	23·13	—	—	—	—	—	68·24	6·21	2·88	5·04	6·98	9·18	14·51	21·84	35·63	74·79	171·20
Mean Pop. 1871-80	—	32,355	881	737	815	746	776	3955	3541	3407	3370	2895	4719	3840	2916	2018	1194	500
ALL CAUSES	23·13	7484	1820	448	200	146	85	2699	220	98	170	202	433	557	637	719	893	856
Small-pox	0·20	67	12	4	2	5	1	24	14	3	4	4	6	8	3	1	–	–
Measles	0·39	126	25	46	29	11	8	119	5	1	1	–	–	–	–	–	–	–
Scarlet Fever	0·54	175	15	32	34	24	19	124	38	5	2	3	1	2	–	–	–	–
Diphtheria	0·10	33	1	1	6	6	2	16	12	3	1	–	–	–	1	–	–	–
Whooping-cough	0·26	84	33	24	16	9	1	83	1	–	–	–	–	–	–	–	–	–
Typhus	0·02	7	–	–	–	–	–	–	3	1	–	–	3	–	–	–	–	–
Enteric Fever	0·29	93	2	1	2	8	3	16	12	15	12	5	12	8	6	3	3	–
Simple Cont. Fev.	0·07	23	–	1	3	–	2	6	6	1	3	1	1	1	–	1	3	–
Puerp. Fever	0·05	19	–	–	–	–	–	–	–	–	–	6	9	4	–	–	–	–
Diarr. and Dys.	1·59	515	364	59	10	3	3	439	6	–	1	1	8	6	8	12	12	22
Cholera	0·02	6	2	1	–	–	–	3	–	–	–	–	1	–	2	–	–	–
Cancer	0·52	168	–	–	–	–	–	–	–	–	1	–	4	23	39	44	40	17
Scrofula	0·07	22	10	5	4	1	–	20	–	1	1	–	–	–	–	–	–	–
Tabes Mesent.	0·37	121	69	27	5	3	4	108	6	1	1	–	3	1	1	–	–	–
Phthisis	2·10	681	18	4	–	3	1	26	14	9	50	84	177	150	105	51	14	1
Hydrocephalus	0·23	73	50	15	6	6	4	81	6	2	1	1	2	–	–	–	–	–
Diseases of: Nervous Syst.	2·74	888	185	43	16	10	9	263	20	5	11	12	23	45	87	125	167	130
Diseases of: Circulatory	1·59	513	1	1	–	1	–	3	9	8	17	15	34	77	80	91	126	50
Diseases of: Respiratory	4·01	1299	271	111	36	28	11	457	13	5	12	16	33	73	103	177	260	150
Diseases of: Digestive	1·26	389	50	8	3	2	1	64	7	5	7	7	27	46	61	74	62	29
Diseases of: Urinary	0·65	209	–	1	4	3	1	9	4	2	4	4	20	27	42	40	33	21
Diseases of: Generative	0·05	17	–	–	–	–	–	–	1	–	1	–	5	–	2	6	2	–
Childbirth	0·09	29	–	–	–	–	–	–	–	–	4	7	8	9	1	–	–	–
Suicide	0·05	17	–	–	–	–	–	–	–	–	1	2	2	4	7	1	–	–
Other Violence	0·75	243	20	9	7	8	2	46	23	15	16	13	26	25	30	22	12	15
Other Causes	5·17	1667	712	55	17	15	13	812	20	15	19	21	28	48	59	68	156	421

Deaths of Infants (under one) to 1000 Births - 176

Marriages - 2,440
Births - 10,352

Annual Rate per 1000 living: Persons Married - 15·08; Births - 32·00

380.—UPTON-ON-SEVERN.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·45	—	—	—	—	—	33·41	3·80	2·49	3·96	5·35	9·20	15·21	19·49	27·58	64·48	156·69
Mean Pop. 1871-80	—	23,305	519	473	518	480	500	2490	2503	2647	2398	1905	3034	2728	2293	1715	1084	508
ALL CAUSES	18·45	4299	587	124	48	41	32	832	95	66	95	102	279	415	447	473	699	796
Small-pox	0·04	9	1	–	–	–	–	1	–	–	1	–	1	3	3	–	–	–
Measles	0·07	17	3	6	1	2	2	14	3	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·22	52	4	8	6	5	8	31	12	7	1	–	–	–	–	–	1	–
Diphtheria	0·15	35	–	3	2	5	1	11	15	5	–	1	1	–	2	–	–	–
Whooping-cough	0·14	33	18	7	4	2	–	31	1	–	1	–	–	–	–	–	–	–
Typhus	0·01	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Enteric Fever	0·10	24	2	1	1	–	1	5	2	8	2	2	–	2	–	3	–	–
Simple Cont. Fev.	0·04	9	–	–	–	–	–	–	–	1	–	1	–	–	4	1	2	–
Puerp. Fever	0·06	14	–	–	–	–	–	–	–	–	1	3	8	2	–	–	–	–
Diarr. and Dys.	0·33	76	32	3	–	3	1	39	–	1	1	2	5	2	2	4	10	10
Cholera	0·00	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·50	116	–	–	1	–	–	1	–	–	–	–	6	10	28	32	24	15
Scrofula	0·05	12	1	2	–	2	–	5	2	1	1	–	–	–	2	1	–	–
Tabes Mesent.	0·12	29	12	8	–	1	–	21	2	1	2	1	–	–	–	1	–	1
Phthisis	1·46	340	1	1	–	1	1	4	2	6	41	40	84	89	50	21	11	1
Hydrocephalus	0·16	38	11	8	6	3	4	32	5	–	1	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	4·39	1023	128	20	9	4	5	176	14	13	13	19	78	148	134	128	181	119
Diseases of: Circulatory	2·21	514	–	1	–	–	–	1	2	5	7	6	19	43	80	116	170	65
Diseases of: Respiratory	2·54	592	126	32	11	4	4	177	14	4	9	11	29	39	49	70	105	85
Diseases of: Digestive	0·91	212	19	–	–	–	1	20	5	6	1	6	10	24	34	28	42	26
Diseases of: Urinary	0·45	106	1	–	–	–	–	1	–	–	–	1	7	11	20	24	32	10
Diseases of: Generative	0·03	7	–	–	–	–	–	–	–	–	–	–	1	2	1	1	1	1
Childbirth	0·07	17	–	–	–	–	–	–	–	–	–	1	8	7	1	–	–	–
Suicide	0·10	24	–	–	–	–	–	–	–	–	–	2	3	10	4	3	2	–
Other Violence	0·48	113	9	4	3	4	2	22	7	4	8	3	7	18	15	4	14	11
Other Causes	3·82	884	208	20	4	5	2	239	9	4	5	2	11	14	18	26	104	452

Deaths of Infants (under one) to 1000 Births - 105

Marriages - 1,183
Births - 5,606

Annual Rate per 1000 living: Persons Married - 10·15; Births - 24·05

381.—EVESHAM.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
ANNUAL DEATH RATE PER 1000	—	17·42	—	—	—	—	—	40·19	3·47	3·04	3·82	6·90	7·50	9·80	12·24	23·09	58·97	145·25
Mean Pop. 1871-80	—	15,447	431	414	418	416	416	2095	1932	1779	1389	1189	1973	1664	1332	1081	697	316
ALL CAUSES	17·42	2691	598	127	57	30	30	842	67	54	53	82	148	163	163	249	411	459
Small-pox	0·06	10	-	-	2	-	-	2	-	1	1	5	-	-	1	-	-	-
Measles	0·08	12	5	3	1	1	1	11	1	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·34	52	6	11	9	13	3	42	5	3	1	-	1	-	-	-	-	-
Diphtheria	0·30	47	1	3	5	1	5	15	19	9	1	-	2	1	-	-	-	-
Whooping-cough	0·23	35	19	8	3	-	3	33	2	-	-	-	-	-	-	-	-	-
Typhus	00·0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	0·28	44	2	1	-	1	2	6	2	8	5	6	9	2	3	2	1	-
Simple Cont. Fev.	0·06	9	-	-	-	1	-	1	1	2	2	2	-	1	-	-	-	-
Puerp. Fever	0·09	14	-	-	-	-	-	-	-	-	-	2	5	7	-	-	-	-
Diarr. and Dys.	0·53	82	46	12	-	1	-	59	1	-	-	1	1	1	1	2	8	8
Cholera	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Cancer	0·54	83	-	-	-	-	-	-	-	-	1	1	-	11	17	23	25	5
Scrofula	0·06	9	1	-	1	-	-	2	-	1	1	-	1	1	1	1	1	-
Tabes Mesent.	0·12	18	10	3	2	1	-	16	-	-	-	-	1	1	-	-	-	-
Phthisis	1·50	231	3	-	-	-	-	3	2	6	18	36	67	39	25	21	13	1
Hydrocephalus	0·08	13	6	1	-	-	1	8	4	-	1	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·14	331	107	12	4	1	-	124	6	4	4	6	12	8	15	38	64	50
Diseases of: Circulatory ,,	1·43	221	-	-	-	-	1	1	3	3	2	1	12	12	23	45	75	44
Diseases of: Respiratory ,,	2·86	442	110	47	17	4	7	185	6	1	2	4	8	22	30	49	70	65
Diseases of: Digestive ,,	0·91	140	18	-	1	1	2	22	2	2	3	5	6	16	22	23	23	16
Diseases of: Urinary ,,	0·40	62	1	-	1	-	-	2	-	1	2	2	6	9	4	17	13	6
Diseases of: Generative ,,	0·05	7	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	1
Childbirth	0·11	17	-	-	-	-	-	-	-	-	-	-	8	9	-	-	-	-
Suicide	0·04	6	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	-
Other Violence	0·52	80	4	2	4	1	2	13	9	6	7	8	2	7	8	3	7	10
OTHER CAUSES	4·68	725	259	24	7	4	3	297	4	7	2	2	6	14	9	24	107	253

Deaths of Infants (under one) to 1000 Births - 123 | Marriages - 913 | Births - 4,873 | Annual Rate per 1000 living: Persons Married - 11·82; Births - 31·55

382.—PERSHORE.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
ANNUAL DEATH RATE PER 1000	—	16·76	—	—	—	—	—	36·38	4·08	3·28	4·55	7·37	6·14	8·72	10·47	23·36	53·69	142·72
Mean Pop. 1871-80	—	13,851	379	338	372	337	355	1781	1764	1553	1230	1017	1695	1525	1299	993	678	316
ALL CAUSES	16·76	2322	455	90	39	39	25	648	72	51	56	75	104	133	136	232	364	451
Small-pox	0·02	3	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-
Measles	0·12	16	2	4	3	2	3	14	-	1	1	-	-	-	-	-	-	-
Scarlet Fever	0·48	66	6	9	12	10	6	43	16	4	-	2	1	-	-	-	-	-
Diphtheria	0·22	31	1	1	1	3	4	10	10	8	2	-	1	-	-	-	-	-
Whooping-cough	0·17	24	13	7	-	2	1	23	1	-	-	-	-	-	-	-	-	-
Typhus	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	0·17	23	-	-	-	-	1	1	4	4	8	1	1	1	2	1	-	-
Simple Cont. Fev.	0·03	4	1	-	-	-	-	1	-	1	-	-	-	-	-	-	1	1
Puerp. Fever	0·04	6	-	-	-	-	-	-	-	-	-	1	2	2	1	-	-	-
Diarr. and Dys.	0·37	79	39	10	1	1	1	52	2	-	-	-	-	1	-	3	8	13
Cholera	0·02	3	-	1	1	1	-	3	-	-	-	-	-	-	-	-	-	-
Cancer	0·43	59	-	-	-	-	-	-	-	-	-	1	2	8	8	13	14	13
Scrofula	0·03	7	-	1	-	-	-	1	4	1	1	-	-	-	-	-	-	-
Tabes Mesent.	0·03	7	1	1	1	-	-	3	2	1	-	-	-	-	1	-	-	-
Phthisis	1·22	169	2	4	1	1	-	8	3	9	15	34	43	28	16	8	5	-
Hydrocephalus	0·03	8	-	2	-	1	1	4	1	2	-	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·42	336	52	11	2	-	2	67	5	2	3	3	5	14	21	49	99	77
Diseases of: Circulatory ,,	1·79	248	-	1	-	-	-	1	4	1	3	4	10	21	25	55	86	38
Diseases of: Respiratory ,,	2·48	347	76	24	9	7	1	117	8	4	3	9	6	13	18	43	60	66
Diseases of: Digestive ,,	0·95	132	20	1	2	2	-	25	4	3	3	5	6	6	13	25	23	19
Diseases of: Urinary ,,	0·46	64	-	1	-	-	-	1	1	1	5	2	6	7	7	11	18	5
Diseases of: Generative ,,	0·04	6	-	-	-	-	-	-	-	-	-	-	1	1	-	-	4	-
Childbirth	0·16	22	-	-	-	-	-	-	-	-	2	1	7	12	-	-	-	-
Suicide	0·08	11	-	-	-	-	-	-	-	-	1	-	1	1	1	2	4	1
Other Violence	0·49	68	12	-	3	4	2	21	3	5	3	3	4	7	6	8	3	5
OTHER CAUSES	4·24	583	229	12	3	5	3	252	4	4	6	8	8	11	15	14	48	213

Deaths of Infants (under one) to 1000 Births - 112 | Marriages - 918 | Births - 4,975 | Annual Rate per 1000 living: Persons Married - 13·26; Births - 29·42

383.—DROITWICH.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	17·26	—	—	—	—	—	43·06	4·56	2·37	4·10	4·80	6·54	9·90	12·11	25·02	57·05	159·73
Mean Pop. 1871-80	—	24,261	725	631	700	637	684	3377	3067	2698	2245	1896	3273	2677	2130	1539	922	437
ALL CAUSES	17·26	4187	981	243	103	71	56	1454	140	64	92	91	214	265	258	385	526	698
Small-pox	0·08	19	2	-	-	-	-	2	2	1	3	5	5	-	-	1	-	-
Measles	0·14	34	4	16	7	1	3	31	1	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·48	117	9	13	15	23	10	70	26	8	2	4	5	2	-	-	-	-
Diphtheria	0·14	34	2	5	1	3	3	14	12	3	-	1	3	1	-	-	-	-
Whooping-cough	0·29	71	40	19	8	1	-	68	2	1	-	-	-	-	-	-	-	-
Typhus	0·04	9	-	1	1	1	-	3	-	1	1	1	-	2	1	-	-	-
Enteric Fever	0·19	47	2	2	1	1	2	8	4	4	5	4	9	6	3	3	1	-
Simple Cont. Fev.	0·05	13	2	-	-	1	1	4	2	2	1	-	1	1	-	-	1	1
Puerp. Fever	0·11	26	-	-	-	-	-	-	-	-	3	7	8	8	-	-	-	-
Diarr. and Dys.	0·68	165	112	15	3	1	1	132	2	1	-	1	1	2	2	2	6	16
Cholera	0·01	3	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1
Cancer	0·40	96	1	1	-	-	-	2	-	-	-	-	2	13	16	27	20	16
Scrofula	0·13	32	6	5	2	1	3	17	4	-	2	-	2	2	2	2	1	-
Tabes Mesent.	0·19	46	25	6	4	1	2	38	3	1	2	-	-	-	1	1	-	-
Phthisis	1·24	302	10	4	2	2	-	18	3	8	32	37	77	56	44	22	4	1
Hydrocephalus	0·29	71	22	18	8	4	5	57	9	2	-	2	-	-	-	1	-	-
Diseases of: Nervous Syst	2·04	494	77	20	8	6	4	115	11	6	9	4	14	21	37	70	108	90
Diseases of: Circulatory „	1·31	318	3	2	-	-	-	5	4	4	5	4	24	27	35	63	94	53
Diseases of: Respiratory „	2·71	657	148	61	22	6	10	247	6	2	5	6	11	41	34	73	106	126
Diseases of: Digestive „	0·95	231	33	6	3	1	3	46	5	2	2	2	11	19	32	46	44	22
Diseases of: Urinary „	0·40	97	1	-	1	2	-	4	3	2	4	3	8	13	13	22	13	12
Diseases of: Generative „	0·07	16	-	-	-	-	-	-	-	-	-	1	5	3	-	3	3	1
Childbirth	0·08	20	-	-	-	-	-	-	-	-	2	2	7	7	2	-	-	-
Suicide	0·07	16	-	-	-	-	-	-	-	-	2	-	-	3	6	3	2	-
Other Violence	0·65	157	18	5	10	6	3	42	27	11	4	6	11	19	13	9	11	4
OTHER CAUSES	4·52	1097	464	43	7	10	6	530	14	4	8	1	10	18	17	37	112	346

Deaths of Infants (under one) to 1000 Births - 126

Marriages - 2,121
Births - 7,813

Annual Rate per 1000 living: Persons Married - 17·48; Births - - - 32·20

384.—BROMSGROVE.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	19·39	—	—	—	—	—	55·81	5·95	3·17	4·95	6·20	6·91	9·71	15·04	24·62	61·98	168·36
Mean Pop. 1871-80	—	30,458	937	826	852	839	823	4277	3800	3441	2928	2534	4009	3263	2699	1962	1131	414
ALL CAUSES	19·39	5905	1464	476	216	134	97	2387	226	109	145	157	277	317	406	483	701	697
Small-pox	0·11	34	3	-	1	-	-	4	6	4	2	8	2	6	-	1	1	-
Measles	0·23	71	14	27	17	4	6	68	3	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·88	268	20	54	48	45	32	199	53	9	2	-	2	1	1	1	-	-
Diphtheria	0·14	43	3	4	3	7	2	19	11	7	2	1	1	1	-	1	-	-
Whooping-cough	0·34	104	44	36	14	6	3	103	1	-	-	-	-	-	-	-	-	-
Typhus	0·03	9	-	-	-	-	-	-	-	1	1	2	-	1	4	-	-	-
Enteric Fever	0·30	90	2	1	3	3	3	12	17	13	14	6	10	9	5	3	1	-
Simple Cont. Fev.	0·10	31	-	1	3	1	1	6	7	2	3	3	1	-	1	2	5	1
Puerp. Fever	0·05	15	-	-	-	-	-	-	-	-	1	3	8	3	-	-	-	-
Diarr. and Dys.	1·00	306	194	50	6	2	1	253	3	-	-	1	3	2	5	5	12	22
Cholera	0·05	16	6	2	2	-	-	10	1	-	-	1	-	-	1	1	2	-
Cancer	0·43	132	-	-	-	-	1	1	1	-	1	1	1	20	22	31	41	13
Scrofula	0·19	57	21	11	4	2	-	38	6	1	2	1	1	3	1	3	1	-
Tabes Mesent.	0·25	77	26	25	6	2	1	60	4	2	3	2	2	-	3	1	-	-
Phthisis	1·69	514	15	14	2	2	3	36	6	14	57	70	114	97	75	32	12	1
Hydrocephalus	0·24	72	30	18	2	1	3	54	10	6	1	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·20	670	152	26	16	6	3	203	18	9	9	8	18	20	42	79	149	115
Diseases of: Circulatory „	1·33	406	1	1	-	1	1	4	5	8	10	11	30	33	69	84	119	42
Diseases of: Respiratory „	3·26	992	281	105	48	24	13	471	14	4	9	4	18	34	58	97	151	132
Diseases of: Digestive „	0·99	302	45	10	3	2	3	63	6	4	7	6	14	22	54	52	51	23
Diseases of: Urinary „	0·32	97	3	1	2	1	1	8	4	3	1	5	9	8	10	11	25	13
Diseases of: Generative „	0·05	16	-	-	-	-	-	-	-	-	-	-	1	6	4	1	2	2
Childbirth	0·10	30	-	-	-	-	-	-	-	-	2	4	11	13	-	-	-	-
Suicide	0·05	16	-	-	-	-	-	-	-	1	-	1	2	3	5	4	-	-
Other Violence	0·54	166	23	6	4	4	8	45	23	14	3	7	15	11	16	13	11	8
OTHER CAUSES	4·52	1371	581	84	32	21	12	730	27	7	15	11	14	24	39	61	118	325

Deaths of Infants (under one) to 1000 Births - 140

Marriages - 1,737
Births - 10,464

Annual Rate per 1000 living: Persons Married - 11·41; Births - - - 34·36

385.—KING'S NORTON.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
Annual Death Rate per 1000	—	16·51	—	—	—	—	—	50·90	5·23	2·73	3·40	4·51	6·19	9·38	14·52	27·72	61·74	158·53
Mean Pop. 1871-80	—	81,472	2378	2120	2212	2159	2163	11032	9677	8569	8647	8093	12609	9089	6529	4160	2235	832
ALL CAUSES	16·51	13,448	3535	1064	468	314	234	5615	506	234	294	365	781	853	948	1153	1380	1319
Small-pox	0·11	92	9	1	-	4	3	17	6	4	6	17	21	9	7	3	2	-
Measles	0·18	150	38	52	18	16	11	135	11	2	2	-	-	-	-	-	-	-
Scarlet Fever	0·74	603	35	92	103	99	72	401	151	26	9	3	5	1	-	1	-	-
Diphtheria	0·19	156	13	12	12	18	24	79	47	10	7	2	1	7	-	2	-	1
Whooping-cough	0·42	341	139	121	43	20	9	332	7	2	-	-	-	-	-	-	-	-
Typhus	0·03	25	-	-	1	2	1	4	5	2	2	4	2	2	2	1	1	-
Enteric Fever	0·24	195	1	3	8	7	8	27	36	21	20	24	30	12	13	7	5	-
Simple Cont. Fev.	0·06	45	2	2	4	2	4	14	7	1	3	3	5	5	2	4	-	1
Puerp. Fever	0·05	43	-	-	-	-	-	-	-	-	1	8	23	6	-	-	-	-
Diarr. and Dys.	0·83	678	440	104	23	6	-	573	3	1	-	3	4	7	4	23	23	37
Cholera	0·01	7	-	1	-	1	-	2	-	-	1	1	-	-	2	2	-	-
Cancer	0·48	390	-	-	-	-	-	-	1	1	3	3	13	44	102	96	91	36
Scrofula	0·05	41	7	2	3	6	-	18	2	4	3	2	1	-	4	5	1	1
Tabes Mesent.	0·18	144	64	32	13	3	3	115	11	8	2	-	4	1	-	1	1	1
Phthisis	1·47	1199	13	11	5	4	5	38	10	34	108	155	334	263	136	69	20	2
Hydrocephalus	0·25	207	81	49	17	17	13	177	24	7	1	-	1	-	-	-	-	-
Diseases of: Nervous Syst.	1·93	1575	450	101	47	20	16	634	51	29	32	26	59	74	109	171	223	163
Diseases of: Circulatory "	0·95	774	3	1	-	-	1	5	9	18	37	14	46	70	114	168	206	107
Diseases of: Respiratory "	3·23	2632	730	284	91	49	35	1189	44	13	19	23	69	127	153	278	385	330
Diseases of: Digestive "	0·81	659	79	22	8	2	4	115	18	7	7	14	41	72	100	124	104	57
Diseases of: Urinary "	0·31	253	1	3	2	2	1	9	7	5	8	13	20	33	32	51	52	23
Diseases of: Generative "	0·04	32	-	-	-	-	-	-	-	-	-	1	2	4	8	8	8	1
Childbirth	0·07	53	-	-	-	-	-	-	-	-	-	7	24	22	-	-	-	-
Suicide	0·07	56	-	-	-	-	-	-	-	-	4	6	5	9	18	9	5	-
Other Violence	0·36	290	48	12	14	8	8	90	21	16	18	15	20	28	23	20	21	15
Other Causes	3·45	2808	1382	159	53	28	16	1638	35	23	21	16	46	57	89	111	227	545

Deaths of Infants (under one) to 1000 Births - 123 | Marriages - 7,661 | Births - 27,537 | Annual Rate per 1000 living: Persons Married - 18·81; Births - 35·80

[WARWICKSHIRE.

386.—BIRMINGHAM.

—	Annual Death Rate per 1000	25·82	—	—	—	—	—	36·16	8·03	3·88	5·36	7·39	10·52	16·73	24·89	43·75	84·84	181·11
Mean Pop. 1871-80	—	238,684	7474	6436	6640	6426	6490	33376	28529	25614	24611	22859	36622	27966	19778	11956	5668	1705
ALL CAUSES	25·82	61,635	17042	5956	2795	1741	1224	28758	2291	994	1319	1690	3854	4679	4922	5231	4809	3088
Small-pox	0·44	1042	125	34	27	27	23	236	128	77	129	171	179	54	42	10	6	-
Measles	0·44	1055	222	404	204	107	68	995	47	10	-	1	-	-	-	2	-	-
Scarlet Fever	1·12	2672	163	395	339	451	358	1696	612	71	16	9	13	4	1	-	-	-
Diphtheria	0·22	532	52	76	74	76	81	359	108	24	11	8	11	4	2	3	-	2
Whooping-cough	0·90	2141	819	679	308	175	73	2092	49	-	-	-	-	-	-	-	-	-
Typhus	0·02	57	1	-	2	1	2	6	8	12	7	10	7	1	2	3	1	-
Enteric Fever	0·33	788	15	16	26	20	38	124	129	86	92	76	105	71	47	30	22	6
Simple Cont. Fev.	0·11	261	14	23	26	18	23	104	45	14	18	15	16	21	7	10	9	2
Puerp. Fever	0·07	170	-	-	-	-	-	-	-	-	5	43	74	47	1	-	-	-
Diarr. and Dys.	1·84	4396	3097	711	145	40	28	3961	36	6	6	10	22	35	40	92	125	93
Cholera	0·01	26	2	3	2	3	1	11	3	-	1	1	1	1	2	4	1	1
Cancer	0·49	1176	-	-	1	-	2	3	8	3	12	8	87	199	301	303	260	52
Scrofula	0·09	205	37	37	23	14	7	118	19	13	13	8	11	10	7	4	2	-
Tabes Mesent.	0·21	496	250	135	40	14	9	446	18	8	7	7	-	3	3	2	2	-
Phthisis	2·48	5913	84	69	59	28	23	254	92	142	399	654	1434	1431	1331	440	108	6
Hydrocephalus	0·29	690	245	177	74	43	30	569	76	22	5	3	8	4	1	2	-	-
Diseases of: Nervous Syst.	2·75	6552	1809	497	209	135	96	2746	188	104	96	123	318	507	666	770	721	313
Diseases of: Circulatory ,,	1·14	2716	8	6	5	3	10	32	39	80	92	103	267	435	550	560	416	142
Diseases of: Respiratory ,,	5·24	12501	2037	1593	590	248	135	5573	163	52	86	138	408	778	1169	1796	1612	726
Diseases of: Digestive ,,	0·89	2120	354	65	34	21	15	489	51	39	46	58	173	279	345	330	227	83
Diseases of: Urinary ,,	0·45	1082	11	15	13	19	17	75	60	28	37	38	132	164	193	180	133	37
Diseases of: Generative ,,	0·07	160	-	-	-	-	-	-	-	1	3	7	35	33	39	30	9	3
Childbirth	0·10	227	-	-	-	-	-	-	-	-	14	32	93	85	3	-	-	-
Suicide	0·11	254	-	-	-	-	-	-	-	-	13	16	35	54	71	42	21	2
Other Violence	1·28	3065	1010	171	141	134	95	1581	224	107	108	65	166	215	198	158	143	100
Other Causes	4·73	11338	5747	852	262	122	95	7078	188	95	93	86	229	244	294	460	1051	1520

Deaths of Infants (under one) to 1000 Births - 179 | Marriages - 23,465 | Births - 95,201 | Annual Rate per 1000 living: Persons Married - 19·66; Births - 39·89

387.—ASTON.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	20·65	—	—	—	—	—	70·75	6·15	2·89	4·29	5·25	6·90	11·29	17·39	32·78	66·34	161·43
Mean Pop. 1871–80	—	178,352	5991	5462	5654	5332	5195	27634	23135	19537	17438	16042	27594	20267	13588	8073	3824	1220
ALL CAUSES	20·65	36,838	12,129	4000	1667	1024	732	19552	1423	565	748	842	1903	2289	2363	2646	2537	1970
Small-pox	0·27	476	60	6	8	7	11	92	19	36	69	89	84	48	19	9	–	–
Measles	0·37	656	149	254	124	50	38	615	36	–	–	–	3	1	–	1	–	–
Scarlet Fever	1·07	1912	128	322	261	343	251	1405	407	57	22	6	12	2	1	–	–	–
Diphtheria	0·22	409	41	61	48	57	40	247	103	30	9	4	2	4	–	1	–	–
Whooping-cough	0·76	1358	544	462	178	90	52	1326	31	1	–	–	–	–	–	–	–	–
Typhus	0·02	39	–	–	–	–	–	–	14	9	7	2	2	2	1	1	1	–
Enteric Fever	0·31	552	15	17	22	21	23	98	102	66	71	55	56	46	28	11	14	5
Simple Cont. Fev.	0·05	93	3	10	8	7	7	35	16	6	5	5	9	4	5	4	2	2
Puerp. Fever	0·07	126	–	–	–	–	–	–	–	–	7	23	61	32	–	–	–	–
Diarr. and Dys.	1·50	2675	1860	478	93	22	14	2467	22	1	3	3	13	10	14	35	53	54
Cholera	0·02	27	6	5	2	–	1	14	3	2	–	–	1	–	3	–	4	–
Cancer	0·40	714	–	–	1	1	–	2	4	2	3	5	33	100	200	192	135	33
Scrofula	0·08	136	30	26	8	5	4	73	10	8	9	5	8	8	10	2	1	2
Tabes Mesent.	0·23	406	231	89	26	8	8	362	14	8	5	5	3	4	3	1	1	–
Phthisis	1·74	3098	63	57	20	10	13	163	54	67	262	335	755	730	438	238	47	9
Hydrocephalus	0·30	531	207	131	63	35	18	454	56	10	3	4	2	2	–	–	–	–
Diseases of Nervous Syst.	2·25	4017	1285	372	155	94	67	1973	129	69	49	53	134	178	236	437	453	276
Diseases of Circulatory	1·00	1791	11	2	1	6	8	28	23	37	56	31	150	267	305	390	336	145
Diseases of Respiratory	3·98	7097	2277	1025	323	152	72	3849	140	26	46	74	220	311	482	715	772	432
Diseases of Digestive	0·78	1384	267	36	24	12	14	353	28	21	33	34	99	156	234	218	150	58
Diseases of Urinary	0·31	551	11	15	9	14	7	56	24	16	9	19	38	69	105	107	71	37
Diseases of Generative	0·04	77	–	–	–	–	–	–	–	–	–	3	7	24	15	19	8	1
Childbirth	0·08	143	–	–	–	–	–	–	–	–	8	23	49	61	2	–	–	–
Suicide	0·07	125	–	–	–	–	–	–	–	1	5	13	19	25	29	19	14	–
Other Violence	0·55	983	441	51	36	13	20	561	69	33	25	20	47	49	55	57	37	24
OTHER CAUSES	4·18	7471	4500	581	157	74	64	5376	96	56	42	57	96	123	148	189	418	887

Deaths of Infants (under one) to 1000 Births - 160

Marriages - 13,951
Births - 75,781

Annual Rate per 1000 living { Persons Married - 15·64
Births - - - 42·49

388.—MERIDEN.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·02	—	—	—	—	—	35·63	3·91	2·79	3·38	8·45	6·47	8·29	11·99	24·88	52·03	148·18
Mean Pop. 1871–80	—	11,010	274	262	258	270	272	1336	1355	1364	947	769	1313	1194	1076	840	542	274
ALL CAUSES	17·02	1874	305	82	41	24	24	476	53	38	32	65	85	99	129	209	282	406
Small-pox	0·07	8	–	1	–	–	–	1	–	1	–	–	2	3	–	1	–	–
Measles	0·09	10	1	4	2	1	1	9	–	–	1	–	–	–	–	–	–	–
Scarlet Fever	0·35	38	3	3	7	4	7	24	11	1	–	1	1	–	–	–	–	–
Diphtheria	0·11	12	–	–	2	2	1	5	7	–	–	–	–	–	–	–	–	–
Whooping-cough	0·19	21	12	6	3	–	–	21	–	–	–	–	–	–	–	–	–	–
Typhus	0·05	5	–	–	1	–	–	1	–	–	1	–	1	1	1	–	–	–
Enteric Fever	0·12	13	–	1	–	–	1	2	1	3	1	1	2	–	–	1	2	–
Simple Cont. Fev.	0·07	8	–	–	–	–	2	2	–	–	–	–	–	1	–	4	1	–
Puerp. Fever	0·05	6	–	–	–	–	–	–	–	–	–	–	1	5	–	–	–	–
Diarr. and Dys.	0·45	50	25	2	1	1	1	30	1	–	–	–	1	1	1	1	5	10
Cholera	0·02	2	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–
Cancer	0·45	49	–	–	–	–	–	–	–	–	–	–	2	2	5	18	13	9
Scrofula	0·08	9	5	–	–	–	–	5	–	–	–	2	1	–	1	–	–	–
Tabes Mesent.	0·08	9	3	–	1	1	1	6	–	1	–	1	–	–	–	1	–	–
Phthisis	1·36	150	4	1	–	1	–	6	2	6	9	33	36	32	14	9	2	1
Hydrocephalus	0·13	14	6	3	1	1	2	13	1	–	–	–	–	–	–	–	–	–
Diseases of Nervous Syst.	2·08	229	44	7	2	1	3	57	8	6	6	3	4	9	20	28	32	56
Diseases of Circulatory	1·49	164	1	–	–	1	–	2	–	4	2	6	3	7	16	38	54	32
Diseases of Respiratory	3·35	369	58	37	11	4	1	111	8	3	3	4	7	10	22	38	53	103
Diseases of Digestive	1·30	143	15	–	3	2	–	20	2	–	1	2	8	8	14	29	31	28
Diseases of Urinary	0·66	73	–	–	–	–	–	–	1	–	–	3	4	3	12	17	21	12
Diseases of Generative	0·06	7	–	–	–	–	–	–	–	–	–	–	–	1	1	3	2	–
Childbirth	0·05	5	–	–	–	–	–	–	–	–	–	–	3	2	–	–	–	–
Suicide	0·15	17	–	–	–	–	–	–	–	–	1	–	2	1	5	3	4	1
Other Violence	0·45	49	3	3	3	2	1	12	2	8	4	4	3	5	4	3	3	1
OTHER CAUSES	3·76	414	125	14	4	3	2	148	9	5	3	5	4	7	13	15	51	151

Deaths of Infants (under one) to 1000 Births - 105

Marriages - 564
Births - 2,908

Annual Rate per 1000 living { Persons Married 10·25
Births - 26·41

389.—ATHERSTONE.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65 –	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	19·39	—	—	—	—	—	51·24	4·52	3·72	4·11	6·51	7·86	10·90	12·48	25·09	61·06	149·42
Mean Pop. 1871-80	—	13,147	397	372	378	374	370	1891	1725	1479	1241	1045	1718	1321	1098	861	511	257
ALL CAUSES	19·39	2549	611	198	80	51	29	969	78	55	51	68	135	144	137	216	312	384
Small-pox	0·08	10	2	-	-	-	-	2	1	-	-	3	-	1	2	-	-	1
Measles	0·46	61	18	20	6	8	2	54	7	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·52	68	4	9	9	8	8	38	18	8	1	-	-	3	-	-	-	-
Diphtheria	0·05	6	-	-	-	2	-	2	2	-	-	-	2	-	-	-	-	-
Whooping-cough	0·34	45	22	12	6	1	2	43	2	-	-	-	-	-	-	-	-	-
Typhus	0·06	8	-	-	-	-	1	1	-	1	3	-	2	-	1	-	-	-
Enteric Fever	0·39	51	-	-	3	2	2	7	3	7	12	8	5	3	2	2	1	1
Simple Cont. Fev.	0·02	3	-	-	-	1	-	1	-	-	-	1	-	-	-	-	1	-
Puerp. Fever	0·11	15	-	-	-	-	-	-	-	-	-	2	3	10	-	-	-	-
Diarr. and Dys.	1·12	147	85	25	7	3	-	120	2	-	-	1	1	1	4	4	8	6
Cholera	0·02	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1
Cancer	0·49	65	-	-	-	-	-	-	-	-	1	-	3	6	9	19	14	13
Scrofula	0·12	16	4	1	-	-	1	6	1	1	1	3	-	1	-	1	-	2
Tabes Mesent.	0·39	51	28	16	2	1	1	48	1	2	-	-	-	-	-	-	-	-
Phthisis	1·47	193	11	7	-	-	-	18	6	4	16	25	54	39	15	12	4	-
Hydrocephalus	0·18	24	3	7	4	3	3	20	4	-	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·18	287	90	11	5	1	1	108	5	3	1	3	12	10	14	25	60	46
Diseases of: Circulatory "	1·34	176	-	-	-	1	-	1	-	5	2	3	9	10	20	43	54	29
Diseases of: Respiratory "	3·81	501	107	60	20	6	6	199	6	4	4	6	8	16	28	42	80	100
Diseases of: Digestive "	1·23	162	17	3	2	3	1	26	5	3	2	2	7	9	27	30	29	22
Diseases of: Urinary "	0·33	44	-	-	-	1	-	1	1	-	-	2	-	4	5	9	11	11
Diseases of: Generative "	0·03	10	-	-	-	-	-	-	-	-	-	-	-	5	2	1	1	1
Childbirth	0·11	15	-	-	-	-	-	-	-	-	1	2	6	6	-	-	-	-
Suicide	0·05	6	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	-
Other Violence	0·86	113	8	6	7	3	-	24	7	13	6	4	15	6	7	13	8	10
OTHER CAUSES	3·58	469	212	21	9	7	1	250	7	4	1	3	6	13	3	13	38	131

Deaths of Infants (under one) to 1000 Births - 128 | Marriages - 826, Births - 4,782 | Annual Rate per 1000 living: Persons Married - 12·57, Births - 36·37

390.—NUNEATON.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65 –	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	22·08	—	—	—	—	—	65·44	5·77	3·00	6·71	7·47	7·76	11·06	14·68	26·13	32·26	170·12
Mean Pop. 1871-80	—	13,037	396	319	319	347	352	1733	1504	1401	1252	1044	1700	1402	1233	930	537	241
ALL CAUSES	22·08	2885	756	206	79	55	38	1134	92	42	84	78	132	155	181	243	334	410
Small-pox	0·51	66	12	5	4	1	3	25	6	4	8	7	9	5	2	-	-	-
Measles	0·18	23	5	9	6	1	1	22	1	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·54	70	10	7	11	13	9	50	17	2	1	-	-	-	-	-	-	-
Diphtheria	0·02	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Whooping-cough	0·21	27	13	11	1	1	1	27	-	-	-	-	-	-	-	-	-	-
Typhus	0·11	15	-	-	2	-	2	4	2	3	1	3	2	-	-	-	-	-
Enteric Fever	0·37	49	-	1	1	1	1	4	6	6	7	10	5	7	-	3	-	1
Simple Cont. Fev.	0·11	15	-	-	1	2	2	5	3	1	1	-	-	2	2	1	-	-
Puerp. Fever	0·05	7	-	-	-	-	-	-	-	-	-	3	2	2	-	-	-	-
Diarr. and Dys.	0·77	100	51	18	3	-	-	72	1	-	-	-	-	-	1	6	3	17
Cholera	0·01	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cancer	0·54	70	-	-	-	-	-	-	-	-	-	-	3	11	11	14	21	7
Scrofula	0·07	9	2	-	1	-	-	3	2	-	-	1	1	-	1	1	-	-
Tabes Mesent.	0·56	73	41	21	3	1	-	66	3	1	2	-	1	-	-	-	-	-
Phthisis	1·71	224	-	1	-	-	1	2	7	6	29	27	48	43	38	15	7	2
Hydrocephalus	0·26	34	8	10	3	4	-	25	6	2	-	-	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·79	365	107	12	3	6	3	131	4	3	8	5	9	13	21	42	75	54
Diseases of: Circulatory "	1·15	150	-	-	-	-	-	-	-	3	2	6	11	8	16	35	38	31
Diseases of: Respiratory "	4·03	526	145	67	23	11	6	252	11	2	5	3	11	23	31	53	70	65
Diseases of: Digestive "	1·09	143	13	4	1	1	-	19	2	1	4	2	2	18	28	29	27	11
Diseases of: Urinary "	0·51	67	-	1	2	1	-	4	2	-	-	1	3	4	9	13	21	10
Diseases of: Generative "	0·03	4	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-
Childbirth	0·08	11	-	-	-	-	-	-	-	-	-	2	4	5	-	-	-	-
Suicide	0·06	8	-	-	-	-	-	-	-	-	2	1	1	-	-	4	-	-
Other Violence	0·68	89	8	2	4	3	1	18	9	6	9	6	10	8	7	6	6	4
OTHER CAUSES	5·64	737	341	36	10	9	8	404	8	2	5	1	8	6	12	20	63	208

Deaths of Infants (under one) to 1000 Births - 162 | Marriages - 1,018, Births - 4,635 | Annual Rate per 1000 living: Persons Married - 15·58, Births - 35·70

391.—FOLESHILL.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	23·05	—	—	—	—	—	69·23	6·67	4·56	7·19	6·14	7·88	9·52	13·20	25·93	64·25	165·24
Mean Pop. 1871-80	—	17,873	534	453	489	483	524	2483	2264	1995	1684	1400	2171	1838	1614	1296	800	328
ALL CAUSES	23·05	4119	1098	320	152	88	61	1719	151	91	121	86	171	175	213	336	514	542
Small-pox	0·19	35	6	3	3	–	–	12	5	5	5	3	–	2	2	1	–	–
Measles	0·34	61	11	22	11	6	7	57	3	–	–	–	–	1	–	–	–	–
Scarlet Fever	0·65	117	7	16	23	20	10	76	32	8	1	–	–	–	–	–	–	–
Diphtheria	0·14	25	–	6	3	2	3	14	7	2	1	–	–	–	–	–	1	–
Whooping-cough	0·22	40	19	14	4	2	1	40	–	–	–	–	–	–	–	–	–	–
Typhus	0·08	14	–	1	–	–	–	1	3	6	–	–	1	1	1	–	1	–
Enteric Fever	0·36	65	1	–	4	2	1	8	7	11	14	5	5	5	5	4	–	1
Simple Cont. Fev.	0·16	29	–	2	6	3	3	14	4	4	1	3	–	1	–	1	1	–
Puerp. Fever	0·05	9	–	–	–	–	–	–	–	–	–	3	4	1	1	–	–	–
Diarr. and Dys.	0·58	103	59	20	5	2	1	87	1	1	–	–	–	–	3	1	5	5
Cholera	0·01	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	0·43	77	–	–	1	–	–	1	–	–	–	–	6	8	10	19	25	8
Scrofula	0·13	24	2	2	2	–	–	6	1	3	5	–	–	3	1	3	2	–
Tabes Mesent.	0·90	161	96	43	9	4	3	155	5	–	–	–	1	–	–	–	–	–
Phthisis	1·58	282	9	2	4	1	1	17	5	11	37	42	71	52	30	15	2	–
Hydrocephalus	0·35	62	29	15	4	–	3	51	11	–	–	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·26	404	113	25	13	7	4	162	11	7	16	8	8	17	22	44	69	40
Diseases of: Circulatory „	1·40	250	7	1	3	3	1	15	2	10	7	2	16	25	27	48	69	29
Diseases of: Respiratory „	3·09	552	159	63	16	16	8	272	14	6	6	1	14	13	36	66	63	61
Diseases of: Digestive „	1·46	261	42	13	6	5	1	67	7	2	5	7	13	23	29	43	40	16
Diseases of: Urinary „	0·41	74	4	–	2	1	2	9	3	1	4	1	5	7	6	17	15	6
Diseases of: Generative „	0·07	13	–	–	–	–	–	–	–	–	–	2	1	–	6	3	1	–
Childbirth	0·08	15	–	–	–	–	–	–	–	–	2	2	5	6	–	–	–	–
Suicide	0·11	20	–	–	–	–	–	–	–	–	–	1	–	3	4	7	4	1
Other Violence	0·62	110	9	4	6	3	3	25	12	8	13	2	9	–	12	9	14	6
Other Causes	7·38	1315	525	68	17	11	9	630	18	6	4	4	12	7	17	55	193	339

Deaths of Infants (under one) to 1000 Births - 160 | Marriages - 1,401 | Births - 6,851 | Annual Rate per 1000 living: Persons Married - 15·68; Births - 38·33

392.—COVENTRY.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	21·59	—	—	—	—	—	68·09	6·67	3·26	5·73	6·79	7·86	11·07	16·23	29·66	65·12	170·47
Mean Pop. 1871-80	—	42,614	1197	1063	1092	1091	1092	5535	4991	4303	4262	3756	5952	4795	3887	2744	1637	552
ALL CAUSES	21·59	9199	2456	673	305	186	149	3769	333	147	244	255	468	531	631	814	1066	941
Small-pox	0·53	224	33	7	1	6	12	64	43	18	26	20	24	18	8	3	–	–
Measles	0·28	118	19	52	24	13	3	111	6	–	–	1	–	–	–	–	–	–
Scarlet Fever	0·77	330	20	48	74	52	51	245	64	13	2	–	4	2	–	–	–	–
Diphtheria	0·15	66	5	3	8	3	7	26	28	4	1	–	1	–	2	3	1	–
Whooping-cough	0·47	200	86	58	34	13	6	197	3	–	–	–	–	–	–	–	–	–
Typhus	0·06	25	–	–	1	1	–	2	3	4	7	5	2	–	2	–	–	–
Enteric Fever	0·23	100	2	3	2	6	2	15	19	10	25	9	5	3	9	2	3	–
Simple Cont. Fev.	0·15	64	4	4	4	4	4	20	9	2	4	4	9	2	4	7	1	2
Puerp. Fever	0·08	34	–	–	–	–	–	–	–	–	2	9	20	5	–	–	–	–
Diarr. and Dys.	1·46	624	444	81	24	5	–	557	1	1	1	–	2	3	3	7	18	31
Cholera	0·01	6	3	–	1	1	–	5	–	–	–	–	–	–	–	–	1	–
Cancer	0·59	252	–	–	–	–	–	–	–	1	3	1	9	38	51	70	63	16
Scrofula	0·09	37	11	5	–	1	2	19	3	1	5	–	3	2	2	2	–	–
Tabes Mesent.	0·43	182	124	30	5	1	4	164	2	4	4	2	4	–	1	–	1	–
Phthisis	1·92	817	23	16	4	1	4	51	13	15	79	111	187	153	124	56	23	–
Hydrocephalus	0·32	138	42	24	14	8	11	99	22	6	8	1	–	1	1	–	–	–
Diseases of: Nervous Syst.	2·69	1168	263	61	24	12	10	370	22	13	20	17	25	54	77	138	219	153
Diseases of: Circulatory „	1·28	544	2	1	1	2	1	7	10	10	10	8	24	52	85	133	143	62
Diseases of: Respiratory „	3·85	1641	412	181	52	33	13	691	23	8	9	13	33	55	107	173	296	233
Diseases of: Digestive „	1·07	456	77	6	4	5	2	94	10	6	12	13	27	38	51	90	75	37
Diseases of: Urinary „	0·44	186	–	2	1	4	2	9	8	4	2	7	21	21	25	35	38	16
Diseases of: Generative „	0·08	35	–	–	–	–	–	–	–	–	–	1	4	7	5	10	7	1
Childbirth	0·07	30	–	–	–	–	–	–	–	–	5	3	10	12	–	–	–	–
Suicide	0·14	61	–	–	–	–	–	–	–	–	2	1	7	7	13	16	10	5
Other Violence	0·49	210	32	7	9	4	7	59	15	12	7	13	15	14	15	14	20	17
Other Causes	4·03	1709	816	81	18	11	8	964	29	15	10	16	32	39	43	55	138	368

Deaths of Infants (under one) to 1000 Births - 164 | Marriages - 4,124 | Births - 14,087 | Annual Rate per 1000 living: Persons Married - 19·36; Births - 35·17

393.—RUGBY.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death Rate per 1000	—	16·97	—	—	—	—	—	42·07	3·99	2·67	4·41	6·37	7·58	8·92	12·64	22·12	60·48	165·40
Mean Pop. 1871-80	—	26,124	688	654	651	605	635	3233	2960	2998	2766	2118	3498	2849	2381	1786	1083	452
ALL CAUSES	16·97	4433	930	243	84	62	41	1360	118	80	122	135	265	254	301	395	655	748
Small-pox	0·11	28	2	–	1	–	–	3	–	4	4	2	9	–	2	3	1	–
Measles	0·17	45	7	20	5	6	1	39	3	1	–	1	1	–	–	–	–	–
Scarlet Fever	0·30	78	4	9	12	12	12	49	24	3	1	–	–	–	1	–	–	–
Diphtheria	0·08	22	–	6	1	1	1	9	6	2	1	1	–	1	–	1	–	1
Whooping-cough	0·19	49	23	13	5	7	1	49	–	–	–	–	–	–	–	–	–	–
Typhus	0·03	7	–	–	–	–	–	–	1	–	1	2	1	–	1	–	–	1
Enteric Fever	0·33	85	3	1	2	3	4	13	14	9	6	8	13	7	6	4	3	2
Simple Cont. Fev.	0·11	30	1	1	–	–	1	3	3	2	2	1	6	3	1	2	2	5
Puerp. Fever	0·05	12	–	–	–	–	–	–	–	–	–	2	7	3	–	–	–	–
Diarr. and Dys.	0·55	144	70	14	3	2	2	91	3	–	2	2	3	–	3	8	15	17
Cholera	0·01	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–
Cancer	0·46	121	–	–	–	–	–	–	–	–	–	–	1	12	27	32	39	10
Scrofula	0·09	24	4	3	2	–	1	10	3	5	–	–	2	1	1	–	1	1
Tabes Mesent.	0·09	24	7	7	3	–	1	18	1	–	3	2	–	–	–	–	–	–
Phthisis	1·25	335	8	5	1	–	–	14	3	17	36	53	95	58	33	15	11	–
Hydrocephalus	0·11	29	5	6	4	–	1	16	7	3	2	1	–	–	–	–	–	–
Disease of Nervous Syst.	2·13	557	124	25	5	6	5	165	6	6	7	7	17	18	23	61	125	122
Disease of Circulatory „	1·29	338	–	1	1	2	–	4	–	4	10	9	20	27	50	71	87	56
Disease of Respiratory „	3·23	845	207	75	24	9	7	322	15	5	13	8	31	37	60	71	155	128
Disease of Digestive „	0·97	253	30	4	1	1	1	37	5	6	3	5	11	21	34	40	56	35
Disease of Urinary „	0·34	90	–	–	–	1	–	1	2	2	2	2	6	11	7	12	23	22
Disease of Generative „	0·06	16	–	–	–	–	–	–	–	–	–	1	–	2	4	3	1	5
Childbirth	0·13	35	–	–	–	–	–	–	–	–	1	4	13	17	–	–	–	–
Suicide	0·10	26	–	–	–	–	–	–	–	–	1	2	2	2	7	7	2	3
Other Violence	0·56	145	7	6	4	4	1	22	12	5	14	9	14	10	16	19	15	9
Other Causes	4·20	1092	428	47	10	8	2	495	10	6	13	13	13	23	25	45	118	331

Deaths of Infants (under one) to 1000 Births - 121 | Marriages - 1,611 | Births - 7,691 | Annual Rate per 1000 living: Persons Married - 12·33; Births - 29·44

394.—SOLIHULL.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death Rate per 1000	—	15·15	—	—	—	—	—	34·32	4·26	3·37	3·80	4·61	6·00	8·30	11·88	21·77	52·62	157·10
Mean Pop. 1871-80	—	18,359	466	447	476	467	478	2334	2208	1956	1789	1497	2451	2121	1675	1254	764	310
ALL CAUSES	15·15	2782	544	127	54	42	34	801	94	66	68	69	147	176	199	273	402	487
Small-pox	0·09	16	3	1	–	–	–	4	–	–	2	1	2	4	3	–	–	–
Measles	0·12	22	6	6	4	1	–	17	4	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·33	61	2	3	10	9	5	29	18	6	2	3	2	1	–	–	–	–
Diphtheria	0·28	51	–	6	2	6	3	17	16	10	1	2	1	1	1	–	2	–
Whooping-cough	0·32	59	32	20	1	2	2	57	2	–	–	–	–	–	–	–	–	–
Typhus	0·01	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Enteric Fever	0·13	24	–	1	1	1	1	4	2	3	1	3	2	4	2	1	2	–
Simple Cont. Fev.	0·04	7	1	–	–	1	1	3	1	1	–	–	–	–	1	–	1	–
Puerp. Fever	0·04	7	–	–	–	–	–	–	–	–	–	3	3	–	1	–	–	–
Diarr. and Dys.	0·48	88	51	2	2	3	2	60	4	–	–	2	–	2	1	2	7	10
Cholera	0·01	2	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Cancer	0·53	98	–	–	–	–	–	–	–	2	1	–	2	10	19	25	22	17
Scrofula	0·08	15	2	3	–	1	1	7	1	1	2	–	3	–	1	–	–	–
Tabes Mesent.	0·09	17	4	3	2	1	1	11	1	–	1	1	1	–	1	1	–	–
Phthisis	1·18	217	3	3	1	–	1	8	2	10	21	24	50	41	36	12	7	3
Hydrocephalus	0·20	37	9	7	7	2	4	29	3	3	2	–	–	–	–	–	–	–
Disease of Nervous Syst.	1·94	353	56	11	6	3	1	77	8	9	7	7	12	13	31	48	73	60
Disease of Circulatory „	1·11	204	1	–	–	–	–	1	1	1	5	4	9	21	27	45	60	39
Disease of Respiratory „	2·40	441	129	36	8	3	5	172	11	1	2	2	13	19	18	45	88	70
Disease of Digestive „	0·90	165	16	3	1	1	1	22	3	1	5	3	11	20	16	37	35	14
Disease of Urinary „	0·39	71	1	1	–	2	1	5	2	3	1	3	7	4	10	8	19	9
Disease of Generative „	0·11	21	–	–	–	–	–	–	–	–	–	–	4	6	4	3	4	–
Childbirth	0·07	13	–	–	–	–	–	–	–	–	–	1	6	6	–	–	–	–
Suicide	0·08	15	–	–	–	–	–	–	–	–	1	2	2	1	2	5	1	1
Other Violence	0·51	93	9	1	2	3	2	17	7	8	6	6	6	9	8	10	8	8
Other Causes	3·71	681	226	20	7	3	3	259	8	6	5	2	11	13	17	31	73	256

Deaths of Infants (under one) to 1000 Births - 114 | Marriages - 961 | Births - 4,790 | Annual Rate per 1000 living: Persons Married - 10·47; Births - 26·09

395.—WARWICK.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·75	—	—	—	—	—	50·28	4·76	3·33	4·73	6·48	7·83	11·08	17·30	28·16	61·20	166·50
Mean Pop. 1871-80	—	50,857	1245	1104	1141	1069	1123	5682	5312	4981	5079	4522	7207	5912	4983	3839	2361	979
ALL CAUSES	19·75	10,046	1905	485	216	142	109	2857	253	166	240	293	564	655	862	1081	1445	1630
Small-pox	0·03	29	3	-	-	-	-	3	1	1	4	5	5	4	3	1	1	1
Measles	0·23	115	23	45	16	13	6	103	7	1	-	-	2	2	-	-	-	-
Scarlet Fever	0·44	219	10	28	36	30	29	133	56	15	5	4	1	3	2	-	-	-
Diphtheria	0·08	44	1	6	6	8	4	25	8	4	1	-	-	4	-	-	-	-
Whooping-cough	0·26	132	59	36	19	9	5	128	2	2	-	-	-	-	-	-	-	-
Typhus	0·03	15	-	-	-	1	-	1	-	3	2	2	1	1	3	1	1	-
Enteric Fever	0·26	133	2	1	1	6	5	15	12	13	18	13	16	18	7	14	6	1
Simple Cont. Fev.	0·10	51	1	-	2	3	6	12	10	6	2	2	3	1	2	2	6	5
Puerp. Fever	0·04	18	-	-	-	-	-	-	-	-	2	4	8	4	-	-	-	-
Diarr. and Dys.	0·75	383	209	36	11	2	3	261	4	1	-	1	2	9	12	21	20	52
Cholera	0·01	3	-	2	-	-	-	2	-	-	-	-	-	-	-	-	1	-
Cancer	0·67	339	-	-	-	-	-	-	-	-	4	1	11	30	66	95	92	40
Scrofula	0·13	67	8	7	2	3	1	21	4	10	6	7	6	2	3	5	2	1
Tabes Mesent.	0·26	134	79	18	9	4	2	112	10	3	4	1	2	-	-	-	2	-
Phthisis	1·97	1002	22	9	7	3	2	43	14	24	81	117	242	180	158	102	32	9
Hydrocephalus	0·20	100	37	17	10	3	-	67	13	7	7	2	2	-	2	-	-	-
Diseases of: Nervous Syst.	2·86	1453	211	39	23	14	11	298	23	17	22	25	80	125	149	197	232	265
Diseases of: Circulatory „	1·71	868	1	2	-	1	1	5	10	16	13	18	41	51	103	207	261	143
Diseases of: Respiratory „	2·83	1440	351	127	38	16	14	546	20	8	14	26	34	62	111	141	248	230
Diseases of: Digestive „	1·19	605	66	5	4	2	-	77	2	4	3	15	24	55	93	123	139	65
Diseases of: Urinary „	0·46	236	1	2	1	1	2	7	6	2	5	4	12	24	38	31	64	43
Diseases of: Generative „	0·05	25	-	-	-	-	-	-	-	-	-	3	4	4	4	6	1	3
Childbirth	0·06	30	-	-	-	-	-	-	-	-	3	6	11	9	1	-	-	-
Suicide	0·12	62	-	-	-	-	-	-	-	-	3	7	6	5	12	15	12	2
Other Violence	0·54	274	22	10	3	7	10	52	23	11	23	17	27	29	30	15	18	24
Other Causes	4·45	2271	799	95	28	16	8	946	23	18	18	13	24	33	63	100	287	746

Deaths of Infants (under one to 1000 Births) - 137

Marriages - 3,629
Births - 13,882

Annual Rate per 1000 living: Persons Married - 14·27; Births - - 27·30

396.—STRATFORD-ON-AVON.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·48	—	—	—	—	—	38·50	4·32	3·15	4·42	6·82	7·57	8·77	12·19	23·89	59·19	153·06
Mean Pop. 1871-80	—	22,434	587	569	590	596	598	2940	2799	2474	1992	1656	2827	2473	2149	1649	1017	458
ALL CAUSES	17·48	3922	746	201	80	65	40	1132	121	78	88	113	214	217	262	394	602	701
Small-pox	0·05	11	1	-	-	-	-	1	-	-	2	1	2	4	1	-	-	-
Measles	0·17	38	11	12	7	-	3	33	3	1	-	-	-	1	-	-	-	-
Scarlet Fever	0·31	70	6	14	11	17	4	52	12	3	-	-	3	-	-	-	-	-
Diphtheria	0·12	27	1	3	2	2	5	13	6	4	3	1	-	-	-	-	-	-
Whooping-cough	0·27	61	30	18	6	4	1	59	2	-	-	-	-	-	-	-	-	-
Typhus	0·00	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Enteric Fever	0·16	35	-	1	-	-	2	3	4	5	6	5	2	1	5	1	2	1
Simple Cont. Fev.	0·08	19	-	1	-	-	-	1	2	3	6	-	1	3	-	2	1	-
Puerp. Fever	0·02	5	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-
Diarr. and Dys.	0·55	123	60	9	5	3	2	79	7	-	2	-	-	1	6	4	12	12
Cholera	0·01	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Cancer	0·49	111	-	-	-	-	-	-	1	1	-	-	1	14	14	38	30	12
Scrofula	0·10	23	5	3	3	2	2	15	-	1	1	1	2	1	2	-	-	-
Tabes Mesent.	0·21	44	14	13	4	1	1	33	5	3	1	1	1	1	1	-	-	-
Phthisis	1·42	318	8	2	1	-	-	11	4	10	31	50	89	57	42	20	4	-
Hydrocephalus	0·15	33	7	3	2	5	3	20	10	2	1	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·09	469	84	19	6	9	6	124	13	10	9	3	13	21	37	52	98	89
Diseases of: Circulatory „	1·36	305	-	-	-	-	-	-	3	5	7	15	22	22	30	68	92	41
Diseases of: Respiratory „	2·87	645	141	74	18	10	3	246	14	1	3	11	24	18	38	57	121	107
Diseases of: Digestive „	1·14	255	27	-	1	2	2	32	5	5	3	5	7	22	40	53	59	21
Diseases of: Urinary „	0·43	96	2	1	2	-	1	6	1	1	1	3	3	8	8	24	23	16
Diseases of: Generative „	0·07	15	-	-	-	-	-	-	-	-	-	1	2	2	5	3	2	-
Childbirth	0·04	10	-	-	-	-	-	-	-	-	1	2	4	3	-	-	-	-
Suicide	0·07	15	-	-	-	-	-	-	-	-	-	-	-	4	1	5	4	1
Other Violence	0·52	117	5	5	4	2	1	17	9	8	6	6	18	4	9	17	10	13
Other Causes	4·78	1071	344	13	8	8	4	387	20	12	5	8	16	27	28	49	131	388

Deaths of Infants (under one) to 1000 Births - 107

Marriages - 1,352
Births - 6,949

Annual Rate per 1000 living: Persons Married - 12·65; Births - - 30·97

397.—ALCESTER.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·29	—	—	—	—	—	47·88	6·81	4·50	4·87	6·39	7·92	9·22	13·41	24·05	58·18	160·78
Mean Pop. 1871-80	—	18,802	543	478	541	517	488	2567	2380	2087	1745	1433	2413	2028	1659	1314	813	357
ALL CAUSES	19·29	3626	814	205	96	72	42	1229	162	94	85	92	191	187	223	316	473	574
Small-pox	0·10	19	5	-	-	-	-	5	-	-	4	2	1	2	4	1	-	-
Measles	0·31	58	15	18	5	6	1	45	10	2	-	-	1	-	-	-	-	-
Scarlet Fever	0·72	135	3	15	22	25	13	78	42	12	1	1	1	-	-	-	-	-
Diphtheria	0·28	52	1	1	3	5	2	12	14	11	2	2	-	-	-	1	-	-
Whooping-cough	0·24	45	26	11	3	3	1	44	1	-	-	-	-	-	-	-	-	-
Typhus	0·02	3	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-
Enteric Fever	0·32	61	-	1	4	2	3	10	10	7	9	7	8	2	4	2	1	1
Simp. Cont. Fever	0·14	26	-	-	2	-	-	2	5	3	2	2	2	1	3	4	-	2
Puerp. Fever	0·03	5	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-
Diarr. and Dys.	0·59	110	51	16	3	3	1	74	5	-	-	-	4	1	4	6	6	10
Cholera	0·02	3	1	-	-	1	-	2	-	-	-	-	-	-	-	1	-	-
Cancer	0·47	88	-	-	-	-	-	-	1	-	-	-	2	16	20	15	23	11
Scrofula	0·18	34	9	9	1	1	-	20	3	-	1	2	3	2	-	3	-	-
Tabes Mesent.	0·16	31	18	2	2	1	-	24	3	-	1	-	2	-	-	1	-	-
Phthisis	1·83	344	11	5	3	-	-	19	3	14	37	41	84	59	35	33	12	7
Hydrocephalus	0·15	29	14	7	1	-	2	24	2	1	1	-	-	1	-	-	-	-
Diseases of: Nervous Syst.	2·10	395	66	11	11	1	3	92	10	7	5	4	9	18	27	32	100	91
Diseases of: Circulatory ,,	1·32	248	2	1	-	-	-	3	2	8	6	3	16	16	34	59	66	35
Diseases of: Respiratory ,,	3·40	639	180	66	21	6	7	280	14	8	1	6	16	21	36	66	59	92
Diseases of: Digestive ,,	0·83	156	15	2	3	2	1	23	2	4	3	4	5	8	19	35	36	17
Diseases of: Urinary ,,	0·38	72	1	-	1	-	-	2	1	-	1	2	8	7	10	10	23	8
Diseases of: Generative ,,	0·04	8	-	-	-	-	-	-	-	-	-	-	2	4	1	-	1	-
Childbirth	0·12	23	-	-	-	-	-	-	-	-	1	2	12	7	1	-	-	-
Suicide	0·06	11	-	-	-	-	-	-	-	1	-	3	-	2	1	3	1	-
Other Violence	0·57	108	22	1	4	8	2	37	9	9	3	4	6	6	7	10	7	10
Other Causes	4·91	923	374	38	7	8	6	433	13	7	7	5	7	12	17	34	98	299

Deaths of Infants (under one) to 1000 Births - 130 | Marriages - 1,115 | Births - 6,270 | Annual Rate per 1000 living: Persons Married - 11·86; Births - 33·35

398.—SHIPSTON-ON-STOUR.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·63	—	—	—	—	—	35·75	3·78	2·65	4·60	6·33	5·93	7·61	12·12	22·01	58·09	163·28
Mean Pop. 1871-80	—	18,775	505	448	546	471	503	2473	2431	2110	1629	1233	2191	2023	1790	1422	1007	436
ALL CAUSES	17·63	3311	618	133	62	39	32	884	92	56	75	80	130	154	217	313	585	725
Small-pox	0·03	6	1	-	-	-	-	1	-	-	-	1	2	-	1	1	-	-
Measles	0·09	17	4	5	5	-	1	15	2	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·16	30	1	5	5	5	3	19	4	2	4	-	-	-	1	-	-	-
Diphtheria	0·23	43	1	1	3	7	7	19	21	3	-	-	-	-	-	-	-	-
Whooping-cough	0·31	59	34	20	4	2	1	58	1	-	-	-	-	-	-	-	-	-
Typhus	0·01	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
Enteric Fever	0·21	39	-	-	1	-	1	2	1	1	4	6	5	4	5	1	9	1
Simp. Cont. Fever	0·05	10	-	1	-	-	-	1	3	1	1	-	2	-	-	-	2	-
Puerp. Fever	0·02	3	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-
Diarr. and Dys.	0·54	102	37	3	4	-	2	46	1	-	-	3	2	1	2	6	16	25
Cholera	0·02	3	-	-	-	1	-	1	-	-	1	-	-	1	-	-	-	-
Cancer	0·44	83	-	-	-	-	-	-	-	-	-	-	-	5	16	24	23	15
Scrofula	0·14	27	6	3	-	-	-	9	1	2	4	-	2	1	2	2	4	-
Tabes Mesent.	0·11	21	8	4	1	-	1	14	1	1	1	2	1	1	-	-	-	-
Phthisis	1·44	270	13	7	1	1	1	23	4	15	25	42	52	54	39	9	6	1
Hydrocephalus	0·21	39	18	5	2	1	-	26	9	2	-	-	-	1	1	-	-	-
Diseases of: Nervous Syst.	2·27	427	57	10	6	6	2	81	7	9	5	4	9	10	41	58	114	89
Diseases of: Circulatory ,,	1·69	318	2	-	-	-	-	2	1	2	6	1	7	14	23	57	129	76
Diseases of: Respiratory ,,	2·72	511	131	38	12	6	8	195	8	3	3	5	13	16	27	49	89	103
Diseases of: Digestive ,,	1·02	192	14	4	3	-	1	22	6	2	3	1	9	10	22	46	53	18
Diseases of: Urinary ,,	0·29	55	1	-	-	-	-	1	1	1	3	-	3	10	3	10	10	13
Diseases of: Generative ,,	0·05	10	-	-	-	-	-	-	-	-	-	-	1	1	5	1	2	-
Childbirth	0·07	13	-	-	-	-	-	-	-	-	1	1	6	5	-	-	-	-
Suicide	0·05	10	-	-	-	-	-	-	-	-	-	-	-	2	1	6	1	-
Other Violence	0·45	85	8	5	4	4	1	22	9	3	3	6	5	2	7	7	14	7
Other Causes	5·01	936	235	22	11	6	3	327	12	9	10	6	11	15	21	35	113	377

Deaths of Infants (under one) to 1000 Births - 107 | Marriages - 1,037 | Births - 5,775 | Annual Rate per 1000 living: Persons Married - 11·05; Births - 30·76

399.—SOUTHAM.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·52	—	—	—	—	—	39·05	5·62	3·42	4·19	7·13	6·56	6·63	12·53	21·83	57·50	149·53
Mean Pop. 1871-80	—	10,403	293	259	294	294	277	1417	1334	1169	859	715	1265	1132	990	797	513	212
ALL CAUSES	17·52	1823	365	85	43	37	23	553	75	40	36	51	83	75	124	174	295	317
Small-pox	0·22	23	3	-	1	1	-	5	-	-	1	5	2	-	4	4	2	-
Measles	0·24	25	5	6	4	2	2	19	3	1	-	1	1	-	-	-	-	-
Scarlet Fever	0·45	47	4	6	5	4	4	23	19	3	1	-	1	-	-	-	-	-
Diphtheria	0·37	38	5	6	3	2	2	18	15	2	-	-	1	-	-	-	-	2
Whooping-cough	0·33	34	18	9	3	3	-	33	1	-	-	-	-	-	-	-	-	-
Typhus	0·02	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
Enteric Fever	0·17	18	1	-	1	2	1	5	-	2	1	2	1	2	-	3	2	-
Simple Cont. Fev.	0·26	27	-	1	-	-	-	1	8	2	-	-	4	1	4	3	2	2
Puerp. Fever	0·04	4	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-
Diarr. and Dys.	0·43	45	13	8	-	1	-	22	1	-	-	-	-	-	3	2	10	7
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·50	52	-	-	-	-	-	-	-	-	-	1	1	3	15	11	15	6
Scrofula	0·08	8	-	-	-	-	2	2	-	-	-	-	-	1	2	-	2	1
Tabes Mesent.	0·09	9	3	1	1	-	1	6	-	1	1	-	-	-	-	1	-	-
Phthisis	1·23	128	3	1	-	-	-	4	3	4	15	23	29	22	10	8	5	-
Hydrocephalus	0·15	16	4	3	1	1	-	9	2	2	-	-	2	-	-	1	-	-
Diseases of: Nervous Syst.	2·16	225	24	8	2	2	4	40	2	3	3	1	5	6	15	33	67	50
Diseases of: Circulatory "	0·87	90	1	-	-	-	-	1	1	1	2	1	5	4	16	12	27	20
Diseases of: Respiratory "	2·54	264	73	17	8	7	1	106	4	1	2	4	7	5	18	22	44	51
Diseases of: Digestive "	1·16	121	12	4	1	-	1	18	4	3	1	2	4	5	13	31	29	11
Diseases of: Urinary "	0·42	44	1	-	2	-	-	3	-	2	-	-	4	1	4	6	13	11
Diseases of: Generative "	0·08	8	-	-	-	-	-	-	-	-	-	-	-	2	4	2	-	-
Childbirth	0·12	13	-	-	-	-	-	-	-	-	1	3	1	8	-	-	-	-
Suicide	0·06	6	-	-	-	-	-	-	-	-	1	-	2	-	1	1	1	-
Other Violence	0·63	66	1	1	2	4	2	10	9	8	4	1	4	7	4	8	6	5
Other Causes	4·99	510	194	14	9	8	3	228	3	4	3	1	6	8	11	26	69	151

Deaths of Infants (under one) to 1000 Births - 112

Marriages - 672
Births - 3,263

Annual Rate per 1000 living: Persons Married - 12·92; Births - 31·37

400.—LUTTERWORTH.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·85	—	—	—	—	—	38·10	3·14	3·00	4·64	7·64	7·36	8·55	10·87	21·65	52·45	166·67
Mean Pop. 1871-80	—	13,806	345	298	332	316	344	1635	1656	1500	1229	942	1577	1473	1491	1202	774	327
ALL CAUSES	17·85	2464	435	93	38	38	19	623	52	45	57	72	116	126	162	260	406	545
Small-pox	0·09	12	-	-	-	-	-	-	-	-	1	2	-	4	3	1	1	-
Measles	0·14	19	4	8	2	2	-	16	3	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·12	17	1	3	2	4	1	11	3	2	-	-	-	-	1	-	-	-
Diphtheria	0·08	11	1	2	2	1	2	8	2	-	-	-	-	1	-	-	-	-
Whooping-cough	0·15	21	12	7	2	-	-	21	-	-	-	-	-	-	-	-	-	-
Typhus	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	0·19	26	-	-	3	3	-	6	5	6	3	2	1	1	-	2	-	-
Simple Cont. Fev.	0·12	16	-	-	1	1	-	2	1	2	2	3	1	1	-	2	1	1
Puerp. Fever	0·04	6	-	-	-	-	-	-	-	-	-	1	4	1	-	-	-	-
Diarr. and Dys.	0·30	41	18	5	-	-	-	23	1	-	-	-	1	-	1	2	7	6
Cholera	0·04	5	-	-	1	-	-	1	2	-	-	-	-	-	1	-	1	-
Cancer	0·67	93	-	-	-	1	-	1	-	-	-	-	4	8	10	23	35	12
Scrofula	0·08	11	-	-	-	-	1	1	2	1	-	1	2	1	1	2	-	-
Tabes Mesent.	0·14	20	8	3	1	3	-	15	2	1	1	1	-	-	-	-	-	-
Phthisis	1·58	218	5	3	1	-	1	10	4	8	22	35	43	49	23	19	4	1
Hydrocephalus	0·22	31	11	8	1	2	1	23	8	-	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·63	363	80	13	4	4	3	104	9	5	10	6	7	9	17	37	73	86
Diseases of: Circulatory "	1·63	225	2	1	1	-	-	4	-	6	3	1	13	12	34	47	61	44
Diseases of: Respiratory "	2·87	396	83	21	9	6	3	122	3	2	4	4	9	10	18	50	82	92
Diseases of: Digestive "	1·11	153	10	-	1	2	-	13	1	2	3	2	9	10	30	39	29	15
Diseases of: Urinary "	0·36	49	-	1	-	-	1	2	-	3	2	2	3	4	5	10	11	7
Diseases of: Generative "	0·06	8	-	-	-	-	-	-	-	-	-	1	2	-	1	2	2	-
Childbirth	0·11	15	-	-	-	-	-	-	-	-	3	1	6	5	-	-	-	-
Suicide	0·07	10	-	-	-	-	-	-	-	-	-	-	2	1	3	1	2	1
Other Violence	0·36	48	7	-	1	3	4	15	1	2	1	3	1	2	2	4	8	9
Other Causes	4·69	650	193	18	6	6	2	225	5	5	2	7	8	7	12	19	80	271

Deaths of Infants (under one) to 1000 Births - 119

Marriages - 786
Births - 3,659

Annual Rate per 1000 living: Persons Married - 11·39; Births - 26·50

401.—MARKET HARBOROUGH.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	18·81	—	—	—	—	—	45·34	4·23	3·66	5·32	5·66	7·34	9·54	13·35	25·72	58·05	154·98
Mean Pop. 1871-80	—	16139	442	400	426	401	400	2069	1985	1776	1428	1273	2058	1719	1513	1186	801	331
ALL CAUSES	18·81	3035	629	150	71	45	43	938	84	65	76	72	151	164	202	305	465	513
Small-pox	0·03	5	1	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-
Measles	0·25	41	9	16	7	4	3	39	2	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·30	48	4	3	8	8	5	28	14	4	2	-	-	-	-	-	-	-
Diphtheria	0·21	34	-	1	5	5	3	14	10	7	-	1	-	1	-	1	-	-
Whooping-cough	0·30	49	20	18	7	2	2	49	-	-	-	-	-	-	-	-	-	-
Typhus	0·02	4	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-
Enteric Fever	0·40	64	2	3	1	1	2	9	9	8	11	4	7	6	4	5	1	-
Simple Cont. Fev.	0·04	7	-	-	1	1	-	2	-	1	-	1	1	-	-	-	2	-
Puerp. Fever	0·04	7	-	-	-	-	-	-	-	-	-	-	3	4	-	-	-	-
Diarr. and Dys.	0·72	117	75	11	-	2	-	88	-	1	-	-	-	2	1	4	8	13
Cholera	0·02	3	-	-	-	-	1	1	-	-	-	-	-	-	-	1	1	-
Cancer	0·66	106	-	-	-	1	-	1	-	-	1	-	3	6	23	33	30	9
Scrofula	0·09	15	4	1	1	-	-	6	3	1	-	3	-	1	1	-	-	-
Tabes Mesent.	0·21	34	15	7	3	1	2	28	3	-	2	-	-	-	-	-	1	-
Phthisis	1·60	259	3	-	1	-	1	5	2	10	30	33	72	40	41	19	7	-
Hydrocephalus	0·17	27	13	5	2	3	1	24	1	2	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·32	375	97	21	3	4	3	128	5	7	4	4	8	8	26	44	82	59
Diseases of: Circulatory "	1·41	228	1	-	-	-	1	2	2	6	5	2	9	22	24	56	78	22
Diseases of: Respiratory "	2·52	406	104	45	18	3	3	173	9	3	3	-	14	19	26	34	67	56
Diseases of: Digestive "	1·10	177	35	1	1	-	-	37	2	2	5	3	8	16	23	36	20	15
Diseases of: Urinary "	0·32	52	-	-	1	1	1	3	3	1	-	-	1	9	6	10	13	6
Diseases of: Generative "	0·06	9	-	-	-	-	-	-	-	-	-	1	2	4	2	-	-	-
Childbirth	0·09	14	-	-	-	-	-	-	-	-	2	3	2	7	-	-	-	-
Suicide	0·09	15	-	-	-	-	-	-	-	-	-	1	1	2	4	3	3	1
Other Violence	0·57	92	7	4	3	4	5	23	7	5	2	6	5	6	8	13	5	12
Other Causes	5·27	847	239	14	9	5	10	277	12	5	7	9	12	11	13	44	137	320

Deaths of Infants (under one) to 1000 Births - 129

Marriages - 1,030
Births - 4,890

Annual Rate per 1000 living: Persons Married - 12·76; Births - - - 30·30

402.—BILLESDON.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	18·49	—	—	—	—	—	37·97	3·83	2·45	4·53	5·90	9·97	15·80	17·68	26·77	58·87	158·13
Mean Pop. 1871-80	—	8821	221	221	218	221	212	1093	1017	857	795	763	1274	1044	837	609	372	160
ALL CAUSES	18·49	1631	279	69	33	19	15	415	39	21	36	45	127	165	148	163	219	253
Small pox	0·01	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Measles	0·11	10	4	3	1	-	-	8	1	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·41	34	1	6	3	3	4	17	14	2	1	-	1	1	-	-	-	-
Diphtheria	0·09	8	-	-	2	2	-	4	1	2	-	-	-	-	1	-	-	-
Whooping-cough	0·31	27	12	9	2	1	1	25	2	-	-	-	-	-	-	-	-	-
Typhus	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	0·25	22	-	1	1	2	-	4	4	-	4	3	1	3	2	1	-	-
Simple Cont. Fev.	0·06	5	1	-	-	1	-	2	-	-	-	-	-	-	-	1	2	-
Puerp. Fever	0·07	6	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-	-
Diarr. and Dys.	0·57	50	23	7	4	1	-	35	-	-	-	-	-	2	-	1	5	7
Cholera	0·02	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Cancer	0·36	32	-	-	-	-	-	-	-	-	-	-	1	4	3	10	11	3
Scrofula	0·08	7	2	1	-	-	-	3	-	-	3	-	1	-	-	-	-	-
Tabes Mesent.	0·14	12	7	1	1	1	1	11	-	-	-	-	-	-	-	1	-	-
Phthisis	1·64	145	2	4	-	-	-	6	4	4	12	21	36	31	17	9	5	-
Hydrocephalus	0·21	19	7	3	1	-	1	12	3	2	1	-	-	-	1	-	-	-
Diseases of: Nervous Syst.	4·15	366	43	5	4	2	2	56	2	3	6	3	41	69	40	54	43	40
Diseases of: Circulatory "	1·34	118	-	-	-	-	-	-	-	-	-	3	7	9	26	25	35	10
Diseases of: Respiratory "	2·60	229	46	19	8	2	5	80	4	3	3	5	11	10	20	24	31	38
Diseases of: Digestive "	0·83	73	8	3	-	-	-	11	-	-	2	3	3	4	9	12	20	9
Diseases of: Urinary "	0·44	39	-	-	-	-	-	-	-	-	1	-	4	7	7	2	12	6
Diseases of: Generative "	0·03	3	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
Childbirth	0·06	5	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-
Suicide	0·14	12	-	-	-	-	-	-	-	-	1	1	1	-	3	5	1	-
Other Violence	0·56	49	6	-	4	1	-	11	2	2	1	1	7	10	2	2	7	4
Other Causes	4·01	355	116	7	2	3	1	129	2	2	-	2	7	12	7	11	47	133

Deaths of Infants (under one) to 1000 Births - 116

Marriages - 472
Births 2,401

Annual Rate per 1000 living: Persons Married - 10·70; Births - - - 27·22

403.—BLABY.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·70	—	—	—	—	—	55·78	5·09	3·06	4·50	7·42	6·27	8·36	11·42	21·50	53·28	146·84
Mean Pop. 1871-80	—	18,334	580	520	544	528	494	2666	2300	1925	1756	1509	2536	1949	1497	1163	732	301
ALL CAUSES	18·70	3429	973	250	101	91	72	1487	117	59	79	112	159	163	171	250	399	442
Small-pox	0·34	63	5	3	–	2	–	10	9	2	9	12	12	5	3	1	–	–
Measles	0·26	47	16	18	5	3	2	44	2	–	1	–	–	–	–	–	–	–
Scarlet Fever	1·08	198	8	34	34	42	32	150	41	5	–	–	2	–	–	–	–	–
Diphtheria	0·05	9	–	–	1	2	2	5	2	2	–	–	–	–	–	–	–	–
Whooping-cough	0·25	46	22	18	2	2	1	45	1	–	–	–	–	–	–	–	–	–
Typhus	0·02	4	–	–	–	–	2	2	–	–	1	–	1	–	–	–	–	–
Enteric Fever	0·34	62	1	5	3	4	2	15	9	8	6	6	7	2	2	4	3	–
Simple Cont. Fev.	0·11	20	1	1	1	1	3	7	2	2	1	1	1	2	2	–	–	2
Puerp. Fever	0·05	9	–	–	–	–	–	–	–	–	–	1	4	4	–	–	–	–
Diarr. and Dys.	1·08	198	129	25	8	1	–	163	–	1	–	2	1	3	1	1	5	21
Cholera	0·01	2	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Cancer	0·38	70	–	–	–	–	–	–	–	–	–	3	1	9	12	17	19	9
Scrofula	0·16	29	8	3	1	1	1	14	1	3	3	1	4	–	1	1	–	1
Tabes Mesent.	0·28	52	35	9	2	–	–	46	1	–	2	–	1	1	–	1	–	–
Phthisis	1·23	235	4	–	–	1	–	5	2	7	32	52	58	50	18	8	3	–
Hydrocephalus	0·11	21	7	6	3	1	1	18	1	–	1	1	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·47	452	159	17	8	7	5	196	18	9	5	6	14	13	22	41	71	57
Diseases of: Circulatory „	0·97	178	1	–	–	–	–	1	1	2	2	2	6	11	22	47	44	20
Diseases of: Respiratory „	3·28	602	175	74	20	15	9	293	12	8	2	7	18	25	32	52	92	61
Diseases of: Digestive „	0·76	139	22	2	–	1	1	26	3	–	3	6	5	9	21	27	23	16
Diseases of: Urinary „	0·32	59	1	–	–	1	1	3	1	–	1	–	–	6	7	8	18	15
Diseases of: Generative „	0·02	3	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–
Childbirth	0·09	17	–	–	–	–	–	–	–	–	–	2	5	8	2	–	–	–
Suicide	0·11	20	–	–	–	–	–	–	–	–	–	1	1	4	3	7	3	1
Other Violence	0·47	86	9	2	4	4	4	23	7	4	4	2	6	5	6	7	10	12
OTHER CAUSES	4·41	808	370	33	9	3	6	421	4	5	6	7	11	5	17	26	79	227

Deaths of Infants (under one) to 1000 Births - 150

Marriages - 1,133
Births - 6,491

Annual Rate per 1000 living: Persons Married - 12·36; Births - 35·40

404.—HINCKLEY.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	22·27	—	—	—	—	—	68·97	5·23	3·10	4·60	6·50	7·54	9·94	11·88	28·75	57·86	162·73
Mean Pop. 1871-80	—	16,775	514	452	476	468	462	2372	2086	1872	1619	1338	2108	1680	1524	1134	720	322
ALL CAUSES	22·27	3736	1087	283	113	106	47	1636	109	58	76	87	159	167	181	326	413	524
Small-pox	0·02	4	–	–	–	–	–	–	–	–	2	1	–	–	–	–	1	–
Measles	0·49	83	23	30	12	12	2	79	3	–	–	–	–	–	1	–	–	–
Scarlet Fever	0·85	142	5	26	32	39	15	108	31	1	2	–	–	–	–	–	–	–
Diphtheria	0·05	9	–	2	1	1	2	6	–	1	–	–	1	1	–	–	–	–
Whooping-cough	0·54	91	48	20	10	8	3	89	2	–	–	–	–	–	–	–	–	–
Typhus	0·05	9	–	–	–	–	–	–	–	–	3	1	1	1	–	2	1	–
Enteric Fever	0·48	80	1	6	5	3	2	17	15	13	8	4	11	2	2	5	3	–
Simple Cont. Fev.	0·09	15	–	4	1	3	–	8	2	1	2	–	–	1	–	1	–	–
Puerp. Fever	0·08	13	–	–	–	–	–	–	–	–	1	1	7	3	1	–	–	–
Diarr. and Dys.	0·99	166	88	34	4	2	2	130	–	2	1	–	–	1	2	6	10	14
Cholera	0·01	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·40	67	–	–	–	–	2	2	–	–	–	1	–	8	12	19	16	9
Scrofula	0·13	21	5	1	–	1	1	8	–	–	1	–	7	2	2	1	–	–
Tabes Mesent.	0·14	23	10	9	2	–	–	21	1	–	1	–	–	–	–	–	–	–
Phthisis	1·54	258	3	–	–	–	–	3	7	8	38	43	66	43	19	26	5	–
Hydrocephalus	0·24	41	15	11	2	4	4	36	1	2	–	1	1	–	–	–	–	–
Diseases of: Nervous Syst.	2·81	471	163	21	8	10	3	205	12	11	1	5	7	9	27	49	84	61
Diseases of: Circulatory „	1·16	195	–	1	–	–	1	2	1	4	3	4	8	15	53	55	55	15
Diseases of: Respiratory „	3·35	562	146	59	16	12	1	234	9	4	2	8	13	26	27	80	97	62
Diseases of: Digestive „	1·17	196	42	11	5	–	–	58	3	4	2	4	5	16	21	40	26	17
Diseases of: Urinary „	0·40	67	–	–	1	–	–	1	3	1	1	8	6	5	9	8	16	9
Diseases of: Generative „	0·10	16	–	–	–	–	–	–	1	1	–	–	1	3	4	3	3	–
Childbirth	0·17	28	–	–	–	–	–	–	–	–	–	4	6	15	3	–	–	–
Suicide	0·05	8	–	–	–	–	–	–	–	–	2	–	3	1	1	1	–	–
Other Violence	0·35	58	7	2	1	6	1	17	4	3	–	–	2	5	4	5	10	8
OTHER CAUSES	6·61	1112	531	46	13	14	7	611	14	2	6	2	14	10	13	25	86	329

Deaths of Infants (under one) to 1000 Births - 169

Marriages - 1,263
Births - 6,427

Annual Rate per 1000 living: Persons Married - 15·06; Births - 38·31

405.—MARKET BOSWORTH.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	19·33	—	—	—	—	—	51·57	4·52	2·97	3·06	6·97	7·51	7·64	12·34	23·02	58·03	154·06
Mean Pop. 1871-80	—	14,179	436	388	414	412	382	2032	1815	1517	1273	1105	1744	1440	1272	1008	660	283
ALL CAUSES	19·33	2741	751	148	83	32	34	1048	82	46	39	77	131	110	157	232	383	436
Small-pox	0·09	13	1	1	1	-	1	4	1	-	2	1	2	1	2	-	-	-
Measles	0·32	46	14	14	7	4	-	39	6	-	1	-	-	-	-	-	-	-
Scarlet Fever	0·50	71	5	14	18	10	7	54	15	2	-	-	-	-	-	-	-	-
Diphtheria	0·08	11	-	1	1	-	1	3	4	1	1	-	1	-	1	-	-	-
Whooping-cough	0·30	43	27	10	4	-	-	41	2	-	-	-	-	-	-	-	-	-
Typhus	0·02	3	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-
Enteric Fever	0·36	51	-	-	3	-	-	3	5	7	5	4	7	3	9	2	5	1
Simple Cont. Fev.	0·06	9	-	-	-	-	2	2	1	2	-	1	1	-	-	1	1	-
Puerp. Fever	0·09	13	-	-	-	-	-	-	-	-	1	3	7	2	-	-	-	-
Diarr. and Dys.	0·73	104	64	14	3	1	1	83	1	-	-	1	1	-	-	2	7	9
Cholera	0·01	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Cancer	0·49	69	-	-	-	-	-	-	-	-	-	1	4	4	16	22	17	5
Scrofula	0·07	10	1	1	-	-	1	3	-	1	-	2	1	1	1	-	1	-
Tabes Mesent.	0·13	18	10	1	2	-	-	13	-	-	2	1	2	-	-	-	-	-
Phthisis	1·27	180	2	3	1	1	1	8	3	7	12	24	58	28	20	14	6	-
Hydrocephalus	0·17	24	6	5	3	2	1	17	5	1	-	-	-	1	-	-	-	-
Diseases of: Nervous Syst.	2·94	417	206	21	7	4	2	240	4	5	2	3	7	3	18	43	49	43
Diseases of: Circulatory	1·39	197	-	-	1	-	-	1	3	5	1	5	7	16	23	42	66	28
Diseases of: Respiratory	3·29	466	122	42	18	5	4	191	8	4	1	9	9	17	18	45	87	77
Diseases of: Digestive	1·04	147	29	7	1	1	2	40	3	2	4	8	8	11	21	21	23	6
Diseases of: Urinary	0·29	41	-	-	1	-	1	2	-	1	-	2	2	2	2	7	15	8
Diseases of: Generative	0·03	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1
Childbirth	0·06	9	-	-	-	-	-	-	-	-	-	2	3	4	-	-	-	-
Suicide	0·06	8	-	-	-	-	-	-	-	-	-	-	-	-	3	1	4	-
Other Violence	0·49	70	1	2	3	2	3	11	9	3	5	2	7	4	7	6	11	5
Other Causes	5·05	715	263	12	9	2	7	293	10	5	2	8	4	12	14	24	90	253

Deaths of Infants (under one) to 1000 Births - 146 | Marriages - 966 | Births - 5,161 | Annual Rate per 1000 living: Persons Married - 13·63; Births - 36·40

406.—ASHBY-DE-LA-ZOUCH.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	19·78	—	—	—	—	—	55·87	5·01	3·80	5·26	7·10	7·78	10·02	12·57	25·82	59·44	166·14
Mean Pop. 1871-80	—	32,533	1004	959	973	997	914	4847	4333	3740	3139	2534	4242	3433	2673	1956	1134	502
ALL CAUSES	19·78	6435	1799	436	221	148	104	2708	217	142	165	180	330	344	336	505	674	834
Small-pox	0·43	150	27	2	12	9	5	55	18	13	9	19	19	8	8	-	1	-
Measles	0·29	95	21	32	18	9	5	85	9	-	-	-	1	-	-	-	-	-
Scarlet Fever	0·73	238	20	37	46	50	33	186	40	7	-	2	1	2	-	-	-	-
Diphtheria	0·07	23	2	3	-	5	3	13	6	1	-	-	-	2	1	-	-	-
Whooping-cough	0·38	124	60	42	12	7	1	122	1	-	-	-	-	-	-	-	-	-
Typhus	0·02	6	-	-	-	-	-	-	-	2	1	2	1	-	-	-	-	-
Enteric Fever	0·35	113	4	6	5	3	2	20	16	13	17	12	16	8	5	5	1	-
Simple Cont. Fev.	0·06	21	4	-	-	2	1	7	2	4	2	1	2	-	-	2	1	-
Puerp. Fever	0·07	24	-	-	-	-	-	-	-	-	1	6	7	9	1	-	-	-
Diarr. and Dys.	0·77	251	160	29	5	-	1	195	2	1	-	-	3	3	3	8	11	25
Cholera	0·02	7	1	-	1	-	-	2	1	-	-	-	1	1	-	1	1	-
Cancer	0·43	139	-	-	-	-	-	-	-	-	1	-	1	16	24	42	38	17
Scrofula	0·08	27	3	1	1	1	1	7	-	2	5	1	4	3	1	2	2	-
Tabes Mesent.	0·21	68	28	17	5	3	1	54	5	-	3	-	2	3	-	1	-	-
Phthisis	1·35	438	12	5	1	-	2	20	12	22	43	66	111	80	51	25	7	1
Hydrocephalus	0·30	99	23	20	10	8	7	68	15	10	3	2	1	-	-	-	-	-
Diseases of: Nervous Syst.	3·12	1015	473	53	20	14	13	573	17	10	15	12	23	22	42	80	132	89
Diseases of: Circulatory	1·23	398	-	-	-	-	-	-	3	4	9	8	18	38	34	97	152	55
Diseases of: Respiratory	2·96	962	293	115	41	12	5	471	17	8	11	13	28	52	52	75	122	115
Diseases of: Digestive	0·81	264	29	4	6	2	2	43	9	6	3	5	16	18	38	37	40	29
Diseases of: Urinary	0·35	113	2	-	-	-	-	2	4	3	4	6	8	10	16	21	28	11
Diseases of: Generative	0·04	14	-	-	-	-	-	-	-	-	1	-	1	2	2	4	3	1
Childbirth	0·12	38	-	-	-	-	-	-	-	-	6	4	13	15	-	-	-	-
Suicide	0·07	24	-	-	-	-	-	-	-	-	3	1	2	3	6	5	4	-
Other Violence	0·69	225	15	12	13	10	7	57	22	21	17	9	26	15	13	18	9	18
Other Causes	4·80	1560	617	53	25	13	15	723	18	15	11	11	27	34	39	62	142	473

Deaths of Infants (under one) to 1000 Births - 146 | Marriages - 2,436 | Births - 12,312 | Annual Rate per 1000 living: Persons Married - 14·98; Births - 37·84

407.—LOUGHBOROUGH.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	22·62	—	—	—	—	—	67·17	4·45	3·06	5·14	8·26	9·06	10·85	13·82	29·39	60·55	174·38
Mean Pop. 1871-80	—	26,099	786	724	698	701	694	3603	3192	2911	2548	2082	3398	2719	2338	1701	1123	484
ALL CAUSES	22·62	5904	1653	392	160	131	84	2420	142	89	131	172	308	295	323	500	680	844
Small-pox	0·13	33	7	-	1	1	2	11	3	1	5	4	8	-	1	-	-	-
Measles	0·39	102	27	41	18	10	1	97	3	2	-	-	-	-	-	-	-	-
Scarlet Fever	0·71	186	14	29	35	42	30	150	24	8	2	-	1	1	-	-	-	-
Diphtheria	0·05	13	5	1	1	-	-	7	5	1	-	-	-	-	-	-	-	-
Whooping-cough	0·33	85	42	27	8	6	1	84	1	-	-	-	-	-	-	-	-	-
Typhus	0·05	13	-	-	-	-	-	-	2	1	1	-	4	2	2	1	-	-
Enteric Fever	0·30	78	7	3	3	-	4	17	8	10	9	6	11	4	4	4	4	1
Simp. Cont. Fev.	0·10	27	-	-	3	1	2	6	1	4	2	1	6	-	2	2	3	-
Puerp. Fever	0·13	33	-	-	-	-	-	-	-	-	1	9	20	3	-	-	-	-
Diarr. and Dys.	1·12	293	207	27	7	3	1	245	5	-	-	-	2	3	1	7	11	19
Cholera	0·03	9	2	1	-	-	-	3	1	-	-	-	-	1	-	1	1	2
Cancer	0·68	178	-	-	-	-	-	-	-	-	-	3	2	19	41	51	48	14
Scrofula	0·20	52	28	5	1	3	2	39	1	5	1	-	1	3	2	-	-	-
Tabes Mesent.	0·66	173	119	27	3	3	3	155	5	1	1	3	2	4	-	2	-	-
Phthisis	2·11	551	23	9	3	3	2	45	11	19	67	93	134	95	46	28	12	-
Hydrocephalus	0·39	103	27	27	17	8	8	87	9	4	2	-	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·64	689	256	31	7	15	6	315	16	4	8	5	14	24	45	84	105	69
Diseases of: Circulatory „	1·20	314	1	1	-	1	-	3	3	4	2	5	13	27	42	80	91	44
Diseases of: Respiratory „	3·69	964	257	94	28	16	8	403	10	3	5	11	25	30	44	107	167	159
Diseases of: Digestive „	1·10	288	60	8	4	2	-	74	9	2	7	10	18	19	34	41	43	31
Diseases of: Urinary „	0·37	97	1	2	-	2	1	6	1	1	2	-	5	12	11	14	21	24
Diseases of: Generative „	0·06	15	-	-	-	-	-	-	-	-	-	-	-	6	-	7	2	-
Childbirth	0·13	35	-	-	-	-	-	-	-	-	4	4	15	12	-	-	-	-
Suicide	0·07	18	-	-	-	-	-	-	-	-	1	1	2	2	6	3	2	1
Other Violence	0·55	143	14	8	10	6	5	43	9	11	5	7	13	9	10	13	11	12
OTHER CAUSES	5·43	1412	551	51	11	9	8	630	15	8	6	10	11	18	32	55	159	468

Deaths of Infants (under one) to 1000 Births - 176

Marriages - 2,174
Births - 9,386

Annual Rate per 1000 living: Persons Married - 16·66; Births - - - 35·96

408.—BARROW-UPON-SOAR.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	20·20	—	—	—	—	—	57·79	5·06	3·45	5·54	6·98	7·12	9·15	13·40	23·28	60·97	153·54
Mean Pop. 1871-80	—	25,213	816	677	736	727	726	3682	3298	2843	2309	1934	3246	2700	2162	1528	989	452
ALL CAUSES	20·20	5093	1484	348	142	83	71	2128	167	98	128	135	231	247	290	372	603	694
Small-pox	0·13	33	6	3	2	-	2	13	5	2	4	4	1	2	1	-	1	-
Measles	0·34	85	14	37	14	10	4	79	5	-	1	-	-	-	-	-	-	-
Scarlet Fever	0·44	111	6	15	20	12	15	68	31	6	-	5	1	-	-	-	-	-
Diphtheria	0·13	33	3	2	2	-	3	10	17	-	1	1	-	-	2	-	2	-
Whooping-cough	0·35	96	46	27	8	6	6	93	3	-	-	-	-	-	-	-	-	-
Typhus	0·03	8	-	-	-	-	-	-	2	2	2	1	-	-	-	-	1	-
Enteric Fever	0·25	66	2	1	3	1	2	9	12	11	8	2	5	7	4	2	5	1
Simp. Cont. Fev.	0·03	8	-	1	1	1	1	4	2	-	-	1	-	-	-	-	1	-
Puerp. Fever	0·05	12	-	-	-	-	-	-	-	-	1	1	4	5	1	-	-	-
Diarr. and Dys.	1·19	300	200	41	10	2	1	254	-	-	1	1	1	2	4	5	13	19
Cholera	0·01	2	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-
Cancer	0·52	131	-	-	-	-	-	-	-	-	1	-	4	12	33	34	34	13
Scrofula	0·21	53	32	5	3	-	-	40	-	-	1	5	2	-	4	-	-	1
Tabes Mesent.	0·48	122	86	20	5	3	-	114	1	4	-	-	1	-	-	1	1	-
Phthisis	1·80	455	8	5	3	2	2	20	7	17	57	73	120	75	52	19	13	2
Hydrocephalus	0·32	80	21	12	13	5	7	58	12	7	2	-	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·82	712	299	48	6	6	7	366	16	13	7	5	11	18	27	59	106	84
Diseases of: Circulatory „	1·19	300	2	1	-	-	-	3	3	4	6	5	14	23	40	64	93	45
Diseases of: Respiratory „	3·18	803	196	81	19	16	10	322	14	3	2	13	25	31	48	68	151	126
Diseases of: Digestive „	0·86	218	27	4	3	2	-	36	3	8	2	3	7	14	20	45	53	27
Diseases of: Urinary „	0·42	105	1	-	1	-	1	3	5	-	4	2	5	17	14	20	17	18
Diseases of: Generative „	0·04	9	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	2
Childbirth	0·08	19	-	-	-	-	-	-	-	-	1	4	7	6	1	-	-	-
Suicide	0·08	21	-	-	-	-	-	-	-	-	2	1	-	6	5	5	2	-
Other Violence	0·66	166	14	8	10	8	3	43	15	8	11	6	11	11	14	21	12	14
OTHER CAUSES	4·55	1145	521	37	17	9	7	591	14	13	14	2	11	17	17	28	96	342

Deaths of Infants (under one) to 1000 Births - 161

Marriages - 1,573
Births - 9,245

Annual Rate per 1000 living: Persons Married - 12·48; Births - - - 36·67

409.—LEICESTER.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	24·46	—	—	—	—	—	92·52	5·77	3·12	4·77	6·30	8·47	12·82	18·75	30·99	71·84	174·58
Mean Pop. 1871-80	—	108,798	3549	3018	2896	2867	2781	15111	12773	11199	11462	10723	17018	12119	8665	5709	3004	1015
ALL CAUSES	24·46	26,609	9619	2562	909	571	320	13981	737	349	547	676	1441	1554	1625	1769	2158	1772
Small-pox	0·30	326	56	13	10	8	21	113	70	12	23	43	32	20	5	5	1	2
Measles	0·55	597	137	222	123	66	29	577	18	2	-	-	-	-	-	-	-	-
Scarlet Fever	0·67	730	54	152	144	155	63	553	152	15	2	3	4	1	-	-	-	-
Diphtheria	0·11	115	16	23	11	11	10	71	21	4	-	1	4	3	3	6	1	1
Whooping-cough	0·53	577	255	188	72	34	12	561	14	-	-	1	1	-	-	-	-	-
Typhus	0·01	15	-	-	-	-	1	1	2	2	3	2	2	1	1	-	1	-
Enteric Fever	0·37	406	13	20	19	15	7	74	47	49	60	46	55	30	23	14	8	-
Simple Cont. Fev.	0·07	81	3	4	8	5	3	23	13	10	7	5	5	5	6	3	3	1
Puerp. Fever	0·06	65	-	-	-	-	-	-	-	-	10	14	25	16	-	-	-	-
Diarr. and Dys.	2·62	2848	2202	413	59	15	3	2692	7	-	1	2	8	8	10	20	49	51
Cholera	0·02	17	4	-	-	2	-	6	-	-	-	1	-	2	1	3	2	2
Cancer	0·42	455	1	-	-	-	1	2	-	1	3	6	29	64	122	132	74	22
Scrofula	0·15	165	69	26	6	5	5	111	11	8	7	5	10	4	5	3	1	-
Tabes Mesent.	0·3	357	183	95	22	7	3	310	7	12	8	4	4	4	5	2	-	1
Phthisis	2·06	2238	161	83	22	4	10	280	49	41	202	304	574	431	254	92	20	-
Hydrocephalus	0·29	317	134	76	31	20	7	268	24	10	6	2	6	1	-	-	-	-
Diseases of: Nervous Syst.	3·05	3319	1390	250	72	46	35	1793	75	29	38	29	115	169	224	287	363	197
Diseases of: Circulatory "	1·35	1464	7	2	4	1	-	14	24	42	35	39	134	221	264	320	283	88
Diseases of: Respiratory "	3·81	4148	1144	578	163	113	49	2047	75	20	32	29	121	218	267	446	578	315
Diseases of: Digestive "	1·01	1097	247	35	18	7	5	312	27	23	34	27	78	104	165	155	120	43
Diseases of: Urinary "	0·42	452	7	6	9	9	1	32	21	9	15	22	45	54	67	71	79	37
Diseases of: Generative "	0·05	52	-	-	-	-	-	-	-	-	-	3	10	13	8	15	3	-
Childbirth	0·08	91	-	-	-	-	-	-	-	1	5	14	31	37	3	-	-	-
Suicide	0·08	91	-	-	-	-	-	-	-	-	3	5	10	17	26	21	9	-
Other Violence	0·55	602	106	31	30	22	17	206	41	24	29	31	54	44	55	41	44	33
Other Causes	5·50	5984	3430	345	86	46	28	3935	48	35	24	38	84	87	111	133	510	979

Deaths of Infants (under one) to 1000 Births - 214 | Marriages - 11,577 | Births - 45,049 | Annual Rate per 1000 living: Persons Married - 21·28; Births - 41·41

410.—MELTON MOWBRAY.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	19·48	—	—	—	—	—	48·30	5·47	3·74	5·75	6·86	7·52	11·29	12·80	25·86	55·87	153·26
Mean Pop. 1871-80	—	20,209	532	499	538	498	498	2565	2358	2193	1810	1632	2647	2187	1930	1512	945	430
ALL CAUSES	19·48	3937	853	190	86	56	54	1239	129	82	104	112	199	247	247	391	528	659
Small-pox	0·02	4	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-
Measles	0·25	50	9	16	9	5	3	42	7	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·48	97	4	16	24	9	6	59	25	7	3	1	-	2	-	-	-	-
Diphtheria	0·10	20	-	-	-	4	4	8	8	1	1	-	1	1	-	-	-	-
Whooping-cough	0·31	62	24	17	10	2	4	57	5	-	-	-	-	-	-	-	-	-
Typhus	0·01	3	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-
Enteric Fever	0·30	60	1	1	1	2	3	8	1	8	7	8	6	7	4	6	4	1
Simple Cont. Fev.	0·21	43	-	2	1	1	2	6	6	4	6	1	5	3	4	4	3	1
Puerp. Fever	0·05	10	-	-	-	-	-	-	-	-	1	5	3	-	1	-	-	-
Diarr. and Dys.	0·75	151	89	12	5	1	-	107	1	-	1	-	1	1	3	6	14	17
Cholera	0·00	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Cancer	0·70	142	-	-	1	-	-	1	-	-	-	1	3	9	28	33	43	24
Scrofula	0·08	17	3	1	1	-	3	8	-	2	1	2	2	-	2	-	-	-
Tabes Mesent.	0·21	43	12	9	1	-	-	22	5	5	3	2	2	1	2	1	-	-
Phthisis	1·72	347	1	1	1	2	1	6	5	14	37	52	84	81	34	29	5	-
Hydrocephalus	0·22	45	14	11	1	3	3	32	5	4	1	-	2	-	1	-	-	-
Diseases of: Nervous Syst.	2·18	441	122	15	7	8	5	157	8	8	5	5	13	22	28	50	74	71
Diseases of: Circulatory "	1·55	313	1	-	-	-	-	1	7	4	7	6	12	26	39	69	86	65
Diseases of: Respiratory "	2·89	583	192	52	12	11	8	275	10	5	7	5	13	21	24	58	87	80
Diseases of: Digestive "	1·26	254	21	1	1	1	-	24	7	3	5	1	13	29	39	53	49	28
Diseases of: Urinary "	0·38	76	-	2	1	-	-	3	4	-	3	2	2	5	11	20	13	14
Diseases of: Generative "	0·07	14	-	-	-	-	-	-	-	-	-	-	-	4	3	1	4	2
Childbirth	0·06	13	-	-	-	-	-	-	-	-	-	3	3	7	-	-	-	-
Suicide	0·06	13	-	-	-	-	-	-	-	-	-	1	1	1	2	6	1	1
Other Violence	0·59	119	8	1	2	4	7	22	8	10	4	12	17	10	9	5	12	10
Other Causes	5·06	1014	352	33	8	3	5	401	16	6	10	5	14	16	22	45	133	346

Deaths of Infants (under one) to 1000 Births - 134 | Marriages - 1,397 | Births - 6,349 | Annual Rate per 1000 living: Persons Married - 13·83; Births - 31·42

RUTLANDSHIRE.

411.—OAKHAM.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	18·88	—	—	—	—	—	44·48	5·93	3·52	4·07	7·55	8·41	8·28	12·83	24·41	58·88	157·02
Mean Pop. 1871-80	—	11,060	283	274	272	288	276	1396	1399	1249	1068	821	1332	1232	1029	807	552	235
ALL CAUSES	18·88	2088	424	102	46	27	22	621	83	44	41	62	112	102	132	197	325	369
Small-pox	0·01	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Measles	0·21	23	7	5	3	1	–	16	6	–	–	–	–	1	–	–	–	–
Scarlet Fever	0·71	79	6	10	13	7	11	47	23	5	–	1	2	–	1	–	–	–
Diphtheria	0·19	21	1	–	1	1	–	3	9	6	2	–	–	–	–	1	–	–
Whooping-cough	0·42	46	24	14	4	1	–	43	2	1	–	–	–	–	–	–	–	–
Typhus	0·01	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	0·20	22	–	–	–	1	–	1	2	4	4	2	5	3	1	–	–	–
Simple Cont. Fev.	0·04	4	–	1	–	–	–	1	–	1	1	–	1	–	–	–	–	–
Puerp. Fever	0·04	4	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–
Diarr. and Dys.	0·56	62	23	2	2	–	–	27	1	–	1	1	2	–	–	4	9	17
Cholera	0·01	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·60	65	–	–	–	1	–	1	–	–	–	–	1	2	15	20	16	11
Scrofula	0·09	10	1	3	–	–	–	4	1	1	–	1	2	–	–	1	–	–
Tabes Mesent.	0·14	16	6	3	–	–	–	9	2	4	–	–	1	–	–	–	–	–
Phthisis	1·73	191	3	2	2	–	–	7	3	10	23	30	49	26	15	9	8	1
Hydrocephalus	0·17	19	10	6	–	1	1	18	–	–	–	–	–	1	–	–	–	–
Diseases of: Nervous Syst.	2·53	280	58	15	8	5	2	88	14	3	2	3	5	9	18	34	59	45
Diseases of: Circulatory „	1·41	156	1	–	–	–	–	1	2	4	2	1	7	11	16	33	48	31
Diseases of: Respiratory „	2·55	282	71	22	6	2	4	105	8	–	1	4	11	9	17	35	60	32
Diseases of: Digestive „	1·16	128	13	–	–	5	–	23	2	1	1	4	7	10	19	23	27	11
Diseases of: Urinary „	0·33	37	–	–	–	–	–	–	–	–	–	–	3	2	6	2	14	10
Diseases of: Generative „	0·05	6	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–
Childbirth	0·05	6	–	–	–	–	–	–	–	–	–	3	2	1	–	–	–	–
Suicide	0·17	19	–	–	–	–	–	–	–	–	–	1	2	3	5	3	4	1
Other Violence	0·37	41	1	4	2	2	–	9	–	3	1	3	4	3	4	5	4	5
OTHER CAUSES	5·13	567	191	15	5	–	4	218	8	1	2	7	7	6	12	26	75	205

Deaths of Infants (under one) to 1000 Births - 128 | Marriages - 726, Births - 3,322 | Annual Rate per 1000 living: Persons Married - 15·13, Births - 30·04

412.—UPPINGHAM.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	18·07	—	—	—	—	—	40·61	3·48	2·38	4·61	6·84	7·50	9·71	12·65	24·25	56·03	163·90
Mean Pop. 1871-80	—	12,136	312	301	301	285	286	1485	1435	1473	1257	862	1467	1256	1115	895	614	277
ALL CAUSES	18·07	2193	436	63	38	38	23	603	50	35	58	59	110	122	141	217	344	454
Small-pox	0·06	7	–	–	–	–	–	–	–	–	2	–	1	2	–	2	–	–
Measles	0·12	14	6	1	2	3	1	13	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·29	35	1	2	6	7	5	21	7	4	1	–	–	2	–	–	–	–
Diphtheria	0·12	15	–	–	1	4	2	7	4	2	–	–	–	1	–	1	–	–
Whooping-cough	0·26	31	16	8	6	–	1	31	–	–	–	–	–	–	–	–	–	–
Typhus	0·01	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·40	49	2	–	2	1	5	10	6	10	10	3	1	3	4	2	–	–
Simple Cont. Fev	0·10	12	–	1	–	–	–	1	–	1	–	1	3	2	2	1	1	–
Puerp. Fever	0·02	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Diarr. and Dys.	0·51	62	27	4	3	2	–	36	–	–	–	–	1	2	–	4	9	10
Cholera	0·02	3	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–
Cancer	0·60	73	–	–	–	–	–	–	–	–	–	–	3	9	14	22	21	4
Scrofula	0·07	8	–	2	–	–	–	2	–	–	–	2	–	1	2	–	1	–
Tabes Mesent.	0·10	12	8	–	–	1	–	9	1	–	2	–	–	–	–	–	–	–
Phthisis	1·14	138	1	–	1	–	1	3	3	3	18	17	34	25	29	6	–	–
Hydrocephalus	0·12	14	10	–	1	1	–	12	–	–	1	–	–	1	–	–	–	–
Diseases of: Nervous Syst	2·44	296	93	10	4	5	–	112	5	2	5	7	14	12	19	28	54	33
Diseases of: Circulatory „	1·08	131	3	1	–	1	–	5	4	2	2	1	8	9	13	34	35	18
Diseases of: Respiratory „	3·14	381	83	27	5	7	4	126	6	3	3	8	15	19	11	31	76	83
Diseases of: Digestive „	0·94	114	10	1	2	2	1	16	2	1	5	5	7	5	13	30	21	9
Diseases of: Urinary „	0·35	43	–	–	–	–	–	–	1	–	1	3	3	5	6	9	9	6
Diseases of: Generative „	0·03	4	1	–	–	–	–	1	–	–	–	1	–	–	–	–	1	1
Childbirth	0·05	6	–	–	–	–	–	–	–	–	–	1	–	3	2	–	–	–
Suicide	0·12	15	–	–	–	–	–	–	–	–	1	1	1	–	2	5	3	2
Other Violence	0·54	65	1	–	2	1	3	7	5	3	2	5	9	8	9	12	5	–
OTHER CAUSES	5·44	662	174	11	3	3	–	191	5	4	5	4	8	11	14	29	108	283

Deaths of Infants (under one) to 1000 Births - 115 | Marriages - 760, Births - 3,799 | Annual Rate per 1000 living: Persons Married - 12·67, Births - ·30

LINCOLNSHIRE.

413.—STAMFORD.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·06	—	—	—	—	—	43·44	4·07	3·32	3·93	7·21	9·22	11·30	15·38	28·59	53·57	163·12
Mean Pop. 1871–80	—	18,082	420	426	449	433	451	2240	2163	2016	1755	1512	2342	1921	1603	1252	890	385
ALL CAUSES	19·06	3447	671	148	83	33	38	973	88	67	69	109	216	217	247	358	475	628
Small-pox	0·02	4	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-
Measles	0·29	53	13	20	10	5	2	50	3	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·35	63	4	8	13	9	7	41	14	5	2	-	-	-	1	-	-	-
Diphtheria	0·10	18	-	1	3	-	1	5	9	2	-	-	-	1	1	-	-	-
Whooping-cough	0·27	48	23	12	4	3	-	47	1	-	-	-	-	-	-	-	-	-
Typhus	0·02	4	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-
Enteric Fever	0·35	64	2	2	2	2	1	9	9	10	5	6	8	5	4	2	5	1
Simple Cont. Fev.	0·04	7	1	-	-	2	1	4	-	-	1	1	-	-	1	-	-	-
Puerp. Fever	0·06	11	-	-	-	-	-	-	-	-	1	1	5	4	-	-	-	-
Diarr. and Dys.	0·63	114	73	6	1	-	1	81	1	-	-	-	-	-	1	9	4	18
Cholera	0·01	2	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Cancer	0·58	103	-	-	-	-	-	-	-	-	-	-	4	5	23	38	23	7
Scrofula	0·11	19	4	2	1	-	-	7	1	1	2	1	1	1	4	-	1	-
Tabes Mesent.	0·13	23	10	3	1	1	-	15	2	2	1	2	1	-	-	-	-	-
Phthisis	1·63	295	4	7	1	-	1	13	1	12	18	53	85	60	21	50	7	2
Hydrocephalus	0·17	30	3	3	6	2	5	19	5	1	2	-	-	2	-	1	-	-
Diseases of: Nervous Syst.	2·36	462	93	13	6	-	2	114	7	8	4	9	21	16	31	63	83	103
Circulatory	1·58	283	-	-	-	-	-	-	2	3	6	2	15	24	34	58	89	53
Respiratory	3·59	650	193	45	13	2	6	189	5	3	5	3	16	26	39	72	102	139
Digestive	1·27	229	12	3	2	2	2	21	7	4	4	4	14	13	23	30	52	42
Urinary	0·49	88	-	-	1	1	-	2	2	1	3	3	7	7	7	15	24	17
Generative	0·06	11	-	-	-	-	-	-	-	-	-	-	2	-	2	4	3	-
Childbirth	0·07	12	-	-	-	-	-	-	-	-	-	-	5	6	1	-	-	-
Suicide	0·12	22	-	-	-	-	-	-	-	-	-	2	3	5	3	4	4	1
Other Violence	0·75	135	8	3	3	2	4	20	9	12	8	10	11	9	13	12	16	15
OTHER CAUSES	3·81	694	203	19	16	2	5	335	9	3	6	9	18	21	29	39	55	179

Deaths of Infants (under one) to 1000 Births - 120 | Marriages - 1,144 | Births - 5,580 | Annual Rate per 1000 living: Persons Married - 12·65; Births - 30·86

414.—BOURN.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·37	—	—	—	—	—	43·74	5·46	3·14	5·71	7·84	7·55	8·97	12·85	23·81	51·56	158·30
Mean Pop. 1871–80	—	19,450	536	500	525	557	512	2619	2493	2231	1787	1364	2344	1935	1766	1445	960	446
ALL CAUSES	19·37	3767	780	208	109	64	63	1224	136	70	102	107	177	179	227	344	495	706
Small-pox	0·01	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Measles	0·23	45	6	21	2	2	1	32	4	1	-	1	-	-	-	-	-	-
Scarlet Fever	0·71	139	9	17	26	22	22	96	33	5	3	3	2	-	-	-	-	-
Diphtheria	0·17	34	1	1	4	1	5	12	13	3	4	1	-	-	1	-	-	-
Whooping-cough	0·39	75	31	23	9	6	-	72	3	-	-	-	-	-	-	-	-	-
Typhus	0·04	7	-	-	-	-	-	-	3	1	-	2	-	-	-	-	1	-
Enteric Fever	0·39	75	-	2	1	1	1	5	8	10	14	7	11	3	5	5	6	1
Simple Cont. Fev.	0·07	14	1	-	1	-	-	2	2	4	2	-	-	2	-	1	1	-
Puerp. Fever	0·03	5	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-	-
Diarr. and Dys.	0·63	122	53	14	6	1	-	74	2	-	-	-	1	1	-	3	13	28
Cholera	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Cancer	0·58	113	-	-	-	-	-	-	-	-	1	-	1	9	20	33	31	10
Scrofula	0·11	22	5	3	3	1	-	12	1	-	1	1	3	-	1	-	3	-
Tabes Mesent.	0·31	62	28	13	1	2	-	44	7	3	2	1	3	1	-	1	-	-
Phthisis	1·67	325	6	2	3	4	2	17	6	12	35	58	77	55	35	18	12	-
Hydrocephalus	0·20	39	13	8	4	3	5	33	4	2	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·28	444	115	20	8	3	6	153	12	2	5	7	11	14	21	41	84	88
Circulatory	1·61	314	2	-	-	-	-	2	2	2	4	4	12	26	35	70	99	58
Respiratory	2·68	521	137	60	18	10	5	210	6	7	4	5	8	14	28	61	75	103
Digestive	0·98	191	22	4	1	3	2	32	2	2	4	4	8	15	31	35	38	20
Urinary	0·39	75	4	-	-	-	1	5	3	-	3	1	8	3	7	19	16	10
Generative	0·01	7	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	-
Childbirth	0·11	23	-	-	-	-	-	-	-	-	2	5	7	8	1	-	-	-
Suicide	0·10	19	-	-	-	-	-	-	-	-	2	-	1	3	6	4	3	-
Other Violence	0·54	105	13	3	7	1	2	26	8	7	8	2	6	6	13	13	5	11
OTHER CAUSES	3·09	598	330	37	14	4	11	396	14	8	7	3	12	18	21	32	100	377

Deaths of Infants (under one) to 1000 Births - 124 | Marriages - 1,276 | Births - 6,208 | Annual Rate per 1000 living: Persons Married - 13·12; Births - 32·38

415.—SPALDING.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·94	—	—	—	—	—	48·74	4·63	3·33	4·56	6·51	8·92	9·23	12·38	24·69	49·33	147·74
Mean Pop. 1871-80	—	23073	631	588	603	638	587	3047	2832	2641	2304	1720	2781	2352	2059	1701	1127	500
ALL CAUSES	18·94	4369	1041	231	98	67	48	1485	131	88	105	112	248	217	255	420	556	752
Small-pox	0·07	17	-	-	-	-	-	-	1	1	4	5	3	3	-	-	-	-
Measles	0·16	38	9	10	6	2	4	31	6	-	1	-	-	-	-	-	-	-
Scarlet Fever	0·49	114	6	14	15	16	13	64	35	9	1	2	3	-	-	-	-	-
Diphtheria	0·07	20	1	-	2	3	3	9	7	4	-	-	-	-	-	-	-	-
Whooping-cough	0·40	93	53	25	8	3	1	90	2	1	-	-	-	-	-	-	-	-
Typhus	0·03	7	-	-	-	-	-	-	3	1	1	-	1	-	-	1	-	-
Enteric Fever	0·18	42	-	1	-	2	3	6	4	3	5	3	8	3	5	3	1	1
Simple Cont. Fev.	0·10	22	1	-	1	2	-	4	1	1	2	2	-	1	2	4	2	3
Puerp. Fever	0·07	16	-	-	-	-	-	-	-	-	-	2	9	5	-	-	-	-
Diarr. and Dys.	0·76	175	89	17	9	1	2	118	1	-	-	1	1	3	4	5	14	28
Cholera	0·02	4	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	-
Cancer	0·54	125	-	-	-	-	-	-	-	-	-	-	2	9	17	39	39	19
Scrofula	0·12	27	6	6	1	-	1	14	1	-	3	1	-	1	5	2	-	-
Tabes Mesent.	0·07	15	7	2	1	-	-	10	1	1	-	1	1	1	-	-	-	-
Phthisis	1·59	366	1	1	-	-	-	2	6	19	34	69	113	55	34	28	14	2
Hydrocephalus	0·24	55	10	8	8	7	4	37	6	7	4	1	-	-	-	-	-	-
Diseases of Nervous Syst.	2·52	581	163	27	8	8	2	208	12	7	10	6	21	23	36	72	86	95
Diseases of Circulatory „	1·38	319	-	1	-	-	-	1	4	3	8	1	17	30	37	65	96	57
Diseases of Respiratory „	3·19	735	169	47	18	8	4	246	8	1	6	2	23	24	31	71	147	176
Diseases of Digestive „	0·97	224	17	4	1	-	-	22	2	8	3	9	14	14	24	55	47	26
Diseases of Urinary „	0·35	79	1	-	-	-	-	1	3	-	1	1	9	5	10	13	18	18
Diseases of Generative „	0·03	6	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1
Childbirth	0·07	17	-	-	-	-	-	-	-	-	1	3	7	5	1	-	-	-
Suicide	0·11	25	-	-	-	-	-	-	-	-	3	-	2	7	5	6	1	2
Other Violence	0·61	141	5	9	11	8	6	39	15	10	7	6	9	6	10	15	13	11
Other Causes	4·20	968	503	59	9	7	5	583	13	11	11	6	3	14	33	37	77	313

Deaths of Infants (under one) to 1000 Births - 139 | Marriages - 1,641 | Births - 7,480 | Annual Rate per 1000 living: Persons Married - 14·22, Births - 32·42

416.—HOLBEACH.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·79	—	—	—	—	—	47·90	4·29	3·35	6·11	7·44	7·74	8·89	11·56	22·70	52·57	146·34
Mean Pop. 1871-80	—	19,300	592	493	557	528	540	2710	2450	2149	1784	1452	2404	1992	1669	1405	875	410
ALL CAUSES	18·79	3627	897	232	83	50	36	1298	105	72	109	103	186	177	193	319	460	600
Small-pox	0·04	8	3	-	-	-	-	3	-	-	2	1	2	-	-	-	-	-
Measles	0·16	30	8	11	3	2	2	26	4	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·35	68	2	8	14	12	5	41	15	4	4	2	-	2	-	-	-	-
Diphtheria	0·17	32	-	2	4	1	4	11	9	6	2	-	1	1	-	-	2	-
Whooping-cough	0·45	86	49	25	10	-	2	86	-	-	-	-	-	-	-	-	-	-
Typhus	0·03	5	-	-	-	-	-	-	1	2	-	-	-	1	-	1	-	-
Enteric Fever	0·22	42	-	-	-	5	2	7	8	4	3	4	3	2	4	1	5	1
Simple Cont. Fev.	0·09	18	1	-	-	-	1	2	1	2	1	1	1	2	1	2	2	3
Puerp. Fever	0·02	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
Diarr. and Dys.	0·49	95	35	11	1	-	1	48	2	-	-	-	1	1	1	2	17	23
Cholera	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Cancer	0·63	123	-	-	-	-	-	-	-	-	-	-	-	10	23	35	36	21
Scrofula	0·14	27	8	7	1	1	-	17	1	-	1	1	2	-	-	2	3	-
Tabes Mesent.	0·17	32	13	10	1	-	-	24	3	2	2	-	1	-	-	-	-	-
Phthisis	1·75	337	9	7	1	1	-	18	7	13	52	59	87	46	27	17	11	-
Hydrocephalus	0·26	50	11	12	5	3	3	34	7	5	2	2	-	-	-	-	-	-
Diseases of Nervous Syst.	2·32	447	147	30	11	3	2	193	8	10	10	7	9	12	21	41	68	65
Diseases of Circulatory „	1·03	198	2	1	-	-	-	3	2	4	1	5	15	24	19	42	54	29
Diseases of Respiratory „	3·19	615	164	50	15	7	2	238	7	1	8	7	15	20	30	64	114	111
Diseases of Digestive „	1·07	206	19	3	1	2	2	27	3	2	3	8	8	21	25	41	41	27
Diseases of Urinary „	0·57	110	-	1	-	1	3	5	1	3	-	2	13	6	8	22	24	26
Diseases of Generative „	0·06	11	1	-	1	-	-	2	-	-	-	-	2	4	-	2	-	1
Childbirth	0·05	9	-	-	-	-	-	-	-	-	-	1	6	2	-	-	-	-
Suicide	0·08	16	-	-	-	-	-	-	-	-	-	1	2	2	3	2	3	3
Other Violence	0·60	116	6	8	8	6	4	32	11	6	8	1	9	9	9	11	12	8
Other Causes	4·81	927	419	46	7	6	3	481	15	8	10	6	8	11	18	31	63	281

Deaths of Infants (under one) to 1000 Births - 135 | Marriages - 1,334 | Births - 6,612 | Annual Rate per 1000 living: Persons Married - 14·34, Births - 34·41

417.—BOSTON.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·56	—	—	—	—	—	45·42	5·07	3·27	4·92	6·91	7·92	10·32	12·61	23·03	52·60	141·99
Mean Pop. 1871-80	—	39,120	1075	944	1032	994	990	5035	4770	4278	3779	3041	4949	4091	3466	2896	1922	893
ALL CAUSES	18·56	7262	1592	851	164	95	85	2287	242	140	186	210	392	422	437	667	1011	1268
Small-pox	0·04	15	3	-	-	-	1	4	-	2	-	1	2	2	3	-	1	-
Measles	0·18	69	25	23	10	5	2	65	3	-	-	-	1	-	-	-	-	-
Scarlet Fever	0·41	161	7	29	19	20	18	84	45	17	6	1	3	5	-	-	-	-
Diphtheria	0·10	41	1	-	4	4	3	12	13	6	2	2	3	1	1	1	-	-
Whooping-cough	0·30	118	53	46	13	4	2	118	-	-	-	-	-	-	-	-	-	-
Typhus	0·03	12	-	1	1	-	-	2	6	-	1	-	1	-	1	1	-	-
Enteric Fever	0·16	63	-	1	1	2	2	6	8	5	9	8	6	4	8	6	3	-
Simple Cont. Fev.	0·07	29	3	-	1	-	1	5	3	5	2	1	2	3	-	4	4	-
Puerp. Fever	0·03	11	-	-	-	-	-	-	-	-	1	3	5	2	-	-	-	-
Diarr. and Dys.	0·64	250	140	21	10	4	1	176	5	1	1	-	2	5	3	5	16	36
Cholera	0·02	6	3	-	-	-	-	3	-	-	-	1	1	-	1	-	-	-
Cancer	0·62	241	-	-	-	-	-	-	-	-	-	1	8	24	38	79	62	29
Scrofula	0·10	40	6	3	1	1	2	13	2	4	5	5	6	3	-	2	-	-
Tabes Mesent.	0·17	68	42	5	2	1	-	50	4	5	5	1	1	-	-	2	-	-
Phthisis	1·77	691	16	6	2	4	1	29	18	25	83	101	182	119	59	49	23	3
Hydrocephalus	0·20	80	27	13	7	6	3	56	13	4	4	2	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·83	1106	302	43	25	10	12	397	25	18	17	14	20	37	66	112	191	203
Circulatory	1·35	527	-	2	1	-	-	3	6	2	6	13	18	42	67	115	170	85
Respiratory	2·65	1035	242	87	30	12	11	382	21	7	6	13	35	50	58	85	170	206
Digestive	1·13	442	19	3	4	2	7	35	14	5	7	9	16	36	48	84	117	71
Urinary	0·36	141	2	1	1	2	1	7	3	3	1	5	8	11	15	22	28	38
Generative	0·04	15	-	-	-	-	-	-	-	-	-	-	1	5	2	-	6	1
Childbirth	0·05	20	-	-	-	-	-	-	-	-	-	2	5	12	1	-	-	-
Suicide	0·10	40	-	-	-	-	-	-	-	-	1	3	6	5	4	12	5	4
Other Violence	0·70	272	15	5	16	9	8	53	23	20	21	14	25	28	19	18	25	16
Other Causes	4·51	1759	686	66	16	9	10	787	20	11	8	10	34	28	43	70	190	508

Deaths of Infants (under one) to 1000 Births - 132 | Marriages - 2,958 | Births - 12,035 | Annual Rate per 1000 living: Persons Married - 15·12; Births - - - 30·75

418.—SLEAFORD.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·14	—	—	—	—	—	41·53	5·04	2·91	4·34	7·43	6·78	8·42	11·68	21·91	50·44	148·31
Mean Pop. 1871-80	—	25,777	715	669	681	703	709	3477	3314	2952	2514	1939	3126	2683	2286	1812	1140	534
ALL CAUSES	17·14	4419	1010	200	105	71	58	1444	167	86	109	144	212	226	267	397	575	792
Small-pox	0·02	4	-	1	-	-	-	1	-	-	1	-	-	2	-	-	-	-
Measles	0·15	38	7	15	7	3	4	36	-	1	-	-	1	-	-	-	-	-
Scarlet Fever	0·59	152	5	29	21	21	20	97	43	3	1	-	2	4	1	-	1	-
Diphtheria	0·11	28	2	1	2	2	3	10	6	7	1	1	-	1	-	2	-	-
Whooping-cough	0·27	70	41	17	8	1	1	68	2	-	-	-	-	-	-	-	-	-
Typhus	0·03	8	-	-	-	-	1	1	4	2	-	-	-	-	-	-	-	1
Enteric Fever	0·23	59	2	1	3	-	2	8	5	9	3	8	9	4	12	1	-	-
Simple Cont. Fev.	0·10	25	-	1	-	2	-	3	3	2	2	4	1	1	3	1	1	4
Puerp. Fever	0·10	24	-	-	-	-	-	-	-	-	1	6	10	9	-	-	-	-
Diarr. and Dys.	0·84	216	100	26	4	5	5	140	3	1	-	-	-	3	2	6	15	46
Cholera	0·02	6	-	-	-	-	-	-	-	-	-	-	-	-	1	5	-	-
Cancer	0·54	138	-	-	-	-	-	-	1	-	-	-	5	11	29	34	39	19
Scrofula	0·09	23	3	2	-	-	1	6	1	1	-	4	3	3	2	2	1	-
Tabes Mesent.	0·19	50	31	7	1	1	-	40	3	2	1	2	-	1	1	-	-	-
Phthisis	1·52	391	8	1	1	3	1	14	19	12	53	81	78	61	38	27	7	1
Hydrocephalus	0·19	48	19	9	2	2	1	33	8	5	-	1	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·13	548	150	19	9	8	8	194	14	12	13	6	12	18	33	48	99	90
Circulatory	1·16	299	-	-	-	-	1	1	4	1	2	2	19	20	33	59	91	67
Respiratory	2·03	523	175	54	21	10	2	262	11	6	2	5	21	32	39	79	125	173
Digestive	0·92	237	26	3	-	3	1	33	3	5	6	2	12	13	22	45	57	36
Urinary	0·41	106	-	1	-	-	-	1	-	-	3	4	6	8	8	16	27	33
Generative	0·05	12	-	-	-	-	-	-	-	-	-	1	1	1	2	2	4	1
Childbirth	0·10	27	-	-	-	-	-	-	-	-	2	5	9	11	-	-	-	-
Suicide	0·07	19	-	-	-	-	-	-	-	-	-	2	3	3	4	2	5	-
Other Violence	0·52	133	9	3	3	5	1	21	16	5	11	6	6	8	9	21	12	18
Other Causes	3·85	1001	422	19	13	5	6	475	21	12	7	4	13	12	23	41	91	294

Deaths of Infants (under one) to 1000 Births - 126 | Marriages - 1,743 | Births - 8,013 | Annual Rate per 1000 living: Persons Married - 13·52; Births - - - 31·09

419.—GRANTHAM.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·07	—	—	—	—	—	47·30	4·84	2·99	4·48	6·43	6·72	9·70	12·10	21·91	56·12	164·16
Mean Pop. 1871-80	—	32,142	933	852	887	865	820	4357	3913	3612	3037	2599	4198	3465	2853	2168	1324	586
ALL CAUSES	18·07	5808	1339	373	151	95	103	2061	191	108	136	167	282	336	347	475	743	962
Small-pox	0·03	27	1	-	-	-	2	3	2	2	5	2	8	2	2	1	-	-
Measles	0·27	88	24	29	17	6	6	82	-	3	-	2	-	1	-	-	-	-
Scarlet Fever	0·61	197	10	35	25	23	30	123	61	6	3	-	2	1	1	-	-	-
Diphtheria	0·21	66	-	5	8	5	14	32	19	10	2	2	-	-	1	-	-	-
Whooping-cough	0·43	137	60	50	12	8	5	135	2	-	-	-	-	-	-	-	-	-
Typhus	0·02	6	-	-	-	1	-	1	1	1	-	2	1	-	-	-	-	-
Enteric Fever	0·29	92	-	5	3	2	2	12	12	10	7	9	12	7	5	11	7	-
Simple Cont. Fev.	0·05	17	1	-	-	-	-	1	1	4	2	2	2	-	1	-	3	1
Puerp Fever	0·06	19	-	-	-	-	-	-	-	-	3	4	7	5	-	-	-	-
Diarr. and Dys.	0·77	249	141	32	5	2	1	181	2	3	2	-	1	1	3	3	19	34
Cholera	0·01	4	1	-	-	-	-	1	-	-	-	-	-	-	1	2	-	-
Cancer	0·71	227	-	-	-	1	-	1	-	-	1	-	5	29	42	61	58	30
Scrofula	0·03	25	3	2	1	1	1	8	1	-	1	1	2	6	3	2	-	1
Tabes Mesent.	0·16	54	43	20	3	2	1	69	5	3	-	1	-	2	2	-	2	-
Phthisis	1·55	498	5	8	4	-	2	19	3	18	52	86	127	87	47	38	29	1
Hydrocephalus	0·19	62	22	8	4	6	6	46	7	7	1	-	-	-	-	1	-	-
Diseases of: Nervous Syst.	2·05	659	164	31	13	7	4	219	21	5	9	8	16	23	25	66	114	133
Diseases of: Circulatory	1·28	412	-	-	-	-	-	-	2	5	8	8	19	30	55	75	128	92
Diseases of: Respiratory	3·07	988	236	89	28	15	14	382	13	4	10	7	13	31	45	96	158	209
Diseases of: Digestive	0·96	310	43	2	4	1	1	51	7	2	7	8	19	38	43	44	54	37
Diseases of: Urinary	0·37	120	2	-	-	-	1	3	1	1	1	3	2	11	11	21	45	18
Diseases of: Generative	0·03	10	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	2
Childbirth	0·10	31	-	-	-	-	-	-	-	-	1	6	11	13	-	-	-	-
Suicide	0·08	27	-	-	-	-	-	-	-	-	-	1	2	3	5	8	7	1
Other Violence	0·50	161	21	7	10	3	4	45	14	4	7	11	12	17	18	5	16	12
Other Causes	4·04	1292	562	50	14	12	9	647	17	20	14	4	21	19	20	47	92	391

Deaths of Infants (under one) to 1000 Births - 128 | Marriages - 2,376 | Births - 10,499 | Annual Rate per 1000 living: Persons Married - 14·78; Births - - - 32·65

420.—LINCOLN.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	20·95	—	—	—	—	—	59·64	5·55	3·61	5·71	7·71	8·77	12·72	16·51	27·99	61·61	163·04
Mean Pop. 1871-80	—	58,491	1683	1530	1608	1523	1538	7882	7120	6291	5539	4878	8203	6690	4986	3623	2217	882
ALL CAUSES	20·95	12,234	3231	776	319	219	156	4701	395	227	316	375	727	851	823	1014	1366	1438
Small-pox	0·05	29	7	4	2	3	-	16	-	2	-	3	5	-	1	2	-	-
Measles	0·22	126	30	42	18	13	8	111	11	3	-	-	-	1	-	-	-	-
Scarlet Fever	0·63	399	19	54	64	67	48	252	106	23	4	6	3	2	2	-	1	-
Diphtheria	0·10	55	7	3	4	7	3	24	19	4	4	1	1	2	1	-	-	-
Whooping-cough	0·35	206	114	49	27	9	3	202	4	-	-	-	-	-	-	-	-	-
Typhus	0·04	21	-	1	-	-	-	1	4	5	3	1	2	-	2	3	-	-
Enteric Fever	0·37	214	1	3	7	13	8	32	23	22	12	26	26	23	17	8	18	4
Simple Cont. Fev.	0·07	38	-	1	2	-	3	6	9	1	7	4	3	1	1	4	1	1
Puerp. Fever	0·07	43	-	-	-	-	-	-	-	-	2	7	21	13	-	-	-	-
Diarr. and Dys.	1·03	628	431	76	13	7	2	529	11	2	-	1	4	8	5	11	24	33
Cholera	0·02	12	2	-	-	-	-	2	-	-	1	1	-	1	3	3	-	1
Cancer	0·52	304	-	-	-	1	-	1	1	-	2	2	9	19	39	98	71	39
Scrofula	0·09	55	15	7	3	-	2	27	6	4	4	3	3	2	2	3	1	-
Tabes Mesent.	0·23	136	80	18	3	3	3	107	11	9	3	-	3	1	-	1	1	-
Phthisis	2·02	1178	21	9	3	3	3	39	20	48	135	150	300	229	123	58	13	3
Hydrocephalus	0·27	159	57	34	17	7	9	124	18	8	4	2	1	1	1	-	-	-
Diseases of: Nervous Syst.	3·44	2010	670	72	35	20	13	810	37	22	26	22	81	172	163	201	286	190
Diseases of: Circulatory	1·33	779	-	2	-	-	-	2	9	11	20	18	46	40	104	158	224	97
Diseases of: Respiratory	3·12	1824	492	248	73	31	19	863	28	10	12	19	57	71	129	165	255	215
Diseases of: Digestive	0·85	495	48	10	2	2	5	67	15	11	8	13	32	61	70	110	68	40
Diseases of: Urinary	0·42	243	4	-	-	1	2	7	14	3	8	10	18	31	34	39	46	33
Diseases of: Generative	0·05	35	-	-	-	-	-	-	-	1	1	1	2	9	6	7	5	3
Childbirth	0·68	44	-	-	-	-	-	-	-	-	4	5	16	18	1	-	-	-
Suicide	0·07	41	-	-	-	-	-	-	-	1	4	2	6	7	9	8	6	-
Other Violence	0·51	299	21	16	16	10	9	72	16	22	22	15	29	30	23	30	21	19
Other Causes	4·89	2858	1212	127	30	22	16	1407	30	15	30	24	39	59	67	105	322	760

Deaths of Infants (under one) to 1000 Births - 162 | Marriages - 4,837 | Births - 19,979 | Annual Rate per 1000 living: Persons Married - 16·56; Births - - - 34·21

421.—HORNCASTLE.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·57	—	—	—	--	--	39·41	5·13	3·77	5·35	7·76	6·89	8·85	11·21	22·13	52·07	143·01
Mean Pop. 1871-80	—	22,641	612	560	590	558	560	2880	2807	2549	2186	1714	2772	2328	2106	1645	1110	544
ALL CAUSES	17·57	3978	800	163	87	49	36	1135	144	96	117	133	191	206	236	364	578	778
Small-pox	0·11	24	2	-	-	-	-	2	-	-	2	6	5	4	4	-	1	-
Measles	0·09	20	8	8	1	1	1	19	1	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·37	84	6	8	11	9	12	46	18	6	7	2	2	2	-	1	-	-
Diphtheria	0·26	58	1	1	3	8	9	22	12	7	2	4	1	-	-	-	-	-
Whooping-cough	0·28	63	33	18	10	1	-	62	1	-	-	-	-	-	-	-	-	-
Typhus	0·04	8	-	-	1	-	1	2	1	1	1	1	1	-	-	-	-	1
Enteric Fever	0·32	72	1	-	2	2	1	6	7	15	6	6	8	9	3	7	4	1
Simple Cont. Fev.	0·07	15	1	1	1	-	-	3	3	2	-	1	-	1	1	3	-	1
Puerp. Fever	0·04	9	-	-	-	-	-	-	-	-	-	3	2	3	1	-	-	-
Diarr. and Dys.	0·28	63	24	3	2	2	-	31	3	-	1	-	-	-	1	1	9	17
Cholera	0·01	3	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-
Cancer	0·57	128	-	-	-	-	-	-	-	-	-	-	6	12	27	41	32	10
Scrofula	0·18	41	6	6	2	-	-	14	4	3	3	8	1	2	2	1	2	1
Tabes Mesent.	0·21	48	30	4	2	2	-	38	2	3	3	-	2	-	-	-	-	-
Phthisis	1·83	415	6	2	2	1	-	11	9	20	52	66	100	72	42	31	12	-
Hydrocephalus	0·27	61	16	13	11	3	2	45	8	7	-	-	1	-	-	-	-	-
Diseases of Nervous Syst.	2·51	568	172	21	15	10	2	220	13	6	14	7	8	13	27	60	112	88
Diseases of Circulatory "	1·39	315	-	-	-	-	-	-	-	2	4	6	9	25	27	67	116	59
Diseases of Respiratory "	1·92	435	98	37	8	7	1	151	11	-	4	5	4	16	24	50	89	81
Diseases of Digestive "	0·80	181	15	1	-	-	-	16	3	1	5	4	6	9	31	40	42	24
Diseases of Urinary "	0·35	80	-	-	-	-	1	1	3	1	-	2	8	8	8	13	20	16
Diseases of Generative "	0·04	10	-	-	-	-	-	-	-	-	1	-	-	5	4	-	-	-
Childbirth	0·06	14	-	-	-	-	-	-	-	-	2	1	6	4	1	-	-	-
Suicide	0·06	13	-	-	-	-	-	-	-	-	-	-	3	1	3	3	3	-
Other Violence	0·50	113	2	1	9	2	3	17	12	11	3	5	6	3	13	5	14	17
Other Causes	5·01	1137	379	39	7	1	3	429	16	11	7	6	12	17	15	40	122	462

Deaths of Infants (under one) to 1000 Births - 117 | Marriages - 1,485 | Births - 6,818 | Annual Rate per 1000 living: Persons Married - 13·12; Births - 30·12

422.—SPILSBY.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	16·88	—	—	—	—	—	37·58	4·29	3·11	5·16	7·15	8·44	8·61	11·91	17·96	48·16	142·63
Mean Pop. 1871-80	—	28,567	708	743	754	763	695	3723	3615	3275	2732	2084	3318	2985	2669	2094	1387	685
ALL CAUSES	16·88	4822	1009	187	104	64	35	1399	155	102	141	149	280	257	318	376	668	977
Small-pox	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	0·07	21	7	5	4	2	-	18	2	-	1	-	-	-	-	-	-	-
Scarlet Fever	0·30	87	2	4	12	15	6	39	28	13	4	2	1	-	-	-	-	-
Diphtheria	0·07	21	2	-	-	3	1	6	7	2	2	1	-	-	-	2	1	-
Whooping-cough	0·29	84	53	20	4	1	2	83	1	-	-	-	-	-	-	-	-	-
Typhus	0·05	14	-	-	-	-	-	-	5	4	2	-	-	1	1	-	1	-
Enteric Fever	0·20	56	1	2	-	2	1	6	4	8	3	6	10	4	7	4	4	-
Simple Cont. Fev.	0·11	32	3	1	1	1	1	7	6	1	2	4	2	1	1	4	3	1
Puerp. Fever	0·02	7	-	-	-	-	-	-	-	-	1	3	3	-	-	-	-	-
Diarr. and Dys.	0·24	66	42	10	6	2	1	61	4	-	1	1	-	1	1	6	10	11
Cholera	0·02	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	3
Cancer	0·61	173	-	-	-	-	-	-	-	-	-	-	6	12	35	36	60	24
Scrofula	0·08	23	5	3	-	1	1	10	1	1	3	2	-	3	2	-	1	-
Tabes Mesent.	0·18	51	26	8	5	2	-	41	2	2	5	-	-	-	-	1	-	-
Phthisis	1·89	540	7	2	6	1	1	17	8	24	65	85	156	83	58	37	4	3
Hydrocephalus	0·21	61	18	6	6	2	2	34	16	6	1	1	2	1	-	-	-	-
Diseases of Nervous Syst.	2·71	773	316	23	18	11	3	376	18	7	12	6	19	18	46	74	98	119
Diseases of Circulatory "	1·16	331	2	-	-	-	-	2	1	4	3	8	15	37	36	63	103	59
Diseases of Respiratory "	1·93	559	1 9	47	15	10	7	208	11	5	7	6	9	22	29	61	99	102
Diseases of Digestive "	0 85	243	21	1	1	1	1	25	8	5	8	5	11	22	33	38	61	27
Diseases of Urinary "	0·34	96	-	-	-	2	2	4	3	1	3	5	11	7	14	12	19	17
Diseases of Generative "	0·04	12	-	-	-	-	-	-	-	1	-	-	2	3	3	2	1	-
Childbirth	0·06	16	-	-	-	-	-	-	-	-	-	2	10	4	-	-	-	-
Suicide	0·08	22	-	-	-	-	-	-	-	-	1	-	2	2	6	7	3	1
Other Violence	0·48	138	5	8	12	4	2	31	17	11	9	5	5	19	9	11	8	13
Other Causes	4·76	1361	267	42	14	4	4	431	13	7	8	7	15	16	37	38	102	597

Deaths of Infants (under one) to 1000 Births - 117 | Marriages - 1,979 | Births - 8,518 | Annual Rate per 1000 living: Persons Married - 13·72; Births - 30·96

423.—LOUTH.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·77	—	—	—	—	—	41·31	4·35	3·18	5·97	6·90	7·78	9·12	12·41	23·08	52·40	147·00
Mean Pop. 1871-80	—	34,330	928	848	930	911	893	4510	4277	3991	3217	2608	4188	3672	3142	2392	1567	766
ALL CAUSES	17·77	6099	1354	261	101	86	61	1863	186	127	192	180	326	335	390	552	822	1126
Small-pox	0·02	7	1	–	–	–	–	1	–	–	3	1	2	–	–	–	–	–
Measles	0·10	35	10	10	8	2	3	33	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·43	149	6	13	17	21	17	74	46	9	11	3	5	1	–	–	–	–
Diphtheria	0·07	25	–	3	–	2	6	11	4	2	1	1	3	–	–	2	–	1
Whooping-cough	0·34	116	76	24	5	5	2	112	4	–	–	–	–	–	–	–	–	–
Typhus	0·02	8	1	–	–	1	1	3	–	2	–	–	2	1	–	–	–	–
Enteric Fever	0·21	71	3	–	1	4	2	10	13	5	6	9	4	5	8	8	2	1
Simple Cont. Fev.	0·07	23	–	–	1	3	–	4	–	3	2	2	1	1	3	–	3	4
Puerp. Fever	0·04	15	–	–	–	–	–	–	–	–	3	2	9	1	–	–	–	–
Diarr and Dys.	0·53	183	115	13	2	2	1	133	3	1	–	1	3	1	3	6	9	23
Cholera	0·05	18	10	–	–	–	–	10	1	–	–	–	1	–	2	1	1	2
Cancer	0·54	184	–	1	–	–	–	1	–	–	1	2	3	14	36	48	51	28
Scrofula	0·07	25	2	2	–	1	–	5	3	4	1	2	6	1	–	2	1	–
Tabes Mesent.	0·12	40	19	2	–	–	2	23	4	2	3	1	2	1	2	–	1	1
Phthisis	1·62	555	8	4	1	2	–	15	11	20	74	84	146	96	57	39	10	3
Hydrocephalus	0·23	80	22	17	5	4	2	50	20	13	2	3	1	–	–	–	–	–
Diseases of: Nervous Syst.	2·84	975	305	31	11	8	4	359	28	15	16	14	20	29	61	105	163	165
Diseases of: Circulatory „	1·41	485	1	–	1	–	–	2	–	9	5	2	22	39	68	89	139	110
Diseases of: Respiratory „	2·55	875	192	83	20	7	4	306	11	9	15	10	19	46	47	79	153	180
Diseases of: Digestive „	0·88	301	45	1	3	3	1	53	9	3	11	7	12	26	42	37	59	42
Diseases of: Urinary „	0·37	128	4	1	1	1	–	7	1	–	4	7	4	9	12	20	35	29
Diseases of: Generative „	0·04	13	–	–	–	–	–	–	–	–	–	1	3	–	–	2	7	–
Childbirth	0·08	29	–	–	–	–	–	–	–	–	1	6	13	9	–	–	–	–
Suicide	0·07	23	–	–	–	–	–	–	–	–	2	–	3	1	4	9	3	1
Other Violence	0·55	189	13	12	10	5	8	48	8	14	12	14	20	16	14	18	9	16
Other Causes	4·49	1538	521	44	15	15	8	603	18	16	19	8	22	38	31	87	176	520

Deaths of Infants (under one) to 1000 Births - 129 | Marriages - 2,407 | Births - 10,503 | Annual Rate per 1000 living: Persons Married - 14·02; Births - 30·59

424.—CAISTOR.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·23	—	—	—	—	—	54·79	5·56	3·75	5·23	6·92	8·22	11·10	13·28	23·38	50·65	145·23
Mean Pop. 1871-80	—	57,892	1725	1589	1601	1635	1590	8140	6918	6021	6120	5434	8459	6315	4706	3161	1834	754
ALL CAUSES	18·23	10,552	3117	703	304	207	129	4460	386	226	320	376	695	701	625	739	929	1095
Small-pox	0·64	371	60	22	16	25	19	142	30	13	20	18	55	28	15	6	4	1
Measles	0·18	105	30	40	14	5	6	95	10	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·55	316	22	37	56	50	29	194	77	22	7	7	4	4	–	1	–	–
Diphtheria	0·14	79	3	5	3	10	11	32	25	10	3	1	3	2	2	–	1	–
Whooping-cough	0·30	171	81	40	29	10	6	169	2	–	–	–	–	–	–	–	–	–
Typhus	0·05	31	–	–	–	–	2	2	1	2	7	7	3	3	4	1	–	1
Enteric Fever	0·28	161	2	3	3	8	4	20	21	15	23	15	21	18	8	11	8	1
Simple Cont. Fev	0·10	58	1	3	2	2	1	9	13	2	12	2	5	3	4	3	3	2
Puerp. Fever	0·07	42	–	–	–	–	–	–	–	–	2	12	20	8	–	–	–	–
Diarr. and Dys.	1·04	603	435	71	10	4	3	523	3	1	–	1	1	5	4	17	16	32
Cholera	0·02	13	3	3	–	–	–	6	–	–	–	–	2	3	–	2	–	–
Cancer	0·39	227	–	–	–	–	–	–	1	1	1	–	7	30	49	66	49	33
Scrofula	0·08	47	10	5	3	2	1	21	3	2	3	3	4	4	2	3	2	–
Tabes Mesent.	0·25	147	73	24	12	3	1	113	8	3	6	1	5	6	4	1	–	–
Phthisis	1·46	843	9	9	6	3	3	30	14	43	95	130	238	159	83	41	13	–
Hydrocephalus	0·19	112	29	30	12	6	4	81	19	6	3	1	2	–	–	–	–	–
Diseases of: Nervous Syst.	2·90	1678	778	83	35	26	6	928	30	28	15	24	45	62	82	114	180	170
Diseases of: Circulatory „	1·33	770	–	–	2	–	–	2	6	17	12	16	43	91	104	133	198	148
Diseases of: Respiratory „	2·78	1617	487	201	62	34	12	796	29	11	25	24	57	79	86	144	173	193
Diseases of: Digestive „	0·90	519	61	9	5	3	1	79	13	9	15	12	42	58	76	82	94	39
Diseases of: Urinary „	0·28	161	4	2	1	–	1	8	7	4	3	8	15	21	16	19	35	25
Diseases of: Generative „	0·06	33	–	–	–	–	–	–	–	–	–	1	4	4	9	7	5	3
Childbirth	0·10	58	–	–	–	–	–	–	–	–	4	12	26	16	–	–	–	–
Suicide	0·06	36	–	–	–	–	–	–	–	1	3	7	3	5	5	7	4	1
Other Violence	0·69	397	26	14	10	8	10	68	35	23	38	37	60	44	33	24	16	16
Other Causes	3·39	1954	1000	102	23	8	9	1142	30	13	13	17	30	48	36	57	128	410

Deaths of Infants (under one) to 1000 Births - 152 | Marriages - 4,789 | Births - 20,457 | Annual Rate per 1000 living: Persons Married - 16·54; Births - 35·34

425.—GLANFORD BRIGG.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·15	—	—	—	—	—	46·55	4·91	4·05	5·16	7·58	6·84	8·45	11·12	22·23	52·03	148·60
Mean Pop. 1871-80	—	38,204	1159	1042	1134	1067	1054	5456	4847	4196	3549	2994	4957	3998	3290	2515	1653	749
ALL CAUSES	18·15	6933	1790	384	170	105	91	2540	238	170	183	227	339	338	366	559	860	1113
Small-pox	0·06	22	–	–	2	–	–	2	–	1	3	5	5	–	–	6	–	–
Measles	0·22	85	21	26	12	12	7	78	6	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·54	206	10	31	26	27	33	127	48	22	3	2	1	2	1	–	–	–
Diphtheria	0·14	54	3	3	4	6	8	24	18	6	1	2	2	–	–	1	–	–
Whooping cough	0·30	114	53	37	14	5	1	110	4	–	–	–	–	–	–	–	–	–
Typhus	0·02	9	–	–	–	–	–	–	2	2	1	1	–	1	–	1	1	–
Enteric Fever	0·28	108	4	1	5	1	1	12	8	9	12	13	10	15	10	7	9	3
Simp. Cont. Fev.	0·09	34	–	–	3	2	–	5	6	5	1	2	–	2	1	5	6	1
Puerp. Fever	0·05	19	–	–	–	–	–	–	–	–	2	8	6	3	–	–	–	–
Diarr. and Dys.	0·78	297	199	30	2	1	–	232	6	1	1	–	3	3	2	8	18	23
Cholera	0·01	4	1	–	–	–	–	1	–	–	–	–	–	–	–	2	1	–
Cancer	0·44	167	–	–	–	–	–	–	–	–	–	–	7	17	33	53	41	16
Scrofula	0·10	37	10	5	2	–	–	17	4	3	2	2	2	5	1	–	1	–
Tabes Mesent.	0·16	60	29	12	1	2	2	46	2	4	5	1	–	–	1	1	–	–
Phthisis	1·60	610	7	8	–	–	2	17	15	35	85	114	155	91	55	30	13	–
Hydrocephalus	0·23	89	24	18	12	5	7	66	15	4	3	–	–	1	–	–	–	–
Diseases of: Nervous Syst.	2·77	1057	405	41	14	12	6	478	26	17	7	7	21	25	48	95	183	150
Diseases of: Circulatory „	1·20	457	–	–	1	–	–	1	6	11	15	13	28	38	57	95	119	74
Diseases of: Respiratory „	2·85	1087	291	102	37	18	10	458	11	9	6	10	27	45	49	85	178	209
Diseases of: Digestive „	0·82	315	26	5	4	–	1	36	7	6	8	4	15	27	41	66	71	34
Diseases of: Urinary „	0·33	127	–	–	1	1	2	4	2	2	4	3	2	7	15	20	36	32
Diseases of: Generative „	0·05	19	–	–	–	–	–	–	–	–	–	1	1	3	5	6	1	2
Childbirth	0·08	29	–	–	–	–	–	–	–	–	1	10	8	10	–	–	–	–
Suicide	0·05	19	–	–	–	–	–	–	–	–	–	1	1	2	3	6	4	2
Other Violence	0·55	210	13	7	10	2	6	38	14	16	13	19	23	22	16	20	10	16
Other Causes	4·43	1698	694	48	29	11	5	785	38	16	10	9	19	19	18	52	168	551

Deaths of Infants (under one) to 1000 Births - 135

Marriages - 2,622
Births - 13,238

Annual Rate per 1000 living { Persons Married - 13·73; Births - 34·65

426.—GAINSBOROUGH.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·74	—	—	—	—	—	47·58	5·67	3·18	5·23	6·54	7·66	8·91	11·65	20·62	55·71	146·29
Mean Pop. 1871-80	—	28,589	852	782	752	798	780	3964	3370	2991	2695	2399	3863	2984	2411	1993	1296	623
ALL CAUSES	18·74	5358	1296	296	125	90	79	1886	191	95	141	157	296	266	281	411	722	912
Small-pox	0·10	28	6	–	1	1	1	9	2	1	1	4	3	4	1	3	–	–
Measles	0·15	42	7	11	8	4	5	35	5	1	–	–	–	1	–	–	–	–
Scarlet Fever	0·55	158	6	29	21	23	21	100	33	11	5	3	2	1	–	–	–	–
Diphtheria	0·21	60	6	5	7	7	7	32	18	5	1	2	2	–	–	–	–	–
Whooping-cough	0·33	95	42	27	14	4	3	90	4	1	–	–	–	–	–	–	–	–
Typhus	0·04	12	–	–	1	–	1	2	1	1	5	1	1	–	–	1	–	–
Enteric Fever	0·32	91	3	6	2	2	1	14	9	7	9	8	12	5	9	6	10	2
Simp. Cont. Fever	0·14	40	–	2	–	2	4	8	8	4	2	4	1	3	2	–	5	3
Puerp. Fever	0·08	22	–	–	–	–	–	–	–	–	–	4	11	6	1	–	–	–
Diarr. and Dys.	0·84	239	151	20	2	4	1	178	2	1	–	–	3	2	3	7	10	33
Cholera	0·03	8	2	1	–	–	1	4	2	–	–	–	–	–	–	2	–	–
Cancer	0·44	127	–	–	–	–	–	–	–	–	–	–	3	15	30	31	36	12
Scrofula	0·11	31	6	–	2	–	1	9	4	–	2	1	7	2	3	1	2	–
Tabes Mesent.	0·21	60	36	9	6	3	–	54	3	1	–	1	–	1	–	–	–	–
Phthisis	1·65	473	4	6	1	–	–	11	9	16	57	91	159	81	39	21	8	1
Hydrocephalus	0·17	49	13	15	5	1	5	39	7	3	–	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·70	772	304	30	12	8	3	357	14	8	8	3	16	8	34	62	118	144
Diseases of: Circulatory „	1·05	299	1	2	–	3	–	6	2	3	6	7	16	25	34	40	107	53
Diseases of: Respiratory „	3·34	955	216	81	26	11	12	346	15	6	9	9	21	32	48	110	172	187
Diseases of: Digestive „	1·07	305	49	3	1	4	1	58	14	5	5	4	13	18	31	45	84	28
Diseases of: Urinary „	0·39	112	1	1	1	–	–	3	1	–	1	2	7	17	10	18	34	19
Diseases of: Generative „	0·02	7	–	–	–	–	–	–	–	–	1	1	–	1	1	2	1	–
Childbirth	0·08	23	–	–	–	–	–	–	–	–	1	2	13	7	–	–	–	–
Suicide	0·07	21	–	–	–	–	–	–	–	–	–	2	2	–	1	9	5	1
Other Violence	0·52	149	9	10	3	3	6	31	24	9	13	5	6	15	7	13	15	11
Other Causes	4·13	1181	434	48	12	10	6	500	11	12	15	3	18	12	27	40	115	418

Deaths of Infants (under one) to 1000 Births - 141

Marriages - 1,957
Births - 9,223

Annual Rate per 1000 living { Persons Married - 13·69; Births - 32·26

NOTTINGHAMSHIRE.

427.—EAST RETFORD.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	18·39	—	—	—	—	—	42·52	4·90	3·04	5·17	6·67	7·82	9·38	12·03	21·79	52·65	151·89
Mean Pop. 1871-80	—	23,153	669	565	630	602	587	3053	2815	2537	2186	1770	2901	2430	2114	1652	1140	555
ALL CAUSES	18·39	4257	903	191	84	67	53	1298	138	77	113	118	227	228	255	360	600	843
Small-pox	0·07	17	2	-	-	-	-	2	1	-	4	2	6	2	-	-	-	-
Measles	0·15	35	5	8	7	7	2	29	4	2	-	-	-	-	-	-	-	-
Scarlet Fever	0·41	95	6	11	18	15	13	63	22	6	2	-	2	-	-	-	-	-
Diphtheria	0·20	45	2	1	3	7	4	17	15	7	2	2	-	1	2	-	-	-
Whooping-cough	0·23	53	30	15	3	2	2	52	1	-	-	-	-	-	-	-	-	-
Typhus	0·01	3	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-
Enteric Fever	0·47	108	1	-	3	2	3	9	15	13	15	11	7	8	12	8	7	3
Simple Cont. Fev.	0·04	9	-	1	-	-	-	1	1	1	-	-	-	-	1	1	2	2
Puerp. Fever	0·05	11	-	-	-	-	-	-	-	-	1	-	6	4	-	-	-	-
Diarr. and Dys.	0·47	109	67	9	2	1	-	79	3	-	1	-	-	-	3	6	7	10
Cholera	0·02	5	1	1	-	1	-	3	-	-	-	-	-	-	-	-	1	1
Cancer	0·72	167	-	-	-	-	-	-	1	1	-	-	5	17	25	41	49	28
Scrotula	0·09	20	2	1	-	-	-	3	1	2	1	2	4	6	-	-	1	-
Tabes Mesent.	0·33	76	44	12	2	1	1	60	5	3	4	2	2	-	-	-	-	-
Phthisis	1·53	355	6	2	1	-	-	9	5	14	34	56	105	68	43	16	5	-
Hydrocephalus	0·22	51	13	10	4	4	5	36	9	3	1	2	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·57	596	194	18	5	4	3	224	11	5	6	10	20	15	32	61	108	104
Circulatory ,,	1·36	316	3	-	-	-	-	3	-	-	6	3	10	18	27	86	97	65
Respiratory ,,	3·09	716	160	68	22	9	9	268	7	2	7	5	15	22	39	52	132	167
Digestive ,,	0·91	211	17	-	3	-	1	21	1	5	7	8	11	24	29	31	48	70
Urinary ,,	0·35	80	-	-	-	3	-	3	4	-	3	1	5	9	9	11	16	19
Generative ,,	0·05	11	-	-	-	-	-	-	-	-	-	-	1	4	-	4	2	-
Childbirth	0·06	14	-	-	-	-	-	-	-	-	2	-	5	7	-	-	-	-
Suicide	0·10	23	-	-	-	-	-	-	-	-	-	1	3	3	4	7	4	1
Other Violence	0·63	145	10	8	2	5	4	29	22	9	8	6	10	11	13	7	13	17
OTHER CAUSES	4·26	985	240	23	9	6	5	336	10	4	8	6	10	13	13	29	108	395

Deaths of Infants (under one) to 1000 Births - 125 | Marriages - 1,588 | Births - 7,228 | Annual Rate per 1000 living: Persons Married - 13·72; Births - 31·26

428.—WORKSOP.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	19·04	—	—	—	—	—	52·16	5·64	3·42	5·03	6·35	8·68	9·43	15·33	26·32	59·16	156·99
Mean Pop. 1871-80	—	26,935	881	773	805	776	768	4003	3437	2891	2406	2350	3814	2948	2179	1611	951	365
ALL CAUSES	19·04	5129	1402	354	151	95	86	2088	194	99	121	148	308	278	334	424	562	573
Small-pox	0·24	65	11	3	-	1	3	18	8	3	6	8	12	7	1	2	-	-
Measles	0·20	54	15	15	13	5	5	53	1	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·54	146	10	25	22	2	22	101	33	4	-	3	2	-	-	-	-	-
Diphtheria	0·14	37	2	2	4	9	4	21	10	1	2	2	-	1	-	-	-	-
Whooping-cough	0·33	90	42	28	11	4	2	87	3	-	-	-	-	-	-	-	-	-
Typhus	0·03	9	-	-	-	-	-	-	1	1	4	1	2	-	-	-	-	-
Enteric Fever	0·53	142	6	5	9	6	6	32	27	14	11	11	20	10	11	4	2	-
Simple Cont. Fev.	0·10	26	1	1	1	1	2	6	1	3	3	4	3	2	2	-	2	-
Puerp. Fever	0·06	16	-	-	-	-	-	-	-	-	1	5	7	3	-	-	-	-
Diarr. and Dys.	0·59	160	93	25	6	-	3	127	2	-	1	-	-	4	-	9	5	12
Cholera	0·03	8	3	1	1	-	-	5	-	-	-	-	-	-	1	2	-	-
Cancer	0·30	82	-	-	-	-	-	-	-	-	-	-	6	13	25	15	14	9
Scrotula	0·14	38	14	3	-	-	1	18	4	1	1	2	8	-	1	-	2	1
Tabes Mesent.	0·32	87	42	19	7	2	2	72	6	3	2	1	1	1	1	-	-	-
Phthisis	1·57	424	5	4	1	3	1	14	12	14	41	53	110	77	62	32	6	3
Hydrocephalus	0·19	51	25	11	3	-	2	41	9	-	1	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·93	802	377	40	15	6	5	443	17	10	9	7	17	34	37	67	91	70
Circulatory ,,	1·21	325	-	1	-	-	-	1	4	13	7	5	21	29	39	65	101	40
Respiratory ,,	3·35	902	264	112	39	14	14	443	15	2	7	4	19	28	43	79	126	125
Digestive ,,	1·08	291	38	7	3	3	2	48	6	3	3	7	23	21	47	62	48	23
Urinary ,,	0·33	88	1	1	1	-	1	4	2	4	3	6	5	5	7	17	16	19
Generative ,,	0·06	17	-	-	-	-	-	-	1	-	1	-	1	1	2	5	6	-
Childbirth	0·09	23	-	-	-	-	-	-	-	-	2	4	7	10	-	-	-	-
Suicide	0·06	17	-	-	-	-	-	-	-	-	-	1	2	3	3	4	3	1
Other Violence	0·72	194	5	7	5	7	2	27	16	14	13	14	26	11	27	14	18	14
OTHER CAUSES	3·85	1035	453	41	10	9	8	524	16	9	3	10	16	18	23	47	112	255

Deaths of Infants (under one) to 1000 Births - 135 | Marriages - 1,737 | Births - 10,401 | Annual Rate per 1000 living: Persons Married - 12·90; Births - 38·62

429.—MANSFIELD.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75— and upwds.
Annual Death Rate per 1000	—	21·72	—	—	—	—	—	63·34	5·76	3·35	6·02	7·66	8·25	10·23	13·40	27·13	63·60	163·69
Mean Pop. 1871-80	—	40,306	1283	1180	1150	1211	1175	6011	5260	4423	3992	3380	5554	4293	3293	2370	1379	526
ALL CAUSES	21·72	8773	2720	744	298	194	152	4108	303	148	235	259	458	439	442	643	877	861
Small-pox	0·26	107	19	10	4	3	5	41	16	7	12	10	13	4	3	1	-	-
Measles	0·43	174	19	63	28	12	12	154	18	-	-	1	1	-	-	-	-	-
Scarlet Fever	0·56	349	22	58	67	52	48	247	77	14	3	3	5	-	-	-	-	-
Diphtheria	0·04	18	1	1	1	1	1	5	8	-	3	-	-	1	-	-	1	-
Whooping-cough	0·44	179	76	65	17	12	4	174	4	-	1	-	-	-	-	-	-	-
Typhus	0·03	13	-	-	1	-	1	2	1	1	1	1	3	-	2	-	1	1
Enteric Fever	0·49	161	2	5	10	5	5	27	18	18	20	23	25	11	17	4	4	1
Simple Cont. Fev.	0·10	41	2	1	3	3	2	11	11	5	6	2	1	-	2	1	2	-
Puerp. Fever	0·07	30	-	-	-	-	-	-	-	-	3	7	13	7	-	-	-	-
Diarr. and Dys.	1·03	416	286	62	8	5	2	363	-	1	-	2	2	2	2	7	19	18
Cholera	0·02	9	1	-	-	-	-	1	2	-	1	-	1	1	1	2	-	-
Cancer	0·37	150	-	-	-	1	-	1	-	-	1	1	4	11	32	53	32	15
Scrofula	0·11	45	16	9	-	2	1	28	4	1	2	2	2	-	3	2	1	-
Tabes Mesent.	0·39	158	82	49	14	5	-	141	13	3	-	-	1	-	-	-	-	-
Phthisis	1·76	711	17	11	3	4	3	38	15	23	97	116	166	123	81	35	17	-
Hydrocephalus	0·46	184	71	43	16	16	8	154	18	8	1	-	3	-	-	-	-	-
Diseases of: Nervous Syst.	2·83	1143	529	67	26	14	8	644	25	11	8	9	27	40	54	91	135	79
Circulatory "	1·35	547	-	1	-	-	2	3	5	15	17	10	41	54	74	129	133	66
Respiratory "	3·55	1435	441	191	61	23	18	743	16	13	13	15	31	56	56	127	209	156
Digestive "	0·93	377	66	5	1	2	2	76	6	6	5	5	24	36	43	72	82	22
Urinary "	0·28	113	1	2	2	1	2	8	4	-	2	6	13	10	12	22	22	14
Generative "	0·05	22	-	-	-	-	-	-	-	-	-	2	2	5	3	7	3	-
Childbirth	0·12	47	-	-	-	-	-	-	-	-	5	8	18	15	1	-	-	-
Suicide	0·07	30	-	-	-	-	-	-	-	-	2	1	2	6	8	6	4	1
Other Violence	0·68	274	19	20	8	12	14	73	17	16	20	21	23	29	21	16	21	17
Other Causes	5·09	2049	1033	99	25	15	14	1174	25	6	12	14	37	28	34	68	171	471

Deaths of Infants (under one) to 1000 Births 102 — Marriages 3,230 — Births 16,761 — Annual Rate per 1000 living: Persons Married 15·99; Births 41·49

430.—BASFORD.*

—	Annual Death Rate per 1000.	*	—	—	—	—	—	63·40	5·68	3·75	5·75	7·10	7·92	10·13	13·08	25·14	62·11	164·84
Mean Pop. 1871-80	—	101,435	3445	3050	3069	3105	2995	15573	13341	11320	9602	8845	14186	10562	7922	5422	3093	1169
ALL CAUSES	21·24	21,540	7276	1852	744	495	353	10720	775	424	552	628	1124	1070	1036	1363	1921	1927
Small pox	0·32	324	65	16	11	8	20	120	49	29	30	35	28	21	8	4	-	-
Measles	0·42	428	95	163	66	44	33	401	20	1	-	-	1	-	-	-	-	-
Scarlet Fever	0·77	778	50	127	118	127	102	524	202	34	11	2	1	1	-	1	-	-
Diphtheria	0·07	71	8	4	7	10	11	40	15	5	3	-	3	1	3	-	1	-
Whooping-cough	0·43	436	249	127	57	24	13	429	6	1	-	-	-	-	-	-	-	-
Typhus	0·10	98	1	1	1	5	1	9	15	15	29	12	14	8	4	1	-	-
Enteric Fever	0·37	375	6	16	7	10	14	53	41	56	69	51	46	27	17	7	6	2
Simple Cont. Fev.	0·14	141	3	12	13	15	11	54	21	9	9	6	10	9	7	5	7	4
Puerp. Fever	0·09	89	-	-	-	-	-	-	-	-	7	23	41	18	-	-	-	-
Diarr. and Dys.	1·05	1063	741	145	30	11	2	929	4	1	2	5	7	7	6	25	39	38
Cholera	0·07	74	33	11	5	1	1	54	1	2	-	1	4	-	3	3	3	3
Cancer	0·40	406	-	-	2	1	2	5	3	1	1	3	21	61	91	101	81	35
Scrofula	0·19	191	135	18	11	-	-	144	5	8	7	4	8	-	3	6	3	3
Tabes Mesent.	0·41	415	222	103	29	14	2	370	14	7	6	6	4	5	1	2	-	-
Phthisis	1·82	1851	89	41	23	11	6	172	43	72	244	204	455	283	179	105	34	7
Hydrocephalus	0·25	249	92	62	17	12	11	194	34	8	5	3	4	1	-	-	-	-
Diseases of: Nervous Syst.	2·89	2931	1439	177	76	49	32	1784	66	36	23	25	60	76	111	168	288	279
Circulatory "	1·23	1244	7	1	1	3	1	13	12	22	32	22	80	136	182	279	323	143
Respiratory "	3·39	3441	1922	506	142	89	47	1706	65	20	23	32	85	117	123	264	452	254
Digestive "	0·84	848	173	26	13	7	4	223	16	12	10	22	51	87	88	121	148	65
Urinary "	0·28	289	5	4	3	3	4	19	13	5	6	6	29	31	29	57	57	37
Generative "	0·04	45	-	-	-	-	-	-	-	-	2	3	5	13	8	5	7	2
Childbirth	0·10	99	-	-	-	-	-	-	-	-	8	20	33	37	1	-	-	-
Suicide	0·07	69	-	-	-	-	-	-	-	-	6	3	7	13	18	14	6	2
Other Violence	0·69	704	53	31	24	25	20	176	78	44	39	35	68	48	55	34	34	33
Other Causes	4·97	5068	2336	251	86	41	18	3026	72	36	21	15	56	70	99	158	452	1050

Deaths of Infants (under one) to 1000 Births 103 — Marriages 7,859 — Births 43,198 — Annual Rate per 1000 living: Persons Married 15·50; Births 42·59

* Changes were made in the boundary of this district during the decade; *see pp.* 871–73.

RADFORD (9½ years to 30th June 1880).*

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	23·91	—	—	—	—	—	81·63	6·45	3·62	6·73	8·46	8·40	12·96	18·24	33·45	75·26	184·45
Mean Pop. 1871-80	—	* 39,630	1245	1131	1062	1035	1047	5520	4699	4131	3970	3732	6125	4547	3273	2143	1130	360
ALL CAUSES	23·91	9000	2802	767	300	255	157	4281	288	142	254	300	489	560	567	681	807	631
Small-pox	0·40	150	24	9	6	10	10	59	18	6	12	23	20	9	1	2	–	–
Measles	0·53	200	39	79	32	27	14	191	9	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·91	341	22	48	53	62	46	231	93	10	4	–	1	1	–	1	–	–
Diphtheria	0·05	19	1	4	2	4	–	11	2	2	1	–	–	2	1	–	–	–
Whooping-cough	0·40	151	60	55	15	13	6	149	2	–	–	–	–	–	–	–	–	–
Typhus	0·03	12	–	–	–	–	–	–	–	2	3	3	–	1	3	–	–	–
Enteric Fever	0·55	208	1	5	10	8	9	33	28	30	28	20	19	9	13	9	7	2
Simp. Cont. Fev.	0·19	70	7	6	8	5	4	30	10	7	3	1	2	2	4	6	2	3
Puerp. Fever	0·12	45	–	–	–	–	–	–	–	–	2	7	24	12	–	–	–	–
Diarr. and Dys.	1·59	598	454	69	12	9	4	548	1	2	1	–	5	3	1	4	13	20
Cholera	0·02	6	1	–	–	–	–	1	–	–	–	–	1	–	1	3	–	–
Cancer	0·46	173	–	–	–	–	–	–	–	–	1	1	9	32	43	44	35	8
Scrofula	0·23	88	47	16	2	3	1	69	–	3	3	3	3	2	2	–	3	–
Tabes Mesent.	0·33	129	104	61	8	7	4	184	9	–	1	1	1	1	1	1	–	–
Phthisis	2·52	947	29	24	6	6	2	67	18	32	123	145	215	190	83	59	14	1
Hydrocephalus	0·29	109	41	28	12	11	6	98	6	2	1	–	2	–	–	–	–	–
Diseases of: Nervous Syst.	3·61	1358	533	63	25	19	12	652	24	6	19	15	52	105	110	112	158	105
Diseases of: Circulatory „	1·28	481	2	2	–	–	3	7	5	6	9	15	34	51	88	116	116	34
Diseases of: Respiratory „	3·95	1489	411	190	71	43	14	729	21	6	11	14	26	66	103	166	235	112
Diseases of: Digestive „	0·84	317	83	8	4	–	4	99	7	7	8	8	16	16	44	49	50	13
Diseases of: Urinary „	0·25	96	–	1	2	–	1	4	1	2	3	3	11	6	9	23	21	13
Diseases of: Generative „	0·04	16	–	–	–	–	..	–	–	–	–	–	2	3	3	3	5	–
Childbirth	0·10	37	–	–	–	–	–	–	–	–	5	8	12	12	–	–	–	–
Suicide	0·09	33	–	–	–	–	–	–	–	–	1	4	4	5	9	7	2	1
Other Violence	0·45	168	32	8	17	7	5	69	15	6	5	10	12	9	9	19	8	6
Other Causes	4·48	1689	911	91	15	21	12	1050	19	13	10	9	18	23	29	57	138	313

Deaths of Infants (under one) to 1000 Births - 193 | Marriages - 3,302 | Births - 14,554 | Annual Rate per 1000 living: Persons Married - 17·54; Births - - - 38·66

* Changes were made in the boundary of this district during the decade, and the district was abolished on 1st July 1880; *see* pp. 371–78.

431.—NOTTINGHAM.*

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	22·55	—	—	—	—	—	79·30	6·33	3·72	5·17	7·18	9·23	13·41	19·26	24·38	74·99	170·02
Mean Pop. 1871-80	—	* 101,503	2092	2316	2248	2273	2362	11801	10613	10174	10010	10364	16288	12241	8998	5727	3207	1084
ALL CAUSES	22·55	22,891	6077	1755	749	480	368	9429	672	378	564	744	1503	1651	1733	1969	2405	1843
Small-pox	0·34	347	38	18	18	11	16	101	61	23	36	47	49	22	3	4	–	1
Measles	0·47	475	100	170	83	58	37	448	24	2	–	1	–	–	–	–	–	–
Scarlet Fever	0·53	542	31	78	92	86	79	366	132	28	8	3	4	1	–	–	–	–
Diphtheria	0·04	38	2	3	3	8	6	22	8	1	1	2	1	1	–	1	1	–
Whooping-cough	0·40	403	156	132	62	32	12	394	9	–	–	–	–	–	–	–	–	–
Typhus	0·02	22	–	–	1	–	–	1	2	3	4	1	3	6	1	1	–	–
Enteric Fever	0·47	476	8	10	15	18	22	73	49	50	71	66	71	34	23	18	16	5
Simple Cont. Fev.	0·09	93	3	5	7	8	4	27	17	5	2	6	10	3	4	6	7	6
Puerp. Fever	0·06	57	–	–	–	–	–	–	–	–	–	13	27	17	–	–	–	–
Diarr. and Dys.	1·28	1299	956	139	25	13	9	1142	6	2	2	2	8	6	12	26	47	46
Cholera	0·03	26	6	–	2	2	–	10	1	–	2	3	1	–	3	2	4	–
Cancer	0·51	521	–	–	–	–	–	–	–	–	–	3	32	101	155	116	87	24
Scrofula	0·15	149	48	26	16	6	7	103	10	9	7	2	6	3	3	2	4	–
Tabes Mesent.	0·47	481	299	106	18	12	5	440	13	14	5	2	3	–	3	1	–	–
Phthisis	2·20	2228	22	12	10	4	5	53	30	78	216	347	630	462	262	116	31	3
Hydrocephalus	0·35	358	131	41	29	25	20	296	24	14	5	2	3	3	–	1	–	–
Diseases of: Nervous Syst	2·75	2787	1044	163	73	41	30	1356	56	28	23	32	73	151	202	295	377	191
Diseases of: Circulatory „	1 34	1357	6	2	–	1	1	10	14	24	35	56	131	175	239	287	321	85
Diseases of: Respiratory „	4 21	4277	866	478	183	93	59	1673	70	20	31	47	147	234	358	584	723	390
Diseases of: Digestive „	0·86	877	89	9	4	2	6	110	18	9	20	22	63	108	155	178	138	56
Diseases of: Urinary „	0·41	418	4	2	7	3	4	20	10	6	14	16	43	66	61	73	77	29
Diseases of: Generative „	0·08	77	1	–	–	–	1	2	–	–	1	–	10	20	23	11	8	2
Childbirth	0·08	78	–	–	–	–	–	–	–	–	5	11	29	32	1	–	–	–
Suicide	0·08	83	–	–	–	–	–	–	–	–	2	2	11	13	22	17	10	6
Other Violence	0·61	615	70	22	26	25	17	160	41	26	34	43	57	72	50	51	52	29
Other Causes	4·72	4807	2203	184	75	32	28	2622	67	36	37	35	88	118	153	179	502	970

Deaths of Infants (under one) to 1000 Births - 184 | Marriages - 12,662 | Births - 33,066 | Annual Rate per 1000 living: Persons Married - 24·95; Births - - - 32 58

* Changes were made in the boundary of this district during the decade; *see* pp. 371–78.

432.—SOUTHWELL.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·58	—	—	—	—	—	37·20	4·83	4·12	5·65	8·43	8·29	9·57	10·82	21·04	51·35	141·28
Mean Pop. 1871-80	—	21,144	550	476	529	516	518	2589	2465	2289	1913	1513	2520	2174	2061	1763	1258	698
ALL CAUSES	18·58	3928	667	132	80	39	45	963	119	94	108	128	209	208	223	371	646	859
Small-pox	0·07	14	2	-	-	1	-	3	-	-	2	1	1	6	-	1	-	-
Measles	0·15	32	4	12	2	4	3	25	6	-	-	-	-	-	1	-	-	-
Scarlet Fever	0·39	82	3	8	14	10	14	49	24	6	2	1	1	-	-	-	-	-
Diphtheria	0·11	24	2	-	3	2	4	11	7	2	3	-	-	-	1	-	-	-
Whooping-cough	0·27	57	34	9	8	4	-	55	2	-	-	-	-	-	-	-	-	-
Typhus	0·03	7	-	-	-	-	-	-	1	1	-	2	-	-	2	1	-	-
Enteric Fever	0·36	76	-	2	1	-	1	4	9	11	10	8	14	7	9	3	1	-
Simp. Cont. Fev.	0·06	13	-	-	1	1	1	3	-	3	1	3	-	2	1	-	-	-
Puerp. Fever	0·03	7	-	-	-	-	-	-	-	-	-	1	3	3	-	-	-	-
Diarr. and Dys.	0·33	69	23	3	-	-	1	32	1	-	-	1	3	-	-	1	15	16
Cholera	0·01	3	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-
Cancer	0·63	139	-	-	-	-	-	-	1	-	-	-	10	13	23	31	39	22
Scrofula	0·11	24	7	2	3	-	-	12	1	-	2	3	2	-	1	2	-	1
Tabes Mesent.	0·18	39	21	8	-	-	-	32	4	1	1	-	-	1	-	-	-	-
Phthisis	2·01	426	5	1	2	-	-	8	8	23	49	78	101	71	47	20	21	5
Hydrocephalus	0·21	44	17	4	4	-	2	27	9	7	-	-	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·50	529	184	10	9	1	3	237	12	8	4	5	12	21	17	45	100	98
Circulatory	1·64	347	2	-	-	-	-	2	1	4	5	2	10	14	35	85	120	69
Respiratory	2·48	525	78	35	12	9	7	141	18	4	7	5	11	15	25	62	109	138
Digestive	1·00	211	10	-	2	-	-	12	1	1	3	4	8	13	26	42	66	37
Urinary	0·37	79	2	-	-	-	2	4	1	1	1	3	3	8	6	16	21	15
Generative	0·04	9	-	-	-	-	-	-	-	-	1	1	1	-	2	1	3	-
Childbirth	0·06	13	-	-	-	-	-	-	-	-	1	-	9	3	-	-	-	-
Suicide	0·13	27	-	-	-	-	-	-	-	1	3	-	3	6	5	3	4	2
Other Violence	0·57	121	10	6	4	3	3	26	7	11	4	5	5	10	12	17	14	10
Other Causes	4·81	1011	255	32	15	4	4	310	12	10	9	5	11	15	9	39	133	458

Deaths of Infants (under one) to 1000 Births - 113

Marriages - 1,366
Births - 5,925

Annual Rate per 1000 living: Persons Married - 12·92; Births - 28·03

433.—NEWARK.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	20·05	—	—	—	—	—	50·88	4·42	3·73	5·72	6·92	7·87	10·78	12·95	24·41	56·12	159·64
Mean Pop. 1871-80	—	30,116	853	752	830	793	793	4021	3711	3401	2817	2341	3735	3125	2702	2152	1447	664
ALL CAUSES	20·05	6039	1413	332	146	88	67	2046	164	127	161	162	294	337	350	526	812	1060
Small-pox	0·05	15	-	-	1	1	-	2	2	3	3	3	1	-	-	1	-	-
Measles	0·17	52	7	21	19	5	3	46	5	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·57	171	12	29	34	23	24	113	26	11	6	3	2	-	-	-	-	-
Diphtheria	0·08	25	2	3	2	1	1	9	8	2	1	1	-	-	2	-	1	1
Whooping cough	0·24	71	33	22	8	2	1	71	-	-	-	-	-	-	-	-	-	-
Typhus	0·04	13	-	-	-	-	-	-	1	1	2	3	1	-	2	3	-	-
Enteric Fever	0·45	135	1	3	2	4	5	15	13	10	12	13	10	13	6	14	9	2
Simple Cont. Fev.	0·07	22	2	1	2	-	1	6	2	1	2	-	2	-	2	2	4	1
Puerp. Fever	0·04	13	-	-	-	-	-	-	-	-	-	2	5	6	-	-	-	-
Diarr. and Dys.	0·65	197	105	17	4	1	1	128	3	1	-	1	1	3	5	12	17	26
Cholera	0·02	6	-	1	-	1	-	2	-	-	-	-	1	-	-	-	1	2
Cancer	0·56	168	-	-	-	-	-	-	-	-	-	-	5	19	33	46	40	25
Scrofula	0·11	33	8	-	2	1	1	12	-	3	3	1	4	3	2	2	1	2
Tabes Mesent.	0·40	119	83	15	8	1	1	108	6	2	2	-	-	1	-	-	-	-
Phthisis	1·87	562	5	2	1	-	3	11	6	17	67	83	141	98	60	47	20	2
Hydrocephalus	0·26	79	23	11	8	7	6	55	16	4	2	-	1	-	-	-	-	1
Diseases of: Nervous Syst.	2·38	718	220	20	13	11	5	281	14	11	7	11	13	30	42	71	110	98
Circulatory	1·75	526	2	-	-	-	-	2	2	6	9	6	16	34	59	93	191	110
Respiratory	3·28	989	272	106	23	13	7	421	8	6	9	9	22	37	44	83	153	197
Digestive	0·97	291	37	1	-	1	1	40	8	3	5	8	17	18	41	53	59	25
Urinary	0·43	130	1	4	3	2	1	11	1	1	6	2	5	8	12	34	19	31
Generative	0·09	27	-	-	-	-	-	-	-	-	-	-	3	4	6	6	7	1
Childbirth	0·06	18	-	-	-	-	-	-	-	-	1	1	3	13	-	-	-	-
Suicide	0·12	35	-	-	-	-	-	-	-	-	2	4	3	7	4	9	4	2
Other Violence	0·61	184	12	4	11	7	4	38	18	12	13	8	17	19	10	17	15	17
Other Causes	4·78	1440	583	72	14	4	2	675	15	13	9	8	12	24	27	33	132	497

Deaths of Infants (under one) to 1000 Births - 145

Marriages - 2,170
Births - 9,721

Annual Rate per 1000 living: Persons Married - 14·41; Births - 32·28

434.—BINGHAM.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	18·53	—	—	—	—	—	43·83	5·06	3·60	6·20	8·48	8·23	8·56	11·51	18·81	49·88	131·60
Mean Pop. 1871-80	—	14,693	369	317	394	367	387	1864	1839	1639	1291	1061	1689	1542	1399	1164	800	405
ALL CAUSES	18·53	2722	580	120	41	49	27	817	93	59	80	90	139	132	161	219	399	533
Small-pox	0·11	13	3	1	1	–	–	5	1	1	2	3	1	2	–	1	–	–
Measles	0·17	25	8	5	2	4	3	22	1	2	–	–	–	–	–	–	–	–
Scarlet Fever	0·39	58	3	5	7	8	3	26	17	3	2	–	–	–	–	–	–	–
Diphtheria	0·12	17	–	2	1	2	3	8	4	2	1	1	1	–	–	–	–	–
Whooping-cough	0·32	47	34	8	2	1	1	46	1	–	–	–	–	–	–	–	–	–
Typhus	0·02	3	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–
Enteric Fever	0·18	26	1	–	–	–	–	1	1	3	7	3	3	2	2	2	2	–
Simple Cont. Fev.	0·03	5	–	–	1	–	–	1	–	–	1	1	–	–	1	–	1	–
Puerp. Fever	0·03	5	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–
Diarr. and Dys.	0·37	55	22	5	–	3	2	32	–	–	–	1	1	2	1	2	7	9
Cholera	0·02	3	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–
Cancer	0·66	97	–	–	–	–	–	–	–	1	–	–	1	6	17	22	31	19
Scrofula	0·10	15	6	–	–	–	–	6	2	1	–	2	3	1	–	–	–	–
Tabes Mesent.	0·26	38	21	5	1	3	1	31	–	1	1	2	1	1	1	–	–	–
Phthisis	1·91	281	4	2	2	–	–	8	3	9	37	56	65	38	32	21	11	1
Hydrocephalus	0·19	28	8	8	3	2	–	21	2	3	1	1	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·14	314	89	13	3	5	2	112	9	5	8	1	11	11	23	34	55	40
Diseases of: Circulatory „	1·65	243	1	–	–	–	–	1	3	4	2	1	3	12	22	40	97	58
Diseases of: Respiratory „	2·86	420	92	40	11	10	7	160	11	5	1	2	10	12	19	23	76	101
Diseases of: Digestive „	1·03	152	22	–	–	–	–	22	3	5	5	6	11	9	16	25	36	14
Diseases of: Urinary „	0·47	69	–	–	1	1	1	3	1	1	–	–	7	7	8	13	16	13
Diseases of: Generative „	0·07	10	1	–	–	–	–	1	–	–	–	–	–	1	2	2	4	–
Childbirth	0·04	6	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–
Suicide	0·07	10	–	–	–	–	–	–	–	–	1	–	–	3	2	1	2	1
Other Violence	0·59	86	5	3	–	3	2	13	9	10	8	5	10	5	4	10	4	8
Other Causes	4·73	693	260	23	6	7	2	298	14	2	3	4	7	12	5	22	57	269

Deaths of Infants (under one) to 1000 Births - 130 | Marriages - 910 | Births - 4,461 | Annual Rate per 1000 living: Persons Married - 12·39; Births - 30·36

DERBYSHIRE.]

435.—SHARDLOW.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	18·75	—	—	—	—	—	49·75	5·23	3·15	5·30	6·20	7·52	9·89	12·52	24·38	58·00	157·08
Mean Pop. 1871-80	—	39,299	1209	1079	1160	1091	1101	5640	4820	4410	3796	3404	5335	4024	3210	2432	1550	678
ALL CAUSES	18·75	7367	1856	472	199	161	118	2806	252	139	201	211	401	398	402	593	899	1065
Small-pox	0·05	21	2	–	1	–	–	3	2	4	1	3	3	1	3	1	–	–
Measles	0·29	114	26	47	18	12	6	109	4	–	–	1	–	–	–	–	–	–
Scarlet Fever	0·61	241	11	30	34	43	30	148	63	20	4	1	4	–	1	–	–	–
Diphtheria	0·12	47	1	2	8	8	5	24	16	2	1	2	–	–	–	1	–	1
Whooping-cough	0·33	129	62	45	8	8	3	126	3	–	–	–	–	–	–	–	–	–
Typhus	0·03	10	–	–	–	1	–	1	1	1	1	1	2	–	2	1	–	–
Enteric Fever	0·40	158	2	2	1	4	2	11	13	18	31	15	33	16	11	6	3	1
Simple Cont. Fev.	0·11	42	1	4	2	1	2	10	9	3	6	2	3	1	2	2	1	3
Puerp. Fever	0·07	27	–	–	–	–	–	–	–	–	2	8	9	8	–	–	–	–
Diarr. and Dys.	0·54	212	127	16	5	3	1	152	2	1	1	1	3	4	3	4	17	24
Cholera	0·02	9	4	–	–	–	–	4	–	–	–	–	1	2	–	–	1	1
Cancer	0·43	170	–	–	–	–	–	–	–	–	–	–	6	19	34	49	41	21
Scrofula	0·11	43	12	5	1	1	1	20	3	3	2	2	5	4	2	2	–	–
Tabes Mesent.	0·32	127	67	21	13	1	4	106	6	5	2	2	2	2	2	–	–	–
Phthisis	1·65	648	9	10	1	5	–	25	12	16	86	104	167	107	71	38	20	2
Hydrocephalus	0·33	131	47	33	11	6	5	102	19	5	2	1	1	1	–	–	–	–
Diseases of: Nervous Syst.	2·40	945	337	60	17	12	15	441	23	13	8	12	20	33	49	85	151	107
Diseases of: Circulatory „	1·29	505	2	–	1	–	1	4	8	9	9	7	22	43	53	108	156	83
Diseases of: Respiratory „	2·73	1091	303	101	38	20	16	483	18	9	9	8	27	57	53	48	193	150
Diseases of: Digestive „	0·96	376	47	6	4	3	2	62	3	9	6	5	20	39	49	81	73	29
Diseases of: Urinary „	0·33	131	–	–	2	2	–	4	5	2	8	2	12	11	14	22	35	16
Diseases of: Generative „	0·07	25	–	–	–	–	–	–	–	–	–	1	3	6	6	6	3	1
Childbirth	0·09	31	–	–	–	–	–	–	–	–	2	5	18	9	–	–	–	–
Suicide	0·09	34	–	–	–	–	–	–	–	–	1	2	4	3	7	9	6	2
Other Violence	0·58	228	14	14	12	8	9	57	22	7	10	13	20	22	18	20	19	20
Other Causes	4·75	1868	777	73	22	23	16	911	20	12	9	13	16	10	19	60	177	661

Deaths of Infants (under one) to 1000 Births - 133 | Marriages - 2,376 | Births - 13,931 | Annual Rate per 1000 living: Persons Married - 12·09; Births - 35·45

436.—DERBY.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death Rate per 1000	—	21·27	—	—	—	—	—	63·91	6·07	3·28	5·43	6·81	9·33	13·75	18·43	35·30	74·58	181·86
Mean Pop. 1871-80	—	70,482	2211	2031	1983	1918	1861	10004	8389	7191	6874	6772	11342	8093	5712	3601	1892	612
ALL CAUSES	21·27	14,992	3963	1283	532	343	270	6394	509	236	373	461	1058	1113	1053	1271	1411	1113
Small-pox	0·03	45	1	–	1	1	1	4	5	5	4	5	13	6	2	1	–	–
Measles	0·35	246	65	93	41	21	13	233	10	2	–	1	–	–	–	–	–	–
Scarlet Fever	0·89	629	27	103	115	116	87	448	143	25	5	2	2	2	1	1	–	–
Diphtheria	0·07	50	3	4	9	6	8	30	10	3	1	1	2	1	2	–	–	–
Whooping-cough	0·43	302	118	117	37	16	10	298	4	–	–	–	–	–	–	–	–	–
Typhus	0·03	21	–	1	–	–	–	1	3	6	2	2	2	1	2	–	2	–
Enteric Fever	0·35	250	4	8	9	6	9	36	25	22	44	26	43	23	17	9	5	–
Simple Cont. Fev.	0·10	73	5	4	6	5	7	27	15	8	3	2	2	4	4	5	2	1
Puerp. Fever	0·05	37	–	–	–	–	–	–	–	–	4	11	13	9	–	–	–	–
Diarr. and Dys.	1·04	732	406	103	26	3	5	633	9	2	–	2	4	7	6	19	26	24
Cholera	0·01	7	–	–	–	1	–	1	–	–	–	2	–	–	2	–	1	1
Cancer	0·38	271	–	–	–	–	2	2	–	–	1	3	9	43	75	81	48	9
Scrofula	0·11	79	17	9	8	3	2	39	6	6	7	5	8	2	2	3	1	–
Tabes Mesent.	0·31	218	122	44	5	15	2	188	12	7	3	–	5	1	1	1	–	–
Phthisis	2·25	1588	17	13	2	2	5	39	21	42	158	208	487	363	176	62	24	5
Hydrocephalus	0·19	134	42	34	16	9	8	109	12	2	5	1	3	2	–	–	–	–
Diseases of: Nervous Syst.	3·26	2300	1064	169	67	47	35	1573	77	18	23	19	57	86	118	190	231	107
Diseases of: Circulatory „	1·39	977	3	–	1	–	2	6	16	17	25	24	86	160	166	217	192	63
Diseases of: Respiratory „	3·54	2497	572	322	103	44	28	1069	35	12	19	35	77	133	195	327	366	229
Diseases of: Digestive „	0·96	680	70	11	2	4	3	90	18	9	11	27	38	97	99	153	110	28
Diseases of: Urinary „	0·38	269	1	8	2	2	8	21	9	9	6	10	29	41	46	39	41	18
Diseases of: Generative „	0·06	42	–	–	–	–	–	–	–	–	2	3	9	8	9	7	4	–
Childbirth	0·10	69	–	–	–	–	–	–	–	–	2	12	36	18	1	–	–	–
Suicide	0·09	60	–	–	–	–	–	–	–	–	2	2	6	12	15	11	11	1
Other Violence	0·68	477	34	23	17	18	14	106	30	18	26	35	75	39	36	45	33	25
Other Causes	4·19	2910	1362	226	65	27	21	1611	40	23	20	23	52	52	78	100	314	597

Deaths of Infants (under one) to 1000 Births - 146

Marriages - 7,873
Births - 27,207

Annual Rate per 1000 living: Persons Married - 22·34; Births - - - 38·60

437.—BELPER.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death Rate per 1000	—	20·43	—	—	—	—	—	53·97	6·12	3·62	6·03	7·91	8·49	10·71	13·75	29·25	65·54	173·39
Mean Pop. 1871-80	—	55,524	1768	1594	1606	1589	1570	8127	7096	6279	5225	4604	7259	5883	4741	3157	2075	778
ALL CAUSES	20·43	11,344	2855	747	375	239	170	4386	434	227	315	364	616	630	652	1011	1360	1349
Small-pox	0·07	39	4	–	1	1	2	8	6	2	4	10	4	3	1	–	1	–
Measles	0·21	119	23	50	19	11	5	111	8	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·74	409	18	47	75	65	60	265	112	26	3	2	1	–	–	–	–	–
Diphtheria	0·08	45	2	8	–	9	5	24	9	5	5	–	1	–	1	–	–	–
Whooping-cough	0·33	185	85	60	20	10	3	178	8	–	–	–	–	–	–	–	–	–
Typhus	0·05	23	–	–	–	1	1	2	1	7	3	3	3	3	1	3	–	–
Enteric Fever	0·26	143	3	–	6	6	3	18	16	9	25	16	22	21	7	9	–	–
Simple Cont. Fev.	0·14	77	3	6	4	7	2	22	17	8	8	3	6	2	3	4	2	2
Puerp. Fever	0·10	56	–	–	–	–	–	–	–	–	3	15	18	18	2	–	–	–
Diarr. and Dys.	0·70	387	229	46	17	6	2	300	4	–	–	4	5	3	8	9	29	34
Cholera	0·02	13	2	–	3	–	1	6	1	1	–	–	2	–	–	2	1	–
Cancer	0·33	183	–	–	–	–	–	–	–	–	–	–	4	17	42	57	44	19
Scrofula	0·12	67	13	8	5	2	2	30	4	6	5	4	4	2	6	4	2	–
Tabes Mesent.	0·37	206	103	28	15	9	–	155	13	10	6	4	9	1	2	–	1	–
Phthisis	1·95	1080	24	17	4	1	3	49	26	47	141	184	260	188	102	51	24	8
Hydrocephalus	0·26	145	42	31	23	9	4	109	25	7	1	1	–	1	–	1	–	–
Diseases of: Nervous Syst.	3·38	1876	817	94	43	28	20	1065	55	20	13	16	43	57	89	178	252	148
Diseases of: Circulatory „	1·50	835	1	–	2	–	1	4	19	13	16	21	43	74	91	198	248	114
Diseases of: Respiratory „	3·38	1878	437	204	75	28	18	812	35	11	14	11	48	57	104	209	304	282
Diseases of: Digestive „	1·02	564	53	10	3	3	5	79	11	14	8	6	27	75	74	120	110	40
Diseases of: Urinary „	0·33	183	–	–	2	3	3	8	6	7	6	6	14	18	25	32	42	19
Diseases of: Generative „	0·07	37	–	–	–	–	–	–	–	–	–	1	6	9	5	10	5	1
Childbirth	0·11	62	–	–	–	–	–	–	–	–	7	14	23	16	2	–	–	–
Suicide	0·06	35	–	–	–	–	–	–	–	–	3	2	4	3	3	12	7	1
Other Violence	0·55	308	16	22	12	15	8	73	27	14	25	23	31	29	22	27	24	22
Other Causes	4·30	2385	922	116	43	25	12	1128	35	17	19	15	38	42	62	90	271	659

Deaths of Infants (under one) to 1000 Births - 135

Marriages - 4,523
Births - 21,114

Annual Rate per 1000 living: Persons Married - 16·29; Births - - - 38·08

438.—ASHBORNE.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death Rate per 1000	—	19·44	—	—	—	—	—	41·25	6·37	3·70	5·11	6·97	7·99	10·49	13·70	26·47	57·68	169·57
Mean Pop. 1871-80	—	20,276	549	498	514	536	521	2618	2432	2162	2036	1636	2503	2069	1868	1496	1009	447
ALL CAUSES	19·44	3942	681	186	96	65	52	1080	155	80	104	114	200	217	256	396	582	758
Small-pox	0·02	5	-	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-
Measles	0·15	30	6	14	4	1	-	25	3	1	-	-	1	-	-	-	-	-
Scarlet Fever	0·73	148	7	14	23	14	14	72	52	10	5	2	3	3	1	-	-	-
Diphtheria	0·11	22	-	1	1	2	4	8	9	4	-	1	-	-	-	-	-	-
Whooping-cough	0·36	73	29	27	8	3	3	70	2	1	-	-	-	-	-	-	-	-
Typhus	0·03	6	-	-	-	-	-	-	-	-	1	2	1	1	-	1	-	-
Enteric Fever	0·26	52	2	3	3	3	1	12	7	2	7	7	4	4	4	3	2	-
Simple Cont. Fev.	0·07	14	1	1	-	2	-	4	2	-	3	1	1	1	-	-	1	1
Puerp. Fever	0·05	10	-	-	-	-	-	-	-	-	2	4	2	2	-	-	-	-
Diarr. and Dys.	0·39	80	31	5	1	3	-	40	-	1	1	-	2	2	2	8	5	19
Cholera	0·02	5	-	-	-	-	-	-	2	-	-	-	-	-	-	-	3	-
Cancer	0·55	114	-	-	-	-	-	-	1	1	-	2	3	6	22	31	31	17
Scrofula	0·10	21	6	2	2	1	-	11	2	1	1	-	5	-	-	-	1	-
Tabes Mesent.	0·23	46	25	5	2	3	1	36	3	3	-	-	4	-	-	-	-	-
Phthisis	2·11	424	6	5	2	-	4	17	8	22	52	52	91	85	51	34	16	-
Hydrocephalus	0·26	52	17	16	5	1	2	38	11	2	-	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	3·04	616	203	13	5	10	5	241	9	9	3	9	13	15	32	64	111	110
Diseases of: Circulatory „	1·37	278	-	-	-	-	2	2	1	3	5	4	7	16	35	68	91	46
Diseases of: Respiratory „	2·72	551	115	38	26	5	9	193	11	5	4	2	11	17	33	55	103	117
Diseases of: Digestive „	1·18	240	14	5	1	1	-	21	3	2	2	4	9	17	28	57	69	28
Diseases of: Urinary „	0·36	74	-		1	-	-	1	-	1	2	2	5	7	10	10	17	19
Diseases of: Generative „	0·06	13	-	-	-	-	-	-	-	-	1	-	3	2	1	4	2	-
Childbirth	0·10	20	-	-	-	-	-	-	-	-	2	2	12	3	1	-	-	-
Suicide	0·08	17	-	-	-	-	-	-	-	-	2	4	1	3	3	3	-	1
Other Violence	0·51	103	8	5	3	5	3	24	6	5	6	5	5	11	8	9	11	13
Other Causes	4·57	924	211	30	9	11	4	265	23	7	5	9	17	21	22	49	119	387

Deaths of Infants (under one) to 1000 Births - 109 | Marriages - 1,244 | Births - 6,222 | Annual Rate per 1000 living: Persons Married - 12·27; Births - 30·69

439.—CHESTERFIELD.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death Rate per 1000	—	21·32	—	—	—	—	—	63·76	5·94	3·74	5·94	7·81	8·03	11·31	16·38	22·87	70·66	181·81
Mean Pop. 1871-80	—	88,073	3137	2742	2882	2707	2730	14198	12077	9900	8067	7427	12733	9578	6784	4314	2253	742
ALL CAUSES	21·32	18774	5834	1712	701	488	318	9053	717	370	479	580	1022	1083	1111	1418	1592	1349
Small-pox	0·22	191	23	8	6	7	6	50	32	6	13	22	30	21	9	4	3	1
Measles	0·44	389	84	144	73	38	22	361	25	1	-	-	2	-	-	-	-	-
Scarlet Fever	0·92	809	48	126	137	150	100	561	185	38	11	5	5	4	-	-	-	-
Diphtheria	0·06	54	5	12	-	10	3	30	11	2	2	-	4	2	-	2	-	1
Whooping-cough	0·41	359	181	112	32	19	8	352	5	-	-	1	1	-	-	-	-	-
Typhus	0·05	43	-	-	1	2	2	5	4	4	9	5	4	9	1	1	1	-
Enteric Fever	0·42	371	10	19	16	10	10	65	57	49	38	44	55	27	18	12	5	1
Simple Cont. Fev.	0·15	128	12	9	10	8	8	47	22	11	7	4	11	7	4	10	4	1
Puerp. Fever	0·10	89	-	-	-	-	-	-	-	-	9	18	35	27	-	-	-	-
Diarr. and Dys.	0·74	653	404	119	15	5	4	547	8	2	3	2	4	10	7	13	25	32
Cholera	0·02	19	8	3	-	-	-	11	1	1	-	1	-	1	1	2	1	-
Cancer	0·33	290	-	1	-	1	1	3	1	-	-	1	14	41	71	85	58	16
Scrofula	0·14	126	47	18	4	-	1	70	6	4	5	9	10	4	7	6	5	-
Tabes Mesent.	0·35	311	164	81	21	5	6	277	8	9	7	4	3	-	1	1	1	-
Phthisis	1·64	1442	35	40	16	7	7	105	34	66	161	225	341	273	136	73	23	3
Hydrocephalus	0·35	308	132	87	22	18	9	268	23	6	4	5	1	-	-	1	-	-
Diseases of: Nervous Syst.	3·20	2818	1534	164	65	20	18	1851	46	33	24	20	46	85	118	202	238	155
Diseases of: Circulatory „	1·26	1108	6	1	2	2	2	13	22	17	32	31	61	123	184	263	270	92
Diseases of: Respiratory „	3·94	3474	1069	489	156	89	50	1853	88	17	32	34	90	115	196	313	411	295
Diseases of: Digestive „	0·90	789	119	19	13	16	8	175	24	14	12	17	63	89	122	133	102	38
Diseases of: Urinary „	0·28	243	6	8	2	5	1	22	6	6	3	12	25	29	32	37	54	17
Diseases of: Generative „	0·05	45	-	-	-	-	-	-	-	-	-	2	7	9	12	9	5	1
Childbirth	0·13	114	-	-	-	-	-	-	-	-	12	16	45	40	1	-	-	-
Suicide	0·08	70	-	-	-	-	-	-	-	1	1	3	10	13	18	14	9	1
Other Violence	0·90	795	56	28	30	26	20	160	39	54	74	67	97	85	88	61	40	30
Other Causes	4·24	3736	1811	224	80	50	32	2227	68	19	20	32	58	60	85	146	357	655

Deaths of Infants (under one) to 1000 Births - 140 | Marriages - 6,839 | Births - 39,216 | Annual Rate per 1000 living: Persons Married - 15·53; Births - 44·53

440.—BAKEWELL.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	19·58	—	—	—	—	—	43·27	5·16	3·53	5·27	7·59	8·12	10·99	15·15	30·62	39·40	174·71
Mean Pop. 1871-80	—	30,067	893	758	772	762	760	3855	3583	3286	2769	2519	3939	3311	2805	2188	1294	518
ALL CAUSES	19·58	5886	1097	265	141	99	75	1668	185	116	146	189	320	364	425	670	898	905
Small-pox	0·01	11	2	1	-	1	-	4	-	-	2	1	3	1	-	-	-	-
Measles	0·16	18	3	7	4	-	3	17	1	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·55	165	9	16	29	25	22	101	43	11	2	1	2	4	1	-	-	-
Diphtheria	0·09	26	-	-	3	3	5	11	10	1	1	-	-	-	2	-	1	-
Whooping-cough	0·24	73	37	20	8	2	4	71	2	-	-	-	-	-	-	-	-	-
Typhus	0·05	16	1	1	1	-	-	3	2	3	2	1	2	2	-	1	-	-
Enteric Fever	0·20	61	-	1	-	3	2	6	3	10	6	7	14	3	7	4	1	-
Simple Cont. Fev.	0·12	35	-	1	3	-	-	4	2	4	6	6	3	5	2	1	1	1
Puerp. Fever	0·06	19	-	-	-	-	-	-	-	-	1	6	8	4	-	-	-	-
Diarr. and Dys.	0·25	74	38	2	2	3	1	46	1	-	2	1	2	1	2	5	5	9
Cholera	0·00	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Cancer	0·38	114	-	-	-	1	-	1	-	-	-	-	1	11	22	37	33	9
Scrofula	0·15	46	11	8	4	1	-	24	2	1	6	2	-	5	4	-	2	-
Tabes Mesent.	0·11	34	12	4	6	2	1	25	1	2	1	1	2	1	-	-	1	-
Phthisis	1·72	516	6	1	4	-	1	12	8	15	47	89	127	102	60	48	8	-
Hydrocephalus	0·29	86	28	15	7	9	7	66	18	1	2	-	3	1	-	-	-	-
Diseases of: Nervous Syst.	3·10	931	322	51	20	12	14	419	25	16	10	11	21	26	47	100	156	100
Diseases of: Circulatory „	1·56	470	-	-	-	-	-	-	5	5	9	10	12	38	64	114	142	71
Diseases of: Respiratory „	3·47	923	177	71	15	10	6	279	16	7	10	16	24	47	64	121	201	138
Diseases of: Digestive „	1·08	326	24	8	2	1	-	35	10	10	6	7	15	30	46	68	67	32
Diseases of: Urinary „	0·35	104	-	-	1	1	1	3	3	2	4	3	17	10	13	19	22	8
Diseases of: Generative „	0·09	27	-	-	-	-	-	-	-	-	-	1	1	3	9	10	3	-
Childbirth	0·05	14	-	-	-	-	-	-	-	-	-	4	6	4	-	-	-	-
Suicide	0·06	17	-	-	-	-	-	-	-	-	-	-	3	2	3	6	1	2
Other Violence	0·45	135	3	9	6	4	2	24	7	9	11	4	18	16	17	7	14	8
OTHER CAUSES	5·46	1614	424	49	26	12	6	517	21	19	18	18	35	48	62	129	240	526

Deaths of Infants (under one) to 1000 Births - 121 | Marriages - 1,883 | Births - 9,030 | Annual Rate per 1000 living: Persons Married - 12·53; Births - 30·03

441.—CHAPEL-EN-LE-FRITH.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	19·07	—	—	—	—	—	47·82	5·55	3·74	5·46	5·75	8·87	11·01	16·51	31·26	77·87	185·15
Mean Pop. 1871-80	—	17,632	484	459	471	449	456	2319	2089	1847	1740	1601	2547	2017	1593	1094	583	202
ALL CAUSES	19·07	3362	744	184	80	57	44	1109	116	69	95	92	226	222	263	342	454	374
Small-pox	0·03	6	-	-	-	-	-	-	-	-	1	-	1	2	-	1	1	-
Measles	0·14	25	7	10	3	1	-	21	3	-	-	-	1	-	-	-	-	-
Scarlet Fever	0·66	116	8	22	14	16	12	72	25	9	5	2	2	1	-	-	-	-
Diphtheria	0·07	13	-	2	2	1	-	5	4	3	1	-	-	-	-	-	-	-
Whooping-cough	0·29	51	24	15	8	2	-	49	2	-	-	-	-	-	-	-	-	-
Typhus	0·02	4	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-
Enteric Fever	0·27	47	2	1	-	2	2	7	9	3	3	7	7	5	5	-	1	-
Simple Cont. Fev.	0·14	25	-	2	-	2	4	8	3	-	-	3	3	1	1	4	2	-
Puerp. Fever	0·12	22	-	-	-	-	-	-	-	-	1	2	6	12	1	-	-	-
Diarr. and Dys.	0·41	73	40	8	2	1	2	53	-	-	-	-	2	1	1	3	7	6
Cholera	0·01	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cancer	0·39	68	1	-	-	-	-	1	-	-	1	1	1	5	13	16	22	8
Scrofula	0·10	18	5	2	-	-	-	7	2	2	2	-	3	1	1	-	-	-
Tabes Mesent.	0·29	51	27	5	1	5	4	42	2	2	2	1	-	-	-	1	1	-
Phthisis	1·78	314	5	4	2	-	-	11	9	14	37	37	85	55	47	13	6	-
Hydrocephalus	0·23	41	18	8	3	3	-	32	6	1	-	-	2	-	-	-	-	-
Diseases of: Nervous Syst.	2·67	470	141	23	13	4	7	193	12	8	9	2	17	17	35	64	67	46
Diseases of: Circulatory „	1·54	271	1	-	-	1	-	2	3	2	6	2	14	23	32	72	85	30
Diseases of: Respiratory „	3·14	553	149	42	15	7	8	227	16	5	5	6	13	23	41	68	94	61
Diseases of: Digestive „	1·37	242	23	-	4	-	-	27	4	4	4	8	23	21	41	43	47	20
Diseases of: Urinary „	0·43	76	-	-	-	-	-	-	2	2	1	2	6	7	9	16	22	9
Diseases of: Generative „	0·04	7	-	-	-	-	-	-	-	-	-	-	2	2	-	1	2	-
Childbirth	0·10	17	-	-	-	-	-	-	-	-	-	1	10	6	-	-	-	-
Suicide	0·09	15	-	-	-	-	-	-	-	1	-	2	1	1	3	4	3	-
Other Violence	0·73	128	15	4	4	2	1	26	7	7	11	10	14	18	14	7	8	6
OTHER CAUSES	4·01	708	238	24	9	10	4	325	13	6	6	4	12	21	19	29	85	188

Deaths of Infants (under one) to 1000 Births - 129 | Marriages - 1,110 | Births - 5,752 | Annual Rate per 1000 living: Persons Married - 12·59; Births - 32·62

442.—HAYFIELD.

—	Annual Death Rate per 1000.	All Ages	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	21·49	—	—	—	—	—	64·87	6·71	4·16	6·24	6·15	8·55	11·24	17·13	39·28	79·11	184·77
Mean Pop. 1871-80	—	34,354	951	854	917	842	834	4398	3979	3631	3507	3124	4949	3987	3194	2187	1036	302
ALL CAUSES	21·49	7384	1780	517	223	176	127	2853	237	151	219	192	423	448	547	859	867	558
Small-pox	0·07	24	2	1	–	–	1	4	6	2	3	–	5	1	2	1	–	–
Measles	0·34	118	28	42	14	14	9	107	10	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·86	296	19	37	53	45	41	195	80	12	2	2	2	3	–	–	–	–
Diphtheria	0·09	32	1	2	6	5	3	17	10	1	3	–	1	–	–	–	–	–
Whooping-cough	0·40	138	65	42	12	9	6	134	4	–	–	–	–	–	–	–	–	–
Typhus	0·05	17	–	–	1	–	–	1	1	1	1	2	4	3	2	–	2	–
Enteric Fever	0·36	122	4	5	4	3	3	19	10	11	13	10	14	17	10	13	4	1
Simple Cont. Fev.	0·12	41	–	3	3	2	3	11	8	4	2	–	4	5	–	2	4	1
Puerp. Fever	0·10	34	–	–	–	–	–	–	–	–	–	6	12	13	3	–	–	–
Diarr. and Dys.	0·78	269	164	31	4	3	2	204	2	–	–	1	2	2	4	15	21	13
Cholera	0·02	8	–	–	–	1	–	1	1	–	–	1	1	–	1	2	1	–
Cancer	0·33	115	–	–	–	–	1	1	–	–	1	2	4	14	27	36	21	9
Scrofula	0·08	27	6	3	–	1	2	12	–	4	4	1	3	1	–	2	–	–
Tabes Mesent.	0·30	103	59	18	12	4	1	94	2	3	1	–	2	1	–	–	–	–
Phthisis	2·19	753	9	7	2	3	3	24	7	31	105	101	181	121	92	58	31	2
Hydrocephalus	0·42	144	61	34	7	10	11	123	16	8	1	–	–	–	–	1	–	–
Diseases of: Nervous Syst.	2·95	1012	383	62	29	17	11	502	18	23	12	14	24	31	62	118	130	78
Diseases of: Circulatory ,,	1·47	504	2	–	–	–	–	2	10	8	15	10	37	53	81	129	115	44
Diseases of: Respiratory ,,	4·23	1452	365	139	28	26	11	569	25	7	13	9	31	45	98	245	264	148
Diseases of: Digestive ,,	1·44	493	54	8	3	6	2	73	12	13	13	11	27	47	75	101	96	25
Diseases of: Urinary ,,	0·33	113	2	2	1	–	3	8	5	1	–	3	9	10	20	27	21	9
Diseases of: Generative ,,	0·05	16	–	–	–	–	–	–	–	–	1	1	2	3	2	7	–	–
Childbirth	0·14	48	–	–	–	–	–	–	–	–	2	9	15	21	1	–	–	–
Suicide	0·09	30	–	–	–	–	–	–	–	–	1	–	5	10	4	5	5	–
Other Violence	0·49	167	19	10	9	6	6	50	16	8	8	4	14	15	16	14	7	5
OTHER CAUSES	3·79	1308	537	101	35	21	8	702	21	8	13	5	24	32	47	85	145	218

Deaths of Infants (under one) to 1000 Births - 158 | Marriages - 1,945 | Births - 11,263 | Annual Rate per 1000 living: Persons Married - 11·32; Births - 32·79

CHESHIRE.]

443.—STOCKPORT.

—	Annual Death Rate per 1000	All Ages	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	24·73	—	—	—	—	—	80·33	7·88	3·83	5·92	7·89	9·56	14·14	21·97	43·52	86·49	188·89
Mean Pop. 1871-80	—	107,433	3056	2612	2804	2656	2666	13794	12006	11338	10908	10013	16505	12793	9676	6393	3116	891
ALL CAUSES	24·73	26,570	6962	2150	927	629	413	11081	946	434	646	790	1578	1809	2126	2782	2695	1683
Small-pox	0·08	91	7	1	2	3	1	14	5	5	17	18	12	13	4	–	1	–
Measles	0·41	445	124	167	65	40	22	422	22	–	1	–	–	–	–	–	–	–
Scarlet Fever	1·12	1198	81	161	212	225	148	828	300	41	11	3	8	5	1	1	–	–
Diphtheria	0·12	130	7	17	18	14	14	70	50	10	2	3	5	5	5	2	–	–
Whooping-cough	0·45	484	214	149	65	27	15	470	14	–	–	–	–	–	–	–	–	–
Typhus	0·07	72	–	1	1	1	1	4	12	10	6	5	9	8	8	6	3	1
Enteric Fever	0·40	425	9	16	22	21	21	89	49	34	48	42	49	35	33	29	7	1
Simple Cont. Fev.	0·12	127	7	8	13	3	8	39	23	7	8	7	12	9	6	10	4	2
Puerp. Fever	0·09	95	–	–	–	–	–	–	–	–	6	28	36	25	–	–	–	–
Diarr. and Dys.	1·35	1454	975	229	26	10	8	1248	8	3	3	3	10	11	18	40	56	54
Cholera	0·01	14	4	–	–	–	–	4	–	–	–	–	–	3	1	1	5	–
Cancer	0·40	426	1	–	–	–	–	1	–	–	2	3	23	64	108	108	85	32
Scrofula	0·11	114	34	16	6	6	4	66	5	9	5	2	9	6	3	4	5	–
Tabes Mesent.	0·28	303	143	76	22	8	6	255	22	10	8	1	3	2	2	–	–	–
Phthisis	2·27	2414	28	26	12	7	5	78	54	76	293	375	622	484	270	124	61	7
Hydrocephalus	0·35	371	153	99	50	19	8	329	28	10	2	1	–	1	–	–	–	–
Diseases of: Nervous Syst.	3·30	3548	1272	293	110	52	43	1680	81	39	35	39	99	180	296	402	448	229
Diseases of: Circulatory ,,	1·43	1538	5	–	3	–	1	9	19	34	39	46	121	193	266	396	309	102
Diseases of: Respiratory ,,	5·14	5521	1295	551	142	102	47	2137	87	25	33	44	158	285	523	925	892	412
Diseases of: Digestive ,,	1·20	1291	162	28	21	10	12	233	29	24	28	35	90	148	198	261	191	54
Diseases of: Urinary ,,	0·35	377	12	14	6	5	3	40	16	11	8	22	36	43	55	64	49	30
Diseases of: Generative ,,	0·05	57	1	–	–	–	–	1	–	–	–	2	7	10	21	8	7	1
Childbirth	0·12	128	–	–	–	–	–	–	–	–	3	20	56	46	3	–	–	–
Suicide	0·09	95	–	–	–	–	–	–	–	–	3	4	5	16	25	21	18	3
Other Violence	0·66	712	59	31	33	27	17	170	46	41	34	39	90	67	75	71	48	31
OTHER CAUSES	4·76	5110	2365	257	95	48	29	2834	84	39	51	48	118	150	207	309	486	724

Deaths of Infants (under one) to 1000 Births - 182 | Marriages - 10,879 | Births - 38,356 | Annual Rate per 1000 living: Persons Married - 20·25; Births - 35·70

444.—MACCLESFIELD.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	23·25	—	—	—	—	—	62·92	5·65	3·72	6·21	8·45	10·15	14·79	20·72	37·72	78·84	180·56
Mean Pop. 1871-80	—	60,676	1594	1452	1503	1451	1506	7506	6917	6310	6034	5112	8317	7023	6072	4337	2292	756
ALL CAUSES	23·25	14,105	3027	908	368	254	166	4723	391	235	375	432	844	1039	1258	1636	1807	1365
Small-pox	0·03	21	1	1	-	1	-	3	-	2	3	4	5	3	1	-	-	-
Measles	0·39	235	77	85	39	22	3	226	8	-	-	-	-	-	-	1	-	-
Scarlet Fever	0·61	371	25	58	66	60	45	254	88	20	4	3	2	-	-	-	-	-
Diphtheria	0·09	56	3	5	5	9	8	30	15	6	-	1	2	-	2	-	-	-
Whooping-cough	0·34	208	103	61	22	9	7	202	6	-	-	-	-	-	-	-	-	-
Typhus	0·05	23	-	-	-	2	1	3	4	1	2	1	6	-	7	1	2	1
Enteric Fever	0·22	136	-	3	8	4	2	17	13	11	17	16	21	9	10	12	8	2
Simple Cont. Fev.	0·10	59	2	2	-	7	4	15	6	4	5	3	5	4	4	5	6	2
Puerp. Fever	0·07	42	-	-	-	-	-	-	-	-	3	10	17	12	-	-	-	-
Diarr. and Dys.	0·78	475	270	50	18	7	5	350	4	4	3	4	8	9	10	20	27	36
Cholera	0·01	8	4	1	-	-	-	5	1	-	-	-	1	-	1	-	-	-
Cancer	0·57	344	-	-	-	-	-	-	-	1	3	1	14	42	90	92	72	29
Scrofula	0·27	163	56	31	11	7	3	108	5	4	13	6	4	6	9	5	3	-
Tabes Mesent.	0·21	129	48	21	7	9	5	90	6	11	4	2	4	2	5	2	3	-
Phthisis	2·58	1566	10	7	5	5	1	28	25	50	176	224	356	307	216	126	47	11
Hydrocephalus	0·34	205	59	36	27	18	14	154	27	15	2	2	2	2	-	1	-	-
Diseases of: Nervous Syst.	3·56	2160	682	108	39	26	14	869	43	16	27	40	99	183	171	249	301	162
Circulatory „	2·05	1242	8	-	1	-	2	11	13	27	32	25	63	97	205	339	328	102
Respiratory „	4·18	2535	527	238	62	32	23	882	33	13	17	23	67	120	209	354	484	327
Digestive „	1·13	683	52	6	5	2	4	69	19	7	13	14	36	73	116	159	130	52
Urinary „	0·43	264	1	2	1	1	-	5	3	3	6	7	18	28	39	60	67	28
Generative „	0·07	44	-	-	-	-	-	-	-	-	1	1	7	8	14	8	4	1
Childbirth	0·11	65	-	-	-	-	-	-	-	-	3	10	23	29	-	-	-	-
Suicide	0·09	56	-	-	-	-	-	-	-	-	1	2	5	13	18	4	10	3
Other Violence	0·50	303	15	15	16	9	8	63	32	21	11	8	26	26	29	46	28	16
Other Causes	4·47	2699	1084	178	36	24	17	1339	34	19	29	25	53	66	102	152	287	593

Deaths of Infants (under one) to 1000 Births - 152

Marriages - 5,438
Births - 19,920

Annual Rate per 1000 living: Persons Married - 17·92; Births - 32·83

445.—ALTRINCHAM.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·94	—	—	—	—	—	46·77	5·81	3·53	4·64	5·24	7·97	10·36	16·17	30·04	71·68	159·38
Mean Pop. 1871-80	—	54,406	1456	1378	1364	1420	1373	6991	6282	5725	5348	5154	8176	6284	4695	3282	1797	672
ALL CAUSES	17·94	9762	2034	579	313	192	152	3270	365	202	248	270	652	651	759	986	1288	1071
Small-pox	0·17	90	5	1	1	3	2	12	9	12	7	9	24	10	4	2	1	-
Measles	0·22	122	25	42	23	13	8	111	9	1	-	-	-	-	1	-	-	-
Scarlet Fever	0·61	334	12	48	50	41	45	196	96	27	4	5	3	3	-	-	-	-
Diphtheria	0·18	98	10	3	12	11	10	46	35	9	6	-	1	1	-	-	-	-
Whooping-cough	0·39	210	76	67	29	16	8	196	14	-	-	-	-	-	-	-	-	-
Typhus	0·05	27	-	-	1	-	-	1	3	3	2	4	8	2	3	-	1	-
Enteric Fever	0·15	79	2	2	3	5	-	12	10	4	8	8	9	8	4	9	6	1
Simple Cont. Fev.	0·05	27	-	-	2	1	3	6	3	3	2	3	3	1	1	-	4	1
Puerp. Fever	0·09	47	-	-	-	-	-	-	-	-	1	14	14	17	1	-	-	-
Diarr. and Dys.	0·65	354	227	40	12	3	1	283	4	1	-	3	1	4	4	10	21	23
Cholera	0·01	5	2	-	-	-	-	2	-	-	-	-	-	-	1	2	-	-
Cancer	0·47	258	-	-	-	-	-	-	-	1	-	-	5	27	57	65	75	28
Scrofula	0·08	46	11	9	4	4	3	31	3	4	2	-	2	1	3	-	-	-
Tabes Mesent.	0·08	45	11	11	9	1	1	33	3	3	1	1	-	1	1	2	-	-
Phthisis	1·92	1047	19	8	6	6	3	42	16	31	114	127	273	197	135	87	19	6
Hydrocephalus	0·24	133	39	35	12	8	8	102	20	4	2	-	1	3	1	-	-	-
Diseases of: Nervous Syst.	2·42	1318	413	67	32	18	12	542	30	24	11	19	44	54	91	131	214	153
Circulatory „	1·47	801	3	2	1	-	1	7	11	20	19	11	43	75	104	193	222	96
Respiratory „	3·24	1761	877	151	66	29	15	638	34	5	15	17	51	79	123	215	342	242
Digestive „	1·12	607	51	8	1	3	1	64	13	16	6	7	37	62	93	119	132	55
Urinary „	0·33	181	1	1	-	2	3	7	4	2	9	8	17	17	31	33	31	22
Generative „	0·03	17	-	-	-	-	-	-	-	-	-	-	1	2	5	5	2	2
Childbirth	0·08	45	-	-	-	-	-	-	-	-	3	5	24	11	2	-	-	-
Suicide	0·06	33	-	-	-	-	-	-	-	-	1	1	7	6	5	8	5	-
Other Violence	0·53	291	18	15	13	12	12	70	14	16	19	16	42	25	24	22	25	18
Other Causes	3·20	1786	732	69	36	16	16	869	34	16	16	12	42	45	62	83	188	419

Deaths of Infants (under one) to 1000 Births - 118

Marriages - 3,206
Births - 17,227

Annual Rate per 1000 living: Persons Married - 11·79; Births - 31·66

446.—RUNCORN.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	20·76	—	—	—	—	—	59·34	6·46	3·48	5·46	6·38	8·50	11·67	18·85	31·61	66·34	169·51
Mean Pop. 1871-80	—	32,279	1039	929	954	908	899	4729	4130	3592	3043	2853	4552	3549	2679	1781	1007	364
ALL CAUSES	20·76	6700	1721	529	251	175	130	2806	267	125	166	182	387	414	505	563	668	617
Small-pox	0·10	33	1	-	-	4	4	9	5	1	3	7	6	1	-	1	-	-
Measles	0·44	141	34	48	21	14	8	125	15	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·82	264	26	39	51	39	31	186	64	5	4	1	3	-	1	-	-	-
Diphtheria	0·30	96	8	6	12	9	10	45	31	14	3	2	1	-	-	-	-	-
Whooping-cough	0·50	160	74	48	23	7	7	159	1	-	-	-	-	-	-	-	-	-
Typhus	0·04	12	-	-	-	-	-	-	3	2	3	1	2	-	-	-	1	-
Enteric Fever	0·21	68	1	-	1	1	3	6	8	6	7	2	10	9	6	8	5	1
Simple Cont. Fev.	0·15	48	1	3	2	1	-	7	6	4	2	3	6	8	3	2	5	2
Puerp. Fever	0·08	25	-	-	-	-	-	-	-	-	2	4	10	9	-	-	-	-
Diarr. and Dys.	1·04	337	205	52	12	7	1	277	3	-	-	2	3	5	8	4	14	21
Cholera	0·01	3	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-
Cancer	0·46	150	-	-	-	-	-	-	-	1	-	-	1	24	34	46	25	19
Scrofula	0·08	26	3	3	-	-	-	6	2	1	5	3	4	1	4	-	-	-
Tabes Mesent.	0·20	65	28	18	3	-	-	49	5	2	2	-	3	-	3	1	-	-
Phthisis	1·77	571	12	14	3	2	-	31	15	11	49	78	139	118	86	35	7	2
Hydrocephalus	0·17	55	18	12	6	8	5	49	4	1	1	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·59	836	289	50	24	13	11	387	27	7	9	15	23	30	66	84	122	66
Diseases of: Circulatory „	1·00	324	1	-	-	-	1	2	1	7	10	3	24	33	48	67	92	37
Diseases of: Respiratory „	3·80	1226	322	140	38	24	17	541	19	12	4	22	32	49	102	137	185	123
Diseases of: Digestive „	0·96	310	30	6	4	5	7	52	9	4	10	3	13	42	41	62	44	25
Diseases of: Urinary „	0·39	126	2	2	2	3	2	11	2	3	3	3	10	14	23	26	19	14
Diseases of: Generative „	0·03	9	-	-	-	-	-	-	-	-	-	-	1	2	-	2	4	-
Childbirth	0·10	31	-	-	-	-	-	-	-	-	3	5	14	9	-	-	-	-
Suicide	0·05	16	-	-	-	-	-	-	-	-	2	-	1	-	4	3	4	2
Other Violence	1·65	538	13	9	13	11	8	64	32	34	28	22	56	27	32	22	13	8
Other Causes	4·42	1430	615	79	31	27	15	767	15	9	16	6	25	33	39	63	128	299

Deaths of Infants (under one) to 1000 Births - 141 | Marriages - 1,968 | Births - 12,205 | Annual Rate per 1000 living: Persons Married - 12·19; Births - 37·81

447.—NORTHWICH.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	20·95	—	—	—	—	—	61·55	6·55	3·63	4·56	6·17	7·77	10·65	15·03	30·07	68·64	171·43
Mean Pop. 1871-80	—	40,678	1300	1207	1242	1224	1144	6117	5423	4651	3768	3338	5484	4384	3359	2331	1333	490
ALL CAUSES	20·95	8521	2430	668	297	197	173	3765	355	169	172	206	426	467	505	701	915	840
Small-pox	0·07	28	3	-	1	-	-	4	2	-	3	1	9	5	1	2	-	1
Measles	0·53	216	51	79	35	16	17	198	16	-	2	-	-	-	-	-	-	-
Scarlet Fever	0·95	385	17	70	76	57	44	264	90	21	2	1	3	3	1	-	-	-
Diphtheria	0·17	70	6	4	5	8	12	35	26	6	3	-	-	-	-	-	-	-
Whooping-cough	0·46	189	102	52	14	9	4	181	8	-	-	-	-	-	-	-	-	-
Typhus	0·03	13	1	-	1	-	-	2	-	1	2	-	4	2	-	1	-	1
Enteric Fever	0·33	134	3	5	4	4	4	20	12	13	20	15	22	11	13	6	1	1
Simple Cont. Fev.	0·04	16	-	1	-	1	-	2	3	-	2	-	-	3	1	2	3	-
Puerp. Fever	0·08	33	-	-	-	-	-	-	-	-	5	7	9	10	2	-	-	-
Diarr. and Dys.	0·90	366	216	47	9	8	5	285	8	2	2	3	3	3	4	7	32	17
Cholera	0·02	7	-	-	-	1	2	3	1	1	-	-	-	1	1	-	-	-
Cancer	0·42	171	-	-	-	-	-	-	-	-	-	-	7	17	40	49	39	19
Scrofula	0·08	34	6	4	1	-	2	13	5	2	3	1	2	1	5	2	-	-
Tabes Mesent.	0·50	205	121	32	17	9	4	183	8	2	-	2	-	3	4	2	1	-
Phthisis	1·55	629	6	8	2	3	3	22	14	28	52	89	161	107	76	60	20	-
Hydrocephalus	0·25	102	32	19	12	5	4	72	15	9	3	1	-	2	-	-	-	-
Diseases of: Nervous Syst.	2·91	1182	576	68	18	12	17	691	22	9	7	11	20	30	63	107	131	82
Diseases of: Circulatory „	1·34	547	-	-	-	-	-	-	6	9	8	13	34	58	77	129	159	54
Diseases of: Respiratory „	3·23	1312	400	165	33	23	14	638	21	7	7	11	25	62	64	135	290	133
Diseases of: Digestive „	0·96	390	35	4	3	1	5	48	15	5	6	12	23	55	48	92	65	21
Diseases of: Urinary „	0·30	124	1	-	-	5	3	9	6	3	4	6	8	12	21	13	30	12
Diseases of: Generative „	0·04	18	-	-	-	-	-	-	-	-	-	1	6	3	4	2	2	-
Childbirth	0·07	29	-	-	-	-	-	-	-	-	1	3	11	14	-	-	-	-
Suicide	0·07	27	-	-	-	-	-	-	-	-	3	-	2	-	7	9	5	1
Other Violence	0·91	372	8	19	27	12	11	81	41	44	28	22	38	28	33	20	19	19
Other Causes	4·74	1922	846	91	36	23	19	1015	36	7	9	7	30	37	40	63	190	479

Deaths of Infants (under one) to 1000 Births - 153 | Marriages - 2,709 | Births - 15,877 | Annual Rate per 1000 living: Persons Married - 13·32; Births - 39·03

448.—CONGLETON.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	20·73	—	—	—	—	—	57·78	4·94	4·31	6·28	8·39	9·02	12·23	15·30	31·21	72·20	169·57
Mean Pop. 1871-80	—	37,145	1109	945	1027	999	970	5050	4721	4201	3773	3135	4901	4054	3261	2313	1263	470
ALL CAUSES	20·73	7702	1897	506	243	160	112	2918	233	181	237	263	442	496	499	722	914	797
Small-pox	0·04	15	2	1	-	-	-	3	-	-	1	5	2	-	1	3	-	-
Measles	0·33	122	29	43	25	11	7	115	5	2	-	-	-	-	-	-	-	-
Scarlet Fever	0·73	270	18	46	56	45	40	205	46	10	4	-	4	1	-	-	-	-
Diphtheria	0·09	32	1	4	6	2	2	15	9	1	1	2	2	1	-	1	-	-
Whooping-cough	0·41	153	71	43	20	10	7	151	2	-	-	-	-	-	-	-	-	-
Typhus	0·08	29	-	-	-	-	1	1	5	7	3	3	4	3	3	-	-	-
Enteric Fever	0·43	160	1	5	8	6	4	24	24	21	23	13	23	14	5	7	5	-
Simple Cont. Fev.	0·03	12	-	-	1	2	-	3	-	2	1	1	1	1	-	3	-	-
Puerp. Fever	0·10	36	-	-	-	-	-	-	-	-	2	8	12	14	-	-	-	-
Diarr. and Dys.	0·56	208	144	16	4	3	1	168	3	-	-	1	-	-	3	5	16	12
Cholera	0·02	6	1	1	1	-	-	3	1	-	-	-	-	1	1	-	-	-
Cancer	0·39	144	-	-	-	-	-	-	-	-	-	1	4	20	30	38	33	18
Scrofula	0·30	113	58	20	5	3	3	89	4	4	1	3	3	2	4	2	1	-
Tabes Mesent.	0·40	148	82	30	10	7	-	129	2	5	4	-	2	3	3	-	-	-
Phthisis	2·18	811	3	4	2	1	3	13	11	46	115	136	185	133	95	57	17	3
Hydrocephalus	0·38	142	51	28	16	10	10	115	14	9	2	1	-	-	1	-	-	-
Diseases of: Nervous Syst.	2·39	889	315	43	19	11	6	394	23	19	16	10	24	37	53	98	147	68
Circulatory "	1·16	431	1	1	-	-	-	2	6	5	10	10	28	51	70	101	114	34
Respiratory "	3·50	1301	325	125	29	18	7	504	18	6	6	10	42	63	78	184	242	148
Digestive "	1·27	471	60	12	8	4	4	88	10	10	8	11	16	49	63	105	86	20
Urinary "	0·31	117	4	-	-	1	-	5	6	1	3	6	6	13	10	20	33	14
Generative "	0·05	19	-	-	-	-	-	-	-	-	1	-	5	2	7	2	2	-
Childbirth	0·12	46	-	-	-	-	-	-	-	-	2	10	16	17	1	-	-	-
Suicide	0·07	27	-	-	-	-	-	-	-	-	-	-	4	7	6	5	4	1
Other Violence	0·65	243	5	8	14	6	5	38	19	18	24	14	29	29	20	22	18	12
OTHER CAUSES	4·74	1757	726	76	19	20	12	853	25	15	10	18	30	35	40	69	196	466

Deaths of Infants (under one) to 1000 Births - 145

Marriages - 2,545
Births - 13,117

Annual Rate per 1000 living: Persons Married - 13·70; Births - 35·31

449.—NANTWICH

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	18·57	—	—	—	—	—	53·51	6·42	3·15	4·62	6·39	7·39	9·51	14·65	27·81	58·86	157·89
Mean Pop. 1871-80	—	57,666	1868	1639	1698	1669	1591	8465	7558	6451	5481	4930	8123	6301	4744	3143	1760	710
ALL CAUSES	18·57	10,711	2789	885	382	262	212	4530	485	203	253	315	600	599	695	874	1036	1121
Small-pox	0·13	77	8	1	2	1	4	16	6	2	3	10	15	11	9	5	-	-
Measles	0·31	181	42	72	29	17	11	171	9	1	-	-	-	-	-	-	-	-
Scarlet Fever	1·05	605	50	83	103	83	77	396	156	27	12	3	7	2	2	-	-	-
Diphtheria	0·12	68	5	6	4	13	7	35	16	5	4	3	1	1	2	-	1	-
Whooping-cough	0·28	162	89	45	17	5	4	160	2	-	-	-	-	-	-	-	-	-
Typhus	0·03	19	-	2	-	1	2	5	3	3	3	1	-	1	3	-	-	-
Enteric Fever	0·35	202	12	12	13	5	9	51	27	11	20	24	25	14	14	9	7	-
Simple Cont. Fev.	0·08	45	-	3	3	4	3	13	5	5	3	2	3	4	3	1	3	3
Puerp. Fever	0·08	44	-	-	-	-	-	-	-	-	2	11	17	13	1	-	-	-
Diarr. and Dys.	0·63	364	204	66	10	5	6	291	8	1	1	1	4	4	6	6	21	21
Cholera	0·02	10	1	2	-	1	-	4	-	-	-	-	-	1	2	2	1	-
Cancer	0·34	198	-	-	-	-	-	-	1	-	-	2	8	21	32	67	48	19
Scrofula	0·08	47	10	1	1	-	1	13	6	3	1	3	5	5	5	4	2	-
Tabes Mesent.	0·56	321	212	45	17	9	4	287	7	8	8	1	4	2	4	-	-	-
Phthisis	1·55	893	19	10	3	5	2	39	24	43	87	113	227	169	105	58	25	3
Hydrocephalus	0·24	140	49	34	10	11	9	113	14	4	3	5	-	1	-	-	-	-
Diseases of: Nervous Syst.	2·61	1504	634	108	43	18	14	817	53	37	19	12	39	40	85	139	153	130
Circulatory "	1·24	713	1	-	2	1	3	7	13	20	15	18	52	62	104	164	167	91
Respiratory "	3·03	1775	432	245	63	39	20	829	33	12	11	14	53	78	97	149	242	237
Digestive "	1·03	592	88	19	11	6	4	128	18	8	14	22	23	43	90	87	92	42
Urinary "	0·29	169	-	3	2	-	2	7	7	3	1	6	12	14	29	31	29	30
Generative "	0·06	32	-	-	-	-	-	-	-	-	-	3	8	4	8	6	3	-
Childbirth	0·11	64	-	-	-	-	-	-	-	-	2	12	25	25	-	-	-	-
Suicide	0·06	33	-	-	-	-	-	-	-	-	-	3	2	8	6	8	6	-
Other Violence	0·58	332	16	31	20	11	7	85	26	13	22	27	31	35	27	28	21	17
OTHER CAUSES	3·63	2121	887	97	29	27	23	1063	51	17	22	19	29	36	61	80	215	523

Deaths of Infants (under one) to 1000 Births - 135

Marriages - 4,050
Births - 20,692

Annual Rate per 1000 living: Persons Married - 14·03; Births - 35·88

450.—CHESTER.*

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	21·03	—	—	—	—	—	52·41	6·23	3·75	5·21	8·22	10·97	14·34	19·60	33·91	66·50	167·44
Mean Pop. 1871-80	—	73,336	2090	1876	1969	1922	1924	9781	8694	8274	7203	6410	10374	8213	6272	4432	2648	1035
ALL CAUSES	21·03	* 15,422	3164	993	454	293	222	5126	542	310	375	527	1138	1178	1229	1503	1761	1733
Small-pox	0·11	82	11	2	-	4	6	23	13	4	4	17	12	7	2	-	-	-
Measles	0·27	197	46	82	23	14	7	175	20	1	-	1	-	-	-	-	-	-
Scarlet Fever	0·68	500	27	78	89	78	65	337	126	22	3	3	6	2	1	-	-	-
Diphtheria	0·17	126	9	9	10	16	12	56	30	20	7	5	3	2	1	1	1	-
Whooping-cough	0·39	287	127	95	34	19	6	281	5	1	-	-	-	-	-	-	-	-
Typhus	0·07	53	-	-	-	-	1	1	3	5	8	3	10	8	10	3	1	1
Enteric Fever	0·26	189	5	10	6	6	6	33	24	23	20	16	32	15	16	7	3	-
Simple Cont. Fev.	0·15	92	3	2	3	5	2	15	11	7	9	8	9	7	9	6	8	3
Puerp. Fever	0·09	65	-	-	-	-	-	-	-	-	3	14	41	7	-	-	-	-
Diarr. and Dys.	0·79	580	382	69	13	4	2	470	5	3	-	3	1	8	8	19	30	33
Cholera	0·01	11	5	1	-	-	-	6	-	-	1	-	-	1	1	-	1	1
Cancer	0·56	414	-	-	-	-	-	-	1	2	-	3	12	39	90	130	94	43
Scrofula	0·11	78	16	7	5	2	5	35	9	8	8	5	9	1	1	1	1	-
Tabes Mesent.	0·10	71	22	19	4	1	1	47	11	6	2	2	1	1	1	-	-	-
Phthisis	2·22	1628	18	16	10	4	3	51	24	47	152	240	453	338	176	99	43	5
Hydrocephalus	0·32	223	56	69	25	18	11	10	44	13	4	-	2	-	-	-	-	-
Diseases of: Nervous Syst.	3·33	2440	858	111	57	27	13	1056	42	26	14	36	121	186	205	223	301	210
Diseases of: Circulatory „	1·55	1137	2	1	1	1	1	6	6	24	19	25	78	145	160	233	288	153
Diseases of: Respiratory „	3·22	2361	517	233	86	38	29	903	43	13	24	26	83	124	203	305	350	287
Diseases of: Digestive „	1·10	807	118	25	10	8	7	168	12	10	15	20	48	74	109	159	145	47
Diseases of: Urinary „	0·46	338	2	1	3	2	2	10	7	3	8	15	44	50	64	46	51	40
Diseases of: Generative „	0·06	43	-	1	-	-	-	1	-	..	2	1	9	9	11	5	4	1
Childbirth	0·10	72	-	-	-	-	-	-	-	-	3	9	32	25	3	-	-	-
Suicide	0·06	44	-	-	-	-	-	-	-	-	1	1	9	7	14	8	2	2
Other Violence	0·79	579	35	21	17	17	23	113	49	31	35	51	63	59	52	53	41	32
OTHER CAUSES	4·08	2995	905	150	55	29	20	1159	57	41	33	23	60	63	92	195	397	875

Deaths of Infants (under one) to 1000 Births - 131 | Marriages - 6,220 | Births - 24,233 | Annual Rate per 1000 living { Persons Married - 16·96 | Births - 33·04

* Changes were made in the boundary of this District during the decade; *see* pp. 371-78.

451.—WIRRAL.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	15·72	—	—	—	—	—	40·22	5·73	3·37	4·23	5·16	6·68	10·55	13·46	26·69	61·91	161·07
Mean Pop. 1871-80	—	25,674	717	659	706	673	651	3406	3069	2882	2931	2386	3740	2731	2051	1416	764	298
ALL CAUSES	15·72	4035	821	267	130	82	70	1370	176	97	124	123	250	288	276	378	473	480
Small-pox	0·06	16	4	-	-	-	1	5	-	-	-	2	3	5	-	1	-	-
Measles	0·14	36	11	15	4	1	2	33	3	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·38	150	12	21	27	20	18	98	37	8	1	3	1	1	-	1	-	-
Diphtheria	0·39	99	8	17	16	13	6	60	30	6	2	-	1	-	-	-	-	-
Whooping-cough	0·37	95	40	23	15	7	4	94	1	-	-	-	-	-	-	-	-	-
Typhus	0·03	7	-	-	-	-	-	-	-	1	1	1	1	3	-	-	-	-
Enteric Fever	0·17	43	-	-	1	2	-	3	6	6	4	3	9	6	3	2	1	-
Simple Cont. Fev.	0·06	16	-	1	-	-	1	2	2	1	-	1	2	2	-	2	2	2
Puerp. Fever	0·07	17	-	-	-	-	-	-	-	-	1	6	9	1	-	-	-	-
Diarr. and Dys.	0·63	161	106	21	2	1	1	131	-	-	-	1	1	1	4	4	2	17
Cholera	0·02	5	2	-	-	-	-	2	-	-	-	-	-	2	1	-	-	-
Cancer	0·41	106	-	-	-	-	-	-	-	-	-	2	1	11	22	31	26	13
Scrotula	0·11	28	6	3	1	-	2	12	1	-	6	3	1	1	3	-	-	1
Tabes Mesent.	0·20	52	16	12	4	3	2	37	8	4	1	-	1	1	-	-	-	-
Phthisis	1·68	432	6	4	1	1	4	16	9	22	52	52	99	81	53	36	11	1
Hydrocephalus	0·28	72	15	19	6	7	7	54	11	2	3	-	1	1	-	-	-	-
Diseases of: Nervous Syst.	1·95	501	154	25	17	6	3	205	21	10	12	4	16	19	29	36	84	65
Diseases of: Circulatory „	1·20	308	1	-	-	1	1	3	7	7	8	4	16	22	38	71	77	55
Diseases of: Respiratory „	2·53	649	165	54	22	6	8	256	9	4	7	8	25	30	48	66	97	99
Diseases of: Digestive „	0·93	238	22	3	2	3	1	31	4	2	6	5	13	25	24	50	51	27
Diseases of: Urinary „	0·42	109	-	4	1	1	-	6	1	5	2	5	5	11	16	22	23	13
Diseases of: Generative „	0·05	12	-	-	-	-	-	-	-	2	-	2	-	1	-	3	4	-
Childbirth	0·11	28	-	-	-	-	-	-	-	-	3	2	14	9	-	-	-	-
Suicide	0·05	13	-	-	-	-	-	-	-	.	-	1	3	3	2	3	-	1
Other Violence	0·63	163	8	9	5	4	4	30	9	12	12	11	14	30	12	15	10	8
OTHER CAUSES	2·65	679	244	31	6	6	5	292	17	5	3	7	14	22	21	35	85	178

Deaths of Infants (under one) to 1000 Births - 104 | Marriages - 1,007 | Births - 7,878 | Annual Rate per 1000 living { Persons Married - 7·84 | Births - 30·68

452.—BIRKENHEAD.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	20·39	—	—	—	—	—	32·44	7·95	3·54	4·53	6·31	8·61	12·88	21·25	38·93	58·97	164·96
Mean Pop. 1871-80	—	91,445	2865	2548	2689	2513	2503	13109	11026	9430	8806	8806	15024	11015	7312	4366	1966	585
ALL CAUSES	20·39	18,643	4576	1802	835	589	383	8185	877	334	399	556	1298	1419	1554	1700	1356	965
Small-pox	0·21	192	33	4	3	6	5	51	21	13	12	23	39	22	8	3	-	-
Measles	0·53	487	92	171	98	63	27	454	27	2	-	1	1	1	-	1	-	-
Scarlet Fever	1·04	947	61	128	172	148	112	621	238	46	10	13	13	6	-	-	-	-
Diphtheria	0·22	204	20	30	25	28	33	136	52	8	3	1	2	-	2	-	-	-
Whooping-cough	0·56	516	219	173	58	25	15	493	23	-	-	-	-	-	-	-	-	-
Typhus	0·15	136	3	1	1	-	-	5	2	4	9	16	32	22	24	15	7	-
Enteric Fever	0·26	235	5	9	7	9	7	37	34	18	15	29	34	32	21	14	4	1
Simple Cont. Fev.	0·12	108	1	4	1	2	2	10	20	5	6	6	15	17	13	12	3	1
Puerp. Fever	0·05	50	-	-	-	-	-	-	-	-	2	18	19	11	-	-	-	-
Diarr. and Dys.	0·87	796	481	137	29	10	2	659	16	6	1	4	8	8	25	26	21	22
Cholera	0·03	29	4	4	-	1	1	10	2	3	-	1	2	1	1	6	2	1
Cancer	0·38	348	-	2	1	2	1	6	2	-	1	3	15	48	88	103	52	20
Scrofula	0·15	135	30	35	12	7	6	90	16	7	5	6	3	2	2	4	-	-
Tabes Mesent.	0·20	187	77	53	11	3	5	149	18	7	1	6	2	3	1	-	-	-
Phthisis	1·79	1640	14	16	12	7	7	55	32	42	140	209	469	361	217	91	20	3
Hydrocephalus	0·32	295	84	93	32	28	18	255	33	6	-	-	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·53	2316	807	214	94	53	33	1201	73	37	22	40	68	108	173	246	227	121
Diseases of: Circulatory „	1·00	916	4	2	4	-	1	11	18	21	28	26	85	133	170	214	149	61
Diseases of: Respiratory „	3·34	3056	741	355	136	74	46	1352	61	16	34	28	104	201	330	410	335	188
Diseases of: Digestive „	1·20	1099	216	45	24	18	6	309	30	18	17	28	89	122	156	183	114	33
Diseases of: Urinary „	0·40	367	7	5	4	11	8	35	20	12	11	11	35	45	55	77	42	24
Diseases of: Generative „	0·05	45	-	-	-	-	-	-	-	-	1	1	5	8	9	9	9	3
Childbirth	0·11	101	-	-	-	-	-	-	-	-	2	18	48	33	-	-	-	-
Suicide	0·07	65	-	-	-	-	-	-	-	-	5	10	12	12	12	9	4	1
Other Violence	0·79	725	41	40	22	27	12	142	47	35	51	33	110	113	91	65	24	14
Other Causes	4·02	3618	1036	281	89	61	36	2103	90	28	27	34	87	110	146	212	342	472

Deaths of Infants (under one) to 1000 Births - 133

Marriages - 6,197
Births - 34,455

Annual Rate per 1000 living: Persons Married - 13·55; Births - 37·68

[LANCASHIRE.

453.—LIVERPOOL.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	33·57	—	—	—	—	—	110·29	12·52	5·50	6·80	9·95	16·19	24·25	35·77	59·73	99·63	183·21
Mean Pop. 1871-80	—	224,288	6260	4983	5357	5186	5042	26828	23323	21955	21092	22235	39566	30448	20716	12038	4830	1263
ALL CAUSES	33·57	75,291	17059	7703	3533	2234	1473	32002	2921	1207	1434	2213	6405	7385	7408	7190	4812	2314
Small-pox	0·43	963	133	60	58	76	72	401	185	77	42	63	110	59	18	4	1	-
Measles	0·91	2032	414	756	376	234	98	1878	141	5	1	1	3	-	1	1	1	-
Scarlet Fever	1·15	2585	134	401	470	430	355	1790	619	112	26	17	22	9	1	-	-	-
Diphtheria	0·09	211	19	51	33	25	21	149	38	8	2	4	4	4	1	1	-	-
Whooping-cough	1·00	2241	760	711	352	192	115	2130	108	7	1	-	-	-	-	-	-	-
Typhus	0·53	1301	3	4	4	8	8	27	54	49	102	115	283	291	236	105	35	4
Enteric Fever	0·30	668	11	30	37	29	18	125	75	42	53	63	103	77	71	42	12	5
Simple Cont. Fev.	0·30	670	33	32	30	38	37	170	85	43	21	31	71	86	60	70	25	8
Puerp. Fever	0·08	172	-	-	-	-	-	-	-	-	9	47	77	39	-	-	-	-
Diarr. and Dys.	1·96	4397	2272	1144	264	83	29	3792	32	13	6	23	46	80	93	142	117	53
Cholera	0·04	87	27	12	4	-	1	44	3	2	-	2	10	5	13	3	5	-
Cancer	0·45	1010	2	1	-	1	1	5	2	1	7	7	60	237	297	257	169	28
Scrofula	0·15	333	74	71	34	25	1	215	38	20	12	14	14	5	3	8	4	-
Tabes Mesent.	0·29	646	265	210	62	37	11	585	33	12	2	4	3	1	3	2	-	1
Phthisis	3·66	8208	81	84	58	42	38	303	180	227	483	854	2336	2057	1188	469	100	11
Hydrocephalus	0·39	868	330	219	104	67	35	755	61	11	6	1	1	1	1	-	1	-
Diseases of: Nervous Syst.	3·26	7305	2618	620	231	160	104	3733	230	86	78	98	339	478	620	791	556	203
Diseases of: Circulatory „	1·84	4118	11	2	5	5	4	27	48	84	125	136	586	827	865	815	418	125
Diseases of: Respiratory „	7·05	15819	3157	1800	719	379	240	6295	320	78	96	200	748	1306	2051	2567	1614	534
Diseases of: Digestive „	1·07	2402	388	78	21	29	14	471	50	41	52	76	181	383	431	359	179	76
Diseases of: Urinary „	0·61	1368	9	17	14	25	21	86	57	26	35	59	170	270	230	235	121	22
Diseases of: Generative „	0·07	159	3	1	-	-	-	4	1	-	2	12	37	41	31	16	14	1
Childbirth	0·09	205	-	-	-	-	-	-	-	-	7	34	95	69	-	-	-	-
Suicide	0·06	141	-	-	-	-	-	-	-	-	5	12	23	38	31	24	5	3
Other Violence	1·81	4062	1105	130	101	89	75	1500	215	115	148	185	486	466	428	328	150	61
Other Causes	5·93	13330	5255	1239	506	260	185	7445	351	141	113	155	494	576	665	920	1275	1192

Deaths of Infants (under one) to 1000 Births - 217

Marriages - 33,468
Births - 78,670

Annual Rate per 1000 living: Persons Married - 29·84; Births - 35·08

455.—WEST DERBY.*

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	23·35	—	—	—	—	—	75·91	8·60	4·26	5·43	6·95	9·81	14·77	22·56	40·48	76·60	161·91
Mean Pop. 1871-80	—	409,613	13,393	11678	11748	11563	11097	59474	49762	42382	37630	38327	69150	50538	32570	18849	8463	2468
ALL CAUSES	23·35	95,651	25,344	10254	4586	2891	2074	45149	4281	1805	2045	2665	6784	7464	7348	7631	6483	3996
Small-pox	0·53	2160	239	61	90	105	83	578	390	124	153	270	403	208	88	27	5	4
Measles	0·59	2416	708	931	428	250	117	2234	153	15	3	5	5	–	1	–	–	–
Scarlet Fever	1·08	4405	234	648	792	656	559	2889	1135	216	60	34	44	21	5	1	–	–
Diphtheria	0·17	690	63	88	92	108	92	443	164	31	8	15	6	7	9	3	2	2
Whooping-cough	0·76	3103	1140	1007	412	256	125	2970	127	4	1	–	–	1	–	–	–	–
Typhus	0·20	805	1	4	4	6	2	17	37	46	51	79	154	168	152	73	20	5
Enteric Fever	0·30	1216	16	55	66	46	63	246	169	104	117	102	168	151	85	40	30	4
Simple Cont. Fev.	0·15	632	33	36	32	35	31	167	84	28	37	30	60	70	73	52	21	10
Puerp. Fever	0·08	330	–	–	–	–	–	–	–	–	9	69	170	82	–	–	–	–
Diarr. and Dys.	1·30	5306	3133	1136	188	49	35	4841	24	9	4	10	35	48	69	93	101	72
Cholera	0·05	188	72	24	6	2	1	105	10	2	2	2	10	11	15	18	10	3
Cancer	0·41	1674	1	1	1	2	–	5	4	5	7	13	83	267	485	467	277	61
Scrofula	0·13	522	186	82	44	27	23	362	45	31	21	12	15	13	6	9	7	1
Tabes Mesent.	0·36	1478	693	371	154	53	34	1305	75	36	8	11	16	9	10	5	3	–
Phthisis	2·37	9708	127	138	73	53	51	442	247	317	775	1085	2615	2213	1306	547	116	15
Hydrocephalus	0·47	1917	739	517	233	123	79	1691	158	39	11	5	7	4	1	1	–	–
Diseases of: Nervous Syst.	2·64	10825	3925	949	370	234	144	5622	322	172	147	105	323	574	798	1135	1072	555
Circulatory	1·24	5072	22	10	3	12	10	57	81	118	135	151	511	842	934	1076	842	275
Respiratory	4·31	17652	4704	2517	843	419	239	8722	365	118	112	194	690	1035	1558	2216	1825	817
Digestive	0·99	4070	743	146	39	32	39	999	100	75	70	102	363	541	640	624	450	126
Urinary	0·36	1461	16	20	31	22	28	120	89	45	52	57	204	216	228	223	180	52
Generative	0·04	184	–	–	–	1	1	2	–	1	2	13	25	43	28	32	33	5
Childbirth	0·09	379	–	–	–	–	–	–	–	–	16	50	172	135	6	–	–	–
Suicide	0·05	208	–	–	–	–	–	–	–	1	5	15	40	52	49	32	12	2
Other Violence	0·74	3019	875	124	97	72	68	1236	175	98	116	123	300	297	286	230	115	43
OTHER CAUSES	3·94	16231	7574	1389	555	323	250	10096	426	170	120	113	335	457	465	722	1382	1914

Deaths of Infants (under one) to 1000 Births - 161 | Marriages - 31,055 | Births - 157,200 | Annual Rate per 1000 living: Persons Married - 15·16; Births - 38·38

* Including Toxteth Park, which was created a Registration District on 1st January 1881.

456.—PRESCOT.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	22·92	—	—	—	—	—	70·51	7·47	3·84	5·62	6·41	9·58	14·77	21·40	39·25	75·89	166·33
Mean Pop. 1871-80	—	105,256	3643	3271	3324	3281	3065	16584	14049	11539	9712	9428	16328	11833	7994	4826	2273	690
ALL CAUSES	22·92	24,126	6510	2678	1260	749	496	11693	1050	443	546	604	1564	1748	1711	1894	1725	1148
Small-pox	0·22	236	27	7	8	9	20	71	52	18	21	23	26	17	7	–	–	1
Measles	0·65	679	130	267	138	69	27	631	44	2	–	1	–	1	–	–	–	–
Scarlet Fever	1·21	1278	85	210	246	217	150	908	287	46	19	8	8	1	1	–	–	–
Diphtheria	0·21	225	22	44	50	29	24	169	38	7	5	2	2	1	–	1	–	–
Whooping-cough	0·53	560	225	178	82	36	19	540	19	1	–	–	–	–	–	–	–	–
Typhus	0·09	94	1	1	2	1	1	6	8	8	9	10	19	14	10	7	3	–
Enteric Fever	0·47	497	13	18	14	17	16	78	55	52	52	48	85	54	48	18	6	1
Simple Cont. Fev.	0·17	181	6	9	9	13	7	43	26	11	14	9	23	12	17	16	6	4
Puerp. Fever	0·10	108	–	–	–	–	–	–	–	–	6	24	49	28	1	–	–	–
Diarr. and Dys.	1·42	1498	918	373	46	13	12	1362	5	4	7	3	8	7	12	28	32	30
Cholera	0·03	33	8	3	4	2	1	18	1	–	–	–	2	3	5	2	1	1
Cancer	0·29	302	–	–	–	1	–	1	3	–	2	–	15	46	77	73	69	16
Scrofula	0·11	112	37	16	8	6	4	71	8	5	5	3	6	5	4	3	2	–
Tabes Mesent.	0·32	341	185	79	29	13	10	316	10	5	2	3	3	2	–	–	–	–
Phthisis	1·80	1898	33	37	15	4	8	97	52	65	164	193	509	425	245	116	28	4
Hydrocephalus	0·42	438	124	131	62	23	18	370	43	12	9	1	3	–	–	–	–	–
Diseases of: Nervous Syst.	2·94	3094	1175	183	107	61	23	1549	83	27	35	36	159	246	251	273	285	150
Circulatory	0·98	1030	2	–	–	1	1	4	19	18	23	20	89	156	180	223	218	75
Respiratory	4·26	4483	1168	614	205	102	57	2146	95	30	32	39	143	256	380	598	516	251
Digestive	1·04	1097	197	65	18	16	12	308	33	19	22	21	68	127	169	180	114	36
Urinary	0·27	282	1	4	3	2	6	16	11	5	17	8	39	37	49	48	41	11
Generative	0·03	35	1	–	–	–	–	1	–	–	1	–	6	6	9	6	4	2
Childbirth	0·11	111	–	–	–	–	–	–	–	–	5	14	48	42	2	–	–	–
Suicide	0·04	43	–	–	–	–	–	–	–	–	2	4	5	14	10	2	4	2
Other Violence	0·95	1005	47	58	41	28	19	193	53	70	64	93	154	133	94	83	39	29
OTHER CAUSES	4·16	4463	2095	381	173	85	61	2795	105	38	30	41	95	115	140	212	357	535

Deaths of Infants (under one) to 1000 Births - 146 | Marriages - 7,601 | Births - 44,529 | Annual Rate per 1000 living: Persons Married - 14·44; Births - 42·31

457.—ORMSKIRK.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	20·61	—	—	—	—	—	55·18	7·32	4·14	5·62	6·99	10·24	15·14	18·28	31·45	67·24	154·09
Mean Pop. 1871-80	—	71,261	2001	1830	1929	1911	1765	9436	8387	7629	7192	6712	10532	7827	5915	4314	2454	853
ALL CAUSES	20·61	14,690	3221	950	476	301	259	5207	614	316	404	469	1078	1185	1081	1357	1650	1329
Small-pox	0·20	144	15	6	1	4	4	30	16	8	13	17	32	15	6	5	2	-
Measles	0·16	117	29	45	22	6	5	107	10	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·72	514	23	69	93	69	61	315	138	34	14	5	4	4	-	-	-	-
Diphtheria	0·31	221	14	23	24	30	23	114	74	19	4	1	2	4	-	3	-	-
Whooping-cough	0·25	176	95	43	19	8	4	169	7	-	-	-	-	-	-	-	-	-
Typhus	0·06	44	-	-	-	-	1	1	4	4	4	9	11	4	4	3	-	-
Enteric Fever	0·50	353	1	6	9	12	12	40	41	26	41	49	59	40	26	17	13	1
Simple Cont. Fev.	0·10	72	2	5	4	4	7	22	14	6	4	4	7	5	1	8	1	-
Puerp. Fever	0·07	49	-	-	-	-	-	-	-	-	-	17	23	7	2	-	-	-
Diarr. and Dys.	0·70	499	301	67	16	3	3	390	4	3	3	2	4	7	8	10	37	31
Cholera	0·02	11	2	2	-	-	-	4	-	-	-	-	-	-	4	1	1	1
Cancer	0·33	236	-	-	-	-	1	1	-	-	-	-	7	40	60	55	54	19
Scrofula	0·07	52	11	7	1	-	-	19	4	4	7	3	5	3	2	4	1	-
Tabes Mesent.	0·17	122	61	24	4	1	-	90	10	9	4	2	1	3	1	2	-	-
Phthisis	2·40	1710	20	22	12	6	11	71	26	59	154	198	456	364	224	120	35	3
Hydrocephalus	0·27	191	79	47	17	10	6	159	14	12	3	-	2	1	-	-	-	-
Diseases of: Nervous Syst.	2·83	2018	721	118	71	28	31	969	57	27	27	21	49	77	135	205	224	157
Diseases of: Circulatory "	1·30	925	1	2	-	-	2	5	7	13	22	18	59	118	127	205	238	113
Diseases of: Respiratory "	3·49	2484	589	240	76	54	32	991	61	18	50	35	76	121	170	303	424	265
Diseases of: Digestive "	1·34	955	121	19	8	6	7	164	17	15	21	20	71	129	143	182	150	43
Diseases of: Urinary "	0·40	285	3	3	1	3	2	12	7	5	9	8	34	43	44	78	46	19
Diseases of: Generative "	0·06	41	-	1	-	-	-	1	-	-	-	-	4	11	6	13	6	-
Childbirth	0·09	65	-	-	-	-	-	-	-	-	3	5	30	26	1	-	-	-
Suicide	0·07	50	-	-	-	-	-	-	-	-	3	2	16	7	6	7	6	3
Other Violence	0·71	507	15	38	22	9	14	98	31	27	31	35	64	80	51	29	43	18
Other Causes	3·99	2849	1115	163	76	48	33	1435	72	27	17	18	62	76	60	127	199	656

Deaths of Infants (under one) to 1000 Births . 165 — Marriages . 5,136 — Births . 23,866 — Annual Rate per 1000 living: Persons Married . 14·41; Births . . . 33·49

458.—WIGAN.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	25·77	—	—	—	—	—	87·28	7·78	4·58	6·13	8·13	9·27	13·75	20·62	38·37	77·25	182·46
Mean Pop. 1871-80	—	125,896	4401	3864	3949	3835	3695	19744	16635	14273	12721	11716	18270	13261	9606	6010	2805	855
ALL CAUSES	25·77	32,445	9935	4009	1681	950	657	17232	1295	654	780	952	1694	1824	1981	2306	2167	1560
Small-pox	0·12	149	16	4	4	8	6	38	18	13	14	24	27	13	1	1	-	-
Measles	0·74	922	195	398	172	88	32	885	42	2	-	-	-	-	-	-	-	-
Scarlet Fever	1·30	1631	86	241	307	269	212	1115	401	81	19	7	9	2	-	-	-	-
Diphtheria	0·06	80	6	14	13	9	9	51	17	6	-	3	1	2	-	-	-	-
Whooping-cough	0·64	809	381	232	97	46	27	783	23	2	-	-	-	-	-	1	-	-
Typhus	0·09	112	-	1	1	-	3	5	12	13	16	23	12	13	6	6	6	-
Enteric Fever	0·47	597	6	21	35	23	13	98	94	71	66	72	80	44	38	17	17	-
Simple Cont. Fev.	0·17	209	8	8	17	14	11	58	37	23	13	8	17	21	9	10	8	5
Puerp. Fever	0·12	157	-	-	-	-	-	-	-	-	7	35	68	46	1	-	-	-
Diarr. and Dys.	1·92	2423	1415	628	126	21	8	2198	16	3	2	6	8	18	23	43	63	43
Cholera	0·02	26	7	4	1	1	-	13	-	-	-	1	-	2	3	5	1	1
Cancer	0·26	323	1	-	-	-	-	1	-	-	1	2	17	47	89	85	63	18
Scrofula	0·05	69	20	4	5	1	-	30	5	6	8	4	4	3	6	3	-	-
Tabes Mesent.	0·38	478	211	151	59	16	4	441	18	4	1	6	2	2	3	1	-	-
Phthisis	1·74	2187	52	55	23	10	12	152	58	62	259	319	493	421	266	128	28	1
Hydrocephalus	0·20	247	87	62	24	19	13	205	21	10	4	3	4	-	-	-	-	-
Diseases of: Nervous Syst.	3·15	3970	1912	349	154	93	53	2561	108	59	40	39	80	117	201	274	296	195
Diseases of: Circulatory "	1·13	1419	8	2	4	4	2	20	32	36	44	46	115	198	274	333	258	63
Diseases of: Respiratory "	5·57	7010	2130	1049	355	177	106	3817	162	47	59	55	182	291	485	785	723	404
Diseases of: Digestive "	0·98	1228	245	49	23	9	18	344	35	32	25	36	77	110	163	201	155	50
Diseases of: Urinary "	0·30	374	6	10	10	7	4	37	16	7	5	11	35	40	54	74	63	32
Diseases of: Generative "	0·04	53	-	2	1	-	-	3	-	-	1	2	10	13	10	10	3	1
Childbirth	0·14	171	-	-	-	-	-	-	-	-	9	27	59	71	5	-	-	-
Suicide	0·05	59	-	-	-	-	-	-	-	1	-	2	11	12	13	12	7	1
Other Violence	1·22	1556	47	67	60	35	34	243	89	119	127	180	292	213	191	112	68	23
Other Causes	4·81	6076	3095	658	190	100	40	4134	91	57	60	41	91	125	140	205	408	724

Deaths of Infants (under one) to 1000 Births . 172 — Marriages . 10,917 — Births . 57,623 — Annual Rate per 1000 living: Persons Married . 17·34; Births . . . 45·77

459.—WARRINGTON.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	22·21	—	—	—	—	—	67·61	5·95	3·84	5·74	7·33	9·09	13·66	21·22	37·75	80·50	176·82
Mean Pop. 1871–80	—	62,306	2189	1906	1913	1867	1880	9755	8028	6926	6082	5678	9541	7029	4657	2837	1333	440
ALL CAUSES	22·21	13,841	3856	1429	614	415	281	6595	478	266	349	416	867	960	988	1071	1073	778
Small-pox	0·09	55	8	2	2	1	3	16	3	7	7	7	7	4	3	-	1	-
Measles	0·61	379	78	155	73	47	14	367	12	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·95	594	36	113	109	102	84	444	110	26	6	4	3	1	-	-	-	-
Diphtheria	0·09	53	5	11	4	10	8	38	11	1	-	1	-	1	-	-	1	-
Whooping-cough	0·65	403	177	120	52	27	15	391	12	-	-	-	-	-	-	-	-	-
Typhus	0·10	65	-	1	-	1	-	2	6	1	15	6	11	7	12	3	2	-
Enteric Fever	0·30	184	5	13	10	10	2	40	26	11	22	16	35	16	5	11	2	-
Simple Cont. Fev.	0·19	118	5	7	9	8	7	36	18	7	5	7	11	12	8	8	5	1
Puerp. Fever	0·10	60	-	-	-	-	-	-	-	-	8	15	28	9	-	-	-	-
Diarr. and Dys.	1·16	722	484	122	31	6	3	646	2	-	1	3	2	8	10	14	21	15
Cholera	0·04	26	10	3	-	1	-	14	-	-	-	1	4	-	2	1	3	1
Cancer	0·29	182	-	-	-	1	-	1	-	-	-	-	7	34	39	57	35	9
Scrofula	0·08	48	11	5	1	4	1	22	6	4	2	2	6	-	3	1	2	-
Tabes Mesent.	0·25	155	71	41	17	7	3	139	8	1	-	2	3	1	1	-	-	-
Phthisis	1·89	1180	13	22	9	7	6	57	27	53	108	140	294	252	157	78	13	1
Hydrocephalus	0·35	221	92	56	19	11	9	187	17	9	6	1	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·70	1683	631	120	44	30	23	848	44	23	20	30	75	110	156	142	167	68
Diseases of: Circulatory „	1·04	648	3	2	1	1	4	11	13	17	18	24	64	80	122	134	120	45
Diseases of: Respiratory „	3·70	2304	667	321	95	51	28	1162	54	8	11	20	73	147	179	275	277	95
Diseases of: Digestive „	1·03	640	109	18	12	8	10	157	18	9	13	10	41	64	104	120	73	31
Diseases of: Urinary „	0·30	190	5	3	5	2	2	17	9	8	9	7	18	23	25	29	33	12
Diseases of: Generative „	0·04	22	-	-	-	-	-	-	-	-	-	2	2	8	3	3	2	2
Childbirth	0·11	70	-	-	-	-	-	-	-	-	4	16	22	27	1	-	-	-
Suicide	0·06	38	-	-	-	-	-	-	-	-	-	4	9	7	6	9	3	-
Other Violence	1·19	741	34	33	33	23	13	136	46	54	71	78	110	87	70	47	27	15
Other Causes	4·10	3060	1412	261	88	57	45	1864	36	27	20	20	41	62	82	139	286	483

Deaths of Infants (under one) to 1000 Births - 151 | Marriages - 5,044 | Births - 25,614 | Annual Rate per 1000 living: Persons Married - 16·19; Births - 41·11

460.—LEIGH.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	23·65	—	—	—	—	—	75·46	7·51	5·00	5·83	8·31	8·39	11·98	18·11	35·02	77·42	177·63
Mean Pop. 1871–80	—	49,121	1644	1415	1465	1367	1411	7302	6315	5383	4938	4430	7053	5360	3932	2610	1342	456
ALL CAUSES	23·65	11,618	3212	1152	530	367	249	5510	474	269	288	368	592	642	712	914	1039	810
Small-pox	0·05	26	4	4	1	-	-	9	3	1	3	8	2	-	-	-	-	-
Measles	0·63	308	84	114	57	28	16	299	8	-	-	-	-	-	1	-	-	-
Scarlet Fever	1·41	693	36	101	112	116	93	458	181	35	11	3	5	-	-	-	-	-
Diphtheria	0·08	38	6	4	6	2	7	25	8	3	-	1	1	-	-	-	-	-
Whooping cough	0·36	177	69	49	33	16	6	173	4	-	-	-	-	-	-	-	-	-
Typhus	0·12	60	-	-	1	-	1	2	1	9	3	8	7	14	3	7	5	1
Enteric Fever	0·56	277	11	18	31	14	15	89	40	22	27	23	24	21	15	7	8	1
Simple Cont. Fev.	0·14	70	-	6	10	7	4	27	10	6	2	3	4	4	2	3	2	1
Puerp. Fever	0·17	82	-	-	-	-	-	-	-	-	9	22	32	19	-	-	-	-
Diarr. and Dys.	1·19	584	346	105	19	8	3	481	3	1	1	2	2	2	6	13	35	33
Cholera	0·05	27	6	3	-	-	-	9	-	-	-	1	2	2	2	5	4	2
Cancer	0·43	209	-	-	-	1	-	1	1	-	1	3	7	31	47	54	48	16
Scrofula	0·07	35	6	4	6	-	-	16	2	6	1	3	3	2	-	2	-	-
Tabes Mesent.	0·98	481	319	97	28	12	1	457	11	9	-	1	1	2	-	-	-	-
Phthisis	1·89	928	44	19	3	6	7	79	16	47	107	145	208	148	98	57	21	2
Hydrocephalus	0·27	131	59	38	9	8	3	117	9	3	2	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·78	1367	473	76	48	29	16	642	38	28	21	15	27	64	83	125	191	133
Diseases of: Circulatory „	1·34	659	3	2	3	-	2	10	14	22	15	17	41	57	108	156	145	74
Diseases of: Respiratory „	5·04	2475	817	324	81	44	25	1291	31	14	10	29	45	100	143	244	305	263
Diseases of: Digestive „	1·17	576	110	14	9	6	4	143	12	11	8	10	38	52	83	96	81	42
Diseases of: Urinary „	0·29	140	2	2	3	2	2	11	3	1	7	7	13	15	20	19	21	23
Diseases of: Generative „	0·05	25	2	-	-	-	-	2	-	-	-	1	3	1	4	12	1	1
Childbirth	0·13	64	-	-	-	-	-	-	-	-	1	11	29	22	1	-	-	-
Suicide	0·06	28	-	-	-	-	-	-	-	-	2	-	6	5	3	5	6	1
Other Violence	0·84	413	29	21	20	20	9	99	20	25	32	37	51	40	36	36	28	9
Other Causes	3·55	1745	786	151	50	48	35	1070	59	26	25	18	41	41	57	73	132	203

Deaths of Infants (under one) to 1000 Births - 159 | Marriages - 4,107 | Births - 20,144 | Annual Rate per 1000 living: Persons Married - 16·72; Births - 41·01

461.—BOLTON.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	24·34	—	—	—	—	—	78·54	8·14	4·26	5·85	7·60	9·77	14·11	22·20	40·85	85·86	187·39
Mean Pop. 1871-80	—	175,406	5574	4961	4885	4779	4708	24907	21448	19034	17862	16385	26889	20160	14395	8904	4229	1253
ALL CAUSES	24·34	42,687	11468	4280	1885	1136	794	19563	1746	811	1045	1246	2627	2837	3196	3637	3631	2348
Small-pox	0·13	224	44	6	5	8	9	72	20	6	19	26	45	20	10	3	3	-
Measles	0·65	1140	290	415	194	99	74	1072	62	3	1	1	-	-	-	-	-	1
Scarlet Fever	1·13	1978	93	296	365	325	234	1313	508	163	20	6	14	7	-	1	-	-
Diphtheria	0·05	79	6	8	9	8	13	44	20	6	-	-	5	-	3	1	-	-
Whooping-cough	0·65	1145	435	361	168	91	46	1101	41	2	1	-	-	-	-	-	-	-
Typhus	0·06	100	-	1	-	1	1	3	13	5	12	17	15	9	13	7	4	2
Enteric Fever	0·41	721	36	36	33	24	9	138	91	70	79	81	109	73	45	23	11	1
Simp. Cont. Fev.	0·14	244	13	24	20	25	15	102	44	21	17	9	6	8	12	7	10	8
Puerp. Fever	0·08	149	-	-	-	-	-	-	-	-	4	33	75	37	-	-	-	-
Diarr. and Dys.	1·51	2618	1639	511	84	25	15	2274	20	2	7	8	15	30	39	61	98	91
Cholera	0·05	91	14	10	2	3	-	29	5	1	3	3	7	9	11	14	5	4
Cancer	0·34	602	-	-	-	1	1	2	-	1	2	2	55	84	158	178	115	25
Scrofula	0·09	166	32	23	14	5	2	76	10	13	19	9	17	6	4	6	3	-
Tabes Mesent.	0·31	540	243	146	53	22	12	476	20	21	4	1	5	6	4	2	1	-
Phthisis	2·11	3699	90	75	34	16	21	236	68	148	403	511	916	735	413	196	58	10
Hydrocephalus	0·24	416	140	112	50	23	15	340	49	14	5	3	3	2	-	-	-	-
Diseases of: Nervous Syst.	2·95	5169	1975	367	165	94	60	2661	182	67	50	51	141	258	332	525	608	254
Diseases of: Circulatory „	1·07	1839	2	5	4	-	4	15	30	50	63	59	170	273	323	431	346	109
Diseases of: Respiratory „	5·40	9466	2202	1064	408	170	125	4969	201	66	95	127	386	567	918	1228	1237	552
Diseases of: Digestive „	1·05	1843	302	56	21	19	9	407	39	38	35	48	129	197	303	341	231	75
Diseases of: Urinary „	0·34	603	7	15	4	7	5	38	21	12	29	26	66	69	113	102	94	33
Diseases of: Generative „	0·04	74	1	-	-	-	-	1	-	-	1	5	8	20	21	11	5	2
Childbirth	0·12	211	-	-	-	-	-	-	-	-	7	35	91	75	3	-	-	-
Suicide	0·09	156	-	-	-	-	-	-	-	1	5	9	24	29	30	35	18	5
Other Violence	0·75	1308	64	65	49	37	32	247	92	81	85	95	173	148	174	114	72	27
Other Causes	4·58	8046	3729	684	203	133	92	4841	210	77	74	81	172	175	267	351	632	1106

Deaths of Infants (under one) to 1000 Births - 167 | Marriages - 15,202 | Births - 63,755 | Annual Rate per 1000 living: Persons Married - 17·33; Births - 39·20

462.—BURY.

—	Annual Death Rate per 1000	23·52	—	—	—	—	—	75·84	7·95	4·17	5·91	7·42	9·60	13·68	20·69	39·93	87·46	181·97
Mean Pop. 1871-80	—	119,381	3531	3073	3154	3127	2965	15850	13802	12467	12238	11426	18667	13850	10316	6679	3070	926
ALL CAUSES	23·52	28,074	7074	2606	1132	682	527	12021	1104	520	723	848	1792	1895	2134	2667	2685	1685
Small-pox	0·04	44	8	2	2	1	-	13	4	2	9	6	5	4	1	-	-	-
Measles	0·43	511	115	212	92	38	30	487	24	-	-	-	-	-	-	-	-	-
Scarlet Fever	1·21	1444	94	207	268	214	174	957	374	73	29	8	9	3	-	-	-	-
Diphtheria	0·07	82	2	16	11	10	10	49	22	2	2	1	3	1	1	-	1	-
Whooping-cough	0·35	414	177	130	55	26	15	403	11	-	-	-	-	-	-	-	-	-
Typhus	0·15	179	2	3	2	6	2	15	14	17	23	11	31	23	16	21	5	3
Enteric Fever	0·36	426	9	19	14	9	15	66	42	35	39	43	62	36	40	33	21	4
Simp. Cont. Fever	0·25	301	23	30	22	24	13	112	34	13	9	13	29	20	22	21	20	8
Puerp. Fever	0·08	93	-	-	-	-	-	-	-	-	1	16	51	29	1	-	-	-
Diarr. and Dys.	1·20	1430	926	225	51	17	7	1226	8	5	4	4	16	17	22	57	54	37
Cholera	0·02	19	5	-	-	-	-	5	-	-	1	1	-	2	-	6	4	-
Cancer	0·32	385	-	-	-	1	1	2	1	-	-	1	11	63	98	100	82	24
Scrofula	0·07	89	24	10	10	2	4	50	8	2	4	5	6	6	2	6	-	-
Tabes Mesent.	0·20	239	102	62	18	9	8	199	17	7	4	6	1	1	3	1	-	-
Phthisis	2·39	2851	84	54	17	15	11	181	47	79	317	415	729	496	245	176	52	11
Hydrocephalus	0·34	402	164	111	39	21	12	341	27	11	11	2	2	4	1	-	-	-
Diseases of: Nervous Syst.	3·37	4024	1589	411	142	74	49	2265	121	55	43	51	117	170	242	336	412	192
Diseases of: Circulatory „	1·38	1652	7	2	-	1	3	13	25	44	60	40	147	211	300	388	348	76
Diseases of: Respiratory „	4·68	5591	1327	684	224	91	62	2388	87	28	36	48	172	292	451	786	868	442
Diseases of: Digestive „	1·08	1290	158	38	14	11	12	233	18	23	30	47	91	115	218	241	165	69
Diseases of: Urinary „	0·31	370	7	9	6	8	8	38	24	12	17	16	26	48	49	55	62	23
Diseases of: Generative „	0·03	41	-	-	-	-	-	-	-	-	2	3	6	8	9	6	7	-
Childbirth	0·11	134	-	-	-	-	-	-	-	-	6	27	43	53	-	-	-	-
Suicide	0·11	127	-	-	-	-	-	-	-	1	5	6	20	28	25	21	17	4
Other Violence	0·62	735	45	32	37	21	18	153	74	55	30	35	87	85	72	82	44	18
Other Causes	4·35	5196	2205	349	117	77	70	2819	112	53	50	43	128	142	216	326	533	774

Deaths of Infants (under one) to 1000 Births - 163 | Marriages - 10,599 | Births - 43,432 | Annual Rate per 1000 living: Persons Married - 17·76; Births - 36·38

463.—BARTON-ON-IRWELL.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
Annual Death Rate per 1000	—	20·99	—	—	—	—	—	64·07	7·67	4·64	5·65	6·50	8·72	11·99	19·81	35·32	75·66	197·91
Mean Pop. 1871-80	—	62,193	1845	1602	1667	1658	1595	8367	7546	6938	6267	5923	9527	7130	5099	3242	1676	478
ALL CAUSES	20·99	13,056	3148	1122	523	350	218	5361	579	322	354	385	831	855	1010	1145	1268	946
Small-pox	0·19	117	19	1	1	3	4	28	15	10	12	15	13	12	4	1	1	-
Measles	0·41	258	59	99	49	22	10	239	17	-	-	-	2	-	-	-	-	-
Scarlet Fever	1·10	687	32	85	131	113	72	433	182	45	9	5	10	3	-	-	-	-
Diphtheria	0·08	52	4	8	8	9	7	36	9	2	-	2	1	-	1	1	-	-
Whooping-cough	0·39	240	109	72	23	21	10	235	5	-	-	-	-	-	-	-	-	-
Typhus	0·03	19	-	-	-	1	1	2	3	3	3	2	2	-	3	-	1	-
Enteric Fever	0·39	241	11	15	14	8	7	55	17	32	21	21	35	26	17	9	6	2
Simple Cont. Fev.	0·11	70	1	5	3	7	5	21	14	3	4	1	12	5	6	3	1	-
Puerp. Fever	0·06	36	-	-	-	-	-	-	-	-	1	8	10	7	-	-	-	-
Diarr. and Dys.	0·94	585	387	85	20	4	1	497	3	1	-	3	6	5	12	10	27	21
Cholera	0·02	15	3	-	-	1	1	5	3	-	-	-	2	-	3	1	1	-
Cancer	0·38	236	-	1	-	-	-	1	-	-	1	1	7	26	60	74	53	13
Scrofula	0·12	77	13	13	4	5	1	36	10	11	7	3	1	4	2	2	1	-
Tabes Mesent.	0·19	117	46	22	12	4	4	88	12	10	3	1	1	1	-	-	-	1
Phthisis	1·96	1219	33	31	16	6	7	93	28	48	143	178	312	207	143	53	13	1
Hydrocephalus	0·29	180	78	41	23	8	2	152	16	7	2	2	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·64	1641	486	138	55	32	18	729	55	33	24	19	56	78	111	193	207	131
Diseases of: Circulatory	1·21	755	2	-	1	1	1	5	13	24	29	40	56	88	128	171	158	63
Diseases of: Respiratory	4·44	2760	732	546	100	47	31	1256	67	30	20	31	94	149	227	318	364	204
Diseases of: Digestive	1·01	630	74	9	6	7	5	101	14	5	17	15	35	60	97	126	123	37
Diseases of: Urinary	0·34	214	3	1	2	3	2	11	10	9	3	8	16	28	33	32	41	23
Diseases of: Generative	0·05	34	-	-	-	-	-	-	-	-	-	2	4	9	10	3	4	2
Childbirth	0·09	58	-	-	-	-	-	-	-	-	-	8	28	22	-	-	-	-
Suicide	0·05	29	-	-	-	-	-	-	-	-	2	1	4	2	11	6	3	-
Other Violence	0·68	425	27	28	17	9	7	88	34	31	24	23	48	51	76	31	25	14
Other Causes	3·82	2381	1029	122	38	39	22	1250	52	18	29	16	59	72	86	106	239	434

Deaths of Infants (under one) to 1000 Births - 144 | Marriages - 4,509 | Births - 21,895 | Annual Rate per 1000 living: Persons Married - 14·47; Births - - - 35·20

464.—CHORLTON.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
Annual Death Rate per 1000	—	23·63	—	—	—	—	—	77·82	8·08	4·00	5·05	6·91	9·51	14·94	23·13	44·88	89·10	172·76
Mean Pop. 1871-80	—	234,805	7315	6315	6367	6222	5974	32193	26783	23403	22788	23680	40504	28465	19160	11397	5048	1384
ALL CAUSES	23·63	55,473	14,537	5582	2382	1527	1024	25052	2165	935	1151	1637	3851	4252	4432	5109	4498	2391
Small-pox	0·13	299	47	13	16	11	13	100	31	16	15	46	48	25	12	5	1	-
Measles	0·52	1227	256	485	216	130	72	1159	59	3	1	-	3	2	-	-	-	-
Scarlet Fever	0·94	1213	113	337	372	365	305	1492	576	85	20	13	22	4	-	1	-	-
Diphtheria	0·11	262	19	41	37	33	32	162	71	9	4	1	9	2	1	3	-	-
Whooping-cough	0·67	1567	570	497	242	146	55	1510	55	2	-	-	-	-	-	-	-	-
Typhus	0·05	127	-	1	2	3	4	10	18	11	10	12	17	20	18	6	5	-
Enteric Fever	0·37	867	21	37	52	36	32	178	134	73	76	94	107	90	64	34	16	1
Simple Cont. Fev.	0·12	287	23	27	28	19	29	126	44	8	11	11	12	24	17	21	12	1
Puerp. Fever	0·09	201	-	-	-	-	-	-	-	-	6	49	101	41	4	-	-	-
Diarr. and Dys.	1·23	2896	1914	537	85	23	17	2578	22	8	5	5	16	17	34	61	91	56
Cholera	0·03	63	25	9	2	2	1	39	-	-	-	-	4	8	4	5	2	1
Cancer	0·42	980	-	-	1	1	1	3	-	1	3	5	46	172	263	267	179	41
Scrofula	0·12	283	76	53	27	14	11	181	23	18	21	6	14	11	8	2	3	1
Tabes Mesent.	0·27	639	302	168	56	20	13	559	31	27	7	3	5	5	1	-	1	-
Phthisis	2·69	6326	115	72	49	30	33	299	170	225	540	834	1766	1327	747	331	82	5
Hydrocephalus	0·38	889	324	239	91	60	34	737	81	25	6	7	5	6	1	1	-	-
Diseases of: Nervous Syst.	3·01	7070	2469	672	268	149	87	3645	232	81	63	68	243	314	533	821	758	312
Diseases of: Circulatory	1·04	2447	15	4	-	3	4	26	46	72	61	84	249	402	465	535	384	123
Diseases of: Respiratory	5·04	11830	2745	1447	475	263	138	5068	200	61	108	125	453	799	1158	1759	1527	581
Diseases of: Digestive	0·98	2303	352	63	24	18	23	480	58	50	47	62	177	300	396	399	269	65
Diseases of: Urinary	0·36	845	8	17	10	16	12	63	40	22	26	34	83	142	142	144	111	38
Diseases of: Generative	0·05	120	1	-	-	1	-	2	-	1	-	4	22	25	18	21	14	3
Childbirth	0·10	225	-	-	-	-	-	-	-	-	6	39	93	82	5	-	-	-
Suicide	0·06	130	-	-	-	-	-	-	-	-	4	4	23	33	24	29	9	1
Other Violence	0·39	926	160	74	35	23	24	321	86	35	20	28	79	72	83	89	78	35
Other Causes	4·46	10446	4982	789	294	145	84	6294	188	102	91	103	254	335	424	575	953	1127

Deaths of Infants (under one) to 1000 Births - 163 | Marriages - 15,713 | Births - 89,245 | Annual Rate per 1000 living: Persons Married - 13·38; Births - - - 38·01

465.—SALFORD.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	27·65	—	—	—	—	—	95·96	9·27	4·36	6·45	7·72	10·47	16·99	25·84	14·95	91·34	183·76
Mean Pop. 1871-80	—	155,208	5129	4307	4514	4302	4207	22459	18723	16013	14845	14725	25924	18959	12383	7141	3174	862
ALL CAUSES	27·65	42,909	12135	5027	2181	1332	877	21552	1736	698	957	1137	2714	3222	3200	3210	2899	1584
Small-pox	0·49	755	101	58	30	22	35	246	102	47	57	89	133	72	22	6	1	–
Measles	0·92	1434	306	565	235	155	85	1366	42	2	–	–	4	–	–	–	–	–
Scarlet Fever	1·19	1850	96	285	345	347	222	1245	447	60	22	10	11	4	–	1	–	–
Diphtheria	0·12	191	16	39	31	21	27	134	38	4	1	3	1	4	4	2	–	–
Whooping-cough	0·91	1407	506	477	224	108	48	1363	42	2	–	–	–	–	–	–	–	–
Typhus	0·08	120	–	1	2	3	2	8	13	6	15	11	26	18	9	12	2	–
Enteric Fever	0·44	680	29	61	38	31	31	190	103	51	72	51	81	38	32	41	17	4
Simple Cont. Fev.	0·14	216	7	15	20	18	13	73	33	12	10	10	20	18	18	13	6	3
Puerp. Fever	0·09	142	–	–	–	–	–	–	–	–	7	31	71	33	–	–	–	–
Diarr. and Dys.	1·96	3047	1966	684	105	30	9	2794	16	3	2	4	13	16	32	45	64	58
Cholera	0·02	30	11	2	1	–	–	14	–	–	1	1	–	5	3	3	3	–
Cancer	0·46	719	–	3	–	1	–	4	–	1	6	1	35	128	201	198	114	31
Scrofula	0·16	244	72	45	23	14	10	169	23	11	9	6	7	8	4	4	3	–
Tabes Mesent.	0·37	574	277	145	46	23	12	508	34	16	6	4	1	4	–	1	–	–
Phthisis	2·75	4272	55	54	41	21	20	191	125	145	418	512	1117	1016	517	183	45	3
Hydrocephalus	0·54	842	327	269	91	55	45	727	79	24	3	4	3	2	–	–	–	–
Diseases of: Nervous Syst.	3·11	4833	2078	444	185	86	65	2838	122	52	52	59	146	228	308	425	415	188
Diseases of: Circulatory „	1·09	1694	9	4	9	3	4	29	28	45	47	63	189	274	344	339	239	77
Diseases of: Respiratory „	5·55	8607	2119	1163	406	201	98	3987	148	37	47	58	302	593	893	1105	1003	434
Diseases of: Digestive „	0·97	1508	223	53	19	20	9	324	35	30	25	44	133	200	264	233	159	59
Diseases of: Urinary „	0·40	622	8	12	13	19	12	64	29	15	17	23	75	107	102	96	78	16
Diseases of: Generative „	0·04	62	–	1	–	–	–	1	–	–	–	3	10	14	14	16	4	–
Childbirth	0·09	139	–	–	–	–	–	–	–	–	8	29	51	49	2	–	–	–
Suicide	0·06	92	–	–	–	–	–	–	–	–	4	6	15	16	21	15	14	1
Other Violence	0·73	1127	107	60	68	50	50	335	99	59	67	57	99	128	111	98	56	18
OTHER CAUSES	4·97	7702	1812	657	224	99	80	4912	158	76	61	58	171	247	227	374	656	692

Deaths of Infants (under one) to 1000 Births - 184 | Marriages - 12,820 | Births - 65,798 | Annual Rate per 1000 living: Persons Married - 16·52; Births - - 42·39

466.—MANCHESTER (3 years 1871-73).*

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	31·46	—	—	—	—	—	103·82	10·28	5·15	7·89	10·17	14·32	20·68	31·78	54·15	94·24	188·47
Mean Pop. 1871-80	—	254,576	7899	6613	6574	6425	6133	33644	27894	25782	25376	24593	42039	31845	22832	13106	5921	1544
ALL CAUSES	31·46	24,026	6175	2511	972	679	445	10782	860	398	601	750	1806	1976	2177	2129	1674	873
Small-pox	0·47	361	36	15	9	12	16	88	47	22	39	56	61	32	10	4	1	1
Measles	0·66	504	87	212	93	45	37	474	23	2	3	1	1	–	–	–	–	–
Scarlet Fever	1·23	941	62	155	178	164	130	690	207	22	10	8	4	–	–	–	–	–
Diphtheria	0·07	52	5	14	5	5	7	36	8	2	–	–	1	2	2	–	1	–
Whooping-cough	0·89	676	229	206	98	75	31	642	34	–	–	–	–	–	–	–	–	–
Typhus	0·24	185	–	2	3	5	3	13	18	18	18	18	33	21	23	13	9	1
Enteric Fever	0·40	308	9	13	17	21	9	69	43	22	31	32	41	27	18	18	5	2
Simple Cont. Fev.	0·27	209	7	16	12	18	14	67	31	14	10	8	11	18	22	22	3	3
Puerp. Fever	0·08	58	–	–	–	–	–	–	–	–	4	21	20	11	2	–	–	–
Diarr. and Dys.	2·69	2051	1353	466	64	11	8	1902	16	3	3	1	3	15	16	31	36	25
Cholera	0·04	34	11	4	–	1	1	17	–	–	–	–	–	4	5	7	–	1
Cancer	0·46	355	–	–	1	1	–	2	–	–	–	5	24	65	122	82	49	6
Scrofula	0·23	175	53	44	14	6	7	124	14	5	8	4	6	5	1	6	2	–
Tabes Mesent.	0·31	233	95	63	21	14	1	200	14	5	6	2	4	2	–	–	–	–
Phthisis	3·39	2589	16	29	14	11	8	78	46	69	242	335	762	605	301	118	28	5
Hydrocephalus	0·50	385	139	101	44	30	23	337	29	14	2	3	–	–	–	–	–	–
Diseases of: Nervous Syst.	3·39	2591	948	178	84	65	32	1307	80	30	23	29	128	179	251	250	238	76
Diseases of: Circulatory „	1·14	874	4	1	1	–	1	7	15	27	32	23	98	149	187	172	134	30
Diseases of: Respiratory „	6·12	4676	943	542	150	103	53	1791	62	16	32	46	195	359	661	789	536	172
Diseases of: Digestive „	1·01	768	80	22	14	3	6	125	24	14	21	24	75	108	152	143	60	22
Diseases of: Urinary „	0·43	327	1	6	2	5	4	18	13	6	12	11	47	61	58	58	31	12
Diseases of: Generative „	0·07	50	–	–	–	–	–	–	–	–	1	3	11	14	10	5	4	2
Childbirth	0·11	83	–	–	–	–	–	–	–	–	8	14	37	23	1	–	–	–
Suicide	0·08	60	–	–	–	–	–	–	–	–	1	–	16	19	15	6	2	1
Other Violence	1·10	845	79	37	29	31	25	211	73	64	65	52	111	91	93	86	47	22
OTHER CAUSES	5·98	4506	2018	378	109	53	26	2584	63	43	30	54	117	165	227	319	471	492

Deaths of Infants (under one) to 1000 Births - 207 | Marriages* - 19,666 | Births - 29,760 | Annual Rate per 1000 living: Persons Married* - 38·49; Births - - - 38·97

* The Union of Prestwich was detached from MANCHESTER District on 1st October 1874, and created a separate Registration District. The Births and Deaths in Prestwich were separately abstracted from the commencement of 1874, but the number of marriages in this Table and the corresponding rate apply to the 3¾ years ending 30th September 1874. The marriages, births, and deaths in MANCHESTER District exclusive of Prestwich, for the remainder of the decade 1871–80 are given in the following Table.

466.—MANCHESTER (7 years 1874–80).*

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	32·16	—	—	—	—	—	103·52	10·21	5·07	7·25	10·17	15·23	22·95	36·01	60·21	110·54	192·51
Mean Pop. 1871-80	—	157,619	4724	4116	4287	4151	4042	21320	18189	15719	15175	15445	25872	20003	13926	8131	3095	744
ALL CAUSES	32·16	35,483	8552	3666	1563	999	669	15449	1300	558	770	1099	2759	3214	3510	3427	2395	1002
Small-pox	0·13	144	20	2	3	2	3	30	23	8	18	21	23	14	6	1	-	-
Measles	0·62	685	142	236	122	79	42	651	34	-	-	-	-	-	-	-	-	-
Scarlet Fever	1·13	1249	79	224	210	220	156	889	302	37	12	5	4	-	-	-	-	-
Diphtheria	0·10	115	10	23	12	19	18	92	10	3	-	3	4	1	1	-	1	-
Whooping-cough	1·11	1221	404	4 1	233	108	50	1166	54	1	-	-	-	-	-	-	-	-
Typhus	0·12	131	4	2	-	3	1	10	8	3	9	19	19	25	24	12	2	-
Enteric Fever	0·30	329	13	25	24	20	11	93	42	30	27	23	40	28	20	17	8	1
Simple Cont. Fev.	0·15	1 3	5	12	12	18	10	57	26	5	8	5	19	19	11	5	8	-
Puerp. Fever	0·08	85	-	-	-	-	-	-	-	-	3	16	42	23	1	-	-	-
Diarr. and Dys.	1·70	1871	1145	419	75	24	13	1676	9	4	-	5	15	21	28	58	36	19
Cholera	0·05	50	17	14	5	1	-	37	2	-	-	1	-	2	5	3	-	-
Cancer	0·54	593	2	-	-	1	1	4	1	4	5	8	42	112	184	156	71	11
Scrofula	0·28	308	102	85	29	12	10	238	26	9	6	6	8	6	3	4	2	-
Tabes Mesent.	0·35	385	117	127	63	17	12	336	22	13	6	3	2	1	1	1	-	-
Phthisis	3·43	3779	48	27	11	13	17	116	60	101	299	508	1057	886	508	203	37	4
Hydrocephalus	0·42	461	166	119	61	28	28	402	40	8	4	3	3	1	-	-	-	-
Diseases of: Nervous Syst.	3·36	3707	1516	338	124	89	50	2117	105	37	46	36	122	187	287	363	310	97
Diseases of: Circulatory „	1·40	1540	6	1	1	5	3	16	22	48	61	67	199	289	305	316	174	43
Diseases of: Respiratory „	7·16	7899	1489	993	336	165	113	3006	158	39	66	107	370	662	1072	1322	867	230
Diseases of: Digestive „	1·10	1215	156	43	17	10	10	236	35	29	25	45	125	175	243	183	96	23
Diseases of: Urinary „	0·67	739	4	14	14	12	8	52	36	16	24	39	106	138	141	108	69	10
Diseases of: Generative „	0·10	109	-	1	-	-	-	1	-	-	3	8	27	22	30	12	4	2
Childbirth	0·11	118	-	-	-	-	-	-	-	-	8	12	58	38	2	-	-	-
Suicide	0·10	107	-	-	-	-	-	-	-	-	3	6	19	25	18	22	13	1
Other Violence	1·63	1803	101	58	64	62	47	332	159	104	77	91	233	230	243	185	91	38
Other Causes	6·02	6672	2996	562	177	91	66	3892	126	59	60	62	202	309	377	436	606	523

Deaths of Infants (under one) to 1000 Births - 190 | Marriages* - 12,197 | Births - 44,993 | Annual Rate per 1000 living: Persons Married* - 26·00; Births - 40·78

* This Table relates to the District of MANCHESTER, as constituted after the separation of the Union of Prestwich. The number of marriages and the corresponding rate are for the 6¼ years from 1st October 1874, and the births and deaths for the 7 years 1874–80. *See also* NOTE to previous Table.

467.—PRESTWICH (7 years 1874–80).*

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	26·81	—	—	—	—	—	78·94	9·52	4·35	6·65	9·30	11·30	19·17	27·83	47·96	93·09	181·11
Mean Pop. 1871-80	—	106,161	3339	2950	2936	3073	2814	15112	12714	10769	10163	9955	17254	12707	8619	5517	2555	796
ALL CAUSES	26·81	19,924	4635	1917	869	536	393	8350	847	328	473	648	1365	1705	1679	1852	1665	1012
Small-pox	0·52	387	28	9	10	8	14	69	45	21	47	62	79	42	20	2	-	-
Measles	0·63	469	107	187	92	42	21	449	20	-	-	-	-	-	-	-	-	-
Scarlet Fever	1·27	942	52	150	186	132	107	627	233	26	18	6	10	2	-	-	-	-
Diphtheria	0·12	86	9	11	11	10	11	52	16	5	3	4	2	2	-	1	1	-
Whooping-cough	0·75	555	189	172	90	57	22	530	24	1	-	-	-	-	-	-	-	-
Typhus	0·12	89	-	-	-	1	1	2	1	7	8	12	16	25	13	5	-	-
Enteric Fever	0·36	269	8	16	9	10	13	56	21	32	35	26	41	26	20	9	2	1
Simple Cont. Fev.	0·15	109	7	7	6	7	10	37	18	4	5	5	8	8	6	9	6	3
Puerp. Fever	0·10	73	-	-	-	-	-	-	-	-	2	21	37	13	-	-	-	-
Diarr. and Dys.	1·18	878	520	186	24	13	10	753	16	2	-	-	8	5	11	22	37	24
Cholera	0·03	20	8	6	-	1	1	16	-	-	-	-	-	-	2	2	-	-
Cancer	0·43	321	1	-	-	-	-	1	2	2	1	4	12	65	77	89	49	19
Scrofula	0·13	96	26	20	8	3	2	59	13	8	2	1	3	4	1	4	1	-
Tabes Mesent.	0·32	239	97	60	22	11	10	200	18	7	1	5	2	1	4	1	-	-
Phthisis	2·56	1900	20	19	5	8	6	58	35	44	175	261	476	449	264	115	32	1
Hydrocephalus	0·46	344	118	104	29	18	18	287	36	8	6	3	-	1	2	1	-	-
Diseases of: Nervous Syst.	3·92	2910	718	172	83	45	35	1053	71	26	50	53	191	312	308	376	333	134
Diseases of: Circulatory „	1·30	963	7	1	2	3	2	15	17	22	19	30	80	138	185	217	187	53
Diseases of: Respiratory „	4·97	3692	868	451	159	81	56	1615	79	20	27	56	143	261	310	510	436	195
Diseases of: Digestive „	1·04	772	121	35	15	6	4	181	18	23	16	26	47	74	145	129	83	30
Diseases of: Urinary „	0·46	342	6	7	6	9	7	35	27	14	16	9	29	53	39	48	49	13
Diseases of: Generative „	0·05	34	-	-	-	-	-	-	-	-	1	3	6	5	10	4	4	1
Childbirth	0·09	64	-	-	-	-	-	-	-	-	-	6	28	30	-	-	-	-
Suicide	0·09	65	-	-	-	-	-	-	-	-	-	3	14	12	15	12	7	2
Other Violence	0·65	484	45	18	16	14	8	101	44	22	22	24	49	62	53	57	31	24
Other Causes	5·11	3821	1680	286	95	57	35	2154	73	34	19	28	84	115	134	239	425	516

Deaths of Infants (under one) to 1000 Births - 165 | Marriages* - 5,453 | Births - 28,114 | Annual Rate per 1000 living: Persons Married* - 16·78; Births - 37·83

* The Union of Prestwich was created a separate Registration District on 1st October 1874, but the births and deaths in this Table relat to the 7 entire years 1874–80. The births and deaths in Prestwich for the 3 years 1871–73, and the marriages in the 3¾ years to 30th Septembe 1874, are merged with those of MANCHESTER, of which District Prestwich then formed part. *See* NOTES to the two preceding Tables.

468.—ASHTON-UNDER-LYNE.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	25·22	—	—	—	—	—	33·81	7·31	3·95	6·39	8·28	10·01	13·50	22·07	44·17	88·14	185·45
Mean Pop. 1871-80	—	142,576	4179	3640	3754	3670	3620	18363	16737	15000	14346	13026	21621	16886	12804	8345	3903	1045
ALL CAUSES	25·22	35,954	9628	3359	1373	842	608	15810	1223	593	917	1078	2164	2279	2826	3686	3440	1938
Small-pox	0·03	45	7	3	3	–	1	14	3	3	3	7	5	2	6	2	–	–
Measles	0·44	630	158	255	89	58	42	602	25	1	–	1	1	–	–	–	–	–
Scarlet Fever	1·00	1420	89	259	270	239	178	1035	313	49	8	7	6	–	–	1	1	–
Diphtheria	0·06	87	16	15	7	9	10	57	17	3	3	2	–	–	2	2	1	–
Whooping-cough	0·45	641	295	171	94	46	21	627	14	–	–	–	–	–	–	–	–	–
Typhus	0·03	39	1	–	7	2	1	11	16	4	13	8	10	6	6	4	1	–
Enteric Fever	0·49	564	19	26	30	29	24	128	78	44	54	59	53	51	36	35	21	5
Simple Cont. Fev.	0·15	210	16	23	22	18	12	96	42	11	7	6	12	16	5	7	6	2
Puerp. Fever	0·10	149	–	–	–	–	–	–	–	–	10	41	64	34	–	–	–	–
Diarr. and Dys.	1·33	1892	1217	333	56	17	7	1610	7	6	6	6	15	10	38	53	85	53
Cholera	0·03	41	15	6	5	1	–	27	2	1	–	–	2	2	3	7	–	–
Cancer	0·38	536	2	1	–	1	–	4	1	1	3	2	22	80	151	151	95	23
Scrofula	0·13	189	45	42	8	8	4	107	19	12	12	9	12	6	4	5	3	–
Tabes Mesent.	0·30	429	202	103	35	13	10	363	16	9	11	7	4	7	8	3	1	–
Phthisis	2·57	3671	105	73	22	15	15	230	76	114	452	537	995	634	374	206	48	2
Hydrocephalus	0·39	561	223	142	55	30	23	476	53	17	5	4	1	3	1	1	–	–
Diseases of: Nervous Syst.	3·45	4914	1921	476	205	102	58	2762	115	55	54	54	114	204	322	517	512	205
Diseases of: Circulatory „	1·32	1875	8	1	–	2	8	19	32	63	54	69	151	245	351	461	351	71
Diseases of: Respiratory „	5·05	7193	1675	806	252	116	84	2933	105	27	48	54	181	368	735	1218	1073	414
Diseases of: Digestive „	1·10	1573	167	34	22	10	13	246	46	37	39	37	109	150	263	323	254	69
Diseases of: Urinary „	0·33	476	3	7	7	11	8	36	31	13	10	23	33	58	80	91	67	28
Diseases of: Generative „	0·05	65	–	–	–	–	–	–	–	–	1	6	6	16	14	10	10	2
Childbirth	0·13	182	–	–	–	–	–	–	–	–	10	33	75	59	5	–	–	–
Suicide	0·08	121	–	–	–	–	–	–	–	–	3	6	19	28	24	27	10	4
Other Violence	0·69	952	52	43	38	30	23	189	93	59	45	52	110	116	110	95	77	36
Other Causes	5·20	7426	3589	555	146	85	63	4438	119	64	66	48	156	182	282	431	816	1024

Deaths of Infants (under one) to 1000 Births - 179

Marriages - 12,716
Births - 53,929

Annual Rate per 1000 living { Persons Married - 17·84
Births - - 37·82

469.—OLDHAM.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	25·10	—	—	—	—	—	34·79	9·35	4·19	6·19	8·20	9·54	14·24	21·64	43·06	90·36	193·86
Mean Pop. 1871-80	—	147,722	4442	3952	4041	3963	3830	20228	17230	15497	14892	14030	23398	17706	12810	7696	3339	896
ALL CAUSES	25·10	37,077	9681	3975	1636	1066	733	17151	1611	649	922	1150	2232	2522	2772	3314	3017	1737
Small-pox	0·09	138	21	7	4	6	4	42	7	10	10	26	19	12	9	1	2	–
Measles	0·53	789	202	315	118	75	31	741	48	–	–	–	–	–	–	–	–	–
Scarlet Fever	1·43	2116	143	336	396	339	288	1502	519	62	13	8	10	1	1	–	–	–
Diphtheria	0·11	166	17	22	20	24	18	101	46	4	1	4	4	4	–	2	–	–
Whooping-cough	0·65	964	403	320	126	48	35	932	32	–	–	–	–	–	–	–	–	–
Typhus	0·08	123	1	–	3	2	2	8	9	12	25	10	22	7	12	7	9	2
Enteric Fever	0·37	510	15	32	33	30	29	139	87	43	59	49	72	42	21	17	7	4
Simple Cont. Fev.	0·10	146	11	8	11	14	9	53	14	9	9	7	10	13	11	10	7	3
Puerp. Fever	0·10	150	–	–	–	–	–	–	–	–	9	46	73	22	–	–	–	–
Diarr. and Dys.	0·92	13 3	804	267	46	15	4	1136	18	4	3	5	15	12	25	40	65	40
Cholera	0·03	46	6	5	1	–	2	14	2	–	3	3	4	–	9	4	6	1
Cancer	0·35	515	–	–	–	–	–	–	1	–	–	3	19	81	123	162	97	29
Scrofula	0·12	179	54	36	7	6	5	103	11	15	6	8	12	5	7	5	2	–
Tabes Mesent.	0·41	610	288	188	44	19	8	547	21	15	8	6	7	5	1	–	–	–
Phthisis	2·42	3577	49	55	27	13	9	153	101	140	412	499	848	762	405	203	50	4
Hydrocephalus	0·37	540	204	147	51	25	13	453	53	11	10	2	4	3	1	–	–	–
Diseases of: Nervous Syst.	3·36	4957	1902	550	237	131	84	2904	193	79	59	60	141	185	292	422	440	179
Diseases of: Circulatory „	1·41	2076	9	6	1	2	5	23	32	46	51	66	157	243	401	515	430	112
Diseases of: Respiratory „	5·14	7591	1976	936	309	142	83	3476	124	45	57	78	253	455	743	1077	899	384
Diseases of: Digestive „	1·05	1556	237	45	18	14	10	324	38	27	37	65	106	171	262	277	199	50
Diseases of: Urinary „	0·36	530	4	19	13	19	16	71	40	10	25	23	63	61	73	77	60	22
Diseases of: Generative „	0·05	74	–	–	–	–	–	–	–	1	3	3	14	17	19	9	8	–
Childbirth	0·15	225	–	–	–	–	–	–	–	–	9	43	95	77	1	–	–	–
Suicide	0·11	160	–	–	–	–	–	–	–	2	2	10	28	35	48	50	12	2
Other Violence	0·57	836	52	44	45	52	11	184	65	41	41	45	105	110	82	84	50	29
Other Causes	4·82	7101	3283	607	186	107	57	4240	147	70	70	81	146	199	226	372	671	876

Deaths of Infants (under one) to 1000 Births - 174

Marriages - 12,274
Births - 55,653

Annual Rate per 1000 living { Persons Married - 16·62
Births - - 37·67

470.—ROCHDALE.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	23·45	—	—	—	—	—	77·25	8·22	4·34	6·48	7·23	8·92	13·64	21·24	42·58	90·19	190·00
Mean Pop. 1871-80	—	115,885	3189	2847	3025	2859	2814	14734	13264	12289	11879	11045	18123	13925	10511	6472	2833	810
ALL CAUSES	23·45	27,174	6415	2561	1110	761	535	11382	1090	533	770	799	1617	1900	2233	2756	2555	1539
Small-pox	0·09	102	15	6	2	3	1	27	16	9	14	11	13	7	3	2	–	–
Measles	0·69	799	185	302	159	61	44	751	45	1	–	–	1	–	–	1	–	–
Scarlet Fever	1·06	1224	81	178	197	225	149	830	317	46	14	8	7	2	–	–	–	–
Diphtheria	0·11	129	13	19	18	13	17	80	30	7	2	1	1	4	1	2	1	–
Whooping-cough	0·46	530	227	177	62	39	12	517	13	–	–	–	–	–	–	–	–	–
Typhus	0·06	66	2	–	–	–	3	5	8	4	8	8	8	5	10	3	5	2
Enteric Fever	0·44	511	9	18	21	23	21	97	70	55	58	44	70	35	44	25	11	2
Simple Cont. Fev.	0·13	145	12	6	14	11	10	53	21	11	8	7	12	7	9	7	8	2
Puerp. Fever	0·11	130	–	–	–	–	–	–	–	–	2	29	55	40	4	–	–	–
Diarr. and Dys.	0·96	1115	651	173	31	9	9	878	7	2	2	3	14	16	18	46	79	59
Cholera	0·03	32	3	1	1	1	1	7	1	1	1	–	2	3	5	6	3	3
Cancer	0·38	435	–	1	1	1	–	3	–	1	–	3	12	65	111	124	95	21
Scrofula	0·20	234	74	57	14	13	6	164	6	12	17	5	8	5	8	6	3	–
Tabes Mesent.	0·34	391	195	90	39	12	13	349	14	8	8	2	4	2	2	1	1	–
Phthisis	2·47	2857	37	47	14	15	5	118	38	110	343	385	647	564	362	247	65	8
Hydrocephalus	0·46	536	179	150	69	38	24	460	53	1[illegible]	4	2	4	2	1	–	–	–
Diseases of: Nervous Syst.	3·08	3567	1143	236	115	56	43	1593	117	48	59	52	99	169	286	424	504	216
Diseases of: Circulatory "	1·49	1728	4	5	7	4	5	25	30	38	56	37	152	209	310	428	358	85
Diseases of: Respiratory "	4·56	5282	1344	678	178	101	66	2372	89	32	45	47	135	268	483	772	694	341
Diseases of: Digestive "	1·15	1338	261	24	22	8	15	270	24	25	37	35	81	153	208	263	191	51
Diseases of: Urinary "	0·38	436	2	11	11	7	10	41	24	10	7	14	48	45	78	90	49	30
Diseases of: Generative "	0·04	51	2	–	1	–	–	3	–	–	–	1	7	14	18	4	2	2
Childbirth	0·11	131	–	–	–	–	–	–	–	–	3	26	47	53	2	–	–	–
Suicide	0·09	102	–	–	–	–	–	–	–	2	2	2	13	20	20	27	11	5
Other Violence	0·55	640	33	23	27	24	18	125	43	40	42	35	61	74	79	78	45	27
Other Causes	4·01	4663	2001	359	102	89	63	2614	124	61	38	42	115	128	177	259	450	634

Deaths of Infants (under one) to 1000 Births - 158 | Marriages - 9,814 | Births - 40,510 | Annual Rate per 1000 living: Persons Married - 16·94; Births - 34·96

471.—HASLINGDEN.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	22·12	—	—	—	—	—	71·78	7·39	4·27	5·70	7·17	8·12	11·99	20·21	40·60	88·23	188·81
Mean Pop. 1871-80	—	87,625	2591	2316	2382	2328	2170	11787	10152	9364	9138	8597	13605	10099	7530	4734	2056	563
ALL CAUSES	22·12	19,385	5138	1786	770	443	324	8461	750	400	521	616	1105	1211	1522	1922	1814	1063
Small-pox	0·02	21	2	2	1	–	–	5	1	2	2	2	5	3	1	–	–	–
Measles	0·48	418	104	182	59	38	13	396	21	–	–	–	–	1	–	–	–	–
Scarlet Fever	1·17	1022	56	142	192	151	112	653	273	59	15	10	7	5	–	–	–	–
Diphtheria	0·08	71	10	14	11	9	8	52	11	4	1	–	–	1	–	–	2	–
Whooping-cough	0·45	391	197	104	37	28	13	379	12	–	–	–	–	–	–	–	–	–
Typhus	0·05	45	1	–	–	–	1	2	4	7	11	3	7	4	1	6	–	–
Enteric Fever	0·41	356	14	15	18	14	8	69	44	49	38	25	52	31	21	17	8	2
Simple Cont. Fev.	0·05	45	4	7	3	2	2	18	5	7	3	1	–	3	3	3	1	1
Puerp. Fever	0·13	117	–	–	–	–	–	–	–	–	4	36	50	25	2	–	–	–
Diarr. and Dys.	0·94	823	482	126	20	8	6	642	6	3	4	5	11	8	14	31	65	54
Cholera	0·04	33	8	3	2	1	1	15	1	1	1	–	2	4	4	3	2	–
Cancer	0·34	293	2	–	–	–	–	2	–	–	–	1	9	40	91	89	57	7
Scrofula	0·09	79	17	16	2	3	–	38	9	3	7	5	4	3	4	5	–	1
Tabes Mesent.	0·31	275	130	63	22	8	3	226	15	9	8	3	4	6	1	1	2	–
Phthisis	2·05	1796	46	32	15	6	4	103	19	73	222	272	357	323	225	132	28	2
Hydrocephalus	0·40	354	146	84	39	18	11	301	29	13	4	2	2	2	1	–	–	–
Diseases of: Nervous Syst.	3·04	2661	929	185	59	39	34	1246	79	39	41	33	81	99	214	316	362	151
Diseases of: Circulatory "	1·63	1429	5	1	–	4	3	13	15	31	33	44	86	170	251	361	321	104
Diseases of: Respiratory "	4·45	3897	1117	512	135	53	42	1859	64	20	27	43	124	182	343	481	473	281
Diseases of: Digestive "	1·25	1094	242	34	18	8	3	305	28	13	27	25	66	87	145	220	135	43
Diseases of: Urinary "	0·41	358	9	10	11	4	4	38	11	10	7	16	28	47	46	58	69	23
Diseases of: Generative "	0·04	37	–	–	–	–	–	–	–	–	1	5	6	7	9	8	1	–
Childbirth	0·12	109	–	–	–	–	–	–	–	–	5	21	45	33	–	–	–	–
Suicide	0·06	54	–	–	–	–	–	–	–	–	2	3	8	8	14	14	4	1
Other Violence	0·50	440	18	30	37	15	13	113	35	19	20	27	44	44	40	44	39	15
Other Causes	3·61	3164	1599	224	89	34	40	1986	68	38	38	34	67	70	92	153	245	493

Deaths of Infants (under one) to 1000 Births - 160 | Marriages - 8,067 | Births - 32,071 | Annual Rate per 1000 living: Persons Married - 18·41; Births - 36·60

472.—BURNLEY.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	23·40	—	—	—	—	—	80·45	7·39	3·86	6·21	7·46	8·42	11·91	18·66	37·34	83·47	182·37
Mean Pop. 1871-80	—	103,072	3184	2927	2914	2751	2698	14474	12166	10909	10465	9935	16133	11792	8578	5418	2493	709
ALL CAUSES	23·40	24,115	7187	2441	1004	598	414	11644	899	421	650	741	1358	1404	1601	2023	2081	1293
Small-pox	0·10	105	9	4	4	7	2	26	8	11	11	15	22	3	6	3	-	-
Measles	0·61	628	171	251	111	45	29	607	19	1	-	1	-	-	-	-	-	-
Scarlet Fever	1·09	1119	78	166	201	197	147	789	270	36	9	7	6	-	2	-	-	-
Diphtheria	0·09	93	14	19	12	11	9	65	17	2	1	4	2	-	-	1	1	-
Whooping-cough	0·43	442	202	130	69	19	12	432	10	-	-	-	-	-	-	-	-	-
Typhus	0·05	54	-	-	-	2	2	4	9	4	8	6	12	5	4	2	-	-
Enteric Fever	0·43	443	13	14	16	10	14	67	58	56	61	49	63	30	34	17	7	1
Simple Cont. Fev.	0·12	125	9	8	14	14	6	51	19	7	10	4	9	7	6	8	2	2
Puerp. Fever	0·12	121	-	-	-	-	-	-	-	-	8	26	56	31	-	-	-	-
Diarr. and Dys.	1·19	1229	830	209	33	11	5	1079	14	5	1	1	12	10	12	20	37	38
Cholera	0·07	72	38	10	1	1	-	50	2	2	1	1	2	3	7	2	1	1
Cancer	0·25	259	-	-	-	1	1	2	-	-	2	-	12	30	68	75	51	19
Scrofula	0·14	147	47	25	9	3	2	83	10	5	8	6	9	8	6	4	4	1
Tabes Mesent.	0·26	268	167	89	16	3	5	280	19	12	12	7	13	14	6	2	2	1
Phthisis	1·97	1032	46	42	29	15	11	143	39	66	258	318	445	347	230	133	45	8
Hydrocephalus	0·22	228	82	49	27	13	8	179	24	16	8	-	1	-	-	-	-	-
Diseases of: Nervous Syst.	3·01	3105	1360	222	87	51	30	1750	76	39	41	36	83	111	185	309	330	145
Diseases of: Circulatory „	1·45	1499	5	-	6	3	1	15	25	25	45	44	129	190	285	360	291	90
Diseases of: Respiratory „	4·60	4744	1473	677	198	84	54	2486	84	27	41	50	161	224	371	510	511	251
Diseases of: Digestive „	1·14	1176	212	54	20	11	8	302	32	27	27	31	76	113	155	217	151	45
Diseases of: Urinary „	0·43	447	10	8	10	1	8	37	15	14	13	31	43	59	53	69	78	35
Diseases of: Generative „	0·05	50	1	-	1	-	-	2	-	1	1	2	12	7	11	8	5	1
Childbirth	0·11	113	-	-	-	-	-	-	-	-	2	25	47	44	-	-	-	-
Suicide	0·05	54	-	-	-	-	-	-	-	-	3	1	10	8	8	13	8	3
Other Violence	0·47	487	18	15	26	25	15	99	59	24	26	36	47	57	50	46	29	14
OTHER CAUSES	4·85	4963	2402	461	114	71	45	3093	91	41	53	40	86	103	102	224	498	668

Deaths of Infants (under one) to 1000 Births - 183 | Marriages - 9,336 | Births - 39,271 | Annual Rate per 1000 living: Persons Married - 18·12; Births - - - 38·10

473.—CLITHEROE.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	20·24	—	—	—	—	—	52·02	6·25	3·56	5·07	6·55	8·73	11·44	16·17	31·95	69·48	180·42
Mean Pop. 1871-80	—	22,292	624	577	578	553	557	2889	2577	2447	2210	2015	3081	2447	1997	1468	829	332
ALL CAUSES	20·24	4511	932	276	135	91	69	1503	161	87	112	132	269	280	323	469	576	599
Small-pox	0·01	3	-	1	-	-	-	1	-	-	-	-	-	1	-	1	-	-
Measles	0·35	78	15	35	11	8	4	73	5	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·67	149	9	15	28	25	20	97	33	13	4	2	-	-	-	-	-	-
Diphtheria	0·22	49	2	-	6	5	4	17	23	4	3	-	-	1	-	1	-	-
Whooping-cough	0·28	63	33	15	4	7	3	62	1	-	-	-	-	-	-	-	-	-
Typhus	0·06	14	-	-	-	-	-	-	1	3	2	3	2	-	1	1	-	1
Enteric Fever	0·36	80	1	4	4	1	6	16	11	6	9	8	11	6	5	4	4	-
Simple Cont. Fev.	0·13	28	3	3	1	2	-	9	4	2	-	2	1	4	1	-	4	1
Puerp. Fever	0·12	27	-	-	-	-	-	-	-	-	1	8	13	5	-	-	-	-
Diarr. and Dys.	0·56	124	75	15	2	-	1	93	3	-	-	1	2	1	3	4	9	8
Cholera	0·00	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Cancer	0·45	101	-	-	-	-	-	-	-	-	1	1	4	8	28	27	24	8
Scrofula	0·12	26	10	6	-	-	-	16	5	-	-	-	-	1	3	1	-	-
Tabes Mesent.	0·23	51	23	8	2	1	2	36	1	5	4	3	1	1	-	-	-	-
Phthisis	1·67	373	2	4	2	1	1	10	6	17	48	51	101	63	46	22	3	1
Hydrocephalus	0·17	37	10	7	6	1	3	27	6	-	3	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·63	586	175	42	19	10	6	252	16	10	10	6	18	25	40	63	85	61
Diseases of: Circulatory „	1·39	310	1	-	-	1	1	3	5	6	1	5	18	33	31	87	76	45
Diseases of: Respiratory „	3·83	853	164	68	21	9	5	269	10	2	2	12	25	41	67	128	168	129
Diseases of: Digestive „	1·11	248	17	5	2	3	-	27	5	6	5	7	15	30	33	50	50	29
Diseases of: Urinary „	0·42	94	2	2	3	-	1	8	5	1	6	3	12	3	10	10	21	15
Diseases of: Generative „	0·04	8	1	-	-	-	-	1	-	-	-	-	-	1	1	3	2	-
Childbirth	0·12	27	-	-	-	-	-	-	-	-	-	4	9	14	-	-	-	-
Suicide	0·05	11	-	-	-	-	-	-	-	-	-	2	-	3	3	2	-	1
Other Violence	0·53	119	5	7	3	4	2	21	9	3	4	5	17	17	16	11	9	7
OTHER CAUSES	4·72	1051	384	39	19	13	9	461	12	9	9	8	20	17	35	51	121	302

Deaths of Infants (under one) to 1000 Births - 130 | Marriages - 1,712 | Births - 7,192 | Annual Rate per 1000 living: Persons Married - 15·36; Births - - - 32·26

474.—BLACKBURN.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	25·29	—	—	—	—	—	90·33	8·20	4·15	6·14	7·19	8·97	13·89	22·31	40·55	82·89	182·28
Mean Pop. 1871-80	—	159,882	5011	4396	4528	4393	4042	22370	19231	17827	16539	15381	24559	18390	13099	7801	3624	1061
ALL CAUSES	25·29	40427	12002	4556	1796	1093	760	20207	1577	740	1016	1166	2204	2554	2922	3163	3004	1934
Small-pox	0·03	40	6	3	–	3	1	13	3	2	2	5	8	4	2	1	–	–
Measles	0·78	1253	295	528	221	95	60	1199	49	4	–	1	–	–	–	–	–	–
Scarlet Fever	1·46	2327	170	413	437	393	286	1639	515	74	17	7	11	4	–	–	–	–
Diphtheria	0·04	71	8	12	12	7	7	46	14	3	1	1	1	2	1	1	1	–
Whooping-cough	0·53	840	361	281	95	59	28	824	15	1	–	–	–	–	–	–	–	–
Typhus	0·06	100	–	–	–	2	5	7	15	18	16	13	15	6	6	3	1	–
Enteric Fever	0·55	872	9	27	30	36	37	139	130	103	125	91	111	78	39	34	9	3
Simple Cont. Fev.	0·07	104	5	12	12	9	8	46	29	5	3	2	8	7	5	5	3	–
Puerp. Fever	0·07	105	–	–	–	–	–	–	–	–	4	19	49	32	1	–	–	–
Diarr. and Dys.	1·42	2274	1502	432	54	19	11	2018	16	5	2	4	14	21	13	51	71	59
Cholera	0·02	37	1	2	1	1	–	5	2	1	–	2	3	6	9	6	3	–
Cancer	0·31	496	1	–	–	–	–	1	–	2	1	1	22	74	143	142	83	27
Scrofula	0·08	125	27	25	8	1	4	65	12	6	15	7	5	6	5	2	2	–
Tabes Mesent.	0·57	917	505	283	74	20	5	837	30	17	9	2	9	4	5	4	–	–
Phthisis	2·20	3510	98	85	33	31	13	260	81	152	394	495	795	725	332	169	42	6
Hydrocephalus	0·28	451	185	141	45	19	13	403	28	7	8	1	2	1	1	–	–	–
Diseases of: Nervous Syst.	3·30	5280	2176	457	178	85	74	2970	176	70	61	48	139	203	363	471	531	248
Diseases of: Circulatory „	1·10	1761	4	2	3	1	1	11	28	47	58	64	178	271	340	405	296	65
Diseases of: Respiratory „	5·54	8851	2458	1198	347	151	86	4240	165	45	75	114	274	505	834	1040	1074	485
Diseases of: Digestive „	1·18	1887	344	45	21	14	9	433	49	40	51	66	131	172	315	341	220	66
Diseases of: Urinary „	0·28	445	14	8	5	13	6	46	17	10	19	19	43	46	61	79	71	34
Diseases of: Generative „	0·05	75	–	–	–	–	–	–	–	–	4	5	15	23	14	9	4	1
Childbirth	0·12	186	–	–	–	–	–	–	–	–	–	10	29	79	64	4	–	–
Suicide	0·06	95	–	–	–	–	–	–	–	1	1	6	19	18	21	17	9	3
Other Violence	0·62	985	33	56	58	37	33	217	95	55	42	54	111	114	122	84	60	31
OTHER CAUSES	4·57	7337	3800	596	162	97	73	4728	117	72	86	50	162	163	236	299	524	905

Deaths of Infants (under one) to 1000 Births - 191 | Marriages - 13,730 | Births - 62,836 | Annual Rate per 1000 living: Persons Married - 17·18; Births - 39·30

475.—CHORLEY.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Year.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	22·62	—	—	—	—	—	67·70	7·43	4·03	6·32	7·62	8·73	11·22	17·10	32·66	73·07	167·71
Mean Pop. 1871-80	—	45,367	1354	1267	1343	1261	1202	6427	5517	5030	4590	4119	6333	4813	3691	2759	1515	573
ALL CAUSES	22·62	10,262	2710	857	333	268	183	4351	410	204	290	314	553	540	631	901	1107	961
Small-pox	0·02	11	–	–	–	–	1	1	–	–	1	2	3	1	3	–	–	–
Measles	0·37	167	47	64	23	16	8	158	9	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·97	439	25	64	65	85	54	293	102	25	6	2	10	–	–	1	–	–
Diphtheria	0·14	62	7	4	5	11	4	31	17	8	3	1	1	–	–	1	–	–
Whooping-cough	0·42	190	80	58	23	11	10	182	8	–	–	–	–	–	–	–	–	–
Typhus	0·06	27	–	–	–	–	–	–	4	3	9	1	4	2	4	–	–	–
Enteric Fever	0·41	186	5	6	4	8	9	32	30	14	23	20	22	18	14	9	2	–
Simple Cont. Fev.	0·15	65	4	7	11	4	5	31	12	3	4	1	2	7	2	1	3	–
Puerp. Fever	0·14	65	–	–	–	–	–	–	–	–	3	19	26	14	3	–	–	–
Diarr. and Dys.	0·72	325	190	64	9	4	3	270	2	1	–	–	3	2	5	10	16	–
Cholera	0·03	12	4	2	–	–	–	6	–	–	1	–	–	–	3	1	1	–
Cancer	0·35	159	–	–	–	1	–	1	1	1	–	–	4	22	25	52	31	22
Scrofula	0·09	41	6	8	3	–	2	19	4	5	2	2	3	2	2	1	1	–
Tabes Mesent.	0·57	260	159	59	11	6	4	239	8	6	1	2	1	1	1	–	1	–
Phthisis	2·14	970	16	6	1	–	3	26	12	43	151	141	230	129	117	68	46	7
Hydrocephalus	0·21	96	38	19	11	6	5	79	13	2	2	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·49	1130	422	66	31	13	17	551	36	23	11	17	20	37	50	125	151	106
Diseases of: Circulatory „	1·34	607	1	–	–	–	–	1	9	12	13	9	46	66	108	135	155	53
Diseases of: Respiratory „	4·47	2028	509	240	72	44	24	898	59	12	10	19	45	92	129	255	324	194
Diseases of: Digestive „	0·94	425	48	9	3	5	1	66	15	2	11	12	23	40	68	81	83	24
Diseases of: Urinary „	0·35	161	2	2	2	2	3	11	5	4	7	10	15	12	13	29	42	15
Diseases of: Generative „	0·05	21	–	1	–	–	–	1	–	–	–	–	4	4	3	4	5	–
Childbirth	0·13	57	–	–	–	–	–	–	–	–	–	13	26	18	–	–	–	–
Suicide	0·06	25	–	–	–	–	–	–	–	–	–	2	3	2	8	6	3	1
Other Violence	0·71	322	17	22	18	14	10	81	39	19	15	25	32	29	24	33	13	12
OTHER CAUSES	5·29	2410	1130	147	41	33	20	1371	34	21	17	16	39	42	49	89	230	511

Deaths of Infants (under one) to 1000 Births - 158 | Marriages - 3,530 | Births - 17,100 | Annual Rate per 1000 living: Persons Married - 15·56; Births - 37·69

476.—PRESTON.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	28·05	—	—	—	—	—	97·85	8·55	4·74	6·65	8·78	11·36	16·97	23·50	41·14	81·75	175·69
Mean Pop. 1871-80	—	122,503	3603	3209	3223	3204	2964	16203	14139	13252	12490	11343	18323	14423	10626	6991	3557	1156
ALL CAUSES	28·05	34,358	9838	3145	1400	892	580	15855	1209	628	830	996	2081	2447	2497	2876	2908	2031
Small-pox	0·13	165	18	2	2	7	4	33	27	13	22	23	24	13	7	3	-	-
Measles	0·67	824	189	328	151	80	33	781	38	2	-	1	2	-	-	-	-	-
Scarlet Fever	1·27	1559	106	256	297	243	204	1104	350	56	21	9	12	4	1	-	-	-
Diphtheria	0·24	292	23	58	48	47	31	207	63	11	2	-	5	3	-	1	-	-
Whooping-cough	0·64	784	347	245	103	45	25	765	18	-	-	-	-	-	1	-	-	-
Typhus	0·06	68	-	-	-	3	-	3	8	18	11	7	6	4	8	3	-	-
Enteric Fever	0·45	557	30	30	20	23	13	116	57	63	65	47	75	41	35	33	20	5
Simple Cont. Fev.	0·13	165	2	3	5	10	6	26	11	16	13	10	13	17	21	15	19	4
Puerp. Fever	0·10	120	-	-	-	-	-	-	-	-	7	23	49	39	2	-	-	-
Diarr. and Dys.	2·29	2811	2033	414	51	20	12	2530	10	6	5	4	4	26	29	40	90	67
Cholera	0·06	75	25	9	2	3	2	41	2	-	1	-	2	5	6	8	7	3
Cancer	0·44	541	-	-	1	1	-	2	-	3	2	4	24	67	142	167	97	33
Scrofula	0·12	150	47	25	12	9	5	98	9	2	5	8	8	10	2	4	4	-
Tabes Mesent.	0·41	499	257	111	36	10	15	429	21	7	8	9	7	9	4	2	3	-
Phthisis	2·83	3471	30	34	18	9	16	107	64	127	392	494	865	756	400	203	59	4
Hydrocephalus	0·38	461	135	117	68	29	20	369	56	20	5	6	4	-	-	-	1	-
Diseases of: Nervous Syst.	3·53	4326	1624	242	120	60	39	2085	113	47	50	53	178	283	327	420	517	253
Circulatory	1·42	1736	11	2	2	2	3	20	31	36	41	56	135	267	300	363	385	117
Respiratory	5·41	6631	1652	715	239	128	58	2792	110	39	37	77	235	386	638	921	887	509
Digestive	1·11	1363	196	40	11	18	12	277	25	31	33	38	83	164	215	267	169	61
Urinary	0·51	620	20	8	14	16	9	67	18	23	17	30	73	76	90	93	95	38
Generative	0·05	59	1	-	2	1	-	4	-	-	1	2	11	13	8	13	6	1
Childbirth	0·13	161	-	-	-	-	-	-	-	-	4	26	71	60	-	-	-	-
Suicide	0·07	81	-	-	-	-	-	-	-	-	2	5	11	18	21	14	7	3
Other Violence	0·59	723	37	44	43	21	20	168	74	58	49	31	69	64	75	60	44	31
Other Causes	5·01	6116	3055	462	152	107	33	3829	104	50	37	33	115	122	165	241	518	902

Deaths of Infants (under one) to 1000 Births - 212 | Marriages - 10,580 | Births - 46,384 | Annual Rate per 1000 living: Persons Married - 17·27; Births - 37·86

477.—FYLDE.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	21·25	—	—	—	—	—	60·85	8·62	3·51	5·08	7·95	9·46	13·61	18·31	29·84	65·87	152·92
Mean Pop. 1871-80	—	35,768	1008	888	941	929	867	4633	4210	3934	3580	3082	5168	4012	3096	2316	1257	480
ALL CAUSES	21·25	7602	1707	555	262	174	121	2819	363	138	182	245	489	546	567	691	828	734
Small-pox	0·05	17	2	-	-	-	-	2	-	-	2	-	7	3	2	1	-	-
Measles	0·25	89	16	35	13	9	6	79	9	1	-	-	-	-	-	-	-	-
Scarlet Fever	1·01	363	19	53	65	55	35	227	92	23	7	6	8	-	-	-	-	-
Diphtheria	0·16	58	2	7	9	10	4	32	15	8	1	1	-	-	-	1	-	-
Whooping-cough	0·34	121	54	46	9	5	3	117	4	-	-	-	-	-	-	-	-	-
Typhus	0·04	15	-	-	-	-	-	-	2	2	2	-	2	2	2	2	1	-
Enteric Fever	0·45	162	1	4	8	6	5	24	15	7	10	24	29	21	15	11	4	2
Simple Cont. Fev.	0·06	22	1	-	-	-	1	2	5	1	2	2	2	3	1	2	2	-
Puerp. Fever	0·07	26	-	-	-	-	-	-	-	-	-	6	13	7	-	-	-	-
Diarr. and Dys.	0·97	348	232	49	5	2	-	288	5	1	1	1	1	3	10	6	18	14
Cholera	0·10	34	14	5	-	1	1	21	2	-	-	-	1	1	2	4	2	1
Cancer	0·41	145	-	-	-	1	-	1	1	-	-	-	4	15	36	39	36	13
Scrofula	0·16	58	17	7	2	3	-	29	7	1	3	2	4	2	4	4	2	-
Tabes Mesent.	0·15	56	19	6	4	2	-	31	6	5	7	1	3	2	1	-	-	-
Phthisis	2·05	734	14	9	10	4	4	41	12	20	83	118	171	130	86	49	17	7
Hydrocephalus	0·34	120	34	26	8	7	4	79	23	11	4	1	1	1	-	-	-	-
Diseases of: Nervous Syst.	2·66	950	275	66	23	9	14	392	42	19	8	9	30	55	76	112	138	79
Circulatory	1·31	468	2	1	-	-	1	4	10	7	11	7	19	52	76	99	116	57
Respiratory	3·21	1147	282	113	39	24	14	472	22	5	7	15	37	53	86	143	195	112
Digestive	1·37	489	83	10	5	8	-	106	15	5	4	9	36	60	67	82	74	31
Urinary	0·48	170	3	1	3	1	1	9	8	4	6	5	11	22	26	36	31	12
Generative	0·04	14	-	-	-	-	-	-	-	-	-	1	2	4	5	1	-	1
Childbirth	0·11	39	-	-	-	-	-	-	-	-	-	5	19	13	2	-	-	-
Suicide	0·09	33	-	-	-	-	-	-	-	-	-	3	6	9	5	5	4	1
Other Violence	0·70	249	19	17	9	6	6	57	16	13	9	20	34	33	21	24	11	11
Other Causes	4·67	1675	618	100	45	21	22	806	52	15	15	9	39	55	44	70	177	393

Deaths of Infants (under one) to 1000 Births - 141 | Marriages - 2,845 | Births - 12,102 | Annual Rate per 1000 living: Persons Married - 15·91; Births - 33·83

478.—GARSTANG.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·85	—	—	—	—	—	37·55	5·99	3·81	5·20	7·42	8·28	12·05	12·10	25·28	54·73	162·50
Mean Pop. 1871-80	—	12,281	354	313	346	332	306	1651	1502	1390	1289	1024	1545	1237	1058	803	550	232
ALL CAUSES	17·85	2192	418	97	52	33	20	620	90	53	67	76	128	149	128	203	301	377
Small-pox	0·04	5	2	-	-	-	-	2	-	-	-	-	3	-	-	-	-	-
Measles	0·15	18	4	6	1	1	1	13	2	1	-	-	1	1	-	-	-	-
Scarlet Fever	0·53	65	1	5	9	6	5	26	27	5	3	2	-	2	-	-	-	-
Diphtheria	0·07	9	-	-	1	-	2	3	2	2	1	1	-	-	-	-	-	-
Whooping-cough	0·24	20	15	6	5	1	-	27	2	1	-	-	-	-	-	-	-	-
Typhus	0·10	12	1	-	2	-	-	3	3	2	-	-	2	1	-	-	1	-
Enteric Fever	0·29	36	1	-	1	1	1	4	2	3	5	5	3	4	3	3	3	1
Simple Cont. Fev.	0·10	12	-	-	1	1	-	2	3	-	1	2	1	2	-	1	-	-
Puerp. Fever	0·09	11	-	-	-	-	-	-	-	-	-	3	5	3	-	-	-	-
Diarr. and Dys.	0·54	66	29	4	-	1	-	34	2	-	1	2	1	2	3	5	5	11
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·25	31	-	-	-	-	-	-	-	-	-	1	1	6	2	9	9	3
Scrofula	0·06	7	1	-	-	-	-	1	-	-	-	1	1	1	1	1	1	-
Tabes Mesent.	0·10	12	5	2	1	-	-	8	1	-	1	1	-	1	-	-	-	-
Phthisis	1·91	235	2	3	-	-	1	6	4	16	22	37	53	45	25	22	4	1
Hydrocephalus	0·17	21	6	6	1	2	-	15	3	1	1	-	-	1	-	-	-	-
Diseases of: Nervous Syst.	2·18	268	89	8	7	2	2	108	6	5	5	1	6	11	8	37	51	30
Diseases of: Circulatory "	1·37	168	1	1	-	-	-	2	3	1	2	4	9	10	17	36	49	35
Diseases of: Respiratory "	2·68	329	90	19	10	5	2	126	10	4	6	4	7	14	14	28	58	38
Diseases of: Digestive "	0·91	112	11	3	-	-	-	14	3	1	3	3	7	11	16	21	15	18
Diseases of: Urinary "	0·39	48	-	1	-	1	-	2	-	1	-	-	1	7	6	5	15	11
Diseases of: Generative "	0·03	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-
Childbirth	0·10	12	-	-	-	-	-	-	-	-	1	2	5	3	1	-	-	-
Suicide	0·03	4	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-
Other Violence	0·67	82	2	5	4	1	1	13	6	2	11	5	12	5	8	8	6	6
Other Causes	4·85	595	158	28	9	11	5	211	11	8	4	2	8	13	23	25	82	203

Deaths of Infants (under one) to 1000 Births - 108 | Marriages - 858 | Births - 3,855 | Annual Rate per 1000 living: Persons Married - 13·97; Births - 31·39

479.—LANCASTER.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	22·77	—	—	—	—	—	56·34	7·04	4·56	5·95	8·73	11·56	18·41	23·13	37·04	68·59	170·51
Mean Pop. 1871-80	—	36,750	1015	984	992	990	905	4886	4217	3995	3629	3277	5382	4062	3286	2303	1245	468
ALL CAUSES	22·77	8369	1663	538	262	172	118	2753	297	182	216	286	622	748	760	853	854	798
Small-pox	0·07	27	4	-	2	-	-	6	-	1	2	5	5	2	5	1	-	-
Measles	0·32	117	27	43	17	11	6	104	7	1	3	-	2	-	-	-	-	-
Scarlet Fever	0·78	285	18	48	41	43	36	186	69	13	2	6	6	2	1	-	-	-
Diphtheria	0·10	38	3	9	2	4	6	24	10	1	1	-	2	-	-	-	-	-
Whooping-cough	0·42	155	69	45	26	5	6	151	4	-	-	-	-	-	-	-	-	-
Typhus	0·03	12	-	-	-	-	-	-	2	3	2	1	1	1	-	2	-	-
Enteric Fever	0·30	110	6	4	3	3	1	17	14	19	15	12	12	8	9	3	1	-
Simple Cont. Fev.	0·07	26	-	-	1	-	5	6	6	2	1	-	2	2	4	2	1	-
Puerp. Fever	0·05	19	-	-	-	-	-	-	-	-	-	5	4	9	1	-	-	-
Diarr. and Dys.	0·73	267	158	34	8	4	-	204	3	-	-	2	7	8	9	15	10	9
Cholera	0·02	6	-	-	-	-	-	-	2	-	-	-	-	1	1	2	-	-
Cancer	0·41	149	-	-	-	-	-	-	-	-	-	-	5	16	27	47	36	18
Scrofula	0·21	77	24	9	5	1	2	41	6	5	5	4	3	4	6	1	2	-
Tabes Mesent.	0·25	92	36	17	5	3	1	62	6	8	4	2	2	2	2	3	1	-
Phthisis	2·50	917	11	5	3	1	5	25	16	36	95	127	226	180	116	64	29	3
Hydrocephalus	0·57	211	80	46	19	13	12	170	25	10	4	-	1	1	-	-	-	-
Diseases of: Nervous Syst.	3·35	1232	239	41	21	10	6	317	23	17	16	23	113	166	157	144	153	103
Diseases of: Circulatory "	1·50	550	-	-	-	-	1	1	2	11	12	11	30	55	95	141	120	72
Diseases of: Respiratory "	4·13	1518	311	120	43	26	13	513	34	16	13	27	78	103	125	216	223	170
Diseases of: Digestive "	1·05	387	50	7	5	2	3	68	10	9	5	6	22	61	62	74	49	18
Diseases of: Urinary "	0·41	151	1	1	2	4	1	9	5	3	5	14	8	18	24	29	22	14
Diseases of: Generative "	0·08	30	-	-	-	-	-	-	-	-	1	2	4	5	7	6	5	-
Childbirth	0·09	33	-	-	-	-	-	-	-	-	1	6	14	12	-	-	-	-
Suicide	0·08	28	-	-	-	-	-	-	-	-	-	1	1	11	5	6	3	1
Other Violence	0·71	261	13	9	10	12	-	44	26	12	14	28	39	22	26	20	19	11
Other Causes	4·54	1671	613	100	49	29	14	805	27	15	15	4	35	56	78	77	180	379

Deaths of Infants (under one) to 1000 Births - 139 | Marriages - 2,971 | Births - 11,979 | Annual Rate per 1000 living: Persons Married - 16·17; Births - 32·60

480.—LUNESDALE.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds
Annual Death Rate per 1000	—	17·94	—	—	—	—	—	39·25	6·09	2·93	3·99	6·57	8·03	10·96	12·54	26·94	60·52	146·71
Mean Pop. 1871-80	—	7055	176	182	173	180	168	879	854	785	727	609	872	730	622	516	309	152
ALL CAUSES	17·94	1266	213	61	32	22	17	345	52	23	29	40	70	80	78	139	187	223
Small-pox	0·01	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Measles	0·18	13	3	4	2	1	-	10	3	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·54	38	1	4	4	5	4	18	16	2	-	2	-	-	-	-	-	-
Diphtheria	0·09	6	-	3	1	-	1	5	1	-	-	-	-	-	-	-	-	-
Whooping-cough	0·21	15	8	6	1	-	-	15	-	-	-	-	-	-	-	-	-	-
Typhus	0·04	3	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
Enteric Fever	0·27	19	2	-	-	3	-	5	1	1	1	1	4	2	1	3	-	-
Simple Cont. Fev.	0·04	3	-	-	1	-	-	1	-	-	-	-	-	-	-	-	2	-
Puerp. Fever	0·04	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
Diarr. and Dys.	0·50	35	23	4	1	1	-	29	-	-	-	1	-	1	1	-	-	3
Cholera	0·01	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Cancer	0·41	29	-	-	-	-	-	-	-	-	1	-	-	3	5	9	5	6
Scrofula	0·11	8	1	-	-	-	-	1	-	-	1	1	1	1	1	1	1	-
Tabes Mesent.	0·21	15	7	2	-	-	1	10	-	2	-	2	-	-	1	-	-	-
Phthisis	1·89	133	-	1	1	-	1	3	3	8	9	21	34	22	13	14	4	2
Hydrocephalus	0·23	16	3	2	3	2	3	13	3	-	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·27	160	34	6	3	-	-	43	7	2	2	3	3	8	10	26	27	29
Diseases of: Circulatory „	1·36	96	-	-	-	-	-	-	1	-	1	2	3	10	8	27	29	15
Diseases of: Respiratory „	2·61	184	43	15	4	3	6	71	4	-	2	1	4	9	6	17	35	35
Diseases of: Digestive „	1·29	91	13	3	1	1	-	18	2	1	4	-	6	7	10	17	23	3
Diseases of: Urinary „	0·34	24	-	-	-	-	-	-	1	-	-	-	1	1	2	3	7	9
Diseases of: Generative „	0·04	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-
Childbirth	0·06	4	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-
Suicide	0·10	7	-	-	-	-	-	-	-	-	1	1	1	-	-	4	-	-
Other Violence	0·64	45	2	1	2	2	-	7	3	4	3	3	5	4	6	3	2	5
Other Causes	4·45	314	73	10	7	4	1	95	6	3	4	1	2	10	12	15	50	116

Deaths of Infants (under one) to 1000 Births - 104 | Marriages - 384 | Births - 2,042 | Annual Rate per 1000 living: Persons Married - 10·89; Births - 28·94

481.—ULVERSTON (5½ Years to 30th June 1876).*

—	Annual Death Rate per 1000	*	—	—	—	—	—	—	70·62	7·70	4·32	7·37	10·27	11·47	14·81	18·85	32·02	63·10	150·52
Mean Pop. Jan. 1871 to June 1876	—	64,873	2201	1946	2057	1908	1751	9863	8097	6812	5776	5986	10464	7108	5054	3305	1703	705
ALL CAUSES	23·62	8428	2361	771	350	213	136	3831	343	162	234	338	660	579	524	582	591	584
Small-pox	0·62	220	20	8	6	10	6	50	22	7	13	27	54	27	15	3	1	1
Measles	0·38	137	40	44	28	12	6	130	6	-	-	-	1	-	-	-	-	-
Scarlet Fever	1·01	361	21	69	65	53	36	244	69	16	7	5	11	6	3	-	-	-
Diphtheria	0·18	64	7	12	4	5	7	35	19	5	1	1	-	-	2	1	-	-
Whooping-cough	0·46	164	73	53	19	6	7	158	6	-	-	-	-	-	-	-	-	-
Typhus	0·05	17	-	-	-	-	-	-	1	2	6	1	5	1	-	1	-	-
Enteric Fever	0·60	215	3	10	13	8	5	39	33	17	14	23	46	20	13	7	3	-
Simple Cont. Fev.	0·20	73	4	6	10	6	2	28	13	3	1	2	7	4	5	3	4	3
Puerp. Fever	0·08	27	-	-	-	-	-	-	-	-	3	9	12	3	-	-	-	-
Diarr. and Dys.	1·13	403	239	84	8	5	1	337	-	2	-	2	4	4	6	4	14	10
Cholera	0·03	11	1	-	-	-	-	1	1	-	-	1	3	3	-	1	1	-
Cancer	0·26	94	-	-	-	-	-	-	-	1	-	1	3	7	23	33	18	8
Scrofula	0·11	41	4	6	2	4	1	17	7	3	-	2	5	2	3	2	-	-
Tabes Mesent.	0·33	118	58	23	7	4	2	94	3	-	5	-	6	5	2	1	2	-
Phthisis	2·14	762	8	7	-	2	2	19	22	36	90	122	204	136	78	38	16	1
Hydrocephalus	0·45	159	66	41	19	6	5	137	17	2	2	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·90	1033	442	84	48	22	10	606	28	11	14	15	30	39	52	80	96	62
Diseases of: Circulatory „	1·19	426	1	-	-	-	-	1	3	6	15	13	38	58	58	79	97	58
Diseases of: Respiratory „	3·66	1311	386	147	50	24	14	621	22	8	14	39	71	80	98	141	126	91
Diseases of: Digestive „	1·27	453	79	12	5	5	4	105	8	7	7	13	30	61	69	78	56	19
Diseases of: Urinary „	0·26	91	3	-	2	1	1	7	2	1	2	2	4	11	10	22	18	12
Diseases of: Generative „	0·04	16	-	-	-	-	-	-	-	-	1	-	1	4	4	-	6	-
Childbirth	0·13	48	-	-	-	-	-	-	-	-	6	9	20	13	-	-	-	-
Suicide	0·06	22	-	-	-	-	-	-	-	-	1	1	3	6	3	5	2	1
Other Violence	1·04	372	19	15	9	9	7	59	18	16	22	31	75	45	58	31	17	19
Other Causes	5·04	1790	867	150	55	31	20	1123	43	19	9	18	27	41	42	52	114	299

Deaths of Infants (under one) to 1000 Births - 145 | Marriages - 3,378 | Births - 16,329 | Annual Rate per 1000 living: Persons Married - 18·93; Births - 45·77

* The civil parish of Barrow-in-Furness was detached from ULVERSTON District 1st July 1876, and created a separate Registration District. This Table relates to the district of ULVERSTON as constituted during the 5½ years before the change.

481.—ULVERSTON (4½ years from 1st July 1876).*

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	17·86	—	—	—	—	—	43·72	5·30	2·96	5·87	7·41	8·37	10·56	14·83	29·32	53·73	153·88
Mean Pop. July 1876 to Dec. 1880	—	* 42,027	1294	1244	1285	1235	1205	6353	5531	4656	3672	3539	6029	4588	3266	2410	1410	573
ALL CAUSES	17·86	3378	792	236	110	63	49	1250	132	62	97	118	227	218	218	318	341	397
Small-pox	0·01	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Measles	0·41	78	16	31	11	7	6	71	5	2	-	-	-	-	-	-	-	-
Scarlet Fever	0·21	39	3	3	4	6	6	22	15	-	1	1	-	-	-	-	-	-
Diphtheria	0·10	19	2	2	3	1	-	8	10	1	-	-	-	-	-	-	-	-
Whooping-cough	0·20	38	18	8	4	6	-	36	2	-	-	-	-	-	-	-	-	-
Typhus	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Enteric Fever	0·24	46	-	3	1	-	-	4	9	3	9	6	4	3	2	4	2	-
Simple Cont. Fev.	0·06	11	-	-	-	-	-	-	1	1	2	-	2	1	1	-	2	1
Puerp. Fever	0·05	10	-	-	-	-	-	-	-	-	-	4	5	1	-	-	-	-
Diarr. and Dys.	0·61	115	71	18	3	-	1	93	2	-	-	-	2	-	3	4	1	10
Cholera	0·01	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Cancer	0·31	58	-	-	-	-	-	-	-	-	-	1	1	5	12	18	17	4
Scrofula	0·12	22	4	3	2	3	-	12	4	-	-	1	2	-	1	2	-	-
Tabes Mesent.	0·22	41	17	4	5	1	-	27	2	3	2	2	2	1	2	-	-	-
Phthisis	2·06	390	5	2	7	5	-	19	12	19	42	59	90	73	43	29	4	-
Hydrocephalus	0·30	57	25	12	8	3	3	51	3	2	1	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·36	447	145	33	9	6	5	198	22	7	4	9	14	22	22	44	58	47
Circulatory "	1·39	263	2	-	-	-	1	3	2	4	3	5	19	28	27	60	65	47
Respiratory "	3·00	568	159	72	33	15	10	289	15	2	6	9	20	25	30	52	70	50
Digestive "	1·12	211	28	5	2	3	6	44	6	6	6	1	14	15	30	43	27	19
Urinary "	0·28	53	-	-	1	-	1	2	1	-	3	3	3	3	7	13	14	4
Generative "	0·07	13	1	-	-	-	-	1	-	-	1	1	2	-	-	3	3	2
Childbirth	0·07	13	-	-	-	-	-	-	-	-	-	1	4	8	-	-	-	-
Suicide	0·11	20	-	-	-	-	-	-	-	-	-	-	4	1	5	9	1	-
Other Violence	0·73	139	9	3	8	4	3	27	7	5	11	9	22	20	13	13	8	4
Other Causes	3·81	724	287	37	9	3	7	343	14	7	6	6	17	10	19	24	69	209

Deaths of Infants (under one) to 1000 Births - 114 | Marriages - 1,369 | Births - 6,957 | Annual Rate per 1000 living: Persons Married - 14·48; Births - 36·79

* This Table relates to the District of Ulverston as constituted during the 4½ years after the separation of Barrow-in-Furness. *See* Note to previous Table.

482.—BARROW-IN-FURNESS (4½ years from 1st July 1876).*

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	18·30	—	—	—	—	—	65·53	6·36	3·86	4·50	5·23	6·14	9·11	15·13	30·92	59·10	141·03
Mean Pop. July 1876 to Dec. 1880	—	* 40,932	1436	1304	1403	1332	1368	6843	5452	4088	3509	4040	7530	5073	2540	1279	474	104
ALL CAUSES	18·30	3370	1195	440	193	110	75	2018	156	71	71	95	208	208	173	178	126	66
Small-pox	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	0·58	107	24	49	20	6	6	105	2	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·69	127	7	22	32	15	19	95	27	2	2	1	-	-	-	-	-	-
Diphtheria	0·24	45	3	7	7	7	6	30	14	1	-	-	-	-	-	-	-	-
Whooping-cough	0·69	127	42	44	21	12	2	121	5	-	1	-	-	-	-	-	-	-
Typhus	0·04	8	-	-	-	-	-	-	2	-	1	1	1	-	3	-	-	-
Enteric Fever	0·31	58	2	1	5	1	6	15	11	3	3	8	13	4	1	-	-	-
Simple Cont. Fev.	0·15	27	1	5	3	2	4	15	1	1	3	-	1	3	2	-	-	1
Puerp. Fever	0·03	5	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-
Diarr. and Dys.	1·05	194	139	38	6	1	2	186	-	-	-	-	-	-	1	3	1	3
Cholera	0·01	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Cancer	0·23	42	-	1	1	-	-	2	-	-	1	1	2	8	16	5	6	1
Scrofula	0·11	20	8	6	3	-	-	17	2	1	-	-	-	-	-	-	-	-
Tabes Mesent.	0·55	102	34	40	11	6	3	94	5	1	1	-	1	-	-	-	-	-
Phthisis	1·48	272	4	7	4	2	1	18	7	15	25	33	68	55	29	16	6	-
Hydrocephalus	0·43	79	23	26	2	7	3	61	12	5	-	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·44	449	212	46	21	14	3	296	25	6	5	6	11	21	18	28	22	11
Circulatory "	0·83	152	1	-	-	1	-	2	2	8	7	5	18	18	29	39	20	4
Respiratory "	2·92	538	229	77	30	17	8	361	7	5	4	7	24	27	32	34	27	10
Digestive "	0·95	175	47	9	3	4	2	65	11	3	4	7	10	20	20	21	14	-
Urinary "	0·24	44	2	-	2	2	-	6	1	2	2	1	12	5	2	8	4	1
Generative "	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Childbirth	0·04	8	-	-	-	-	-	-	-	-	1	2	3	2	-	-	-	-
Suicide	0·04	8	-	-	-	-	-	-	-	-	-	-	1	2	1	2	1	1
Other Violence	0·80	147	9	4	4	2	3	22	11	9	7	13	29	26	13	12	1	4
Other Causes	3·44	634	408	58	23	11	7	507	10	9	4	6	12	17	6	9	24	30

Deaths of Infants (under one) to 1000 Births - 147 | Marriages - 1,267 | Births - 8,112 | Annual Rate per 1000 living: Persons Married - 13·76; Births - 44·04

* This Registration District was created 1st July 1876; *see* Notes to two preceding Tables.

YORKSHIRE, WEST RIDING.

483.—SEDBERGH.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	20·15	—	—	—	—	—	42·70	4·91	5·14	8·35	8·09	12·68	13·43	13·66	26·07	51·48	158·06
Mean Pop. 1871-80	—	4,535	125	102	111	111	106	555	509	467	431	346	639	499	410	349	237	93
ALL CAUSES	20·15	914	167	39	14	9	8	237	25	24	36	28	81	67	56	91	122	147
Small-pox	0·11	5	-	1	-	-	-	1	2	-	-	-	1	1	-	-	-	-
Measles	0·26	12	5	3	-	-	1	9	1	-	-	1	-	-	-	-	-	1
Scarlet Fever	0·20	9	-	3	-	2	-	5	1	1	1	-	1	-	-	-	-	-
Diphtheria	0·04	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Whooping-cough	0·24	11	3	6	-	-	-	9	2	-	-	-	-	-	-	-	-	-
Typhus	0·02	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Enteric Fever	0·60	27	1	-	-	1	1	3	2	1	5	3	6	3	1	2	-	1
Simple Cont. Fev.	0·13	6	-	-	1	1	-	2	-	-	-	1	-	1	1	-	-	1
Puerp. Fever	0·09	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
Diarr. and Dys.	0·24	11	1	-	1	-	-	2	-	-	1	1	2	-	2	-	1	2
Cholera	0·07	3	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-
Cancer	0·26	12	1	-	-	-	-	1	-	-	-	-	-	1	3	2	3	2
Scrofula	0·20	9	1	-	1	-	1	3	-	-	1	-	3	1	-	-	1	-
Tabes Mesent.	0·29	13	3	-	-	-	-	3	3	4	-	-	1	-	-	-	2	-
Phthisis	1·98	90	-	-	-	-	-	-	-	6	12	8	33	14	7	8	2	-
Hydrocephalus	0·22	10	4	-	1	1	2	8	1	-	-	-	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·58	117	37	3	1	-	1	42	3	3	1	1	9	4	8	14	17	15
Circulatory "	1·28	58	-	-	-	-	-	-	-	1	4	-	3	7	1	13	17	12
Respiratory "	3·25	148	23	14	5	1	-	43	3	-	2	1	9	9	11	18	24	28
Digestive "	1·35	61	4	2	1	-	1	8	1	-	-	5	2	6	10	7	13	9
Urinary "	0·33	15	-	-	-	-	-	-	-	1	-	-	-	-	2	2	7	3
Generative "	0·02	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Childbirth	0·07	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
Suicide	0·09	4	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-
Other Violence	0·97	44	2	3	-	-	1	6	-	4	4	5	4	6	5	9	-	1
OTHER CAUSES	5·25	238	82	4	3	3	-	92	4	2	4	1	2	9	4	13	35	72

Deaths of Infants (under one) to 1000 Births - 116 | Marriages - 352 | Births - 1,442 | Annual Rate per 1000 living: Persons Married - 15·52; Births - 31·80

484.—SETTLE.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·24	—	—	—	—	—	47·28	4·56	3·65	6·96	8·25	10·07	12·48	13·47	25·76	57·69	155·81
Mean Pop. 1871-80	—	14,467	394	366	369	365	344	1838	1646	1534	1408	1333	2036	1531	1292	986	605	258
ALL CAUSES	19·24	2783	566	160	73	35	35	869	75	56	98	110	205	191	174	254	349	402
Small-pox	0·30	44	5	2	2	2	2	13	9	-	-	4	12	5	1	-	-	-
Measles	0·20	29	2	15	3	2	-	22	3	-	2	-	1	1	-	-	-	-
Scarlet Fever	0·21	31	-	4	7	3	6	20	5	-	2	1	3	-	-	-	-	-
Diphtheria	0·02	3	-	1	-	1	-	2	1	-	-	-	-	-	-	-	-	-
Whooping-cough	0·26	37	21	11	1	1	-	34	3	-	-	-	-	-	-	-	-	-
Typhus	0·03	11	-	-	-	1	-	1	2	2	2	2	1	-	1	-	-	-
Enteric Fever	0·51	74	1	5	1	3	1	11	7	9	12	7	9	5	7	6	1	-
Simple Cont. Fev.	0·10	14	-	-	1	1	1	3	-	2	1	1	3	-	1	1	1	1
Puerp. Fever	0·10	14	-	-	-	-	-	-	-	-	-	4	6	4	-	-	-	-
Diarr. and Dys.	0·26	38	19	1	3	1	-	24	4	-	-	-	-	1	1	1	4	3
Cholera	0·03	4	1	-	-	-	-	1	1	-	1	-	-	-	-	1	-	-
Cancer	0·36	52	-	-	-	-	-	-	-	-	1	-	2	3	7	17	14	8
Scrofula	0·10	14	4	1	-	-	-	5	1	1	1	-	3	2	-	1	-	-
Tabes Mesent.	0·27	39	19	8	4	1	-	32	1	3	-	-	2	1	-	-	-	-
Phthisis	1·83	269	-	-	-	-	3	3	4	14	38	49	58	54	30	15	4	-
Hydrocephalus	0·33	48	21	11	6	2	2	42	3	1	1	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·55	369	117	30	13	7	1	168	5	5	7	9	12	11	21	41	52	38
Circulatory "	1·86	269	1	-	-	-	-	1	1	3	3	5	13	24	26	55	88	50
Respiratory "	2·93	424	109	48	18	5	8	188	8	3	4	6	16	28	22	35	60	64
Digestive "	1·08	156	13	2	1	2	1	19	4	3	4	5	12	13	21	29	32	11
Urinary "	0·33	48	-	1	-	-	-	1	-	3	2	2	2	4	6	14	9	5
Generative "	0·04	6	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-
Childbirth	0·11	16	-	-	-	-	-	-	-	-	-	1	9	5	1	-	-	-
Suicide	0·07	10	-	-	-	-	-	-	-	-	1	-	1	2	3	3	-	-
Other Violence	0·71	102	1	2	5	2	4	14	4	1	9	5	21	14	8	6	11	9
OTHER CAUSES	4·57	662	232	18	8	1	6	265	9	6	7	8	18	13	14	23	71	223

Deaths of Infants (under one) to 1000 Births - 123 | Marriages - 1,096 | Births - 4,625 | Annual Rate per 1000 living: Persons Married - 15·15; Births - 31·85

485.—SKIPTON.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	20·41	—	—	—	—	—	54·00	5·45	3·92	6·85	7·97	9·26	11·42	15·43	32·72	72·19	184·76
Mean Pop. 1871-80	—	34,759	964	925	903	858	843	4493	3960	3649	3472	3249	5010	3827	3176	2271	1219	433
ALL CAUSES	20·41	7096	1578	436	180	131	101	2426	216	143	238	259	464	437	490	743	880	800
Small-pox	0·08	28	4	-	2	-	1	7	-	3	5	5	4	2	2	-	-	-
Measles	0·22	77	20	27	11	8	5	71	3	-	-	1	2	-	-	-	-	-
Scarlet Fever	0·56	194	13	20	33	31	20	117	51	15	4	5	1	1	-	-	-	-
Diphtheria	0·06	20	2	3	4	1	2	12	3	1	-	1	2	1	-	-	-	-
Whooping-cough	0·24	83	41	21	5	6	4	77	5	-	-	1	-	-	-	-	-	-
Typhus	0·06	22	-	-	1	-	-	1	1	4	4	5	3	-	2	2	-	-
Enteric Fever	0·32	112	6	4	7	3	1	21	11	7	16	9	18	8	8	10	4	-
Simple Cont. Fev.	0·08	28	1	2	4	1	2	10	3	2	1	3	1	1	2	3	2	-
Puerp. Fever	0·06	21	-	-	-	-	-	-	-	-	1	5	7	7	1	-	-	-
Diarr. and Dys.	0·44	152	95	16	2	-	2	115	3	2	1	-	4	2	3	7	7	8
Cholera	0·06	21	8	3	1	2	-	14	-	-	-	-	-	2	-	1	2	2
Cancer	0·28	96	-	-	-	-	-	-	-	-	-	1	6	11	23	32	17	6
Scrofula	0·08	29	2	1	3	1	-	7	3	-	2	5	3	3	1	3	2	-
Tabes Mesent.	0·31	109	47	32	4	3	1	87	9	4	3	-	2	1	2	1	-	-
Phthisis	2·34	814	5	9	5	2	2	23	16	37	124	123	201	116	84	46	12	2
Hydrocephalus	0·20	70	25	16	7	3	2	53	10	6	1	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·99	1041	410	61	21	16	7	515	23	17	9	9	30	43	66	114	125	90
Diseases of: Circulatory "	1·15	399	1	1	-	-	-	2	9	13	10	10	27	34	62	91	92	46
Diseases of: Respiratory "	4·02	1397	330	132	35	17	18	532	14	4	12	15	46	58	83	196	202	175
Diseases of: Digestive "	1·13	394	47	7	3	3	1	61	11	5	12	17	20	28	55	81	75	29
Diseases of: Urinary "	0·37	130	1	-	3	2	-	6	1	1	7	6	12	12	15	29	27	14
Diseases of: Generative "	0·05	16	-	-	-	-	-	-	-	-	-	1	5	2	5	3	-	-
Childbirth	0·12	40	-	-	-	-	-	-	-	-	1	9	23	7	-	-	-	-
Suicide	0·07	26	-	-	-	-	-	-	-	-	1	-	1	4	7	9	4	-
Other Violence	0·54	188	8	9	8	13	6	44	9	6	8	11	18	22	15	23	19	13
Other Causes	4·58	1589	512	72	21	19	27	651	31	16	16	17	28	42	54	89	230	415

Deaths of Infants (under one) to 1000 Births - 138 | Marriages - 2,782 | Births - 11,417 | Annual Rate per 1000 living: Persons Married - 16·01; Births - 32·85

486.—PATELEY BRIDGE.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	19·00	—	—	—	—	—	41·27	5·58	4·29	6·43	8·54	8·03	10·29	13·25	26·17	63·96	164·71
Mean Pop. 1871-80	—	8,815	250	233	240	226	231	1180	1130	1002	824	656	1083	952	830	619	369	170
ALL CAUSES	19·00	1675	319	77	44	24	23	487	63	43	53	56	87	98	110	162	236	280
Small-pox	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	0·08	7	1	3	1	-	1	6	-	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·39	34	2	4	4	5	5	20	12	2	-	-	-	-	-	-	-	-
Diphtheria	0·14	12	-	1	-	1	2	4	4	3	-	-	-	1	-	-	-	-
Whooping-cough	0·29	26	17	5	2	-	1	25	1	-	-	-	-	-	-	-	-	-
Typhus	0·05	4	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-
Enteric Fever	0·27	24	-	-	-	-	1	1	6	1	2	3	3	4	2	1	1	-
Simple Cont. Fev.	0·02	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Puerp. Fever	0·03	3	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
Diarr. and Dys.	0·35	31	17	2	1	1	-	21	1	-	2	-	-	2	2	-	2	1
Cholera	0·03	3	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-
Cancer	0·37	33	-	-	-	-	-	-	-	-	-	-	-	6	5	9	10	3
Scrofula	0·06	5	-	1	-	-	-	1	2	-	1	-	-	-	-	1	-	-
Tabes Mesent.	0·26	23	11	4	2	1	-	18	1	2	1	1	-	-	-	-	-	-
Phthisis	2·27	200	2	-	-	1	1	4	4	9	24	35	47	32	20	22	3	-
Hydrocephalus	0·12	11	2	4	1	-	2	9	1	1	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·81	248	90	16	11	6	-	123	9	4	4	1	6	6	14	23	29	29
Diseases of: Circulatory "	1·19	105	-	-	-	-	-	-	3	4	2	3	3	9	12	22	33	14
Diseases of: Respiratory "	3·65	322	55	24	11	2	2	94	7	5	2	1	5	11	20	42	74	61
Diseases of: Digestive "	1·12	99	5	1	-	-	1	7	2	4	2	2	5	7	16	23	21	10
Diseases of: Urinary "	0·44	39	-	-	-	1	-	1	-	3	3	2	2	6	3	4	11	4
Diseases of: Generative "	0·05	4	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-
Childbirth	0·10	9	-	-	-	-	-	-	-	-	1	2	4	2	-	-	-	-
Suicide	0·05	4	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-
Other Violence	0·48	42	1	1	3	1	1	7	4	2	4	1	5	4	3	4	4	4
Other Causes	4·38	385	115	11	8	5	6	145	6	2	4	1	4	4	11	9	45	154

Deaths of Infants (under one) to 1000 Births - 116 | Marriages - 554 | Birth 2,748 | Annual Rate per 1000 living: Persons Married - 12·57; Births - 31·17

487.—RIPON.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·34	—	—	—	—	—	44·24	4·76	3·20	3·96	8·49	8·65	10·38	14·32	27·35	62·66	163·05
Mean Pop. 1871-80	—	16,207	433	379	390	415	363	1980	1892	1721	1667	1343	2103	1705	1508	1181	766	341
ALL CAUSES	19·34	3135	595	133	74	35	39	876	90	55	66	114	182	177	216	323	480	556
Small-pox	0·15	24	3	2	1	-	1	7	3	-	1	2	5	2	3	1	-	-
Measles	0·09	15	2	6	2	-	2	12	1	1	-	-	1	-	-	-	-	-
Scarlet Fever	0·65	105	5	10	22	6	12	55	32	12	2	2	-	1	1	-	-	-
Diphtheria	0·09	14	1	3	1	2	-	7	-	2	2	-	1	1	-	-	-	1
Whooping-cough	0·15	25	16	6	2	-	-	24	1	-	-	-	-	-	-	-	-	-
Typhus	0·06	10	-	-	-	-	-	-	-	1	-	1	3	-	1	-	3	1
Enteric Fever	0·39	63	-	1	-	4	3	8	4	3	7	9	10	5	7	7	3	-
Simple Cont. Fev.	0·08	13	2	1	-	-	-	3	2	2	2	1	-	-	-	1	1	1
Puerp. Fever	0·03	10	-	-	-	-	-	-	-	-	-	1	3	6	-	-	-	-
Diarr. and Dys.	0·44	72	39	5	1	1	-	46	2	7	-	2	-	1	1	4	9	7
Cholera	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Cancer	0·52	84	-	-	-	-	-	-	-	-	-	-	-	9	16	21	25	13
Scrofula	0·03	5	1	-	-	-	-	1	-	-	1	2	-	1	-	-	-	-
Tabes Mesent.	0·20	33	16	6	2	-	-	24	2	1	2	2	1	1	-	-	-	-
Phthisis	1·86	302	5	5	-	-	-	10	7	10	28	57	80	48	37	17	8	-
Hydrocephalus	0·11	18	6	5	2	1	-	14	1	1	1	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	3·21	520	204	25	12	2	2	245	10	5	4	8	8	10	18	49	86	77
Diseases of: Circulatory „	2·02	328	2	-	-	-	1	3	1	2	4	3	12	22	32	78	108	63
Diseases of: Respiratory „	2·94	476	98	38	17	7	7	167	7	-	4	6	17	19	35	57	84	80
Diseases of: Digestive „	1·26	204	31	1	1	3	1	37	2	7	1	2	10	16	24	43	42	20
Diseases of: Urinary „	0·43	69	-	2	-	1	-	3	3	1	-	2	7	7	7	13	18	8
Diseases of: Generative „	0·03	5	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-
Childbirth	0·03	13	-	-	-	-	-	-	-	-	2	1	7	3	-	-	-	-
Suicide	0·06	10	-	-	-	-	-	-	-	-	-	1	1	1	1	4	2	-
Other Violence	0·50	81	6	2	3	2	2	15	5	4	1	1	9	12	13	6	6	9
Other Causes	3·92	635	158	15	8	6	8	195	7	3	4	10	6	10	19	20	85	276

Deaths of Infants (under one) to 1000 Births - 126

Marriages - 1,136
Births - 4,706

Annual Rate per 1000 living: Persons Married - 14·02; Births - 29·04

488.—GREAT OUSEBURN.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·67	—	—	—	—	—	37·05	4·57	2·20	4·82	5·45	7·91	10·76	13·57	25·36	49·49	156·49
Mean Pop. 1871-80	—	11,826	314	304	293	323	299	1533	1443	1321	1099	935	1442	1217	1083	899	592	262
ALL CAUSES	17·67	2090	386	89	38	31	24	568	66	29	53	51	114	131	147	228	293	410
Small-pox	0·03	4	1	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-
Measles	0·17	20	4	7	2	4	1	18	2	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·29	34	2	1	6	7	5	21	6	4	-	1	2	-	-	-	-	-
Diphtheria	0·13	15	-	-	-	-	3	3	6	2	2	-	1	-	-	-	1	-
Whooping-cough	0·32	38	18	9	7	1	3	38	-	-	-	-	-	-	-	-	-	-
Typhus	0·03	4	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-
Enteric Fever	0·31	37	1	-	-	2	2	5	3	-	4	6	5	4	6	3	1	-
Simple Cont. Fev.	0·02	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Puerp. Fever	0·04	5	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-
Diarr. and Dys.	0·58	69	34	7	-	2	-	43	1	-	-	1	2	1	1	4	1	15
Cholera	0·01	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Cancer	0·43	52	-	-	-	-	-	-	-	-	-	-	-	8	10	19	10	5
Scrofula	0·10	12	3	-	-	-	1	4	3	-	3	-	1	-	-	1	-	-
Tabes Mesent.	0·20	24	11	4	-	1	-	16	-	3	2	-	1	1	1	-	-	-
Phthisis	1·45	171	2	-	-	-	2	4	3	7	14	19	49	34	25	12	4	-
Hydrocephalus	0·17	20	7	2	-	3	-	12	7	-	1	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·84	336	90	12	7	2	-	120	7	2	5	3	11	17	16	33	46	76
Diseases of: Circulatory „	1·86	220	-	-	-	-	-	-	3	4	2	3	7	10	27	49	76	39
Diseases of: Respiratory „	2·59	306	65	25	9	5	4	108	8	1	2	2	5	15	14	32	59	60
Diseases of: Digestive „	1·04	123	13	6	-	-	-	19	1	1	3	1	10	10	15	23	22	18
Diseases of: Urinary „	0·33	39	-	-	-	-	-	-	1	-	1	1	4	6	3	8	9	6
Diseases of: Generative „	0·04	5	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	1
Childbirth	0·06	7	-	-	-	-	-	-	-	-	-	1	2	4	-	-	-	-
Suicide	0·14	17	-	-	-	-	-	-	-	-	2	-	2	4	2	2	5	-
Other Violence	0·61	71	6	1	2	-	-	9	4	2	5	2	7	6	11	12	7	6
Other Causes	3·88	458	120	15	5	3	3	146	11	2	5	3	5	7	15	29	51	184

Deaths of Infants (under one) to 1000 Births - 107

Marriages - 615
Births - 3,623

Annual Rate per 1000 living: Persons Married - 10·40; Births - 30·64

489.—KNARESBOROUGH.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·65	—	—	—	—	—	50·30	4·77	2·56	4·60	5·70	8·46	11·05	16·23	31·28	69·75	174·26
Mean Pop. 1871-80	—	20,862	528	463	487	517	470	2465	2307	2304	2063	1842	2850	2362	1965	1480	886	338
ALL CAUSES	19·65	4100	843	215	85	55	42	1240	110	59	95	105	241	261	319	463	618	589
Small-pox	0·07	15	1	–	–	1	2	4	–	–	–	3	4	2	1	1	–	–
Measles	0·16	34	9	7	5	6	2	29	5	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·32	67	4	7	11	13	6	41	20	3	1	2	–	–	–	–	–	–
Diphtheria	0·12	24	1	–	1	3	4	9	10	1	1	1	–	2	–	–	–	–
Whooping-cough	0·22	46	24	13	7	2	–	46	–	–	–	–	–	–	–	–	–	–
Typhus	0·04	8	–	–	–	–	1	1	1	–	1	1	1	2	1	–	–	–
Enteric Fever	0·19	40	1	–	1	2	1	5	3	5	5	4	8	–	1	4	4	1
Simp. Cont. Fever	0·05	10	–	1	–	1	–	2	–	–	–	1	1	1	–	–	2	3
Puerp. Fever	0·03	7	–	–	–	–	–	–	–	–	1	–	4	2	–	–	–	–
Diarr. and Dys.	0·57	118	73	10	2	1	–	86	3	1	–	2	–	4	2	4	5	11
Cholera	0·00	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·65	135	–	–	–	–	–	–	1	–	–	–	7	12	28	37	34	16
Scrofula	0·09	18	6	2	2	–	–	10	1	1	3	–	1	1	–	1	–	–
Tabes Mesent.	0·35	72	34	20	9	–	1	64	1	2	1	2	2	–	–	–	–	–
Phthisis	2·01	419	3	2	–	–	1	6	7	9	45	47	106	74	71	45	7	2
Hydrocephalus	0·37	78	27	22	4	4	2	59	11	2	2	2	1	–	1	–	–	–
Diseases of: Nervous Syst.	3·11	648	232	29	14	4	7	286	10	9	6	6	15	22	33	83	112	66
Diseases of: Circulatory „	1·86	388	2	–	–	–	–	2	2	5	5	4	11	23	47	87	138	64
Diseases of: Respiratory „	3·02	629	133	66	15	8	7	229	13	3	4	6	21	30	44	71	118	90
Diseases of: Digestive „	1·32	275	28	3	1	2	1	35	5	5	8	3	15	25	38	53	55	32
Diseases of: Urinary „	0·48	100	1	–	–	–	–	1	1	2	–	3	10	10	17	25	23	7
Diseases of: Generative „	0·06	12	–	–	–	–	–	–	–	–	–	–	1	5	3	2	1	–
Childbirth	0·10	21	–	–	–	–	–	–	–	–	1	4	6	8	2	–	–	–
Suicide	0·05	11	–	–	–	–	–	–	–	–	–	1	4	1	1	3	1	–
Other Violence	0·46	96	9	4	5	3	2	23	6	5	6	9	6	6	15	7	6	7
Other Causes	3·95	828	254	29	8	5	5	301	10	6	5	4	17	30	14	39	112	290

Deaths of Infants (under one) to 1000 Births - 142 | Marriages - 1,558 | Births - 5,948 | Annual Rate per 1000 living: Persons Married - 14·94; Births - 28·51

490.—WETHERBY.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·49	—	—	—	—	—	38·55	5·67	3·43	5·34	6·52	7·76	10·32	13·59	28·13	62·63	161·29
Mean Pop. 1871-80	—	15,534	394	369	384	383	366	1896	1781	1837	1516	1212	1947	1667	1457	1159	752	310
ALL CAUSES	18·49	2873	484	116	50	47	34	731	101	63	81	79	151	172	198	326	471	500
Small-pox	0·03	4	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–
Measles	0·06	10	2	4	–	1	–	7	3	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·42	65	1	4	8	18	7	38	18	6	–	3	–	–	–	–	–	–
Diphtheria	0·12	19	–	2	1	1	1	5	10	2	2	–	–	–	–	–	–	–
Whooping-cough	0·15	24	14	6	2	1	–	23	1	–	–	–	–	–	–	–	–	–
Typhus	0·02	3	–	–	1	1	–	2	–	–	–	–	–	–	–	1	–	–
Enteric Fever	0·17	27	–	–	–	–	–	–	2	2	3	4	4	4	–	3	5	–
Simp. Cont. Fever	0·05	8	1	–	–	–	–	1	–	1	–	–	2	–	2	–	2	–
Puerp. Fever	0·06	10	–	–	–	–	–	–	–	–	–	6	3	1	–	–	–	–
Diarr. and Dys.	0·43	67	39	3	2	–	–	44	–	–	–	–	3	2	6	3	3	6
Cholera	0·01	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·47	73	–	1	–	–	–	1	–	–	–	1	2	5	11	24	20	9
Scrofula	0·03	4	2	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–
Tabes Mesent.	0·19	29	14	3	4	1	3	25	1	2	–	–	–	–	1	–	–	–
Phthisis	1·86	289	2	2	–	1	1	6	9	13	34	41	76	49	36	19	6	–
Hydrocephalus	0·15	23	3	5	5	1	2	16	4	1	–	–	2	–	–	–	–	–
Diseases of: Nervous Syst.	2·86	444	152	22	9	6	6	195	11	8	4	3	9	11	26	52	72	53
Diseases of: Circulatory „	1·61	250	–	1	–	3	–	4	1	6	9	3	8	20	33	62	80	24
Diseases of: Respiratory „	2·97	462	81	45	11	2	2	141	12	6	7	2	6	24	26	58	93	77
Diseases of: Digestive „	1·00	156	19	2	2	1	1	25	6	4	4	2	5	15	14	31	31	19
Diseases of: Urinary „	0·39	60	–	–	–	–	1	1	–	–	3	1	1	2	5	20	23	4
Diseases of: Generative „	0·05	8	–	–	–	–	–	–	–	–	–	–	–	3	2	1	2	–
Childbirth	0·14	22	–	–	–	–	–	–	–	–	–	1	9	12	–	–	–	–
Suicide	0·08	12	–	–	–	–	–	–	–	–	–	1	2	2	–	3	2	2
Other Violence	0·47	73	8	–	1	4	2	15	6	4	5	3	10	5	4	10	5	6
Other Causes	4·70	730	146	16	4	5	8	179	17	7	7	7	9	16	22	39	127	300

Deaths of Infants (under one) to 1000 Births - 113 | Marriages - 918 | Births - 4,285 | Annual Rate per 1000 living: Persons Married - 11·82; Births - 27·58

491.—WHARFEDALE.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	20·17	—	—	—	—	—	59·30	6·24	3·76	6·44	7·12	8·75	10·65	15·16	32·03	73·07	170·43
Mean Pop. 1871–80	—	42,924	1305	1153	1145	1072	1097	5772	5029	4654	4223	3879	6432	4911	3714	2554	1296	460
ALL CAUSES	20·17	8,658	2212	674	245	158	134	3423	314	175	272	276	563	523	563	818	947	784
Small-pox	0·03	11	–	–	–	–	–	–	–	–	–	1	4	3	2	1	–	–
Measles	0·28	121	34	52	17	7	6	116	3	2	–	–	–	–	–	–	–	–
Scarlet Fever	0·47	200	11	25	31	29	26	122	62	12	3	–	1	–	–	–	–	–
Diphtheria	0·10	41	3	2	5	3	5	18	16	1	–	1	1	4	–	–	–	–
Whooping-cough	0·44	187	104	52	10	10	4	180	7	–	–	–	–	–	–	–	–	–
Typhus	0·04	17	1	–	–	1	–	2	2	–	2	2	4	4	–	1	–	–
Enteric Fever	0·45	194	3	6	10	8	7	34	20	12	21	18	31	14	13	5	18	8
Simple Cont. Fev.	0·08	33	–	5	2	4	1	12	3	4	1	–	4	4	1	4	–	–
Puerp. Fever	0·05	23	–	–	–	–	–	–	–	–	2	5	12	4	–	–	–	–
Diarr. and Dys.	0·63	271	155	33	6	3	3	200	7	1	–	4	5	4	7	11	17	15
Cholera	0·03	12	1	1	–	–	2	4	2	1	2	–	–	–	–	1	2	–
Cancer	0·38	162	–	–	–	1	–	1	–	–	–	3	7	21	35	49	32	14
Scrofula	0·07	32	7	1	2	1	–	11	3	3	4	1	8	2	1	3	1	–
Tabes Mesent.	0·36	153	62	38	10	5	4	119	14	6	3	5	4	–	–	–	1	1
Phthisis	2·40	1032	12	6	2	6	4	30	16	37	150	153	265	166	118	71	22	4
Hydrocephalus	0·49	211	84	48	26	12	6	175	20	12	3	–	–	1	–	–	–	–
Diseases of: Nervous Syst.	3·12	1338	624	100	24	13	16	777	37	21	16	8	30	33	78	107	150	81
Circulatory „	1·38	594	7	–	1	3	1	12	13	8	9	22	37	66	80	161	143	43
Respiratory „	3·77	1617	421	183	61	24	20	709	26	10	10	15	57	63	103	191	257	176
Digestive „	0·95	408	42	8	4	3	4	61	12	6	10	8	25	38	53	92	69	29
Urinary „	0·29	124	1	1	2	–	1	5	4	3	10	5	12	15	11	18	26	15
Generative „	0·02	9	–	–	–	–	–	–	–	–	–	–	1	2	2	3	1	–
Childbirth	0·09	39	–	–	–	–	–	–	–	–	2	6	15	16	–	–	–	–
Suicide	0·06	26	–	–	–	–	–	–	–	–	1	–	4	7	5	8	1	–
Other Violence	0·46	198	9	9	10	11	5	44	16	9	6	13	18	22	22	17	22	9
Other Causes	3·73	1605	631	104	22	15	19	791	31	27	17	6	23	34	27	75	185	389

Deaths of Infants (under one to 1000 Births) - 145

Marriages - 2,997
Births - 15,267

Annual Rate per 1000 living { Persons Married - 13·96; Births - - - 35·57

492.—KEIGHLEY.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	22·92	—	—	—	—	—	74·78	7·74	4·47	7·76	8·41	8·86	11·95	19·39	35·89	79·79	194·29
Mean Pop. 1871–80	—	56,631	1535	1446	1428	1424	1367	7200	6420	6042	5966	5349	8510	6638	5157	3288	1588	473
ALL CAUSES	22·92	12977	3269	1168	449	294	204	5384	497	270	463	450	754	793	1000	1180	1267	919
Small-pox	0·27	153	21	26	16	5	4	72	15	6	8	16	11	9	12	3	1	–
Measles	0·38	217	56	84	30	16	15	201	13	3	–	–	–	–	–	–	–	–
Scarlet Fever	0·84	475	18	79	72	62	52	283	138	35	7	8	3	1	–	–	–	–
Diphtheria	0·07	39	2	4	2	5	3	16	16	1	–	–	3	–	1	1	1	–
Whooping-cough	0·49	278	140	79	27	14	8	268	9	–	–	–	1	–	–	–	–	–
Typhus	0·04	22	–	–	–	1	–	1	4	2	5	3	2	2	2	1	–	–
Enteric Fever	0·45	253	2	12	10	12	9	45	21	22	38	25	38	23	27	10	3	1
Simple Cont. Fev.	0·16	90	3	7	6	9	8	33	11	9	8	10	6	4	3	4	2	–
Puerp. Fever	0·09	53	–	–	–	–	–	–	–	–	2	11	27	13	–	–	–	–
Diarr. and Dys.	0·82	464	271	79	6	6	3	365	8	4	–	2	1	11	11	9	27	28
Cholera	0·04	24	6	3	1	1	–	11	1	1	–	1	1	2	–	2	4	1
Cancer	0·43	246	–	–	1	–	–	1	–	2	1	–	5	32	56	89	48	12
Scrofula	0·11	61	8	5	4	2	–	19	8	4	11	3	7	1	3	2	3	–
Tabes Mesent.	0·38	215	112	47	16	6	4	185	7	5	5	4	2	3	1	3	–	–
Phthisis	2·66	1507	25	22	12	9	7	75	23	77	235	219	308	240	194	96	32	8
Hydrocephalus	0·31	174	52	36	22	12	11	133	24	8	4	2	1	2	–	–	–	–
Diseases of: Nervous Syst.	3·04	1723	699	120	49	29	13	910	54	25	30	18	34	61	111	161	198	121
Circulatory „	1·40	794	1	–	–	–	2	3	12	12	26	25	61	98	147	195	161	54
Respiratory „	4·76	2694	699	360	108	59	28	1263	48	12	24	32	91	115	191	318	403	197
Digestive „	1·04	590	82	13	2	3	5	105	14	11	13	13	37	66	96	111	92	32
Urinary „	0·34	192	2	2	2	1	9	16	4	5	8	10	19	21	27	26	36	20
Generative „	0·05	26	–	–	–	–	–	–	–	–	–	1	4	5	6	4	5	1
Childbirth	0·13	75	–	–	–	–	–	–	–	–	3	15	28	27	2	–	–	–
Suicide	0·03	19	–	–	–	–	–	–	–	–	–	–	5	4	3	5	1	1
Other Violence	0·38	218	17	9	11	8	4	49	22	10	15	15	20	15	30	18	17	7
Other Causes	4·21	2373	1053	172	52	34	19	1330	45	16	20	17	39	38	77	122	233	436

Deaths of Infants (under one to 1000 Births) - 165

Marriages - 4,848
Births - 19,857

Annual Rate per 1000 living { Persons Married - 17·12; Births - - - 35·06

493.—TODMORDEN.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	22·73	—	—	—	—	—	68·27	9·62	4·57	6·28	6·85	8·36	11·63	18·58	39·12	86·26	218·64
Mean Pop. 1871-80	—	33,925	942	816	823	829	781	4191	3670	3345	3295	3271	5322	4058	3224	2193	1077	279
ALL CAUSES	22·73	7711	1663	574	284	192	148	2861	353	153	207	224	445	472	599	858	929	610
Small-pox	0·20	67	15	–	–	–	1	16	–	2	9	14	10	9	4	2	1	–
Measles	0·39	133	31	53	13	12	3	117	15	1	–	–	–	–	–	–	–	–
Scarlet Fever	1·64	557	30	68	97	68	73	336	161	37	14	2	4	2	1	–	–	–
Diphtheria	0·11	36	3	7	4	4	6	24	6	3	–	–	1	1	1	–	–	–
Whooping-cough	0·47	160	81	45	16	8	6	156	4	–	–	–	–	–	–	–	–	–
Typhus	0·04	13	–	–	–	–	1	1	1	–	3	1	2	4	–	1	–	–
Enteric Fever	0·54	184	33	16	4	6	4	63	15	14	19	15	20	18	10	8	2	–
Simple Cont. Fev.	0·11	36	1	2	2	2	3	10	11	1	4	3	3	1	1	1	1	–
Puerp. Fever	0·09	32	–	–	–	–	–	–	–	–	1	4	17	9	1	–	–	–
Diarr. and Dys.	0·71	241	112	38	6	–	–	156	3	1	1	–	3	9	12	14	28	14
Cholera	0·06	22	7	–	–	–	–	7	2	1	–	1	2	1	1	4	1	2
Cancer	0·34	115	–	–	–	1	–	1	1	–	–	2	2	12	32	30	25	10
Scrofula	0·13	45	10	4	–	–	–	14	6	3	3	2	7	1	2	4	3	–
Tabes Mesent.	0·24	82	33	19	7	2	–	61	5	5	1	1	5	3	1	–	–	–
Phthisis	1·76	598	–	–	–	2	2	4	6	22	71	87	156	105	73	54	19	1
Hydrocephalus	0·24	82	23	22	9	9	3	66	12	3	–	–	–	1	–	–	–	–
Diseases of: Nervous Syst.	3·12	1060	304	50	20	16	9	399	20	12	15	9	26	37	68	161	215	98
Diseases of: Circulatory „	1·05	355	1	–	–	1	–	2	7	9	9	6	20	46	67	85	84	20
Diseases of: Respiratory „	4·39	1491	288	127	42	23	13	493	26	9	14	21	42	69	151	262	259	145
Diseases of: Digestive „	1·27	432	57	6	5	2	3	73	11	7	16	18	32	39	59	74	80	23
Diseases of: Urinary „	0·36	123	2	–	1	–	1	4	–	1	4	1	14	18	13	27	26	15
Diseases of: Generative „	0·06	21	–	–	–	–	–	–	–	1	1	2	2	3	3	6	3	–
Childbirth	0·17	58	–	–	–	–	–	–	–	–	1	10	29	18	–	–	–	–
Suicide	0·12	42	–	–	–	–	–	–	–	1	–	1	3	9	13	11	1	3
Other Violence	0·59	199	8	4	17	7	2	38	16	7	5	11	10	16	36	23	14	20
OTHER CAUSES	4·53	1527	624	108	41	29	18	820	25	13	16	13	35	41	50	88	167	229

Deaths of Infants (under one) to 1000 Births - 149 | Marriages - 1,786 | Births - 11,134 | Annual Rate per 1000 living { Persons Married - 10·53 | Births - 32·82

494.—SADDLEWORTH.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	22·19	—	—	—	—	—	67·81	7·37	4·53	7·99	9·19	9·16	11·63	15·83	36·46	73·60	193·99
Mean Pop. 1871-80	—	21,111	594	553	552	528	525	2752	2483	2254	2127	1905	3036	2433	1983	1292	663	183
ALL CAUSES	22·19	4685	1113	386	178	107	82	1866	183	102	170	175	278	283	314	471	488	355
Small-pox	0·10	22	2	1	–	–	–	3	3	2	3	1	4	4	2	–	–	–
Measles	0·38	81	17	31	13	8	6	75	4	–	2	–	–	–	–	–	–	–
Scarlet Fever	0·57	183	8	19	34	28	21	110	59	10	3	–	1	–	–	–	–	–
Diphtheria	0·05	11	1	2	1	2	1	7	2	1	–	–	1	–	–	–	–	–
Whooping-cough	0·36	76	40	14	11	8	1	74	2	–	–	–	–	–	–	–	–	–
Typhus	0·13	27	–	–	2	–	1	3	3	4	3	3	4	1	4	1	1	–
Enteric Fever	0·45	95	–	1	4	3	1	9	10	9	16	10	13	11	7	9	1	1
Simple Cont. Fev.	0·12	25	1	–	2	–	2	5	7	1	2	3	2	1	2	2	–	–
Puerp. Fever	0·09	20	–	–	–	–	–	–	–	–	1	5	9	5	–	–	–	–
Diarr. and Dys.	0·90	190	108	25	2	1	3	139	2	1	2	1	5	3	5	6	14	12
Cholera	0·01	3	–	1	–	–	–	1	–	1	–	–	1	–	–	–	–	–
Cancer	0·27	58	–	–	–	–	–	–	–	–	1	–	1	9	14	19	11	3
Scrofula	0·09	20	–	2	1	–	1	4	3	1	1	2	2	1	2	1	3	–
Tabes Mesent.	0·37	78	36	13	9	1	–	59	4	1	5	2	3	2	1	1	–	–
Phthisis	2·79	588	7	15	3	2	2	29	16	24	83	100	117	90	61	46	22	–
Hydrocephalus	0·18	37	15	8	4	1	2	30	4	1	–	–	2	–	–	–	–	–
Diseases of: Nervous Syst.	3·71	783	326	63	32	19	14	460	13	14	6	7	18	15	35	71	102	42
Diseases of: Circulatory „	1·14	240	–	–	–	–	2	2	3	7	7	6	15	27	31	73	49	20
Diseases of: Respiratory „	4·07	859	228	112	30	11	10	391	11	7	6	7	26	34	52	112	128	55
Diseases of: Digestive „	0·98	207	21	6	1	2	–	30	3	2	3	4	16	16	45	38	39	11
Diseases of: Urinary „	0·33	69	–	1	–	1	1	3	1	1	2	3	3	9	9	18	13	7
Diseases of: Generative „	0·06	12	1	–	–	–	–	1	–	–	–	–	1	2	3	2	2	1
Childbirth	0·09	20	–	–	–	–	–	–	–	–	–	3	10	7	–	–	–	–
Suicide	0·10	21	–	–	–	–	–	–	–	1	2	3	4	3	2	3	2	1
Other Violence	0·53	111	3	3	10	2	2	20	9	6	8	7	9	16	14	15	5	2
OTHER CAUSES	4·02	848	299	63	19	18	12	411	24	8	14	8	11	27	25	54	96	170

Deaths of Infants (under one) to 1000 Births - 155 | Marriages - 1,326 | Births - 7,168 | Annual Rate per 1000 living { Persons Married - 12·56 | Births - 33·95

495.—HUDDERSFIELD.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	22·39	—	—	—	—	—	68·23	7·53	4·55	7·10	8·27	9·64	12·52	17·82	36·45	77·85	186·58
Mean Pop. 1871-80	—	148,332	4341	3855	3905	3786	3846	19733	17631	16213	15105	13682	22109	16796	12807	8617	4320	1319
ALL CAUSES	22·39	33,215	7971	3000	1146	785	562	13464	1327	738	1073	1131	2132	2103	2282	3141	3363	2461
Small-pox	0·04	56	5	2	2	1	-	10	7	6	6	12	3	6	3	1	2	-
Measles	0·43	634	153	268	99	44	29	593	36	4	-	-	1	-	-	-	-	-
Scarlet Fever	0·84	1244	62	202	180	198	137	779	348	71	40	10	13	3	-	-	-	-
Diphtheria	0·14	206	28	22	16	25	24	115	53	19	5	5	3	2	2	2	-	-
Whooping-cough	0·50	737	322	240	97	47	18	724	13	-	-	-	-	-	-	-	-	-
Typhus	0·08	114	1	-	1	3	1	6	12	11	20	8	16	17	11	11	2	-
Enteric Fever	0·45	673	9	27	26	23	15	103	69	62	74	64	103	68	58	38	23	1
Simple Cont. Fev.	0·14	204	8	13	13	14	9	60	23	16	14	8	15	19	11	20	10	5
Puerp. Fever	0·11	167	-	-	-	-	-	-	-	-	4	42	80	41	-	-	-	-
Diarr. and Dys.	0·78	1164	665	183	29	5	5	887	12	5	6	5	13	18	23	47	70	73
Cholera	0·05	76	23	6	2	3	2	36	1	2	2	-	2	3	9	13	8	-
Cancer	0·39	582	-	-	2	2	-	4	1	1	1	1	32	87	131	187	107	39
Scrofula	0·12	172	39	21	12	7	6	76	18	13	15	4	15	12	8	5	5	1
Tabes Mesent.	0·28	415	169	110	31	15	5	330	21	8	16	6	9	6	8	5	6	-
Phthisis	2·74	4070	93	56	28	14	14	205	90	157	538	574	918	688	465	314	115	6
Hydrocephalus	0·46	685	190	153	66	57	48	514	91	48	14	5	8	4	1	-	-	-
Diseases of: Nervous Syst.	3·25	4824	2013	397	144	94	57	2705	155	72	65	38	119	137	269	433	551	280
Diseases of: Circulatory "	1·14	1691	-	3	1	1	2	7	33	47	37	52	123	177	245	477	383	105
Diseases of: Respiratory "	4·08	6058	1523	752	245	104	71	2695	109	37	42	67	171	275	408	753	975	526
Diseases of: Digestive "	1·07	1588	171	41	18	13	13	256	31	32	42	45	107	160	248	297	281	89
Diseases of: Urinary "	0·42	622	8	10	13	10	10	51	17	10	15	33	57	66	85	119	113	47
Diseases of: Generative "	0·05	73	1	-	-	-	-	1	-	-	1	5	7	16	23	13	7	-
Childbirth	0·11	156	-	-	-	-	-	-	-	-	4	28	75	47	2	-	-	-
Suicide	0·09	132	-	-	-	-	-	-	-	2	8	10	15	33	23	26	11	1
Other Violence	0·52	765	25	34	31	30	23	148	59	45	49	40	91	71	80	100	56	23
Other Causes	4·11	6107	2172	457	90	72	68	3159	125	64	75	66	136	147	161	280	623	1271

Deaths of Infants (under one) to 1000 Births - 156

Marriages - 12,139
Births - 51,061

Annual Rate per 1000 living: Persons Married - 16·37; Births - 34·42

496.—HALIFAX.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	22·62	—	—	—	—	—	72·64	7·53	4·57	7·34	7·80	8·56	12·98	19·35	37·11	77·88	184·70
Mean Pop. 1871-80	—	161,853	4728	4044	4151	4028	4036	20987	18822	17002	16485	14931	24858	19106	14433	9438	4484	1307
ALL CAUSES	22·62	36,614	8899	3387	1439	881	638	15244	1418	777	1210	1164	2129	2471	2793	3502	3492	2414
Small-pox	0·05	77	8	-	-	2	2	12	11	5	7	17	8	13	2	2	-	-
Measles	0·35	572	139	221	104	49	28	541	23	2	-	-	1	-	-	-	-	-
Scarlet Fever	1·11	1793	120	292	354	286	217	1269	437	63	10	5	8	-	-	1	-	-
Diphtheria	0·05	88	4	7	10	17	10	48	22	5	5	1	3	2	1	1	-	-
Whooping-cough	0·44	716	337	229	80	38	27	701	15	-	-	-	-	-	-	-	-	-
Typhus	0·07	111	-	-	2	2	4	8	10	18	19	17	13	8	11	4	3	-
Enteric Fever	0·45	722	10	20	30	19	21	100	77	73	90	82	120	70	54	35	16	5
Simple Cont. Fev.	0·14	223	1	10	17	10	11	49	42	16	21	15	12	13	15	16	15	9
Puerp. Fever	0·08	133	-	-	-	-	-	-	-	-	5	28	65	34	1	-	-	-
Diarr. and Dys.	0·58	934	508	167	31	8	6	720	16	7	3	3	8	18	15	35	55	54
Cholera	0·03	52	14	2	-	2	1	19	1	-	1	2	4	5	9	6	3	2
Cancer	0·39	624	1	-	-	-	1	2	2	1	1	3	32	87	184	185	100	27
Scrofula	0·10	161	23	20	13	7	2	75	11	17	14	9	8	17	6	2	1	1
Tabes Mesent.	0·25	407	156	93	38	13	13	313	24	18	21	9	10	4	5	2	1	-
Phthisis	2·43	3928	21	48	13	11	10	103	84	172	561	578	848	745	492	252	82	8
Hydrocephalus	0·34	554	180	148	54	41	23	449	70	25	7	1	2	-	-	-	-	-
Diseases of: Nervous Syst.	3·80	6298	2762	520	203	125	83	3693	199	93	73	49	122	265	334	576	648	295
Diseases of: Circulatory "	1·10	1785	8	5	3	4	3	23	23	50	76	59	178	149	317	446	310	63
Diseases of: Respiratory "	4·55	7380	1628	924	287	130	76	3044	135	50	68	83	217	399	634	1057	1133	330
Diseases of: Digestive "	1·10	1788	177	40	17	21	17	272	40	39	59	37	117	178	298	339	303	86
Diseases of: Urinary "	0·32	517	5	10	5	7	9	36	18	7	16	21	54	73	78	105	78	31
Diseases of: Generative "	0·05	78	-	-	-	1	-	1	-	1	2	1	8	17	23	16	9	-
Childbirth	0·11	171	-	-	-	-	-	-	-	-	8	29	75	58	1	-	-	-
Suicide	0·03	123	-	-	-	-	-	-	-	-	6	10	22	33	24	23	9	1
Other Violence	0·50	806	50	36	48	23	21	158	47	54	57	52	94	97	86	78	55	23
Other Causes	4·05	6568	2764	596	130	65	50	3605	101	55	75	83	100	155	173	311	671	1239

Deaths of Infants (under one) to 1000 Births - 157

Marriages - 15,668
Births - 56,817

Annual Rate per 1000 living: Persons Married - 18·62; Births - 35·10

497.—BRADFORD.

—	Annual Death Rate per 1000.	All Ages	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	23·86	—	—	—	—	—	83·71	7·63	4·35	6·57	7·92	9·19	13·52	19·86	37·08	80·67	180·27
Mean Pop. 1871-80	—	284,647	8540	7503	7419	7362	7185	38014	32981	29940	29223	26797	44710	34257	24792	15235	6787	1911
ALL CAUSES	23·86	67,917	19137	7184	2667	1632	1203	31823	2518	1302	1919	2122	4111	4630	4923	5649	5475	3445
Small-pox	0·08	217	23	8	11	5	10	62	28	10	21	33	36	14	5	7	1	-
Measles	0·46	1309	325	560	201	114	49	1249	55	2	1	1	-	1	-	-	-	-
Scarlet Fever	1·03	2910	161	450	556	475	432	2074	702	103	24	20	10	5	2	-	-	-
Diphtheria	0·09	238	23	51	25	22	18	144	59	8	4	4	6	5	3	2	2	1
Whooping-cough	0·57	1612	667	541	202	113	47	1570	42	-	-	-	-	-	-	-	-	-
Typhus	0·05	133	2	1	1	5	6	15	11	12	16	12	21	14	11	13	7	1
Enteric Fever	0·41	1166	25	38	60	33	42	198	123	111	174	116	114	108	80	57	40	15
Simple Cont. Fev.	0·12	343	17	26	24	21	13	101	51	39	17	9	31	19	23	23	19	11
Puerp. Fever	0·09	252	-	-	-	-	-	-	-	-	10	68	114	58	2	-	-	-
Diarr. and Dys.	1·15	3287	2036	608	120	33	20	2817	40	8	7	11	27	47	53	74	123	80
Cholera	0·03	88	8	10	7	4	2	31	4	5	1	2	7	7	9	10	7	5
Cancer	0·45	1282	-	1	1	-	1	3	2	1	6	6	55	221	393	348	200	47
Scrofula	0·13	384	116	71	16	17	11	231	35	24	22	17	14	17	9	8	4	2
Tabes Mesent.	0·29	833	334	211	62	26	16	649	58	27	31	10	24	14	14	3	3	-
Phthisis	2·50	7128	87	90	46	29	31	283	131	281	897	1037	1772	1578	823	397	115	11
Hydrocephalus	0·56	1599	536	478	155	105	63	1337	166	49	24	9	5	5	3	1	-	-
Diseases of: Nervous Syst.	3·29	9368	3879	879	291	161	115	5325	277	145	115	111	212	365	549	855	962	452
Diseases of: Circulatory „	1·38	3924	13	9	2	-	7	31	55	93	120	141	357	619	734	922	654	198
Diseases of: Respiratory „	4·51	12831	3622	1811	537	245	146	6391	230	72	110	127	404	645	1047	1526	1576	703
Diseases of: Digestive „	1·01	2867	431	63	29	23	16	562	71	71	71	77	212	318	431	529	410	115
Diseases of: Urinary „	0·37	1048	7	17	11	6	15	56	34	37	40	41	112	133	174	194	168	59
Diseases of: Generative „	0·06	162	-	-	-	-	1	1	1	1	7	5	25	23	46	28	20	5
Childbirth	0·11	299	-	-	-	-	-	-	-	1	10	42	121	122	3	-	-	-
Suicide	0·07	211	-	-	-	-	-	-	-	4	9	17	34	37	46	41	21	2
Other Violence	0·50	1417	120	75	55	49	40	339	119	75	79	99	156	173	146	106	68	57
Other Causes	4·55	12979	6695	1156	255	146	102	8354	223	120	103	107	212	282	317	505	1075	1681

Deaths of Infants (under one) to 1000 Births 177 — Marriages 25,730; Births 108,074 — Annual Rate per 1000 living: Persons Married 18·08; Births 37·97

498.—HUNSLET.

—	Annual Death Rate per 1000	All Ages	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	25·49	—	—	—	—	—	88·35	7·34	4·44	6·66	7·99	8·90	11·64	18·99	36·44	81·78	189·18
Mean Pop. 1871-80	—	52,244	1906	1575	1644	1594	1529	8248	6687	5561	4937	4519	8212	6085	4117	2470	1103	305
ALL CAUSES	25·49	13,315	4463	1618	616	346	244	7287	491	247	329	361	731	708	782	900	902	577
Small-pox	0·21	110	21	2	2	5	2	32	18	7	11	13	15	12	1	1	-	-
Measles	0·56	294	61	121	48	25	17	272	21	1	-	-	-	-	-	-	-	-
Scarlet Fever	1·02	533	29	78	106	85	62	360	134	21	7	4	5	-	1	1	-	-
Diphtheria	0·09	45	5	5	9	6	8	32	8	1	1	-	2	-	1	-	-	-
Whooping-cough	0·60	316	117	105	47	25	11	305	10	-	-	-	-	-	-	-	-	-
Typhus	0·08	43	-	1	1	1	2	5	6	2	8	3	4	8	2	4	1	-
Enteric Fever	0·42	221	4	8	13	5	12	42	24	23	31	23	38	16	12	9	2	1
Simple Cont. Fev.	0·17	89	2	10	8	6	10	36	19	8	3	3	5	2	3	6	2	1
Puerp. Fever	0·12	65	-	-	-	-	-	-	-	-	-	26	30	9	-	-	-	-
Diarr. and Dys.	1·84	960	639	217	23	5	3	887	5	-	1	1	3	4	9	10	22	18
Cholera	0·03	15	5	2	1	-	-	8	1	2	-	-	2	-	1	-	-	1
Cancer	0·35	181	2	-	1	1	1	5	1	-	1	2	7	30	50	51	28	6
Scrofula	0·10	50	12	9	1	4	2	28	6	5	3	2	3	2	-	-	1	-
Tabes Mesent.	0·45	233	121	69	12	5	4	211	11	2	3	2	1	-	2	1	-	-
Phthisis	1·96	1024	5	11	6	4	5	31	30	51	133	154	237	191	120	43	12	2
Hydrocephalus	0·35	182	77	52	21	7	5	162	15	3	1	-	1	-	-	-	-	-
Diseases of: Nervous Syst.	3·66	1913	931	155	75	47	30	1238	53	25	21	20	43	52	96	151	148	66
Diseases of: Circulatory „	1·05	548	2	-	2	1	2	7	5	18	23	17	53	85	109	112	95	24
Diseases of: Respiratory „	4·98	2604	746	477	151	64	35	1473	44	23	23	27	88	109	188	280	217	112
Diseases of: Digestive „	0·94	491	92	17	7	6	5	127	11	14	16	14	35	53	67	88	52	14
Diseases of: Urinary „	0·30	157	-	11	1	6	4	22	5	9	2	6	21	24	27	18	18	5
Diseases of: Generative „	0·06	31	1	-	-	-	-	1	-	-	-	1	8	7	7	5	2	-
Childbirth	0·13	69	-	-	-	-	-	-	-	-	7	11	33	18	-	-	-	-
Suicide	0·07	35	-	-	-	-	-	-	-	1	1	1	5	7	7	10	3	-
Other Violence	0·56	291	45	10	20	5	7	87	23	14	16	16	31	35	23	23	20	3
Other Causes	5·39	2815	1546	258	61	33	17	1915	41	17	17	15	40	44	56	87	259	324

Deaths of Infants (under one) to 1000 Births 102 — Marriages 4,248; Births 23,260 — Annual Rate per 1000 living: Persons Married 16·26; Births 44·52

499.—HOLBECK.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	26·64	—	—	—	—	—	94·00	7·31	4·36	6·74	7·42	8·49	12·04	20·35	40·58	84·92	217·69
Mean Pop. 1871-80	—	22,884	783	652	656	637	621	3349	2819	2411	2210	2035	3462	2682	1907	1215	597	147
ALL CAUSES	26·64	6084	1912	727	264	154	91	3148	206	105	149	151	294	323	388	493	507	320
Small-pox	0·11	25	5	-	2	-	1	8	5	1	1	3	5	2	-	-	-	-
Measles	0·53	122	31	51	18	13	4	117	5	-	-	-	-	-	-	-	-	-
Scarlet Fever	1·13	258	14	46	40	42	37	179	65	7	1	2	4	-	-	-	-	-
Diphtheria	0·09	21	4	2	4	7	1	18	2	-	1	-	-	-	-	-	-	-
Whooping-cough	0·76	174	72	64	17	11	5	169	5	-	-	-	-	-	-	-	-	-
Typhus	0·02	5	-	-	-	-	-	-	-	-	2	1	1	-	-	1	-	-
Enteric Fever	0·49	113	2	1	2	-	4	9	14	14	17	11	20	9	7	7	5	-
Simp. Cont. Fev.	0·14	31	-	4	4	3	1	12	6	2	1	1	-	2	3	3	1	-
Puerp. Fever	0·03	18	-	-	-	-	-	-	-	-	3	4	8	3	-	-	-	-
Diarr. and Dys.	1·77	404	233	81	16	4	2	336	3	1	2	-	3	3	-	8	8	10
Cholera	0·14	32	17	6	-	-	-	23	-	-	1	-	-	1	2	4	-	1
Cancer	0·40	92	-	-	-	-	1	1	-	-	1	-	3	5	29	32	17	4
Scrofula	0·09	20	2	3	1	1	1	8	1	3	3	3	-	-	1	1	-	-
Tabes Mesent.	0·50	114	64	26	7	2	-	99	1	4	3	3	2	2	-	-	-	-
Phthisis	2·13	487	4	5	1	1	1	12	11	19	70	72	110	92	57	34	9	1
Hydrocephalus	0·65	150	58	39	12	11	6	126	15	5	3	-	-	1	-	-	-	-
Disease of: Nervous Syst.	3·61	824	342	66	34	18	9	459	21	11	7	5	23	31	40	99	90	29
Disease of: Circulatory "	1·15	263	-	-	1	-	-	1	2	10	3	8	25	41	63	58	43	9
Disease of: Respiratory "	5·22	1193	569	184	68	25	10	656	21	3	7	12	39	49	101	130	123	61
Disease of: Digestive "	0·93	212	55	21	2	-	-	78	6	2	3	4	12	27	22	29	21	8
Disease of: Urinary "	0·61	139	1	1	4	1	-	7	4	5	1	5	14	23	33	29	15	3
Disease of: Generative "	0·03	6	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	1
Childbirth	0·08	19	-	-	-	-	-	-	-	-	2	3	9	5	-	-	-	-
Suicide	0·08	19	-	-	-	-	-	-	-	-	2	3	3	2	3	3	3	-
Other Violence	0·46	104	31	6	3	4	-	44	6	5	7	6	6	7	7	5	7	4
Other Causes	5·43	1229	578	121	28	11	8	746	14	13	8	5	13	17	19	50	165	189

Deaths of Infants (under one) to 1000 Births . 196 — Marriages . 1,332; Births . 9,733 — Annual Rate per 1000 living: Persons Married . 12·10; Births . . . 42·63

500.—BRAMLEY.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	21·98	—	—	—	—	—	74·93	6·46	3·55	5·67	7·38	7·47	11·24	15·74	32·99	78·32	193·48
Mean Pop. 1871-80	—	49,421	1648	1428	1416	1398	1283	7273	6149	5183	4782	4389	7725	5808	4110	2522	1158	322
ALL CAUSES	21·98	10,865	3969	1138	450	287	206	5450	397	184	271	324	577	653	647	832	907	623
Small-pox	0·06	31	4	2	-	3	1	10	5	1	3	3	5	2	-	2	-	-
Measles	0·40	200	48	86	34	13	7	188	11	-	-	-	-	1	-	-	-	-
Scarlet Fever	0·89	441	30	71	66	82	58	347	90	14	2	4	3	-	1	-	-	-
Diphtheria	0·10	48	2	11	6	7	10	36	9	-	1	-	1	1	-	-	-	-
Whooping-cough	0·62	306	142	95	41	14	7	299	7	-	-	-	-	-	-	-	-	-
Typhus	0·06	32	-	-	1	1	-	2	1	3	7	6	5	1	4	2	-	1
Enteric Fever	0·49	243	-	4	8	10	13	35	31	33	35	27	41	20	13	3	5	-
Simp. Cont. Fev.	0·11	55	-	3	6	5	4	18	13	2	4	6	3	1	3	4	1	-
Puerp. Fever	0·08	41	-	-	-	-	-	-	-	-	2	7	21	10	1	-	-	-
Diarr. and Dys.	1·30	642	451	89	20	1	4	565	5	1	1	5	5	6	5	18	23	8
Cholera	0·05	23	13	2	-	-	-	15	1	1	-	-	1	-	2	-	2	1
Cancer	0·42	209	-	-	1	-	-	1	-	1	1	-	11	31	52	58	45	9
Scrofula	0·13	65	15	13	8	-	-	36	3	5	9	3	1	3	2	2	1	-
Tabes Mesent.	0·40	199	97	54	18	9	2	180	4	4	3	4	1	-	2	-	1	-
Phthisis	1·84	911	16	16	10	9	3	54	22	40	104	136	209	184	80	43	17	2
Hydrocephalus	0·36	177	66	45	15	19	6	151	17	2	2	3	1	-	1	-	-	-
Disease of: Nervous Syst.	3·23	1565	676	158	57	35	25	951	52	23	18	11	28	47	73	143	163	83
Disease of: Circulatory "	1·28	623	1	2	-	-	1	5	14	6	22	11	47	98	111	147	123	39
Disease of: Respiratory "	4·07	2011	542	316	89	41	25	1013	31	5	14	24	61	94	126	205	257	121
Disease of: Digestive "	0·86	424	64	16	2	4	3	89	8	10	6	8	25	40	58	73	61	16
Disease of: Urinary "	0·41	201	2	5	2	1	7	17	10	3	9	5	22	26	31	38	32	8
Disease of: Generative "	0·04	22	-	-	-	-	-	-	-	-	-	1	3	7	3	5	3	-
Childbirth	0·10	47	-	-	-	-	-	-	-	-	2	10	20	15	-	-	-	-
Suicide	0·09	45	-	-	-	-	-	-	-	1	4	3	6	9	10	5	4	1
Other Violence	0·48	235	35	11	12	10	5	73	22	10	9	10	24	27	17	18	13	12
Other Causes	4·19	2071	1115	158	34	23	25	1355	41	19	13	17	33	30	42	66	156	319

Deaths of Infants (under one) to 1000 Births . 170 — Marriages . 2,027; Births . 19,792 — Annual Rate per 1000 living: Persons Married . 8·20; Births . . . 40·05

501.—LEEDS.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	26·04	—	—	—	—	—	87·47	8·26	4·39	6·25	8·17	10·47	15·88	23·95	41·96	84·87	189·97
Mean Pop. 1871-80	—	176,634	5548	4761	4721	4678	4619	24327	20525	18054	17381	16656	28491	21449	14892	9334	4368	1157
ALL CAUSES	26·04	45987	13063	4485	1843	1140	747	21278	1695	792	1086	1360	2982	3406	3566	3917	3707	2198
Small-pox	0·19	335	31	4	11	10	7	63	51	18	33	53	77	19	13	5	3	–
Measles	0·41	733	163	284	137	66	29	679	48	3	–	–	2	1	–	–	–	–
Scarlet Fever	1·08	1912	108	297	324	321	237	1287	492	86	27	5	12	3	–	–	–	–
Diphtheria	0·07	117	12	10	8	16	14	60	42	5	1	1	3	4	–	–	1	–
Whooping-cough	0·65	1147	427	399	156	95	47	1124	21	1	–	–	–	1	–	–	–	–
Typhus	0·11	192	1	–	–	1	3	5	14	11	26	28	39	39	22	8	–	–
Enteric Fever	0·45	795	9	24	12	26	11	82	86	74	104	124	158	75	54	24	12	2
Simple Cont. Fev.	0·11	196	5	13	11	13	11	53	29	14	21	10	26	17	4	9	9	4
Puerp. Fever	0·09	152	–	–	–	–	–	–	–	–	8	42	73	28	1	–	–	–
Diarr. and Dys.	1·83	3231	2229	568	94	23	11	2925	16	1	2	8	14	22	38	61	88	56
Cholera	0·03	47	12	3	–	1	1	17	1	2	–	1	–	2	6	10	6	2
Cancer	0·51	897	–	1	–	1	1	3	1	3	4	5	53	103	236	234	123	45
Scrofula	0·12	210	58	35	15	11	10	129	19	9	9	8	11	10	5	7	2	1
Tabes Mesent.	0·41	732	383	187	44	14	15	613	32	21	16	4	8	3	4	1	–	–
Phthisis	2·40	4239	26	30	30	12	12	110	108	161	422	511	1052	947	606	262	56	4
Hydrocephalus	0·37	657	231	180	91	42	26	570	57	18	5	1	3	1	–	1	1	–
Diseases of: Nervous Syst.	3·53	6239	2456	497	193	112	72	3330	189	73	65	68	167	260	422	638	719	303
Diseases of: Circulatory „	1·43	2525	7	6	2	2	1	18	30	51	65	81	273	431	463	585	395	133
Diseases of: Respiratory „	5·01	8852	2246	1135	429	187	105	4102	142	56	57	111	330	544	804	1106	1691	509
Diseases of: Digestive „	1·02	1803	205	48	23	11	18	305	38	32	47	44	153	231	235	336	239	83
Diseases of: Urinary „	0·45	794	6	22	12	17	8	65	21	16	22	34	94	129	120	129	125	36
Diseases of: Generative „	0·09	155	2	–	–	–	–	2	–	1	1	14	27	46	26	25	12	1
Childbirth	0·09	161	–	–	–	–	–	–	–	–	7	24	86	44	–	–	–	–
Suicide	0·07	120	–	–	–	–	–	–	–	–	3	6	19	19	37	22	14	–
Other Violence	0·77	1358	149	59	64	47	36	355	119	45	52	99	141	158	153	108	86	42
Other Causes	4·75	8388	4297	683	187	112	72	5351	136	91	89	73	156	269	237	344	725	972

Deaths of Infants (under one) to 1000 Births 188 — Marriages 20,905; Births 69,463 — Annual Rate per 1000 living: Persons Married 23·67; Births 39·33

502.—DEWSBURY.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	23·51	—	—	—	—	—	33·27	8·37	4·28	6·47	7·42	8·49	12·11	18·57	36·01	80·76	182·72
Mean Pop. 1871-80	—	138,999	4447	3815	3891	3840	3713	19706	17146	15371	14540	13058	21328	16135	11143	6699	2999	874
ALL CAUSES	23·51	32676	9914	3576	1401	885	633	16409	1435	658	941	969	1810	1954	2069	2412	2422	1597
Small-pox	0·30	413	95	37	13	7	14	166	52	35	36	43	27	33	9	2	–	–
Measles	0·52	721	157	279	141	66	31	674	41	4	–	–	1	1	–	–	–	–
Scarlet Fever	1·18	1635	113	234	267	284	221	1119	418	66	11	8	10	3	–	–	–	–
Diphtheria	0·07	103	5	12	16	20	6	59	29	5	4	1	1	–	–	4	–	–
Whooping-cough	0·53	742	314	245	87	45	23	714	28	–	–	–	–	–	–	–	–	–
Typhus	0·06	87	1	1	1	1	2	6	7	9	17	16	11	9	3	5	3	1
Enteric Fever	0·53	731	15	25	30	20	31	121	82	75	97	66	109	74	58	36	11	2
Simple Cont. Fev.	0·13	181	8	14	13	14	9	58	27	12	11	7	15	10	15	13	10	3
Puerp. Fever	0·10	133	–	–	–	–	–	–	–	–	13	29	60	31	–	–	–	–
Diarr. and Dys.	1·12	1555	929	297	47	9	10	1292	21	3	5	4	12	18	20	41	71	63
Cholera	0·08	112	71	19	6	1	–	97	1	1	1	1	–	2	5	1	3	–
Cancer	0·31	436	–	1	1	1	1	4	1	2	1	1	19	72	132	112	74	18
Scrofula	0·11	159	38	15	8	5	5	71	12	12	11	9	16	11	9	5	2	1
Tabes Mesent.	0·44	610	242	164	45	28	11	490	33	11	20	22	17	6	6	5	–	–
Phthisis	2·18	3032	43	47	26	12	15	143	79	132	415	445	729	524	337	176	49	3
Hydrocephalus	0·54	750	276	213	79	52	25	645	71	20	5	4	5	–	–	–	–	–
Diseases of: Nervous Syst.	3·42	4751	2211	419	166	100	57	2953	153	57	51	52	86	158	230	403	409	196
Diseases of: Circulatory „	1·10	1529	3	4	3	2	4	16	34	43	40	46	132	243	271	381	268	55
Diseases of: Respiratory „	4·26	5916	1755	896	297	127	80	3155	118	37	52	43	170	298	454	636	653	300
Diseases of: Digestive „	0·83	1153	174	29	13	8	3	227	40	20	21	28	79	129	202	220	146	41
Diseases of: Urinary „	0·32	440	11	11	4	4	7	37	19	12	12	14	44	57	64	76	86	19
Diseases of: Generative „	0·05	63	2	–	–	–	–	2	–	–	2	5	9	10	15	10	8	2
Childbirth	0·11	156	–	–	–	–	–	–	–	–	9	31	66	47	3	–	–	–
Suicide	0·05	72	–	–	–	–	–	–	–	1	8	4	12	14	14	15	3	1
Other Violence	0·52	717	43	46	34	22	18	163	45	45	48	46	81	83	85	54	40	22
Other Causes	4·65	6479	3403	568	104	57	60	4192	121	56	51	44	89	121	137	217	586	865

Deaths of Infants (under one) to 1000 Births 181 — Marriages 13,416; Births 54,803 — Annual Rate per 1000 living: Persons Married 19·30; Births 39·43

503.—WAKEFIELD.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	24·07	—	—	—	—	—	60·73	7·36	4·25	6·85	8·77	10·45	15·91	22·13	38·81	77·19	179·03
Mean Pop. 1871-80	—	78,949	2704	2358	2362	2409	2266	12099	9930	8394	7347	7171	12375	8982	6045	3917	2012	677
ALL CAUSES	24·07	19,002	5042	1861	729	477	328	8437	731	357	503	629	1293	1429	1338	1520	1553	1212
Small-pox	0·29	229	39	4	7	8	13	71	36	10	20	19	41	17	13	2	–	–
Measles	0·33	263	49	114	51	21	9	244	17	–	–	–	1	1	–	–	–	–
Scarlet Fever	1·03	850	51	126	147	147	118	592	196	37	9	9	5	2	–	–	–	–
Diphtheria	0·09	69	12	15	10	13	–	50	9	4	2	1	1	1	–	1	–	–
Whooping cough	0·50	392	165	124	50	23	17	379	13	–	–	–	–	–	–	–	–	–
Typhus	0·04	28	–	–	1	–	1	2	5	3	4	1	2	7	3	1	–	–
Enteric Fever	0·48	381	11	9	24	9	15	68	59	22	41	48	66	35	23	20	5	4
Simple Cont. Fev.	0·12	96	7	11	8	7	4	37	15	3	1	8	9	3	7	5	6	2
Puerp. Fever	0·11	88	–	–	–	–	–	–	–	–	7	23	37	20	1	–	–	–
Diarr. and Dys.	1·31	1037	579	215	42	11	5	852	8	4	3	6	11	14	14	42	51	32
Cholera	0·02	17	3	2	2	1	1	9	1	–	–	2	–	1	1	2	1	–
Cancer	0·35	277	–	–	–	–	–	–	–	1	–	4	9	57	62	80	37	27
Scrofula	0·18	145	31	32	8	6	–	77	6	13	5	10	11	4	9	7	3	–
Tabes Mesent.	0·68	534	242	176	36	16	7	477	15	6	11	6	5	10	1	2	1	–
Phthisis	2·29	1803	26	28	9	10	9	82	42	68	196	255	448	334	214	125	89	5
Hydrocephalus	0·39	306	111	79	27	17	15	249	36	14	1	2	2	–	1	1	–	–
Diseases of: Nervous Syst.	3·98	3141	953	193	93	57	37	1333	100	38	44	54	179	292	289	311	333	161
Diseases of: Circulatory	1·18	935	1	2	1	3	1	8	10	13	21	23	72	131	159	211	189	87
Diseases of: Respiratory	4·27	3374	995	482	132	79	28	1716	64	16	22	31	115	162	247	338	414	149
Diseases of: Digestive	0·90	712	85	16	10	4	4	119	13	18	16	18	55	78	109	150	104	32
Diseases of: Urinary	0·31	246	1	5	4	3	3	16	8	2	5	7	19	42	44	45	48	10
Diseases of: Generative	0·04	28	–	–	–	–	–	–	1	–	–	–	6	5	6	7	3	–
Childbirth	0·10	79	–	–	–	–	–	–	–	–	5	11	31	31	1	–	–	–
Suicide	0·09	72	–	–	–	–	–	–	–	1	3	4	16	15	13	11	8	1
Other Violence	0·79	620	37	25	22	10	12	106	38	46	45	56	80	84	55	45	42	14
Other Causes	4·15	3272	1636	203	45	32	29	1945	59	23	39	28	63	83	63	114	269	585

Deaths of Infants (under one) to 1000 Births - 154

Marriages - 6,484
Births - 32,724

Annual Rate per 1000 living: Persons Married - 16·43; Births - 41·45

504.—PONTEFRACT.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	22·93	—	—	—	—	—	74·39	6·15	3·54	5·26	7·29	8·36	11·51	16·99	29·10	67·41	166·12
Mean Pop. 1871-80	—	41,187	1434	1256	1314	1270	1239	6513	5524	4607	3804	3430	6122	4420	3114	2062	1163	428
ALL CAUSES	22·93	9444	2953	1050	399	250	193	4845	340	163	200	250	512	510	529	600	784	711
Small-pox	0·31	127	21	3	7	4	5	40	17	8	12	16	20	12	2	–	–	–
Measles	0·44	183	39	68	29	23	10	169	13	–	–	–	–	–	1	–	–	–
Scarlet Fever	0·93	382	24	53	76	54	59	266	95	14	1	3	1	1	1	–	–	–
Diphtheria	0·12	51	10	8	6	5	9	38	9	1	3	–	–	–	–	–	–	–
Whooping-cough	0·45	185	54	67	17	11	5	154	1	–	–	–	–	–	–	–	–	–
Typhus	0·02	10	–	–	–	–	–	–	–	3	2	1	2	–	1	1	–	–
Enteric Fever	0·54	221	3	12	9	10	9	43	24	23	19	30	33	21	18	9	3	–
Simple Cont. Fev.	0·11	47	–	6	3	5	8	22	5	3	1	3	2	3	1	1	4	2
Puerp. Fever	0·07	27	–	–	–	–	–	–	–	–	2	5	12	8	–	–	–	–
Diarr. and Dys.	1·53	631	368	134	30	4	7	553	4	1	–	–	3	3	7	15	28	17
Cholera	0·01	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1
Cancer	0·32		–	–	–	–	–	–	1	–	–	2	9	17	32	32	27	10
Scrofula	0·13	53	16	11	3	2	–	32	3	3	1	2	5	4	2	1	–	–
Tabes Mesent.	0·42	174	83	60	12	6	1	162	3	4	–	–	1	1	1	1	1	–
Phthisis	1·75	721	7	21	9	10	7	54	19	34	80	89	172	146	79	37	10	1
Hydrocephalus	0·28	114	39	31	8	7	1	97	10	6	–	–	1	–	–	–	–	–
Diseases of: Nervous Syst.	3·54	1459	696	129	57	35	18	935	46	10	14	8	36	49	75	89	139	58
Diseases of: Circulatory	1·16	476	2	1	1	2	–	6	4	9	9	13	34	53	67	114	123	41
Diseases of: Respiratory	3·38	1392	443	213	60	30	18	764	19	6	13	11	42	57	78	126	164	112
Diseases of: Digestive	0·95	390	58	11	2	4	1	76	10	4	9	6	23	35	73	70	60	24
Diseases of: Urinary	0·27	111	3	4	–	1	3	11	4	2	6	7	9	10	13	19	21	9
Diseases of: Generative	0·04	15	–	–	–	–	–	–	–	–	–	–	3	3	4	5	–	–
Childbirth	0·11	46	–	–	–	–	–	–	–	–	2	9	23	11	1	–	–	–
Suicide	0·07	27	–	–	–	–	–	–	–	–	1	2	2	4	8	7	3	–
Other Violence	0·73	322	25	17	11	8	11	72	19	18	18	32	54	29	31	25	15	6
Other Causes	5·20	2145	1032	201	59	19	10	1321	34	14	7	11	25	43	81	48	181	430

Deaths of Infants (under one) to 1000 Births - 160

Marriages - 3,332
Births - 18,499

Annual Rate per 1000 living: Persons Married - 16·18; Births - 44·91

505.—HEMSWORTH.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	17·09	—	—	—	—	—	40·93	4·84	3·30	4·69	6·01	8·18	9·41	14·53	21·22	59·68	172·08
Mean Pop. 1871-80	—	9610	256	259	256	260	254	1285	1156	1211	875	815	1333	1041	812	556	372	154
ALL CAUSES	17·09	1642	348	90	45	30	13	526	56	40	41	49	109	98	118	118	222	265
Small-pox	0·04	4	-	-	-	-	1	1	1	-	-	-	-	2	-	-	-	-
Measles	0·14	13	2	7	2	2	-	13	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·56	54	5	8	10	4	3	30	18	4	-	-	-	2	-	-	-	-
Diphtheria	0·25	24	-	2	-	7	1	10	8	2	3	-	-	1	-	-	-	-
Whooping-cough	0·22	21	12	4	2	1	1	20	1	-	-	-	-	-	-	-	-	-
Typhus	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	0·44	42	-	1	-	2	1	4	1	4	4	7	8	5	8	1	-	-
Simple Cont. Fev.	0·02	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Puerp. Fever	0·07	7	-	-	-	-	-	-	-	-	-	3	3	1	-	-	-	-
Diarr. and Dys.	0·33	32	16	-	-	-	-	16	2	-	-	-	1	2	-	1	5	5
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·46	44	-	-	-	-	-	-	-	-	-	-	-	1	11	10	13	9
Scrofula	0·08	8	1	-	1	-	-	2	1	2	-	-	1	1	-	-	1	-
Tabes Mesent.	0·32	31	12	8	7	-	-	27	1	-	-	1	1	-	-	1	-	-
Phthisis	1·48	142	3	2	1	-	-	6	-	3	11	18	43	29	17	9	5	1
Hydrocephalus	0·15	14	5	6	-	-	1	12	2	-	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·54	244	98	12	4	3	2	119	4	1	3	1	10	3	13	18	51	21
Diseases of: Circulatory „	1·34	129	-	-	1	-	-	1	1	4	5	2	4	10	22	24	39	17
Diseases of: Respiratory „	2·52	242	54	18	5	5	1	83	8	4	-	6	7	16	15	24	39	40
Diseases of: Digestive „	0·68	65	3	2	2	1	-	8	2	2	2	2	3	6	12	10	10	8
Diseases of: Urinary „	0·35	34	-	-	-	1	-	1	1	1	2	1	5	-	3	4	12	4
Diseases of: Generative „	0·03	3	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
Childbirth	0·09	9	-	-	-	-	-	-	-	-	-	2	5	2	-	-	-	-
Suicide	0·04	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-
Other Violence	0·75	72	2	4	4	-	1	11	4	7	7	3	10	9	7	2	7	5
Other Causes	4·19	402	135	16	6	4	1	162	1	6	4	3	8	6	7	12	39	154

Deaths of Infants (under one) to 1000 Births - 120

Marriages - 495
Births - 2,912

Annual Rate per 1000 living: Persons Married - 10·30; Births - - - 30·30

506.—BARNSLEY.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	23·81	—	—	—	—	—	77·25	6·50	4·30	7·25	8·13	8·46	12·18	17·07	33·83	74·25	184·34
Mean Pop. 1871-80	—	67,911	2432	2153	2143	2164	2160	11052	9110	7530	6122	5950	10368	7477	5078	3145	1600	479
ALL CAUSES	23·81	16,172	5328	1732	696	451	331	8538	592	324	444	484	877	911	867	1064	1188	883
Small-pox	0·07	47	8	-	1	1	2	12	5	6	5	5	7	5	2	-	-	-
Measles	0·56	377	84	147	64	36	23	354	21	1	-	-	1	-	-	-	-	-
Scarlet Fever	1·20	812	52	118	152	144	134	600	177	25	5	-	2	3	-	-	-	-
Diphtheria	0·07	46	3	7	6	5	4	25	12	2	2	-	3	1	-	1	-	-
Whooping-cough	0·46	309	141	93	29	19	10	302	7	-	-	-	-	-	-	-	-	-
Typhus	0·06	39	-	-	-	-	2	2	3	4	8	7	3	5	2	2	2	1
Enteric Fever	0·55	375	5	11	17	12	13	58	45	42	42	33	51	32	32	26	9	5
Simple Cont. Fev.	0·10	70	5	2	5	5	5	22	10	5	6	3	3	8	2	5	4	2
Puerp. Fever	0·13	86	-	-	-	-	-	-	-	-	10	19	34	23	-	-	-	-
Diarr. and Dys.	1·46	991	665	201	34	8	2	910	11	-	-	1	2	5	6	13	24	19
Cholera	0·04	25	13	3	2	-	-	18	-	-	-	-	1	1	2	3	-	1
Cancer	0·26	178	-	-	-	-	1	1	-	1	2	3	11	24	46	56	24	10
Scrofula	0·14	92	32	21	3	2	5	63	4	3	6	1	6	2	1	4	2	-
Tabes Mesent.	0·47	319	142	106	21	10	5	284	13	3	3	2	4	4	3	2	1	-
Phthisis	1·89	1285	48	28	8	9	6	99	31	53	155	184	288	221	146	69	36	3
Hydrocephalus	0·42	284	133	77	25	12	7	254	16	9	1	2	1	1	-	-	-	-
Diseases of: Nervous Syst.	3·71	2517	1360	216	80	56	29	1741	57	31	16	20	45	60	102	143	187	115
Diseases of: Circulatory „	1·44	977	1	2	-	1	1	5	12	28	30	24	57	130	148	234	221	88
Diseases of: Respiratory „	4·06	2758	916	402	132	67	43	1570	58	15	18	22	70	107	140	248	330	180
Diseases of: Digestive „	0·84	571	100	23	8	8	8	147	12	13	8	15	37	57	78	99	76	29
Diseases of: Urinary „	0·23	156	3	8	1	2	3	17	11	4	5	6	15	9	24	23	29	13
Diseases of: Generative „	0·04	25	1	-	1	-	-	2	-	-	-	-	7	10	3	2	1	-
Childbirth	0·12	81	-	-	-	-	-	-	-	-	6	17	26	30	1	-	-	-
Suicide	0·07	48	-	-	-	-	-	-	-	-	3	5	5	10	9	11	4	1
Other Violence	1·16	791	31	23	21	21	13	109	38	55	82	94	151	121	62	41	24	14
Other Causes	4·26	2913	1575	244	76	33	15	1943	49	24	31	21	47	42	58	82	214	402

Deaths of Infants (under one) to 1000 Births - 172

Marriages - 5,073
Births - 30,930

Annual Rate per 1000 living: Persons Married - 14·94; Births - - - 45·54

507.—WORTLEY.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75– and upwds.
Annual Death Rate per 1000	—	22·04	—	—	—	—	—	58·79	6·95	4·33	6·42	8·45	10·46	14·13	20·81	36·32	77·87	182·77
Mean Pop. 1871-80	—	48,622	1659	1474	1466	1450	1441	7490	6415	5614	4520	4212	7000	5315	3868	2486	1261	441
ALL CAUSES	22·04	10,717	2770	845	376	238	174	4403	446	243	290	356	732	751	805	903	982	806
Small-pox	0·22	105	18	4	4	2	4	32	14	7	5	17	17	5	4	4	-	-
Measles	0·25	123	29	50	21	10	4	114	7	2	-	-	-	-	-	-	-	-
Scarlet Fever	0·91	444	30	69	69	73	54	295	116	19	4	4	3	2	1	-	-	-
Diphtheria	0·11	54	6	6	3	6	9	30	17	3	2	-	-	1	-	1	-	-
Whooping-cough	0·43	209	115	60	18	6	8	207	2	-	-	-	-	-	-	-	-	-
Typhus	0·10	47	-	1	2	3	1	7	2	8	5	4	9	6	4	1	1	-
Enteric Fever	0·49	239	17	7	9	5	8	46	34	15	27	28	28	18	23	11	9	-
Simple Cont. Fev.	0·10	50	1	-	3	5	4	15	11	3	4	4	5	4	1	2	1	-
Puerp. Fever	0·13	61	-	-	-	-	-	-	-	-	5	12	20	14	-	-	-	-
Diarr. and Dys.	0·69	336	194	58	9	5	5	271	3	2	-	1	3	3	2	10	28	13
Cholera	0·01	6	-	-	-	-	-	-	-	-	1	1	-	-	-	2	2	-
Cancer	0·54	167	-	-	1	1	-	2	1	1	-	1	9	25	39	52	21	16
Scrofula	0·13	63	14	20	1	4	2	41	5	1	4	2	3	3	-	3	1	-
Tabes Mesent.	0·27	129	49	40	13	3	-	105	8	3	3	-	3	6	-	1	-	-
Phthisis	2·12	1031	17	18	9	7	8	59	26	51	108	120	261	176	128	72	18	3
Hydrocephalus	0·39	188	74	47	14	9	7	151	23	7	7	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	4·02	1953	651	84	53	25	18	871	48	31	32	21	106	150	172	192	183	138
Diseases of: Circulatory "	1·45	707	-	-	2	2	-	4	18	13	17	18	41	76	115	169	178	58
Diseases of: Respiratory "	4·09	1987	588	265	91	41	16	1001	39	20	13	31	78	89	133	175	243	165
Diseases of: Digestive "	1·02	494	65	13	11	3	2	94	9	9	10	8	33	48	72	96	82	33
Diseases of: Urinary "	0·38	184	3	5	1	1	-	10	12	7	5	11	19	17	24	22	33	24
Diseases of: Generative "	0·04	20	-	1	-	-	-	1	-	-	-	-	1	-	10	1	5	2
Childbirth	0·14	68	-	-	-	-	-	-	-	-	2	16	27	22	1	-	-	-
Suicide	0·05	23	-	-	-	-	-	-	-	-	-	1	3	6	3	5	3	2
Other Violence	0·62	300	11	11	10	7	12	51	21	18	20	28	30	33	30	31	21	17
Other Causes	3·54	1729	848	85	30	20	12	996	50	23	16	19	23	38	43	53	153	335

Deaths of Infants (under one) to 1000 Births - 142 | Marriages - 3,304 | Births - 19,516 | Annual Rate per 1000 living: Persons Married - 13·59; Births - 40·14

508.—ECCLESALL BIERLOW.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75– and upwds.
Annual Death Rate per 1000	—	21·12	—	—	—	—	—	69·14	7·81	3·71	4·90	5·83	8·06	11·94	18·32	35·26	76·05	187·87
Mean Pop. 1871-80	—	100,925	3235	2891	2819	2798	2753	14496	12199	10856	10573	9608	15702	11535	7915	5039	2367	635
ALL CAUSES	21·12	21,318	5864	2113	1004	620	421	10022	953	403	518	560	1265	1377	1450	1777	1800	1193
Small-pox	0·16	158	27	8	5	9	7	56	24	8	15	16	22	9	1	7	-	-
Measles	0·32	320	65	120	55	45	15	300	16	2	-	1	-	1	-	-	-	-
Scarlet Fever	1·19	1205	63	157	212	191	156	781	224	51	18	15	5	7	-	1	-	-
Diphtheria	0·12	125	13	13	17	18	15	76	24	3	3	2	2	3	-	2	-	-
Whooping-cough	0·56	567	237	183	89	30	15	554	12	1	-	-	-	-	-	-	-	-
Typhus	0·07	68	-	1	2	1	3	7	10	2	9	4	14	12	8	-	1	1
Enteric Fever	0·34	343	10	11	11	18	13	63	49	30	24	33	41	23	38	21	6	2
Simple Cont. Fev.	0·15	152	8	10	9	11	8	46	29	16	11	11	10	12	7	6	2	2
Puerp. Fever	0·10	97	-	-	-	-	-	-	-	-	6	16	45	30	-	-	-	-
Diarr. and Dys.	1·03	1091	763	185	32	9	3	997	7	-	1	3	9	8	6	18	25	17
Cholera	0·06	63	39	6	1	-	1	47	1	-	-	1	-	2	1	5	5	1
Cancer	0·38	379	1	-	-	1	-	2	2	-	-	2	14	45	104	119	78	13
Scrofula	0·12	117	42	17	7	2	4	72	7	10	6	3	7	-	2	5	5	-
Tabes Mesent.	0·39	391	182	109	29	16	6	342	16	6	10	3	3	5	3	2	1	-
Phthisis	2·32	2340	56	53	21	17	16	163	56	92	227	231	576	422	329	165	48	1
Hydrocephalus	0·36	362	131	86	43	27	15	302	28	15	7	3	1	4	1	1	-	-
Diseases of: Nervous Syst.	2·94	2972	1199	246	112	60	34	1651	95	47	32	34	67	124	100	298	306	158
Diseases of: Circulatory "	1·16	1163	3	1	3	1	3	11	21	21	40	29	110	157	217	243	240	77
Diseases of: Respiratory "	4·13	4167	1224	591	212	88	49	2164	75	28	23	36	125	211	293	449	525	238
Diseases of: Digestive "	0·95	955	153	29	13	10	7	212	19	15	25	18	59	95	125	198	142	47
Diseases of: Urinary "	0·31	317	1	9	9	8	8	35	19	4	7	12	31	37	50	62	43	17
Diseases of: Generative "	0·03	35	-	-	-	-	-	-	-	-	1	1	7	8	4	10	2	2
Childbirth	0·10	105	-	-	-	-	-	-	-	-	8	15	38	43	1	-	-	-
Suicide	0·06	60	-	-	-	-	-	-	-	-	2	3	12	15	11	14	3	-
Other Violence	0·28	285	47	13	20	10	4	94	22	13	8	11	19	23	19	22	19	15
Other Causes	3·46	3493	1590	265	102	48	39	2044	87	39	25	24	48	76	70	129	349	602

Deaths of Infants (under one) to 1000 Births - 151 | Marriages - 5,320 | Births - 38,719 | Annual Rate per 1000 living: Persons Married - 10·54; Births - 38·36

509.—SHEFFIELD.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	27·41	—	—	—	—	—	91·22	9·72	4·31	6·67	8·18	10·70	16·57	25·05	45·45	92·96	189·01
Mean Pop. 1871-80	—	172,703	5862	5202	4968	4948	4821	25801	21564	18324	16340	15631	27917	20910	13786	7969	3551	910
ALL CAUSES	27·41	47,340	13442	5326	2353	1406	1008	23535	2097	790	1090	1279	2987	3465	3454	3622	3301	1720
Small-pox	0·52	893	187	74	74	46	52	433	143	29	46	72	111	44	11	3	1	-
Measles	0·48	830	185	338	130	78	48	779	47	-	1	2	1	-	-	-	-	-
Scarlet Fever	1·49	2577	159	439	473	405	339	1815	597	98	31	15	17	4	-	-	-	-
Diphtheria	0·07	124	15	22	13	20	16	86	30	4	1	-	1	-	2	-	-	-
Whooping-cough	0·80	1376	542	439	206	90	54	1331	44	-	1	-	-	-	-	-	-	-
Typhus	0·08	138	2	2	3	8	2	17	17	8	17	16	22	17	13	8	3	-
Enteric Fever	0·49	841	19	43	41	36	44	183	109	61	68	65	108	107	67	52	19	2
Simp. Cont. Fev.	0·35	608	27	41	44	38	28	178	58	22	28	34	71	82	69	41	22	3
Puerp. Fever	0·08	142	-	-	-	-	-	-	-	-	10	49	49	33	1	-	-	-
Diarr. and Dys.	1·82	3146	2059	613	113	25	18	2828	19	4	5	9	15	29	43	62	84	48
Cholera	0·05	85	44	14	1	1	-	60	3	1	-	-	3	3	2	9	3	1
Cancer	0·38	649	-	-	1	1	-	2	4	1	2	6	47	131	174	173	88	21
Scrofula	0·14	234	44	39	15	8	10	116	16	16	13	15	14	18	12	9	5	-
Tabes Mesent.	0·52	901	430	244	64	35	27	800	44	19	8	5	10	8	2	4	1	-
Phthisis	2·44	4209	66	70	37	25	16	214	103	133	373	478	1066	917	589	279	51	6
Hydrocephalus	0·36	619	213	175	79	31	23	521	64	13	9	2	7	2	1	-	-	-
Diseases of: Nervous Syst.	3·46	5968	2800	545	188	123	55	3711	172	69	77	65	149	242	359	475	468	181
Diseases of: Circulatory „	1·22	2100	8	3	4	5	3	23	32	59	73	68	273	410	411	405	278	68
Diseases of: Respiratory „	5·84	10085	2646	1517	561	252	140	5116	212	60	83	105	372	606	931	1177	1010	413
Diseases of: Digestive „	0·97	1675	230	39	20	12	11	312	49	27	47	52	147	236	252	279	218	56
Diseases of: Urinary „	0·36	628	6	14	18	7	11	56	27	18	18	27	68	106	101	98	82	27
Diseases of: Generative „	0·06	112	-	-	1	-	-	1	-	-	5	2	23	26	28	15	11	1
Childbirth	0·12	208	-	-	-	-	-	-	-	-	18	49	77	63	1	-	-	-
Suicide	0·07	116	-	-	-	-	-	-	-	1	4	8	18	21	34	21	6	3
Other Violence	0·73	1268	112	50	68	57	44	331	126	63	74	76	164	129	112	97	60	31
OTHER CAUSES	4·51	7808	3648	605	199	103	67	4622	181	79	78	59	154	231	239	415	891	859

Deaths of Infants (under one) to 1000 Births - 183 | Marriages - 22,713 | Births - 73,400 | Annual Rate per 1000 living: Persons Married - 26·30; Births - 42·50

510.—ROTHERHAM.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	21·83	—	—	—	—	—	66·83	7·44	4·25	6·53	7·94	8·13	11·53	16·70	32·53	75·00	170·51
Mean Pop. 1871-80	—	66,455	2346	2070	2062	2112	2063	10653	8980	7434	6048	5758	9920	7371	5059	3169	1568	495
ALL CAUSES	21·83	14,507	4355	1428	626	397	313	7119	668	316	395	457	806	850	845	1031	1176	844
Small-pox	0·39	261	41	18	12	8	11	90	45	19	23	19	35	22	6	2	-	-
Measles	0·33	218	31	91	41	23	13	199	16	1	2	-	-	-	-	-	-	-
Scarlet Fever	1·23	820	49	136	135	133	109	562	192	43	9	6	4	2	1	-	1	-
Diphtheria	0·08	56	6	8	4	7	8	33	11	4	2	2	-	2	1	1	-	-
Whooping-cough	0·48	316	132	99	44	19	11	305	11	-	-	-	-	-	-	-	-	-
Typhus	0·04	24	-	-	-	2	-	2	3	1	5	4	5	3	-	-	1	-
Enteric Fever	0·57	378	10	19	31	22	18	100	40	33	37	51	52	19	27	13	4	2
Simple Cont. Fev.	0·23	151	11	10	15	11	9	56	30	10	12	7	12	6	10	3	4	1
Puerp. Fever	0·09	60	-	-	-	-	-	-	-	-	7	9	32	12	-	-	-	-
Diarr. and Dys.	0·92	611	374	119	26	4	8	531	8	1	1	2	3	3	7	7	17	31
Cholera	0·03	17	4	4	1	-	-	9	1	-	-	-	1	1	1	2	2	-
Cancer	0·41	271	-	-	1	-	-	1	-	-	2	2	7	51	63	69	57	19
Scrofula	0·12	80	19	14	7	1	1	42	9	6	5	5	2	3	2	4	1	1
Tabes Mesent.	0·40	269	142	64	21	5	7	239	12	5	6	3	2	1	-	1	-	-
Phthisis	1·69	1122	37	22	7	10	4	80	37	47	116	172	215	207	128	68	22	-
Hydrocephalus	0·32	210	84	66	17	11	7	185	13	7	4	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·93	1950	931	146	57	41	25	1200	53	27	23	15	40	54	85	148	188	117
Diseases of: Circulatory „	1·05	696	4	-	1	3	-	8	9	13	10	22	57	100	116	167	147	47
Diseases of: Respiratory „	4·05	2689	829	335	116	53	30	1363	49	9	22	43	66	112	165	268	369	223
Diseases of: Digestive „	0·97	644	121	16	9	4	8	158	18	10	13	15	45	56	86	98	104	46
Diseases of: Urinary „	0·32	210	3	5	1	3	5	17	5	-	2	3	13	27	24	52	43	24
Diseases of: Generative „	0·04	25	1	-	-	-	-	1	-	-	-	1	4	3	5	5	4	2
Childbirth	0·10	64	-	-	-	-	-	-	-	-	5	6	22	29	2	-	-	-
Suicide	0·06	39	-	-	-	-	-	-	-	1	4	-	5	9	6	9	5	-
Other Violence	1·06	707	32	21	32	15	15	115	61	50	65	53	108	85	60	44	43	23
OTHER CAUSES	3·92	2619	1494	235	48	22	24	1823	45	29	20	16	46	43	50	75	164	308

Deaths of Infants (under one) to 1000 Births - 149 | Marriages - 5,353 | Births - 29,277 | Annual Rate per 1000 living: Persons Married - 16·11; Births - 44·06

511.—DONCASTER.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
Annual Death Rate per 1000	—	21·37	—	—	—	—	—	65·14	6·20	3·27	5·27	7·71	9·18	11·17	15·61	26·63	63·95	155·97
Mean Pop. 1871-80	—	49,538	1507	1328	1352	1363	1283	6833	5981	5451	4646	4240	7023	5560	4229	3049	1806	720
ALL CAUSES	21·37	10,588	2910	805	360	215	161	4451	371	178	245	327	645	621	660	812	1155	1123
Small-pox	0·31	156	14	4	4	5	6	33	28	11	11	22	26	15	7	2	1	-
Measles	0·28	141	32	46	31	9	11	129	7	2	-	-	2	-	1	-	-	-
Scarlet Fever	0·80	397	25	49	77	65	57	273	93	17	5	3	6	-	-	-	-	-
Diphtheria	0·09	43	1	5	2	7	1	16	16	2	1	1	2	3	1	1	-	-
Whooping-cough	0·39	194	84	65	18	12	4	183	10	1	-	-	-	-	-	-	-	-
Typhus	0·04	18	-	-	-	-	-	-	-	3	3	4	6	1	1	-	-	-
Enteric Fever	0·52	260	2	14	10	10	5	41	33	25	32	28	39	27	15	13	5	2
Simple Cont. Fev.	0·12	61	2	5	5	2	-	14	10	3	5	7	10	3	1	1	5	2
Puerp. Fever	0·08	42	-	-	-	-	-	-	-	-	2	14	13	12	1	-	-	-
Diarr. and Dys.	0·83	410	258	51	11	-	4	324	1	2	-	4	4	5	8	8	27	27
Cholera	0·02	10	3	-	-	1	-	4	1	-	-	-	-	1	-	3	1	-
Cancer	0·47	232	1	-	1	-	-	2	1	-	1	1	5	32	43	61	60	26
Scrofula	0·08	41	8	8	3	1	2	22	3	1	1	5	-	3	-	1	4	1
Tabes Mesent.	0·49	244	142	60	16	2	4	224	5	4	3	1	4	1	-	2	-	-
Phthisis	1·74	864	18	14	6	1	1	40	14	21	20	112	228	167	106	66	19	1
Hydrocephalus	0·21	103	35	31	13	4	4	87	10	6	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	3·09	1533	716	105	46	20	15	902	33	19	16	15	33	44	71	113	174	113
Diseases of: Circulatory „	0·99	489	4	-	1	-	2	7	6	3	4	16	46	59	86	93	117	47
Diseases of: Respiratory „	3·65	1808	471	210	73	33	21	808	33	10	17	22	63	71	102	177	287	218
Diseases of: Digestive „	1·11	548	53	10	3	9	2	77	9	7	9	19	32	56	94	97	104	44
Diseases of: Urinary „	0·32	160	1	2	1	-	-	4	8	2	7	10	12	22	26	24	25	20
Diseases of: Generative „	0·04	22	-	-	-	-	-	-	-	-	-	-	1	2	7	7	3	2
Childbirth	0·08	42	-	-	-	-	-	-	-	-	2	3	25	10	2	-	-	-
Suicide	0·05	26	-	-	-	-	-	-	-	1	-	-	4	7	5	6	3	-
Other Violence	0·70	348	18	14	9	12	6	59	28	21	24	26	41	41	25	32	40	11
Other Causes	4·87	2396	1022	112	30	22	16	1202	22	17	12	14	43	39	58	100	280	609

Deaths of Infants (under one) to 1000 Births - 167 | Marriages - 3,728 | Births - 17,459 | Annual Rate per 1000 living: Persons Married - 15·05; Births - 35·24

512.—THORNE.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
Annual Death Rate per 1000	—	19·02	—	—	—	—	—	51·14	5·34	2·67	5·19	8·47	7·63	8·11	10·91	20·80	52·31	133·66
Mean Pop. 1871-80	—	16,596	469	423	455	432	417	2196	2078	1870	1521	1169	1978	1752	1577	1226	822	407
ALL CAUSES	19·02	3156	820	163	61	49	30	1123	111	50	79	99	151	142	172	255	430	544
Small-pox	0·05	9	1	-	-	-	-	1	-	1	1	2	1	1	1	1	-	-
Measles	0·27	44	11	19	3	4	2	39	4	-	-	-	-	1	-	-	-	-
Scarlet Fever	0·38	96	7	15	16	14	12	64	23	4	4	1	-	-	-	-	-	-
Diphtheria	0·07	11	-	1	-	2	-	3	5	-	1	-	-	-	-	1	1	-
Whooping-cough	0·27	44	27	11	3	2	1	44	-	-	-	-	-	-	-	-	-	-
Typhus	0·02	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-
Enteric Fever	0·57	94	11	1	4	3	2	21	7	6	7	7	13	6	8	5	11	3
Simple Cont. Fev.	0·11	18	2	1	1	-	-	4	1	1	1	3	2	1	1	3	1	-
Puerp. Fever	0·08	13	-	-	-	-	-	-	-	-	1	2	9	1	-	-	-	-
Diarr and Dys.	0·63	104	68	6	1	-	-	75	-	-	-	-	-	1	-	3	7	18
Cholera	0·01	6	1	1	-	1	-	3	-	-	-	-	-	-	1	-	2	-
Cancer	0·42	69	-	-	-	-	-	-	-	-	-	-	1	2	11	22	19	14
Scrofula	0·13	21	3	1	-	2	-	6	1	1	5	3	1	1	1	1	1	-
Tabes Mesent.	0·23	39	20	9	2	1	1	33	4	-	-	-	-	-	1	1	-	-
Phthisis	1·64	272	6	2	1	-	-	9	3	4	32	51	67	47	28	23	7	1
Hydrocephalus	0·26	43	15	10	6	3	-	34	4	2	2	-	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·69	447	160	12	2	4	2	180	8	4	5	7	8	7	19	38	90	81
Diseases of: Circulatory „	1·03	171	-	-	1	-	-	1	5	3	1	4	6	11	21	48	41	27
Diseases of: Respiratory „	2·70	448	122	38	8	8	2	178	11	5	1	-	9	17	16	40	89	82
Diseases of: Digestive „	0·97	161	23	6	-	-	1	30	5	2	2	1	9	7	21	29	38	12
Diseases of: Urinary „	0·35	58	1	1	-	-	-	2	-	1	1	2	6	7	7	7	17	8
Diseases of: Generative „	0·08	13	1	-	-	-	-	1	-	-	-	1	1	-	2	1	5	2
Childbirth	0·05	8	-	-	-	-	-	-	-	-	-	3	3	2	-	-	-	-
Suicide	0·05	9	-	-	-	-	-	-	-	-	1	1	-	3	2	-	2	-
Other Violence	0·72	119	8	2	3	2	5	20	16	10	9	8	10	15	5	5	9	12
Other Causes	5·01	836	333	27	10	3	2	375	14	6	4	3	4	11	22	27	86	284

Deaths of Infants (under one) to 1000 Births - 151 | Marriages - 1,061 | Births - 5,415 | Annual Rate per 1000 living: Persons Married - 12·79; Births - 32·63

513.—GOOLE.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	21·39	—	—	—	—	—	64·58	7·11	3·57	5·12	8·31	8·75	9·67	14·14	25·86	57·83	155·59
Mean Pop. 1871-80	—	18,414	565	531	530	516	489	2631	2321	1933	1739	1480	2571	2037	1591	1133	683	295
ALL CAUSES	21·39	3939	1112	300	143	90	54	1699	165	69	89	123	225	197	225	293	395	459
Small-pox	0·04	7	–	–	–	–	–	–	1	1	1	1	1	1	1	–	–	–
Measles	0·32	59	16	17	11	4	2	50	7	–	–	–	1	1	–	–	–	–
Scarlet Fever	1·23	227	17	38	40	27	20	142	60	12	4	3	2	3	–	–	1	–
Diphtheria	0·13	24	–	2	1	4	2	9	9	3	2	–	1	–	–	–	–	–
Whooping-cough	0·40	73	39	23	1	8	2	73	–	–	–	–	–	–	–	–	–	–
Typhus	0·03	5	–	–	–	–	–	–	1	–	1	1	–	1	1	–	–	–
Enteric Fever	0·41	76	–	2	3	1	2	8	8	11	9	11	8	7	6	6	2	–
Simple Cont. Fev.	0·07	12	1	3	1	–	–	5	3	–	2	–	–	1	–	1	–	–
Puerp. Fever	0·07	13	–	–	–	–	–	–	–	–	1	1	8	2	1	–	–	–
Diarr. and Dys.	1·52	279	190	44	6	2	–	242	–	–	1	–	1	3	–	5	12	15
Cholera	0·03	6	4	–	–	2	–	6	–	–	–	–	–	–	–	–	–	–
Cancer	0·56	103	–	–	–	–	–	–	–	–	–	–	5	9	32	28	13	16
Scrofula	0·12	23	8	4	1	3	–	16	2	1	–	1	1	–	1	1	–	–
Tabes Mesent.	0·46	84	46	23	7	2	–	78	2	–	1	–	2	1	–	–	–	–
Phthisis	1·50	276	–	1	–	1	–	2	9	10	29	52	81	40	25	16	10	2
Hydrocephalus	0·37	68	25	15	8	5	2	55	10	2	–	–	–	–	1	–	–	–
Diseases of: Nervous Syst.	2·66	489	176	15	8	7	2	208	6	5	5	12	10	17	36	46	76	68
Diseases of: Circulatory „	1·36	251	–	1	1	1	–	3	1	2	4	4	15	22	33	55	63	49
Diseases of: Respiratory „	3·16	581	183	65	33	7	9	297	14	1	5	6	11	20	29	46	82	70
Diseases of: Digestive „	0·96	177	24	3	2	1	2	32	–	5	2	1	17	13	16	29	34	28
Diseases of: Urinary „	0·42	78	1	–	–	1	1	3	2	–	3	6	7	8	7	12	18	12
Diseases of: Generative „	0·06	11	–	–	–	1	–	1	–	–	–	1	–	2	3	1	2	1
Childbirth	0·08	15	–	–	–	–	–	–	–	–	–	2	7	6	–	–	–	–
Suicide	0·06	11	–	–	–	–	–	–	–	–	1	–	3	2	–	3	2	–
Other Violence	1·04	192	17	4	5	1	4	31	19	10	16	16	26	22	17	13	13	9
Other Causes	4·33	799	355	40	15	12	6	438	11	6	2	5	18	16	16	31	67	189

Deaths of Infants (under one) to 1000 Births - 166 | Marriages - 1,443 | Births - 6,716 | Annual Rate per 1000 living: Persons Married - 15·67; Births - 36·47

514.—SELBY.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	20·31	—	—	—	—	—	55·35	7·27	3·83	4·85	8·05	7·24	9·60	13·15	25·16	57·06	148·24
Mean Pop. 1871-80	—	16,098	465	411	439	413	429	2157	1995	1830	1525	1255	2071	1646	1453	1125	701	340
ALL CAUSES	20·31	3270	748	213	97	82	54	1194	145	70	74	101	150	158	191	283	400	504
Small-pox	0·02	3	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–
Measles	0·19	31	11	9	2	2	2	26	4	1	–	–	–	–	–	–	–	–
Scarlet Fever	1·04	167	8	22	28	24	21	103	47	7	4	2	1	3	–	–	–	–
Diphtheria	0·20	32	–	1	2	3	1	7	15	5	–	–	1	1	1	–	2	–
Whooping-cough	0·41	66	25	25	8	4	2	64	2	–	–	–	–	–	–	–	–	–
Typhus	0·03	9	–	–	–	–	–	–	1	1	2	3	1	–	1	–	–	–
Enteric Fever	0·23	37	–	–	1	1	–	2	6	1	3	9	6	2	4	1	3	–
Simple Cont. Fev.	0·13	21	1	1	1	1	3	7	3	1	–	2	2	1	1	2	2	–
Puerp. Fever	0·13	21	–	–	–	–	–	–	–	–	2	7	9	3	–	–	–	–
Diarr. and Dys.	0·78	125	70	23	2	2	1	98	1	1	1	1	–	1	2	–	10	10
Cholera	0·04	7	1	–	–	–	–	1	–	–	–	–	1	–	–	2	2	1
Cancer	0·35	57	–	–	–	–	–	–	–	–	–	–	3	5	13	17	11	8
Scrofula	0·13	21	4	4	1	–	–	9	2	1	2	1	–	1	1	2	2	–
Tabes Mesent.	0·40	65	31	13	4	2	2	52	3	5	1	2	1	–	–	1	–	–
Phthisis	1·44	232	1	–	–	–	–	1	2	7	22	38	67	46	35	11	3	–
Hydrocephalus	0·34	54	17	14	8	3	2	44	7	3	–	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·87	462	175	20	5	18	5	223	16	5	5	3	6	12	20	44	72	56
Diseases of: Circulatory „	1·69	236	–	–	–	–	–	–	4	7	7	6	11	22	26	57	71	45
Diseases of: Respiratory „	2·63	424	94	34	19	11	5	163	4	2	2	4	11	13	21	56	67	81
Diseases of: Digestive „	1·14	186	8	2	1	–	–	11	4	4	4	5	7	13	29	46	42	21
Diseases of: Urinary „	0·33	53	2	1	–	–	–	3	–	2	1	1	1	4	4	6	16	15
Diseases of: Generative „	0·07	11	–	–	–	–	–	–	–	–	–	3	1	3	2	–	2	–
Childbirth	0·06	9	–	–	–	–	–	–	–	–	–	3	1	5	–	–	–	–
Suicide	0·09	15	–	–	–	–	–	–	–	–	1	1	5	1	1	3	3	–
Other Violence	0·65	105	5	6	5	2	5	23	11	7	10	7	7	8	10	10	7	5
Other Causes	4·97	801	295	38	10	9	5	357	13	10	6	3	8	14	18	25	85	262

Deaths of Infants (under one) to 1000 Births - 142 | Marriages - 906 | Births - 5,250 | Annual Rate per 1000 living: Persons Married - 11·26; Births - 32·61

515.—TADCASTER.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·51	—	—	—	—	—	53·28	5·49	2·52	4·74	6·58	8·60	9·66	13·78	25·83	64·45	153·31
Mean Pop. 1871-80	—	22,517	697	627	662	635	641	3262	2930	2459	2068	1839	3035	2361	1887	1471	858	347
ALL CAUSES	19·51	4394	1146	295	151	86	59	1738	161	62	98	121	261	228	260	380	553	532
Small-pox	0·05	13	3	-	-	-	-	3	-	-	1	-	5	1	1	1	1	-
Measles	0·19	42	12	13	9	4	-	38	3	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·68	152	6	23	25	26	18	98	43	6	1	2	2	-	-	-	-	-
Diphtheria	0·14	31	2	1	7	3	6	19	5	5	-	1	-	1	-	-	-	-
Whooping-cough	0·35	78	42	20	12	2	-	76	2	-	-	-	-	-	-	-	-	-
Typhus	0·03	6	-	-	-	1	-	1	2	-	1	1	-	1	-	-	-	-
Enteric Fever	0·34	77	-	1	4	3	3	11	8	5	8	9	15	7	5	5	3	1
Simple Cont. Fev.	0·11	25	1	1	3	-	-	5	4	2	1	-	1	2	1	1	6	2
Puerp. Fever	0·05	13	-	-	-	-	-	-	-	-	1	2	8	2	-	-	-	-
Diarr. and Dys.	0·68	153	93	28	2	1	-	124	1	-	-	-	2	3	1	2	8	12
Cholera	0·02	5	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2
Cancer	0·36	81	-	-	-	-	-	-	-	-	-	1	1	10	15	23	24	7
Scrofula	0·05	13	1	2	-	1	-	4	2	1	2	1	1	-	-	1	1	-
Tabes Mesent.	0·35	78	34	20	6	3	1	64	5	-	2	1	3	1	-	1	1	-
Phthisis	1·63	368	4	3	3	-	1	11	4	16	35	46	113	69	24	37	8	5
Hydrocephalus	0·17	38	17	10	3	2	2	34	3	-	-	-	-	-	-	-	1	-
Diseases of: Nervous Syst.	2·83	637	257	36	21	9	4	327	18	3	4	5	18	14	39	59	97	53
Diseases of: Circulatory	1·28	289	2	-	-	-	2	4	3	5	3	6	15	26	40	63	93	31
Diseases of: Respiratory	2·96	667	167	74	33	11	10	295	12	1	7	7	17	20	32	68	114	94
Diseases of: Digestive	1·19	267	19	10	3	3	2	37	10	3	6	10	13	20	43	52	54	19
Diseases of: Urinary	0·25	56	-	1	-	-	1	2	2	-	-	5	2	5	8	14	12	6
Diseases of: Generative	0·04	9	-	-	-	-	-	-	-	-	1	1	-	2	2	1	2	-
Childbirth	0·14	32	-	-	-	-	-	-	-	-	1	3	16	12	-	-	-	-
Suicide	0·05	13	-	-	-	-	-	-	-	-	-	1	1	-	6	3	-	2
Other Violence	0·82	184	8	10	6	5	2	31	15	10	16	14	18	21	23	15	11	10
Other Causes	4·75	1067	478	43	14	12	7	554	19	4	8	5	10	11	20	31	117	383

Deaths of Infants (under one) to 1000 Births - 145 | Marriages - 1,300 | Births - 7,913 | Annual Rate per 1000 living: Persons Married - 11·55; Births - 35·14

[YORK, EAST RIDING.

516.—YORK.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	21·61	—	—	—	—	—	59·47	6·16	3·74	4·41	6·90	9·50	13·88	20·27	34·87	69·99	174·23
Mean Pop. 1871-80	—	70,891	1988	1691	1807	1750	1713	8949	7909	7487	7167	6583	10443	8017	6201	4456	2619	970
ALL CAUSES	21·61	15,298	3598	972	363	223	166	5322	487	280	316	454	992	1113	1257	1554	1833	1690
Small-pox	0·17	124	15	2	-	3	1	21	35	14	6	14	11	8	8	2	2	-
Measles	0·18	127	33	47	19	7	12	118	5	1	-	2	-	-	-	-	1	-
Scarlet Fever	0·41	293	13	35	59	39	28	174	72	22	4	8	8	3	2	-	-	-
Diphtheria	0·07	52	7	7	5	9	6	34	10	3	2	-	1	2	-	-	-	-
Whooping-cough	0·41	293	131	100	31	16	7	285	7	-	-	-	-	-	-	1	-	-
Typhus	0·02	15	-	-	-	-	1	1	2	-	-	2	3	2	1	4	-	-
Enteric Fever	0·33	231	4	7	5	6	10	32	36	20	17	13	43	23	17	15	5	2
Simple Cont. Fev.	0·07	47	3	2	3	-	2	10	7	5	3	2	3	2	2	5	7	1
Puerp. Fever	0·04	30	-	-	-	-	-	-	-	-	1	9	11	8	1	-	-	-
Diarr. and Dys.	1·23	871	595	104	18	8	3	728	4	-	2	-	13	7	15	25	44	33
Cholera	0·01	8	2	-	1	-	-	3	1	-	1	-	-	2	-	1	-	-
Cancer	0·46	329	-	-	-	-	-	-	-	1	1	4	10	51	65	92	80	25
Scrofula	0·10	72	18	9	7	4	3	41	9	4	6	1	5	2	2	2	-	-
Tabes Mesent.	0·27	193	71	43	14	10	5	143	18	7	8	5	5	3	3	1	-	-
Phthisis	2·13	1510	7	7	3	5	2	24	37	54	125	218	416	300	206	106	21	3
Hydrocephalus	0·35	250	81	56	25	8	16	186	39	14	3	3	4	1	-	-	-	-
Diseases of: Nervous Syst.	3·43	2430	728	124	40	29	13	934	50	17	29	20	107	191	236	310	363	173
Diseases of: Circulatory	1·57	1110	3	-	2	-	1	6	8	18	17	18	59	122	164	285	303	110
Diseases of: Respiratory	3·25	2302	478	263	81	42	23	887	51	22	16	31	70	129	170	300	349	266
Diseases of: Digestive	1·01	717	63	12	7	2	3	90	17	16	13	17	59	79	124	125	127	50
Diseases of: Urinary	0·49	348	4	3	1	3	1	12	7	13	5	10	36	50	53	65	68	29
Diseases of: Generative	0·07	47	-	-	-	-	-	-	-	-	-	1	2	12	14	9	8	1
Childbirth	0·07	50	-	-	-	-	-	-	-	-	6	7	17	19	1	-	-	-
Suicide	0·09	67	-	-	-	-	-	-	-	-	3	5	10	9	13	18	5	4
Other Violence	0·62	439	37	9	15	14	15	90	37	20	20	35	50	34	56	33	39	25
Other Causes	4·76	3346	1302	142	27	18	14	1503	35	29	28	24	49	60	104	155	411	948

Deaths of Infants (under one) to 1000 Births - 157 | Marriages - 6,057 | Births - 22,914 | Annual Rate per 1000 living: Persons Married - 17·11; Births - 32·36

517.—POCKLINGTON.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Year	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
Annual Death Rate per 1000	—	17·67	—	—	—	—	—	42·71	4·19	3·09	4·08	7·65	8·35	8·86	12·03	21·62	57·10	155·91
Mean Pop. 1871-80	—	15,712	436	377	401	399	396	2009	1886	1778	1693	1255	1844	1592	1463	1161	718	313
ALL CAUSES	17·67	2777	618	137	50	23	30	858	79	55	69	96	154	141	176	251	410	488
Small-pox	0·12	19	3	–	–	1	–	4	–	1	1	3	3	3	1	2	1	–
Measles	0·13	20	6	5	1	1	4	17	1	1	–	1	–	–	–	–	–	–
Scarlet Fever	0·41	64	6	12	10	6	9	43	17	2	–	1	–	–	–	1	–	–
Diphtheria	0·05	8	1	–	1	–	1	3	3	1	–	1	–	–	–	–	–	–
Whooping-cough	0·30	47	30	11	4	1	–	46	1	–	–	–	–	–	–	–	–	–
Typhus	0·02	4	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–
Enteric Fever	0·38	60	1	2	2	2	1	8	4	4	11	10	4	8	2	6	3	–
Simple Cont. Fev.	0·12	19	–	–	–	–	1	1	3	4	–	1	1	1	3	2	2	1
Puerp. Fever	0·03	5	–	–	–	–	–	–	–	–	1	1	1	2	–	–	–	–
Diarr. and Dys.	0·73	114	71	14	2	–	–	87	–	–	–	–	3	2	1	1	6	14
Cholera	0·01	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Cancer	0·41	64	–	–	–	–	–	–	–	–	–	1	–	3	19	21	13	7
Scrofula	0·09	14	5	1	–	–	–	6	2	–	1	–	–	3	–	1	1	–
Tabes Mesent.	0·14	22	8	9	–	2	–	19	–	–	–	1	1	–	1	–	–	–
Phthisis	1·54	242	1	2	1	1	–	5	1	14	28	46	63	42	29	9	4	1
Hydrocephalus	0·07	11	4	2	–	1	1	8	1	2	–	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	3·05	480	186	23	7	–	4	214	9	6	8	5	15	14	22	43	76	68
Diseases of: Circulatory „	1·53	240	–	1	1	–	–	2	4	3	4	2	9	11	26	53	83	43
Diseases of: Respiratory „	2·32	364	88	30	10	1	3	132	8	2	2	4	17	9	29	40	78	43
Diseases of: Digestive „	1·04	164	21	6	2	–	1	30	1	2	2	6	8	14	13	28	37	23
Diseases of: Urinary „	0·32	50	–	–	–	–	–	–	2	1	1	–	6	4	2	13	13	8
Diseases of: Generative „	0·06	9	–	–	–	–	–	–	–	–	1	–	2	2	1	2	–	1
Childbirth	0·08	13	–	–	–	–	–	–	–	–	–	3	4	6	–	–	–	–
Suicide	0·05	8	–	–	–	–	–	–	–	–	–	1	1	2	1	1	2	–
Other Violence	0·53	83	8	3	2	2	3	18	10	8	4	4	4	2	13	6	9	5
Other Causes	4·14	651	185	16	7	5	2	215	12	4	4	5	11	12	12	20	82	274

Deaths of Infants (under one) to 1000 Births - 129

Marriages - 993
Births - 4,776

Annual Rate per 1000 living: Persons Married - 12·64; Births - 30·40

518.—HOWDEN.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Year	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
Annual Death Rate per 1000	—	18·83	—	—	—	—	—	44·38	6·62	3·69	4·37	7·79	8·16	9·88	11·91	21·96	52·77	163·46
Mean Pop. 1871-80	—	13,757	358	346	371	352	335	1762	1632	1651	1420	1053	1605	1376	1276	1020	650	312
ALL CAUSES	18·83	2591	569	98	53	39	23	782	108	61	62	82	131	136	152	224	343	510
Small-pox	0·01	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Measles	0·14	19	2	5	4	2	1	14	3	1	1	–	–	–	–	–	–	–
Scarlet Fever	0·46	63	5	6	7	10	5	33	17	8	2	–	1	1	–	1	–	–
Diphtheria	0·25	35	2	–	4	3	4	13	12	3	1	1	2	1	2	–	–	–
Whooping-cough	0·38	52	24	17	7	–	2	50	2	–	–	–	–	–	–	–	–	–
Typhus	0·09	13	–	–	–	–	–	–	–	1	3	2	1	2	1	1	1	1
Enteric Fever	0·31	42	–	2	–	–	1	3	6	4	5	5	5	3	3	5	3	–
Simple Cont. Fev.	0·04	5	–	–	–	–	1	1	–	1	2	–	–	–	–	–	1	–
Puerp. Fever	0·07	10	–	–	–	–	–	–	–	–	–	3	4	3	–	–	–	–
Diarr. and Dys.	0·56	77	44	6	1	–	–	51	1	–	1	–	–	2	3	2	4	13
Cholera	0·01	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
Cancer	0·35	48	–	–	–	–	–	–	–	–	–	–	2	4	14	9	10	9
Scrofula	0·11	15	7	–	–	1	–	8	–	3	–	1	1	1	–	1	–	–
Tabes Mesent.	0·39	53	31	10	3	3	–	47	3	1	–	1	–	1	–	–	–	–
Phthisis	1·90	261	1	–	2	–	2	5	7	18	24	41	65	42	27	25	5	2
Hydrocephalus	0·07	9	3	2	–	1	–	6	2	1	–	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·80	385	142	7	1	5	–	155	10	3	4	3	8	11	20	33	62	76
Diseases of: Circulatory „	1·23	173	–	–	–	1	1	2	2	4	3	2	7	13	13	42	53	32
Diseases of: Respiratory „	2·70	372	99	22	10	7	2	140	13	3	1	2	5	16	22	33	55	82
Diseases of: Digestive „	1·05	144	12	3	2	–	–	17	4	2	–	4	5	8	19	22	38	15
Diseases of: Urinary „	0·27	37	–	–	–	–	–	–	2	–	2	–	2	4	3	8	12	4
Diseases of: Generative „	0·04	6	–	–	–	–	–	–	–	–	–	–	1	3	1	–	1	–
Childbirth	0·07	9	–	–	–	–	–	–	–	–	–	1	5	3	–	–	–	–
Suicide	0·09	13	–	–	–	–	–	–	–	–	–	1	1	3	2	2	3	1
Other Violence	0·63	87	5	2	3	2	2	14	13	3	7	8	7	4	7	11	5	6
Other Causes	4·78	660	191	16	9	4	2	222	11	4	6	7	9	11	15	19	89	267

Deaths of Infants (under one) to 1000 Births - 138

Marriages - 1,019
Births - 4,128

Annual Rate per 1000 living: Persons Married - 14·81; Births - 30·01

519.—BEVERLEY.

—	Annual Death Rate per 1000.	All Ages	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death Rate per 1000	—	19·36	—	—	—	—	—	46·15	4·28	3·16	5·66	6·23	7·88	10·55	15·55	26·53	59·45	168·62
Mean Pop. 1871-80	—	22,455	642	564	587	585	582	2960	2686	2309	2173	1863	2984	2427	2013	1587	1026	427
ALL CAUSES	19·36	4348	988	195	87	59	37	1366	115	73	123	116	235	256	313	421	610	720
Small-pox	0·09	20	2	1	1	-	1	5	-	2	4	3	2	2	1	-	1	-
Measles	0·13	30	7	11	6	6	-	30	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·34	77	5	8	16	10	9	48	17	6	3	1	-	1	1	-	-	-
Diphtheria	0·19	42	1	-	5	5	-	11	20	5	1	-	2	1	1	1	-	-
Whooping-cough	0·29	65	34	24	2	3	1	64	1	-	-	-	-	-	-	-	-	-
Typhus	0·03	6	-	-	-	-	-	-	-	1	2	1	-	1	-	1	-	-
Enteric Fever	0·25	57	-	-	5	1	4	10	6	4	8	5	6	4	1	5	7	1
Simple Cont. Fev.	0·08	17	-	-	-	-	-	-	4	2	2	-	2	-	1	2	3	1
Puerp. Fever	0·07	16	-	-	-	-	-	-	-	-	2	1	7	6	-	-	-	-
Diarr. and Dys.	0·88	198	133	15	3	3	1	161	1	-	-	-	4	2	1	4	6	20
Cholera	0·04	10	4	-	-	2	-	6	-	-	-	-	-	-	1	2	-	1
Cancer	0·60	135	-	-	-	-	-	-	-	1	1	-	1	14	33	29	38	18
Scrofula	0·10	23	5	3	1	-	-	9	2	3	2	-	2	3	1	-	1	-
Tabes Mesent.	0·20	46	17	12	2	5	1	37	4	3	1	-	-	-	1	-	-	-
Phthisis	1·82	408	5	2	1	-	-	8	6	14	53	60	108	63	52	32	12	-
Hydrocephalus	0·16	36	10	5	2	5	2	24	7	2	1	-	-	-	2	-	-	-
Diseases of: Nervous Syst.	3·25	729	181	24	13	2	5	225	17	5	9	10	27	46	67	92	141	90
Circulatory "	1·62	363	2	-	1	1	-	4	3	4	2	10	17	30	38	89	105	61
Respiratory "	2·18	489	113	45	16	6	7	187	7	4	5	7	11	26	23	46	88	85
Digestive "	1·02	230	34	4	2	2	-	42	5	2	4	3	6	16	34	37	48	33
Urinary "	0·43	96	1	-	1	1	-	3	-	2	2	1	5	12	15	22	21	13
Generative "	0·05	12	-	-	-	-	-	-	-	-	-	1	-	1	2	2	5	1
Childbirth	0·06	14	-	-	-	-	-	-	-	-	1	2	7	4	-	-	-	-
Suicide	0·07	16	-	-	-	-	-	-	-	-	-	2	3	1	4	2	2	2
Other Violence	0·43	96	8	4	3	2	5	22	9	3	12	3	11	6	11	11	3	5
OTHER CAUSES	4·98	1117	420	37	7	5	1	470	6	10	8	6	14	18	23	44	129	380

Deaths of Infants (under one) to 1000 Births - 136 | Marriages - 1,587 | Births - 7,248 | Annual Rate per 1000 living: Persons Married - 14·13; Births - 32·28

520.—SCULCOATES.

—	Annual Death Rate per 1000	All Ages	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Annual Death Rate per 1000	—	21·66	—	—	—	—	—	71·53	6·04	4·01	5·01	6·79	7·87	10·99	15·72	30·78	63·30	160·99
Mean Pop. 1871-80	—	84,005	2660	2387	2399	2381	2340	12167	10248	8743	7687	7418	13123	9681	6888	4629	2534	887
ALL CAUSES	21·66	18,199	5639	1775	640	370	279	8703	619	351	385	504	1033	1064	1083	1425	1604	1428
Small-pox	0·17	145	17	8	5	7	8	45	22	8	11	19	23	6	6	3	2	-
Measles	0·41	348	66	135	60	34	25	320	25	1	1	-	-	-	1	-	-	-
Scarlet Fever	0·61	511	32	73	105	72	67	349	119	17	9	7	9	-	-	1	-	-
Diphtheria	0·12	99	10	11	12	6	9	48	31	9	1	4	-	6	-	-	-	-
Whooping-cough	0·55	459	196	155	54	27	12	444	14	-	1	-	-	-	-	-	-	-
Typhus	0·05	44	1	-	1	1	2	5	9	6	5	5	5	3	2	2	-	2
Enteric Fever	0·47	394	10	17	12	18	12	69	49	41	35	40	57	38	27	18	13	7
Simple Cont. Fev.	0·23	195	5	23	21	15	11	75	23	15	4	6	14	10	7	16	13	12
Puerp. Fever	0·07	63	-	-	-	-	-	-	-	-	1	9	36	17	-	-	-	-
Diarr. and Dys.	1·88	1579	1087	285	25	15	5	1417	4	1	1	3	4	10	15	26	46	52
Cholera	0·03	29	13	2	-	1	-	16	2	-	-	1	1	1	3	3	1	1
Cancer	0·48	400	1	-	-	-	-	1	1	3	2	4	18	48	112	105	75	31
Scrofula	0·13	110	31	25	7	4	1	68	13	8	5	1	2	4	4	3	2	-
Tabes Mesent.	0·43	364	218	92	20	5	1	336	13	4	5	-	1	3	2	-	-	-
Phthisis	2·00	1680	20	18	8	8	10	64	31	72	178	224	456	342	178	112	39	-
Hydrocephalus	0·23	194	63	53	17	10	10	153	29	9	2	-	1	-	-	-	-	-
Diseases of: Nervous Syst.	3·19	2679	1100	196	56	42	20	1414	42	24	13	22	71	97	132	283	351	230
Circulatory "	1·13	947	7	-	1	2	-	10	20	18	20	25	66	132	147	211	195	103
Respiratory "	3·26	2739	764	377	134	43	34	1352	37	11	16	37	76	102	178	293	384	255
Digestive "	0·83	698	108	14	6	4	2	134	17	18	14	18	47	66	96	128	116	44
Urinary "	0·31	262	5	5	1	4	3	18	11	13	5	6	17	27	32	51	55	27
Generative "	0·05	41	-	-	-	-	-	-	-	1	1	1	4	6	12	7	7	2
Childbirth	0·11	93	-	-	-	-	-	-	-	-	5	25	40	23	-	-	-	-
Suicide	0·06	53	-	-	-	-	-	-	-	-	1	5	8	13	9	9	6	2
Other Violence	0·59	492	43	24	30	11	22	130	52	37	29	26	42	48	48	52	22	26
OTHER CAUSES	4·27	3551	1842	262	65	41	25	2235	55	35	20	16	55	62	72	122	279	630

Deaths of Infants (under one) to 1000 Births - 170 | Marriages - 7,667 | Births - 33,149 | Annual Rate per 1000 living: Persons Married - 18·25; Births - 39·46

521.—HULL.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	24·52	—	—	—	—	—	77·89	6·76	4·25	5·72	8·02	10·93	16·00	22·85	38·03	75·87	176·56
Mean Pop. 1871-80	—	73,269	2179	1921	1941	1956	1892	9889	8407	7226	6978	6930	12005	8883	6240	3989	2035	687
ALL CAUSES	24·52	17,966	4947	1561	604	331	260	7703	568	307	399	556	1312	1421	1426	1517	1544	1213
Small-pox	0·26	188	18	8	8	15	14	63	49	8	8	18	24	13	3	1	1	-
Measles	0·36	263	65	94	59	22	11	251	10	1	-	-	-	1	-	-	-	-
Scarlet Fever	0·57	419	29	53	79	73	59	293	96	18	3	3	4	1	1	-	-	-
Diphtheria	0·07	52	7	9	4	7	3	30	13	1	-	1	2	5	-	-	-	-
Whooping-cough	0·56	408	167	148	39	28	14	396	12	-	-	-	-	-	-	-	-	-
Typhus	0·03	25	1	2	-	2	1	6	-	2	2	3	4	4	1	-	2	1
Enteric Fever	0·47	343	5	9	9	6	10	39	29	27	44	42	72	32	24	18	10	6
Simple Cont. Fev.	0·31	230	19	28	31	17	18	113	47	12	4	7	15	10	8	6	5	3
Puerp. Fever	0·07	51	-	-	-	-	-	-	-	-	2	12	26	9	2	-	-	-
Diarr. and Dys.	1·68	1229	882	167	31	5	5	1090	9	-	1	2	12	12	13	24	27	39
Cholera	0·03	23	11	3	1	-	2	17	1	-	-	-	1	2	1	-	1	-
Cancer	0·48	349	-	-	-	1	-	1	1	-	1	2	25	57	108	82	51	21
Scrofula	0·12	91	22	10	3	-	2	37	7	9	6	6	13	3	7	3	-	-
Tabes Mesent.	0·47	344	181	73	22	9	7	292	14	11	3	8	6	5	4	1	-	-
Phthisis	2·30	1687	22	17	10	8	5	62	36	65	146	223	435	360	215	110	31	4
Hydrocephalus	0·19	140	47	35	13	8	7	108	20	7	3	2	-	-	-	-	-	-
Diseases of: Nervous Syst.	4·12	3019	1268	269	82	32	33	1684	39	28	30	41	118	159	203	244	306	167
Diseases of: Circulatory „	1·51	1110	3	4	2	2	-	11	13	17	16	22	110	188	203	229	203	92
Diseases of: Respiratory „	3·98	2918	639	387	130	40	25	1221	44	16	22	32	118	176	262	367	334	266
Diseases of: Digestive „	0·97	712	82	12	7	2	3	106	8	5	15	15	63	108	141	138	86	27
Diseases of: Urinary „	0·39	283	2	1	2	4	-	9	8	4	7	9	40	45	41	47	35	18
Diseases of: Generative „	0·08	57	-	-	-	-	-	-	-	-	1	2	8	18	12	8	7	1
Childbirth	0·08	61	-	-	-	-	-	-	-	-	4	13	20	21	3	-	-	-
Suicide	0·07	52	-	-	-	-	-	-	-	-	1	2	5	11	14	10	9	-
Other Violence	0·99	726	37	24	19	17	21	118	63	42	48	56	101	95	68	76	30	29
Other Causes	4·36	3186	1440	210	53	33	20	1756	49	34	32	35	90	86	86	153	326	539

Deaths of Infants (under one) to 1000 Births - 178 | Marriages - 9,222 | Births - 27,754 | Annual Rate per 1000 living: Persons Married - 25·17; Births - 37·88

522.—PATRINGTON.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·08	—	—	—	—	—	54·90	4·63	2·92	5·39	4·06	9·62	9·41	9·80	21·48	52·15	142·78
Mean Pop. 1871-80	—	8937	259	203	255	231	205	1153	1059	958	854	739	1092	914	867	689	418	194
ALL CAUSES	19·08	1705	455	81	45	29	23	633	49	28	46	30	105	86	85	148	218	277
Small-pox	0·07	6	1	-	-	-	-	1	-	-	1	-	-	-	2	1	1	-
Measles	0·16	14	4	6	2	-	1	13	1	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·65	58	2	1	10	11	9	33	15	4	5	1	-	-	-	-	-	-
Diphtheria	0·17	15	1	-	1	2	1	5	5	1	1	1	1	1	-	-	-	-
Whooping-cough	0·28	25	9	11	4	1	-	25	-	-	-	-	-	-	-	-	-	-
Typhus	0·04	4	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-
Enteric Fever	0·27	24	-	-	4	-	1	5	2	3	3	1	1	2	2	1	2	2
Simple Cont. Fev.	0·15	13	-	-	-	1	-	1	1	-	1	2	1	3	2	-	1	1
Puerp. Fever	0·07	6	-	-	-	-	-	-	-	-	-	4	1	1	-	-	-	-
Diarr. and Dys.	0·79	71	50	5	-	-	1	56	2	-	-	1	-	1	-	2	2	7
Cholera	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Cancer	0·53	47	-	-	-	-	-	-	-	-	-	-	2	7	10	9	14	5
Scrofula	0·10	9	2	1	-	-	-	3	-	-	1	1	3	-	-	-	-	1
Tabes Mesent.	0·46	41	35	5	-	-	-	40	-	-	1	-	-	-	-	-	-	-
Phthisis	1·71	153	7	2	2	1	-	12	5	6	15	9	48	23	19	10	6	-
Hydrocephalus	0·15	13	2	3	1	3	2	11	1	1	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	3·23	289	173	14	4	4	-	175	4	2	1	1	11	4	10	23	31	27
Diseases of: Circulatory „	1·12	100	2	-	-	-	-	2	1	1	2	1	7	12	8	23	27	16
Diseases of: Respiratory „	1·64	147	31	18	7	1	4	61	2	-	1	2	3	5	8	19	22	24
Diseases of: Digestive „	1·09	97	4	1	1	1	-	7	1	2	1	1	7	5	6	28	31	8
Diseases of: Urinary „	0·28	25	1	-	1	-	2	4	-	-	1	-	1	2	2	5	8	2
Diseases of: Generative „	0·02	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Childbirth	0·11	10	-	-	-	-	-	-	-	-	1	-	5	4	-	-	-	-
Suicide	0·09	8	-	-	-	-	-	-	-	-	-	1	1	-	2	2	2	-
Other Violence	0·74	66	3	3	2	1	1	10	3	3	10	3	11	12	3	5	2	4
Other Causes	5·15	461	148	11	6	3	1	169	5	5	1	-	2	2	10	20	67	180

Deaths of Infants (under one) to 1000 Births - 162 | Marriages - 472 | Births - 2,817 | Annual Rate per 1000 living: Persons Married - 10·56; Births - 31·52

523.—SKIRLAUGH.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
Annual Death Rate per 1000	—	16·74	—	—	—	—	—	41·61	4·13	4·12	5·43	5·05	7·04	8·41	11·69	19·82	47·15	138·79
Mean Pop. 1871-80	—	9787	281	243	247	277	257	1305	1163	996	1032	851	1264	1034	838	651	439	214
ALL CAUSES	16·74	1638	418	57	35	18	15	543	48	41	56	43	89	87	98	129	207	297
Small-pox	0·06	6	1	-	-	-	-	1	-	-	-	-	2	1	-	2	-	-
Measles	0·11	11	3	5	1	-	-	9	1	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·38	37	4	3	6	1	6	20	9	5	1	-	-	2	-	-	-	-
Diphtheria	0·04	4	-	-	1	-	1	2	-	1	1	-	-	-	-	-	-	-
Whooping-cough	0·27	26	16	3	4	1	-	24	2	-	-	-	-	-	-	-	-	-
Typhus	0·05	5	-	-	-	-	-	-	2	1	1	-	-	1	-	-	-	-
Enteric Fever	0·33	32	1	1	-	-	-	2	2	1	3	2	3	3	9	1	5	1
Simple Cont. Fev.	0·13	13	1	-	2	-	-	3	1	1	1	-	1	2	-	3	1	-
Puerp. Fever	0·06	6	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-	-
Diarr. and Dys.	0·79	77	47	5	1	-	1	54	1	-	-	-	-	-	1	3	9	9
Cholera	0·03	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2
Cancer	0·60	59	-	-	-	-	-	-	-	-	1	-	2	9	15	11	13	8
Scrofula	0·10	10	1	1	-	-	-	2	2	2	-	-	2	1	1	-	-	-
Tabes Mesent.	0·13	13	10	2	1	-	-	13	-	-	-	-	-	-	-	-	-	-
Phthisis	1·47	144	2	-	-	-	-	2	2	6	25	19	40	27	9	10	4	-
Hydrocephalus	0·16	16	7	1	1	3	-	12	2	1	-	-	-	1	-	-	-	-
Diseases of: Nervous Syst.	2·62	256	98	8	6	6	1	119	3	5	2	2	5	6	16	22	34	42
Diseases of: Circulatory „	1·52	149	1	-	-	-	1	2	1	1	1	2	7	5	15	25	45	45
Diseases of: Respiratory „	2·26	221	54	18	5	6	-	83	6	3	5	4	4	8	10	14	44	40
Diseases of: Digestive „	0·89	87	12	2	1	-	-	15	5	2	1	2	5	5	14	12	19	7
Diseases of: Urinary „	0·21	21	1	-	-	-	-	1	1	-	2	1	2	2	-	5	3	4
Diseases of: Generative „	0·03	3	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-
Childbirth	0·07	7	-	-	-	-	-	-	-	-	1	1	2	3	-	-	-	-
Suicide	0·08	8	-	-	-	-	-	-	-	1	-	2	1	2	-	1	-	1
Other Violence	0·56	55	6	1	4	-	-	11	5	8	3	5	7	4	1	3	3	5
Other Causes	3·79	369	153	7	2	1	5	168	3	2	6	2	3	2	7	16	27	133

Deaths of Infants (under one) to 1000 Births - 131 | Marriages - 518, Births - 3,181 | Annual Rate per 1000 living: Persons Married - 10·59, Births - 32·50

524.—DRIFFIELD.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
Annual Death Rate per 1000	—	19·30	—	—	—	—	—	55·29	4·85	3·49	4·21	6·05	6·68	8·70	11·42	24·81	52·90	165·10
Mean Pop. 1871-80	—	19,666	584	500	559	539	522	2704	2434	2146	1995	1637	2499	2000	1739	1306	845	361
ALL CAUSES	19·30	3795	1120	193	95	45	42	1495	118	75	84	99	167	174	216	324	447	596
Small-pox	0·04	9	2	-	-	-	-	2	-	-	-	-	2	4	-	1	-	-
Measles	0·13	25	5	7	5	1	2	20	4	-	-	-	1	-	-	-	-	-
Scarlet Fever	0·57	113	2	22	18	16	12	70	36	3	-	-	3	1	-	-	-	-
Diphtheria	0·20	40	5	6	2	4	3	20	12	3	1	1	-	1	1	-	1	-
Whooping-cough	0·33	64	41	15	6	-	2	64	-	-	-	-	-	-	-	-	-	-
Typhus	0·04	9	-	-	-	-	-	-	1	3	-	-	3	-	1	-	1	-
Enteric Fever	0·40	79	2	2	1	2	1	8	7	3	7	9	9	6	13	8	8	1
Simp. Cont. Fev.	0·09	17	-	-	-	-	1	1	4	1	1	1	-	3	2	1	3	-
Puerp. Fever	0·07	13	-	-	-	-	-	-	-	-	2	1	6	4	-	-	-	-
Diarr. and Dys.	0·87	171	113	14	2	-	1	130	1	1	2	-	1	-	4	6	10	16
Cholera	0·03	5	1	-	-	-	-	1	1	-	1	-	-	-	1	-	-	1
Cancer	0·52	103	-	-	-	-	-	-	-	1	-	-	4	18	22	33	17	8
Scrofula	0·09	18	3	3	-	1	-	7	-	-	1	-	2	2	4	1	1	-
Tabes Mesent.	0·39	76	55	12	3	1	-	71	2	1	-	1	-	1	-	-	-	-
Phthisis	1·28	252	17	5	3	-	-	25	4	14	35	40	63	28	22	16	5	1
Hydrocephalus	0·10	20	7	3	1	1	1	13	3	3	1	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·81	553	209	25	10	4	1	249	12	9	4	6	10	11	25	49	98	80
Diseases of: Circulatory „	1·37	269	1	1	-	-	-	1	3	6	2	5	14	15	27	56	72	68
Diseases of: Respiratory „	2·74	538	142	47	16	2	8	215	7	2	4	9	14	23	33	51	75	102
Diseases of: Digestive „	1·17	230	45	3	7	-	3	58	6	3	4	4	7	20	26	36	39	27
Diseases of: Urinary „	0·39	76	1	-	-	-	-	1	-	-	3	1	3	8	8	15	18	19
Diseases of: Generative „	0·07	14	-	-	-	-	-	-	-	-	-	-	1	1	3	5	4	-
Childbirth	0·08	15	-	-	-	-	-	-	-	-	2	4	4	5	-	-	-	-
Suicide	0·07	13	-	-	-	-	-	-	-	2	1	-	3	1	2	3	-	1
Other Violence	0·65	127	11	5	7	3	4	30	7	14	6	8	6	8	11	11	10	16
Other Causes	4·80	916	459	23	14	10	3	509	8	7	7	9	11	14	11	29	85	256

Deaths of Infants (under one) to 1000 Births - 165 | Marriages - 1,414, Births - 6,778 | Annual Rate per 1000 living: Persons Married - 14·38, Births - 34·47

525.—BRIDLINGTON.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·48	—	—	—	—	—	50·45	4·82	2·98	5·31	7·37	7·83	11·48	12·74	25·24	53·95	165·61
Mean Pop. 1871-80	—	16,089	467	389	424	427	382	2089	1910	1645	1695	1356	2121	1646	1413	1153	747	314
ALL CAUSES	19·48	3134	759	169	64	36	26	1054	92	40	90	100	166	189	180	291	403	520
Small-pox	0·09	15	3	1	-	2	1	7	1	1	1	1	3	-	1	-	-	-
Measles	0·21	34	7	17	1	-	-	25	7	1	-	-	1	-	-	-	-	-
Scartet Fever	0·37	60	3	11	5	11	7	37	20	1	1	-	1	-	-	-	-	-
Diphtheria	0·14	23	3	-	1	3	2	9	7	4	2	-	1	-	-	-	-	-
Whooping-cough	0·30	49	26	13	8	-	-	47	2	-	-	-	-	-	-	-	-	-
Typhus	0·03	5	-	-	-	-	-	-	-	-	2	1	-	-	1	-	1	-
Enteric Fever	0·44	71	-	-	3	1	2	6	9	6	10	7	11	9	5	6	2	-
Simple Cont. Fev.	0·08	13	-	1	2	1	1	5	3	-	2	-	-	2	1	-	-	-
Puerp. Fever	0·06	10	-	-	-	-	-	-	-	-	-	5	1	4	-	-	-	-
Diarr. and Dys.	1·02	164	109	15	1	1	-	126	1	1	-	-	2	-	3	5	10	16
Cholera	0·02	4	2	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1
Cancer	0·50	80	-	-	1	-	-	1	-	-	-	-	2	11	16	30	12	8
Scrofula	0·07	11	2	2	-	-	-	4	1	-	1	1	1	1	-	-	2	-
Tabes Mesent.	0·19	30	16	3	1	-	-	20	2	2	1	-	2	1	1	1	-	-
Phthisis	1·50	241	6	2	2	1	-	11	4	12	28	39	58	36	29	14	8	2
Hydrocephalus	0·35	56	21	9	5	3	3	41	8	3	3	-	-	1	-	-	-	-
Diseases of: Nervous Syst.	2·87	461	156	21	3	3	2	185	7	7	3	6	12	12	24	47	80	78
Diseases of: Circulatory ,,	1·46	235	-	-	-	-	-	-	-	1	1	1	14	22	22	45	78	41
Diseases of: Respiratory ,,	2·81	452	119	49	21	5	4	198	8	2	5	4	7	17	16	50	74	71
Diseases of: Digestive ,,	1·06	170	21	2	-	1	1	25	4	2	2	5	8	18	22	37	37	10
Diseases of: Urinary ,,	0·39	63	1	-	-	-	-	1	-	1	2	2	10	2	8	10	12	15
Diseases of: Generative ,,	0·09	14	-	-	-	-	-	-	-	-	1	1	3	2	4	1	1	1
Childbirth	0·07	11	-	-	-	-	-	-	-	-	3	3	1	4	-	-	-	-
Suicide	0·05	8	-	-	-	-	-	-	-	1	1	1	1	1	1	-	2	-
Other Violence	0·88	141	8	2	5	-	1	16	6	2	16	20	17	12	11	9	6	6
OTHER CAUSES	4·45	713	256	21	5	4	2	288	2	2	5	3	10	14	15	26	77	271

Deaths of Infants (under one) to 1000 Births - 146

Marriages - 1,130
Births - 5,214

Annual Rate per 1000 living: Persons Married - 14·05; Births - 32·41

YORK. NORTH RIDING.]

526.—SCARBOROUGH.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·50	—	—	—	—	—	56·05	4·97	3·21	5·13	5·67	7·55	11·75	15·38	26·91	59·11	165·61
Mean Pop. 1871-80	—	39,913	1088	973	998	1032	967	5053	4546	4168	3993	3562	5694	4451	3596	2664	1558	628
ALL CAUSES	19·50	7783	2016	454	169	100	93	2832	226	134	205	202	430	523	553	717	921	1040
Small-pox	0·33	132	13	5	1	6	10	35	34	12	8	3	17	13	7	2	1	-
Measles	0·18	70	15	28	10	4	5	62	7	-	-	-	-	-	1	-	-	-
Scarlet Fever	0·22	89	6	12	16	8	9	51	26	6	2	-	2	1	1	-	-	-
Diphtheria	0·12	48	1	4	3	8	4	20	16	6	2	-	1	2	-	1	-	-
Whooping-cough	0·28	113	63	32	12	4	2	113	-	-	-	-	-	-	-	-	-	-
Typhus	0·05	21	-	-	-	-	-	-	1	4	2	3	5	2	4	-	-	-
Enteric Fever	0·27	106	-	1	4	5	3	13	11	9	18	14	12	12	7	5	3	2
Simple Cont. Fev.	0·07	27	-	1	2	-	1	4	2	4	5	3	1	1	2	2	3	-
Puerp. Fever	0·04	17	-	-	-	-	-	-	-	-	1	3	10	3	-	-	-	-
Diarr. and Dys.	0·85	339	243	28	5	-	2	278	1	-	1	2	7	7	7	5	15	16
Cholera	0·01	4	-	-	-	1	-	1	-	-	-	-	-	-	-	2	1	-
Cancer	0·48	191	-	-	2	-	-	2	-	-	-	3	8	25	43	50	36	24
Scrofula	0·07	26	4	1	2	2	2	11	1	2	5	-	1	2	-	1	1	2
Tabes Mesent.	0·35	139	88	19	8	1	3	119	5	9	1	2	-	2	-	-	1	-
Phthisis	1·69	673	10	11	7	6	5	39	16	28	78	84	170	124	77	43	12	2
Hydrocephalus	0·34	135	57	26	15	5	5	108	14	7	-	3	-	3	-	-	-	
Diseases of: Nervous Syst.	3·11	1241	477	78	26	11	13	585	29	8	13	14	20	42	72	131	171	147
Diseases of: Circulatory ,,	1·66	662	-	-	-	1	2	3	5	8	15	13	32	73	96	135	177	99
Diseases of: Respiratory ,,	2·86	1143	310	157	30	16	10	523	16	3	8	9	29	50	67	106	163	169
Diseases of: Digestive ,,	1·14	456	34	5	1	2	2	44	6	5	12	11	33	54	81	102	76	32
Diseases of: Urinary ,,	0·42	167	2	-	-	2	-	4	4	2	7	3	11	21	20	37	32	26
Diseases of: Generative ,,	0·06	22	-	-	-	-	-	-	-	-	-	1	3	3	5	2	6	2
Childbirth	0·10	38	-	-	-	-	-	-	-	-	2	5	11	20	-	-	-	-
Suicide	0·07	29	-	-	-	-	-	-	-	-	-	1	3	8	8	3	4	2
Other Violence	0·52	207	23	11	2	6	3	45	14	9	9	11	20	16	19	21	23	20
OTHER CAUSES	4·21	1683	670	55	23	12	12	772	18	12	16	14	25	34	36	68	196	497

Deaths of Infants (under one) to 1000 Births - 160

Marriages - 3,558
Births - 12,600

Annual Rate per 1000 living: Persons Married - 17·83; Births - 31·57

527.—MALTON.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·54	—	—	—	—	—	45·11	5·01	3·59	4·31	6·56	8·05	9·56	12·66	23·94	53·28	158·69
Mean Pop. 1871-80	—	22,956	655	586	620	622	583	3066	2756	2536	2367	1905	2918	2311	1983	1587	1038	489
ALL CAUSES	18·54	4255	974	214	95	50	50	1383	138	91	102	125	235	221	251	380	553	776
Small-pox	0·25	57	7	2	2	-	2	13	7	3	4	8	7	6	4	4	1	-
Measles	0·13	29	9	10	3	1	1	24	4	-	-	1	-	-	-	-	-	-
Scarlet Fever	0·54	124	5	15	24	16	16	76	32	7	1	3	3	-	2	-	-	-
Diphtheria	0·08	18	-	-	1	1	1	3	11	2	1	1	-	-	-	-	-	-
Whooping-cough	0·18	41	18	15	2	3	1	39	2	-	-	-	-	-	-	-	-	-
Typhus	0·03	7	-	-	-	-	1	1	1	1	1	-	2	1	-	-	-	-
Enteric Fever	0·44	101	4	1	2	-	3	10	7	5	7	11	18	12	10	8	10	3
Simp. Cont. Fev.	0·08	19	-	-	-	1	-	1	2	3	3	3	3	1	-	1	2	-
Puerp. Fever	0·05	10	-	-	-	-	-	-	-	-	1	2	-	6	1	-	-	-
Diarr. and Dys.	0·79	180	109	21	7	2	-	139	2	-	-	2	2	2	2	5	16	10
Cholera	0·01	3	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-
Cancer	0·42	97	-	-	-	-	-	-	-	1	-	1	1	10	16	31	25	12
Scrofula	0·07	16	1	2	2	-	1	6	4	2	2	-	-	-	1	1	-	-
Tabes Mesent.	0·12	28	18	2	5	-	-	25	1	-	1	1	-	-	-	-	-	-
Phthisis	1·58	362	5	-	1	1	-	7	9	18	51	57	103	50	41	18	8	-
Hydrocephalus	0·15	35	12	10	2	2	2	28	5	2	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·59	594	253	21	10	5	7	296	9	9	6	8	13	15	40	62	68	68
Diseases of: Circulatory "	1·74	400	2	1	-	-	1	4	-	7	3	3	12	26	39	87	123	96
Diseases of: Respiratory "	2·59	595	159	68	20	5	6	258	9	8	4	2	17	21	31	54	93	98
Diseases of: Digestive "	1·08	247	26	5	2	1	-	34	8	5	2	-	13	31	30	44	60	20
Diseases of: Urinary "	0·31	72	1	3	-	-	-	4	2	2	2	4	4	12	6	11	19	9
Diseases of: Generative "	0·11	26	-	-	-	-	-	-	-	-	-	-	3	4	9	6	3	1
Childbirth	0·05	11	-	-	-	-	-	-	-	-	-	3	3	5	-	-	-	-
Suicide	0·07	17	-	-	-	-	-	-	-	1	1	-	1	4	2	4	3	1
Other Violence	0·51	118	12	5	6	8	2	33	8	9	7	10	10	4	8	13	9	7
OTHER CAUSES	4·57	1048	330	33	6	4	6	379	15	6	5	5	20	11	12	31	113	451

Deaths of Infants (under one) to 1000 Births - 132

Marriages - 1,519
Births - 7,393

Annual Rate per 1000 living: Persons Married - 13·23; Births - 32·21

528.—EASINGWOLD.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	16·69	—	—	—	—	—	33·95	3·75	2·50	3·54	6·73	7·93	8·45	9·73	21·60	50·79	154·07
Mean Pop. 1871-80	—	9779	255	263	246	245	234	1243	1148	1078	1073	817	1148	923	863	736	504	246
ALL CAUSES	16·69	1632	297	71	27	14	13	422	43	27	38	55	91	78	84	159	256	379
Small-pox	0·02	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Measles	0·10	10	2	2	2	1	2	9	-	-	-	-	1	-	-	-	-	-
Scarlet Fever	0·20	20	2	1	3	4	2	12	6	-	1	-	-	-	1	-	-	-
Diphtheria	0·13	13	1	-	-	1	2	4	3	5	1	-	-	-	-	-	-	-
Whooping-cough	0·13	13	8	1	4	-	-	13	-	-	-	-	-	-	-	-	-	-
Typhus	0·04	4	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-
Enteric Fever	0·2	26	-	-	-	-	-	-	1	-	4	7	5	1	1	4	1	2
Simp. Cont. Fever	0·03	3	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-
Puerp. Fever	0·08	8	-	-	-	-	-	-	-	-	1	1	6	-	-	-	-	-
Diarr. and Dys.	0·42	41	19	4	1	-	-	24	-	-	-	-	-	1	-	1	5	10
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·60	59	-	-	-	-	-	-	-	1	-	-	1	1	9	18	16	13
Scrofula	0·13	13	3	2	-	-	-	5	1	-	-	-	1	3	1	1	1	-
Tabes Mesent.	0·08	8	4	-	1	-	-	5	1	-	-	-	1	-	1	-	-	-
Phthisis	1·66	162	-	1	-	-	-	1	5	7	14	28	47	30	16	10	4	-
Hydrocephalus	0·28	27	13	6	3	1	2	25	2	-	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·02	198	56	9	3	2	2	72	2	3	3	1	4	6	8	21	35	43
Diseases of: Circulatory "	1·65	161	-	-	-	-	-	-	1	2	3	4	3	9	17	28	54	40
Diseases of: Respiratory "	2·54	248	56	23	4	3	2	88	5	3	1	2	1	8	4	29	58	49
Diseases of: Digestive "	0·82	80	12	-	-	-	-	12	2	-	-	1	1	3	7	13	28	13
Diseases of: Urinary "	0·51	50	-	-	-	-	-	-	-	1	1	2	4	4	6	10	15	7
Diseases of: Generative "	0·02	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Childbirth	0·11	11	-	-	-	-	-	-	-	-	-	1	8	2	-	-	-	-
Suicide	0·12	12	-	-	-	-	-	-	-	-	-	1	2	1	1	5	-	2
Other Violence	0·42	41	2	4	3	1	1	11	3	3	2	3	2	3	2	5	-	7
OTHER CAUSES	4·31	420	119	18	3	1	-	141	8	1	6	2	4	5	9	14	38	192

Deaths of Infants (under one) to 1000 Births - 106

Marriages - 683
Births - 2,789

Annual Rate per 1000 living: Persons Married - 13·97; Births - 28·52

529.—THIRSK.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	18·82	—	—	—	—	—	42·16	4·61	4·10	4·27	6·52	8·16	9·89	11·59	25·14	58·56	153·31
Mean Pop. 1871-80	—	12,508	359	343	339	321	322	1684	1520	1340	1241	981	1593	1274	1104	871	613	287
ALL CAUSES	18·82	2354	488	107	47	33	35	710	70	55	53	64	130	126	128	219	359	440
Small-pox	0·03	4	2	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-
Measles	0·15	19	7	5	2	2	1	17	1	-	-	-	1	-	-	-	-	-
Scarlet Fever	0·72	90	1	14	15	13	9	52	25	6	1	3	2	1	-	-	-	-
Diphtheria	0·14	17	2	-	1	2	4	9	2	4	1	-	-	1	-	-	-	-
Whooping-cough	0·24	30	16	8	3	2	1	30	-	-	-	-	-	-	-	-	-	-
Typhus	0·03	4	-	1	-	-	-	1	-	-	1	-	-	2	-	-	-	-
Enteric Fever	0·30	37	1	1	-	-	-	2	2	4	2	1	6	4	5	5	6	-
Simple Cont. Fev.	0·06	8	-	-	1	-	-	1	1	1	1	2	1	-	-	-	1	-
Puerp. Fever	0·04	5	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-
Diarr. and Dys.	0·44	55	28	6	-	1	2	37	-	-	-	-	-	1	-	2	3	12
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·62	77	-	1	-	-	-	1	-	1	-	1	-	9	13	12	31	9
Scrofula	0·08	10	1	2	-	-	1	4	-	-	1	1	2	-	1	-	-	1
Tabes Mesent.	0·14	17	7	1	-	-	-	8	2	1	2	-	3	-	-	-	1	-
Phthisis	1·55	194	3	-	-	-	-	3	2	12	19	25	56	36	20	15	6	-
Hydrocephalus	0·23	33	13	4	2	3	1	23	4	4	1	-	-	1	-	-	-	-
Diseases of: Nervous Syst.	2·49	311	85	12	2	4	5	108	6	6	3	5	8	7	19	39	62	48
Diseases of: Circulatory „	2·06	258	-	-	-	-	1	1	1	2	6	5	10	18	23	57	82	53
Diseases of: Respiratory „	3·39	424	102	34	12	5	5	158	8	3	4	4	11	13	13	35	79	96
Diseases of: Digestive „	1·06	132	20	1	1	-	-	22	1	1	3	5	8	14	14	18	26	20
Diseases of: Urinary „	0·44	55	-	1	-	-	1	2	-	-	1	1	2	5	6	13	12	13
Diseases of: Generative „	0·04	5	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-
Childbirth	0·09	11	-	-	-	-	-	-	-	-	1	-	5	5	-	-	-	-
Suicide	0·03	4	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-
Other Violence	0·53	66	4	2	3	-	-	9	6	6	4	6	4	4	4	5	10	8
OTHER CAUSES	3·89	488	196	14	5	1	4	220	9	4	2	3	6	5	7	14	38	180

Deaths of Infants (under one) to 1000 Births - 119 | Marriages - 836 | Births - 4,087 | Annual Rate per 1000 living: Persons Married - 13·37; Births - 32·68

530.—HELMSLEY.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	18·14	—	—	—	—	—	40·58	4·39	2·27	3·50	6·30	5·23	9·61	11·33	25·63	57·67	161·33
Mean Pop. 1871-80	—	11,575	329	271	312	282	287	1481	1413	1323	1229	936	1376	1166	997	831	567	256
ALL CAUSES	18·14	2100	427	86	37	30	21	601	62	30	43	59	127	112	113	213	327	413
Small-pox	0·05	6	1	-	-	-	-	1	-	-	1	-	2	-	-	1	1	-
Measles	0·11	13	3	3	2	2	-	10	1	-	-	1	-	-	1	-	-	-
Scarlet Fever	0·50	58	-	4	7	5	7	23	22	8	3	-	-	2	-	-	-	-
Diphtheria	0·13	15	2	-	-	2	1	5	4	2	2	1	-	-	1	-	-	-
Whooping-cough	0·32	37	18	11	4	1	2	36	1	-	-	-	-	-	-	-	-	-
Typhus	0·02	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
Enteric Fever	0·24	28	1	-	-	-	-	1	-	-	4	7	5	5	3	1	1	1
Simple Cont. Fev.	0·02	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
Puerp. Fever	0·08	9	-	-	-	-	-	-	-	-	1	2	4	2	-	-	-	-
Diarr. and Dys.	0·59	68	31	5	-	1	-	37	1	-	-	1	2	1	3	1	6	16
Cholera	0·05	6	2	1	-	-	-	3	-	-	-	-	1	-	-	1	1	-
Cancer	0·50	53	-	-	-	-	-	-	-	-	-	-	2	8	4	15	22	7
Scrofula	0·03	9	5	1	-	-	-	6	-	-	1	1	-	-	-	-	1	-
Tabes Mesent.	0·10	11	6	1	-	-	-	7	-	1	-	-	-	-	1	1	1	-
Phthisis	1·54	178	5	-	1	1	-	7	10	7	13	23	53	27	13	10	9	1
Hydrocephalus	0·18	21	2	5	4	4	1	16	3	2	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·95	342	107	11	4	5	4	131	5	-	3	4	9	6	15	37	63	69
Diseases of: Circulatory „	1·06	122	-	1	-	-	-	1	1	1	2	2	2	7	17	52	63	44
Diseases of: Respiratory „	2·82	326	69	29	4	5	3	110	2	-	3	2	9	12	18	35	69	66
Diseases of: Digestive „	1·33	154	13	-	4	-	-	17	3	1	-	4	9	13	10	29	25	33
Diseases of: Urinary „	0·48	56	-	-	1	1	-	2	-	-	1	2	3	3	5	8	20	12
Diseases of: Generative „	0·09	10	-	-	-	-	-	-	-	-	-	2	-	1	1	3	3	-
Childbirth	0·14	16	-	-	-	-	-	-	-	-	2	3	5	6	-	-	-	-
Suicide	0·06	7	-	-	-	-	-	-	-	-	-	2	2	2	-	-	1	-
Other Violence	0·47	54	4	2	-	3	1	10	3	4	3	2	4	5	5	6	9	3
OTHER CAUSES	3·63	422	157	12	6	-	2	177	6	3	4	-	10	11	6	13	31	161

Deaths of Infants (under one) to 1000 Births - 120 | Marriages - 647 | Births - 3,570 | Annual Rate per 1000 living: Persons Married - 11·18; Births - 30·84

531.—PICKERING.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	21·06	—	—	—	—	—	56·10	6·26	3·35	5·78	9·82	7·96	10·28	12·77	24·36	65·74	186·07
Mean Pop. 1871-80	—	11,708	388	316	335	333	318	1640	1486	1285	1073	927	1571	1245	1034	776	470	201
ALL CAUSES	21·06	2466	661	125	58	45	31	920	93	43	62	91	125	128	132	189	309	374
Small-pox	0·08	9	1	-	-	-	-	1	-	-	-	2	1	-	2	2	-	1
Measles	0·19	22	10	5	3	1	1	20	-	-	1	1	-	-	-	-	-	-
Scarlet Fever	1·00	117	1	12	13	17	9	52	39	12	5	3	3	-	1	1	-	1
Diphtheria	0·07	8	-	1	-	2	1	4	1	-	1	-	1	1	-	-	-	-
Whooping-cough	0·52	61	36	17	2	1	3	59	2	-	-	-	-	-	-	-	-	-
Typhus	0·07	8	-	-	-	-	-	-	2	1	-	2	1	1	-	-	1	-
Enteric Fever	0·34	40	1	-	-	1	-	2	8	4	3	6	5	3	4	3	2	-
Simple Cont. Fev.	0·09	10	-	-	-	-	-	-	-	1	3	2	-	-	-	3	1	-
Puerp. Fever	0·10	12	-	-	-	-	-	-	-	-	1	6	1	4	-	-	-	-
Diarr. and Dys.	0·61	71	41	2	1	-	-	44	2	-	-	-	2	1	2	3	6	11
Cholera	0·03	3	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	1
Cancer	0·63	74	-	-	-	-	-	-	-	-	-	-	3	4	11	18	25	13
Scrofula	0·07	8	-	-	-	-	-	-	-	-	2	1	1	1	-	-	2	1
Tabes Mesent.	0·32	38	18	4	2	2	-	26	1	2	2	-	2	2	2	-	1	-
Phthisis	1·27	149	3	-	-	-	-	3	3	5	23	29	40	22	14	9	-	1
Hydrocephalus	0·32	37	16	7	4	2	3	32	3	2	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	3·48	407	184	13	12	5	2	216	9	6	5	4	7	7	15	26	63	49
Diseases of: Circulatory "	1·73	202	-	-	-	1	-	1	1	1	4	1	6	13	21	37	68	49
Diseases of: Respiratory "	3·54	415	86	39	13	5	2	145	8	3	6	9	15	20	19	33	73	84
Diseases of: Digestive "	1·02	119	6	1	-	-	2	9	1	-	1	2	10	12	10	24	31	19
Diseases of: Urinary "	0·32	37	-	1	1	-	-	2	1	-	1	1	1	5	3	4	8	11
Diseases of: Generative "	0·05	6	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	-
Childbirth	0·17	20	-	-	-	-	-	-	-	-	-	7	6	7	-	-	-	-
Suicide	0·02	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Other Violence	0·69	81	5	3	2	3	3	16	6	2	3	7	10	10	11	8	2	6
OTHER CAUSES	4·33	510	253	19	5	5	5	287	6	4	1	8	9	13	14	15	26	127

Deaths of Infants (under one) to 1000 Births - 148 | Marriages - 936 | Births - 4,469 | Annual Rate per 1000 living: Persons Married - 15·99; Births - 38·17

532.—WHITBY.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	19·60	—	—	—	—	—	50·93	5·33	3·63	6·02	7·41	8·01	11·06	12·90	27·61	53·85	157·22
Mean Pop. 1871-80	—	26,139	826	696	713	700	707	3642	3225	2863	2510	2185	3419	2748	2302	1695	1066	484
ALL CAUSES	19·60	5122	1163	343	164	118	67	1855	172	104	151	162	274	304	297	468	574	761
Small-pox	0·14	37	6	-	-	1	-	7	2	2	4	2	6	5	5	2	2	-
Measles	0·32	83	17	31	12	12	2	74	7	-	2	-	-	-	-	-	-	-
Scarlet Fever	0·59	153	13	20	26	25	13	97	42	10	1	1	1	1	-	-	-	-
Diphtheria	0·12	31	3	2	7	5	4	21	6	1	1	-	-	2	-	-	-	-
Whooping-cough	0·37	97	44	29	12	4	7	96	1	-	-	-	-	-	-	-	-	-
Typhus	0·06	15	-	-	-	-	-	-	1	2	2	4	3	1	2	-	-	-
Enteric Fever	0·41	106	-	-	4	6	4	14	15	10	10	10	10	15	10	4	7	1
Simple Cont. Fev.	0·13	35	1	1	6	4	1	13	4	2	1	2	5	3	1	2	2	-
Puerp. Fever	0·05	14	-	-	-	-	-	-	-	-	-	5	3	6	-	-	-	-
Diarr. and Dys.	0·65	171	102	21	4	2	2	131	2	-	-	-	-	5	3	2	10	18
Cholera	0·03	7	1	1	1	-	-	3	-	-	-	-	-	-	1	2	-	1
Cancer	0·55	145	-	-	-	-	-	-	-	-	2	1	7	14	24	38	39	20
Scrofula	0·11	29	7	2	-	-	-	9	6	1	4	-	2	1	3	3	-	-
Tabes Mesent.	0·18	47	16	11	4	2	-	33	4	6	1	1	1	-	1	-	-	-
Phthisis	1·63	426	3	2	3	3	4	15	7	16	57	74	120	65	43	23	6	-
Hydrocephalus	0·30	78	23	19	6	8	4	60	11	3	3	-	-	1	-	-	-	-
Diseases of: Nervous Syst.	2·48	648	217	29	14	8	9	277	14	11	12	6	11	18	36	70	103	90
Diseases of: Circulatory "	1·20	314	-	2	-	-	-	2	1	2	8	8	14	33	32	70	87	57
Diseases of: Respiratory "	3·21	838	212	102	38	19	5	376	16	7	9	12	17	42	36	82	113	128
Diseases of: Digestive "	1·15	300	66	9	5	2	1	83	4	4	5	8	15	22	30	58	41	30
Diseases of: Urinary "	0·29	75	1	-	-	1	-	2	2	1	1	3	5	9	9	14	14	15
Diseases of: Generative "	0·07	18	-	-	-	-	-	-	-	-	1	-	3	2	5	3	4	-
Childbirth	0·11	29	-	-	-	-	-	-	-	-	2	4	14	9	-	-	-	-
Suicide	0·05	13	-	-	-	-	-	-	-	-	1	-	1	7	3	1	-	-
Other Violence	0·70	183	23	5	4	4	3	39	8	15	16	12	20	13	17	20	10	13
OTHER CAUSES	4·70	1230	405	57	18	12	8	503	19	11	8	9	16	30	36	74	136	388

Deaths of Infants (under one) to 1000 Births - 126 | Marriages - 1,995 | Births - 9,209 | Annual Rate per 1000 living: Persons Married - 15·26; Births - 35·23

533.—GUISBROUGH ($4\frac{3}{4}$ years to 30th September 1875).*

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	24·80	—	—	—	—	—	83·49	7·97	5·51	10·34	11·68	11·15	12·80	15·04	31·18	58·12	144·59
Mean Pop. 1871-80	—	*45,127	1619	1314	1384	1380	1286	6983	5864	4661	3745	4469	7649	5297	3359	1749	935	416
ALL CAUSES	24·80	5315	1797	507	223	149	93	2769	222	122	184	248	405	322	240	259	258	286
Small-pox	0·64	137	27	5	6	5	4	47	15	1	7	20	30	14	2	1	–	–
Measles	0·35	75	21	25	14	8	3	71	4	–	–	–	–	–	–	–	–	–
Scarlet Fever	1·11	234	14	37	35	43	28	157	55	16	3	5	1	1	–	–	–	–
Diphtheria	0·17	36	3	4	4	6	5	22	11	1	–	–	–	1	1	–	–	–
Whooping-cough	0·57	123	63	40	15	4	1	123	–	–	–	–	–	–	–	–	–	–
Typhus	0·10	21	–	–	–	–	1	1	4	–	5	–	6	2	1	2	–	–
Enteric Fever	1·17	251	2	5	7	14	7	35	23	24	31	41	49	22	14	6	5	1
Simple Cont. Fev.	0·15	32	1	1	3	3	3	11	3	2	4	1	5	1	1	2	1	1
Puerp. Fever	0·18	39	–	–	–	–	–	–	–	–	6	11	12	8	2	–	–	–
Diarr. and Dys.	1·53	327	242	51	10	–	–	303	1	–	–	–	1	1	4	3	7	7
Cholera	0·08	17	5	1	–	–	–	6	2	2	–	–	1	1	2	2	1	–
Cancer	0·25	54	–	–	–	–	–	–	1	–	–	1	5	11	13	11	7	5
Scrofula	0·17	36	16	6	3	2	1	28	–	1	2	2	1	2	–	–	–	–
Tabes Mesent.	0·49	105	43	38	7	2	–	90	5	3	–	1	3	2	–	1	–	–
Phthisis	1·79	383	4	7	3	2	–	16	15	19	41	65	106	71	23	22	4	1
Hydrocephalus	0·66	141	52	40	14	7	6	119	14	4	–	1	1	1	1	–	–	–
Diseases of: Nervous Syst.	2·80	600	338	27	16	8	6	395	13	5	11	9	11	11	30	33	47	35
Diseases of: Circulatory „	0·83	177	3	1	–	–	–	4	5	1	5	6	14	34	27	41	32	8
Diseases of: Respiratory „	3·49	749	277	118	42	23	14	474	11	6	9	17	23	36	33	46	49	45
Diseases of: Digestive „	0·94	202	38	7	4	2	1	52	6	2	9	7	17	30	23	31	19	6
Diseases of: Urinary „	0·33	71	2	1	1	3	3	10	2	1	2	2	11	7	9	11	9	7
Diseases of: Generative „	0·02	4	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–
Childbirth	0·10	22	–	–	–	–	–	–	–	–	–	6	10	6	–	–	–	–
Suicide	0·04	8	–	–	–	–	–	–	–	–	–	–	5	–	1	1	–	1
Other Violence	1·38	295	22	7	6	2	2	39	11	24	38	41	64	31	27	12	7	1
Other Causes	5·46	1172	624	86	33	15	8	766	21	10	11	11	29	28	24	34	70	168

Deaths of Infants (under one) to 1000 Births - 173 | Marriages - 1,993 | Births - 10,377 | Annual Rate per 1000 living: Persons Married - 18·60; Births - 48·41

* A large part of this District was transferred on 1st October 1875 to the newly formed District of MIDDLESBROUGH; *see* pp. 371-78. The figures in this Table relate to GUISBROUGH as constituted during the first $4\frac{3}{4}$ years of the decade.

533.—GUISBROUGH ($5\frac{1}{4}$ years from 1st October 1875).*

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	20·45	—	—	—	—	—	65·11	6·74	3·90	5·74	8·30	7·63	9·49	16·04	26·00	58·15	188·66
Mean Pop. 1871-80	—	*38,935	1312	1161	1265	1250	1322	6310	5567	4352	3416	3235	5992	4377	2743	1773	871	299
ALL CAUSES	20·45	4180	1364	416	174	121	82	2157	197	89	103	141	240	218	231	242	266	296
Small-pox	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·45	93	25	31	19	9	5	89	2	1	–	–	1	–	–	–	–	–
Scarlet Fever	1·19	243	13	33	38	38	26	148	77	15	–	2	1	–	–	–	–	–
Diphtheria	0·13	27	2	1	4	6	2	15	4	–	1	1	2	2	1	1	–	–
Whooping-cough	0·53	108	50	35	14	3	2	104	4	–	–	–	–	–	–	–	–	–
Typhus	0·01	3	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–
Enteric Fever	0·38	71	1	–	3	5	2	11	12	3	3	8	14	8	7	2	2	1
Simple Cont. Fev.	0·06	13	1	2	1	3	2	9	1	1	–	–	–	–	–	–	1	1
Puerp. Fever	0·07	14	–	–	–	–	–	–	–	–	1	3	8	2	–	–	–	–
Diarr. and Dys.	1·02	208	144	39	6	3	1	193	3	1	–	–	–	–	1	2	2	6
Cholera	0·07	14	5	4	1	–	–	10	1	–	–	–	1	1	–	–	–	1
Cancer	0·46	95	–	1	–	–	–	1	–	–	–	–	5	15	30	23	16	5
Scrofula	0·20	40	16	6	3	–	–	25	5	2	2	1	2	1	–	2	–	–
Tabes Mesent.	0·40	82	36	19	1	3	3	62	6	2	1	6	1	1	1	–	1	1
Phthisis	1·59	325	6	7	4	–	4	21	8	18	44	61	72	42	30	24	5	–
Hydrocephalus	0·53	109	42	33	8	5	4	92	12	4	1	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·32	475	226	23	9	10	5	273	11	6	5	7	19	13	25	28	50	38
Diseases of: Circulatory „	0·96	196	1	–	–	–	–	1	3	2	7	6	18	25	39	47	38	19
Diseases of: Respiratory „	3·11	635	218	114	28	12	10	382	9	4	2	8	17	31	37	45	52	48
Diseases of: Digestive „	0·87	178	35	8	7	1	4	55	8	3	3	4	11	21	11	21	31	10
Diseases of: Urinary „	0·36	73	1	–	–	1	–	2	3	3	3	5	13	12	8	13	8	3
Diseases of: Generative „	0·02	4	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1
Childbirth	0·11	22	–	–	–	–	–	–	–	–	–	6	6	10	–	–	–	–
Suicide	0·09	18	–	–	–	–	–	–	–	–	1	2	2	–	4	7	2	–
Other Violence	0·89	182	13	7	4	5	4	33	6	15	16	17	28	21	26	10	4	6
Other Causes	4·63	952	529	53	24	17	8	631	21	9	12	4	19	12	19	16	53	156

Deaths of Infants (under one) to 1000 Births - 144 | Marriages - 1,499 | Births - 9,410 | Annual Rate per 1000 living: Persons Married - 14·67; Births - 46·18

* This Table relates to GUISBROUGH as constituted after the creation of the District of MIDDLESBROUGH. *See* NOTE to the preceding Table.

534.—MIDDLESBROUGH ($5\frac{1}{4}$ years from 1st October 1875).*

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	19·93	—	—	—	—	—	70·68	6·61	3·04	4·57	5·68	8·28	11·51	14·81	29·03	61·60	174·44
Mean Pop. Oct. 1875 to Dec. 1880	—	*32,076	2791	2329	2662	2582	2598	12962	11242	9019	7590	7338	13338	10000	5915	3071	1237	364
ALL CAUSES	19·93	8590	2879	1061	419	253	198	4810	390	144	182	219	580	604	460	468	400	333
Small-pox	0·00	2	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Measles	0·50	217	47	90	30	26	13	206	10	–	1	–	–	–	–	–	–	–
Scarlet Fever	1·07	461	26	59	89	75	54	303	157	13	2	1	4	1	–	–	–	–
Diphtheria	0·07	29	3	6	3	1	5	18	6	–	–	–	3	1	–	1	–	–
Whooping-cough	0·50	217	94	64	25	18	11	212	5	–	–	–	–	–	–	–	–	–
Typhus	0·01	4	–	–	–	–	1	1	–	–	–	1	2	–	–	–	–	–
Enteric Fever	0·63	272	5	11	16	14	11	57	28	16	27	29	64	28	13	6	3	1
Simple Cont. Fev.	0·11	47	5	8	5	3	2	23	3	4	2	–	5	3	1	4	2	–
Puerp. Fever	0·06	26	–	–	–	–	–	–	–	–	1	6	10	9	–	–	–	–
Diarr. and Dys.	1·09	470	310	97	13	2	3	425	3	–	–	–	4	3	3	9	12	11
Cholera	0·01	5	2	2	1	–	–	5	–	–	–	–	–	–	–	–	–	–
Cancer	0·29	124	–	–	–	–	–	–	–	–	–	–	12	21	33	37	9	9
Scrofula	0·15	63	24	16	3	1	–	44	6	2	2	–	4	3	2	–	–	–
Tabes Mesent.	0·74	320	171	98	20	9	6	304	7	2	1	3	1	1	1	–	–	–
Phthisis	1·59	687	7	10	5	10	9	41	24	32	57	77	184	160	74	32	5	1
Hydrocephalus	0·35	155	45	42	16	7	8	118	23	4	3	1	3	2	1	–	–	–
Diseases of: Nervous Syst.	2·62	1127	579	115	45	16	17	772	30	11	10	14	26	32	43	64	92	33
Diseases of: Circulatory "	1·01	434	5	–	1	–	1	7	14	14	9	7	48	75	79	76	76	29
Diseases of: Respiratory "	3·46	1493	563	236	87	32	22	920	27	7	12	17	67	104	82	116	83	58
Diseases of: Digestive "	0·65	278	59	10	4	4	7	84	7	2	7	3	30	30	43	38	24	10
Diseases of: Urinary "	0·32	136	4	5	8	3	3	23	13	4	4	9	17	17	16	17	12	4
Diseases of: Generative "	0·04	16	–	1	–	–	–	1	–	–	–	3	3	5	1	2	–	1
Childbirth	0·09	40	–	–	–	–	–	–	–	–	3	8	15	14	–	–	–	–
Suicide	0·03	13	–	–	–	–	–	–	–	–	–	–	1	5	4	2	1	–
Other Violence	0·85	365	28	13	11	10	12	74	25	22	31	24	48	60	34	25	16	6
OTHER CAUSES	3·68	1589	962	137	37	22	13	1171	22	11	9	16	29	27	30	39	65	170

Deaths of Infants (under one) to 1000 Births - 152 | Marriages - 3,315 | Births - 18,975 | Annual Rate per 1000 living: Persons Married - 15·39; Births - 44·04

* This District was created on 1st October 1875; *see* pp. 371–78.

535.—STOKESLEY.*

—	Annual Death Rate per 1000																	
ANNUAL DEATH RATE PER 1000	—	18·22	—	—	—	—	—	45·16	6·33	3·54	5·43	7·16	7·86	10·17	10·73	21·00	48·24	151·14
Mean Pop. 1871–80	—	*11,523	305	279	324	299	281	1488	1405	1326	1161	950	1460	1141	997	781	510	264
ALL CAUSES	18·22	2081	456	103	52	35	26	672	89	47	63	68	110	116	107	164	246	399
Small-pox	0·02	2	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Measles	0·11	13	–	7	3	1	1	12	–	–	–	–	–	–	–	1	–	–
Scarlet Fever	0·75	86	3	7	8	9	12	39	27	11	3	3	1	2	–	–	–	–
Diphtheria	0·11	13	1	2	–	1	–	4	5	2	1	1	–	–	–	–	–	–
Whooping-cough	0·30	34	14	10	6	–	1	31	3	–	–	–	–	–	–	–	–	–
Typhus	0·11	12	–	–	–	–	–	–	2	2	3	–	1	2	–	1	–	1
Enteric Fever	0·24	27	–	1	2	–	–	3	3	–	5	5	3	4	1	3	–	–
Simple Cont. Fev.	0·11	12	–	1	–	1	–	2	1	2	–	–	2	1	–	2	2	–
Puerp. Fever	0·06	7	–	–	–	–	–	–	–	–	1	1	3	2	–	–	–	–
Diarr. and Dys.	0·49	56	25	5	1	2	–	33	–	–	–	–	–	2	2	2	7	10
Cholera	0·02	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
Cancer	0·47	54	–	–	–	–	–	–	–	–	–	–	–	2	6	21	17	8
Scrofula	0·19	22	11	1	–	–	–	12	2	1	3	–	2	2	–	–	–	–
Tabes Mesent.	0·19	22	8	6	1	1	–	16	1	4	–	–	–	–	1	–	–	–
Phthisis	1·67	191	2	2	–	–	–	4	6	5	25	38	49	34	18	7	4	1
Hydrocephalus	0·29	33	11	9	4	1	–	25	6	2	–	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·31	264	89	12	2	8	5	116	9	4	5	2	5	10	11	26	32	44
Diseases of: Circulatory "	1·04	119	2	–	–	–	1	3	1	3	–	1	6	14	13	20	34	24
Diseases of: Respiratory "	2·45	280	71	22	9	4	1	107	5	1	3	3	11	14	19	30	41	46
Diseases of: Digestive "	1·08	123	17	3	1	–	–	21	2	1	3	3	3	9	17	22	24	18
Diseases of: Urinary "	0·26	30	–	1	1	–	1	3	–	–	1	1	3	4	1	3	6	8
Diseases of: Generative "	0·03	3	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–
Childbirth	0·10	11	–	–	–	–	–	–	–	–	–	1	5	5	–	–	–	–
Suicide	0·12	14	–	–	–	–	–	–	–	–	1	2	1	2	3	3	1	1
Other Violence	0·47	54	6	1	6	2	2	17	2	2	5	2	4	1	4	5	4	8
OTHER CAUSES	5·23	597	195	12	8	5	2	222	14	7	4		11	6	9	18	73	24

Deaths of Infants (under one) to 1000 Births - 121 | Marriages - 691 | Births - 3,771 | Annual Rate per 1000 living: Persons Married - 12·10; Births - 33·01

* Changes were made in the boundary of this District during the decade; *see* pp. 371–78.

536.—NORTHALLERTON.

:—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	18·71	—	—	—	—	—	37·87	5·12	3·74	5·96	7·38	9·02	9·46	12·20	22·58	58·97	162·32
Mean Pop. 1871-80	—	11,755	325	291	319	310	305	1550	1407	1310	1192	921	1442	1194	1041	837	585	276
ALL CAUSES	18·71	2199	402	94	35	32	24	587	72	49	71	68	130	113	127	189	345	448
Small-pox	0·09	11	1	1	-	-	-	2	-	1	3	1	1	-	2	1	-	-
Measles	0·09	11	4	2	-	2	1	9	1	-	-	-	-	-	1	-	-	-
Scarlet Fever	0·59	68	6	10	9	9	4	38	20	4	1	2	2	-	-	1	-	-
Diphtheria	0·16	19	1	1	1	3	1	7	7	4	-	-	-	-	1	-	-	-
Whooping-cough	0·32	38	19	14	3	-	2	38	-	-	-	-	-	-	-	-	-	-
Typhus	0·03	3	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-
Enteric Fever	0·42	50	-	4	-	1	1	6	1	8	8	8	6	5	5	2	1	-
Simple Cont. Fev.	0·09	11	2	-	-	-	-	2	1	2	1	-	2	-	1	-	2	-
Puerp. Fever	0·03	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
Diarr. and Dys.	0·47	55	26	3	3	-	-	32	2	-	1	1	-	-	3	3	5	8
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·66	78	-	-	-	-	-	-	-	-	-	1	-	6	10	19	31	11
Scrofula	0·09	11	2	-	2	-	-	4	1	-	1	-	1	2	-	-	2	-
Tabes Mesent.	0·20	24	12	6	3	1	-	22	1	1	-	-	-	-	-	-	-	-
Phthisis	1·79	210	1	1	1	1	1	5	2	12	30	28	66	30	16	15	5	1
Hydrocephalus	0·38	45	22	11	-	1	3	37	4	2	-	2	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·68	315	90	8	1	5	2	106	9	2	6	3	6	4	15	37	69	58
Circulatory "	1·70	200	-	-	-	2	-	2	3	4	6	5	9	18	21	41	59	32
Respiratory "	2·93	344	66	24	6	6	4	106	7	2	3	4	14	13	17	30	62	86
Digestive "	0·84	99	7	1	-	-	1	9	1	2	2	3	3	9	12	14	29	15
Urinary "	0·37	44	1	-	-	-	-	1	2	-	-	1	2	3	3	5	16	11
Generative "	0·08	9	-	-	-	-	-	-	-	-	-	-	1	1	3	3	1	-
Childbirth	0·09	11	-	-	-	-	-	-	-	-	1	-	5	5	-	-	-	-
Suicide	0·09	11	-	-	-	-	-	-	-	1	-	-	2	4	2	1	1	-
Other Violence	0·45	53	5	1	1	1	3	11	5	1	4	2	4	3	7	4	8	4
Other Causes	4·07	475	137	7	5	-	1	150	5	3	3	7	4	6	8	13	54	222

Deaths of Infants (under one) to 1000 Births - 111 | Marriages - 793, Births - 3,610 | Annual Rate per 1000 living: Persons Married - 13·49, Births - 30·71

537.—BEDALE.

:—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	19·39	—	—	—	—	—	39·56	4·50	3·31	5·70	6·05	8·22	11·34	13·40	20·56	59·74	153·57
Mean Pop. 1871-80	—	8,350	225	217	215	224	216	1097	978	936	789	645	998	838	746	642	457	224
ALL CAUSES	19·39	1619	279	75	35	19	26	434	44	31	45	39	82	95	100	132	273	344
Small-pox	0·07	6	-	-	1	-	-	1	-	-	-	1	1	2	-	1	-	-
Measles	0·08	7	1	2	2	-	1	6	1	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·34	28	-	4	7	2	4	17	7	1	1	-	1	-	-	1	-	-
Diphtheria	0·28	23	-	3	4	1	3	11	8	2	1	-	-	-	1	-	-	-
Whooping-cough	0·35	29	18	4	1	2	2	27	1	1	-	-	-	-	-	-	-	-
Typhus	0·02	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
Enteric Fever	0·34	28	-	-	1	-	-	1	2	4	6	1	6	2	-	3	-	3
Simple Cont. Fev.	0·20	17	-	-	-	-	-	-	2	-	4	2	4	2	2	1	-	-
Puerp. Fever	0·02	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Diarr. and Dys.	0·59	49	20	5	1	-	-	26	1	-	-	-	1	3	-	2	9	7
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·57	48	-	-	-	1	-	1	-	-	-	-	2	3	3	12	15	12
Scrofula	0·10	8	2	1	-	1	-	4	-	-	1	-	1	1	1	-	-	-
Tabes Mesent.	0·11	9	3	-	-	1	1	5	3	-	1	-	-	-	-	-	-	-
Phthisis	1·58	132	2	1	-	-	-	3	3	5	18	18	32	22	13	10	8	-
Hydrocephalus	0·30	25	8	7	3	1	3	22	1	-	-	1	-	1	-	-	-	-
Diseases of: Nervous Syst.	2·44	204	58	14	2	1	1	76	2	4	2	1	5	10	17	13	33	36
Circulatory "	1·51	126	-	-	-	-	-	-	1	-	-	1	2	6	10	26	53	27
Respiratory "	2·83	236	57	17	6	3	6	89	4	2	1	1	8	10	8	14	44	55
Digestive "	1·22	102	6	-	1	1	2	10	1	2	2	1	2	14	18	15	24	13
Urinary "	0·50	42	-	-	-	-	-	-	-	3	1	-	-	5	4	10	13	6
Generative "	0·10	8	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	1
Childbirth	0·10	8	-	-	-	-	-	-	-	-	1	-	3	4	-	-	-	-
Suicide	0·04	3	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-
Other Violence	0·63	53	7	2	1	3	1	14	5	2	2	4	5	1	5	8	3	4
Other Causes	5·07	424	97	15	5	2	2	121	2	3	4	8	7	6	15	14	64	189

Deaths of Infants (under one) to 1000 Births - 112 | Marriages - 507, Births - 2,481 | Annual Rate per 1000 living: Persons Married - 12·14, Births - 29·71

538.—LEYBURN.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·71	—	—	—	—	—	38·39	4·14	3·83	4·90	8·09	9·45	13·11	13·78	19·97	52·25	158·54
Mean Pop. 1871-80	—	8515	209	215	216	199	216	1055	967	941	857	705	1005	824	791	721	444	205
ALL CAUSES	18·71	1593	284	53	28	22	18	405	40	36	42	57	95	108	109	144	232	325
Small-pox	0·05	4	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–
Measles	0·07	6	1	1	1	1	–	4	1	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·52	44	5	4	4	6	4	23	9	7	2	1	–	2	–	–	–	–
Diphtheria	0·23	20	1	2	1	1	3	8	8	2	2	–	–	–	–	–	–	–
Whooping-cough	0·35	30	19	8	2	1	–	30	–	–	–	–	–	–	–	–	–	–
Typhus	0·04	3	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
Enteric Fever	0·18	15	–	–	–	–	–	–	1	1	–	2	2	5	2	2	–	–
Simp. Cont. Fever	0·05	4	–	1	–	–	–	1	1	–	–	–	–	–	1	1	–	–
Puerp. Fever	0·14	12	–	–	–	–	–	–	–	–	1	4	3	3	1	–	–	–
Diarr. and Dys.	0·42	36	17	1	–	1	–	19	–	–	–	–	1	1	2	4	4	5
Cholera	0·01	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·69	59	–	–	–	–	–	–	–	–	–	–	1	7	6	15	23	7
Scrofula	0·02	2	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–
Tabes Mesent.	0·20	17	7	5	1	2	1	16	–	1	–	–	–	–	–	–	–	–
Phthisis	2·01	171	–	–	–	–	–	–	–	8	14	34	49	31	15	16	4	–
Hydrocephalus	0·18	15	3	2	4	2	3	14	1	–	–	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·35	200	71	8	5	2	–	86	3	7	8	1	2	4	9	24	35	21
Circulatory "	1·50	128	–	–	–	–	–	–	–	4	1	2	3	10	16	16	37	39
Respiratory "	2·38	203	43	11	3	3	3	63	2	1	3	2	7	10	18	21	37	59
Digestive "	1·07	91	11	2	1	–	–	14	2	1	4	2	2	13	15	10	18	10
Urinary "	0·38	32	–	–	–	–	1	1	1	–	–	–	4	3	5	3	7	8
Generative "	0·07	6	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	–
Childbirth	0·09	8	–	–	–	–	–	–	–	–	–	2	4	2	–	–	–	–
Suicide	0·05	4	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–
Other Violence	0·52	44	4	1	2	–	2	9	5	1	1	2	4	5	5	2	3	7
Other Causes	5·14	438	102	7	3	3	1	116	6	2	5	3	10	9	11	26	61	189

Deaths of Infants (under one) to 1000 Births - 117 | Marriages - 505 | Births - 2,435 | Annual Rate per 1000 living: Persons Married - 11·86; Births - 28·60

539.—AYSGARTH.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·95	—	—	—	—	—	40·09	6·24	2·63	7·71	10·84	8·50	12·19	13·01	27·00	66·94	161·48
Mean Pop. 1871-80	—	5478	144	139	133	134	131	681	625	607	519	452	694	566	538	426	248	122
ALL CAUSES	19·95	1093	193	41	22	9	8	273	39	16	40	49	59	69	70	115	166	197
Small-pox	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·26	14	4	6	–	1	–	11	2	–	–	–	1	–	–	–	–	–
Scarlet Fever	0·24	13	–	1	4	1	1	7	5	–	–	1	–	–	–	–	–	–
Diphtheria	0·02	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Whooping-cough	0·22	12	7	2	1	–	–	10	2	–	–	–	–	–	–	–	–	–
Typhus	0·02	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteric Fever	0·78	43	–	–	2	–	–	2	5	2	11	3	8	4	5	2	1	–
Simp. Cont. Fever	0·09	5	–	–	–	1	–	1	2	–	–	–	1	1	–	–	–	–
Puerp. Fever	0·09	5	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–
Diarr. and Dys.	0·26	14	7	–	–	–	–	7	1	–	–	–	–	1	1	3	1	–
Cholera	0·02	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	0·51	28	–	–	–	–	–	–	1	–	–	–	–	1	5	5	8	8
Scrofula	0·15	8	–	1	–	1	1	3	1	–	1	2	–	1	–	–	–	–
Tabes Mesent.	0·35	19	5	3	–	1	2	11	–	2	–	2	3	–	–	–	1	–
Phthisis	2·04	112	–	–	–	–	–	–	1	1	19	29	26	20	12	3	1	–
Hydrocephalus	0·33	18	4	6	3	–	1	14	3	–	–	1	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·37	130	33	5	2	2	1	43	5	4	1	2	1	5	7	15	30	17
Circulatory "	1·24	68	–	1	–	–	–	1	1	3	1	–	2	4	7	16	17	16
Respiratory "	2·98	163	27	13	3	1	–	44	–	1	1	1	5	10	11	24	43	23
Digestive "	1·22	67	3	–	2	–	–	5	1	–	1	–	1	9	10	21	13	6
Urinary "	0·57	31	–	–	–	–	–	–	–	–	–	–	–	3	2	9	11	6
Generative "	0·02	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Childbirth	0·07	4	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–
Suicide	0·04	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Other Violence	0·64	35	4	–	2	1	–	7	2	1	2	3	3	3	1	4	5	4
Other Causes	5·42	298	99	3	3	–	2	107	6	2	2	2	4	2	8	13	35	117

Deaths of Infants (under one) to 1000 Births - 118 | Marriages - 398 | Births - 1,639 | Annual Rate per 1000 living: Persons Married - 14·53; Births - 29·92

540.—REETH.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	20·17	—	—	—	—	—	41·55	5·66	4·17	8·15	8·68	9·97	13·50	20·62	32·96	78·79	156·72
Mean Pop. 1871-80	—	5,043	148	120	135	131	123	657	618	552	491	438	702	548	417	355	198	67
ALL CAUSES	20·17	1017	192	32	19	13	17	273	35	23	40	38	70	74	86	117	156	105
Small-pox	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	0·04	2	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·59	30	-	3	3	1	3	10	13	3	1	1	2	-	-	-	-	-
Diphtheria	0·14	7	-	-	-	2	2	4	-	2	-	1	-	-	-	-	-	-
Whooping-cough	0·46	23	16	5	1	1	-	23	-	-	-	-	-	-	-	-	-	-
Typhus	0·12	6	-	1	-	-	1	2	1	1	-	1	-	1	-	-	-	-
Enteric Fever	0·40	20	-	-	-	1	-	1	2	3	2	2	3	2	5	-	-	-
Simple Cont. Fev.	0·02	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Puerp. Fever	0·08	4	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-
Diarr. and Dys.	0·26	13	8	-	-	-	-	8	-	-	-	-	-	1	-	1	2	1
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·38	19	-	-	-	1	-	1	-	-	-	-	-	3	1	4	7	3
Scrofula	0·04	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Tabes Mesent.	0·02	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Phthisis	2·99	151	4	1	1	-	-	6	2	4	18	17	35	25	20	16	8	-
Hydrocephalus	0·26	13	1	-	1	1	3	6	5	2	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	1·71	86	38	2	2	-	3	45	3	-	2	1	2	3	8	9	9	4
Diseases of: Circulatory ,,	1·69	85	1	-	-	1	-	2	-	1	2	2	5	7	7	14	34	11
Diseases of: Respiratory ,,	3·21	162	30	5	1	1	2	39	2	2	6	3	8	8	19	33	31	11
Diseases of: Digestive ,,	1·31	66	2	1	-	-	2	5	1	1	1	2	2	8	8	14	22	2
Diseases of: Urinary ,,	0·30	15	-	-	-	-	-	-	-	-	1	3	-	1	5	1	4	-
Diseases of: Generative ,,	0·06	3	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-
Childbirth	0·14	7	-	-	-	-	-	-	-	-	-	2	2	3	-	-	-	-
Suicide	0·02	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Other Violence	0·46	23	3	-	2	-	-	5	-	1	3	1	4	3	1	3	-	2
Other Causes	5·47	277	89	13	7	3	1	113	5	3	3	-	5	8	10	21	38	71

Deaths of Infants (under one) to 1000 Births - 121 | Marriages - 341 | Births - 1,589 | Annual Rate per 1000 living: Persons Married - 13·52; Births - - - 31·51

541.—RICHMOND.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·86	—	—	—	—	—	39·02	4·47	2·43	4·63	6·23	7·34	11·01	14·33	25·14	52·88	143·15
Mean Pop. 1871-80	—	13,506	375	343	356	330	336	1740	1567	1604	1382	1123	1702	1335	1179	907	624	343
ALL CAUSES	17·86	2412	437	129	60	29	24	679	70	39	64	70	125	147	169	228	330	491
Small-pox	0·12	16	1	-	1	-	-	2	2	1	-	1	1	2	3	3	1	-
Measles	0·16	22	6	10	5	-	-	21	1	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·30	41	3	5	4	3	5	20	14	2	1	2	-	1	1	-	-	-
Diphtheria	0·12	16	-	1	-	2	5	8	7	1	-	-	-	-	-	-	-	-
Whooping-cough	0·33	44	14	20	3	1	2	40	3	1	-	-	-	-	-	-	-	-
Typhus	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	0·28	38	-	1	1	1	1	4	3	4	5	6	7	3	3	1	-	2
Simple Cont. Fev.	0·01	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
Puerp. Fever	0·02	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
Diarr. and Dys.	0·40	54	37	3	2	-	-	42	-	-	-	-	-	-	-	2	5	5
Cholera	0·03	4	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1
Cancer	0·58	79	-	-	-	-	-	-	-	-	-	2	-	4	12	15	26	20
Scrofula	0·07	9	1	2	2	-	-	5	1	-	-	-	-	-	2	1	-	-
Tabes Mesent.	0·06	8	1	-	2	-	1	4	-	1	1	2	-	-	-	-	-	-
Phthisis	2·14	289	6	5	3	4	-	18	1	11	34	31	60	57	42	26	9	-
Hydrocephalus	0·38	51	5	15	9	2	-	31	8	4	3	2	2	-	1	-	-	-
Diseases of: Nervous Syst.	2·28	308	98	6	3	1	1	109	5	3	4	-	5	13	16	18	62	63
Diseases of: Circulatory ,,	1·41	190	-	-	-	-	1	1	-	1	2	4	8	17	14	31	62	50
Diseases of: Respiratory ,,	2·92	394	85	26	16	4	4	135	7	1	4	2	14	17	17	44	55	98
Diseases of: Digestive ,,	1·31	177	29	5	1	-	-	35	2	-	5	6	5	8	29	31	37	19
Diseases of: Urinary ,,	0·42	57	-	-	-	-	-	-	1	-	1	1	2	6	3	14	12	17
Diseases of: Generative ,,	0·04	6	-	-	-	-	-	-	-	-	-	-	1	-	2	3	-	-
Childbirth	0·07	10	-	-	-	-	-	-	-	-	-	3	5	2	-	-	-	-
Suicide	0·07	9	-	-	-	-	-	-	-	-	-	-	1	3	1	2	2	-
Other Violence	0·47	63	4	8	1	2	2	17	4	6	2	1	1	2	7	4	8	11
Other Causes	3·87	522	147	22	7	9	2	187	9	3	2	7	11	10	16	22	50	205

Deaths of Infants (under one) to 1000 Births - 108 | Marriages - 836 | Births - 4,051 | Annual Rate per 1000 living: Persons Married - 12·38; Births - - 29·99

DURHAM.

542.—DARLINGTON.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	20·59	—	—	—	—	—	62·23	7·17	3·98	5·72	7·94	8·82	11·79	15·83	27·29	59·72	168·79
Mean Pop. 1871–80	—	44,244	1401	1207	1268	1300	1269	6445	5617	4775	4354	3982	6771	4858	3398	2250	1291	503
ALL CAUSES	20·59	9111	2551	746	359	210	145	4011	403	190	249	316	597	573	538	614	771	849
Small-pox	0·43	189	27	9	4	7	10	57	34	9	7	14	33	13	12	8	–	2
Measles	0·34	152	29	55	36	10	5	135	15	1	1	–	–	–	–	–	–	–
Scarlet Fever	0·77	340	20	42	68	52	38	220	94	16	5	–	2	8	–	–	–	–
Diphtheria	0·09	41	6	3	6	2	1	18	12	5	3	–	1	–	1	–	1	–
Whooping cough	0·39	172	76	50	24	6	9	165	7	–	–	–	–	–	–	–	–	–
Typhus	0·05	24	–	1	–	1	1	3	–	–	4	3	4	4	4	1	1	–
Enteric Fever	0·50	221	10	11	7	4	4	36	33	24	31	23	35	10	12	5	8	1
Simple Cont. Fev.	0·11	47	1	2	2	4	2	11	5	4	1	3	7	4	5	4	2	1
Puerp. Fever	0·11	45	–	–	–	–	–	–	–	–	1	8	22	13	1	–	–	–
Diarr. and Dys.	0·88	389	261	53	11	4	1	330	3	1	1	2	2	4	1	15	14	16
Cholera	0·01	4	–	–	–	1	–	1	–	–	–	–	1	–	–	–	1	1
Cancer	0·36	160	–	–	–	–	–	–	–	–	1	1	10	19	26	38	42	23
Scrofula	0·16	71	25	17	4	3	1	50	4	3	2	5	1	4	1	1	–	–
Tabes Mesent.	0·53	235	118	53	24	3	3	201	17	1	5	2	3	3	–	2	1	–
Phthisis	2·03	899	8	7	8	3	2	28	21	44	99	144	227	189	96	39	12	–
Hydrocephalus	0·48	212	65	59	19	17	13	173	27	7	2	1	1	–	–	1	–	–
Diseases of: Nervous Syst.	2·99	1321	647	96	38	20	11	812	27	17	13	13	24	50	63	87	119	93
Diseases of: Circulatory „	1·26	559	1	2	1	3	2	9	6	12	10	18	47	56	78	103	147	73
Diseases of: Respiratory „	2·79	1234	444	166	53	31	17	711	27	5	13	11	41	56	74	93	115	88
Diseases of: Digestive „	1·09	482	89	18	7	6	2	122	16	6	12	16	25	52	58	76	58	41
Diseases of: Urinary „	0·35	154	2	2	1	9	2	16	5	4	6	8	16	15	22	23	29	10
Diseases of: Generative „	0·05	21	–	–	–	–	–	–	–	–	–	–	8	6	2	2	2	1
Childbirth	0·10	44	–	–	–	–	–	–	–	–	2	8	19	11	4	–	–	–
Suicide	0·04	18	–	–	–	–	–	–	–	–	–	1	1	4	6	5	1	–
Other Violence	0·59	261	14	17	13	6	7	57	26	14	17	12	34	18	27	22	16	18
Other Causes	4·09	1816	708	83	33	18	14	856	24	17	13	20	33	39	45	89	202	478

Deaths of Infants (under one) to 1000 Births - 146 | Marriages - 3,800 | Births - 17,447 | Annual Rate per 1000 living: Persons Married - 17·18; Births - 39·43

543.—STOCKTON ($4\frac{3}{4}$ years to 30th September 1875).*

—	Annual Death Rate per 1000	26·64	—	—	—	—	—	89·64	10·06	4·86	7·46	9·95	10·54	15·11	22·12	38·97	69·73	162·60
Mean Pop. Jan. 1871 to Sept. 1875	—	*108,600	3879	3282	3426	3215	3166	16968	13541	10998	9770	10769	19189	12348	7900	4225	2116	776
ALL CAUSES	26·64	13,740	4405	1515	590	440	275	7225	647	254	346	509	961	883	830	782	701	599
Small-pox	0·80	411	73	26	28	25	26	178	61	16	19	38	49	30	13	6	1	–
Measles	0·42	219	39	95	34	27	11	206	10	1	–	1	–	–	–	1	–	–
Scarlet Fever	1·46	751	42	110	130	126	91	499	204	29	5	5	7	2	–	–	–	–
Diphtheria	0·12	64	4	10	5	6	5	30	18	4	3	1	5	2	–	1	–	–
Whooping-cough	0·46	238	101	79	26	22	2	230	8	–	–	–	–	–	–	–	–	–
Typhus	0·14	73	–	–	1	1	–	2	6	6	7	9	16	9	11	2	2	3
Enteric Fever	1·09	561	8	20	13	22	21	84	62	30	68	83	94	55	32	29	11	1
Simple Cont. Fev.	0·18	91	4	8	10	6	6	34	15	5	6	6	7	9	4	4	1	–
Puerp. Fever	0·12	62	–	–	–	–	–	–	–	–	5	22	19	16	–	–	–	–
Diarr. and Dys.	1·49	769	494	157	20	7	3	681	6	2	2	2	9	4	9	11	24	19
Cholera	0·02	12	4	–	–	–	–	4	–	–	–	1	–	2	2	3	–	–
Cancer	0·28	116	–	1	–	–	–	1	–	1	–	–	14	17	45	43	19	6
Scrofula	0·10	70	9	6	3	2	3	23	7	5	2	1	7	2	–	1	1	1
Tabes Mesent.	0·93	480	234	161	45	14	6	460	12	2	1	–	1	–	3	1	–	–
Phthisis	2·01	1038	37	17	6	6	1	67	28	33	95	148	276	215	111	49	11	–
Hydrocephalus	0·47	241	102	68	21	14	7	215	19	4	1	1	–	1	–	–	–	–
Diseases of: Nervous Syst.	4·07	2097	1039	170	50	40	26	1325	43	15	16	25	89	128	143	138	110	65
Diseases of: Circulatory „	1·13	583	2	–	1	–	2	5	13	11	8	12	69	82	105	115	110	53
Diseases of: Respiratory „	3·62	1869	622	306	96	49	27	1100	39	10	14	31	70	79	128	160	134	104
Diseases of: Digestive „	0·96	494	91	22	7	5	1	26	15	11	9	19	46	59	67	69	57	16
Diseases of: Urinary „	0·28	142	2	8	8	6	1	25	4	3	4	3	18	17	17	21	22	8
Diseases of: Generative „	0·04	19	–	–	–	–	–	–	–	–	–	1	2	4	8	3	1	–
Childbirth	0·13	68	–	–	–	–	–	–	–	–	4	16	27	21	–	–	–	–
Suicide	0·05	25	–	–	–	–	–	–	–	–	2	2	5	5	4	7	–	–
Other Violence	1·03	532	34	19	16	18	14	101	37	33	55	52	72	70	53	30	17	12
Other Causes	5·21	2705	1464	232	67	44	22	1829	40	19	20	27	59	57	75	88	180	811

Deaths of Infants (under one) to 1000 Births - 180 | Marriages - 5,424 | Births - 24,186 | Annual Rate per 1000 living: Persons Married - 21·03; Births - 47·47

* A considerable part of this District was transferred on 1st October 1875 to the newly formed District of MIDDLESBROUGH; *see* pp. 371–78. The figures in this Table relate to STOCKTON as constituted during the first $4\frac{3}{4}$ years of the decade.

543.—STOCKTON ($5\frac{1}{4}$ years from 1st October 1875).*

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	22·49	—	—	—	—	—	70·48	7·20	3·56	5·30	7·37	9·93	14·68	19·94	39·65	64·42	168·31
Mean Pop. Oct. 1875 to Dec. 1880	—	* 63,655	2004	1841	1974	1867	1959	9645	8418	6848	5934	5791	10135	7397	4728	2824	1434	501
ALL CAUSES	22·49	7515	2127	800	347	185	110	3569	318	128	165	224	530	570	495	588	485	443
Small-pox	0·03	10	2	-	-	-	-	2	1	-	-	1	4	2	-	-	-	-
Measles	0·38	126	21	52	32	13	3	121	5	-	-	-	-	-	-	-	-	-
Scarlet Fever	1·21	403	23	71	66	69	29	258	111	20	9	1	3	1	-	-	-	-
Diphtheria	0·10	32	3	6	2	3	6	20	5	3	1	1	-	-	1	-	1	-
Whooping-cough	0·42	141	56	43	20	12	4	135	6	-	-	-	-	-	-	-	-	-
Typhus	0·02	6	-	-	-	-	-	-	-	-	1	1	-	2	2	-	-	
Enteric Fever	0·62	203	2	11	12	7	8	40	26	23	14	18	32	23	15	14	2	1
Simple Cont. Fev.	0·09	29	2	1	1	3	2	9	8	3	1	2	-	1	1	4	-	-
Puerp. Fever	0·04	14	-	-	-	-	-	-	-	-	1	4	4	5	-	-	-	-
Diarr. and Dys.	0·90	302	160	74	17	3	-	254	3	-	-	3	4	3	4	6	11	14
Cholera	0·01	4	1	-	-	-	-	1	-	-	-	-	1	-	1	1	-	-
Cancer	0·30	100	-	-	-	-	-	-	-	-	1	1	6	17	30	25	13	7
Scrofula	0·15	53	16	8	3	1	1	29	7	3	4	2	4	1	-	2	1	-
Tabes Mesent.	0·60	202	88	68	22	4	4	186	5	3	1	1	3	3	-	-	-	-
Phthisis	2·22	742	24	23	8	6	2	63	21	26	65	102	197	133	84	49	10	1
Hydrocephalus	0·35	117	47	29	16	4	5	101	12	2	-	2	-	-	-	-	-	-
Diseases of: Nervous Syst.	3·72	1243	437	89	37	18	11	592	27	10	8	13	70	136	105	122	112	48
Diseases of: Circulatory „	1·39	463	3	-	1	-	-	4	1	2	12	15	48	58	74	123	80	46
Diseases of: Respiratory „	3·08	1028	305	164	59	22	16	566	29	7	6	7	36	42	71	102	100	62
Diseases of: Digestive „	0·96	322	59	15	6	5	3	88	8	7	8	10	29	34	37	45	43	13
Diseases of: Urinary „	0·22	75	-	4	4	-	2	10	2	-	2	2	5	12	8	16	8	10
Diseases of: Generative „	0·03	11	-	-	-	-	-	-	-	-	1	2	1	4	-	2	-	1
Childbirth	0·11	38	-	-	-	-	-	-	-	-	2	6	15	15	-	-	-	-
Suicide	0·08	27	-	-	-	-	-	-	-	-	1	2	5	9	4	3	2	1
Other Violence	0·76	254	19	11	13	6	9	58	17	13	18	21	34	29	20	23	7	11
OTHER CAUSES	4·69	1565	859	131	28	9	5	1032	24	6	9	7	29	40	38	57	95	228

Deaths of Infants (under one) to 1000 Births - 147 | Marriages - 2,497 | Births - 11,464 | Annual Rate per 1000 living: Persons Married - 14·94; Births - 43·28

* This Table relates to STOCKTON as constituted after the creation of the District of MIDDLESBROUGH. *See* note to the preceding Table.

544.—HARTLEPOOL.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	22·49	—	—	—	—	—	75·26	8·37	4·24	5·27	7·82	9·15	12·57	17·51	39·58	68·41	166·90
Mean Pop. 1871-80	—	44,292	1496	1369	1341	1340	1325	6871	5817	4601	4879	4158	6972	5035	3283	1493	899	284
ALL CAUSES	22·49	9961	3189	1061	456	284	181	5171	487	195	257	325	638	633	575	591	615	474
Small-pox	0·26	113	20	4	5	6	7	42	14	2	5	8	25	10	4	2	1	-
Measles	0·35	155	30	54	32	15	10	141	12	2	-	-	-	-	-	-	-	-
Scarlet Fever	1·35	598	42	80	103	100	61	386	180	21	6	3	1	1	-	-	-	-
Diphtheria	0·07	30	6	5	4	2	5	22	5	1	-	-	-	1	1	-	-	-
Whooping-cough	0·61	272	124	84	34	19	6	267	5	-	-	-	-	-	-	-	-	-
Typhus	0·09	41	-	-	1	1	2	4	4	5	9	2	7	3	3	1	1	2
Enteric Fever	0·56	247	7	11	11	6	11	46	38	21	32	31	31	18	16	5	6	3
Simple Cont. Fev.	0·15	65	2	5	6	1	3	17	7	11	9	5	7	2	2	3	1	1
Puerp. Fever	0·08	35	-	-	-	-	-	-	-	-	-	9	13	13	-	-	-	-
Diarr. and Dys.	1·63	721	463	150	31	3	1	648	2	1	-	3	6	11	4	14	20	12
Cholera	0·02	11	3	-	1	-	-	4	-	-	-	-	-	-	4	1	1	1
Cancer	0·38	169	-	-	-	-	1	1	-	-	-	-	5	32	47	36	35	13
Scrofula	0·15	65	17	20	2	2	-	41	3	6	8	1	5	-	1	-	-	-
Tabes Mesent.	0·42	188	86	48	21	9	3	167	10	7	1	2	-	1	-	-	-	-
Phthisis	1·95	862	24	17	7	3	3	54	31	33	84	139	257	167	77	34	6	-
Hydrocephalus	0·41	181	69	47	18	10	9	153	21	6	-	-	-	-	1	-	-	-
Diseases of: Nervous Syst.	2·84	1260	559	82	33	20	14	708	53	16	8	18	37	41	82	105	118	74
Diseases of: Circulatory „	0·89	393	-	1	1	-	-	2	6	3	16	14	48	80	84	65	59	16
Diseases of: Respiratory „	3·30	1462	405	280	74	37	19	905	22	9	14	17	39	66	82	127	120	61
Diseases of: Digestive „	0·99	438	114	20	7	6	2	149	7	9	10	13	22	39	54	79	46	10
Diseases of: Urinary „	0·28	126	3	4	7	5	2	21	4	5	2	3	15	21	20	14	17	4
Diseases of: Generative „	0·04	18	-	-	-	-	-	-	-	-	1	1	3	4	4	3	2	-
Childbirth	0·08	36	-	-	-	-	-	-	-	-	4	4	13	14	1	-	-	-
Suicide	0·04	17	-	-	-	-	-	-	-	-	-	1	4	4	5	3	-	-
Other Violence	0·89	395	24	10	11	7	8	70	17	24	30	37	81	48	29	35	20	4
OTHER CAUSES	4·66	2063	1091	139	47	32	14	1323	46	13	18	14	39	57	54	64	162	273

Deaths of Infants (under one) to 1000 Births - 166 | Marriages - 3,913 | Births - 19,204 | Annual Rate per 1000 living: Persons Married - 17·67; Births - 43·36

545.—AUCKLAND.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	24·52	—	—	—	—	—	82·49	9·16	5·12	6·87	8·95	9·66	11·34	17·27	33·86	72·84	164·52
Mean Pop. 1871-80	—	76,366	2751	2273	2424	2330	2324	12102	10674	8948	7478	6618	11135	8180	5664	3429	1594	544
ALL CAUSES	24·52	18,724	6202	2009	821	549	402	9983	978	458	514	532	1076	928	978	1161	1161	895
Small-pox	0·72	552	55	16	15	12	26	124	103	37	41	52	83	49	41	13	9	-
Measles	0·49	372	69	139	73	34	20	341	30	-	-	1	1	-	-	-	-	-
Scarlet Fever	1·63	1248	83	165	191	201	146	786	354	66	24	10	7	-	-	-	1	-
Diphtheria	0·11	82	7	10	6	8	14	45	19	6	1	3	2	2	2	2	-	-
Whooping-cough	0·56	429	201	132	42	35	9	419	10	-	-	-	-	-	-	-	-	-
Typhus	0·10	74	2	1	3	1	3	10	7	9	8	9	14	10	5	2	-	-
Enteric Fever	0·71	541	19	41	25	21	20	126	50	62	60	67	62	44	28	20	14	8
Simple Cont. Fev.	0·25	191	4	10	14	13	15	56	35	13	9	15	23	12	9	9	6	4
Puerp. Fever	0·13	97	-	-	-	-	-	-	-	-	8	27	41	21	-	-	-	-
Diarr. and Dys.	0·94	717	378	197	29	8	6	618	3	2	2	2	1	5	8	17	37	22
Cholera	0·04	34	16	5	1	1	-	17	3	-	-	2	1	3	4	2	2	-
Cancer	0·29	223	-	1	1	1	1	4	1	-	2	-	9	32	57	59	44	15
Scrofula	0·09	71	20	3	4	1	1	29	11	6	10	1	3	6	3	2	-	-
Tabes Mesent.	1·07	814	392	288	53	14	13	765	18	8	3	6	6	2	4	2	-	-
Phthisis	1·80	1378	24	16	7	9	6	62	33	71	154	224	363	222	149	78	18	1
Hydrocephalus	0·40	308	118	90	31	17	12	268	26	8	4	-	1	-	-	1	-	-
Diseases of: Nervous Syst.	3·28	2503	1378	178	60	28	28	1672	72	33	32	26	61	63	137	157	179	98
Circulatory "	1·00	764	1	-	1	1	-	3	20	17	24	24	86	99	131	182	158	40
Respiratory "	3·49	2663	958	419	152	70	35	1634	50	17	17	27	71	96	160	234	210	141
Digestive "	0·96	735	177	25	11	5	8	226	25	12	22	14	43	71	89	130	79	21
Urinary "	0·25	190	2	7	5	2	3	19	9	3	7	7	16	28	21	36	35	9
Generative "	0·04	31	-	-	1	-	-	1	-	-	1	2	4	4	9	9	1	-
Childbirth	0·13	98	-	-	-	-	-	-	-	-	7	19	38	33	1	-	-	-
Suicide	0·04	27	-	-	-	-	-	-	-	-	2	2	3	7	7	2	1	3
Other Violence	0·79	606	31	19	24	17	8	99	31	65	55	34	86	73	63	60	27	13
OTHER CAUSES	5·21	3976	2273	247	67	45	28	2660	59	20	21	18	43	46	80	144	360	530

Deaths of Infants (under one to 1000 Births) - 177 | Marriages - 7,036 | Births - 34,946 | Annual Rate per 1000 living: Persons Married - 18·43; Births - 45·76

546.—TEESDALE.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·14	—	—	—	—	—	44·61	5·30	3·79	5·24	7·90	10·82	10·59	14·95	28·12	60·28	158·29
Mean Pop. 1871-80	—	20,588	570	493	536	527	548	2674	2587	2452	2136	1709	2532	2124	1773	1369	846	386
ALL CAUSES	19·14	3940	784	216	83	56	54	1193	137	93	112	135	274	225	265	385	510	611
Small-pox	0·11	23	-	1	1	1	1	4	3	1	1	3	3	3	1	2	2	-
Measles	0·14	28	10	9	1	2	1	23	4	-	-	-	-	-	-	-	-	1
Scarlet Fever	0·61	126	4	12	14	19	13	62	33	14	6	4	4	-	-	-	-	-
Diphtheria	0·09	19	1	2	2	-	-	5	8	2	2	-	1	-	-	-	1	-
Whooping-cough	0·29	60	30	18	6	2	2	58	2	-	-	-	-	-	-	-	-	-
Typhus	0·07	14	-	-	-	-	-	-	1	2	3	5	1	1	1	-	-	-
Enteric Fever	0·25	51	3	1	2	1	-	7	6	2	7	11	6	-	5	5	1	1
Simple Cont. Fev.	0·09	18	2	1	4	-	-	7	1	-	1	-	2	1	-	-	2	4
Puerp. Fever	0·07	14	-	-	-	-	-	-	-	-	-	7	4	3	-	-	-	-
Diarr. and Dys.	0·39	80	41	10	-	2	2	55	1	2	-	1	-	1	2	5	6	7
Cholera	0·00	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Cancer	0·47	97	-	-	-	-	-	-	-	-	1	-	4	8	16	28	18	22
Scrofula	0·14	30	1	3	-	1	1	6	4	4	5	2	3	1	2	2	-	1
Tabes Mesent.	0·33	67	27	13	2	3	2	47	7	4	1	2	2	-	1	1	2	-
Phthisis	1·91	393	3	2	1	-	-	6	7	17	50	49	122	64	41	32	5	-
Hydrocephalus	0·34	71	33	14	6	3	4	60	10	-	-	-	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·62	539	158	29	15	7	10	219	10	15	7	11	15	18	29	38	78	79
Circulatory "	1·52	313	1	-	-	-	-	1	2	3	4	1	15	28	31	60	102	66
Respiratory "	3·47	714	142	66	16	10	4	238	10	6	7	9	29	23	54	90	131	117
Digestive "	1·32	272	36	8	3	-	3	50	2	6	-	5	14	23	33	43	62	34
Urinary "	0·44	90	1	-	1	1	2	5	3	1	2	4	7	13	11	13	16	15
Generative "	0·06	13	-	-	-	-	-	-	-	-	-	2	5	2	1	3	-	-
Childbirth	0·13	26	-	-	-	-	-	-	-	-	3	5	8	9	1	-	-	-
Suicide	0·09	18	-	-	-	-	-	-	-	-	-	-	1	3	4	6	3	1
Other Violence	0·51	106	6	2	4	1	2	15	7	5	6	4	11	9	14	8	10	17
OTHER CAUSES	3·68	757	285	25	5	3	7	325	13	9	6	10	16	15	18	29	71	215

Deaths of Infants (under one to 1000 Births) - 118 | Marriages - 1,508 | Births - 6,619 | Annual Rate per 1000 living: Persons Married - 14·65; Births - 32·15

547.—WEARDALE.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	20·68	—	—	—	—	—	57·16	5·67	5·32	6·67	11·64	10·37	12·50	17·39	35·36	66·93	172·84
Mean Pop. 1871-80	—	18349	561	486	520	532	506	2605	2380	2161	1903	1666	2584	1936	1443	1004	505	162
ALL CAUSES	20·68	3794	1001	249	104	83	52	1489	135	115	127	194	268	242	251	355	338	280
Small-pox	0·13	24	4	1	–	1	–	6	4	1	–	5	1	4	1	2	–	–
Measles	0·29	54	14	18	9	4	2	47	5	1	–	–	–	1	–	–	–	–
Scarlet Fever	0·77	141	8	16	14	24	22	84	35	14	6	2	–	–	–	–	–	–
Diphtheria	0·09	16	1	2	4	–	–	7	4	1	2	–	1	–	–	1	–	–
Whooping-cough	0·29	54	25	18	7	3	1	54	–	–	–	–	–	–	–	–	–	–
Typhus	0·05	10	–	1	–	–	–	1	–	1	1	–	2	1	2	2	–	–
Enteric Fever	0·45	82	–	2	1	1	3	7	7	11	8	14	8	6	10	5	5	1
Simple Cont. Fev.	0·20	36	–	1	4	2	3	10	3	3	2	1	4	4	3	4	2	–
Puerp. Fever	0·15	27	–	–	–	–	–	–	–	–	1	9	11	6	–	–	–	–
Diarr. and Dys.	0·60	110	49	11	5	4	1	70	–	–	–	–	6	2	6	5	11	10
Cholera	0·04	8	–	–	1	–	–	1	1	–	–	1	2	2	1	–	–	–
Cancer	0·22	41	–	–	–	–	–	–	–	–	1	–	1	2	9	15	11	2
Scrofula	0·13	23	3	2	–	–	–	5	1	2	1	4	5	1	1	1	1	1
Tabes Mesent.	0·38	69	31	19	10	2	–	62	3	–	1	–	2	1	–	–	–	–
Phthisis	2·64	485	2	6	1	1	–	10	9	29	48	84	114	74	52	44	20	1
Hydrocephalus	0·42	77	31	18	6	5	2	62	7	5	2	–	–	1	–	–	–	–
Diseases of: Nervous Syst.	2·25	413	131	33	12	9	3	188	11	13	5	6	12	11	28	42	59	38
Diseases of: Circulatory „	1·02	188	–	–	–	1	–	1	3	5	4	4	12	22	28	46	43	20
Diseases of: Respiratory „	3·54	650	191	68	14	11	9	293	18	3	8	22	22	36	41	84	80	43
Diseases of: Digestive „	1·23	226	36	4	2	1	2	45	3	5	4	10	16	27	32	42	31	11
Diseases of: Urinary „	0·27	49	1	–	–	–	–	1	3	2	3	3	6	5	5	9	8	4
Diseases of: Generative „	0·06	11	–	–	–	–	–	–	–	–	–	–	2	1	3	3	2	–
Childbirth	0·16	29	–	–	–	–	–	–	–	–	4	9	10	6	–	–	–	–
Suicide	0·05	9	–	–	–	–	–	–	–	–	–	1	2	–	1	4	1	–
Other Violence	0·56	102	4	3	1	–	1	9	5	5	12	11	13	14	15	10	6	2
Other Causes	4·69	860	470	26	13	14	3	526	13	14	14	8	16	15	13	36	58	147

Deaths of Infants (under one) to 1000 Births - 148 | Marriages - 1,381 | Births - 6,765 | Annual Rate per 1000 living: Persons Married - 15·05; Births - 36·87

548.—LANCHESTER (6 years 1875–80).*

—	Annual Death Rate per 1000	20·04	—	—	—	—	—	66·66	6·85	4·18	5·95	7·10	7·29	9·30	14·98	26·81	65·70	189·43
Mean Pop. 1875-80	—	* 52,674	1794	1501	1690	1619	1672	8276	7424	6099	5438	4905	7406	5415	3926	2399	1045	341
ALL CAUSES	20·04	6335	2061	683	282	165	119	3310	305	153	194	209	324	302	353	386	412	387
Small-pox	0·01	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Measles	0·33	104	21	41	19	9	3	93	9	2	–	–	–	–	–	–	–	–
Scarlet Fever	1·32	418	21	58	67	59	52	257	128	15	9	5	1	3	–	–	–	–
Diphtheria	0·07	23	2	5	4	3	1	15	5	1	–	1	–	1	–	–	–	–
Whooping-cough	0·40	126	61	32	22	6	3	124	2	–	–	–	–	–	–	–	–	–
Typhus	0·04	14	2	–	–	1	1	4	2	2	1	2	1	1	1	–	–	–
Enteric Fever	0·48	151	6	16	6	4	2	34	16	16	20	15	17	10	11	6	3	3
Simple Cont. Fev.	0·09	28	1	4	3	1	3	12	5	–	–	3	–	1	–	3	3	1
Puerp. Fever	0·11	36	–	–	–	–	–	–	–	–	1	6	21	8	–	–	–	–
Diarr. and Dys.	0·75	237	136	54	8	2	–	200	3	–	–	–	3	3	2	6	9	11
Cholera	0·02	6	–	1	–	–	–	1	2	–	1	–	–	–	1	1	–	–
Cancer	0·33	104	1	–	–	–	–	1	–	–	2	–	2	16	29	23	25	6
Scrofula	0·35	110	62	22	3	2	2	91	3	3	2	2	5	–	2	–	2	–
Tabes Mesent.	0·64	203	98	71	13	3	2	187	4	1	4	3	2	–	1	–	1	–
Phthisis	1·67	527	8	4	6	4	5	27	11	33	75	94	129	66	50	33	8	1
Hydrocephalus	0·56	178	46	40	16	12	11	125	33	13	3	1	3	–	–	–	–	–
Diseases of: Nervous Syst.	2·12	671	297	60	19	7	6	389	16	12	10	6	18	25	43	50	56	46
Diseases of: Circulatory „	0·87	275	1	–	–	1	–	2	6	6	10	7	18	35	42	59	58	32
Diseases of: Respiratory „	3·39	1071	395	156	65	25	17	658	25	10	5	12	26	28	63	83	98	63
Diseases of: Digestive „	1·20	379	130	28	9	3	–	170	5	7	9	9	13	29	47	39	37	14
Diseases of: Urinary „	0·28	90	3	9	1	1	1	15	7	3	4	4	9	4	12	9	15	8
Diseases of: Generative „	0·03	11	–	–	–	–	–	–	–	–	–	1	2	4	2	1	1	–
Childbirth	0·11	35	–	–	–	–	–	–	–	–	3	7	12	12	1	–	–	–
Suicide	0·04	13	–	–	–	–	–	–	–	–	–	1	2	3	3	1	3	–
Other Violence	0·74	234	15	7	6	9	1	38	10	21	24	17	29	28	24	21	12	10
Other Causes	4·09	1289	755	75	15	13	9	867	13	8	11	12	11	24	19	51	81	192

Deaths of Infants (under one) to 1000 Births - 148 | Marriages* - 1,935 | Births - 13,962 | Annual Rate per 1000 living: Persons Married - 12·72; Births - 44·18

* The Union of Lanchester was created a separate Registration District on 1st April 1875, but the births and deaths in this Table relate to the 6 entire years 1875-80. The births and deaths in Lanchester for the 4 years 1871-74 and the marriages in the 4¼ years to March 1875, are merged with those of DURHAM, of which District Lanchester then formed part. *See* notes to the next two Tables.

549.—DURHAM (4 years 1871–74).*

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	26·40	—	—	—	—	—	87·16	11·55	6·39	8·22	10·89	11·46	13·02	17·44	32·53	70·04	155·60
Mean Pop. 1871–74	—	*97,985	3433	2808	3118	2934	2743	15036	12488	11071	9701	8911	14512	10753	7669	4650	2384	810
ALL CAUSES	26·40	10,346	3193	1075	436	301	237	5242	577	283	319	388	665	560	535	605	668	504
Small-pox	2·05	805	112	31	34	42	47	266	147	53	50	84	94	52	33	18	7	1
Measles	0·43	180	27	76	31	18	10	165	14	1	-	-	-	-	-	-	-	-
Scarlet Fever	1·31	512	41	81	73	79	60	339	119	41	9	2	1	-	-	1	-	-
Diphtheria	0·10	40	1	10	5	4	3	23	7	2	5	-	2	1	-	-	-	-
Whooping-cough	0·23	110	41	44	9	10	2	106	4	-	-	-	-	-	-	-	-	-
Typhus	0·14	54	-	-	-	2	1	3	8	6	9	7	8	6	3	4	-	-
Enteric Fever	1·05	411	22	29	32	17	16	116	53	41	37	40	41	38	24	8	10	1
Simp. Cont. Fev.	0·31	122	4	3	6	4	5	22	17	8	9	11	16	11	11	10	5	2
Puerp. Fever	0·16	63	-	-	-	-	-	-	-	-	10	29	20	12	1	-	-	-
Diarr. and Dys.	0·79	309	168	52	13	1	2	236	4	1	-	2	7	8	11	13	14	13
Cholera	0·05	19	5	2	1	-	2	10	2	-	-	1	1	-	3	1	-	1
Cancer	0·22	87	-	-	-	-	-	-	-	-	1	1	4	17	22	25	11	6
Scrofula	0·25	99	51	20	4	1	4	80	8	5	1	1	2	1	-	1	-	-
Tabes Mesent.	0·97	382	180	137	37	9	5	368	5	5	-	-	1	2	-	-	1	-
Phthisis	1·87	734	19	17	4	5	1	46	18	27	89	103	196	126	78	43	7	1
Hydrocephalus	0·59	231	95	71	19	10	7	202	17	3	4	2	2	1	-	-	-	-
Diseases of: Nervous Syst.	3·13	1225	635	95	38	22	13	833	27	11	13	8	26	34	49	71	111	42
Circulatory "	0·95	375	1	1	-	1	2	5	12	12	8	14	33	42	59	87	88	15
Respiratory "	2·82	1106	326	167	54	37	23	607	42	6	6	15	24	56	68	118	117	47
Digestive "	1·03	403	85	14	8	7	-	114	13	9	14	17	25	42	43	61	47	15
Urinary "	0·21	82	1	3	3	-	3	10	7	2	2	1	11	10	14	13	8	4
Generative "	0·02	8	-	-	-	-	-	-	-	-	1	-	3	1	2	1	-	-
Childbirth	0·16	64	-	-	-	-	-	-	-	-	7	9	27	19	2	-	-	-
Suicide	0·06	22	-	-	-	-	-	-	-	-	2	2	5	3	5	3	2	-
Other Violence	0·93	389	15	11	8	8	10	52	26	39	29	31	71	42	39	37	13	7
OTHER CAUSES	6·43	2512	1334	211	49	24	21	1639	27	11	13	14	43	33	63	90	227	349

Deaths of Infants (under one) to 1000 Births - 176 | Marriages* - 3,958 | Births - 18,176 | Annual Rate per 1000 living: Persons Married - 18·94; Births - - - 46·37

* The Union of Lanchester was detached from DURHAM District of 1st April 1875, and created a separate Registration District. The births and deaths in Lanchester were separately abstracted from the commencement of 1875, but the number of marriages in this Table and the corresponding rate apply to the 4¼ years ending 31st March 1875. The marriages, births, and deaths in DURHAM District exclusive of Lanchester for the remainder of the decade 1871–80 are given in the following Table.

549*a*.—DURHAM (6 years 1875–80).*

—	Annual Death Rate per 1000																	
Annual Death Rate per 1000	—	23·95	—	—	—	—	—	85·20	8·42	3·84	5·54	7·46	8·80	11·58	14·90	31·43	71·33	182·34
Mean Pop. 1875–80	—	*60,469	1932	1697	1804	1797	1753	8983	8238	6949	6198	5450	8651	6405	4665	2959	1444	527
ALL CAUSES	23·95	8689	2732	1043	387	233	197	4592	416	160	206	244	457	445	417	558	618	576
Small-pox	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	0·45	164	34	60	28	22	6	151	12	-	-	-	-	1	-	-	-	-
Scarlet Fever	1·70	616	19	94	89	88	89	379	189	32	8	3	3	2	-	-	-	-
Diphtheria	0·05	19	2	5	2	2	-	11	5	-	1	2	-	-	-	-	-	-
Whooping-cough	0·42	152	70	51	16	6	6	149	2	1	-	-	-	-	-	-	-	-
Typhus	0·08	29	-	-	3	1	3	7	5	1	1	3	7	-	2	3	-	-
Enteric Fever	0·70	253	15	19	19	15	12	80	38	15	31	18	31	13	11	10	5	3
Simp. Cont. Fev.	0·18	67	1	4	8	3	4	20	11	4	2	4	7	8	4	5	2	-
Puerp. Fever	0·14	49	-	-	-	-	-	-	-	-	1	14	25	9	-	-	-	-
Diarr. and Dys.	1·16	421	214	121	18	4	4	361	4	1	-	2	6	5	5	9	18	10
Cholera	0·01	5	2	-	-	1	-	3	1	-	-	-	-	-	-	1	-	-
Cancer	0·29	106	-	-	-	-	-	-	1	-	-	1	6	16	29	30	18	5
Scrofula	0·07	27	6	4	4	-	-	14	1	2	3	-	4	-	1	2	-	-
Tabes Mesent.	1·14	412	191	148	28	8	4	379	12	4	6	3	2	1	3	2	-	-
Phthisis	1·90	691	32	10	4	3	6	55	16	30	79	103	168	125	57	36	19	2
Hydrocephalus	0·44	159	76	47	15	3	5	146	10	1	-	-	-	-	1	1	-	-
Diseases of: Nervous Syst.	3·29	1193	620	82	40	23	15	780	26	14	9	11	29	35	59	68	115	47
Circulatory "	1·11	402	-	-	1	-	-	1	9	8	16	11	28	64	50	99	87	29
Respiratory "	3·34	1212	376	212	53	32	20	696	23	8	4	13	29	43	77	120	123	76
Digestive "	0·98	355	75	20	8	2	2	107	8	7	7	7	19	30	45	61	44	20
Urinary "	0·24	88	5	5	1	-	1	12	3	1	3	6	11	5	8	13	16	10
Generative "	0·05	18	-	-	-	-	-	-	-	-	-	3	5	3	2	3	2	-
Childbirth	0·10	36	-	-	-	-	-	-	-	-	4	8	16	6	2	-	-	-
Suicide	0·06	20	-	-	-	-	-	-	-	-	-	2	3	6	5	1	2	1
Other Violence	0·75	273	13	5	8	7	11	44	19	23	18	22	30	32	30	20	16	10
OTHER CAUSES	5·30	1922	981	156	39	12	9	1197	21	8	13	10	28	31	26	65	100	363

Deaths of Infants (under one) to 1000 Births - 166 | Marriages* - 2,938 | Births - 16,413 | Annual Rate per 1000 living: Persons Married - 16·85; Births - - - 45·24

* This Table relates to the District of DURHAM, as constituted after the separation of the Union of Lanchester. The number of marriages and the corresponding rates are for the 5¾ years from 1st April 1875, and the births and deaths for the 6 years 1875–80. *See also* note to previous Table.

550.—EASINGTON.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	25·17	—	—	—	—	—	85·93	8·45	4·76	7·16	9·48	9·62	12·38	16·75	32·27	61·74	165·53
Mean Pop. 1871-80	—	37,396	1321	1152	1208	1205	1128	6014	5387	4430	3644	3195	5237	3878	2747	1698	873	293
ALL CAUSES	25·17	9414	3007	1210	470	267	214	5168	455	211	261	303	504	480	460	548	539	485
Small-pox	0·78	293	51	20	17	22	16	126	41	22	9	27	30	25	4	4	1	1
Measles	0·56	210	37	75	44	24	10	190	18	1	-	-	1	-	-	-	-	-
Scarlet Fever	1·44	537	31	73	98	83	76	361	155	14	4	-	2	1	-	-	-	-
Diphtheria	0·07	26	3	2	6	2	7	20	3	1	-	-	2	-	-	-	-	-
Whooping-cough	0·56	208	89	67	27	13	5	201	7	-	-	-	-	-	-	-	-	-
Typhus	0·18	59	1	-	3	1	1	6	8	9	10	7	8	5	2	3	1	-
Enteric Fever	0·59	220	6	15	11	19	8	59	38	19	22	17	26	18	6	8	3	4
Simple Cont. Fev.	0·13	50	1	1	5	2	6	15	8	7	4	5	4	1	3	2	-	1
Puerp. Fever	0·11	40	-	-	-	-	-	-	-	-	2	10	18	10	-	-	-	-
Diarr. and Dys.	1·16	432	225	109	21	10	1	366	11	1	1	2	4	-	3	10	14	20
Cholera	0·03	11	1	-	2	-	1	4	1	-	-	-	-	2	2	-	1	1
Cancer	0·40	150	-	-	-	-	1	1	-	1	2	-	5	36	27	51	18	9
Scrofula	0·10	37	13	10	-	2	-	25	5	-	2	2	2	-	1	-	-	-
Tabes Mesent.	1·01	377	149	160	33	5	6	353	7	5	3	1	6	-	1	1	-	-
Phthisis	1·35	505	10	6	4	1	2	23	16	20	69	88	141	83	46	17	2	-
Hydrocephalus	0·38	142	45	52	6	12	11	126	7	5	-	2	2	-	-	-	-	-
Diseases of: Nervous Syst.	3·16	1181	626	100	43	18	18	805	18	11	10	6	23	29	50	74	91	61
Diseases of: Circulatory "	1·15	431	-	-	1	1	-	2	8	9	16	10	24	52	76	96	100	38
Diseases of: Respiratory "	3·08	1150	386	202	81	21	17	707	25	6	9	16	29	38	62	93	104	61
Diseases of: Digestive "	1·32	494	147	56	13	9	5	230	8	8	6	12	20	37	54	62	45	12
Diseases of: Urinary "	0·41	155	6	20	6	2	6	40	9	3	1	10	12	12	16	23	20	9
Diseases of: Generative "	0·05	20	-	-	-	-	-	-	-	-	1	-	5	3	5	4	2	-
Childbirth	0·14	52	-	-	-	-	-	-	-	-	2	16	16	18	-	-	-	-
Suicide	0·04	14	-	-	-	-	-	-	-	-	-	-	3	3	5	3	-	-
Other Violence	1·68	627	26	17	10	3	5	61	31	54	70	61	105	86	78	49	27	5
OTHER CAUSES	5·31	1983	1154	225	39	17	12	1447	18	15	18	11	16	21	19	48	107	263

Deaths of Infants (under one) to 1000 Births - 168 | Marriages - 2,682 | Births - 17,869 | Annual Rate per 1000 living: Persons Married - 14·34; Births - 47·78

551.—HOUGHTON-LE-SPRING.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	24·10	—	—	—	—	—	80·93	8·99	5·05	6·52	8·56	8·74	10·11	14·56	26·23	62·17	163·69
Mean Pop. 1871-80	—	30,158	1099	925	984	906	925	4839	4071	3482	2928	2651	4246	3126	2239	1506	756	314
ALL CAUSES	24·10	7268	2334	921	312	198	151	3916	366	176	191	227	371	316	326	395	470	514
Small-pox	0·64	193	22	9	5	8	8	52	44	22	11	18	25	12	3	3	3	-
Measles	0·49	149	25	58	30	15	9	137	11	-	-	-	-	-	1	-	-	-
Scarlet Fever	1·31	395	21	46	60	70	58	255	118	19	1	1	-	1	-	-	-	-
Diphtheria	0·03	8	2	1	1	1	1	6	-	-	1	-	1	-	-	-	-	-
Whooping-cough	0·49	147	83	44	10	7	2	146	1	-	-	-	-	-	-	-	-	-
Typhus	0·07	20	-	-	1	-	1	2	4	2	1	4	1	3	2	1	-	-
Enteric Fever	0·52	156	5	12	11	7	9	44	22	12	12	19	19	10	7	9	2	-
Simple Cont. Fev.	0·23	69	5	9	6	7	4	31	12	5	4	2	5	2	4	2	2	-
Puerp. Fever	0·13	38	-	-	-	-	-	-	-	-	2	11	21	4	-	-	-	-
Diarr. and Dys.	1·54	464	240	154	21	3	1	419	4	-	1	3	2	-	3	7	12	13
Cholera	0·05	15	5	4	-	1	-	10	4	-	-	-	-	-	1	-	-	-
Cancer	0·26	78	-	-	-	-	-	-	-	-	1	1	4	11	17	23	13	8
Scrofula	0·08	23	4	2	2	-	1	9	1	2	1	1	5	1	1	1	1	-
Tabes Mesent.	0·83	251	93	102	23	4	3	225	12	4	2	1	1	4	1	-	1	-
Phthisis	1·63	493	5	4	2	1	3	15	9	25	79	82	132	69	53	24	5	-
Hydrocephalus	0·31	94	35	23	10	5	2	75	13	4	-	-	1	1	-	-	-	-
Diseases of: Nervous Syst.	2·90	876	411	88	31	13	9	552	27	11	12	16	19	22	40	49	72	56
Diseases of: Circulatory "	0·82	247	-	2	-	-	-	2	7	9	6	6	17	39	31	50	54	26
Diseases of: Respiratory "	3·47	1047	346	146	60	29	20	601	29	5	11	12	31	35	61	86	109	67
Diseases of: Digestive "	0·90	270	36	7	3	3	2	51	9	4	5	10	22	32	40	49	36	12
Diseases of: Urinary "	0·20	59	-	3	-	1	1	5	2	1	1	4	4	9	7	10	10	6
Diseases of: Generative "	0·06	17	-	-	-	-	-	-	-	-	-	2	2	5	5	1	1	1
Childbirth	0·14	42	-	-	-	-	-	-	-	-	3	11	16	12	-	-	-	-
Suicide	0·02	6	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	-
Other Violence	0·81	243	10	10	8	10	3	41	12	30	24	15	24	24	21	27	18	7
OTHER CAUSES	6·17	1863	986	197	28	13	14	1238	25	21	13	8	18	20	28	51	128	318

Deaths of Infants (under one) to 1000 Births - 170 | Marriages - 2,405 | Births - 13,699 | Annual Rate per 1000 living: Persons Married - 15·95; Births - 45·42

552.—CHESTER-LE-STREET.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	23·22	—	—	—	—	—	79·76	8·42	4·42	7·03	9·07	8·30	10·32	13·78	27·80	61·49	171·72
Mean Pop. 1871-80	—	38,326	1331	1073	1218	1161	1101	5884	5299	4530	3842	3330	5244	3991	2925	1946	992	343
ALL CAUSES	23·22	8901	2990	943	406	194	160	4633	446	200	270	302	435	412	403	541	610	589
Small-pox	0·54	208	23	7	10	7	8	55	87	19	15	22	23	18	13	5	1	-
Measles	0·37	140	24	38	25	8	6	121	19	-	-	-	-	-	-	-	-	-
Scarlet Fever	1·25	478	30	63	92	70	55	310	129	27	3	2	3	4	-	-	-	-
Diphtheria	0·05	20	3	-	2	-	4	9	9	-	-	1	-	-	1	-	-	-
Whooping-cough	0·33	125	58	42	16	6	1	123	2	-	-	-	-	-	-	-	-	-
Typhus	0·16	61	-	-	2	1	-	3	9	10	11	5	9	6	3	3	2	-
Enteric Fever	0·43	165	4	11	12	6	7	40	18	16	18	22	19	12	10	6	5	1
Simple Cont. Fev.	0·16	60	1	4	6	9	5	25	13	4	5	3	2	-	1	4	2	1
Puerp. Fever	0·11	41	-	-	-	-	-	-	-	-	1	7	21	12	-	-	-	-
Diarr. and Dys.	1·15	441	231	107	25	4	4	371	3	1	-	1	2	5	8	8	14	28
Cholera	0·02	7	-	1	1	-	-	2	-	-	-	-	-	1	-	2	2	-
Cancer	0·27	102	1	-	-	-	-	1	1	-	-	2	3	17	23	30	17	8
Scrofula	0·09	36	15	9	2	1	-	27	2	-	2	2	2	1	-	-	-	-
Tabes Mesent.	1·63	336	299	121	31	5	2	578	10	-	-	3	-	2	-	3	-	-
Phthisis	1·96	752	16	16	8	3	3	46	49	38	110	121	154	106	72	36	25	4
Hydrocephalus	0·43	165	81	39	15	8	6	152	6	4	3	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·85	1093	535	57	28	12	15	647	35	6	16	18	22	31	44	85	102	87
Diseases of: Circulatory	0·90	345	2	2	-	-	1	5	9	6	11	12	23	49	54	77	71	35
Diseases of: Respiratory	3·17	1216	413	212	69	29	20	743	30	11	15	17	23	44	50	87	119	74
Diseases of: Digestive	1·04	399	67	15	9	-	4	95	16	5	11	12	26	31	35	76	61	17
Diseases of: Urinary	0·20	76	1	1	4	2	-	8	3	2	2	4	5	7	9	13	17	6
Diseases of: Generative	0·04	17	-	-	-	-	-	-	-	-	-	4	2	-	5	5	1	-
Childbirth	0·13	50	-	-	-	-	-	-	-	-	6	8	19	16	1	-	-	-
Suicide	0·04	14	-	-	-	-	-	-	-	-	-	-	-	2	3	5	4	-
Other Violence	0·59	343	22	12	6	6	9	55	30	35	35	22	48	32	22	34	19	11
Other Causes	5·61	2151	1254	156	49	17	10	1477	33	16	6	14	24	25	29	62	148	317

Deaths of Infants (under one) to 1000 Births - 173

Marriages - 2,488
Births - 17,276

Annual Rate per 1000 living: Persons Married - 12·98; Births - 45·08

553.—SUNDERLAND.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	23·98	—	—	—	—	—	79·28	9·75	4·20	5·47	7·18	8·82	13·12	18·93	36·00	74·47	175·40
Mean Pop. 1871-80	—	125,966	4093	3617	3892	3679	3549	18740	16427	13601	12620	11360	19113	14062	9699	6256	3087	996
ALL CAUSES	23·98	30,201	8581	3277	1431	901	667	14857	1601	571	690	816	1687	1845	1836	2252	2299	1747
Small-pox	0·80	1010	174	72	59	65	64	434	170	57	56	107	85	58	31	10	1	1
Measles	0·41	517	102	199	89	59	36	485	29	2	-	-	1	-	-	-	-	-
Scarlet Fever	1·42	1787	81	274	287	292	239	1173	525	62	9	6	8	4	-	-	-	-
Diphtheria	0·12	145	15	25	24	17	15	96	30	6	4	2	2	2	-	2	-	1
Whooping-cough	0·70	886	337	289	123	70	39	858	27	-	-	-	1	-	-	-	-	-
Typhus	0·33	411	1	3	3	4	5	16	32	32	25	39	64	61	65	42	31	4
Enteric Fever	0·29	368	7	17	12	15	21	72	55	30	36	27	52	33	25	22	13	3
Simple Cont. Fev.	0·10	127	1	3	17	5	10	36	24	9	10	3	6	11	5	11	6	4
Puerp. Fever	0·10	122	-	-	-	-	-	-	-	-	10	40	43	21	3	-	-	-
Diarr. and Dys.	1·35	1703	993	405	90	13	3	1504	20	3	6	6	11	14	13	31	43	52
Cholera	0·03	37	12	2	-	1	3	18	3	-	-	1	4	2	4	2	1	2
Cancer	0·38	481	-	-	-	-	-	-	-	-	7	2	39	75	115	119	88	36
Scrofula	0·13	166	52	37	16	5	3	113	14	13	8	2	7	3	1	4	1	-
Tabes Mesent.	0·35	440	146	130	44	15	5	369	31	15	7	6	2	6	-	2	2	-
Phthisis	1·88	2367	20	31	18	15	11	95	92	94	262	312	564	407	249	154	56	2
Hydrocephalus	0·38	475	171	119	61	29	24	404	53	9	2	2	4	1	-	-	-	-
Diseases of: Nervous Syst.	3·25	4069	1616	338	140	72	36	2202	141	33	46	36	103	152	246	384	493	360
Diseases of: Circulatory	1·36	1701	6	1	2	1	3	13	19	41	49	31	158	262	317	398	314	108
Diseases of: Respiratory	3·56	4485	1289	709	243	113	68	2413	102	22	33	35	103	195	286	472	518	303
Diseases of: Digestive	0·94	1183	162	28	18	6	8	222	36	21	18	27	95	153	168	227	168	48
Diseases of: Urinary	0·30	383	6	13	11	7	6	43	27	11	11	18	58	43	49	62	62	19
Diseases of: Generative	0·06	80	-	-	-	-	-	-	-	-	1	2	8	16	14	21	15	3
Childbirth	0·09	110	-	-	-	-	-	-	-	-	7	16	41	43	3	-	-	-
Suicide	0·06	73	-	-	-	-	-	-	-	-	1	9	11	11	17	13	10	1
Other Violence	0·75	945	79	36	30	24	29	198	83	65	54	61	129	113	99	78	48	26
Other Causes	4·85	6109	3529	517	144	73	48	4102	86	45	37	26	80	99	126	198	426	874

Deaths of Infants (under one) to 1000 Births - 166

Marriages - 12,161
Births - 51,731

Annual Rate per 1000 living: Persons Married - 19·31; Births - 41·07

554.—SOUTH SHIELDS.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	24·06	—	—	—	—	—	79·97	9·95	4·63	6·21	7·56	9·36	12·27	18·90	33·12	77·32	171·06
Mean Pop. 1871-80	—	89,074	3132	2667	2872	2692	2643	14006	11533	9497	8272	8166	14377	10482	6557	3810	1790	584
ALL CAUSES	24·06	21434	6413	2593	1006	674	514	11200	1117	440	514	617	1346	1286	1239	1262	1384	999
Small-pox	0·84	745	107	42	50	60	51	310	115	30	36	77	105	41	19	11	1	–
Measles	0·39	346	68	146	59	33	20	326	19	1	–	–	–	–	–	–	–	–
Scarlet Fever	1·46	1303	74	190	210	210	175	859	364	48	12	4	13	2	1	–	–	–
Diphtheria	0·12	103	12	15	12	16	14	69	24	4	2	1	1	–	–	2	–	–
Whooping-cough	0·76	676	244	254	88	40	20	646	30	–	–	–	–	–	–	–	–	–
Typhus	0·11	94	–	1	–	3	1	5	11	10	14	12	12	10	8	5	6	1
Enteric Fever	0·46	410	21	18	10	25	20	94	55	30	34	37	56	34	24	20	23	3
Simple Cont. Fev.	0·26	234	6	18	12	16	9	61	28	11	6	7	19	18	15	16	26	27
Puerp. Fever	0·09	81	–	–	–	–	–	–	–	–	6	12	42	21	–	–	–	–
Diarr. and Dys.	1·36	1207	714	332	41	12	4	1103	5	2	2	1	7	8	8	13	26	32
Cholera	0·04	35	15	8	1	–	–	24	1	–	–	–	1	1	3	2	1	2
Cancer	0·37	326	–	–	1	–	1	2	–	–	–	3	11	54	95	92	54	15
Scrofula	0·18	159	44	41	11	8	4	108	16	11	6	4	3	5	3	2	1	–
Tabes Mesent.	0·84	745	325	265	64	14	12	680	31	7	10	4	4	4	1	2	2	–
Phthisis	1·86	1658	26	30	18	9	11	94	66	87	166	227	436	315	179	66	21	1
Hydrocephalus	0·48	431	138	114	47	29	26	354	49	18	8	1	–	1	–	–	–	–
Diseases of: Nervous Syst.	2·65	2360	910	190	81	46	31	1261	89	40	26	24	60	99	135	218	267	141
Diseases of: Circulatory „	1·21	1077	6	1	2	2	2	13	15	17	25	27	105	174	194	214	204	89
Diseases of: Respiratory „	3·89	3468	1135	568	175	79	55	2012	68	18	20	39	107	159	224	253	336	232
Diseases of: Digestive „	0·97	862	165	31	15	6	6	223	21	10	19	21	72	87	118	125	120	46
Diseases of: Urinary „	0·31	273	3	7	6	4	3	23	14	4	12	18	36	54	38	35	41	18
Diseases of: Generative „	0·05	47	–	–	–	1	–	1	–	–	1	2	5	12	6	8	10	2
Childbirth	0·11	99	–	–	–	–	–	–	–	–	8	15	43	32	1	–	–	–
Suicide	0·04	36	–	–	–	–	–	–	–	–	–	1	11	7	3	9	4	1
Other Violence	0·98	872	76	28	19	20	15	158	56	63	79	54	125	108	89	66	43	31
OTHER CAUSES	4·26	3787	2324	294	81	41	34	2774	70	29	22	26	72	60	75	103	198	358

Deaths of Infants (under one) to 1000 Births - 164

Marriages - 7,154
Births - 39,021

Annual Rate per 1000 living: Persons Married - 16·06; Births - 43·81

555.—GATESHEAD.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	24·88	—	—	—	—	—	31·53	9·13	5·28	6·15	8·30	9·29	12·56	19·04	35·34	74·78	173·48
Mean Pop. 1871-80	—	92,841	3216	2802	2928	2831	2762	14539	12308	10304	8784	8038	14090	10375	7047	4477	2189	690
ALL CAUSES	24·88	23,099	6952	2610	1068	710	514	11854	1124	544	540	667	1309	1303	1342	1582	1637	1197
Small-pox	0·55	513	91	18	21	23	30	183	55	24	30	47	90	46	19	15	3	1
Measles	0·42	392	70	164	71	27	25	357	29	4	1	–	1	–	–	–	–	–
Scarlet Fever	1·60	1489	89	200	230	259	185	963	474	74	16	8	5	6	–	3	–	–
Diphtheria	0·07	68	8	13	11	10	7	49	8	4	1	2	1	1	–	–	–	2
Whooping-cough	0·62	579	231	209	65	31	22	558	21	–	–	–	–	–	–	–	–	–
Typhus	0·10	97	1	–	2	1	–	4	10	8	7	12	17	9	11	12	6	1
Enteric Fever	0·52	480	18	45	27	29	22	132	60	51	53	41	57	36	19	21	8	2
Simple Cont. Fev.	0·11	105	5	5	12	7	8	37	18	8	5	7	8	4	9	5	3	1
Puerp. Fever	0·08	75	–	–	–	–	–	–	–	–	–	24	35	14	2	–	–	–
Diarr. and Dys.	1·22	1135	629	279	54	10	4	976	10	2	1	1	8	6	13	28	46	44
Cholera	0·04	39	17	5	6	–	–	28	1	–	1	–	2	–	–	4	2	1
Cancer	0·32	295	1	–	1	1	–	3	–	–	2	–	17	46	82	75	54	16
Scrofula	0·23	212	66	45	18	9	9	147	21	12	9	5	7	7	2	2	–	–
Tabes Mesent.	0·85	793	344	276	81	30	12	743	22	15	8	1	1	1	2	–	–	–
Phthisis	2·22	2063	27	32	24	11	21	115	70	117	204	288	518	353	230	110	34	4
Hydrocephalus	0·58	538	192	152	60	33	26	463	50	17	4	1	1	2	–	–	–	–
Diseases of: Nervous Syst.	3·42	3173	1440	245	75	54	33	1847	86	41	40	36	70	114	174	283	318	164
Diseases of: Circulatory „	1·18	1093	4	–	2	3	2	11	14	29	25	26	99	156	170	213	256	94
Diseases of: Respiratory „	3·65	3386	1020	523	167	93	51	1854	83	23	28	35	100	157	222	364	349	171
Diseases of: Digestive „	1·01	940	161	28	10	7	6	212	21	14	23	24	52	115	133	180	127	39
Diseases of: Urinary „	0·27	252	6	8	8	6	2	30	9	8	4	11	34	24	34	48	35	15
Diseases of: Generative „	0·04	41	–	–	–	–	–	–	–	1	–	2	8	8	10	7	3	2
Childbirth	0·11	105	–	–	–	–	–	–	–	1	5	24	38	36	1	–	–	–
Suicide	0·06	55	–	–	–	–	–	–	–	–	–	3	6	10	14	14	7	1
Other Violence	0·73	678	94	29	26	14	12	175	44	50	49	38	66	63	67	55	38	28
OTHER CAUSES	4·88	4503	2438	334	97	61	37	2967	78	41	24	31	68	84	108	143	348	611

Deaths of Infants (under one) to 1000 Births - 170

Marriages - 6,955
Births - 40,925

Annual Rate per 1000 living: Persons Married - 14·98; Births - 44·08

NORTHUMBERLAND.

556.—NEWCASTLE-ON-TYNE.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	25·92	—	—	—	—	—	81·71	9·40	5·04	6·74	8·67	11·14	16·79	23·48	42·23	79·75	183·39
Mean Pop. 1871-80	—	140,725	4446	3968	3992	3867	3729	20902	16677	14523	14007	13618	22392	16423	11446	7068	3461	1108
ALL CAUSES	25·92	36,482	9915	3237	1492	994	706	16344	1567	732	944	1180	2494	2757	2687	2985	2760	2032
Small-pox	0·60	841	119	32	38	49	50	288	145	47	57	84	108	65	28	13	5	1
Measles	0·31	440	95	160	87	48	23	413	25	2	–	–	–	–	–	–	–	–
Scarlet Fever	1·28	1797	109	237	308	318	214	1186	485	82	16	8	11	5	2	1	1	–
Diphtheria	0·09	132	11	20	14	23	19	87	23	4	4	3	6	2	1	–	2	–
Whooping-cough	0·60	838	337	249	122	61	30	799	37	2	–	–	–	–	–	–	–	–
Typhus	0·14	197	1	4	3	4	1	13	7	17	13	18	36	34	35	15	9	–
Enteric Fever	0·36	503	11	22	20	18	22	93	49	52	55	56	82	44	28	22	16	6
Simple Cont. Fev.	0·10	142	5	5	9	11	14	44	31	18	8	1	9	13	8	3	5	2
Puerp. Fever	0·09	127	–	–	–	–	–	–	–	–	12	24	54	37	–	–	–	–
Diarr. and Dys.	1·39	1951	1152	355	64	22	6	1599	17	4	5	3	32	20	40	62	89	80
Cholera	0·06	87	40	14	2	2	–	58	4	1	1	–	2	4	2	9	6	–
Cancer	0·47	657	–	1	1	–	–	2	2	–	5	7	46	103	171	178	108	35
Scrofula	0·13	185	61	20	7	3	8	99	16	16	15	9	10	5	4	7	4	–
Tabes Mesent.	0·73	1030	460	291	98	41	26	916	59	25	11	5	8	4	2	–	–	–
Phthisis	2·56	3602	41	36	27	10	7	121	88	127	342	503	939	774	448	217	40	3
Hydrocephalus	0·46	652	185	154	85	57	44	525	83	28	7	5	1	1	–	1	1	–
Diseases of: Nervous Syst.	3·72	5237	2121	388	150	84	63	2805	118	70	52	54	139	205	373	588	540	292
Diseases of: Circulatory	1·53	2154	13	3	1	–	2	19	21	44	64	59	171	331	396	467	413	169
Diseases of: Respiratory	3·86	5426	1456	761	250	121	84	2672	125	34	51	64	186	316	409	576	646	347
Diseases of: Digestive	1·11	1563	245	31	14	9	9	308	25	24	37	50	109	221	258	274	186	71
Diseases of: Urinary	0·34	484	6	4	8	4	11	33	27	14	16	29	76	65	63	84	54	23
Diseases of: Generative	0·08	112	–	–	–	–	–	–	–	–	4	4	17	23	26	21	13	4
Childbirth	0·12	169	–	–	–	–	–	–	–	–	17	24	68	58	2	–	–	–
Suicide	0·08	110	–	–	–	–	–	–	–	1	1	6	23	21	22	22	10	4
Other Violence	1·08	1522	236	49	37	31	17	370	61	65	87	106	209	221	165	135	69	43
OTHER CAUSES	4·63	6524	3211	401	147	78	56	3893	119	55	64	58	161	185	204	290	543	952

Deaths of Infants (under one) to 1000 Births - 176

Marriages - 19,664
Births - 56,237

Annual Rate per 1000 living: Persons Married - 27·95; Births - 39·96

557.—TYNEMOUTH.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	22·90	—	—	—	—	—	73·87	8·19	4·48	6·36	7·88	9·00	12·32	17·35	30·99	69·31	165·57
Mean Pop. 1871-80	—	104,392	3515	2972	3114	3030	2990	15621	13522	11374	9873	9385	15656	11650	8316	5337	2714	944
ALL CAUSES	22·90	23,910	6926	2577	986	599	451	11539	1108	510	628	740	1409	1435	1443	1654	1881	1563
Small-pox	0·43	447	41	14	14	15	23	107	58	23	35	59	75	58	20	5	6	1
Measles	0·33	349	79	133	56	33	20	321	24	2	–	2	–	–	–	–	–	–
Scarlet Fever	1·33	1391	87	232	254	190	169	932	350	67	19	10	9	2	1	1	–	–
Diphtheria	0·08	88	11	16	9	13	9	58	17	3	1	2	1	2	1	2	–	1
Whooping-cough	0·55	575	256	190	64	35	10	555	19	–	–	–	–	–	1	–	–	–
Typhus	0·10	103	1	1	1	4	3	10	17	11	10	17	7	11	11	6	3	–
Enteric Fever	0·33	348	11	14	15	14	12	66	54	40	43	33	48	18	18	14	12	2
Simple Cont. Fev.	0·16	167	7	14	11	11	10	53	40	4	10	11	12	8	12	6	7	4
Puerp. Fever	0·13	136	–	–	–	–	–	–	–	–	9	44	55	28	–	–	–	–
Diarr. and Dys.	1·16	1216	653	303	47	9	7	1022	11	3	–	5	8	12	17	23	53	62
Cholera	0·06	61	35	12	3	–	1	51	–	–	1	–	1	1	1	2	4	–
Cancer	0·41	424	–	–	–	–	2	2	–	1	–	2	19	44	100	120	97	39
Scrofula	0·11	112	30	14	4	3	3	54	12	8	10	4	8	9	6	–	1	–
Tabes Mesent.	0·81	843	341	324	69	34	16	784	23	9	8	5	6	2	4	2	–	–
Phthisis	1·96	2050	48	48	24	12	7	139	59	98	199	279	510	368	232	125	37	4
Hydrocephalus	0·44	464	168	133	52	16	22	391	49	9	7	3	5	–	–	–	–	–
Diseases of: Nervous Syst.	2·94	3074	1112	238	91	52	35	1528	103	37	46	25	69	116	193	321	392	239
Diseases of: Circulatory	1·25	1304	6	3	2	3	2	16	20	39	32	41	114	172	225	273	281	91
Diseases of: Respiratory	3·00	3135	987	458	140	68	40	1693	64	25	30	35	93	148	200	276	344	227
Diseases of: Digestive	1·10	1150	233	59	11	14	7	324	33	18	30	23	53	108	157	179	157	68
Diseases of: Urinary	0·30	316	9	21	5	10	5	50	17	9	5	8	34	32	28	48	57	28
Diseases of: Generative	0·06	59	1	2	–	–	–	3	–	1	3	2	11	9	15	10	4	1
Childbirth	0·11	114	–	–	–	–	–	–	–	–	13	18	42	40	1	–	–	–
Suicide	0·06	65	–	–	–	–	–	–	–	–	3	7	17	19	8	6	4	1
Other Violence	0·94	982	58	27	21	21	19	146	64	69	72	79	151	123	103	91	51	33
OTHER CAUSES	4·75	4957	2752	318	93	42	29	3234	74	31	42	26	61	105	84	144	371	762

Deaths of Infants (under one) to 1000 Births - 161

Marriages - 8,025
Births - 42,945

Annual Rate per 1000 living: Persons Married - 15·37; Births - 41·14

558.—CASTLE WARD.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	20·92	—	—	—	—	—	55·85	7·17	4·78	6·95	8·89	9·57	13·13	17·00	27·90	60·44	167·40
Mean Pop. 1871-80	—	18,316	518	476	502	476	497	2469	2219	2029	1884	1609	2550	1988	1529	1129	637	273
ALL CAUSES	20·92	3831	890	256	98	65	70	1379	159	97	131	143	244	261	260	315	385	457
Small-pox	0·13	24	1	-	-	-	-	1	4	1	1	1	4	3	2	5	2	-
Measles	0·31	57	14	25	5	3	4	51	3	3	-	-	-	-	-	-	-	-
Scarlet Fever	1·08	198	11	25	28	25	19	108	59	20	5	1	2	2	1	-	-	-
Diphtheria	0·17	32	3	3	1	3	3	13	12	1	2	-	-	2	1	1	-	-
Whooping-cough	0·27	49	30	7	6	3	1	47	2	-	-	-	-	-	-	-	-	-
Typhus	0·13	23	-	-	-	-	-	-	4	1	6	2	1	3	4	1	1	-
Enteric Fever	0·35	64	2	1	-	1	8	12	10	8	4	5	8	5	4	7	1	-
Simple Cont. Fev.	0·09	17	2	1	-	-	1	4	1	2	4	2	2	-	2	-	-	-
Puerp. Fever	0·11	20	-	-	-	-	-	-	-	-	-	8	8	4	-	-	-	-
Diarr. and Dys.	0·84	154	100	25	3	2	2	132	2	-	-	-	1	2	1	1	9	6
Cholera	0·01	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Cancer	0·32	59	-	-	-	-	-	-	-	-	-	1	1	9	17	14	9	8
Scrofula	0·09	16	3	-	-	-	1	4	-	1	3	-	2	-	-	1	4	1
Tabes Mesent.	0·47	86	36	24	11	-	3	74	6	3	1	-	1	-	1	-	-	-
Phthisis	2·17	397	5	3	2	1	-	11	6	17	54	57	106	55	50	28	9	4
Hydrocephalus	0·33	61	33	18	5	1	-	57	1	1	-	1	1	-	-	-	-	-
Diseases of: Nervous Syst.	3·24	594	132	32	10	4	5	183	11	5	9	11	30	67	57	77	69	75
Diseases of: Circulatory „	1·45	266	-	-	-	-	-	-	1	3	4	5	9	25	43	61	69	46
Diseases of: Respiratory „	2·49	456	119	50	14	10	7	200	17	6	4	8	12	25	17	28	70	69
Diseases of: Digestive „	1·22	224	47	3	1	-	2	53	5	6	7	5	12	12	21	45	43	15
Diseases of: Urinary „	0·38	69	3	-	1	1	1	6	1	1	6	4	5	8	2	5	16	15
Diseases of: Generative „	0·04	8	-	-	-	-	-	-	-	-	-	-	2	1	1	2	2	-
Childbirth	0·16	29	-	-	-	-	-	-	-	-	-	11	11	6	1	-	-	-
Suicide	0·09	16	-	-	-	-	-	-	-	-	1	2	2	3	1	4	1	2
Other Violence	0·74	135	12	5	4	6	6	33	6	11	7	12	17	18	12	7	9	3
Other Causes	4·24	776	337	34	7	5	7	390	8	6	13	7	7	11	22	28	71	213

Deaths of Infants (under one) to 1000 Births - 134 | Marriages - 581 | Births - 6,620 | Annual Rate per 1000 living: Persons Married - 6·34; Births - 36·14

559.—HEXHAM.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	19·64	—	—	—	—	—	47·91	6·06	4·63	6·43	9·34	9·23	9·95	17·31	29·18	63·46	154·81
Mean Pop. 1871-80	—	33,314	928	843	897	865	873	4406	4106	3692	3357	2976	4540	3529	2837	2053	1267	551
ALL CAUSES	19·64	6542	1402	339	156	128	86	2111	249	171	216	278	419	351	491	599	804	853
Small-pox	0·16	53	5	1	-	1	2	9	5	2	3	6	9	3	7	5	2	2
Measles	0·12	39	9	9	6	6	5	35	3	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·74	246	13	21	40	46	23	143	72	16	7	2	3	3	-	-	-	-
Diphtheria	0·32	107	5	9	11	13	8	46	35	14	3	1	2	2	1	2	1	-
Whooping-cough	0·34	112	54	32	13	7	2	108	3	1	-	-	-	-	-	-	-	-
Typhus	0·09	29	-	-	-	1	-	1	4	2	6	3	6	2	2	3	-	-
Enteric Fever	0·36	120	6	4	3	3	2	18	14	5	21	19	13	8	6	11	3	2
Simple Cont. Fev.	0·08	28	4	1	-	-	1	6	3	2	4	-	4	1	2	3	3	-
Puerp. Fever	0·12	41	-	-	-	-	-	-	-	-	1	11	20	9	-	-	-	-
Diarr. and Dys.	0·54	181	108	25	2	1	-	136	3	-	-	-	4	4	5	4	9	16
Cholera	0·01	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Cancer	0·48	159	-	-	-	-	-	-	1	-	-	1	4	15	30	45	42	21
Scrofula	0·12	40	8	3	1	1	-	13	4	3	1	6	4	2	4	-	2	1
Tabes Mesent.	0·52	174	83	40	12	4	4	143	7	4	9	2	4	1	3	1	-	-
Phthisis	2·35	784	6	5	2	2	4	19	15	43	84	130	183	115	100	61	28	6
Hydrocephalus	0·35	115	41	21	7	7	5	81	14	12	6	1	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·24	747	186	29	9	9	3	236	13	13	12	12	31	19	51	77	135	148
Diseases of: Circulatory „	1·49	495	1	-	-	-	-	1	5	4	9	11	15	37	65	108	153	87
Diseases of: Respiratory „	2·76	920	199	78	25	9	11	322	15	8	8	18	32	32	72	97	156	160
Diseases of: Digestive „	1·29	429	57	10	4	1	3	75	8	10	13	14	21	34	63	76	83	32
Diseases of: Urinary „	0·53	175	3	1	3	-	2	9	4	4	4	7	17	19	17	37	27	30
Diseases of: Generative „	0·05	15	-	-	-	-	-	-	-	-	-	3	2	4	1	3	2	-
Childbirth	0·07	23	-	-	-	-	-	-	-	-	2	3	10	8	-	-	-	-
Suicide	0·05	15	-	-	-	-	-	-	-	-	-	2	1	3	1	5	3	-
Other Violence	0·54	181	12	4	5	4	2	27	8	9	11	16	13	18	25	22	21	11
Other Causes	3·92	1312	602	45	13	13	9	683	13	17	11	10	20	12	36	39	134	337

Deaths of Infants (under one) to 1000 Births - 125 | Marriages - 2,087 | Births - 11,176 | Annual Rate per 1000 living: Persons Married - 12·53; Births - 33·55

560.—HALTWHISTLE.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	16·66	—	—	—	—	—	33·72	4·25	2·83	5·56	8·01	9·33	7·98	13·01	25·06	60·98	144·29
Mean Pop. 1871-80	—	7445	222	213	198	211	194	1038	918	812	755	637	997	789	607	447	305	140
ALL CAUSES	16·66	1240	243	56	25	14	12	350	39	23	42	51	93	63	79	112	186	202
Small-pox	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·16	12	4	3	–	1	2	10	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·30	22	2	2	4	2	3	13	4	–	2	–	1	–	1	1	–	–
Diphtheria	0·13	10	1	1	–	1	2	5	2	1	–	1	1	–	–	–	–	–
Whooping-cough	0·28	21	17	4	–	–	–	21	–	–	–	–	–	–	–	–	–	–
Typhus	0·05	4	–	–	–	–	–	–	–	1	–	–	2	–	–	1	–	–
Enteric Fever	0·26	19	–	–	–	–	–	–	2	3	1	5	1	1	2	–	3	1
Simple Cont. Fev.	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerp. Fever	0·01	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Diarr. and Dys.	0·35	26	13	4	–	–	–	17	1	–	–	–	–	1	–	1	3	3
Cholera	0·01	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	0·27	20	–	–	–	–	–	–	–	–	–	–	–	–	2	3	10	5
Scrofula	0·12	9	4	2	–	–	–	6	–	1	1	–	1	–	–	–	–	–
Tabes Mesent.	0·34	25	13	1	1	–	–	15	3	1	–	1	1	–	1	–	1	2
Phthisis	2·40	179	–	–	–	1	1	2	–	3	28	28	51	28	14	18	6	1
Hydrocephalus	0·28	21	9	3	4	–	–	16	4	–	–	1	–	–	–	–	–	–
Diseases of Nervous Syst.	1·99	148	39	6	2	2	–	40	7	5	3	1	4	3	10	14	23	38
Diseases of Circulatory „	1·80	134	3	1	–	–	1	5	1	1	–	2	2	10	18	21	44	30
Diseases of Respiratory „	2·12	158	27	12	6	1	–	46	2	–	1	2	11	5	10	16	33	32
Diseases of Digestive „	0·95	71	13	2	1	1	–	17	2	1	–	2	3	3	10	14	14	5
Diseases of Urinary „	0·40	30	–	–	–	–	1	1	1	2	2	1	5	1	1	4	9	3
Diseases of Generative „	0·05	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–
Childbirth	0·09	7	–	–	–	–	–	–	–	–	–	1	4	2	–	–	–	–
Suicide	0·07	5	–	–	–	–	–	–	–	–	–	–	1	2	–	1	1	–
Other Violence	0·59	44	1	2	–	–	2	5	3	4	4	4	2	4	3	8	5	2
OTHER CAUSES	3·64	269	106	13	7	5	–	131	5	–	–	2	3	1	7	8	32	80

Deaths of Infants (under one) to 1000 Births - 99 | Marriages - 440 | Births - 2,458 | Annual Rate per 1000 living: Persons Married - 11·82; Births - - - 33·02

561.—BELLINGHAM.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·53	—	—	—	—	—	34·52	4·82	5·31	5·87	8·51	11·22	9·00	9·08	22·56	49·84	153·90
Mean Pop. 1871-80	—	6594	187	157	169	177	150	840	767	603	596	552	882	722	606	461	311	154
ALL CAUSES	17·53	1156	197	45	20	15	13	290	37	32	35	47	99	65	55	104	155	237
Small-pox	0·05	3	–	1	–	–	–	1	–	–	–	–	–	–	–	2	–	–
Measles	0·09	6	2	1	–	1	–	4	1	–	1	–	–	–	–	–	–	–
Scarlet Fever	0·57	38	3	4	3	4	2	16	15	3	–	2	1	–	–	1	–	–
Diphtheria	0·30	20	4	2	2	–	4	12	2	4	–	–	1	1	–	–	–	–
Whooping-cough	0·17	11	6	2	1	1	–	10	1	–	–	–	–	–	–	–	–	–
Typhus	0·08	5	–	–	–	–	–	–	–	1	–	–	3	–	–	–	1	–
Enteric Fever	0·24	16	–	–	1	2	1	4	2	2	2	–	1	1	3	–	1	–
Simple Cont. Fev.	0·14	9	–	–	1	–	–	1	2	–	–	–	2	–	–	1	1	2
Puerp. Fever	0·06	4	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–
Diarr. and Dys.	0·38	25	15	2	–	–	–	17	–	–	–	–	–	–	–	2	1	5
Cholera	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·41	27	–	–	–	–	–	–	–	–	–	–	–	9	4	4	8	2
Scrofula	0·12	8	2	2	–	–	–	4	–	–	2	–	–	–	–	2	–	–
Tabes Mesent.	0·11	7	2	1	–	–	–	3	–	4	–	–	–	–	–	–	–	–
Phthisis	2·26	149	1	–	1	–	2	4	4	4	16	25	50	16	15	12	3	–
Hydrocephalus	0·30	20	8	6	2	2	–	18	1	–	–	–	–	1	–	–	–	–
Diseases of Nervous Syst.	1·93	127	19	2	–	1	1	23	4	3	3	4	3	4	4	19	29	31
Diseases of Circulatory „	1·38	91	2	–	–	–	–	2	–	1	–	1	6	5	6	14	26	30
Diseases of Respiratory „	1·99	131	33	8	5	2	1	49	–	1	1	4	5	6	3	7	20	35
Diseases of Digestive „	1·26	83	11	5	–	1	–	17	–	1	1	1	4	3	10	15	18	13
Diseases of Urinary „	0·61	40	–	–	–	–	–	–	1	2	1	3	4	3	1	7	12	6
Diseases of Generative „	0·14	9	–	–	–	–	–	–	–	–	1	–	–	2	1	2	2	1
Childbirth	0·08	5	–	–	–	–	–	–	–	–	–	–	4	1	–	–	–	–
Suicide	0·08	5	–	–	–	–	–	–	–	–	–	1	1	–	2	1	–	–
Other Violence	0·59	39	4	–	1	–	–	5	1	3	1	2	6	6	2	6	5	2
OTHER CAUSES	4·19	278	85	9	3	1	2	100	3	3	6	4	6	5	4	9	28	110

Deaths of Infants (under one) to 1000 Births - 101 | Marriages - 330 | Births - 1,953 | Annual Rate per 1000 living: Persons Married - 10·01; Births - - 29·62

562.—MORPETH.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	24·42	—	—	—	—	—	73·79	8·43	5·24	6·46	9·81	10·91	11·77	18·18	32·14	71·14	172·75
Mean Pop. 1871-80	—	33,552	1111	907	1008	1005	960	4991	4426	3797	3235	2824	4649	3645	2679	1870	1036	400
ALL CAUSES	24·42	8193	2181	770	344	243	145	3683	373	199	209	277	507	429	487	601	737	691
Small-pox	0·32	107	11	5	4	1	3	24	8	.6	3	10	24	14	9	4	5	-
Measles	0·38	129	30	42	20	18	5	115	10	-	-	2	2	-	-	-	-	-
Scarlet Fever	1·67	561	28	90	102	95	61	376	141	25	8	2	5	2	-	-	2	-
Diphtheria	0·16	55	5	13	9	7	4	38	13	3	-	1	-	-	-	-	-	-
Whooping-cough	0·61	206	104	59	16	15	3	197	9	-	-	-	-	-	-	-	-	-
Typhus	0·03	21	1	-	2	2	-	5	2	2	-	1	3	2	1	-	4	1
Enteric Fever	0·54	182	5	9	15	7	6	42	29	20	16	18	22	12	10	4	6	3
Simple Cont. Fev.	0·20	66	8	8	7	4	2	29	11	6	3	1	1	5	1	5	3	1
Puerp. Fever	0·13	42	-	-	-	-	-	-	-	-	3	11	10	8	-	-	-	-
Diarr. and Dys.	1·11	374	204	86	13	6	5	314	3	-	1	4	3	4	5	6	13	21
Cholera	0·03	10	1	1	-	2	1	5	2	-	-	1	-	-	-	1	1	-
Cancer	0·43	143	-	-	-	-	-	-	-	-	2	1	5	16	26	48	28	17
Scrofula	0·03	27	9	1	-	2	1	13	-	2	1	1	3	2	2	1	2	-
Tabes Mesent.	0·82	276	83	127	35	8	-	253	10	5	2	1	3	-	1	1	-	-
Phthisis	2·28	764	9	6	3	7	2	27	18	40	95	117	195	120	88	41	23	-
Hydrocephalus	0·47	157	71	32	17	9	7	136	13	3	2	1	-	2	-	-	-	-
Diseases of: Nervous Syst.	3·39	1139	354	66	22	21	15	478	32	18	16	13	47	62	92	122	143	116
Diseases of: Circulatory „	1·43	479	2	-	-	1	-	3	4	7	6	16	37	40	69	105	123	69
Diseases of: Respiratory „	2·76	926	331	115	38	18	17	519	14	9	6	19	22	23	48	80	114	72
Diseases of: Digestive „	1·32	444	84	18	1	3	3	109	9	8	13	7	32	40	40	77	74	35
Diseases of: Urinary „	0·40	135	3	6	2	3	2	16	3	3	2	6	11	11	20	21	23	19
Diseases of: Generative „	0·06	19	-	-	-	-	-	-	-	-	-	1	2	4	8	3	1	-
Childbirth	0·11	37	-	-	-	-	-	-	-	-	2	10	16	9	-	-	-	-
Suicide	0·04	13	-	-	-	-	-	-	-	-	-	-	3	2	5	1	1	1
Other Violence	0·79	265	15	5	10	6	5	41	15	32	16	21	29	26	31	18	18	18
Other Causes	4·83	1616	823	81	23	8	3	943	27	10	12	12	12	25	31	63	153	318

Deaths of Infants (under one) to 1000 Births - 141 | Marriages - 2,394 | Births - 15,508 | Annual Rate per 1000 living: Persons Married - 14·27; Births - 46·22

563.—ALNWICK.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·61	—	—	—	—	—	43·94	6·79	4·68	6·98	7·87	10·93	12·53	14·72	24·53	60·50	158·36
Mean Pop. 1871-80	—	20,558	528	469	530	509	497	2533	2502	2156	2064	1741	2817	2123	1821	1500	924	377
ALL CAUSES	19·61	4031	703	192	92	69	57	1113	170	101	144	137	308	266	268	368	559	597
Small-pox	0·07	14	-	-	-	-	-	-	-	-	4	1	1	2	2	2	1	1
Measles	0·19	39	7	16	7	3	-	33	5	-	-	-	-	1	-	-	-	-
Scarlet Fever	0·75	155	6	16	20	20	21	83	47	15	7	1	1	-	1	-	-	-
Diphtheria	0·08	16	-	2	2	3	3	10	4	-	1	-	-	1	-	-	-	-
Whooping-cough	0·25	52	19	17	6	3	3	48	4	-	-	-	-	-	-	-	-	-
Typhus	0·02	5	-	-	-	-	1	1	-	-	-	-	1	-	-	2	1	-
Enteric Fever	0·32	65	1	2	5	3	3	14	3	5	12	5	8	8	2	4	3	1
Simple Cont. Fev.	0·08	16	-	-	1	-	-	1	4	3	-	1	1	-	2	1	3	-
Puerp. Fever	0·07	14	-	-	-	-	-	-	-	-	1	5	6	2	-	-	-	-
Diarr. and Dys.	0·39	81	33	7	2	1	-	43	3	-	1	-	4	1	3	2	6	18
Cholera	0·00	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Cancer	0·46	95	-	-	-	-	-	-	1	-	-	-	2	10	15	19	35	13
Scrofula	0·06	12	2	1	-	-	-	3	1	1	3	-	1	1	2	-	-	-
Tabes Mesent.	0·16	32	12	9	4	-	-	25	3	1	1	-	1	-	-	1	-	-
Phthisis	2·84	583	5	3	2	2	3	15	12	29	81	72	170	94	58	38	14	-
Hydrocephalus	0·28	57	18	15	2	2	1	38	16	2	-	-	-	-	1	-	-	-
Diseases of: Nervous Syst.	2·80	576	122	22	9	6	2	161	14	12	5	7	20	27	32	73	115	110
Diseases of: Circulatory „	1·45	299	2	2	1	-	1	6	6	5	4	5	22	18	43	39	91	60
Diseases of: Respiratory „	2·74	563	135	43	15	8	7	208	11	2	5	7	15	17	30	61	98	109
Diseases of: Digestive „	1·22	251	30	3	1	2	3	39	8	4	3	4	4	20	29	50	66	24
Diseases of: Urinary „	0·48	98	1	1	1	2	1	6	3	3	3	5	10	10	11	22	16	9
Diseases of: Generative „	0·08	16	-	-	-	-	-	-	-	-	-	1	1	1	3	6	1	3
Childbirth	0·10	21	-	-	-	-	-	-	-	-	1	4	9	6	1	-	-	-
Suicide	0·07	14	-	-	-	-	-	-	1	-	-	1	-	2	4	1	2	3
Other Violence	0·57	117	10	1	5	4	1	21	4	4	5	7	19	20	10	11	10	6
Other Causes	4·08	839	300	32	9	10	7	358	20	15	7	11	12	25	19	35	97	240

Deaths of Infants (under one) to 1000 Births - 112 | Marriages - 1,204 | Births - 6,270 | Annual Rate per 1000 living: Persons Married - 11·71; Births 30·50

564.—BELFORD.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	15·68	—	—	—	—	—	31·86	4·13	2·92	2·92	7·05	7·27	8·12	10·41	26·57	56·25	148·33
Mean Pop. 1871-80	—	5792	140	134	139	124	144	681	653	651	616	539	770	554	538	414	256	120
ALL CAUSES	15·68	908	153	35	12	12	5	217	27	19	18	38	56	45	56	110	144	178
Small-pox	0·19	11	-	2	-	-	-	2	-	-	1	1	3	-	2	1	1	-
Measles	0·03	2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·19	11	1	-	1	2	-	4	4	2	1	-	-	-	-	-	-	-
Diphtheria	0·10	6	-	-	-	1	-	1	3	1	-	-	-	-	-	1	-	-
Whooping-cough	0·28	16	9	3	1	2	-	15	1	-	-	-	-	-	-	-	-	-
Typhus	0·02	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Enteric Fever	0·33	19	-	-	2	-	-	2	1	1	2	5	-	-	1	6	1	-
Simple Cont. Fev.	0·09	5	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	1
Puerp. Fever	0·10	6	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-
Diarr. and Dys.	0·24	14	5	-	-	-	-	5	-	-	-	-	-	1	1	-	2	5
Cholera	0·02	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Cancer	0·38	22	-	-	-	-	-	-	-	-	-	-	-	-	8	8	4	2
Scrofula	0·03	2	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-
Tabes Mesent.	0·24	14	9	3	-	-	1	13	-	-	-	-	1	-	-	-	-	-
Phthisis	1·71	99	1	1	-	-	1	3	2	4	7	22	26	9	9	10	7	-
Hydrocephalus	0·33	19	5	4	-	4	2	15	3	-	-	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	1·74	101	16	3	2	1	-	22	5	-	1	1	3	6	4	14	26	19
Diseases of: Circulatory „	1·52	88	1	-	-	-	1	2	1	2	1	1	4	8	10	23	21	15
Diseases of: Respiratory „	1·92	111	20	11	5	1	-	37	3	1	1	1	2	6	5	13	22	20
Diseases of: Digestive „	1·04	60	11	1	-	1	-	13	1	-	-	-	1	3	9	9	18	6
Diseases of: Urinary „	0·26	15	-	-	-	-	-	-	-	-	1	-	1	2	-	5	3	3
Diseases of: Generative „	0·05	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-
Childbirth	0·07	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
Suicide	0·05	3	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-
Other Violence	0·59	34	2	-	-	-	-	2	3	4	1	2	6	2	3	4	5	2
OTHER CAUSES	4·16	241	72	6	-	-	-	78	-	2	1	2	3	3	3	13	32	104

Deaths of Infants (under one) to 1000 Births 104 — Marriages 353, Births 1,476 — Annual Rate per 1000 living: Persons Married 12·19, Births 25·48

565.—BERWICK.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	19·94	—	—	—	—	—	46·79	6·40	4·00	4·28	8·01	9·21	10·68	13·33	28·28	68·55	167·08
Mean Pop. 1871-80	—	21,222	551	502	581	515	546	2695	2547	2376	2175	1772	2715	2248	1875	1464	954	401
ALL CAUSES	19·94	4232	758	210	128	81	84	1261	163	95	93	142	250	240	250	414	654	670
Small-pox	0·12	25	7	-	1	1	3	12	3	-	-	2	3	2	3	-	-	-
Measles	0·24	50	10	15	9	3	4	41	6	2	-	-	1	-	-	-	-	-
Scarlet Fever	0·92	195	11	21	29	29	29	119	52	17	2	1	3	1	-	-	-	-
Diphtheria	0·23	49	6	5	9	7	9	36	6	4	1	2	-	-	-	-	-	-
Whooping-cough	0·32	67	26	15	16	5	2	64	3	-	-	-	-	-	-	-	-	-
Typhus	0·03	7	1	-	-	1	-	2	2	-	-	1	-	1	-	1	-	-
Enteric Fever	0·43	92	-	4	7	3	5	19	17	9	9	9	7	8	5	5	3	1
Simple Cont. Fev.	0·10	21	1	1	2	1	2	7	2	5	1	-	2	1	1	-	1	1
Puerp. Fever	0·04	9	-	-	-	-	-	-	-	-	-	2	5	2	-	-	-	-
Diarr. and Dys.	0·67	143	73	15	1	3	-	92	-	1	1	2	1	3	2	7	12	22
Cholera	0·07	14	7	3	-	-	-	10	1	1	-	-	1	-	-	-	1	-
Cancer	0·57	122	-	-	-	-	-	-	1	-	-	-	1	10	26	26	41	17
Scrofula	0·08	17	4	3	2	-	-	9	1	1	-	-	2	-	-	2	1	1
Tabes Mesent.	0·15	32	13	12	2	1	-	28	3	1	-	-	-	-	-	-	-	-
Phthisis	1·83	388	-	-	-	1	4	5	14	17	47	68	109	63	27	23	13	2
Hydrocephalus	0·28	60	13	15	7	7	4	46	8	4	1	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·36	501	52	7	6	2	2	69	8	5	2	10	16	18	46	83	135	109
Diseases of: Circulatory „	1·85	392	1	1	-	1	-	3	1	1	2	5	18	34	42	91	120	75
Diseases of: Respiratory „	1·96	417	103	22	11	4	7	147	3	-	5	9	16	17	30	58	82	50
Diseases of: Digestive „	1·18	251	54	3	4	1	-	62	3	3	4	6	11	18	23	40	53	28
Diseases of: Urinary „	0·34	73	-	-	-	1	-	1	1	4	1	1	6	10	6	14	21	8
Diseases of: Generative „	0·06	12	-	-	-	-	-	-	-	1	-	-	1	3	-	3	1	3
Childbirth	0·09	19	-	-	-	-	-	-	-	-	-	4	8	7	-	-	-	-
Suicide	0·07	15	-	-	-	-	-	-	-	-	-	2	-	5	4	3	1	-
Other Violence	0·76	162	15	1	2	2	4	24	10	9	9	10	28	22	16	9	12	13
OTHER CAUSES	5·19	1099	361	67	20	8	9	465	18	10	8	7	11	15	19	49	137	340

Deaths of Infants (under one) to 1000 Births 117 — Marriages 1,399, Births 6,497 — Annual Rate per 1000 living: Persons Married 13·18, Births 30·61

566.—GLENDALE.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	14·74	—	—	—	—	—	24·66	4·72	3·73	4·38	5·21	7·19	7·07	11·50	22·76	59·96	171·63
Mean Pop. 1871–80	—	11,561	286	266	294	288	281	1415	1355	1313	1211	1037	1543	1202	1026	769	482	208
ALL CAUSES	14·74	1704	226	57	25	22	19	349	64	49	53	54	111	85	118	175	289	357
Small-pox	0·04	5	-	1	-	-	-	1	1	-	-	-	-	-	1	1	1	-
Measles	0·10	12	2	3	2	-	1	8	1	2	1	-	-	-	-	-	-	-
Scarlet Fever	0·36	42	2	3	1	4	7	17	18	4	2	-	-	-	1	-	-	-
Diphtheria	0·09	10	1	1	2	1	1	6	3	-	-	-	1	-	-	-	-	-
Whooping-cough	0·26	30	12	6	7	2	2	29	1	-	-	-	-	-	-	-	-	-
Typhus	0·03	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-
Enteric Fever	0·49	57	1	-	3	1	1	6	12	8	6	7	6	5	2	3	2	-
Simple Cont. Fev.	0·13	15	1	-	-	1	-	2	2	-	-	-	2	-	-	3	4	2
Puerp. Fever	0·07	8	-	-	-	-	-	-	-	-	-	-	5	3	-	-	-	-
Diarr. and Dys.	0·21	24	7	-	1	-	-	8	1	1	-	-	-	-	-	2	5	7
Cholera	0·02	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-
Cancer	0·37	43	-	-	-	-	-	-	-	-	-	-	-	5	8	12	10	8
Scrofula	0·06	7	2	1	-	-	-	3	-	1	2	-	-	-	1	-	-	-
Tabes Mesent.	0·10	12	6	1	1	1	-	9	1	1	1	-	-	-	-	-	-	-
Phthisis	1·63	188	-	1	1	2	-	4	2	15	21	23	57	30	17	12	5	2
Hydrocephalus	0·16	19	5	6	1	1	3	16	2	1	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	1·67	193	19	8	1	-	1	29	5	2	1	6	6	5	15	26	57	41
Diseases of: Circulatory	1·78	206	-	-	-	-	-	-	1	1	4	2	5	4	18	42	84	45
Diseases of: Respiratory	1·68	194	35	12	2	4	1	54	5	1	3	5	8	8	10	27	38	35
Diseases of: Digestive	0·99	115	18	2	1	2	-	23	2	2	2	1	1	7	15	23	22	17
Diseases of: Urinary	0·38	44	2	-	-	-	-	2	2	1	-	1	4	3	4	6	8	13
Diseases of: Generative	0·06	7	1	-	-	-	-	1	-	-	-	1	1	-	2	-	1	1
Childbirth	0·10	11	-	-	-	-	-	-	-	-	-	2	3	5	1	-	-	-
Suicide	0·06	7	-	-	-	-	-	-	-	-	-	1	1	-	3	2	-	-
Other Violence	0·38	44	-	3	-	-	1	4	1	3	4	2	4	4	4	3	7	8
Other Causes	3·52	405	112	9	1	3	1	126	4	6	6	2	6	6	16	13	43	178

Deaths of Infants (under one) to 1000 Births - 74

Marriages - 674
Births - 3,048.

Annual Rate per 1000 living: Persons Married - 11·66; Births - 26·36

567.—ROTHBURY.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	15·75	—	—	—	—	—	27·97	6·09	3·79	3·80	6·87	6·61	11·44	11·24	24·26	55·99	143·92
Mean Pop. 1871–80	—	6895	169	163	187	169	170	858	805	738	710	611	923	743	605	470	284	148
ALL CAUSES	15·75	1086	175	30	13	7	15	240	49	28	27	42	61	85	68	114	159	213
Small-pox	0·07	5	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-
Measles	0·06	4	-	2	-	-	1	3	1	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·62	43	-	1	5	1	5	12	23	5	1	1	-	-	-	1	-	-
Diphtheria	0·15	10	1	-	-	1	-	2	3	3	1	1	-	-	-	-	-	-
Whooping-cough	0·20	14	10	2	-	-	1	13	1	-	-	-	-	-	-	-	-	-
Typhus	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	0·20	14	-	1	-	-	-	1	2	1	2	2	-	2	1	-	2	1
Simple Cont. Fev.	0·10	7	-	1	-	-	-	1	1	1	-	-	-	-	-	-	1	3
Puerp. Fever	0·07	5	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-
Diarr. and Dys.	0·23	16	3	1	-	-	-	4	-	-	-	-	1	1	2	2	2	4
Cholera	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Cancer	0·38	26	-	-	-	-	-	-	-	-	-	-	1	-	5	7	8	5
Scrofula	0·12	8	1	1	-	-	-	2	2	-	-	1	-	1	1	1	-	-
Tabes Mesent.	0·06	4	2	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
Phthisis	2·19	151	1	-	-	-	-	1	3	5	15	29	30	41	11	13	3	-
Hydrocephalus	0·23	16	5	6	1	-	-	12	1	1	1	-	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·20	152	32	5	-	1	2	40	3	4	1	3	6	8	12	16	31	23
Diseases of: Circulatory	1·17	81	-	-	-	1	-	1	-	2	-	-	2	8	4	15	31	18
Diseases of: Respiratory	1·55	107	28	3	3	1	-	35	2	1	1	-	3	6	8	13	20	18
Diseases of: Digestive	1·29	89	9	-	-	-	-	9	1	1	3	2	2	3	9	17	22	20
Diseases of: Urinary	0·23	16	-	-	-	-	-	-	-	2	-	1	-	1	2	3	6	1
Diseases of: Generative	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Childbirth	0·07	5	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-
Suicide	0·07	5	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-
Other Violence	0·46	32	3	2	1	-	2	8	-	2	1	1	1	5	6	2	3	3
Other Causes	4·01	274	80	5	3	2	4	94	4	-	1	1	6	2	5	21	28	112

Deaths of Infants (under one) to 1000 Births - 93

Marriages - 313
Births - 1,880

Annual Rate per 1000 living: Persons Married - 9·08; Births - 27·27

CUMBERLAND.

568.—ALSTON.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	19·86	—	—	—	—	—	46·52	6·47	3·06	7·66	9·95	9·01	10·23	25·05	34·18	70·24	152·11
Mean Pop. 1871-80	—	5151	143	108	136	130	130	647	634	588	548	422	666	596	495	316	168	71
ALL CAUSES	19·86	1023	209	42	21	11	18	301	41	18	42	42	60	61	124	108	118	108
Small-pox	0·06	3	1	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–
Measles	0·29	15	2	7	4	–	1	14	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·31	16	1	2	1	3	6	13	3	–	–	–	–	–	–	–	–	–
Diphtheria	0·41	21	1	–	3	2	3	9	10	–	–	–	1	1	–	–	–	–
Whooping-cough	0·23	12	4	6	1	–	1	12	–	–	–	–	–	–	–	–	–	–
Typhus	0·02	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	0·19	10	1	–	1	1	–	3	1	1	3	1	–	1	–	–	–	–
Simple Cont. Fev.	0·08	4	–	1	–	–	1	2	–	–	–	1	–	–	–	–	–	1
Puerp. Fever	0·04	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Diarr. and Dys.	0·58	30	19	3	–	–	–	22	1	–	–	–	1	–	–	1	4	1
Cholera	0·02	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	0·50	26	–	–	–	–	–	–	–	–	–	1	1	2	6	8	5	3
Scrofula	0·14	7	1	–	–	–	–	1	1	–	1	–	1	–	1	1	1	–
Tabes Mesent.	0·16	8	4	–	1	–	–	5	2	–	1	–	–	–	–	–	–	–
Phthisis	2·54	131	–	–	–	1	–	1	–	4	18	20	30	21	24	7	5	1
Hydrocephalus	0·31	16	5	2	2	–	2	11	3	2	–	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	1·88	97	21	2	1	–	–	24	–	4	5	1	3	6	11	8	21	14
Diseases of: Circulatory „	0·87	45	–	–	–	–	–	–	1	2	–	1	2	5	11	6	10	7
Diseases of: Respiratory „	4·25	219	53	12	4	2	2	73	6	3	2	4	8	9	30	37	24	23
Diseases of: Digestive „	1·44	74	9	2	–	–	1	12	3	–	4	3	3	6	10	16	16	1
Diseases of: Urinary „	0·25	13	–	–	–	–	–	–	1	–	–	2	3	–	3	2	1	1
Diseases of: Generative „	0·04	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
Childbirth	0·10	5	–	–	–	–	–	–	–	–	1	2	2	–	–	–	–	–
Suicide	0·02	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Violence	0·45	23	1	–	–	–	–	1	2	1	1	–	2	3	7	4	1	1
OTHER CAUSES	4·68	241	85	5	3	2	1	96	5	1	6	4	3	6	18	13	29	55

Deaths of Infants (under one) to 1000 Births - 135 | Marriages - 339 | Births - 1,547 | Annual Rate per 1000 living: Persons Married - 13·16; Births - 30·03

569.—PENRITH.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	18·67	—	—	—	—	—	42·56	4·48	3·76	5·22	5·80	9·15	11·63	14·76	25·87	61·54	151·46
Mean Pop. 1871-80	—	23,489	642	574	605	588	535	2944	2722	2497	2356	2070	3124	2485	2128	1658	1027	478
ALL CAUSES	18·67	4386	858	172	106	64	53	1253	122	94	123	120	286	289	314	429	632	724
Small-pox	0·03	6	–	1	–	–	–	1	2	–	–	–	–	–	–	2	1	–
Measles	0·17	40	11	9	7	4	5	36	4	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·37	86	7	7	11	12	13	50	19	12	1	1	2	–	1	–	–	–
Diphtheria	0·06	14	–	2	5	2	1	10	2	2	–	–	–	–	–	–	–	–
Whooping-cough	0·29	68	42	13	9	1	3	68	–	–	–	–	–	–	–	–	–	–
Typhus	0·01	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Enteric Fever	0·20	48	1	1	–	–	–	2	4	4	6	7	7	3	10	2	2	1
Simple Cont. Fev.	0·03	8	1	–	–	–	–	1	3	1	–	–	1	–	2	–	–	–
Puerp. Fever	0·05	11	–	–	–	–	–	–	–	–	1	2	6	2	–	–	–	–
Diarr. and Dys.	0·32	74	38	6	–	–	4	48	–	–	–	–	3	–	2	4	8	9
Cholera	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·57	134	–	–	–	–	–	–	–	–	–	–	1	14	23	38	48	10
Scrotula	0·13	31	8	4	3	–	1	16	3	2	2	1	2	2	1	1	1	–
Tabes Mesent.	0·09	20	6	3	2	1	–	12	4	1	2	1	–	–	–	–	–	–
Phthisis	2·14	503	2	7	1	–	–	10	7	20	52	67	123	101	63	37	13	–
Hydrocephalus	0·52	123	50	24	11	10	3	98	12	9	3	1	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·32	544	106	12	11	6	1	136	19	10	15	5	26	34	43	75	98	83
Diseases of: Circulatory „	1·66	390	2	1	–	2	–	5	5	5	6	5	11	20	39	82	125	87
Diseases of: Respiratory „	2·96	696	171	53	22	9	5	260	15	2	8	7	19	30	39	64	129	123
Diseases of: Digestive „	1·06	248	27	3	1	3	1	35	2	7	6	6	15	25	35	46	48	23
Diseases of: Urinary „	0·41	96	–	1	–	1	2	4	2	1	1	1	9	9	9	22	21	17
Diseases of: Generative „	0·04	10	–	–	–	–	–	–	–	–	–	–	–	4	–	1	4	1
Childbirth	0·06	13	–	–	–	–	–	–	–	–	1	–	7	5	–	–	–	–
Suicide	0·11	27	–	–	–	–	–	–	–	–	–	–	2	8	5	3	5	4
Other Violence	0·61	143	12	4	6	4	4	30	4	8	11	10	19	11	18	10	8	14
OTHER CAUSES	4·46	1051	374	21	17	9	10	431	15	10	7	6	22	21	24	42	121	332

Deaths of Infants (under one) to 1000 Births - 129 | Marriages - 1,570 | Births - 7,169 | Annual Rate per 1000 living: Persons Married - 13·37; Births - 30·52

570.—BRAMPTON.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·24	—	—	—	—	—	39·40	5·14	3·17	4·93	7·33	8·11	11·35	14·52	26·95	57·83	147·33
Mean Pop. 1871-80	—	10,587	267	226	269	228	246	1236	1225	1197	1076	955	1393	1084	923	757	498	243
ALL CAUSES	18·24	1931	344	75	32	18	18	487	63	38	53	70	113	123	134	204	288	358
Small-pox	0·04	4	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-
Measles	0·13	14	4	7	-	1	-	12	1	-	-	1	-	-	-	-	-	-
Scarlet Fever	0·56	59	1	10	9	5	4	29	26	3	1	-	-	-	-	-	-	-
Diphtheria	0·10	11	2	1	1	1	-	5	5	-	1	-	-	-	-	-	-	-
Whooping-cough	0·39	41	22	11	3	2	3	41	-	-	-	-	-	-	-	-	-	-
Typhus	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Enteric Fever	0·16	17	1	1	-	-	-	2	-	-	3	5	2	-	2	1	2	-
Simple Cont. Fev.	0·04	4	-	-	-	1	-	1	1	-	1	-	-	1	-	-	-	-
Puerp. Fever	0·09	9	-	-	-	-	-	-	-	-	-	-	4	5	-	-	-	-
Diarr. and Dys.	0·50	53	34	3	1	-	1	39	-	-	-	-	-	-	1	1	6	6
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·61	65	-	-	-	-	-	-	-	-	-	-	1	6	10	20	15	13
Scrofula	0·09	10	3	1	1	-	-	5	2	-	-	-	-	-	1	1	-	1
Tabes Mesent.	0·16	17	4	3	2	-	-	9	2	1	1	2	2	-	-	-	-	-
Phthisis	1·92	203	-	1	-	1	-	2	2	11	24	41	45	37	17	16	3	5
Hydrocephalus	0·22	23	6	5	1	-	1	13	5	2	1	1	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·14	227	41	8	3	3	3	58	5	5	1	6	6	13	15	27	55	36
Diseases of: Circulatory „	1·80	191	-	-	-	-	-	-	1	2	3	5	9	11	17	45	59	39
Diseases of: Respiratory „	2·61	276	54	11	5	-	1	71	6	3	7	2	13	16	22	34	41	61
Diseases of: Digestive „	1·31	139	32	1	3	1	4	41	2	4	4	1	8	7	16	17	29	10
Diseases of: Urinary „	0·51	54	1	-	-	-	-	1	-	3	2	1	3	2	8	9	17	8
Diseases of: Generative „	0·04	4	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1
Childbirth	0·05	5	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-
Suicide	0·05	5	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	2
Other Violence	0·54	57	4	3	2	2	-	11	1	-	2	2	3	9	11	4	6	8
Other Causes	4·17	442	135	9	1	1	1	147	4	4	1	2	10	13	9	29	55	168

Deaths of Infants (under one) to 1000 Births - 117 | Marriages - 707 | Births - 2,930 | Annual Rate per 1000 living: Persons Married - 13·36; Births - - - 27·67

571.—LONGTOWN.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·60	—	—	—	—	—	38·53	6·22	3·98	6·77	8·70	11·27	11·53	15·40	21·05	53·00	159·80
Mean Pop. 1871-80	—	7990	214	185	203	210	208	1020	948	879	783	655	985	824	708	589	400	199
ALL CAUSES	19·60	1566	258	55	33	25	22	393	59	35	53	57	111	95	109	124	212	318
Small-pox	0·01	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Measles	0·16	13	2	2	3	3	1	11	2	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·88	70	3	9	8	12	14	46	18	6	-	-	-	-	-	-	-	-
Diphtheria	0·05	4	-	1	1	-	-	2	1	1	-	-	-	-	-	-	-	-
Whooping-cough	0·23	18	11	3	1	2	-	17	1	-	-	-	-	-	-	-	-	-
Typhus	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Enteric Fever	0·23	18	-	-	-	-	-	-	1	1	3	1	1	3	6	-	2	-
Simple Cont. Fev.	0·06	5	-	-	-	-	-	-	-	1	1	-	1	-	-	-	2	-
Puerp. Fever	0·11	9	-	-	-	-	-	-	-	-	-	5	2	2	-	-	-	-
Diarr. and Dys.	0·50	40	16	2	1	-	1	20	5	-	-	-	1	-	-	3	6	5
Cholera	0·03	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
Cancer	0·56	45	-	-	-	-	-	-	-	-	-	-	1	4	13	7	13	7
Scrofula	0·06	5	1	-	1	1	-	3	-	1	-	-	-	-	-	-	1	-
Tabes Mesent.	0·10	8	3	3	-	-	-	6	-	-	-	1	-	1	-	-	-	-
Phthisis	3·33	266	9	2	2	-	2	15	6	11	35	36	70	37	32	17	7	-
Hydrocephalus	0·20	16	5	4	3	2	-	14	1	1	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·12	169	38	6	5	3	2	54	4	3	2	-	6	8	12	15	31	34
Diseases of: Circulatory „	1·24	99	-	-	-	-	-	-	2	2	1	1	4	7	12	17	26	27
Diseases of: Respiratory „	2·12	169	36	6	3	-	2	47	7	2	4	1	5	6	13	20	32	28
Diseases of: Digestive „	1·09	87	10	3	1	-	-	14	2	2	2	4	2	10	10	13	17	11
Diseases of: Urinary „	0·34	27	-	-	-	-	-	-	-	1	-	1	4	3	1	4	10	3
Diseases of: Generative „	0·03	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Childbirth	0·09	7	-	-	-	-	-	-	-	-	-	3	3	1	-	-	-	-
Suicide	0·09	7	-	-	-	-	-	-	-	-	-	-	-	2	-	2	3	-
Other Violence	0·40	32	1	1	1	-	-	3	2	1	2	1	4	2	2	6	4	5
Other Causes	5·55	446	123	13	3	2	-	141	6	2	3	3	2	8	8	18	58	197

Deaths of Infants (under one) to 1000 Births - 108 | Marriages - 446 | Births - 2,380 | Annual Rate per 1000 living: Persons Married - 11·16; Births - - - 29·79

572.—CARLISLE.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	23·16	—	—	—	—	—	62·15	6·92	4·20	6·62	9·23	10·75	15·54	20·38	34·36	72·58	172·28
Mean Pop. 1871-80	—	49,694	1383	1230	1315	1248	1220	6396	5749	5237	5027	4444	7299	5533	4343	3114	1827	725
ALL CAUSES	23·16	11,511	2501	703	369	257	145	3975	398	220	333	410	785	860	885	1070	1326	1249
Small-pox	0·08	41	4	5	–	–	–	9	1	3	6	4	7	6	2	2	1	–
Measles	0·36	181	33	63	38	20	8	165	12	–	–	–	2	1	1	–	–	–
Scarlet Fever	0·79	395	24	46	67	65	39	241	104	30	7	4	8	–	1	–	–	–
Diphtheria	0·15	73	4	14	10	14	8	50	16	3	2	–	–	2	–	–	–	–
Whooping-cough	0·50	248	124	74	29	12	6	245	1	2	–	–	–	–	–	–	–	–
Typhus	0·30	151	1	–	1	2	1	5	6	6	9	16	15	31	23	23	14	3
Enteric Fever	0·35	173	4	4	5	8	5	26	20	14	24	24	23	10	11	9	8	4
Simple Cont. Fev.	0·04	20	–	–	1	1	–	2	1	–	–	1	3	1	1	3	6	2
Puerp. Fever	0·11	57	–	–	–	–	–	–	–	–	5	13	26	13	–	–	–	–
Diarr. and Dys.	0·99	493	297	85	14	5	1	402	1	2	–	1	7	6	8	7	29	30
Cholera	0·01	6	–	–	–	–	–	–	1	1	–	–	–	1	2	1	–	–
Cancer	0·62	309	–	–	–	–	–	–	–	–	–	4	11	36	76	86	70	26
Scrofula	0·09	43	11	2	–	3	2	18	8	–	6	–	2	1	4	4	–	–
Tabes Mesent.	0·13	64	21	6	8	3	2	40	8	4	4	2	1	3	1	1	–	–
Phthisis	2·64	1311	15	13	5	7	2	42	34	49	139	195	334	245	138	95	33	7
Hydrocephalus	0·49	244	69	50	32	18	11	180	39	13	5	4	3	–	–	–	–	–
Diseases of: Nervous Syst.	2·98	1482	365	46	22	11	14	458	33	15	25	22	48	100	122	189	264	206
Diseases of: Circulatory „	2·23	1110	3	–	1	–	2	6	7	11	23	27	77	124	162	267	273	193
Diseases of: Respiratory „	3·50	1739	466	172	86	47	9	780	42	7	15	19	48	70	113	195	259	191
Diseases of: Digestive „	0·88	435	57	11	4	2	3	77	10	10	12	11	28	47	65	72	71	32
Diseases of: Urinary „	0·51	252	–	2	3	3	3	11	4	4	7	7	24	33	42	46	46	26
Diseases of: Generative „	0·04	20	1	–	–	–	–	1	–	–	–	–	2	4	4	6	2	1
Childbirth	0·10	51	–	–	–	–	–	–	–	–	3	8	22	18	–	–	–	–
Suicide	0·09	45	–	–	–	–	–	–	–	–	3	2	9	6	11	8	5	1
Other Violence	0·73	364	18	19	9	12	6	64	10	18	22	25	38	45	41	44	33	24
Other Causes	4·45	2204	984	88	34	24	23	1153	40	28	16	21	45	57	57	72	212	503

Deaths of Infants (under one) to 1000 Births - 153 | Marriages - 4,232 | Births - 16,374 | Annual Rate per 1000 living: Persons Married - 17·03; Births - 32·95

573.—WIGTON.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·23	—	—	—	—	—	42·05	6·12	4·52	5·18	8·34	8·81	10·10	14·45	26·01	57·45	152·93
Mean Pop. 1871-80	—	23,065	613	561	613	581	555	2923	2714	2522	2279	1859	3031	2435	2049	1634	1107	512
ALL CAUSES	19·23	4435	796	185	108	92	48	1229	166	114	118	155	267	246	296	425	636	783
Small-pox	0·10	24	4	–	–	1	–	5	5	2	2	–	5	–	1	3	1	–
Measles	0·30	69	16	25	9	7	3	60	2	6	–	1	–	–	–	–	–	–
Scarlet Fever	0·78	179	11	18	31	21	17	98	47	15	7	6	4	1	1	–	–	–
Diphtheria	0·10	22	1	3	2	4	1	11	8	1	–	–	2	–	–	–	–	–
Whooping-cough	0·31	72	31	14	13	7	–	65	7	–	–	–	–	–	–	–	–	–
Typhus	0·05	12	–	–	–	–	–	–	–	1	2	–	2	4	1	–	2	–
Enteric Fever	0·26	59	1	1	1	2	1	6	6	9	6	8	6	6	5	3	2	2
Simple Cont. Fev.	0·04	10	–	–	1	1	–	2	–	2	–	–	2	–	1	1	1	1
Puerp. Fever	0·11	26	–	–	–	–	–	–	–	–	–	8	11	7	–	–	–	–
Diarr. and Dys.	0·44	102	42	9	2	–	–	53	4	1	2	1	1	2	2	4	13	19
Cholera	0·03	6	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	2
Cancer	0·63	146	–	–	–	–	–	–	–	–	–	1	3	9	25	46	37	25
Scrofula	0·16	36	13	3	5	–	–	21	5	3	1	–	3	–	2	1	–	–
Tabes Mesent.	0·22	50	23	8	3	1	1	36	3	1	3	2	3	1	–	–	1	–
Phthisis	2·14	493	6	3	1	1	–	11	17	23	51	80	117	82	50	39	20	3
Hydrocephalus	0·33	76	21	12	5	5	5	48	12	9	3	1	3	–	–	–	–	–
Diseases of: Nervous Syst.	1·87	432	84	15	3	8	5	115	6	2	10	9	12	20	20	58	89	91
Diseases of: Circulatory „	1·16	268	1	1	–	–	–	2	4	4	4	3	12	16	36	62	86	39
Diseases of: Respiratory „	2·64	610	164	37	10	8	7	226	10	6	9	9	21	27	43	58	108	93
Diseases of: Digestive „	1·10	254	40	4	–	2	1	47	3	4	4	6	13	17	41	44	49	26
Diseases of: Urinary „	0·34	78	1	–	–	–	–	1	3	1	–	2	3	6	5	12	25	20
Diseases of: Generative „	0·05	12	–	–	–	–	–	–	–	–	–	1	2	–	4	–	5	–
Childbirth	0·08	18	–	–	–	–	–	–	–	–	–	3	10	5	–	–	–	–
Suicide	0·14	33	–	–	–	–	–	–	–	–	1	1	3	6	9	9	2	2
Other Violence	0·59	136	4	5	7	4	–	20	5	10	6	3	14	14	15	20	13	16
Other Causes	5·26	1212	333	27	15	20	7	402	19	14	7	10	15	23	33	63	182	444

Deaths of Infants (under one) to 1000 Births - 114 | Marriages - 1,559 | Births - 6,960 | Annual Rate per 1000 living: Persons Married - 13·52; Births - 30·18

574.—COCKERMOUTH.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	21·08	—	—	—	—	—	58·43	6·36	3·47	5·46	7·73	8·26	12·04	16·98	30·02	63·64	173·24
Mean Pop. 1871-80	—	51,667	1633	1448	1535	1505	1402	7523	6479	5540	4831	4539	7369	5574	4264	3078	1760	710
ALL CAUSES	21·08	10,893	2686	916	358	240	196	4396	412	192	264	351	609	671	724	924	1120	1230
Small-pox	0·33	170	22	6	4	–	4	36	16	8	10	20	29	24	15	8	4	–
Measles	0·53	272	56	119	49	13	18	255	14	1	–	–	2	–	–	–	–	–
Scarlet Fever	0·77	399	33	61	49	56	47	246	103	23	8	9	5	4	1	–	–	–
Diphtheria	0·05	24	4	2	3	2	4	15	4	–	1	1	–	–	1	1	1	–
Whooping-cough	0·51	261	129	61	32	17	8	247	13	1	–	–	–	–	–	–	–	–
Typhus	0·05	27	–	–	–	–	1	1	–	2	5	2	3	5	3	4	2	–
Enteric Fever	0·39	201	8	13	11	10	8	50	21	13	20	14	17	23	18	15	8	2
Simple Cont. Fev.	0·08	39	1	1	2	–	4	8	3	3	3	1	5	2	3	2	3	6
Puerp. Fever	0·09	44	–	–	–	–	–	–	–	–	2	5	27	10	–	–	–	–
Diarr. and Dys.	1·03	534	297	97	13	8	9	424	2	–	2	4	6	6	13	16	24	37
Cholera	0·01	6	1	–	–	–	–	1	1	–	–	–	–	3	–	1	–	–
Cancer	0·47	244	–	–	–	–	–	–	1	–	1	1	10	24	45	72	65	25
Scrofula	0·07	38	7	12	–	3	1	23	2	3	1	1	2	3	–	3	–	–
Tabes Mesent.	0·26	133	54	32	6	7	5	104	11	6	7	1	1	1	1	1	–	–
Phthisis	1·77	915	16	9	9	2	3	39	30	36	96	145	213	174	98	56	25	3
Hydrocephalus	0·46	237	87	62	20	13	6	188	29	10	3	2	3	2	–	–	–	–
Diseases of: Nervous Syst.	2·44	1262	354	67	24	24	8	477	33	14	15	19	33	53	81	136	213	188
Diseases of: Circulatory „	1·47	762	1	1	2	3	–	7	10	8	8	20	45	64	106	153	206	135
Diseases of: Respiratory „	3·18	1645	439	184	54	23	20	725	41	9	15	22	43	60	87	192	228	223
Diseases of: Digestive „	1·06	549	112	12	6	2	2	134	6	10	6	13	32	46	85	99	74	44
Diseases of: Urinary „	0·41	212	4	7	4	3	5	23	2	4	6	8	16	23	29	30	35	36
Diseases of: Generative „	0·07	38	–	1	–	–	–	1	–	–	1	2	3	5	7	9	5	5
Childbirth	0·11	55	–	–	–	–	–	–	–	–	2	10	21	22	–	–	–	–
Suicide	0·09	46	–	–	–	–	–	–	–	–	–	2	12	10	5	8	7	2
Other Violence	0·88	453	27	10	18	13	14	82	27	22	38	33	49	53	56	48	24	21
Other Causes	4·50	2327	1034	159	52	36	29	1310	43	19	14	16	32	54	70	70	196	503

Deaths of Infants (under one) to 1000 Births - 139 | Marriages - 3,990 | Births - 19,310 | Annual Rate per 1000 living: Persons Married 15·45; Births 37·37

575.—WHITEHAVEN.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	24·32	—	—	—	—	—	69·72	8·64	5·13	6·70	9·69	10·98	12·52	20·72	37·75	78·64	175·97
Mean Pop. 1871-80	—	53,432	1765	1545	1614	1657	1517	8098	6830	5756	5117	4832	8087	5893	4021	2771	1461	566
ALL CAUSES	24·32	12,992	3192	1267	557	354	276	5646	590	295	343	468	888	738	833	1046	1149	996
Small-pox	0·55	292	32	4	7	13	11	67	55	14	23	36	47	28	12	8	1	1
Measles	0·71	381	77	166	62	33	19	357	18	3	1	–	1	1	–	–	–	–
Scarlet Fever	1·18	632	33	101	87	93	81	401	160	40	11	8	5	3	2	2	–	–
Diphtheria	0·13	69	5	7	12	6	7	37	20	5	3	1	1	–	1	1	–	–
Whooping-cough	0·51	273	120	86	30	17	7	260	13	–	–	–	–	–	–	–	–	–
Typhus	0·22	116	1	–	1	1	1	4	3	5	7	8	26	23	17	14	9	–
Enteric Fever	0·25	136	3	5	8	6	9	31	13	13	12	21	20	11	7	5	2	1
Simple Cont. Fev.	0·12	64	–	2	2	6	4	14	20	6	2	2	4	6	3	5	2	–
Puerp. Fever	0·13	69	–	–	–	–	–	–	–	–	5	16	36	11	1	–	–	–
Diarr. and Dys.	0·63	337	185	61	10	5	5	266	7	2	–	–	4	6	12	10	13	17
Cholera	0·02	11	1	–	2	–	1	4	1	–	–	–	1	1	1	3	–	–
Cancer	0·31	168	–	–	–	–	–	–	–	1	2	–	11	20	43	48	31	12
Scrofula	0·16	85	29	11	4	2	7	53	6	6	5	4	7	1	2	–	1	–
Tabes Mesent.	0·56	298	116	90	37	16	9	268	19	1	4	4	2	–	–	–	–	–
Phthisis	2·17	1159	14	21	12	7	6	60	42	63	127	178	328	181	122	40	14	4
Hydrocephalus	0·45	238	91	58	23	18	5	195	26	13	3	1	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·51	1341	425	112	36	25	27	625	37	22	18	16	26	52	92	137	189	127
Diseases of: Circulatory „	1·11	591	2	2	1	1	–	6	1	11	11	12	35	67	83	159	140	67
Diseases of: Respiratory „	4·21	2247	628	281	102	35	28	1074	41	16	19	32	67	87	165	283	303	100
Diseases of: Digestive „	1·08	579	87	19	7	7	6	126	15	11	14	20	55	55	92	83	78	30
Diseases of: Urinary „	0·32	170	6	7	5	1	2	21	5	3	6	7	17	16	21	24	39	11
Diseases of: Generative „	0·04	24	–	–	–	–	–	–	–	–	1	3	11	2	3	3	1	–
Childbirth	0·11	61	–	–	–	–	–	–	–	–	2	20	15	22	2	–	–	–
Suicide	0·07	38	–	–	–	–	–	–	–	–	1	3	7	7	8	8	3	1
Other Violence	1·16	618	33	22	14	13	12	94	24	33	40	62	110	82	61	53	22	25
Other Causes	5·61	2995	1228	212	95	49	29	1683	64	27	23	14	52	53	84	158	291	540

Deaths of Infants (under one) to 1000 Births - 145 | Marriages - 4,452 | Births - 21,972 | Annual Rate per 1000 living: Persons Married - 16·66; Births - 41·12

576.—BOOTLE.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·92	—	—	—	—	—	45·81	6·69	4·56	6·03	7·92	7·67	11·07	15·01	27·02	48·39	146·88
Mean Pop. 1871–80	—	10,375	338	319	324	306	287	1574	1286	1118	1028	909	1538	1066	806	581	341	128
ALL CAUSES	17·92	1859	427	147	67	50	30	721	86	51	62	72	118	118	121	157	165	188
Small-pox	0·10	10	1	–	–	–	1	2	–	–	1	2	4	1	–	–	–	–
Measles	0·42	44	9	17	3	7	2	38	4	1	–	1	–	–	–	–	–	–
Scarlet Fever	0·88	91	6	12	15	16	7	50	27	10	1	–	2	1	–	–	–	–
Diphtheria	0·04	4	–	1	–	–	–	1	–	1	–	1	1	–	–	–	–	–
Whooping-cough	0·56	58	26	18	6	4	4	58	–	–	–	–	–	–	–	–	–	–
Typhus	0·13	14	–	–	–	2	–	2	4	–	2	1	1	2	1	1	–	–
Enteric Fever	0·28	29	1	1	1	–	1	4	6	3	2	3	5	2	1	1	1	1
Simple Cont. Fev.	0·21	22	–	–	–	4	5	9	2	2	2	1	2	3	1	–	–	–
Puerp. Fever	0·12	12	–	–	–	–	–	–	–	–	1	4	4	3	–	–	–	–
Diarr. and Dys.	0·68	71	38	14	3	2	–	57	2	–	1	–	2	1	3	–	1	4
Cholera	0·01	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	0·23	24	–	–	–	–	–	–	–	–	–	–	–	5	3	10	3	3
Scrofula	0·09	9	2	–	–	–	–	2	3	–	1	1	–	–	–	1	1	–
Tabes Mesent.	0·45	47	20	16	4	1	3	44	3	–	–	–	–	–	–	–	–	–
Phthisis	1·56	193	2	3	1	–	–	6	3	9	22	31	39	33	25	19	5	1
Hydrocephalus	0·28	29	14	6	3	1	1	25	2	–	1	–	1	–	–	–	–	–
Diseases of: Nervous Syst.	1·80	187	48	17	4	8	2	79	3	4	4	2	7	8	16	22	23	14
Circulatory	1·06	110	–	–	1	–	–	1	1	5	2	3	3	8	21	27	24	15
Respiratory	2·55	265	80	24	8	7	–	119	8	4	2	4	7	11	16	28	33	33
Digestive	0·97	101	14	4	1	1	1	21	2	2	3	4	11	11	8	16	16	7
Urinary	0·29	30	–	2	–	–	–	2	2	1	–	–	3	5	4	5	4	4
Generative	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	0·11	11	–	–	–	–	–	–	–	–	–	2	6	2	1	–	–	–
Suicide	0·12	12	–	–	–	–	–	–	–	–	–	–	4	2	2	1	3	–
Other Violence	0·70	73	4	4	5	–	1	14	3	5	10	9	8	9	5	7	3	–
Other Causes	3·98	412	162	8	12	3	2	187	11	4	7	3	8	11	13	19	43	105

Deaths of Infants (under one) to 1000 Births - 109 | Marriages - 764, Births - 3,935 | Annual Rate per 1000 living: Persons Married - 14·73, Births - 37·93

[WESTMORLAND.

577.—EAST WARD.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·67	—	—	—	—	—	40·14	4·89	3·64	6·12	9·22	7·70	10·94	15·98	23·35	59·39	171·66
Mean Pop. 1871–80	—	15,726	437	379	386	392	379	1973	1798	1620	1437	1334	2274	1773	1439	1109	655	314
ALL CAUSES	18·67	2936	559	117	54	33	29	792	88	59	88	123	175	194	230	259	389	539
Small-pox	0·24	37	3	1	1	2	–	7	3	–	4	4	6	7	3	2	1	–
Measles	0·08	13	2	4	2	1	1	10	2	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·38	60	5	6	8	7	2	28	18	8	3	1	1	–	1	–	–	–
Diphtheria	0·03	5	1	–	–	–	1	2	3	–	–	–	–	–	–	–	–	–
Whooping-cough	0·24	37	18	8	6	1	3	36	1	–	–	–	–	–	–	–	–	–
Typhus	0·11	18	–	–	–	1	–	1	3	–	2	3	1	1	4	1	2	–
Enteric Fever	0·46	72	1	4	5	1	2	13	9	2	4	5	12	14	8	1	4	–
Simple Cont. Fev.	0·08	12	1	1	–	–	–	2	1	1	3	1	1	–	3	–	–	–
Puerp. Fever	0·08	12	–	–	–	–	–	–	–	–	–	4	5	2	1	–	–	–
Diarr. and Dys.	0·25	39	16	3	3	1	–	23	–	–	–	–	2	1	–	5	6	2
Cholera	0·01	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–
Cancer	0·47	74	–	–	–	–	–	–	–	–	–	–	1	6	16	18	20	13
Scrofula	0·06	10	2	–	–	1	–	3	1	–	–	1	–	4	1	–	–	–
Tabes Mesent.	0·17	27	11	4	1	1	–	17	–	3	4	2	–	–	1	–	–	–
Phthisis	1·92	302	4	1	2	1	–	8	3	13	28	37	60	57	47	20	8	1
Hydrocephalus	0·24	38	10	8	4	1	2	25	7	3	2	1	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·23	350	101	15	8	7	8	139	13	8	11	7	10	13	15	24	51	59
Circulatory	1·52	239	–	–	–	1	1	2	2	2	5	5	11	16	27	52	75	42
Respiratory	2·05	322	65	22	7	–	6	100	6	4	4	7	13	18	29	38	56	53
Digestive	0·97	153	16	3	1	–	1	21	1	4	5	3	11	17	22	30	24	15
Urinary	0·27	42	–	–	1	–	–	1	1	1	1	–	4	3	6	3	12	10
Generative	0·08	12	–	–	–	–	–	–		–	1	–	2	1	3	1	3	1
Childbirth	0·10	16	–	–	–	–	–	–	–	–	–	5	7	4	–	–	–	–
Suicide	0·10	15	–	–	–	–	–	–	–	–	–	1	2	2	5	3	–	2
Other Violence	0·51	80	3	5	1	1	–	10	1	2	3	5	13	10	11	11	6	8
Other Causes	3·02	949	390	32	4	6	2	344	15	7	7	11	13	18	33	50	120	335

Deaths of Infants (under one) to 1000 Births - 118 | Marriages - 1,037, Births - 4,727 | Annual Rate per 1000 living: Persons Married - 13·19, Births - 30·06

578.—WEST WARD.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	16·30	—	—	—	—	—	30·60	4·44	2·48	5·43	7·81	7·66	10·31	13·85	18·61	52·54	151·12
Mean Pop. 1871-80	—	8237	227	196	210	201	215	1049	969	929	773	679	1044	873	758	591	394	178
ALL CAUSES	16·30	1343	215	49	23	18	16	321	43	23	42	53	80	90	105	110	207	269
Small-pox	0·04	3	1	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-
Measles	0·12	10	1	2	3	-	-	6	3	-	-	-	1	-	-	-	-	-
Scarlet Fever	0·46	38	-	4	8	7	4	23	7	3	2	1	2	-	-	-	-	-
Diphtheria	0·10	8	1	1	1	2	-	5	2	-	-	-	-	-	-	-	1	-
Whooping-cough	0·16	13	5	6	1	-	1	13	-	-	-	-	-	-	-	-	-	-
Typhus	0·07	6	-	-	-	-	-	-	-	2	-	1	3	-	-	-	-	-
Enteric Fever	0·29	24	-	-	-	-	-	-	5	2	1	2	3	2	5	1	1	2
Simple Cont. Fev.	0·02	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Puerp. Fever	0·05	4	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-
Diarr. and Dys.	0·29	24	10	2	-	-	-	12	-	-	-	3	-	1	2	1	-	5
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·55	45	-	-	-	-	-	-	-	-	-	-	1	3	9	11	14	7
Scrofula	0·06	5	-	-	1	1	-	2	1	1	-	-	-	1	-	-	-	-
Tabes Mesent.	0·12	10	6	1	-	-	-	7	1	-	-	-	1	1	-	-	-	-
Phthisis	1·98	163	-	-	-	-	-	-	-	5	21	29	38	40	17	9	2	2
Hydrocephalus	0·23	19	8	4	1	-	-	13	3	-	1	1	-	-	1	-	-	-
Diseases of: Nervous Syst.	1·67	138	23	7	2	-	3	40	5	2	2	4	4	1	16	9	28	27
Diseases of: Circulatory „	1·60	132	-	-	-	-	1	1	1	-	3	-	5	10	20	26	39	27
Diseases of: Respiratory „	1·87	154	40	13	2	1	1	57	1	2	1	1	2	9	6	12	39	24
Diseases of: Digestive „	0·98	81	6	3	-	-	1	10	1	-	3	2	5	5	7	18	20	10
Diseases of: Urinary „	0·28	23	1	-	-	-	-	1	-	-	-	-	3	2	3	1	9	4
Diseases of: Generative „	0·07	6	-	-	-	-	-	-	-	-	-	-	-	2	3	-	1	-
Childbirth	0·06	5	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-
Suicide	0·17	14	-	-	-	-	-	-	-	-	1	1	1	-	4	4	2	1
Other Violence	0·53	44	4	2	-	3	2	11	2	2	4	5	1	3	3	4	4	3
Other Causes	4·53	372	104	4	4	4	3	119	10	4	2	1	7	6	8	13	47	155

Deaths of Infants (under one) to 1000 Births - 90 | Marriages - 472 | Births - 2,399 | Annual Rate per 1000 living: Persons Married - 11·46; Births - 29·12

579.—KENDAL.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·64	—	—	—	—	—	40·17	4·87	3·49	5·12	6·99	7·81	10·82	14·13	26·07	62·18	162·59
Mean Pop. 1871-80	—	40,759	1162	1065	1081	1080	1022	5410	4950	4701	4159	3504	5530	4222	3368	2631	1605	679
ALL CAUSES	17·64	7189	1370	379	199	131	94	2173	241	164	213	245	432	457	476	686	998	1104
Small-pox	0·02	7	-	-	-	1	1	2	1	-	-	-	2	1	1	-	-	-
Measles	0·25	102	28	41	17	5	4	95	6	-	-	-	1	-	-	-	-	-
Scarlet Fever	0·43	174	11	20	29	24	20	104	48	6	7	5	4	-	-	-	-	-
Diphtheria	0·15	61	2	7	6	1	6	22	21	7	5	2	-	2	-	-	2	-
Whooping-cough	0·26	106	50	26	11	10	4	101	4	1	-	-	-	-	-	-	-	-
Typhus	0·02	9	-	-	-	-	-	-	1	1	1	1	1	1	1	2	-	-
Enteric Fever	0·24	99	2	2	3	1	4	12	5	9	14	11	15	9	9	11	4	-
Simple Cont. Fev.	0·05	22	-	2	1	1	-	4	5	-	1	1	2	3	3	2	1	-
Puerp. Fever	0·04	17	-	-	-	-	-	-	-	-	1	3	8	5	-	-	-	-
Diarr. and Dys.	0·29	118	62	12	1	-	-	75	2	-	-	-	1	3	4	4	7	22
Cholera	0·01	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-
Cancer	0·46	186	-	1	-	-	-	1	-	-	-	1	2	8	32	63	56	23
Scrofula	0·12	47	6	2	2	2	1	13	2	5	5	5	5	1	3	4	3	1
Tabes Mesent.	0·20	80	36	13	3	3	3	58	5	3	4	3	2	-	3	1	1	-
Phthisis	2·08	849	13	7	4	3	7	34	16	36	77	126	219	159	77	60	36	9
Hydrocephalus	0·27	111	36	24	17	6	5	88	13	5	3	1	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·94	1200	337	65	31	18	11	512	28	25	19	18	28	41	71	92	210	156
Diseases of: Circulatory „	1·15	468	-	-	-	1	-	1	-	13	14	12	17	29	62	106	145	69
Diseases of: Respiratory „	2·67	1087	237	79	33	20	5	379	24	6	9	10	19	27	53	114	219	227
Diseases of: Digestive „	1·20	491	55	5	3	2	2	67	12	14	11	9	26	45	72	84	98	53
Diseases of: Urinary „	0·46	188	-	1	3	-	2	6	7	3	5	2	13	24	17	41	40	30
Diseases of: Generative „	0·06	24	-	-	-	-	-	-	-	-	-	1	2	6	2	4	4	5
Childbirth	0·08	31	-	-	-	-	-	-	-	-	2	3	12	14	-	-	-	-
Suicide	0·06	26	-	-	-	-	-	-	-	-	2	-	1	8	3	7	3	2
Other Violence	0·58	236	14	12	5	8	8	47	13	14	15	18	27	33	13	26	16	14
Other Causes	3·55	1446	431	60	25	25	11	552	28	16	18	13	24	38	48	64	152	493

Deaths of Infants (under one) to 1000 Births - 105 | Marriages - 2,857 | Births - 13,024 | Annual Rate per 1000 living: Persons Married - 14·02; Births - 31·95

MONMOUTHSHIRE.

580.—CHEPSTOW.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	18·52	—	—	—	—	—	40·92	7·22	4·49	5·31	5·68	8·41	9·53	13·60	24·50	54·05	164·46
Mean Pop. 1871-80	—	18,521	517	435	510	433	469	2424	2257	2069	1696	1425	2354	2015	1720	1347	851	363
ALL CAUSES	18·52	3430	604	179	96	69	44	992	163	93	90	81	198	192	234	330	460	597
Small-pox	0·15	28	4	-	-	-	-	4	1	5	3	3	3	3	5	1	-	-
Measles	0·18	33	8	10	5	1	3	27	5	-	-	-	1	-	-	-	-	-
Scarlet Fever	0·72	134	2	14	18	14	12	60	45	13	3	2	4	-	1	-	-	-
Diphtheria	0·09	16	2	2	1	-	-	5	8	1	2	-	-	-	-	-	-	-
Whooping-cough	0·39	73	27	18	12	9	3	69	4	-	-	-	-	-	-	-	-	-
Typhus	0·03	6	-	-	-	-	-	-	-	3	1	-	-	-	1	-	1	-
Enteric Fever	0·23	51	4	2	4	1	3	14	10	4	2	3	8	1	3	-	5	1
Simple Cont. Fev.	0·09	17	-	1	-	-	1	2	3	-	1	1	3	-	3	2	2	-
Puerp. Fever	0·03	5	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-
Diarr. and Dys.	0·17	32	15	2	-	-	1	18	1	-	1	-	1	1	-	1	2	7
Cholera	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Cancer	0·59	109	-	-	-	-	-	-	-	-	-	1	4	12	23	22	27	15
Scrofula	0·07	13	3	2	1	-	-	6	-	2	-	1	3	-	1	-	-	-
Tabes Mesent.	0·24	45	21	13	-	-	1	35	5	2	1	1	1	-	-	-	-	-
Phthisis	1·66	310	5	6	4	2	-	17	12	16	36	31	73	49	30	27	17	2
Hydrocephalus	0·24	45	14	11	4	2	1	32	10	2	1	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·75	509	164	24	8	8	2	206	10	10	11	4	11	16	22	41	82	96
Diseases of: Circulatory	1·66	307	1	-	-	-	4	5	2	2	3	5	13	26	38	67	87	59
Diseases of: Respiratory	2·54	471	94	36	21	8	6	165	11	6	2	5	14	15	29	68	77	79
Diseases of: Digestive	1·00	186	22	3	1	2	1	29	2	5	4	8	10	19	18	30	41	20
Diseases of: Urinary	0·33	61	-	-	1	-	-	1	-	2	3	1	4	3	12	10	11	14
Diseases of: Generative	0·04	7	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	1
Childbirth	0·15	28	-	-	-	-	-	-	-	-	-	1	13	13	1	-	-	-
Suicide	0·05	10	-	-	-	-	-	-	-	-	-	-	1	1	2	3	1	2
Other Violence	0·81	150	7	3	7	7	1	25	14	8	11	9	15	16	13	18	9	9
OTHER CAUSES	4·25	783	211	32	9	15	5	272	20	6	5	5	13	14	22	39	95	292

Deaths of Infants (under one) to 1000 Births - 105 | Marriages - 943 | Births - 5,745 | Annual Rate per 1000 living: Persons Married - 10·18; Births - - - 31·02

581.—MONMOUTH.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	18·45	—	—	—	—	—	44·51	4·65	2·67	4·63	6·42	8·77	8·89	12·43	26·73	55·74	158·41
Mean Pop. 1871-80	—	30,969	870	803	874	843	820	4210	3997	3596	2873	2351	3818	3227	2823	2129	1315	630
ALL CAUSES	18·45	5713	1228	298	166	103	79	1874	186	96	133	151	335	287	351	569	733	998
Small-pox	0·07	21	2	1	-	-	-	3	-	1	5	2	4	3	2	1	-	-
Measles	0·23	88	10	30	15	10	4	69	17	-	2	-	-	-	-	-	-	-
Scarlet Fever	0·56	174	7	27	34	19	29	116	46	4	4	-	1	2	1	-	-	-
Diphtheria	0·07	22	2	3	3	2	2	12	4	2	2	-	1	-	-	-	-	1
Whooping-cough	0·32	99	55	23	9	5	5	97	2	-	-	-	-	-	-	-	-	-
Typhus	0·02	7	-	1	-	-	-	1	2	-	3	1	-	-	-	-	-	-
Enteric Fever	0·17	54	1	-	1	1	3	6	7	5	7	7	6	3	5	5	2	1
Simple Cont. Fev.	0·16	49	1	2	1	2	1	7	7	5	3	5	2	3	6	7	2	2
Puerp. Fever	0·05	17	-	-	-	-	-	-	-	-	1	3	6	7	-	-	-	-
Diarr. and Dys.	0·35	108	55	6	6	5	-	72	1	1	-	-	3	2	-	2	11	16
Cholera	0·01	3	-	-	-	1	-	1	-	-	-	-	1	-	1	-	-	-
Cancer	0·44	137	-	-	-	-	-	-	-	-	-	-	5	11	23	46	27	25
Scrofula	0·09	29	6	2	-	1	-	9	1	1	4	3	6	1	1	-	3	-
Tabes Mesent.	0·22	67	39	13	1	2	1	56	1	1	1	2	1	-	5	-	-	-
Phthisis	1·57	485	18	7	5	3	1	34	10	15	43	69	130	87	54	30	12	1
Hydrocephalus	0·14	42	13	7	3	5	2	30	4	3	2	-	1	1	1	-	-	-
Diseases of: Nervous Syst.	2·63	814	318	32	20	7	4	381	13	15	14	7	24	18	43	76	110	113
Diseases of: Circulatory	1·20	373	2	-	-	-	-	2	2	7	8	12	16	28	44	81	106	67
Diseases of: Respiratory	3·93	1216	275	93	36	23	11	438	21	7	6	13	25	35	62	153	218	240
Diseases of: Digestive	0·96	297	31	5	5	2	1	44	10	3	4	2	15	24	40	62	60	33
Diseases of: Urinary	0·28	88	2	-	-	1	-	3	1	1	3	3	9	8	8	18	23	11
Diseases of: Generative	0·05	14	-	-	-	-	-	-	-	-	-	-	1	4	4	4	1	-
Childbirth	0·14	44	-	-	-	-	-	-	-	-	1	3	10	19	2	-	-	-
Suicide	0·05	15	-	-	-	-	-	-	-	1	-	-	2	1	4	3	4	-
Other Violence	0·63	196	11	9	9	6	8	43	18	12	12	7	30	14	14	17	16	13
OTHER CAUSES	4·06	1252	380	37	18	8	7	450	19	12	8	12	27	16	31	64	135	475

Deaths of Infants (under one) to 1000 Births - 116 | Marriages - 2,033 | Births - 10,626 | Annual Rate per 1000 living: Persons Married - 13·13; Births - - - 34·31

582.—ABERGAVENNY.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	23·38	—	—	—	—	—	64·60	7·46	3·78	6·20	9·20	10·26	13·97	17·95	33·44	69·10	167·63
Mean Pop. 1871-80	—	23,217	660	571	587	596	600	3014	2735	2463	2145	2021	3305	2619	2073	1546	916	380
ALL CAUSES	23·38	5,427	1184	402	171	108	82	1947	204	93	133	186	339	366	372	517	633	637
Small-pox	0·47	109	8	2	3	-	1	14	21	3	9	15	26	12	4	2	2	1
Measles	0·61	141	32	45	21	12	11	121	13	3	2	2	-	-	-	-	-	-
Scarlet Fever	0·62	143	5	25	26	30	13	99	36	4	2	-	2	-	-	-	-	-
Diphtheria	0·32	75	5	9	6	9	7	36	19	10	5	-	2	1	1	-	-	1
Whooping-cough	0·47	108	48	37	13	4	2	104	4	-	-	-	-	-	-	-	-	-
Typhus	0·05	12	-	-	1	-	-	1	-	2	1	1	4	2	-	-	1	-
Enteric Fever	0·31	71	4	3	4	2	2	15	10	11	9	5	12	2	1	3	2	1
Simple Cont. Fev.	0·13	30	1	4	1	1	2	9	5	4	1	2	3	3	2	-	-	1
Puerp. Fever	0·12	27	-	-	-	-	-	-	-	-	1	9	10	6	1	-	-	-
Diarr. and Dys.	0·55	128	62	16	2	3	3	86	-	-	-	3	3	-	2	6	14	14
Cholera	0·02	4	1	2	-	1	-	4	-	-	-	-	-	-	-	-	-	-
Cancer	0·52	120	-	-	-	-	-	-	-	-	-	1	3	14	23	28	30	21
Scrofula	0·16	38	7	7	1	-	-	15	3	5	2	2	4	1	3	2	1	-
Tabes Mesent.	0·30	70	32	19	8	2	2	63	2	-	-	1	1	2	-	1	-	-
Phthisis	1·69	392	12	9	1	5	3	30	12	5	38	66	90	71	35	30	13	2
Hydrocephalus	0·31	71	25	22	7	2	4	60	6	2	1	-	1	-	-	1	-	-
Diseases of: Nervous Syst.	3·97	921	281	45	8	6	6	346	16	12	22	15	41	74	78	92	131	94
Diseases of: Circulatory „	1·46	340	-	1	-	-	-	1	2	6	3	5	19	33	40	86	73	72
Diseases of: Respiratory „	4·06	943	184	88	41	15	10	338	22	3	10	13	28	43	67	113	166	140
Diseases of: Digestive „	1·17	272	53	8	2	2	3	68	4	5	3	5	14	30	34	54	39	16
Diseases of: Urinary „	0·41	96	1	3	2	-	-	6	5	2	3	3	8	15	7	16	19	12
Diseases of: Generative „	0·04	10	-	-	-	-	-	-	-	-	-	-	1	4	1	3	1	-
Childbirth	0·15	34	-	-	-	-	-	-	-	-	1	7	16	7	3	-	-	-
Suicide	0·04	10	-	-	-	-	-	-	-	1	-	-	1	2	3	1	2	-
Other Violence	0·83	193	15	7	8	4	1	35	11	6	10	21	25	13	26	13	23	10
Other Causes	4·60	1069	408	50	16	10	12	496	13	9	10	10	25	31	41	63	116	252

Deaths of Infants (under one) to 1000 Births - 144 | Marriages - 1,511 | Births - 8,216 | Annual Rate per 1000 living: Persons Married - 13·02, Births - 35·39

583.—BEDWELTY.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	24·84	—	—	—	—	—	77·83	7·92	5·66	7·91	9·78	11·20	13·37	19·22	38·38	83·42	182·25
Mean Pop. 1871-80	—	53,801	1714	1423	1535	1518	1568	7758	6942	5791	5425	5059	7899	5865	4350	2944	1351	417
ALL CAUSES	24·84	13,362	3395	1364	627	398	254	6038	550	328	429	495	885	784	836	1130	1127	760
Small-pox	0·82	442	52	19	15	26	23	135	47	24	45	70	86	19	12	4	-	-
Measles	0·88	474	77	177	101	57	24	426	28	4	1	2	2	1	-	-	-	-
Scarlet Fever	0·72	388	24	62	72	64	48	270	92	13	6	3	2	1	-	1	-	-
Diphtheria	0·15	83	5	12	9	9	14	49	18	-	1	3	5	3	3	-	1	-
Whooping-cough	0·65	350	161	98	41	23	14	345	4	-	-	1	-	-	-	-	-	-
Typhus	0·09	48	-	2	1	3	5	11	8	8	3	4	9	2	1	2	-	-
Enteric Fever	0·44	238	5	12	16	7	8	48	41	51	39	26	31	11	5	4	-	2
Simple Cont. Fev.	0·14	75	-	4	6	4	1	15	19	8	5	2	4	5	6	5	6	-
Puerp. Fever	0·12	62	-	-	-	-	-	-	-	-	4	19	17	21	1	-	-	-
Diarr. and Dys.	0·62	334	149	87	18	5	-	259	-	-	-	1	4	4	7	13	26	26
Cholera	0·01	8	2	-	-	-	-	2	-	-	1	-	-	2	2	1	-	-
Cancer	0·42	225	-	-	1	-	-	1	1	2	3	4	5	30	63	62	41	13
Scrofula	0·34	182	56	34	13	6	3	112	18	15	11	9	7	2	5	-	3	-
Tabes Mesent.	0·38	203	53	69	30	7	10	169	15	6	6	2	3	2	-	-	-	-
Phthisis	1·83	985	8	23	12	6	6	55	41	40	114	143	247	147	116	64	18	-
Hydrocephalus	0·39	209	64	49	16	13	11	153	32	13	4	4	1	1	-	-	1	-
Diseases of: Nervous Syst.	2·97	1600	796	110	41	28	11	986	37	17	26	20	35	49	70	145	147	68
Diseases of: Circulatory „	1·07	576	2	-	1	-	1	4	6	14	13	15	57	77	100	123	126	41
Diseases of: Respiratory „	5·53	2976	705	382	137	79	40	1343	52	16	26	37	103	149	229	403	427	191
Diseases of: Digestive „	0·98	525	77	8	7	2	2	96	14	11	8	16	47	65	64	113	71	20
Diseases of: Urinary „	0·30	163	2	9	5	6	5	27	7	7	3	3	22	20	14	27	24	9
Diseases of: Generative „	0·03	14	-	-	-	-	-	-	-	-	-	1	4	-	2	3	3	1
Childbirth	0·15	82	-	-	-	-	-	-	-	-	3	21	32	26	-	-	-	-
Suicide	0·05	27	-	-	-	-	-	-	-	-	2	1	5	4	7	5	2	1
Other Violence	1·37	739	31	13	15	16	9	84	34	78	83	73	103	97	67	62	43	12
Other Causes	4·39	2354	1126	194	67	32	19	1438	33	21	19	15	54	46	62	93	188	382

Deaths of Infants (under one) to 1000 Births - 151 | Marriages - 4,410 | Births - 22,490 | Annual Rate per 1000 living: Persons Married - 16·39, Births - 41·80

584.—PONTYPOOL.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	21·32	—	—	—	—	—	59·48	6·62	4·07	6·28	7·21	9·32	13·04	17·50	31·83	69·18	167·83
Mean Pop. 1871-80	—	34,615	1001	914	987	966	981	4849	4560	4008	3407	2954	4648	3672	2915	2042	1100	460
ALL CAUSES	21·32	7381	1663	606	275	197	143	2884	302	163	214	213	433	479	510	650	761	772
Small-pox	0·24	84	11	3	4	2	4	24	7	4	10	7	16	10	2	1	3	-
Measles	0·38	130	26	44	28	9	10	117	5	3	1	-	2	1	1	-	-	-
Scarlet Fever	0·97	336	12	61	67	59	38	228	80	18	5	3	2	-	-	-	-	-
Diphtheria	0·10	34	4	3	3	3	3	16	9	1	1	1	4	1	-	1	-	-
Whooping-cough	0·35	120	51	36	11	12	2	112	8	-	-	-	-	-	-	-	-	-
Typhus	0·05	17	-	1	-	-	-	1	1	2	3	1	-	7	1	1	-	-
Enteric Fever	0·34	119	-	2	7	7	2	18	18	7	8	15	25	10	4	7	7	-
Simple Cont. Fev.	0·09	30	3	-	1	2	2	8	2	4	2	1	2	2	-	4	3	2
Puerp. Fever	0·07	23	-	-	-	-	-	-	-	-	2	10	8	3	-	-	-	-
Diarr. and Dys.	0·52	181	80	45	6	3	1	135	1	1	3	-	-	4	6	5	11	15
Cholera	0·02	7	1	-	-	1	-	2	-	-	-	-	2	2	-	1	-	-
Cancer	0·40	138	1	-	-	-	-	1	-	-	-	-	8	12	33	29	37	18
Scrofula	0·10	34	5	1	1	2	1	10	3	2	3	3	4	2	4	3	-	-
Tabes Mesent.	0·34	117	67	26	6	3	1	103	7	3	1	1	1	-	1	-	-	-
Phthisis	1·69	584	14	9	7	2	3	35	15	24	59	69	137	102	66	34	12	1
Hydrocephalus	0·27	95	32	23	8	4	8	75	16	1	2	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·74	948	371	73	23	25	10	502	26	16	19	15	23	43	57	83	97	64
Diseases of: Circulatory	1·20	416	3	-	-	3	3	9	11	11	11	16	33	52	62	85	87	39
Diseases of: Respiratory	4·87	1687	338	178	55	34	22	627	28	13	20	17	56	85	129	220	262	230
Diseases of: Digestive	0·90	317	49	15	2	1	3	70	8	5	9	2	17	33	47	49	60	17
Diseases of: Urinary	0·42	144	6	7	7	4	5	29	5	2	6	3	6	18	16	21	23	15
Diseases of: Generative	0·05	18	1	-	1	-	-	2	-	-	-	-	3	3	3	6	-	1
Childbirth	0·12	40	-	-	-	-	-	-	-	-	4	6	17	13	-	-	-	-
Suicide	0·03	9	-	-	-	-	-	-	-	-	1	1	2	1	1	1	2	-
Other Violence	0·93	323	9	10	9	7	9	44	27	32	20	31	37	45	31	25	23	8
Other Causes	4·22	1460	579	69	29	23	16	716	25	14	24	10	28	30	46	71	134	362

Deaths of Infants (under one) to 1000 Births - 121 | Marriages - 3,208 | Births - 13,753 | Annual Rate per 1000 living: Persons Married - 18·54; Births - 39·73

585.—NEWPORT.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	21·80	—	—	—	—	—	63·15	6·56	4·30	6·95	8·97	11·23	14·40	19·32	34·33	61·42	141·81
Mean Pop. 1871-80	—	65,897	1987	1771	1912	1845	1772	9287	8256	7163	6564	5956	9790	7327	5383	3504	1892	775
ALL CAUSES	21·80	14,363	3577	1155	513	352	268	5865	542	308	456	534	1099	1055	1040	1203	1162	1099
Small-pox	0·37	247	28	21	22	5	15	91	34	10	24	27	33	17	7	3	1	-
Measles	0·63	417	81	134	87	42	30	374	36	4	1	1	-	1	-	-	-	-
Scarlet Fever	0·60	395	32	63	58	60	48	261	90	33	8	-	2	1	-	-	-	-
Diphtheria	0·16	105	3	9	14	13	12	51	34	11	2	2	3	-	-	1	1	-
Whooping-cough	0·55	360	155	111	42	32	9	349	11	-	-	-	-	-	-	-	-	-
Typhus	0·09	57	-	-	-	1	2	3	3	8	8	9	9	3	9	2	2	1
Enteric Fever	0·34	225	6	5	5	4	7	27	25	32	33	30	33	22	12	5	4	2
Simple Cont. Fev.	0·13	86	2	2	2	8	9	23	11	10	4	2	5	8	8	8	5	2
Puerp. Fever	0·09	58	-	-	-	-	-	-	-	-	4	7	34	13	-	-	-	-
Diarr. and Dys.	0·67	439	285	59	14	-	4	362	5	-	1	6	9	5	9	10	18	14
Cholera	0·08	56	40	11	-	-	1	52	-	-	-	-	1	-	-	2	-	1
Cancer	0·31	205	1	-	-	-	-	1	-	-	1	-	12	22	44	68	39	18
Scrofula	0·14	92	21	14	6	7	3	51	5	4	8	7	3	8	3	3	-	-
Tabes Mesent.	0·25	163	68	51	12	3	1	135	8	7	4	4	2	1	2	-	-	-
Phthisis	2·03	1338	27	17	1	3	5	53	16	35	141	183	371	267	164	83	23	2
Hydrocephalus	0·27	178	58	45	17	17	9	146	18	5	3	1	3	1	1	-	-	-
Diseases of: Nervous Syst.	2·69	1770	765	126	52	45	20	1008	54	22	18	22	55	64	95	163	157	112
Diseases of: Circulatory	1·11	730	2	2	2	-	3	9	17	8	20	25	68	105	112	172	136	58
Diseases of: Respiratory	3·81	2511	640	284	103	51	38	1111	48	12	18	25	80	147	178	329	344	219
Diseases of: Digestive	0·98	647	71	11	6	4	9	101	18	6	17	14	43	80	118	121	95	34
Diseases of: Urinary	0·27	176	3	1	-	-	-	4	1	3	6	9	22	32	34	30	21	14
Diseases of: Generative	0·04	28	-	-	-	-	-	-	-	-	-	-	3	8	8	3	5	1
Childbirth	0·10	64	-	-	-	-	-	-	-	-	1	10	24	27	2	-	-	-
Suicide	0·03	20	-	-	-	-	-	-	-	-	-	1	2	7	1	6	3	-
Other Violence	1·73	1138	40	22	26	29	20	128	59	75	112	126	222	148	139	72	43	14
Other Causes	4·33	2858	1249	167	44	37	28	1525	49	23	22	23	60	68	94	122	265	607

Deaths of Infants (under one) to 1000 Births - 142 | Marriages - 6,294 | Births - 25,195 | Annual Rate per 1000 living: Persons Married - 19·10; Births - 38·23

SOUTH WALES.

586.—CARDIFF.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	19·76	—	—	—	—	—	60·69	7·11	4·24	5·62	7·73	9·42	13·69	20·29	32·94	57·05	128·11
Mean Pop. 1871-80	—	91,433	2673	2569	2506	2557	2432	12737	10972	9538	9034	8928	14834	11025	7367	4253	1916	829
ALL CAUSES	19·76	18,069	4648	1601	660	467	354	7730	780	404	508	690	1397	1509	1495	1401	1093	1062
Small-pox	0·15	133	12	6	1	5	3	27	15	8	9	23	33	12	4	2	-	-
Measles	0·51	468	108	168	36	39	27	428	35	1	1	1	-	2	-	-	-	-
Scarlet Fever	0·91	828	74	134	125	136	109	578	188	36	11	4	8	2	1	-	-	-
Diphtheria	0·18	166	14	22	11	25	23	95	47	13	1	-	3	3	3	1	-	-
Whooping-cough	0·49	452	192	144	54	25	19	434	16	-	1	-	-	-	1	-	-	-
Typhus	0·05	50	-	-	1	-	2	3	8	4	3	6	2	9	10	3	2	-
Enteric Fever	0·31	285	2	8	8	12	10	40	32	29	37	34	60	17	26	5	2	3
Simple Cont. Fev.	0·13	120	3	7	10	8	7	35	18	14	8	5	10	7	12	6	2	3
Puerp. Fever	0·07	62	-	-	-	-	-	-	-	-	1	11	33	15	2	-	-	-
Diarr. and Dys.	0·89	810	558	119	26	5	5	713	4	-	1	5	10	7	11	18	21	20
Cholera	0·03	27	17	3	2	-	-	22	-	-	-	-	3	-	1	1	-	-
Cancer	0·42	383	-	-	-	1	-	1	-	1	1	3	28	68	97	97	60	27
Scrofula	0·18	170	55	29	13	11	10	118	9	10	9	7	7	2	1	5	2	-
Tabes Mesent.	0·24	224	114	49	13	8	5	189	12	6	8	1	2	4	1	-	1	-
Phthisis	2·31	2113	33	46	24	7	9	119	62	84	183	300	516	426	298	98	23	4
Hydrocephalus	0·37	336	86	90	36	24	18	254	60	13	4	2	2	1	-	-	-	-
Diseases of: Nervous Syst.	2·25	2057	883	134	54	31	26	1128	62	32	21	33	70	112	161	172	153	113
Diseases of: Circulatory „	1·22	1114	8	1	1	2	2	14	19	25	31	28	109	166	210	252	177	83
Diseases of: Respiratory „	3·27	2992	898	392	108	57	28	1483	62	18	30	42	111	168	239	360	296	183
Diseases of: Digestive „	0·74	674	89	19	3	4	5	120	11	11	23	26	50	98	131	110	70	24
Diseases of: Urinary „	0·39	355	3	2	4	3	1	13	11	10	5	18	52	62	72	56	33	23
Diseases of: Generative „	0·03	32	-	-	-	-	-	-	-	-	2	1	4	8	10	5	1	1
Childbirth	0·09	84	-	-	-	-	-	-	-	-	6	14	31	30	3	-	-	-
Suicide	0·05	43	-	-	-	-	-	-	-	-	-	3	8	13	9	6	4	-
Other Violence	1·05	957	37	26	25	15	21	124	51	54	84	91	173	170	102	64	31	13
OTHER CAUSES	3·43	3134	1462	202	55	49	24	1792	58	35	28	32	72	107	90	140	215	565

Deaths of Infants (under one) to 1000 Births - 142

Marriages - 8,291
Births - 32,808

Annual Rate per 1000 living: Persons Married - 18·14; Births - 35·88

587.—PONTYPRIDD.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	23·16	—	—	—	—	—	78·00	8·46	5·19	8·21	9·84	10·39	12·77	16·80	31·35	57·65	149·60
Mean Pop. 1871-80	—	72,707	2479	2099	2210	2170	2184	11142	9463	7868	7029	7267	11762	7895	5269	3104	1412	496
ALL CAUSES	23·16	16,836	5152	1806	822	526	385	8691	801	408	577	715	1222	1008	885	973	814	742
Small-pox	0·54	391	48	11	7	13	16	95	57	28	37	69	72	22	9	1	1	-
Measles	0·68	491	92	192	88	50	30	452	38	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·91	658	31	92	119	103	99	444	157	34	9	8	5	1	-	-	-	-
Diphtheria	0·07	50	3	8	4	6	4	25	18	2	-	1	3	-	-	-	1	-
Whooping-cough	0·56	407	184	124	48	20	17	393	13	-	-	-	-	1	-	-	-	-
Typhus	0·09	67	-	1	1	3	1	6	12	5	7	13	14	3	4	3	-	-
Enteric Fever	0·71	515	9	14	31	30	21	105	86	47	69	66	62	41	20	10	5	4
Simple Cont. Fev.	0·17	121	7	12	9	9	8	45	14	7	6	9	10	11	5	7	4	3
Puerp. Fever	0·16	114	-	-	-	-	-	-	-	-	9	20	66	17	2	-	-	-
Diarr. and Dys.	0·45	330	164	64	23	14	4	269	5	-	2	5	4	5	4	6	13	17
Cholera	0·00	3	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-
Cancer	0·25	185	-	1	1	1	-	3	1	1	-	2	7	34	45	57	25	10
Scrofula	0·13	93	13	11	2	5	7	38	11	8	6	7	10	1	6	4	1	1
Tabes Mesent.	0·46	336	122	107	34	19	9	291	19	5	5	1	5	4	3	3	-	-
Phthisis	2·09	1520	11	33	18	9	7	78	35	79	188	233	373	264	156	90	21	3
Hydrocephalus	0·23	165	38	37	18	10	6	109	32	17	4	1	2	-	-	-	-	-
Diseases of: Nervous Syst.	4·23	3074	2049	276	86	49	33	2493	68	21	26	28	46	54	62	98	106	72
Diseases of: Circulatory „	0·81	588	4	-	1	1	1	7	9	15	15	27	67	80	102	131	102	33
Diseases of: Respiratory „	4·28	3115	904	544	209	100	56	1813	84	19	41	40	92	136	166	275	293	146
Diseases of: Digestive „	0·78	568	83	22	6	5	9	125	20	13	14	25	57	73	83	91	48	19
Diseases of: Urinary „	0·28	204	3	4	4	4	6	21	4	8	7	13	25	18	26	44	26	12
Diseases of: Generative „	0·03	23	-	-	-	-	-	-	-	-	1	2	4	4	9	1	1	1
Childbirth	0·17	122	-	-	-	-	-	-	-	-	1	17	46	51	7	-	-	-
Suicide	0·04	29	-	-	-	-	-	-	-	-	1	5	2	4	9	5	2	1
Other Violence	1·33	967	31	17	35	27	22	132	44	65	94	99	186	126	106	72	28	15
OTHER CAUSES	3·71	2700	1356	236	78	48	29	1747	73	33	35	24	63	48	60	75	137	405

Deaths of Infants (under one) to 1000 Births - 162

Marriages - 5,865
Births - 31,886

Annual Rate per 1000 living: Persons Married - 16·13; Births - 43·86

588.—MERTHYR TYDFIL.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	24·23	—	—	—	—	—	75·18	8·50	6·40	7·91	9·77	11·27	14·29	20·41	35·60	72·96	172·26
Mean Pop. 1871-80	—	102,840	3244	2624	2968	2906	2853	14595	13069	11445	10424	9578	15144	11329	8397	5446	2537	876
ALL CAUSES	24·23	24,916	6267	2314	1177	734	481	10973	1111	733	825	936	1706	1619	1714	1939	1851	1509
Small-pox	0·64	663	78	17	22	28	33	178	95	59	60	102	114	42	8	1	4	–
Measles	0·67	686	141	246	148	63	40	641	36	3	2	–	1	2	1	–	–	–
Scarlet Fever	0·81	831	59	156	160	149	104	628	153	36	3	4	5	2	–	–	–	–
Diphtheria	0·20	208	22	34	29	35	22	142	42	11	3	3	3	–	3	1	–	–
Whooping-cough	0·52	531	212	167	64	47	17	507	23	–	–	–	1	–	–	–	–	–
Typhus	0·07	74	–	1	1	4	1	7	9	4	5	11	12	10	6	7	3	–
Enteric Fever	0·62	639	15	26	42	43	29	155	99	71	75	57	81	33	34	22	12	–
Simple Cont. Fev.	0·10	105	1	10	6	8	10	35	13	8	6	5	12	8	1	7	7	3
Puerp. Fever	0·15	153	–	–	–	–	–	–	–	–	7	38	77	30	1	–	–	–
Diarr. and Dys.	0·46	475	240	93	18	5	2	358	4	2	3	1	11	11	4	16	32	33
Cholera	0·01	13	2	1	–	–	–	3	–	–	–	1	1	1	3	1	3	–
Cancer	0·37	377	–	–	1	1	–	2	1	–	4	1	20	49	92	112	67	29
Scrofula	0·19	192	49	30	15	7	9	110	18	22	13	9	7	6	2	2	3	–
Tabes Mesent.	0·34	346	108	99	45	15	11	278	18	19	14	2	7	5	2	1	–	–
Phthisis	2·67	2745	68	105	51	21	15	260	126	125	273	325	600	467	326	175	60	8
Hydrocephalus	0·41	419	123	100	42	25	17	307	58	33	10	6	1	3	–	–	1	–
Diseases of: Nervous Syst.	3·64	3745	2203	262	95	57	33	2650	101	41	38	43	68	104	144	195	224	137
Diseases of: Circulatory „	1·16	1193	3	2	2	1	2	10	19	38	43	34	97	135	204	295	238	80
Diseases of: Respiratory „	4·41	4534	1042	575	262	104	59	2042	103	22	50	64	135	238	373	587	593	327
Diseases of: Digestive „	0·88	907	119	26	13	12	5	175	30	16	17	32	73	109	143	147	128	37
Diseases of: Urinary „	0·44	452	4	3	13	6	4	30	17	9	13	12	46	54	94	72	74	31
Diseases of: Generative „	0·03	33	1	–	–	–	–	1	–	–	1	3	11	5	4	6	1	1
Childbirth	0·13	134	–	–	–	–	–	–	–	–	6	20	55	53	–	–	–	–
Suicide	0·05	47	–	–	–	–	–	–	–	–	2	2	10	8	11	7	7	–
Other Violence	1·32	1353	37	46	35	24	28	170	60	160	141	115	186	153	163	114	58	33
OTHER CAUSES	3·94	4061	1740	315	113	76	40	2284	86	54	36	46	72	91	95	171	336	790

Deaths of Infants (under one) to 1000 Births - 153 | Marriages - 9,071 | Births - 40,998 | Annual Rate per 1000 living: Persons Married - 17·64; Births - 39·87

589.—BRIDGEND.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	20·95	—	—	—	—	—	54·92	5·98	4·35	6·65	9·53	11·18	14·02	16·98	29·16	57·13	142·33
Mean Pop. 1871-80	—	35,296	1027	914	1001	966	954	4862	4398	3820	3367	3118	5027	3816	2921	2126	1241	600
ALL CAUSES	20·95	7396	1652	492	230	171	125	2670	263	166	224	297	562	535	496	620	709	854
Small-pox	0·21	75	15	2	3	3	2	25	7	5	1	12	9	8	3	3	2	–
Measles	0·18	62	11	18	13	12	2	56	6	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·65	228	13	28	47	35	23	146	60	15	3	2	2	–	–	–	–	–
Diphtheria	0·08	30	–	4	3	5	4	16	7	2	–	–	–	2	2	–	1	–
Whooping-cough	0·32	112	52	33	15	5	4	109	3	–	–	–	–	–	–	–	–	–
Typhus	0·08	27	–	–	1	–	–	1	2	7	1	5	2	1	3	3	1	1
Enteric Fever	0·41	145	1	1	5	5	4	16	19	18	17	16	26	12	7	12	2	–
Simple Cont. Fev.	0·19	68	2	2	6	7	3	20	14	7	4	4	4	–	7	1	6	1
Puerp. Fev.	0·08	27	–	–	–	–	–	–	–	–	2	6	11	8	–	–	–	–
Diarr. and Dys.	0·36	128	58	12	3	1	–	74	1	1	2	–	1	9	6	8	11	15
Cholera	0·03	9	2	–	1	–	–	3	1	–	–	–	–	–	1	1	3	–
Cancer	0·35	124	–	–	1	–	–	1	–	–	1	1	4	10	26	27	35	19
Scrofula	0·12	43	6	6	1	–	–	13	4	1	4	4	6	5	1	1	4	–
Tabes Mesent.	0·10	36	13	8	3	–	1	25	4	–	1	2	1	2	1	–	–	–
Phthisis	2·23	787	10	10	6	3	4	33	14	28	80	127	212	140	89	39	23	2
Hydrocephalus	0·25	88	26	23	7	6	6	68	10	6	1	1	–	1	–	–	–	1
Diseases of: Nervous Syst.	4·28	1511	706	109	35	24	25	899	16	11	17	20	63	103	90	117	108	67
Diseases of: Circulatory „	0·91	322	1	–	–	2	1	4	4	11	9	7	22	41	49	76	73	26
Diseases of: Respiratory „	3·39	1197	193	137	43	37	20	430	35	10	13	22	52	52	90	158	181	154
Diseases of: Digestive „	0·80	281	20	4	1	1	1	27	9	6	10	12	22	39	34	52	45	25
Diseases of: Urinary „	0·36	127	1	–	–	1	3	5	3	3	1	6	11	8	16	20	32	22
Diseases of: Generative „	0·03	9	–	1	–	–	–	1	–	–	–	–	2	2	1	–	3	–
Childbirth	0·13	45	–	–	–	–	–	–	–	–	1	2	21	20	1	–	–	–
Suicide	0·05	16	–	–	–	–	–	–	–	–	–	2	–	1	3	3	6	1
Other Violence	0·97	344	3	13	9	10	5	40	16	19	42	38	60	46	31	23	10	17
OTHER CAUSES	4·39	1555	519	81	27	14	17	658	26	16	14	8	31	25	35	76	163	503

Deaths of Infants (under one) to 1000 Births - 129 | Marriages - 2,757 | Births - 12,848 | Annual Rate per 1000 living: Persons Married - 15·62; Births - 36·40

590.—NEATH (4½ years to 30th June 1875).*

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	23·00	—	—	—	—	—	66·09	10·40	5·81	9·39	11·45	12·07	12·74	16·47	28·49	62·77	135·39
Mean Pop. Jan. 1871 to June 1875	—	* 67,185	2221	1929	2120	1910	1998	10178	8976	7920	6816	5726	9333	6922	5262	3557	1696	799
ALL CAUSES	23·00	6953	1768	584	314	195	166	3027	420	207	288	295	507	397	390	456	479	487
Small-pox	0·97	292	25	5	6	15	23	74	70	22	28	37	36	18	5	2	-	-
Measles	0·51	155	20	54	25	24	8	131	21	1	-	1	-	1	-	-	-	-
Scarlet Fever	1·28	387	23	64	84	48	43	262	96	13	6	5	4	-	1	-	-	-
Diphtheria	0·08	25	1	4	1	4	3	13	5	4	1	1	-	-	-	1	-	-
Whooping-cough	0·51	155	78	45	13	9	5	150	5	-	-	-	-	-	-	-	-	-
Typhus	0·11	32	-	-	-	-	1	1	5	7	5	1	6	4	1	2	-	-
Enteric Fever	0·62	186	2	4	7	8	7	28	34	23	23	23	27	10	5	6	2	-
Simple Cont. Fev.	0·27	81	3	11	5	5	4	28	9	14	5	4	8	4	4	-	4	1
Puerp. Fever	0·14	42	-	-	-	-	-	-	-	-	3	9	17	12	1	-	-	-
Diarr. and Dys.	0·35	110	64	14	3	4	3	88	4	1	-	-	1	1	1	2	6	6
Cholera	0·01	4	1	-	1	-	-	2	-	-	-	-	-	1	-	-	-	1
Cancer	0·31	94	-	-	1	1	-	2	-	-	-	-	6	10	26	23	18	3
Scrofula	0·13	38	10	5	2	-	-	17	4	1	2	3	7	3	-	-	1	-
Tabes Mesent.	0·27	81	32	22	10	3	-	67	7	4	3	-	-	-	-	-	-	-
Phthisis	2·77	836	17	31	15	5	3	71	28	30	93	116	202	137	81	58	19	1
Hydrocephalus	0·44	134	32	31	13	8	11	95	25	10	3	-	1	-	-	-	-	-
Diseases of: Nervous Syst.	3·46	1045	635	69	29	8	9	750	24	11	11	9	17	22	34	62	54	51
Diseases of: Circulatory ,,	0·95	290	1	1	2	1	-	5	5	12	11	12	17	36	46	60	63	22
Diseases of: Respiratory ,,	3·00	907	172	98	43	18	17	348	21	3	20	10	43	37	66	106	160	93
Diseases of: Digestive ,,	0·80	243	27	6	2	2	5	42	10	1	11	14	13	17	38	42	40	15
Diseases of: Urinary ,,	0·34	104	1	4	1	2	2	10	5	3	4	8	9	9	19	17	13	7
Diseases of: Generative ,,	0·02	7	-	-	-	-	-	-	-	-	-	-	2	3	2	-	-	-
Childbirth	0·14	43	-	-	-	-	-	-	-	-	2	6	18	17	-	-	-	-
Suicide	0·03	9	-	-	-	-	-	-	-	-	-	1	3	-	1	2	2	-
Other Violence	1·01	306	19	11	11	10	6	57	21	29	36	24	44	30	21	22	12	10
OTHER CAUSES	4·46	1347	605	105	40	20	16	786	21	18	16	11	26	25	38	51	85	270

Deaths of Infants (under one) to 1000 Births - 138 | Marriages - 2,722 | Births - 12,855 | Annual Rate per 1000 living: Persons Married - 18·01; Births - 42·52

* A considerable part of this District was transferred on 1st July 1875 to the newly formed district of PONTARDAWE; *see* pp. 371-78. The figures in this Table relate to NEATH as constituted during the first 4½ years of the decade.

590.—NEATH (5½ years from 1st July 1875).*

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	19·69	—	—	—	—	—	58·93	6·68	4·08	5·72	8·18	8·81	10·28	15·08	32·11	60·29	170·23
Mean Pop. July 1875 to Dec. 1880	—	* 51,194	1548	1435	1424	1505	1521	7433	6941	5926	5277	4535	7145	5481	3870	2712	1381	493
ALL CAUSES	19·69	5543	1373	476	249	170	141	2409	255	133	166	204	346	310	321	479	458	462
Small-pox	0·00	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Measles	0·55	156	34	54	22	22	7	139	16	-	-	1	-	-	-	-	-	-
Scarlet Fever	0·98	276	24	42	52	41	35	194	64	9	5	2	1	1	-	-	-	-
Diphtheria	0·09	25	1	5	1	2	6	15	6	2	1	1	-	-	-	-	-	-
Whooping-cough	0·34	95	41	27	14	10	2	94	1	-	-	-	-	-	-	-	-	-
Typhus	0·05	13	-	-	1	-	1	2	-	3	5	2	1	-	-	-	-	-
Enteric Fever	0·40	112	-	7	9	5	6	27	14	14	17	14	15	5	3	3	-	-
Simple Cont. Fev.	0·07	21	1	-	3	1	1	6	2	-	2	2	-	2	2	2	2	1
Puerp. Fever	0·10	29	-	-	-	-	-	-	-	-	-	5	17	7	-	-	-	-
Diarr. and Dys.	0·28	80	45	12	6	2	-	65	3	-	-	-	-	2	2	1	3	4
Cholera	0·01	4	-	1	-	1	-	2	-	-	-	-	-	1	-	1	-	-
Cancer	0·39	110	-	-	-	-	-	-	-	-	-	-	5	8	27	37	25	8
Scrofula	0·10	28	7	2	3	-	3	15	2	2	1	1	4	-	1	1	1	-
Tabes Mesent.	0·16	44	9	13	5	2	4	33	7	1	3	-	-	-	-	-	-	-
Phthisis	2·42	680	21	28	16	9	10	84	34	29	59	95	143	82	69	50	30	5
Hydrocephalus	0·41	115	19	17	8	11	14	69	28	9	4	-	3	1	1	-	-	-
Diseases of: Nervous Syst.	2·84	801	381	70	26	14	11	502	10	15	7	9	17	33	32	59	72	45
Diseases of: Circulatory ,,	1·18	332	3	1	1	-	-	5	4	6	13	14	19	28	35	99	67	42
Diseases of: Respiratory ,,	3·17	892	197	118	35	24	17	391	19	7	8	12	25	49	61	119	123	78
Diseases of: Digestive ,,	0·64	181	21	3	4	2	2	32	7	1	6	10	17	17	24	38	22	7
Diseases of: Urinary ,,	0·44	123	1	4	5	1	4	15	4	5	-	4	11	14	25	19	21	5
Diseases of: Generative ,,	0·03	8	-	-	-	-	-	-	-	-	-	-	1	4	2	1	-	-
Childbirth	0·11	31	-	-	-	-	-	-	-	-	1	5	15	10	-	-	-	-
Suicide	0·04	10	-	-	-	-	-	-	-	-	1	2	1	-	3	3	-	-
Other Violence	0·87	244	18	8	10	7	7	50	15	16	24	19	25	28	20	19	12	6
OTHER CAUSES	4·02	1132	550	64	28	16	11	669	19	14	9	5	16	18	14	27	80	261

Deaths of Infants (under one) to 1000 Births - 124 | Marriages - 2,083 | Births - 11,033 | Annual Rate per 1000 living: Persons Married - 14·80; Births - 39·18

* This Table relates to NEATH as constituted after the creation of the District of PONTARDAWE. *See* NOTE to the preceding Table. A further change was made in the boundary of this District, for which *see* pp. 371-78.

591.—PONTARDAWE ($5\frac{1}{2}$ years).*

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	19·27	—	—	—	—	—	51·97	7·70	4·82	7·82	10·29	9·16	11·61	12·14	30·28	52·76	126·25
Mean Pop. July 1875 to Dec. 1880	—	* 19,443	598	537	614	565	625	2939	2831	2374	2001	1590	2619	1864	1423	949	579	274
ALL CAUSES	19·27	2061	539	132	80	44	45	840	120	63	86	90	132	119	95	158	168	190
Small-pox	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·40	43	5	11	10	2	4	32	10	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·78	83	7	10	12	14	18	61	16	3	2	–	–	–	1	–	–	–
Diphtheria	0·03	3	–	–	1	–	–	1	1	–	–	–	–	–	1	–	–	–
Whooping-cough	0·50	54	31	16	4	1	2	54	–	–	–	–	–	–	–	–	–	–
Typhus	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	0·61	65	1	–	3	–	–	4	10	12	14	5	10	2	3	4	1	–
Simple Cont. Fev.	0·15	16	2	–	–	1	3	6	3	1	4	–	1	–	–	–	1	–
Puerp. Fever	0·10	11	–	–	–	–	–	–	–	–	–	3	6	2	–	–	–	–
Diarr. and Dys.	0·32	34	17	6	2	–	2	27	1	–	–	–	–	1	–	1	1	3
Cholera	0·01	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	0·33	35	–	–	–	–	–	–	–	–	1	–	2	5	4	9	10	4
Scrofula	0·18	19	3	–	1	–	–	4	1	2	3	5	2	–	1	–	1	–
Tabes Mesent.	0·18	19	3	8	2	–	1	14	3	1	–	–	–	–	–	1	–	–
Phthisis	2·89	309	9	6	6	3	1	25	13	11	28	47	69	43	24	34	14	1
Hydrocephalus	0·40	43	4	4	2	4	2	16	14	5	4	–	2	1	–	1	–	–
Diseases of: Nervous Syst.	3·02	323	202	16	6	3	–	227	7	–	6	6	2	8	6	21	19	21
Diseases of: Circulatory „	0·98	105	1	–	–	–	–	1	2	4	2	2	4	10	6	24	29	21
Diseases of: Respiratory „	2·79	298	73	26	16	3	5	123	10	4	4	6	8	9	23	33	45	33
Diseases of: Digestive „	0·50	54	6	3	–	1	1	11	5	1	3	1	5	3	7	5	11	2
Diseases of: Urinary „	0·30	32	1	1	1	1	–	4	2	2	1	2	2	3	2	5	6	3
Diseases of: Generative „	0·07	7	–	–	–	–	–	–	–	–	–	1	1	4	1	–	–	–
Childbirth	0·13	14	–	–	–	–	–	–	–	–	1	1	6	6	–	–	–	–
Suicide	0·06	6	–	–	–	–	–	–	–	–	–	–	1	1	1	3	–	–
Other Violence	0·89	95	3	6	6	6	2	23	9	10	8	5	10	10	10	5	4	1
OTHER CAUSES	3·65	392	171	19	8	5	4	207	13	6	5	6	1	11	5	12	25	101

Deaths of Infants (under one) to 1000 Births - 125 | Marriages - 688 | Births - 4,320 | Annual Rate per 1000 living: Persons Married - 12·87; Births - 40·40

* This District was created on 1st July 1875; *see* pp. 371-78.

592.—SWANSEA.*

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	22·38	—	—	—	—	—	69·51	8·54	4·88	6·80	8·31	10·31	13·98	18·23	32·75	70·68	151·30
Mean Pop. 1871-80	—	* 80,536	2645	2222	2440	2291	2283	11881	10392	8868	8192	7537	12446	8835	6082	3725	1845	733
ALL CAUSES	22·38	18,022	4728	1642	882	608	399	8259	887	433	557	626	1283	1235	1109	1220	1304	1109
Small-pox	0·29	230	37	7	4	9	6	63	39	16	21	35	32	11	10	3	–	–
Measles	0·63	508	88	171	103	54	35	451	49	6	1	–	–	–	1	–	–	–
Scarlet Fever	1·27	1019	50	175	194	167	130	716	249	33	13	2	5	1	–	–	–	–
Diphtheria	0·06	51	7	2	5	4	7	25	15	5	2	–	2	–	2	–	–	–
Whooping-cough	0·52	415	179	119	56	25	16	395	19	–	–	–	1	–	–	–	–	–
Typhus	0·07	55	–	–	–	–	–	–	3	6	5	2	9	13	5	3	4	–
Enteric Fever	0·63	505	6	14	18	19	20	77	52	61	74	69	73	50	35	15	7	1
Simple Cont. Fev.	0·12	98	2	9	10	13	5	39	18	6	4	8	6	3	6	6	1	1
Puerp. Fever	0·09	74	–	–	–	–	–	–	–	–	1	13	43	14	3	–	–	–
Diarr. and Dys.	0·56	448	279	79	12	7	3	380	7	3	2	2	7	7	4	9	12	15
Cholera	0·02	16	5	2	–	1	1	9	–	1	–	–	1	1	2	–	2	–
Cancer	0·40	320	–	–	–	–	–	–	1	–	1	2	10	43	76	100	67	20
Scrofula	0·16	128	39	20	9	5	2	75	10	8	6	5	10	5	5	2	2	–
Tabes Mesent.	0·27	221	99	55	22	10	7	193	13	6	2	3	1	1	–	2	–	–
Phthisis	2·29	1841	40	29	19	8	11	107	35	67	215	274	481	339	202	85	34	2
Hydrocephalus	0·39	314	70	71	25	21	20	207	59	23	9	4	8	3	1	–	–	–
Diseases of: Nervous Syst.	3·55	2860	1608	183	95	54	19	1959	70	33	22	14	65	88	127	168	191	123
Diseases of: Circulatory „	0·96	773	–	–	1	1	2	4	19	35	28	24	97	133	129	137	120	47
Diseases of: Respiratory „	4·09	3296	838	366	163	103	46	1521	75	27	32	49	104	177	237	374	455	215
Diseases of: Digestive „	0·83	667	102	25	12	10	6	155	29	18	19	15	64	80	82	109	67	29
Diseases of: Urinary „	0·36	289	3	7	2	9	3	24	6	5	9	14	29	55	42	36	49	20
Diseases of: Generative „	0·04	29	–	–	–	–	–	–	–	–	1	2	4	6	8	4	2	2
Childbirth	0·14	112	–	–	–	–	–	–	–	–	4	16	57	32	3	–	–	–
Suicide	0·06	51	–	–	–	–	–	–	–	1	4	5	8	11	10	8	4	–
Other Violence	0·79	638	20	14	21	13	17	85	53	45	60	57	120	87	52	38	33	8
OTHER CAUSES	3·79	3064	1256	294	111	70	43	1774	66	28	22	20	46	75	67	116	254	336

Deaths of Infants (under one) to 1000 Births - 141 | Marriages - 8,035 | Births - 33,623 | Annual Rate per 1000 living: Persons Married - 19·95; Births - 41·75

* Changes were made in the boundary of this District during the decade; *see* pp. 371-78.

593.—GOWER.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	17·29	—	—	—	—	—	38·78	5·45	3·97	6·65	7·85	8·74	10·17	12·57	20·30	46·61	128·76
Mean Pop. 1871-80	—	10,196	259	295	267	289	267	1377	1266	1082	977	828	1362	1072	867	675	457	233
ALL CAUSES	17·29	1763	323	97	51	24	39	534	69	43	65	65	119	109	109	137	213	300
Small-pox	0·07	8	–	–	–	–	–	–	–	1	–	3	–	1	1	2	–	–
Measles	0·27	28	4	9	4	1	5	23	5	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·77	78	3	11	15	5	11	45	24	6	1	1	–	–	–	1	–	–
Diphtheria	0·05	5	–	–	1	–	2	3	–	–	–	–	1	1	–	–	–	–
Whooping-cough	0·36	37	18	8	3	3	3	35	1	1	–	–	–	–	–	–	–	–
Typhus	0·07	7	–	–	–	–	1	1	1	–	–	–	2	–	2	1	–	–
Enteric Fever	0·54	55	1	5	3	3	4	16	5	4	4	3	8	6	4	2	3	–
Simp. Cont. Fev.	0·13	13	–	1	2	–	–	3	1	1	2	1	2	1	1	1	–	–
Puerp. Fever	0·06	6	–	–	–	–	–	–	–	–	–	–	4	2	–	–	–	–
Diarr. and Dys.	0·32	33	18	2	–	1	–	21	1	–	1	–	1	–	2	3	1	3
Cholera	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·36	37	–	–	–	–	1	1	–	–	–	–	–	3	11	11	5	6
Scrofula	0·05	5	–	–	–	–	–	–	1	–	1	–	3	–	–	–	–	–
Tabes Mesent.	0·17	17	6	6	2	–	1	15	–	1	–	–	–	1	–	–	–	–
Phthisis	2·08	212	7	4	2	–	1	14	4	7	22	35	47	38	24	13	8	–
Hydrocephalus	0·21	21	7	3	2	2	1	15	2	2	1	–	–	1	–	–	–	–
Diseases of: Nervous Syst.	2·27	231	114	12	4	1	4	135	1	4	1	4	2	7	9	14	34	20
Diseases of: Circulatory „	0·95	97	–	1	–	–	–	1	2	1	2	2	2	11	16	18	31	11
Diseases of: Respiratory „	2·02	206	48	19	3	2	3	75	8	1	5	4	10	3	15	15	44	26
Diseases of: Digestive „	0·58	59	4	1	–	2	–	7	3	3	4	1	4	3	6	9	13	6
Diseases of: Urinary „	0·39	40	–	–	1	1	–	2	–	–	1	–	2	5	4	9	9	8
Diseases of: Generative „	0·03	3	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–
Childbirth	0·13	13	–	–	–	–	–	–	–	–	1	3	4	5	–	–	–	–
Suicide	0·06	6	–	–	–	–	–	–	–	–	–	–	1	2	1	2	–	–
Other Violence	0·79	81	–	2	3	–	–	5	1	5	14	5	18	11	6	6	5	5
OTHER CAUSES	4·56	465	93	13	6	3	2	117	9	6	5	3	6	8	7	29	60	215

Deaths of Infants (under one) to 1000 Births - 93 | Marriages - 573 | Births - 3,464 | Annual Rate per 1000 living: Persons Married - 11·24; Births - 33·97

594.—LLANELLY.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	20·93	—	—	—	—	—	57·82	7·65	4·43	8·02	10·79	10·72	11·75	15·25	29·60	56·85	149·60
Mean Pop. 1871-80	—	39,674	1312	1133	1230	1232	1165	6072	5488	4698	3976	3484	5457	4044	2866	1939	1154	496
ALL CAUSES	20·93	8303	2090	628	340	250	203	3511	420	208	319	376	585	475	437	574	656	742
Small-pox	0·49	195	36	9	7	12	13	77	27	8	20	26	25	6	3	2	1	–
Measles	0·31	124	27	45	15	12	9	108	16	–	–	–	–	–	–	–	–	–
Scarlet Fever	1·22	486	37	71	95	84	72	359	98	13	3	7	3	–	2	1	–	–
Diphtheria	0·08	32	1	5	–	7	3	16	11	2	1	2	–	–	–	–	–	–
Whooping-cough	0·40	157	65	52	22	8	5	152	5	–	–	–	–	–	–	–	–	–
Typhus	0·04	14	1	1	–	–	–	2	1	2	–	–	5	2	–	1	1	–
Enteric Fever	0·83	330	4	24	17	11	17	73	44	31	47	39	49	27	8	9	3	–
Simp. Cont. Fever	0·12	46	–	3	4	2	2	11	9	4	6	2	3	2	–	3	3	3
Puerp. Fever	0·07	29	–	–	–	–	–	–	–	–	3	3	17	5	1	–	–	–
Diarr. and Dys.	0·32	128	60	16	3	3	–	82	3	1	–	3	1	2	3	7	11	15
Cholera	0·02	7	–	–	–	–	–	–	–	–	–	–	1	–	2	3	–	1
Cancer	0·37	146	–	–	–	–	–	–	–	–	1	–	8	20	39	28	34	16
Scrofula	0·18	70	10	5	5	6	2	28	4	7	6	7	6	2	3	5	2	–
Tabes Mesent.	0·32	128	64	34	12	4	1	115	7	4	1	–	–	–	–	–	1	–
Phthisis	2·55	1011	13	9	5	5	–	32	28	51	128	167	244	150	101	67	37	6
Hydrocephalus	0·15	60	13	12	5	4	5	39	14	3	2	2	–	–	–	–	–	–
Diseases of: Nervous Syst.	3·06	1214	673	88	43	24	15	843	37	14	12	14	17	26	37	53	89	72
Diseases of: Circulatory „	0·71	280	2	–	–	–	–	2	6	9	11	9	23	40	33	56	61	30
Diseases of: Respiratory „	3·15	1249	272	138	61	26	26	523	32	12	12	25	39	50	75	100	182	139
Diseases of: Digestive „	0·70	276	26	8	3	6	5	48	9	7	11	10	19	23	36	52	43	18
Diseases of: Urinary „	0·32	127	–	1	5	3	1	10	3	3	9	3	20	9	16	18	24	12
Diseases of: Generative „	0·02	9	–	–	–	–	–	–	–	–	–	–	2	1	3	3	–	–
Childbirth	0·15	60	–	–	–	–	–	–	–	–	–	7	25	27	1	–	–	–
Suicide	0·03	12	–	–	–	–	–	–	–	–	–	1	3	1	3	3	1	–
Other Violence	0·74	295	5	11	10	13	7	46	24	18	24	21	54	39	23	23	14	9
OTHER CAUSES	4·58	1818	781	96	28	20	2	945	42	19	22	28	21	43	48	80	149	421

Deaths of Infants (under one) to 1000 Births - 129 | Marriages - 3,102 | Births - 16,229 | Annual Rate per 1000 living: Persons Married - 15·64; Births - 40·91

595.—LLANDOVERY.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·92	—	—	—	—	—	46·84	6·83	5·90	6·43	9·30	11·61	11·50	13·86	21·62	49·33	136·61
Mean Pop. 1871-80	—	13,406	336	309	305	341	338	1629	1596	1509	1431	1215	1680	1252	1154	976	598	336
ALL CAUSES	19·92	2671	530	101	47	49	36	763	109	89	92	113	195	144	160	211	295	500
Small-pox	0·14	19	1	-	1	2	-	4	3	1	3	-	5	3	-	-	-	-
Measles	0·12	16	9	1	-	2	-	12	1	3	-	-	-	-	-	-	-	-
Scarlet Fever	0·44	59	6	4	7	9	7	33	19	2	3	2	-	-	-	-	-	-
Diphtheria	0·36	48	3	8	3	3	4	21	17	7	2	1	-	-	-	-	-	-
Whooping-cough	0·33	44	19	14	4	3	2	42	1	1	-	-	-	-	-	-	-	-
Typhus	0·04	6	-	-	1	-	-	1	3	-	1	-	-	-	-	-	1	-
Enteric Fever	0·25	34	1	-	-	-	-	1	2	3	8	3	6	2	4	1	2	2
Simple Cont. Fev.	0·22	30	1	3	-	-	2	6	4	3	5	2	2	-	3	2	1	
Puerp. Fever	0·07	9	-	-	-	-	-	-	-	-	-	-	7	1	1	-	-	-
Diarr. and Dys.	0·23	31	15	5	-	1	-	21	1	-	-	-	1	1	-	2	1	
Cholera	0·01	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	
Cancer	0·33	44	-	-	-	-	-	-	-	-	-	-	-	2	9	10	18	5
Scrofula	0·19	26	1	2	1	1	1	6	3	4	3	1	4	3	-	-	2	-
Tabes Mesent.	0·04	6	-	2	3	-	-	5	-	-	-	-	-	-	-	-	1	-
Phthisis	3·08	413	1	1	-	1	-	3	6	25	42	58	98	46	44	58	28	5
Hydrocephalus	0·17	24	6	-	1	2	3	12	7	2	1	-	2	-	-	-	-	-
Diseases of: Nervous Syst.	3·70	496	293	23	2	9	6	338	9	4	3	9	11	9	21	18	29	45
Circulatory	0·83	111	-	-	-	-	-	-	1	2	2	4	10	11	12	17	34	18
Respiratory	2·00	268	30	16	8	1	4	59	10	6	1	15	15	14	18	34	46	50
Digestive	0·90	120	2	-	2	2	1	7	3	4	6	-	10	11	13	23	35	8
Urinary	0·27	36	-	-	1	-	-	1	1	2	1	1	1	2	6	4	7	10
Generative	0·02	3	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-
Childbirth	0·10	14	-	-	-	-	-	-	-	-	-	4	4	5	1	-	-	
Suicide	0·07	10	-	-	-	-	-	-	-	-	-	-	2	2	1	1	2	2
Other Violence	0·35	47	2	2	2	2	1	9	1	8	5	1	3	8	1	3	3	5
Other Causes	5·66	755	135	20	11	11	5	182	17	12	6	12	13	23	24	37	85	344

Deaths of Infants (under one) to 1000 Births - 120 | Marriages - 965 | Births - 4,432 | Annual Rate per 1000 living: Persons Married - 14·40; Births - 33·06

596.—LLANDILOFAWR.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·74	—	—	—	—	—	39·11	5·84	4·89	6·89	10·39	9·11	10·05	13·08	23·38	49·64	140·91
Mean Pop. 1871-80	—	17,888	479	463	464	505	472	2383	2259	2026	1784	1502	2293	1691	1460	1206	822	462
ALL CAUSES	18·74	3353	600	135	73	71	53	932	132	99	123	156	209	170	191	282	408	651
Small-pox	0·09	16	1	-	1	-	1	3	1	-	3	2	1	2	2	1	1	-
Measles	0·15	26	6	5	5	1	2	19	5	1	-	-	-	1	-	-	-	-
Scarlet Fever	0·66	118	10	25	19	13	12	84	24	8	2	-	-	-	-	-	-	-
Diphtheria	0·15	27	3	1	4	3	1	12	10	2	3	-	-	-	-	-	-	-
Whooping-cough	0·22	39	25	5	3	1	3	37	2	-	-	-	-	-	-	-	-	-
Typhus	0·06	10	-	-	-	1	-	1	4	1	1	1	1	1	-	-	-	-
Enteric Fever	0·45	81	-	3	-	1	2	6	11	7	12	9	15	3	7	4	4	3
Simple Cont. Fev.	0·09	16	-	1	-	-	2	3	1	3	-	1	1	3	1	1	2	-
Puerp. Fever	0·08	14	-	-	-	-	-	-	-	-	2	3	7	2	-	-	-	-
Diarr. and Dys.	0·21	38	22	2	1	-	-	25	-	1	1	-	1	-	1	-	5	4
Cholera	0·02	4	1	1	-	-	-	2	-	-	-	-	-	-	-	1	1	-
Cancer	0·39	69	-	-	-	-	-	-	-	-	-	-	1	5	12	15	23	13
Scrofula	0·09	16	-	-	-	-	-	-	3	4	-	4	1	-	-	1	2	1
Tabes Mesent.	0·11	19	6	4	-	1	-	11	3	-	2	2	-	1	-	-	-	-
Phthisis	3·32	594	8	11	2	3	2	26	21	32	57	83	103	76	57	75	47	15
Hydrocephalus	0·19	34	3	4	5	5	1	18	5	5	3	2	1	-	-	-	-	-
Diseases of: Nervous Syst.	2·78	497	256	22	6	9	9	302	7	7	8	5	3	6	21	31	48	59
Circulatory	0·89	160	-	-	-	-	-	-	3	9	3	3	13	16	15	24	57	17
Respiratory	2·05	369	62	23	7	5	3	100	3	2	2	5	13	12	23	47	79	33
Digestive	0·74	133	10	1	2	1	-	14	1	7	5	8	9	6	14	24	28	17
Urinary	0·36	65	-	1	-	1	-	2	2	2	1	3	8	9	5	10	17	6
Generative	0·05	9	-	-	-	-	-	-	-	-	1	-	1	3	-	1	2	1
Childbirth	0·07	13	-	-	-	-	-	-	-	-	-	5	3	4	1	-	-	-
Suicide	0·07	13	-	-	-	-	-	-	-	-	-	1	2	3	3	1	3	-
Other Violence	0·52	93	1	2	7	8	2	20	9	-	9	9	14	4	8	3	10	7
Other Causes	4·92	880	186	24	11	13	13	247	17	8	8	8	11	13	21	43	79	425

Deaths of Infants (under one) to 1000 Births - 105 | Marriages - 1,468 | Births - 5,723 | Annual Rate per 1000 living: Persons Married - 16·40; Births - 31·99

597.—CARMARTHEN.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	21·50	—	—	—	—	—	43·91	7·74	5·31	7·21	10·00	12·26	14·44	16·11	25·59	58·52	155·62
Mean Pop. 1871-80	—	35,351	895	815	906	876	876	4368	4134	4010	3622	3060	4526	3428	3016	2595	1702	890
ALL CAUSES	21·50	7599	1195	308	189	118	108	1918	320	213	261	306	555	495	486	664	996	1385
Small-pox	0·18	65	9	1	2	1	7	20	10	6	8	8	8	2	1	–	1	1
Measles	0·12	41	9	12	7	3	1	32	8	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·79	281	16	42	45	36	28	167	85	16	6	3	3	1	–	–	–	–
Diphtheria	0·05	18	3	3	2	2	1	11	3	2	–	–	–	2	–	–	–	–
Whooping-cough	0·29	102	49	23	12	8	6	98	4	–	–	–	–	–	–	–	–	–
Typhus	0·03	12	–	–	–	–	1	1	1	–	1	–	3	3	–	–	3	–
Enteric Fever	0·42	147	2	1	7	2	6	18	23	19	13	18	21	11	10	8	6	–
Simple Cont. Fev.	0·11	38	3	2	2	2	1	10	4	5	2	3	5	–	6	1	1	1
Puerp. Fever	0·09	31	–	–	–	–	–	–	–	–	–	6	14	9	2	–	–	–
Diarr. and Dys.	0·26	91	43	5	2	1	–	51	1	–	–	2	–	2	4	7	11	13
Cholera	0·03	9	2	–	–	–	–	2	–	1	–	–	–	2	–	1	2	1
Cancer	0·48	169	–	1	1	–	1	3	–	–	1	1	2	19	25	43	49	26
Scrofula	0·16	57	4	4	3	1	–	12	6	8	3	7	6	2	–	2	10	1
Tabes Mesent.	0·18	64	18	8	6	2	3	37	11	5	2	3	–	4	–	2	–	–
Phthisis	3·27	1157	6	8	4	2	3	23	29	70	157	168	272	169	104	102	54	9
Hydrocephalus	0·16	58	16	7	2	4	3	32	13	9	2	1	–	–	1	–	–	–
Diseases of: Nervous Syst.	3·62	1278	548	67	23	17	13	668	26	15	14	18	48	71	63	89	137	129
Diseases of: Circulatory „	1·16	409	1	–	–	–	–	1	7	5	3	8	32	34	58	89	111	61
Diseases of: Respiratory „	2·66	942	102	53	27	12	11	205	38	11	8	12	37	35	75	109	223	186
Diseases of: Digestive „	0·91	321	25	7	–	2	2	36	3	4	5	13	25	32	46	60	62	35
Diseases of: Urinary „	0·38	136	–	–	1	1	1	3	1	2	4	1	6	12	21	20	30	36
Diseases of: Generative „	0·05	17	1	–	–	–	–	1	1	–	–	–	2	3	4	4	1	1
Childbirth	0·13	45	–	–	–	–	–	–	–	–	–	7	18	20	–	–	–	–
Suicide	0·05	19	–	–	–	–	–	–	–	–	1	–	3	5	3	4	3	–
Other Violence	0·48	168	4	9	10	5	4	32	10	12	16	6	15	14	13	18	17	15
OTHER CAUSES	5·44	1924	334	55	33	17	16	455	36	22	15	21	35	43	50	105	272	870

Deaths of Infants (under one) to 1000 Births - 110

Marriages - 2,632
Births - 10,868

Annual Rate per 1000 living { Persons Married - 14·89; Births - - - 30·74

598.—NARBERTH.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	19·37	—	—	—	—	—	34·95	5·46	4·63	8·10	9·38	11·59	11·45	13·02	24·62	55·24	142·73
Mean Pop. 1871-80	—	19,937	534	452	556	510	549	2601	2435	2334	1976	1556	2382	1861	1744	1531	974	543
ALL CAUSES	19·37	3862	571	161	74	61	42	909	133	108	160	146	276	213	227	377	538	775
Small-pox	0·05	9	2	–	–	–	–	2	1	–	1	–	1	3	1	–	–	–
Measles	0·11	22	9	1	2	3	2	17	4	–	–	–	–	–	1	–	–	–
Scarlet Fever	0·54	108	13	17	19	15	11	75	25	6	2	–	–	–	–	–	–	–
Diphtheria	0·10	19	3	2	3	1	–	9	8	1	–	–	1	–	–	–	–	–
Whooping-cough	0·40	79	40	15	8	8	4	75	4	–	–	–	–	–	–	–	–	–
Typhus	0·07	14	–	–	–	1	–	1	1	3	2	3	1	2	1	–	–	–
Enteric Fever	0·17	33	–	–	1	1	–	2	3	5	5	5	1	5	5	2	–	–
Simple Cont. Fev.	0·21	41	4	1	3	1	1	10	11	3	4	1	2	3	1	3	3	–
Puerp. Fever	0·03	6	–	–	–	–	–	–	–	–	–	–	3	2	1	–	–	–
Diarr. and Dys.	0·13	26	10	2	1	–	–	13	1	1	–	–	1	1	1	1	6	1
Cholera	0·01	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
Cancer	0·31	61	–	–	–	1	–	1	–	–	–	–	1	2	12	22	14	9
Scrofula	0·20	39	2	–	1	–	–	3	3	5	7	5	8	–	2	2	4	–
Tabes Mesent.	0·07	14	2	5	1	–	–	8	2	1	–	–	1	1	–	1	–	–
Phthisis	3·23	645	4	5	1	2	–	12	12	42	92	99	153	83	50	68	32	2
Hydrocephalus	0·09	17	4	2	3	3	1	13	4	–	–	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	1·95	388	148	23	6	5	3	185	9	5	6	3	14	11	23	37	53	42
Diseases of: Circulatory „	0·60	119	1	–	–	–	–	1	2	4	1	5	4	10	12	36	33	11
Diseases of: Respiratory „	2·04	408	38	24	1	6	2	71	8	2	5	3	23	20	32	71	103	70
Diseases of: Digestive „	0·68	136	11	–	–	1	1	13	1	2	4	2	11	20	18	29	23	10
Diseases of: Urinary „	0·24	48	–	–	–	2	–	2	1	3	–	1	3	3	6	15	9	5
Diseases of: Generative „	0·02	3	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–
Childbirth	0·18	36	–	–	–	–	–	–	–	–	2	2	18	12	2	–	–	–
Suicide	0·07	13	–	–	–	–	–	–	–	–	1	2	1	2	3	2	1	1
Other Violence	0·43	85	2	1	4	3	5	15	8	4	7	4	8	6	11	10	8	4
OTHER CAUSES	7·44	1491	278	63	20	8	12	381	25	21	21	10	21	27	43	77	245	620

Deaths of Infants (under one) to 1000 Births - 93

Marriages - 1,350
Births - 6,161

Annual Rate per 1000 living { Persons Married - 13·54; Births - - - 30·90

599.—PEMBROKE.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·08	—	—	—	—	—	47·95	7·02	4·56	5·62	6·55	9·19	11·07	13·60	26·46	55·05	160·14
Mean Pop. 1871-80	—	29,704	815	757	784	768	753	3877	3589	3264	3129	2582	3949	3136	2640	1882	1699	557
ALL CAUSES	19·08	5669	1169	342	168	104	76	1859	252	149	176	169	363	347	359	498	605	892
Small-pox	0·01	2	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
Measles	0·20	59	13	23	9	2	2	49	7	2	1	–	–	–	–	–	–	–
Scarlet Fever	0·85	253	13	29	37	32	27	138	85	22	4	–	3	1	–	–	–	–
Diphtheria	0·09	27	2	–	4	1	–	7	13	3	1	–	2	–	–	1	–	–
Whooping-cough	0·34	102	58	24	10	1	3	96	6	–	–	–	–	–	–	–	–	–
Typhus	0·06	19	1	–	–	–	–	1	3	3	3	1	3	2	1	–	2	–
Enteric Fever	0·22	66	–	4	3	6	1	14	9	6	11	4	5	9	3	4	–	1
Simple Cont. Fev.	0·07	21	1	2	1	2	1	7	4	2	2	2	1	1	–	–	2	–
Puerp. Fever	0·10	31	–	–	–	–	–	–	–	–	1	4	13	13	–	–	–	–
Diarr. and Dys.	0·37	109	58	6	2	2	1	69	1	2	1	1	–	3	6	3	9	14
Cholera	0·00	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cancer	0·46	137	–	–	–	–	–	–	–	–	–	1	4	5	32	38	35	22
Scrofula	0·15	45	13	5	4	2	1	25	4	3	1	5	1	3	1	2	–	–
Tabes Mesent.	0·14	41	13	6	2	2	2	25	6	5	–	–	1	1	1	–	2	–
Phthisis	2·38	708	8	10	4	4	1	27	14	31	90	96	170	118	70	59	24	9
Hydrocephalus	0·29	86	20	21	8	3	3	55	19	6	3	1	1	–	–	1	–	–
Diseases of: Nervous Syst.	3·04	904	399	74	28	12	4	517	10	15	14	3	17	28	35	74	93	98
Circulatory „	1·54	457	1	–	–	–	–	1	4	10	11	12	20	35	54	99	125	88
Respiratory „	2·41	717	145	77	25	18	15	280	17	5	10	5	20	35	32	79	105	129
Digestive „	0·80	237	24	3	1	3	–	31	5	4	1	4	21	21	44	46	39	21
Urinary „	0·53	156	2	1	1	–	–	4	5	2	2	2	18	19	27	28	25	14
Generative „	0·05	15	–	–	–	–	–	–	–	–	–	1	1	3	3	2	2	3
Childbirth	0·10	29	–	–	–	–	–	–	–	–	–	1	10	17	1	–	–	–
Suicide	0·04	12	–	–	–	–	–	–	–	–	–	1	1	–	5	4	1	–
Other Violence	0·56	166	3	5	3	4	4	19	11	12	9	14	19	17	17	10	15	13
Other Causes	4·28	1269	394	52	26	10	11	493	20	16	11	11	21	15	29	48	126	470

Deaths of Infants (under one) to 1000 Births - 123 | Marriages - 2,462 | Births - 9,473 | Annual Rate per 1000 living: Persons Married - 16·58; Births - 31·89

600.—HAVERFORDWEST.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	20·22	—	—	—	—	—	44·43	6·20	4·30	7·52	9·33	9·83	10·15	13·13	23·39	52·23	159·91
Mean Pop. 1871-80	—	34,136	897	782	877	860	840	4256	4031	3863	3472	2775	4119	3449	3009	2540	1729	893
ALL CAUSES	20·22	6902	1175	331	167	115	103	1891	250	166	261	259	405	350	395	594	903	1428
Small-pox	0·04	13	1	1	–	–	–	2	2	2	1	1	–	4	–	1	–	–
Measles	0·13	44	9	19	4	4	4	40	2	1	–	–	–	–	1	–	–	–
Scarlet Fever	0·45	155	15	10	20	20	22	87	50	10	4	2	1	–	–	1	–	–
Diphtheria	0·32	109	6	7	10	23	18	64	27	8	7	–	–	1	1	1	–	–
Whooping-cough	0·38	130	60	33	16	7	4	120	9	1	–	–	–	–	–	–	–	–
Typhus	0·06	19	–	–	–	–	–	–	1	2	1	1	6	1	–	2	3	2
Enteric Fever	0·30	101	–	2	3	3	3	11	8	7	14	9	12	14	11	8	5	2
Simple Cont. Fev.	0·21	71	4	4	2	2	3	15	14	6	5	5	2	4	1	6	6	7
Puerp. Fever	0·06	19	–	–	–	–	–	–	–	–	–	2	6	11	–	–	–	–
Diarr. and Dys.	0·28	96	65	8	1	1	–	75	–	1	1	2	1	1	1	3	4	7
Cholera	0·01	2	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
Cancer	0·46	157	–	–	–	–	–	–	–	1	2	1	4	11	27	42	38	31
Scrofula	0·13	45	6	2	4	1	1	14	6	–	4	5	5	4	2	2	2	1
Tabes Mesent.	0·09	32	6	8	–	1	1	16	5	3	2	3	1	–	–	–	2	–
Phthisis	2·73	931	8	13	7	–	2	30	23	55	139	152	204	109	112	59	36	12
Hydrocephalus	0·16	55	10	8	7	3	1	29	13	10	3	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·65	903	373	62	25	9	11	483	12	15	10	17	19	23	38	66	112	108
Circulatory „	1·07	366	–	–	–	–	1	1	6	6	12	8	23	31	34	85	97	63
Respiratory „	2·21	754	104	49	23	8	7	191	18	10	11	11	28	35	51	110	180	109
Digestive „	0·83	283	14	5	5	–	4	28	7	4	7	8	24	20	33	60	59	33
Urinary „	0·37	125	–	2	1	–	1	4	1	1	3	5	10	12	21	27	27	14
Generative „	0·04	15	–	–	–	–	–	–	–	–	–	–	4	3	2	4	2	–
Childbirth	0·10	35	–	–	–	–	–	–	–	–	2	2	16	15	–	–	–	–
Suicide	0·02	7	–	–	–	–	–	–	–	–	1	–	–	–	2	3	–	1
Other Violence	0·44	151	1	7	7	9	3	27	7	6	16	13	15	17	9	16	8	17
Other Causes	6·68	2282	489	91	32	24	17	653	39	17	16	12	22	34	49	97	322	1021

Deaths of Infants (under one) to 1000 Births - 118 | Marriages - 2,210 | Births - 9,997 | Annual Rate per 1000 living: Persons Married - 12·95; Births - 29·29

601.—CARDIGAN.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	20·01	—	—	—	—	—	34·37	5·40	4·19	7·69	11·73	10·55	9·88	12·83	23·77	48·53	151·22
Mean Pop. 1871–80	—	17,600	399	365	452	414	430	2060	1983	1863	1600	1296	2218	1843	1652	1460	1051	574
ALL CAUSES	20·01	3521	419	118	74	57	40	708	107	78	123	152	234	182	212	347	510	868
Small-pox	0·07	12	1	–	–	–	–	1	–	–	3	2	2	4	–	–	–	–
Measles	0·12	21	8	4	2	4	1	19	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·47	83	8	8	11	13	13	53	22	4	1	1	1	1	–	–	–	–
Diphtheria	0·18	32	3	3	5	5	5	21	5	3	2	–	–	1	–	–	–	–
Whooping-cough	0·30	52	21	16	6	4	–	47	5	–	–	–	–	–	–	–	–	–
Typhus	0·02	4	–	–	–	–	–	–	–	2	1	–	–	–	1	–	–	–
Enteric Fever	0·12	21	–	2	–	–	–	2	2	2	4	–	7	1	1	–	1	1
Simple Cont. Fev.	0·08	14	1	1	–	2	–	4	4	1	1	1	–	–	1	1	1	–
Puerp. Fever	0·05	9	–	–	–	–	–	–	–	–	–	1	6	2	–	–	–	–
Diarr. and Dys.	0·15	26	7	3	1	–	–	11	–	–	2	1	1	4	–	3	2	2
Cholera	0·01	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Cancer	0·57	100	–	–	–	–	–	–	–	–	–	–	4	4	15	27	27	23
Scrofula	0·19	34	–	1	3	–	2	6	2	5	3	6	6	1	3	1	1	–
Tabes Mesent.	0·09	16	3	1	3	–	–	7	3	1	1	–	–	1	1	2	–	–
Phthisis	2·97	522	5	7	3	–	2	17	9	25	75	98	118	57	48	42	25	8
Hydrocephalus	0·12	21	1	5	1	1	–	8	7	3	1	1	1	–	–	–	–	–
Diseases of: Nervous Syst.	2·45	432	142	25	12	7	5	191	11	8	2	3	6	15	16	35	72	73
Circulatory „	0·88	155	–	1	–	–	–	1	3	2	4	3	10	11	24	35	35	27
Respiratory „	2·28	401	49	13	9	4	2	77	7	4	5	8	15	19	36	58	90	82
Digestive „	0·94	165	10	2	1	–	1	14	2	1	1	4	14	20	29	31	31	18
Urinary „	0·34	59	1	–	1	–	–	2	1	2	1	–	4	5	7	9	13	15
Generative „	0·07	13	–	–	–	–	–	–	–	–	–	–	4	2	3	1	2	1
Childbirth	0·09	16	–	–	–	–	–	–	–	–	–	1	9	6	–	–	–	–
Suicide	0·04	7	–	–	–	–	–	–	–	–	–	1	–	–	2	3	1	–
Other Violence	0·55	96	1	4	3	6	1	15	6	3	5	11	8	6	10	14	10	8
OTHER CAUSES	6·86	1208	158	22	13	11	8	212	16	12	11	10	18	22	15	85	197	610

Deaths of Infants (under one) to 1000 Births - 88

Marriages - 1,138
Births - 4,742

Annual Rate per 1000 living: Persons Married - 12·93; Births - - - 26·94

602.—NEWCASTLE IN EMLYN.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·79	—	—	—	—	—	33·67	5·66	4·78	7·08	9·18	11·27	9·16	12·54	19·80	48·08	147·82
Mean Pop. 1871–80	—	18,916	445	434	460	465	486	2290	2262	2052	1837	1504	2316	1813	1715	1510	1044	573
ALL CAUSES	18·79	3555	493	113	75	50	40	771	128	98	130	138	261	166	215	299	502	847
Small-pox	0·02	4	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	–
Measles	0·05	10	4	1	1	2	–	8	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·70	132	9	12	20	15	12	68	41	12	6	1	2	1	–	1	–	–
Diphtheria	0·14	27	1	1	2	2	2	8	8	3	1	1	2	–	2	2	–	–
Whooping-cough	0·21	40	19	13	2	2	2	38	2	–	–	–	–	–	–	–	–	–
Typhus	0·08	16	–	–	–	–	–	–	2	3	2	2	2	2	2	–	–	1
Enteric Fever	0·23	50	–	3	–	–	2	5	4	7	10	8	9	2	2	2	1	–
Simple Cont. Fev.	0·13	24	1	1	1	1	1	5	3	2	1	2	1	2	–	4	3	1
Puerp. Fever	0·03	5	–	–	–	–	–	–	–	–	–	1	2	2	–	–	–	–
Diarr. and Dys.	0·13	25	6	4	1	–	1	12	–	–	–	–	–	–	2	2	2	7
Cholera	0·03	5	1	–	–	–	–	1	–	–	–	–	1	1	2	–	–	–
Cancer	0·56	106	–	–	–	–	1	1	–	–	1	–	5	7	13	27	30	22
Scrofula	0·17	32	–	–	1	2	–	3	2	3	3	4	3	3	1	3	7	–
Tabes Mesent.	0·04	8	4	1	–	–	–	5	–	1	–	2	–	–	–	–	–	–
Phthisis	3·72	704	6	10	3	–	3	22	17	34	69	87	159	70	66	67	86	27
Hydrocephalus	0·08	15	4	2	3	–	–	9	3	1	1	–	1	–	–	–	–	–
Diseases of: Nervous Syst.	2·16	409	150	15	6	3	–	174	6	9	6	3	10	14	18	27	65	77
Circulatory „	0·70	133	–	–	–	–	–	–	–	–	6	–	5	10	17	21	45	29
Respiratory „	2·49	471	33	12	10	3	2	60	3	5	9	8	20	15	23	63	121	144
Digestive „	0·84	159	9	2	1	3	–	15	5	–	4	2	6	11	25	23	42	26
Urinary „	0·34	64	–	–	–	–	–	–	2	1	–	1	4	6	8	12	13	17
Generative „	0·02	4	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–
Childbirth	0·05	10	–	–	–	–	–	–	–	–	1	1	3	4	1	–	–	–
Suicide	0·04	8	–	–	–	–	–	–	–	1	–	1	2	1	2	–	1	–
Other Violence	0·26	49	2	2	6	6	3	19	1	3	2	2	4	2	1	5	3	7
OTHER CAUSES	5·54	1045	244	34	18	11	11	318	27	12	7	12	19	13	28	38	82	489

Deaths of Infants (under one) to 1000 Births - 92

Marriages - 1,127
Births - 5,366

Annual Rate per 1000 living: Persons Married - 11·92; Births - - 28·37

603.—LAMPETER.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·93	—	—	—	—	—	39·51	6·56	4·30	6·19	8·43	9·95	10·46	12·26	22·47	48·89	157·75
Mean Pop. 1871-80	—	10,030	240	237	239	252	262	1230	1219	1117	985	830	1256	1013	897	730	495	258
ALL CAUSES	18·93	1899	339	42	40	29	36	486	80	48	61	70	125	106	110	164	242	407
Small-pox	0·13	13	3	1	-	-	-	4	-	1	3	-	2	2	1	-	-	-
Measles	0·05	5	1	1	3	-	-	5	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·95	95	7	6	8	15	12	48	31	8	6	-	1	1	-	-	-	-
Diphtheria	0·23	23	3	5	1	1	2	12	6	4	-	-	-	-	1	-	-	-
Whooping-cough	0·30	30	16	3	4	3	1	27	3	-	-	-	-	-	-	-	-	-
Typhus	0·02	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Enteric Fever	0·19	19	-	-	2	-	-	2	1	3	4	3	3	2	-	1	-	-
Simple Cont. Fev.	0·11	11	-	-	-	-	1	1	1	1	1	-	1	1	-	1	4	-
Puerp. Fever	0·06	6	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-
Diarr. and Dys.	0·08	8	4	-	-	-	-	4	-	-	-	-	-	-	-	-	4	-
Cholera	0·02	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Cancer	0·38	38	-	-	-	-	-	-	-	-	-	-	-	3	7	11	9	8
Scrofula	0·17	17	3	-	-	1	1	5	-	1	-	-	1	1	2	-	3	4
Tabes Mesent.	0·13	13	4	1	-	-	-	5	5	2	1	-	-	-	-	-	-	-
Phthisis	2·48	249	-	1	-	-	4	5	5	9	19	36	70	37	32	21	12	3
Hydrocephalus	0·07	7	1	1	1	1	-	4	-	-	2	-	-	1	-	-	-	-
Diseases of: Nervous Syst.	2·68	269	85	5	4	-	7	101	10	10	7	7	8	4	10	20	30	62
Diseases of: Circulatory „	0·39	39	-	-	-	-	-	-	1	2	1	-	6	7	2	6	9	5
Diseases of: Respiratory „	3·24	325	31	8	5	2	2	48	6	2	3	4	7	16	19	46	71	103
Diseases of: Digestive „	0·95	95	6	1	-	-	-	7	-	2	2	6	4	8	11	22	26	7
Diseases of: Urinary „	0·33	33	-	-	2	1	-	3	-	-	-	2	3	2	4	5	7	7
Diseases of: Generative „	0·04	4	1	-	-	-	-	1	-	-	-	-	-	1	1	-	-	1
Childbirth	0·11	11	-	-	-	-	-	-	-	-	-	-	2	3	6	-	-	-
Suicide	0·15	15	-	-	-	-	-	-	-	-	1	-	2	2	2	5	2	1
Other Violence	0·39	39	1	-	2	2	4	9	2	1	4	1	4	1	3	6	5	3
OTHER CAUSES	5·28	531	173	9	8	3	2	195	9	2	7	8	7	7	15	20	58	203

Deaths of Infants (under one) to 1000 Births - 116 | Marriages - 643 | Births - 2,921 | Annual Rate per 1000 living: Persons Married - 12·82; Births - - - 29·12

604.—ABERAYRON.

—	Annual Death Rate per 1000.																	
Annual Death Rate per 1000	—	19·31	—	—	—	—	—	35·83	6·94	4·55	7·04	11·53	11·69	11·71	12·78	21·50	46·98	141·87
Mean Pop. 1871-80	—	12,930	328	293	319	329	333	1602	1614	1493	1164	889	1540	1324	1221	1037	713	363
ALL CAUSES	19·31	2503	317	99	55	62	41	574	112	68	82	103	180	155	156	223	335	515
Small-pox	0·05	6	1	-	-	-	-	1	1	-	-	1	2	-	1	-	-	-
Measles	0·08	10	2	4	-	1	-	7	3	-	-	-	-	-	-	-	-	-
Scarlet Fever	1·03	137	10	22	12	22	16	82	40	4	5	2	3	1	-	-	-	-
Diphtheria	0·36	47	4	1	1	5	2	13	17	11	2	3	-	1	-	-	-	-
Whooping-cough	0·32	42	15	10	4	5	2	36	4	2	-	-	-	-	-	-	-	-
Typhus	0·05	6	-	-	-	-	-	-	-	1	-	2	1	1	1	-	-	-
Enteric Fever	0·26	34	-	-	1	1	2	4	5	2	5	3	3	3	2	3	3	1
Simple Cont. Fev.	0·07	9	-	1	-	-	-	1	1	-	-	2	-	1	-	2	2	-
Puerp. Fever	0·07	9	-	-	-	-	-	-	-	-	-	-	6	3	-	-	-	-
Diarr. and Dys.	0·22	29	11	-	1	-	-	12	-	-	-	-	-	1	1	1	7	7
Cholera	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Cancer	0·54	70	-	-	-	-	-	-	-	-	-	-	-	5	4	21	22	18
Scrofula	0·16	21	2	1	1	-	-	4	1	2	4	1	1	3	1	3	-	1
Tabes Mesent.	0·05	7	-	1	1	-	2	4	-	2	-	1	-	-	-	-	-	-
Phthisis	2·85	369	1	2	1	2	1	7	5	11	36	56	109	55	31	33	19	7
Hydrocephalus	0·12	15	1	1	-	3	1	6	3	3	1	-	1	-	1	-	-	-
Diseases of: Nervous Syst.	1·82	236	72	11	4	3	4	94	3	4	4	5	4	6	14	26	29	47
Diseases of: Circulatory „	0·92	119	-	-	-	-	-	-	2	1	3	3	3	10	17	20	31	23
Diseases of: Respiratory „	1·96	254	22	9	8	5	3	47	9	2	2	2	12	7	18	32	72	51
Diseases of: Digestive „	0·77	100	5	1	1	1	-	8	2	-	3	2	6	11	17	19	20	12
Diseases of: Urinary „	0·41	53	-	-	-	-	-	-	-	2	1	-	4	5	9	11	12	9
Diseases of: Generative „	0·05	6	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1
Childbirth	0·15	19	-	-	-	-	-	-	-	-	-	6	8	5	-	-	-	-
Suicide	0·03	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-
Other Violence	0·37	48	1	3	3	2	1	10	1	3	5	-	3	9	7	2	6	2
OTHER CAUSES	6·56	852	170	32	17	12	7	238	15	13	11	14	13	27	29	47	110	330

Deaths of Infants (under one) to 1000 Births - 87 | Marriages - 675 | Births - 3,647 | Annual Rate per 1000 living: Persons Married - 10·42; Births - - - 28·14

605.—ABERYSTWITH.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	20·50	—	—	—	—	—	43·40	8·16	4·94	6·91	11·91	10·63	11·80	17·32	30·80	62·51	161·34
Mean Pop. 1871-80	—	26,523	694	609	672	692	690	3357	3274	3120	2809	2107	3350	2821	2356	1779	1043	507
ALL CAUSES	20·50	5438	798	295	148	118	98	1457	267	154	194	251	356	333	408	548	652	818
Small-pox	0·00	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Measles	0·20	54	16	14	7	5	3	45	9	-	-	-	-	-	-	-	-	-
Scarlet Fever	1·12	298	33	54	49	31	31	201	68	16	7	2	1	2	1	-	-	-
Diphtheria	0·30	79	2	8	3	6	9	28	35	8	2	1	2	1	1	1	-	-
Whooping-cough	0·49	131	66	30	13	8	2	119	11	1	-	-	-	-	-	-	-	-
Typhus	0·12	33	-	2	-	1	-	3	5	9	4	3	4	1	-	2	1	1
Enteric Fever	0·12	33	3	1	-	-	-	4	2	3	4	4	4	6	4	2	-	-
Simple Cont. Fev.	0·17	44	1	-	2	1	3	7	7	6	6	5	3	2	2	2	4	-
Puerp. Fever	0·07	19	-	-	-	-	-	-	-	-	-	5	11	3	-	-	-	-
Diarr. and Dys.	0·17	46	15	8	1	-	-	24	1	-	-	-	2	1	3	4	5	6
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·30	81	-	-	-	1	-	1	-	-	-	2	-	7	17	17	21	16
Scrofula	0·09	25	1	1	-	-	-	2	4	3	6	3	3	1	2	1	-	-
Tabes Mesent.	0·07	18	4	3	-	-	2	9	3	-	-	3	2	-	1	-	-	-
Phthisis	2·93	776	3	7	5	4	8	27	26	39	101	124	168	106	87	63	30	5
Hydrocephalus	0·12	32	6	8	3	3	3	23	5	1	-	1	-	1	1	-	-	-
Diseases of: Nervous Syst.	2·86	758	323	62	24	15	7	431	16	16	6	9	16	22	32	64	67	79
Diseases of: Circulatory „	0·71	189	-	1	1	2	-	4	2	4	6	13	6	23	24	38	41	28
Diseases of: Respiratory „	3·02	802	85	30	20	16	8	159	22	6	12	12	20	38	61	149	212	111
Diseases of: Digestive „	0·87	232	14	5	1	2	1	23	6	4	6	12	14	23	37	47	43	17
Diseases of: Urinary „	0·21	55	-	2	-	-	-	2	-	1	-	3	9	3	7	9	11	10
Diseases of: Generative „	0·02	6	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	-
Childbirth	0·08	20	-	-	-	-	-	-	-	-	-	1	14	4	1	-	-	-
Suicide	0·02	4	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-
Other Violence	0·42	111	3	3	8	3	3	20	6	9	5	14	16	11	14	7	4	5
OTHER CAUSES	6·02	1591	220	56	11	20	18	325	38	28	29	33	60	76	110	140	212	540

Deaths of Infants (under one) to 1000 Births - 104

Marriages - 1,862
Births - 7,682

Annual Rate per 1000 living: Persons Married - 14·04; Births - - - 28·96

606.—TREGARON.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	18·28	—	—	—	—	—	35·60	5·28	4·45	6·96	9·64	10·89	10·25	13·23	22·83	51·08	143·24
Mean Pop. 1871-80	—	10,475	267	241	267	269	262	1306	1327	1213	1034	799	1304	1044	907	771	511	259
ALL CAUSES	18·28	1915	285	67	45	33	35	465	70	54	72	77	142	107	120	176	261	371
Small-pox	0·02	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Measles	0·09	9	5	1	-	-	-	6	3	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·96	101	5	13	13	10	19	60	23	10	2	2	2	2	-	-	-	-
Diphtheria	0·07	7	-	-	-	-	-	-	6	1	-	-	-	-	-	-	-	-
Whooping-cough	0·39	41	13	11	7	7	1	39	2	-	-	-	-	-	-	-	-	-
Typhus	0·10	10	-	-	-	1	-	1	-	2	1	2	2	-	-	-	1	1
Enteric Fever	0·22	23	2	1	1	-	-	4	2	1	2	5	4	2	1	2	-	-
Simple Cont. Fev.	0·05	5	-	-	-	-	-	-	-	1	-	-	1	-	1	2	-	-
Puerp. Fever	0·12	13	-	-	-	-	-	-	-	-	1	1	8	3	-	-	-	-
Diarr. and Dys.	0·08	8	3	1	-	-	-	4	-	-	-	-	-	1	1	1	-	1
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·43	45	-	-	-	-	-	-	1	-	-	-	3	5	3	12	18	3
Scrofula	0·19	20	-	-	-	-	1	1	-	3	4	2	5	-	1	2	2	-
Tabes Mesent.	0·15	16	3	3	3	-	-	9	2	2	-	1	1	1	-	-	-	-
Phthisis	2·97	311	-	1	2	1	3	7	6	12	40	44	70	37	37	40	16	2
Hydrocephalus	0·13	14	2	2	2	2	1	9	1	2	2	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	1·40	147	32	9	2	1	1	45	2	1	4	3	5	7	7	13	34	26
Diseases of: Circulatory „	0·69	72	-	-	-	-	-	-	-	1	1	-	4	7	13	14	17	15
Diseases of: Respiratory „	2·34	245	11	6	2	4	-	23	3	1	2	3	7	12	20	36	77	61
Diseases of: Digestive „	0·74	78	3	1	-	-	1	5	1	-	2	3	4	8	15	18	15	7
Diseases of: Urinary „	0·32	33	-	-	-	-	-	-	-	-	1	1	1	-	3	8	7	12
Diseases of: Generative „	0·02	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Childbirth	0·18	19	-	-	-	-	-	-	-	-	-	2	9	8	-	-	-	-
Suicide	0·03	3	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-
Other Violence	0·29	30	1	-	1	2	1	5	3	4	3	-	1	4	3	-	4	3
OTHER CAUSES	6·30	661	205	18	12	5	7	247	15	13	7	8	13	10	15	24	69	240

Deaths of Infants (under one) to 1000 Births - 93

Marriages - 624
Births - 3,055

Annual Rate per 1000 living: Persons Married - 11·91; Births - - - 29·16

607.—BUILTH.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
ANNUAL DEATH RATE PER 1000	—	19·15	—	—	—	—	—	41·82	7·26	5·41	4·77	11·62	9·25	11·22	12·03	22·36	50·97	155·15
Mean Pop. 1871-80	—	8223	227	199	223	207	220	1076	1005	943	839	671	1059	820	698	559	359	194
ALL CAUSES	19·15	1575	287	78	44	23	18	450	73	51	40	78	98	92	84	125	183	301
Small-pox	0·19	16	-	-	-	-	-	-	4	-	-	3	4	3	1	-	1	-
Measles	0·16	13	4	4	1	-	-	9	3	-	1	-	-	-	-	-	-	-
Scarlet Fever	0·77	63	5	12	12	7	4	40	14	2	1	3	1	2	-	-	-	-
Diphtheria	0·27	22	2	3	3	2	1	11	4	4	1	-	1	-	1	-	-	-
Whooping-cough	0·29	24	14	5	2	1	-	22	1	1	-	-	-	-	-	-	-	-
Typhus	0·01	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Enteric Fever	0·17	14	-	-	-	-	-	-	1	1	2	3	2	3	1	1	-	-
Simple Cont. Fev.	0·15	12	-	-	1	-	-	1	-	3	5	1	-	-	-	1	1	-
Puerp. Fever	0·06	5	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-
Diarr. and Dys.	0·17	14	5	-	-	1	-	6	1	-	-	-	-	1	-	1	1	4
Cholera	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Cancer	0·39	32	-	-	-	-	-	-	-	-	-	-	1	1	6	9	10	5
Scrofula	0·02	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Tabes Mesent.	0·10	8	2	3	1	-	-	6	-	-	-	1	1	-	-	-	-	-
Phthisis	2·25	185	1	-	2	1	-	4	3	5	13	32	54	35	19	16	4	-
Hydrocephalus	0·16	13	1	3	2	-	-	6	1	4	-	2	-	-	-	-	-	-
Diseases of: Nervous Syst.	1·92	158	53	11	3	1	1	69	9	6	3	1	3	4	4	16	14	29
Diseases of: Circulatory „	0·89	73	-	-	-	-	-	-	2	2	1	3	1	8	6	14	26	10
Diseases of: Respiratory „	3·02	248	48	19	5	3	1	76	9	5	2	5	9	12	12	28	44	46
Diseases of: Digestive „	0·74	61	5	-	-	-	-	5	1	-	6	4	5	4	7	9	12	8
Diseases of: Urinary „	0·27	22	-	-	-	-	1	1	-	1	-	1	2	2	4	3	4	4
Diseases of: Generative „	0·05	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-
Childbirth	0·18	15	-	-	-	-	-	-	-	-	1	6	2	5	1	-	-	-
Suicide	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Violence	0·36	30	3	3	1	1	-	8	2	2	-	2	1	2	3	2	4	4
OTHER CAUSES	6·54	538	144	14	11	6	10	185	17	14	4	10	8	8	17	24	60	191

Deaths of Infants (under one) to 1000 Births - 110 | Marriages - 562 | Births - 2,613 | Annual Rate per 1000 living: Persons Married - 13·67; Births - 31·78

608.—BRECKNOCK.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds
ANNUAL DEATH RATE PER 1000	—	19·28	—	—	—	—	—	42·28	5·69	3·52	5·55	7·13	10·44	11·73	14·94	25·47	56·53	158·89
Mean Pop. 1871-80	—	17,451	437	382	447	416	419	2131	1969	1905	1820	1542	2317	1850	1566	1162	743	416
ALL CAUSES	19·28	3364	558	162	76	58	47	901	112	67	101	110	245	217	234	296	420	661
Small-pox	0·22	39	2	3	1	4	-	10	7	2	3	1	6	5	4	1	-	-
Measles	0·34	60	18	18	5	9	1	51	7	1	-	-	1	-	-	-	-	-
Scarlet Fever	0·40	70	4	14	9	6	11	44	14	5	5	1	-	1	-	-	-	-
Diphtheria	0·11	19	1	-	-	-	1	2	7	3	2	1	-	4	-	-	-	-
Whooping-cough	0·30	52	24	12	7	5	-	48	1	2	1	-	-	-	-	-	-	-
Typhus	0·03	6	2	-	-	-	1	3	-	-	-	1	2	-	-	-	-	-
Enteric Fever	0·22	38	1	1	2	3	3	10	6	4	2	6	3	3	1	-	3	-
Simple Cont. Fev.	0·12	21	1	1	-	1	-	3	1	3	3	1	-	1	-	4	2	3
Puerp. Fever	0·07	12	-	-	-	-	-	-	-	-	2	2	3	5	-	-	-	-
Diarr. and Dys.	0·18	32	10	2	-	1	-	13	-	1	-	-	2	-	-	4	4	8
Cholera	0·01	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Cancer	0·60	105	-	-	-	-	-	-	-	-	1	-	5	5	20	29	28	17
Scrofula	0·09	16	2	2	1	-	-	5	2	1	1	1	1	3	2	-	-	-
Tabes Mesent.	0·10	17	7	2	2	-	-	11	3	3	-	-	-	-	-	-	-	-
Phthisis	2·03	354	3	4	1	2	3	13	11	11	35	47	103	56	34	23	11	10
Hydrocephalus	0·19	34	5	6	2	2	1	16	14	2	-	2	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·68	468	173	19	7	4	6	209	11	4	8	7	17	12	26	45	70	59
Diseases of: Circulatory „	1·46	254	1	-	1	-	-	2	1	1	3	4	13	23	40	57	62	48
Diseases of: Respiratory „	2·89	504	80	35	16	8	10	149	7	4	7	7	25	25	35	46	90	109
Diseases of: Digestive „	0·89	155	9	6	1	-	-	16	3	6	6	4	13	17	24	26	28	12
Diseases of: Urinary „	0·41	72	1	3	1	-	-	5	-	-	3	5	6	8	3	15	13	14
Diseases of: Generative „	0·03	6	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1
Childbirth	0·15	26	-	-	-	-	-	-	-	-	2	2	7	14	1	-	-	-
Suicide	0·10	17	-	-	-	-	-	-	-	1	2	-	2	1	3	4	2	2
Other Violence	0·57	100	2	3	8	5	4	22	5	4	7	7	14	10	15	3	7	6
OTHER CAUSES	5·09	885	211	31	12	8	6	268	12	9	8	11	22	23	26	36	98	372

Deaths of Infants (under one) to 1000 Births - 109 | Marriages - 1,181 | Births - 5,116 | Annual Rate per 1000 living: Persons Married - 13·54; Births - 29·32

609.—CRICKHOWELL.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	23·01	—	—	—	—	—	64·46	6·37	4·66	6·27	10·33	10·06	11·75	17·10	31·67	67·06	156·89
Mean Pop. 1871-80	—	19,353	570	455	532	502	513	2572	2435	2125	1801	1568	2584	2094	1754	1323	756	341
ALL CAUSES	23·01	4454	1046	297	154	88	73	1658	155	99	113	162	260	246	300	419	507	535
Small-pox	0·48	93	10	2	3	4	2	21	12	4	8	10	22	11	2	3	-	-
Measles	0·32	62	17	24	8	5	5	59	2	-	-	1	-	-	-	-	-	-
Scarlet Fever	0·56	108	14	14	16	19	11	74	19	8	2	2	2	1	-	-	-	-
Diphtheria	0·24	46	8	6	4	7	3	28	13	4	-	-	-	1	-	-	-	-
Whooping-cough	0·53	102	40	36	15	4	7	102	-	-	-	-	-	-	-	-	-	-
Typhus	0·07	14	-	-	-	-	-	-	1	3	1	3	1	2	2	-	1	-
Enteric Fever	0·56	108	4	3	4	3	7	21	15	12	16	10	13	7	5	4	3	2
Simple Cont. Fev.	0·20	39	2	4	2	2	1	11	6	3	7	3	3	1	2	1	2	-
Puerp. Fever	0·14	27	-	-	-	-	-	-	-	-	1	5	15	5	1	-	-	-
Diarr. and Dys.	0·63	121	57	11	4	4	2	78	-	2	-	1	-	1	2	5	11	21
Cholera	0·01	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Cancer	0·43	84	-	-	-	-	-	-	-	-	-	-	3	8	13	26	19	15
Scrofula	0·14	28	8	3	1	-	2	14	-	3	-	2	5	2	-	1	1	-
Tabes Mesent.	0·29	56	15	17	5	3	1	41	5	4	3	1	2	-	-	-	-	-
Phthisis	2·03	392	5	3	5	2	1	16	5	22	35	58	87	66	55	35	9	4
Hydrocephalus	0·21	40	10	10	3	2	1	26	9	4	1	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	3·43	663	278	29	19	3	4	333	17	6	1	13	9	14	34	57	99	80
Diseases of: Circulatory „	1·31	253	-	-	-	-	1	1	5	2	4	5	20	19	38	68	69	22
Diseases of: Respiratory „	4·64	898	193	90	38	11	11	343	11	3	5	10	28	37	65	109	157	130
Diseases of: Digestive „	0·91	176	26	3	3	-	1	33	4	2	3	7	9	16	30	34	26	12
Diseases of: Urinary „	0·36	70	-	1	2	-	1	4	3	-	3	2	5	6	13	13	16	5
Diseases of: Generative „	0·04	7	-	-	-	-	-	-	-	-	-	1	2	-	1	2	1	-
Childbirth	0·14	28	-	-	-	-	-	-	-	-	1	4	10	13	-	-	-	-
Suicide	0·04	8	-	-	-	-	-	-	-	-	-	1	1	1	4	-	-	1
Other Violence	0·82	159	8	6	6	6	5	31	11	9	12	15	9	18	13	25	10	6
OTHER CAUSES	4·48	870	351	35	16	13	7	422	17	8	10	8	14	16	20	35	83	237

Deaths of Infants (under one) to 1000 Births - 142 | Marriages - 1,613 | Births - 7,362 | Annual Rate per 1000 living: Persons Married - 16·67; Births - 38·04

610.—HAY.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	19·80	—	—	—	—	—	43·70	5·84	3·56	6·31	7·34	9·13	10·46	13·42	24·91	53·64	154·71
Mean Pop. 1871-80	—	10,510	272	246	262	249	280	1309	1233	1152	999	804	1369	1071	976	799	522	276
ALL CAUSES	19·80	2081	390	84	42	37	19	572	72	41	63	59	125	112	131	199	280	427
Small-pox	0·08	8	1	-	-	-	-	1	-	1	1	-	-	2	1	1	1	-
Measles	0·13	14	5	2	1	2	-	10	4	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·57	60	1	8	8	9	5	31	18	5	3	2	1	-	-	-	-	-
Diphtheria	0·22	23	2	2	3	2	1	10	10	2	-	-	-	-	-	1	-	-
Whooping-cough	0·36	38	20	15	-	-	1	36	2	-	-	-	-	-	-	-	-	-
Typhus	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	0·11	12	-	-	-	-	-	-	2	2	1	3	2	2	-	-	-	-
Simple Cont. Fev.	0·04	4	-	1	-	1	-	2	-	1	-	-	-	-	-	-	1	-
Puerp. Fever	0·05	5	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-
Diarr. and Dys.	0·29	30	14	2	1	-	-	17	1	2	-	-	1	3	-	-	1	5
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·64	66	-	1	-	-	-	1	-	-	-	-	2	9	9	10	20	15
Scrofula	0·10	11	2	1	-	-	-	3	1	1	-	-	2	1	2	-	1	-
Tabes Mesent.	0·13	14	3	2	-	3	-	8	2	1	2	-	1	-	-	-	-	-
Phthisis	1·99	209	2	3	-	-	1	6	4	13	29	34	53	35	21	13	1	-
Hydrocephalus	0·13	14	2	4	2	-	1	9	3	1	1	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·20	231	63	4	6	4	2	79	6	1	2	-	7	4	14	26	42	50
Diseases of: Circulatory „	1·25	131	-	-	-	-	-	-	2	1	4	5	3	6	14	22	43	21
Diseases of: Respiratory „	3·23	339	51	18	7	4	1	81	6	1	4	5	9	8	24	47	70	84
Diseases of: Digestive „	1·02	107	11	1	1	1	1	15	2	2	1	1	8	8	20	18	15	17
Diseases of: Urinary „	0·55	58	-	-	1	-	-	1	2	1	3	4	5	4	5	9	13	11
Diseases of: Generative „	0·08	8	-	-	-	-	-	-	-	-	-	-	2	1	-	2	2	1
Childbirth	0·14	15	-	-	-	-	-	-	-	-	1	3	7	4	-	-	-	-
Suicide	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Violence	0·62	64	5	2	1	4	1	13	1	4	5	1	8	13	5	2	6	6
OTHER CAUSES	5·86	619	208	18	11	7	5	249	6	2	6	1	9	12	15	38	64	217

Deaths of Infants (under one) to 1000 Births - 127 | Marriages - 671 | Births - 3.066 | Annual Rate per 1000 living: Persons Married - 12·77; Births - 29·17

PRESTEIGNE (6½ Years to 30th June 1877).*

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	15·86	—	—	—	—	—	37·68	1·93	2·71	4·06	5·01	6·12	5·24	12·21	25·40	50·60	169·77
Mean Pop. Jan. 1871 to June 1877	—	* 3763	96	98	104	106	91	495	478	397	341	307	451	441	328	291	167	67
ALL CAUSES	15·86	388	73	23	15	7	3	121	6	7	9	10	18	15	26	48	55	73
Small-pox	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	0·12	3	1	1	1	-	-	3	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·49	12	-	4	2	3	1	10	-	2	-	-	-	-	-	-	-	-
Diphtheria	0·04	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough	0·37	9	5	2	2	-	-	9	-	-	-	-	-	-	-	-	-	-
Typhus	0·04	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Enteric Fever	0·20	5	-	-	-	-	-	-	-	1	-	1	-	-	1	2	-	-
Simple Cont. Fev.	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerp. Fever	0·04	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diarr. and Dys.	0·37	9	4	-	1	1	-	6	-	-	-	-	-	-	1	1	-	1
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·73	19	-	-	-	-	-	-	-	-	-	-	1	-	3	9	2	4
Scrofula	0·20	5	-	1	-	-	-	1	-	-	-	-	-	-	1	3	-	-
Tabes Mesent.	0·12	3	1	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-
Phthisis	1·39	34	-	-	1	-	-	1	1	1	3	6	11	7	3	1	-	-
Hydrocephalus	0·08	2	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	1·55	38	13	1	1	-	-	15	-	-	-	1	2	-	1	5	9	5
Diseases of: Circulatory „	1·39	34	1	-	-	-	-	1	2	-	2	-	-	2	5	10	9	3
Diseases of: Respiratory „	2·37	58	10	8	2	1	-	21	-	1	1	1	2	3	2	9	8	10
Diseases of: Digestive „	0·57	14	-	2	-	-	-	2	-	-	-	1	-	1	2	1	7	-
Diseases of: Urinary „	0·37	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	2
Diseases of: Generative „	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violence	0·41	10	-	-	1	1	1	3	-	2	1	-	2	-	-	2	-	-
Other Causes	4·96	121	38	3	3	1	-	45	2	-	1	-	-	1	5	4	15	48

Deaths of Infants (under one) to 1000 Births - 92 | Marriages - 158 | Births - 791 | Annual Rate per 1000 living: Persons Married - 12·92; Births - - - 32·34

* This District was abolished 1st July 1877; *see* pp. 371–78.

611.—KNIGHTON (6½ Years to 30th June 1877).*

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	17·78	—	—	—	—	—	38·72	6·71	4·44	7·90	6·75	9·27	12·23	13·12	22·96	46·19	149·84
Mean Pop. Jan. 1871 to June 1877	—	* 10,038	287	265	297	257	269	1375	1329	1213	973	821	1162	1107	844	616	400	198
ALL CAUSES	17·78	1160	236	43	21	25	21	346	58	35	50	36	70	88	72	92	120	193
Small-pox	0·03	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Measles	0·11	7	2	1	1	2	-	6	-	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·67	44	3	6	3	3	4	19	14	6	2	-	2	1	-	-	-	-
Diphtheria	0·12	8	-	-	-	1	3	4	2	1	-	-	-	1	-	-	-	-
Whooping-cough	0·49	32	17	7	3	2	2	31	-	-	1	-	-	-	-	-	-	-
Typhus	0·02	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Enteric Fever	0·58	38	2	-	-	1	1	4	2	3	10	6	2	4	4	2	1	-
Simple Cont. Fev.	0·06	4	-	-	-	-	2	2	-	2	-	-	-	-	-	-	-	-
Puerp. Fever	0·09	6	-	-	-	-	-	-	-	-	1	-	3	2	-	-	-	-
Diarr. and Dys.	0·25	16	11	-	1	-	1	13	-	-	-	-	-	-	-	-	2	1
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·40	26	-	-	-	-	-	-	-	-	-	-	1	4	2	6	7	6
Scrofula	0·14	9	-	-	-	-	-	-	2	-	1	-	2	1	3	-	-	-
Tabes Mesent.	0·32	21	10	2	2	2	-	16	1	2	2	-	-	-	-	-	-	-
Phthisis	1·87	122	1	-	-	-	-	1	6	6	19	15	32	23	13	6	1	-
Hydrocephalus	0·08	5	2	1	-	-	-	3	-	2	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·08	136	53	8	2	4	-	67	3	4	2	3	2	12	4	9	14	16
Diseases of: Circulatory „	1·15	75	1	-	-	-	-	1	1	2	1	3	1	7	8	21	19	11
Diseases of: Respiratory „	1·99	130	25	2	4	4	-	35	5	1	3	1	6	7	14	9	26	23
Diseases of: Digestive „	0·78	51	7	-	-	1	-	8	4	2	-	-	3	8	6	8	10	2
Diseases of: Urinary „	0·20	13	-	-	-	1	-	1	1	-	-	-	2	1	2	2	2	2
Diseases of: Generative „	0·03	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Childbirth	0·18	12	-	-	-	-	-	-	-	-	1	1	5	5	-	-	-	-
Suicide	0·09	6	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-	1
Other Violence	0·52	34	-	2	1	-	3	6	6	-	4	-	4	3	4	3	2	2
Other Causes	5·53	369	102	14	4	4	5	129	11	3	2	4	5	9	9	23	36	129

Deaths of Infants (under one) to 1000 Births - 117 | Marriages - 402 | Births - 2,023 | Annual Rate per 1000 living: Persons Married - 12·32; Births - - 31·01

* A new sub-district was added on 1st July 1877. This table relates to the District as constituted before that date; *see* pp. 371–78.

611.—KNIGHTON ($3\frac{1}{2}$ years from 1st July 1877).*

—	Annual Death Rate per 1000.	All Ages	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·57	—	—	—	—	—	51·15	5·39	3·78	5·11	7·43	10·40	10·20	12·38	25·08	54·05	161·50
Mean Pop. July 1877 to Dec. 1880	—	* 11,982	275	276	305	306	290	1452	1430	1436	1230	1039	1483	1177	1084	854	539	258
ALL CAUSES	19·57	821	173	42	25	9	11	260	27	19	22	27	54	42	47	75	102	146
Small-pox	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	0·12	5	1	2	-	-	-	3	1	-	1	-	-	-	-	-	-	-
Scarlet Fever	0·31	13	1	3	1	1	2	8	1	2	2	-	-	-	-	-	-	-
Diphtheria	0·33	14	1	3	4	1	2	11	3	-	-	-	-	-	-	-	-	-
Whooping-cough	0·41	17	7	5	5	-	-	17	-	-	-	-	-	-	-	-	-	-
Typhus	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	0·17	7	-	-	1	1	-	2	1	3	1	-	-	-	-	-	-	-
Simple Cont. Fev.	0·12	5	1	-	2	-	-	3	-	-	-	1	1	-	-	-	-	-
Puerp. Fever	0·07	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
Diarr. and Dys.	0·38	16	10	1	-	-	-	11	-	-	-	-	-	1	-	-	1	3
Cholera	0·02	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Cancer	0·45	19	-	-	-	-	-	-	-	-	-	-	-	4	3	5	4	3
Scrofula	0·10	4	1	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-
Tabes Mesent.	0·48	20	13	2	1	-	-	16	1	-	-	1	2	-	-	-	-	-
Phthisis	2·10	88	-	1	1	-	-	2	2	8	11	16	23	11	10	4	1	-
Hydrocephalus	0·24	10	2	1	2	1	-	6	3	1	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·22	93	35	4	1	1	2	43	3	1	1	1	3	4	5	10	8	14
Diseases of: Circulatory „	1·67	70	-	-	-	-	-	-	1	-	-	3	5	6	7	14	27	7
Diseases of: Respiratory „	3·77	158	32	12	4	2	2	52	3	-	1	1	9	8	5	19	26	34
Diseases of: Digestive „	0·98	41	6	-	1	1	-	8	2	-	-	1	2	2	8	5	9	4
Diseases of: Urinary „	0·41	17	-	-	-	-	-	-	-	1	2	-	1	3	1	4	1	4
Diseases of: Generative „	0·05	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Childbirth	0·07	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
Suicide	0·05	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Other Violence	0·43	18	1	1	1	-	1	4	1	1	1	-	-	1	3	3	2	2
Other Causes	4·62	195	62	7	1	1	2	73	5	1	1	1	3	1	3	10	22	75

Deaths of Infants (under one) to 1000 Births - 135 | Marriages - 277 | Births - 1,278 | Annual Rate per 1000 living: Persons Married - 13·21; Births - 30·47

* A new sub-district was added on 1st July 1877. This table relates to the District as constituted after that date; *see* pp. 371–78.

612.—RHAYADER.

—	Annual Death Rate per 1000																	
Annual Death Rate per 1000	—	17·57	—	—	—	—	—	36·42	4·56	3·32	8·00	6·39	8·20	12·35	13·25	22·22	50·00	142·68
Mean Pop. 1871–80	—	6,783	182	170	191	172	180	895	834	784	650	579	866	672	566	468	312	157
ALL CAUSES	17·57	1,192	211	57	27	14	17	326	38	26	52	37	71	83	75	104	156	224
Small-pox	0·06	4	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-
Measles	0·06	4	-	-	1	-	1	2	1	-	-	-	-	1	-	-	-	-
Scarlet Fever	0·38	26	1	5	3	5	4	18	5	-	2	-	1	-	-	-	-	-
Diphtheria	0·09	6	1	-	-	1	-	2	2	1	-	-	-	-	-	1	-	-
Whooping-cough	0·21	14	9	3	2	-	-	14	-	-	-	-	-	-	-	-	-	-
Typhus	0·07	5	-	1	-	-	-	1	-	-	-	3	-	1	-	-	-	-
Enteric Fever	0·21	14	-	1	-	-	-	1	2	1	2	1	1	3	2	-	-	1
Simple Cont. Fev.	0·09	6	-	-	-	-	-	-	-	1	1	1	-	-	1	1	-	1
Puerp. Fever	0·02	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Diarr. and Dys.	0·25	17	11	-	-	-	-	11	-	-	1	-	-	-	2	2	-	1
Cholera	0·04	3	1	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-
Cancer	0·59	40	-	-	-	-	-	-	-	-	-	-	1	3	8	6	14	8
Scrofula	0·12	8	1	1	-	-	-	2	-	-	-	-	5	-	-	-	1	-
Tabes Mesent.	0·09	6	-	2	-	-	1	3	-	-	2	-	-	-	-	1	-	-
Phthisis	2·12	144	1	-	-	2	-	3	3	9	20	24	30	26	11	12	5	1
Hydrocephalus	0·13	9	-	1	1	-	1	3	3	-	2	-	1	-	-	-	-	-
Diseases of: Nervous Syst.	1·50	102	30	8	2	2	1	43	2	1	1	1	3	4	6	8	12	21
Diseases of: Circulatory „	1·14	77	-	-	-	-	-	-	1	-	1	-	3	8	7	13	19	25
Diseases of: Respiratory „	2·59	175	35	10	6	1	-	52	1	3	6	-	3	9	9	14	39	39
Diseases of: Digestive „	0·81	55	1	-	1	-	-	2	-	1	1	1	4	7	9	14	8	8
Diseases of: Urinary „	0·27	18	-	-	1	-	1	2	-	-	1	-	2	1	3	1	4	4
Diseases of: Generative „	0·02	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Childbirth	0·09	6	-	-	-	-	-	-	-	-	-	1	1	3	1	-	-	-
Suicide	0·01	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Violence	0·41	28	-	3	2	1	1	7	3	1	5	1	3	2	-	3	2	1
Other Causes	6·20	420	120	22	8	2	6	158	15	8	6	1	9	15	15	28	52	113

Deaths of Infants (under one) to 1000 Births - 101 | Marriages - 457 | Births - 2,080 | Annual Rate per 1000 living: Persons Married - 13·47; Births - 30·66

NORTH WALES.

613.—MACHYNLLETH.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·01	—	—	—	—	—	41·04	5·04	4·21	5·18	8·17	10·56	10·70	12·37	25·22	55·08	162·24
Mean Pop. 1871-80	—	12,917	320	328	333	331	318	1630	1549	1448	1294	1065	1647	1336	1140	924	590	294
ALL CAUSES	19·01	2455	438	96	52	39	44	669	78	61	67	87	174	143	141	233	325	477
Small-pox	0·02	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Measles	0·11	14	4	3	2	1	-	10	3	-	-	-	-	1	-	-	-	-
Scarlet Fever	0·41	53	6	5	9	8	7	35	10	3	1	1	2	1	-	-	-	-
Diphtheria	0·05	7	-	-	-	2	-	2	1	2	-	1	-	-	-	-	-	1
Whooping-cough	0·36	46	19	13	6	3	3	44	2	-	-	-	-	-	-	-	-	-
Typhus	0·04	5	-	-	-	-	-	-	-	3	1	-	-	1	-	-	-	-
Enteric Fever	0·16	21	-	2	-	-	-	2	1	5	3	2	3	1	-	1	3	-
Simple Cont. Fev.	0·25	32	3	2	-	-	1	6	4	1	2	2	3	1	2	4	4	3
Puerp. Fever	0·07	9	-	-	-	-	-	-	-	-	1	1	4	3	-	-	-	-
Diarr. and Dys.	0·26	34	12	1	-	-	1	14	2	-	-	1	2	-	3	2	7	3
Cholera	0·02	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-
Cancer	0·43	55	-	-	-	-	-	-	-	-	-	-	-	4	9	17	16	9
Scrofula	0·11	14	1	-	-	-	-	1	-	-	5	3	1	1	1	1	3	-
Tabes Mesent.	0·15	19	11	1	-	-	1	13	1	3	-	2	-	-	-	-	-	-
Phthisis	2·71	350	7	6	3	1	2	19	8	12	26	58	99	51	31	20	23	3
Hydrocephalus	0·18	24	4	2	5	2	1	14	5	5	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·79	361	134	19	11	6	9	179	12	8	8	2	7	4	9	37	34	61
Diseases of: Circulatory "	1·13	146	-	-	-	-	-	-	2	2	5	1	9	9	13	23	40	42
Diseases of: Respiratory "	3·48	450	51	20	7	5	8	91	9	5	6	7	11	17	35	52	95	122
Diseases of: Digestive "	1·11	143	13	-	1	-	2	16	4	2	1	-	7	10	16	31	35	21
Diseases of: Urinary "	0·42	54	2	-	-	-	1	3	2	1	-	-	1	6	3	12	17	9
Diseases of: Generative "	0·03	4	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-
Childbirth	0·11	14	-	-	-	-	-	-	-	-	-	1	5	7	1	-	-	-
Suicide	0·02	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Other Violence	0·52	67	3	4	2	2	3	14	3	4	4	1	8	11	3	6	9	4
Other Causes	4·07	525	167	18	6	9	5	205	9	5	6	3	10	11	14	25	39	199

Deaths of Infants (under one) to 1000 Births - 115

Marriages - 805
Births - 3,819

Annual Rate per 1000 living: Persons Married - 12·46; Births - 29·57

614.—NEWTOWN.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	19·59	—	—	—	—	—	43·77	5·48	4·18	6·18	8·86	10·48	10·76	14·68	26·00	55·33	148·08
Mean Pop. 1871-80	—	24,097	688	642	713	676	651	3370	3141	2917	2509	2042	3101	2499	2098	1631	1117	572
ALL CAUSES	19·59	4896	937	284	114	84	56	1475	172	122	155	181	325	269	308	424	618	847
Small-pox	0·00	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Measles	0·17	42	11	16	5	-	1	33	5	1	-	-	1	2	-	-	-	-
Scarlet Fever	0·65	162	8	23	17	28	13	89	41	14	7	6	1	3	-	1	-	-
Diphtheria	0·11	27	2	2	2	2	-	8	9	5	3	-	1	-	1	-	-	-
Whooping-cough	0·35	88	40	32	9	1	3	85	3	-	-	-	-	-	-	-	-	-
Typhus	0·00	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Enteric Fever	0·30	76	1	1	2	2	-	6	6	10	11	10	14	5	7	3	4	-
Simple Cont. Fev.	0·08	20	1	-	1	1	1	4	2	2	1	2	2	1	-	1	3	2
Puerp. Fever	0·06	15	-	-	-	-	-	-	-	-	-	5	5	5	-	-	-	-
Diarr. and Dys.	0·36	90	42	6	2	2	2	54	-	1	1	-	-	-	1	10	9	14
Cholera	0·04	10	3	-	-	-	-	3	-	-	-	-	1	2	1	1	2	-
Cancer	0·60	149	1	1	-	-	-	2	-	-	-	1	2	12	30	37	46	19
Scrofula	0·10	24	-	1	-	3	1	5	4	2	-	4	2	2	-	-	3	2
Tabes Mesent.	0·15	38	15	8	1	-	4	28	2	4	2	1	1	-	-	-	-	-
Phthisis	2·69	672	3	9	3	3	1	19	20	27	75	94	178	103	69	48	28	11
Hydrocephalus	0·39	75	23	16	7	8	5	59	8	5	2	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	2·88	719	305	36	20	9	4	374	11	8	6	6	9	24	31	51	85	114
Diseases of: Circulatory "	1·22	304	-	-	-	-	-	-	5	5	9	6	9	20	37	48	89	76
Diseases of: Respiratory "	3·22	806	157	65	22	8	10	242	12	10	13	14	21	24	39	106	144	161
Diseases of: Digestive "	1·12	281	38	12	2	2	3	57	6	5	5	5	19	17	39	42	56	80
Diseases of: Urinary "	0·43	108	1	-	-	-	1	2	1	-	1	5	12	9	11	21	26	20
Diseases of: Generative "	0·02	6	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	1
Childbirth	0·14	34	-	-	-	-	-	-	-	-	2	3	15	12	2	-	-	-
Suicide	0·03	7	-	-	-	-	-	-	-	-	-	-	1	-	3	1	2	-
Other Violence	0·45	113	3	7	7	7	1	25	11	8	7	7	8	8	7	8	13	11
Other Causes	4·12	1028	282	49	14	8	6	359	26	15	10	10	22	20	28	43	105	386

Deaths of Infants (under one) to 1000 Births - 111

Marriages - 1,801
Births - 8,451

Annual Rate per 1000 living: Persons Married - 14·41; Births - 33·81

615.—FORDEN.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	17·91	—	—	—	—	—	36·27	5·00	2·87	4·91	8·20	8·68	10·21	12·94	25·85	54·41	153·66
Mean Pop. 1871-80	—	18,569	498	431	494	468	472	2363	2258	2087	1812	1451	2340	1954	1661	1358	862	423
ALL CAUSES	17·91	3326	569	148	70	41	29	857	113	60	89	119	203	200	215	351	469	650
Small-pox	0·01	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Measles	0·15	28	13	5	2	1	3	24	3	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·58	108	10	13	14	12	11	60	32	9	4	–	2	–	1	–	–	–
Diphtheria	0·19	36	3	2	2	4	3	14	14	4	–	2	1	1	–	–	–	–
Whooping-cough	0·27	51	28	11	5	1	1	46	3	2	–	–	–	–	–	–	–	–
Typhus	0·04	8	–	1	–	–	–	1	3	1	–	–	1	–	1	–	1	–
Enteric Fever	0·10	19	–	–	1	1	2	4	2	–	1	1	2	3	2	1	3	–
Simple Cont. Fev.	0·08	14	–	–	–	–	–	–	2	1	3	2	–	2	2	2	–	–
Puerp. Fever	0·06	11	–	–	–	–	–	–	–	–	1	1	6	3	–	–	–	–
Diarr and Dys.	0·38	70	29	8	2	1	–	40	1	–	–	–	2	2	4	1	8	12
Cholera	0·01	2	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Cancer	0·41	77	–	–	–	–	–	–	–	1	1	–	1	11	12	24	19	8
Scrofula	0·08	15	7	3	–	–	–	10	1	1	–	–	1	–	2	–	–	–
Tabes Mesent.	0·09	17	6	5	2	1	–	14	–	–	1	–	2	–	–	–	–	–
Phthisis	1·86	345	3	3	1	–	–	7	3	10	44	67	92	55	31	26	8	2
Hydrocephalus	0·12	23	11	7	2	–	–	20	1	2	–	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·50	435	172	22	9	4	4	211	8	7	11	8	12	15	27	51	51	64
Diseases of: Circulatory „	1·52	282	–	1	–	1	–	2	2	6	6	7	13	13	31	56	98	48
Diseases of: Respiratory „	2·62	486	86	39	16	3	2	146	8	1	–	9	11	16	21	60	109	105
Diseases of: Digestive „	1·13	209	19	5	1	2	1	28	3	4	2	2	15	26	27	48	35	19
Diseases of: Urinary „	0·35	65	1	1	–	1	–	3	5	–	1	–	6	5	10	13	10	12
Diseases of: Generative „	0·03	5	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	–
Childbirth	0·11	21	–	–	–	–	–	–	–	–	1	4	7	8	1	–	–	–
Suicide	0·03	6	–	–	–	–	–	–	–	–	–	–	1	–	–	3	2	–
Other Violence	0·58	108	6	4	5	3	–	18	8	5	7	6	8	10	12	14	9	11
OTHER CAUSES	4·61	853	174	18	8	6	2	208	14	5	5	9	19	29	31	49	115	369

Deaths of Infants (under one) to 1000 Births - 104 | Marriages - 1,132 | Births - 5,482 | Annual Rate per 1000 living: Persons Married - 12·19; Births - 29·52

616.—LLANFYLLIN.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	19·16	—	—	—	—	—	37·36	5·00	4·44	6·07	8·78	8·89	9·35	12·60	24·47	56·59	164·60
Mean Pop. 1871-80	—	20,815	538	477	525	551	527	2618	2619	2363	2010	1527	2463	2181	1889	1545	1069	531
ALL CAUSES	19·16	3988	665	149	84	48	32	978	131	105	122	134	219	204	238	378	605	874
Small-pox	0·21	44	2	1	–	1	3	7	6	2	–	9	6	6	6	2	–	–
Measles	0·12	26	5	3	3	2	3	16	3	3	2	1	1	–	–	–	–	–
Scarlet Fever	0·37	78	5	6	11	7	11	40	17	9	3	4	2	3	–	–	–	–
Diphtheria	0·10	20	2	2	1	1	2	8	7	1	–	1	2	–	–	1	–	–
Whooping-cough	0·22	45	26	8	5	2	1	42	3	–	–	–	–	–	–	–	–	–
Typhus	0·05	10	–	–	–	–	–	–	–	2	2	1	3	–	1	1	–	–
Enteric Fever	0·15	32	2	–	–	2	–	4	3	3	4	–	6	1	2	5	3	1
Simple Cont. Fev.	0·12	25	–	–	2	1	–	3	3	1	–	4	1	1	5	1	3	3
Puerp. Fever	0·03	6	–	–	–	–	–	–	–	–	1	2	3	–	–	–	–	–
Diarr. and Dys.	0·14	30	11	3	–	–	–	14	–	1	–	–	1	–	1	–	7	6
Cholera	0·01	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2
Cancer	0·53	110	–	–	–	–	–	–	–	–	–	–	2	14	27	24	31	12
Scrofula	0·09	18	–	–	–	–	–	–	1	4	1	3	5	1	–	–	3	–
Tabes Mesent.	0·09	18	9	6	1	–	–	16	1	1	–	–	–	–	–	–	–	–
Phthisis	2·29	477	3	2	–	2	1	8	19	35	67	71	91	78	44	41	22	1
Hydrocephalus	0·13	28	7	7	2	3	1	20	2	3	2	–	1	–	–	–	–	–
Diseases of: Nervous Syst.	2·97	618	315	41	17	7	3	383	14	7	7	2	10	4	15	34	66	76
Diseases of: Circulatory „	1·00	209	–	–	1	–	–	1	5	6	2	6	8	14	29	39	57	42
Diseases of: Respiratory „	2·72	566	52	33	14	6	1	106	10	6	8	7	18	21	38	80	146	126
Diseases of: Digestive „	1·19	248	18	3	2	–	–	23	7	4	5	4	14	21	29	46	63	32
Diseases of: Urinary „	0·26	54	–	–	–	1	–	1	2	3	1	1	5	1	2	9	13	16
Diseases of: Generative „	0·03	7	–	–	–	–	–	–	–	–	–	–	1	1	2	2	–	1
Childbirth	0·12	24	–	–	–	–	–	–	–	–	–	3	11	9	1	–	–	–
Suicide	0·04	9	–	–	–	–	–	–	–	–	–	–	2	1	2	4	–	–
Other Violence	0·51	107	4	6	8	6	1	25	3	6	9	3	10	7	6	13	7	18
OTHER CAUSES	5·67	1176	204	28	17	7	5	261	25	8	8	12	16	21	27	76	184	538

Deaths of Infants (under one) to 1000 Births - 113 | Marriages - 1,118 | Births - 5,874 | Annual Rate per 1000 living: Persons Married - 10·74; Births - 28·22

617.—HOLYWELL.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	21·40	—	—	—	—	—	32·46	7·52	3·97	5·75	9·42	9·58	11·67	15·50	32·38	70·18	156·42
Mean Pop. 1871-80	—	44846	1267	1153	1234	1205	1202	6061	5676	5057	4089	3353	6103	4044	3896	2968	1700	794
ALL CAUSES	21·40	9556	1882	638	292	211	153	3176	427	201	235	316	585	577	643	961	1193	1242
Small-pox	0·26	116	22	6	2	–	3	33	7	4	7	15	23	17	7	2	1	–
Measles	0·13	57	10	21	7	10	1	49	7	–	1	–	–	–	–	–	–	–
Scarlet Fever	0·86	383	16	58	72	51	53	249	106	24	5	1	1	–	–	–	–	–
Diphtheria	0·27	122	7	12	9	12	16	56	44	10	4	–	4	3	–	–	1	–
Whooping-cough	0·50	221	98	59	30	14	6	207	11	2	1	–	–	–	–	–	–	–
Typhus	0·05	24	–	2	2	2	1	7	4	3	2	4	–	2	–	1	1	–
Enteric Fever	0·30	134	8	6	4	5	3	26	21	14	17	11	15	15	7	3	5	–
Simple Cont. Fev.	0·08	36	–	3	1	1	1	6	5	5	2	3	6	3	–	1	3	2
Puerp. Fever	0·10	43	–	–	–	–	–	–	–	–	2	8	20	13	–	–	–	–
Diarr. and Dys.	0·19	84	22	19	2	1	–	44	1	–	1	–	3	3	3	5	11	13
Cholera	0·01	4	1	–	–	–	–	1	–	–	–	–	–	–	1	1	1	–
Cancer	0·45	202	–	–	–	–	–	–	–	–	1	3	2	22	43	67	46	18
Scrofula	0·09	40	4	5	3	2	2	16	3	3	2	7	6	1	–	–	2	–
Tabes Mesent.	0·25	110	45	25	2	2	3	77	14	3	2	2	4	4	3	1	–	–
Phthisis	2·14	957	17	6	5	3	2	33	20	27	89	149	234	175	99	91	33	1
Hydrocephalus	0·18	80	26	21	7	4	4	62	10	4	2	1	–	1	–	–	–	–
Diseases of: Nervous Syst.	3·97	1772	863	137	36	32	11	1079	49	20	18	16	25	28	59	140	194	144
Diseases of: Circulatory „	1·09	485	–	2	1	–	–	3	6	16	14	7	27	54	76	121	128	33
Diseases of: Respiratory „	3·24	1445	191	113	41	31	18	394	23	9	7	13	42	73	135	232	337	180
Diseases of: Digestive „	0·97	434	41	13	10	6	4	74	8	3	8	16	30	43	66	89	66	31
Diseases of: Urinary „	0·26	116	1	5	2	1	–	9	1	2	1	5	17	12	12	24	23	10
Diseases of: Generative „	0·04	16	–	–	–	–	–	–	1	–	–	–	5	2	2	4	2	–
Childbirth	0·15	66	–	–	–	–	–	–	–	–	1	3	30	28	4	–	–	–
Suicide	0·03	15	–	–	–	–	–	–	–	–	–	2	–	1	4	6	1	–
Other Violence	0·73	326	8	11	7	5	10	41	15	19	35	25	49	31	43	30	21	17
Other Causes	5·06	2265	502	114	49	30	15	710	71	33	13	24	42	46	79	140	314	793

Deaths of Infants (under one) to 1000 Births - 125 | Marriages - 2,522 | Births - 15,022 | Annual Rate per 1000 living: Persons Married - 11·30; Births - 33·65

618.—WREXHAM.*

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	21·84	—	—	—	—	—	30·43	7·65	3·46	6·05	7·15	9·39	12·22	15·84	35·74	71·62	177·73
Mean Pop. 1871-80	—	* 52,332	1586	1425	1562	1495	1489	7557	6813	5986	4894	4097	7234	5836	4514	3103	1656	642
ALL CAUSES	21·83	11,427	2805	846	405	287	224	4567	521	207	296	293	679	713	715	1109	1186	1141
Small-pox	0·02	10	1	1	–	–	–	2	1	–	–	1	3	1	1	1	–	–
Measles	0·24	176	37	63	26	18	11	155	20	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·99	520	23	76	75	84	82	340	148	21	7	2	–	2	–	–	–	–
Diphtheria	0·30	156	4	16	16	23	20	79	36	13	1	–	5	–	1	–	1	1
Whooping-cough	0·31	161	70	53	19	8	6	156	5	–	–	–	–	–	–	–	–	–
Typhus	0·03	18	–	–	1	–	–	1	3	3	2	–	4	2	2	1	–	–
Enteric Fever	0·24	126	–	1	4	6	8	19	18	16	13	9	10	13	13	9	6	–
Simple Cont. Fev.	0·06	29	1	–	–	2	–	3	7	2	2	2	–	1	3	5	3	1
Puerp. Fever	0·10	54	–	–	–	–	–	–	–	–	1	10	26	16	1	–	–	–
Diarr. and Dys.	0·50	262	140	39	7	1	1	188	2	1	–	3	2	8	7	21	16	14
Cholera	0·00	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Cancer	0·41	213	–	–	–	–	–	–	–	2	2	–	6	16	49	58	59	21
Scrofula	0·06	33	7	2	2	–	–	11	1	4	3	4	2	6	1	1	–	–
Tabes Mesent.	0·27	139	60	38	8	6	3	115	12	2	3	–	2	3	1	1	–	–
Phthisis	1·85	968	8	8	2	4	6	28	22	34	115	135	267	190	98	57	19	–
Hydrocephalus	0·23	121	37	37	16	8	4	102	16	1	2	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	3·98	2082	1158	128	56	34	28	1404	49	14	23	24	45	44	67	136	163	113
Diseases of: Circulatory „	1·11	583	1	1	–	2	1	5	13	13	15	10	24	77	88	173	129	36
Diseases of: Respiratory „	3·86	2019	416	196	91	43	22	768	53	16	21	21	68	87	138	311	329	207
Diseases of: Digestive „	1·13	590	68	20	6	8	1	103	26	14	13	12	45	71	71	117	89	29
Diseases of: Urinary „	0·38	197	1	3	5	–	4	13	7	7	9	7	26	22	29	27	29	21
Diseases of: Generative „	0·06	34	–	–	–	–	–	–	–	–	–	1	3	4	9	7	7	3
Childbirth	0·12	64	–	–	–	–	–	–	–	–	4	6	30	20	4	–	–	–
Suicide	0·04	23	–	–	–	–	–	–	–	–	–	2	4	3	3	8	3	–
Other Violence	0·94	491	13	26	13	10	7	69	20	29	41	33	72	88	64	41	17	17
Other Causes	4·50	2356	760	138	58	30	20	1006	42	14	16	11	34	39	65	135	315	679

Deaths of Infants (under one) to 1000 Births - 143 | Marriages - 4,095 | Births - 19,655 | Annual Rate per 1000 living: Persons Married - 15·65; Births - 37·56

* Changes were made in the boundary of this district during the decade; *see* pp. 371–78.

619.—RUTHIN.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	19·50	—	—	—	—	—	36·27	5·93	3·51	5·58	11·80	9·69	10·98	12·61	25·97	58·52	163·21
Mean Pop. 1871-80	—	14,807	361	326	350	351	371	1759	1702	1710	1470	1147	1795	1521	1427	1186	704	386
ALL CAUSES	19·50	2888	442	86	52	30	28	638	101	60	82	136	174	167	180	308	412	630
Small-pox	0·04	6	1	-	-	-	1	2	-	-	1	1	1	-	-	1	-	-
Measles	0·05	7	2	4	-	-	-	6	1	-	-	-	-	-	-	-	-	-
Scarlet Fever	0·39	58	4	5	9	3	7	28	18	5	1	2	3	1	-	-	-	-
Diphtheria	0·36	54	-	2	5	4	7	18	16	11	4	1	2	-	-	-	1	-
Whooping-cough	0·16	23	8	7	2	2	-	19	3	1	-	-	-	-	-	-	-	-
Typhus	0·07	11	-	-	-	-	-	-	-	-	2	2	2	1	-	3	-	1
Enteric Fever	0·22	32	-	-	-	-	-	-	6	3	5	4	4	3	4	2	1	-
Simple Cont. Fev.	0·14	20	1	-	-	1	-	2	3	1	2	2	1	-	3	1	4	1
Puerp. Fever	0·03	5	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-
Diarr. and Dys.	0·17	25	9	1	-	-	1	11	-	-	-	-	1	1	2	1	4	5
Cholera	0·00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	0·61	90	-	-	-	-	-	-	-	-	1	1	5	5	16	22	18	22
Scrofula	0·06	9	1	-	-	-	1	2	1	-	-	2	3	-	-	1	-	-
Tabes Mesent.	0·10	15	2	3	2	1	-	8	2	-	1	1	2	-	1	-	-	-
Phthisis	2·47	365	2	-	-	-	1	3	6	10	33	75	82	56	39	42	19	-
Hydrocephalus	0·08	12	5	1	-	1	1	8	3	1	-	-	-	-	-	-	-	-
Diseases of: Nervous Syst.	4·27	632	305	32	19	7	4	367	18	10	5	12	10	17	25	40	68	60
Diseases of: Circulatory „	1·52	225	-	-	-	1	-	1	-	2	3	11	4	10	22	52	64	56
Diseases of: Respiratory „	1·83	271	17	11	4	2	3	37	4	3	5	6	11	23	19	46	60	57
Diseases of: Digestive „	0·93	138	5	1	-	-	-	6	2	3	2	4	3	18	19	29	37	15
Diseases of: Urinary „	0·37	55	1	-	-	-	1	2	1	1	8	2	6	6	4	8	7	10
Diseases of: Generative „	0·02	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-
Childbirth	0·14	20	-	-	-	-	-	-	-	-	-	2	11	7	-	-	-	-
Suicide	0·03	4	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-
Other Violence	0·30	45	3	3	2	1	-	9	3	1	1	1	3	4	4	3	6	10
Other Causes	5·14	764	76	16	9	7	1	109	14	8	8	6	15	13	21	56	121	393

Deaths of Infants (under one) to 1000 Births - 112 | Marriages - 828 | Births - 3,938 | Annual Rate per 1000 living: Persons Married - 11·18; Births - 26·60

620.—ST. ASAPH.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwds.
Annual Death Rate per 1000	—	22·62	—	—	—	—	—	48·75	7·34	4·94	5·95	9·95	11·68	13·96	19·73	30·46	65·87	169·05
Mean Pop. 1871-80	—	28,668	702	614	653	651	691	3311	3174	3116	2792	2262	3766	3194	2838	2239	1333	643
ALL CAUSES	22·62	6485	1004	260	146	110	94	1614	233	154	166	225	440	446	560	682	878	1087
Small-pox	0·17	48	6	4	-	2	3	15	1	2	5	4	9	6	5	-	1	-
Measles	0·18	51	16	13	9	3	2	43	7	1	-	-	-	-	-	-	-	-
Scarlet Fever	0·65	187	11	17	33	21	23	105	57	15	3	5	2	-	-	-	-	-
Diphtheria	0·29	83	2	3	8	8	7	28	31	13	6	2	2	1	-	-	-	-
Whooping-cough	0·35	101	45	27	10	9	5	96	5	-	-	-	-	-	-	-	-	-
Typhus	0·05	14	-	-	-	-	1	1	2	1	3	2	-	2	1	1	1	-
Enteric Fever	0·18	52	2	2	-	4	-	8	3	7	7	4	7	5	6	5	-	-
Simple Cont. Fev.	0·16	46	2	4	-	-	-	6	8	8	2	3	1	3	7	5	2	1
Puerp. Fever	0·05	15	-	-	-	-	-	-	-	-	-	4	8	3	-	-	-	-
Diarr. and Dys.	0·28	80	30	8	1	-	-	39	2	1	-	-	3	3	4	8	10	10
Cholera	0·00	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Cancer	0·62	178	-	-	-	-	-	-	-	-	-	-	6	15	42	50	47	18
Scrofula	0·11	32	2	1	2	1	1	7	4	7	2	3	1	-	3	2	2	1
Tabes Mesent.	0·15	44	15	13	4	-	1	33	3	2	-	2	2	-	-	1	1	-
Phthisis	2·21	634	3	4	5	2	3	17	10	32	60	94	173	104	80	47	16	1
Hydrocephalus	0·23	66	20	12	4	7	6	49	7	4	1	-	3	1	1	-	-	-
Diseases of: Nervous Syst.	4·67	1339	467	59	26	23	14	589	17	10	13	19	55	95	102	114	156	169
Diseases of: Circulatory „	1·43	411	1	1	-	-	1	3	2	8	8	5	21	33	52	95	101	80
Diseases of: Respiratory „	3·30	947	91	49	22	14	9	185	18	8	20	28	53	51	91	140	190	163
Diseases of: Digestive „	1·33	382	20	8	4	5	3	40	10	6	6	10	27	42	61	77	74	29
Diseases of: Urinary „	0·59	170	1	1	1	-	1	4	3	1	4	8	15	14	26	21	47	27
Diseases of: Generative „	0·08	22	-	-	-	-	-	-	-	-	-	4	-	5	1	7	3	2
Childbirth	0·11	31	-	-	-	-	-	-	-	-	1	6	11	12	1	-	-	-
Suicide	0·04	11	-	-	-	-	-	-	-	-	-	2	1	2	4	-	1	1
Other Violence	0·50	144	6	2	1	1	6	16	4	12	8	7	13	18	17	18	18	13
Other Causes	4·89	1395	264	32	16	10	8	330	39	16	17	13	24	31	56	91	208	571

Deaths of Infants (under one) to 1000 Births - 127 | Marriages - 2,062 | Births - 7,921 | Annual Rate per 1000 living: Persons Married - 14·39; Births - 27·63

621.—LLANRWST.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	20·44	—	—	—	—	—	44·21	7·51	6·57	6·90	11·02	12·07	10·71	13·94	22·59	51·34	148·40
Mean Pop. 1871-80	—	13,579	339	319	351	349	334	1692	1557	1446	1334	1143	1847	1438	1141	1005	633	343
ALL CAUSES	20·44	2775	467	130	78	38	35	748	117	95	92	126	223	154	159	227	325	509
Small-pox	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	0·15	20	5	7	3	–	2	17	2	–	–	1	–	–	–	–	–	–
Scarlet Fever	0·65	88	2	9	16	9	4	40	27	12	4	2	3	–	–	–	–	–
Diphtheria	0·49	67	1	–	2	4	9	16	21	22	5	1	–	1	–	–	–	1
Whooping-cough	0·34	46	15	13	7	5	1	41	5	–	–	–	–	–	–	–	–	–
Typhus	0·13	17	–	–	1	–	1	2	3	–	2	1	3	–	1	2	–	3
Enteric Fever	0·36	49	–	1	2	–	1	4	2	2	10	4	7	2	8	3	4	3
Simple Cont. Fev.	0·16	22	–	–	–	–	–	–	2	–	–	2	5	2	–	3	4	4
Puerp. Fever	0·11	15	–	–	–	–	–	–	–	–	1	4	7	3	–	–	–	–
Diarr. and Dys.	0·22	30	10	2	–	–	–	12	–	–	1	–	1	–	–	3	5	8
Cholera	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·50	68	–	–	–	–	–	–	–	–	–	–	2	5	14	17	15	15
Scrofula	0·10	13	–	–	1	–	1	2	–	4	–	1	–	1	5	–	–	–
Tabes Mesent.	0·17	23	8	4	1	–	–	13	2	3	2	1	2	–	–	–	–	–
Phthisis	2·72	370	3	2	2	1	1	9	3	10	34	54	101	59	45	38	11	6
Hydrocephalus	0·14	19	8	1	1	1	1	12	3	3	1	–	–	–	–	–	–	–
Disease of Nervous Syst.	2·94	535	263	36	14	3	5	321	19	4	9	8	6	12	13	27	52	64
Disease of Circulatory "	1·21	164	–	–	–	–	–	–	–	1	4	9	12	14	12	28	51	33
Disease of Respiratory "	2·83	384	52	24	12	9	5	102	5	7	5	15	18	10	21	36	71	94
Disease of Digestive "	1·08	147	9	2	1	1	1	14	2	2	2	6	12	10	18	26	36	19
Disease of Urinary "	0·29	40	–	–	–	1	–	1	2	2	–	3	5	3	1	6	12	5
Disease of Generative "	0·04	5	–	–	–	–	–	–	–	–	–	1	1	1	1	–	1	–
Childbirth	0·13	18	–	–	–	–	–	–	–	–	–	2	11	5	–	–	–	–
Suicide	0·07	9	–	–	–	–	–	–	–	1	–	1	–	3	2	1	–	1
Other Violence	0·55	75	1	–	3	–	1	5	1	8	7	5	11	10	6	4	11	7
Other Causes	4·06	551	90	29	12	4	2	137	18	14	5	5	16	13	12	33	52	246

Deaths of Infants (under one) to 1000 Births - 118

Marriages - 914
Births - 3,954

Annual Rate per 1000 living: Persons Married - 13·46; Births - - - 29·12

622.—CORWEN.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·94	—	—	—	—	—	41·17	5·38	3·65	6·39	10·39	10·81	10·37	11·97	22·81	53·15	156·64
Mean Pop. 1871-80	—	16,642	458	392	418	451	416	2135	2062	1890	1503	1309	2147	1746	1479	1223	779	369
ALL CAUSES	18·94	3152	583	145	68	48	35	879	111	69	96	136	232	181	177	279	414	578
Small-pox	0·07	12	1	–	–	–	–	1	–	1	1	4	3	–	2	–	–	–
Measles	0·20	34	11	9	2	5	–	27	7	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·46	76	5	9	7	11	11	43	20	5	4	–	4	–	–	–	–	–
Diphtheria	0·13	22	–	3	1	1	1	6	10	3	1	–	1	1	–	–	–	–
Whooping-cough	0·11	18	5	9	2	1	–	17	1	–	–	–	–	–	–	–	–	–
Typhus	0·05	8	–	–	–	–	–	–	–	1	2	–	2	1	–	2	–	–
Enteric Fever	0·24	40	1	1	–	–	–	2	2	5	4	8	9	5	1	1	1	2
Simple Cont. Fev.	0·17	28	–	–	–	–	1	1	3	2	2	1	1	4	4	5	4	1
Puerp. Fever	0·10	16	–	–	–	–	–	–	–	–	–	4	7	5	–	–	–	–
Diarr. and Dys.	0·31	52	20	3	1	2	1	27	1	1	1	2	3	5	1	4	3	4
Cholera	0·01	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Cancer	0·46	76	–	–	–	–	–	–	–	1	1	–	3	7	14	25	15	10
Scrofula	0·08	13	–	2	–	–	–	2	–	–	2	2	2	2	1	–	2	–
Tabes Mesent.	0·13	22	10	5	3	–	–	18	3	–	–	–	–	–	1	–	–	–
Phthisis	2·38	396	1	2	3	2	–	8	9	14	40	72	106	58	43	30	14	2
Hydrocephalus	0·21	35	9	8	3	1	2	23	7	2	2	–	–	–	1	–	–	–
Disease of Nervous Syst.	3·94	656	370	40	13	7	3	433	13	8	2	5	16	12	16	33	56	62
Disease of Circulatory "	0·94	157	–	–	–	1	–	1	4	3	7	5	8	7	12	41	43	26
Disease of Respiratory "	2·13	354	52	32	14	6	3	107	8	6	8	8	12	12	20	35	76	62
Disease of Digestive "	1·13	188	12	1	2	2	–	17	5	4	4	6	11	17	22	36	49	17
Disease of Urinary "	0·32	53	–	1	–	–	–	1	2	1	3	3	8	7	4	8	11	5
Disease of Generative "	0·02	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–
Childbirth	0·13	22	–	–	–	–	–	–	–	–	–	3	12	7	–	–	–	–
Suicide	0·07	11	–	–	–	–	–	–	–	–	1	–	1	2	1	3	2	1
Other Violence	0·46	77	–	4	2	3	1	10	6	6	2	6	6	14	8	4	10	5
Other Causes	4·69	781	86	16	15	6	12	135	10	6	9	7	17	14	26	51	125	381

Deaths of Infants (under one) to 1000 Births - 112

Marriages - 1,044
Births - 5,214

Annual Rate per 1000 living: Persons Married - 12·55; Births - - - 31·33

623.—BALA.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75– and upwds.
ANNUAL DEATH RATE PER 1000	—	18·06	—	—	—	—	—	39·47	5·76	2·67	6·07	5·55	8·67	9·80	13·53	19·96	51·03	134·15
Mean Pop. 1871-80	—	6,672	151	144	156	154	145	750	712	712	626	595	911	745	584	491	341	205
ALL CAUSES	18·06	1,205	179	52	32	18	15	296	41	19	38	33	79	73	79	98	174	275
Small-pox	0·07	5	–	–	–	–	–	–	–	–	–	–	–	–	2	3	–	–
Measles	0·10	7	1	4	1	–	–	6	1	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·69	46	5	4	11	7	4	31	9	–	2	–	3	–	–	1	–	–
Diphtheria	0·18	12	1	3	–	–	2	6	3	–	–	–	–	–	1	–	2	–
Whooping-cough	0·36	24	13	4	5	1	–	23	1	–	–	–	–	–	–	–	–	–
Typhus	0·07	5	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	–
Enteric Fever	0·22	15	–	2	–	–	–	2	–	–	2	1	2	1	1	–	3	3
Simple Cont. Fev.	0·15	10	–	–	–	–	1	1	–	1	2	1	1	–	2	–	1	1
Puerp. Fever	0·18	12	–	–	–	–	–	–	–	–	–	3	7	2	–	–	–	–
Diarr. and Dys.	0·31	21	8	–	1	–	–	9	–	–	1	–	–	–	2	1	4	4
Cholera	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·84	56	1	–	–	–	–	1	1	–	–	–	2	2	10	14	17	9
Scrofula	0·07	5	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	1
Tabes Mesent.	0·04	3	–	–	–	–	1	1	–	–	–	–	2	–	–	–	–	–
Phthisis	2·07	138	–	2	1	1	–	4	5	6	14	17	37	23	12	11	8	1
Hydrocephalus	0·24	16	1	2	1	4	2	10	5	–	–	1	–	–	–	–	–	–
Diseases of: Nervous Syst	2·39	159	61	11	1	1	1	75	2	4	1	1	3	3	7	6	17	40
Diseases of: Circulatory „	0·88	59	–	–	–	–	–	–	1	–	2	–	1	6	2	7	20	20
Diseases of: Respiratory „	2·64	176	22	12	2	–	1	37	4	1	–	1	7	11	8	21	40	46
Diseases of: Digestive „	1·05	70	5	–	–	–	–	5	–	2	–	1	5	3	8	12	24	10
Diseases of: Urinary „	0·66	44	1	1	1	–	–	3	3	1	2	–	4	5	5	3	6	12
Diseases of: Generative „	0·03	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
Childbirth	0·04	3	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
Suicide	0·04	3	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–
Other Violence	0·64	43	1	1	1	–	1	4	2	2	4	1	2	3	4	6	6	9
OTHER CAUSES	4·10	271	59	6	7	4	2	78	4	1	7	4	2	9	12	12	23	119

Deaths of Infants (under one) to 1000 Births - 102 | Marriages - 333 | Births - 1,759 | Annual Rate per 1000 living: Persons Married - 11·48; Births - 26·36

624.—DOLGELLY.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75– and upwds.
ANNUAL DEATH RATE PER 1000	—	20·30	—	—	—	—	—	43·30	6·46	4·58	6·64	9·42	11·92	9·78	13·28	25·33	50·50	153·35
Mean Pop. 1871-80	—	14,746	403	364	391	398	363	1919	1719	1549	1356	1146	2056	1616	1250	1046	701	388
ALL CAUSES	20·30	2,994	522	139	70	53	47	831	111	71	90	108	245	158	166	265	354	595
Small-pox	0·02	3	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–
Measles	0·14	21	9	6	1	1	2	19	2	–	–	–	–	–	–	–	–	–
Scarlet Fever	0·62	91	8	4	13	14	14	53	23	3	4	5	1	–	–	2	–	–
Diphtheria	0·19	28	–	3	3	1	2	9	10	4	3	–	1	1	–	–	–	–
Whooping-cough	0·35	51	28	13	4	4	1	50	1	–	–	–	–	–	–	–	–	–
Typhus	0·01	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Enteric Fever	0·26	38	–	1	1	–	4	6	2	4	3	3	6	4	1	5	2	2
Simple Cont. Fev.	0·04	6	–	–	–	–	–	–	–	–	1	2	–	–	–	1	2	–
Puerp. Fever	0·12	18	–	–	–	–	–	–	–	–	–	4	8	6	–	–	–	–
Diarr. and Dys.	0·18	27	8	4	–	–	–	12	–	1	–	–	–	–	1	–	2	11
Cholera	0·01	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Cancer	0·71	104	–	–	–	–	–	–	–	–	–	–	3	6	18	35	30	12
Scrofula	0·11	16	3	2	–	–	–	5	–	1	1	–	4	1	1	3	–	–
Tabes Mesent.	0·22	33	12	6	5	1	2	26	1	2	1	–	–	2	–	–	–	1
Phthisis	2·75	405	3	3	1	3	1	11	12	25	42	59	126	48	28	30	22	2
Hydrocephalus	0·33	49	12	7	5	5	3	32	9	3	5	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	2·68	395	165	15	9	4	1	194	9	5	6	3	7	10	11	18	58	74
Diseases of: Circulatory „	1·57	232	–	–	–	–	–	–	–	1	5	1	11	11	30	42	54	77
Diseases of: Respiratory „	3·21	473	78	37	8	6	6	135	6	5	2	6	17	20	29	55	89	109
Diseases of: Digestive „	1·01	149	16	2	–	–	–	18	3	3	2	1	13	12	20	27	30	20
Diseases of: Urinary „	0·36	53	–	–	–	1	–	1	1	2	–	1	5	3	2	6	13	19
Diseases of: Generative „	0·09	13	–	–	–	–	1	1	–	–	1	–	2	–	3	1	2	3
Childbirth	0·18	26	–	–	–	–	–	–	–	–	–	5	14	7	–	–	–	–
Suicide	0·01	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
Other Violence	0·68	100	2	6	3	1	–	12	5	5	10	7	14	14	10	10	5	8
OTHER CAUSES	4·45	658	178	30	17	12	10	247	27	7	4	10	13	11	12	28	44	255

Deaths of Infants (under one) to 1000 Births - 112 | Marriages - 1,049 | Births - 4,647 | Annual Rate per 1000 living: Persons Married - 14·23; Births - 31·51

625.—FESTINIOG.

—	Annual Death Rate per 1000.	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	20·81	—	—	—	—	—	57·75	8·07	5·16	7·62	10·30	10·93	10·95	13·08	23·03	52·80	152·05
Mean Pop. 1871-80	—	26,833	815	737	780	795	729	3856	3273	2809	2375	2369	4171	2987	2110	1576	892	415
ALL CAUSES	20·81	5,585	1349	431	207	134	106	2227	264	145	181	244	456	327	276	363	471	631
Small-pox	0·01	4	–	–	1	–	1	2	–	–	1	1	–	–	–	–	–	–
Measles	0·61	164	48	47	29	14	8	146	17	1	–	–	–	–	–	–	–	–
Scarlet Fever	1·10	296	15	48	51	44	29	187	66	21	7	5	7	1	1	1	–	–
Diphtheria	0·15	40	1	4	4	5	5	19	13	6	–	–	–	1	–	–	–	1
Whooping-cough	0·37	98	43	27	10	5	6	91	6	1	–	–	–	–	–	–	–	–
Typhus	0·01	3	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–
Enteric Fever	0·40	108	5	2	7	3	2	19	5	7	9	18	21	16	3	5	3	2
Simple Cont. Fev.	0·10	27	–	–	2	–	–	2	2	2	5	5	1	2	2	1	3	2
Puerp. Fever	0·16	44	–	–	–	–	–	–	–	–	3	9	24	7	1	–	–	–
Diarr. and Dys.	0·24	65	22	8	2	–	–	32	–	1	1	–	3	2	–	4	6	16
Cholera	0·01	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2
Cancer	0·46	124	–	–	–	–	–	–	–	–	–	–	5	14	23	33	30	19
Scrofula	0·18	49	6	7	4	1	1	19	1	6	3	4	6	5	1	1	2	1
Tabes Mesent.	0·32	86	30	24	6	–	2	62	5	4	3	2	6	2	–	2	–	–
Phthisis	2·62	702	7	9	3	2	–	21	13	40	72	113	187	106	64	52	30	4
Hydrocephalus	0·26	70	9	9	7	8	7	40	20	4	2	2	2	–	–	–	–	–
Diseases of: Nervous Syst.	4·79	1285	711	99	25	17	17	869	37	15	11	10	20	20	29	52	93	129
Diseases of: Circulatory „	0·78	208	–	–	–	–	1	1	3	2	6	6	15	15	26	43	49	42
Diseases of: Respiratory „	3·62	972	219	91	27	17	4	358	18	4	16	14	51	41	45	84	147	194
Diseases of: Digestive „	0·79	212	15	8	1	1	1	26	7	5	11	14	20	24	12	26	32	35
Diseases of: Urinary „	0·40	108	3	3	1	1	6	14	5	1	2	1	5	10	12	13	25	20
Diseases of: Generative „	0·06	16	–	–	–	–	–	–	–	–	–	2	4	2	2	3	3	–
Childbirth	0·15	39	–	–	–	–	–	–	–	–	2	2	24	10	1	–	–	–
Suicide	0·02	6	–	–	–	–	–	–	–	–	–	1	2	2	1	–	–	–
Other Violence	0·80	216	3	9	11	6	3	32	11	13	16	31	36	25	19	16	9	8
Other Causes	2·40	639	212	36	16	10	13	287	33	11	11	4	17	22	34	27	37	156

Deaths of Infants (under one) to 1000 Births - 140

Marriages - 1,991
Births - 9,635

Annual Rate per 1000 living: Persons Married - 14·84; Births - 35·91

626.—PWLLHELI.

—	Annual Death Rate per 1000	All Ages.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
Annual Death Rate per 1000	—	18·96	—	—	—	—	—	38·39	5·96	3·84	8·06	8·90	9·86	8·50	12·93	22·05	48·28	143·37
Mean Pop. 1871-80	—	21,943	533	490	563	535	518	2639	2415	2290	2009	1776	2808	2342	2027	1855	1164	618
ALL CAUSES	18·96	4160	679	168	67	57	42	1013	144	88	162	158	277	199	262	409	562	886
Small-pox	0·01	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Measles	0·28	61	16	17	5	6	4	48	9	2	1	1	–	–	–	–	–	–
Scarlet Fever	0·41	91	4	9	9	11	12	45	35	5	1	1	3	–	1	–	–	–
Diphtheria	0·13	29	1	–	–	2	1	4	8	6	7	3	1	–	–	–	–	–
Whooping-cough	0·29	63	25	14	10	6	1	56	5	1	1	–	–	–	–	–	–	–
Typhus	0·05	11	–	–	–	–	–	–	–	1	2	2	2	1	2	–	1	–
Enteric Fever	0·20	43	1	–	–	–	–	1	3	2	4	2	8	5	5	8	4	1
Simple Cont. Fev.	0·07	16	1	–	–	–	–	1	1	2	4	1	2	–	1	–	4	–
Puerp. Fever	0·02	5	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–	–
Diarr. and Dys.	0·17	38	17	2	–	–	–	19	1	–	2	–	–	1	4	2	5	4
Cholera	0·00	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	0·56	122	–	–	–	–	–	–	–	–	1	2	1	9	25	34	38	12
Scrofula	0·10	22	5	–	–	–	–	5	–	2	3	1	4	2	1	4	–	–
Tabes Mesent.	0·16	35	8	5	3	1	–	17	5	4	4	–	4	1	–	–	–	–
Phthisis	2·71	595	9	6	2	2	1	20	18	27	81	97	144	68	75	45	17	3
Hydrocephalus	0·16	35	3	4	4	1	2	14	14	3	1	–	1	–	3	–	–	–
Diseases of: Nervous Syst.	3·98	873	430	61	23	7	7	531	12	10	11	6	14	9	24	56	103	97
Diseases of: Circulatory „	0·84	185	1	–	–	1	–	2	1	2	4	2	8	10	24	45	54	33
Diseases of: Respiratory „	2·40	527	57	33	2	9	4	105	13	8	14	12	30	23	34	85	110	93
Diseases of: Digestive „	0·90	198	6	1	–	2	1	10	–	1	4	5	11	23	28	52	47	17
Diseases of: Urinary „	0·40	87	–	–	–	1	1	2	1	–	3	1	4	7	5	16	25	23
Diseases of: Generative „	0·03	7	–	–	–	–	–	–	–	–	–	–	–	2	2	1	1	1
Childbirth	0·10	21	–	–	–	–	–	–	–	–	1	3	8	8	1	–	–	–
Suicide	0·02	4	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–
Other Violence	0·41	91	–	–	4	–	1	5	4	3	7	5	12	16	5	13	7	14
Other Causes	4·56	998	95	13	5	8	7	128	14	9	6	12	14	13	22	46	146	583

Deaths of Infants (under one) to 1000 Births - 110

Marriages - 1,490
Births - 6,177

Annual Rate per 1000 living: Persons Married - 12·76; Births - 28·15

627.—CARNARVON.

—	Annual Death Rate per 1000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	21·89	—	—	—	—	—	56·36	8·47	5·59	7·79	10·66	11·58	11·62	16·38	28·30	57·39	158·81
Mean Pop. 1871–80	—	41,567	1195	1031	1164	1131	1089	5610	4910	4399	4018	3555	6124	4595	3450	2650	1535	721
ALL CAUSES	21·89	9,100	1941	601	282	208	130	3162	416	246	313	379	709	534	565	750	881	1145
Small-pox	0·07	28	4	2	-	-	-	6	5	4	1	3	5	3	1	-	-	-
Measles	0·48	201	39	73	27	22	11	172	21	4	-	2	2	-	-	-	-	-
Scarlet Fever	0·83	358	25	56	57	58	32	228	80	28	7	4	6	4	1	-	-	-
Diphtheria	0·14	57	3	7	1	3	9	23	22	4	2	4	-	1	-	1	-	-
Whooping-cough	0·29	120	56	29	14	7	4	110	10	-	-	-	-	-	-	-	-	-
Typhus	0·04	17	-	-	1	-	-	1	-	1	2	2	3	1	1	2	3	1
Enteric Fever	0·26	108	1	1	-	-	1	3	12	12	11	17	23	11	5	7	5	2
Simple Cont. Fev.	0·10	40	1	1	4	-	1	7	5	4	3	1	7	2	3	2	5	1
Puerp. Fever	0·10	42	-	-	-	-	-	-	-	-	1	8	28	5	-	-	-	-
Diarr. and Dys.	0·37	154	58	23	3	2	-	86	1	2	-	3	3	3	2	10	14	30
Cholera	0·03	12	-	-	-	-	-	-	-	1	-	-	1	-	4	2	-	4
Cancer	0·43	181	-	-	-	-	-	-	-	-	1	-	9	17	42	58	37	17
Scrofula	0·14	58	4	5	1	-	1	11	7	2	6	8	9	4	3	4	3	1
Tabes Mesent.	0·16	68	24	16	5	2	2	49	9	2	4	1	-	1	-	1	-	1
Phthisis	3·45	1432	34	20	13	5	4	76	58	81	169	208	373	203	130	91	34	9
Hydrocephalus	0·28	117	30	26	9	7	7	79	24	8	5	1	-	-	-	-	-	-
Diseases of: Nervous Syst.	4·30	1786	864	93	42	35	24	1058	55	18	15	18	27	43	71	109	174	198
Circulatory ,,	0·96	401	-	1	-	-	-	1	8	12	8	8	20	39	67	80	83	72
Respiratory ,,	3·54	1470	251	125	56	37	14	483	34	16	18	23	53	51	74	108	252	298
Digestive ,,	1·21	503	39	13	2	5	-	59	10	7	18	8	31	45	73	105	99	48
Urinary ,,	0·38	158	4	4	5	-	-	13	6	2	4	6	9	21	19	22	25	31
Generative ,,	0·05	21	-	-	-	-	-	-	-	-	-	1	5	3	3	5	3	1
Childbirth	0·13	56	-	-	-	-	-	-	-	-	1	9	25	17	4	-	-	-
Suicide	0·02	10	-	-	-	-	-	-	-	-	-	1	2	1	4	1	1	-
Other Violence	0·72	298	8	12	8	3	5	36	16	15	21	26	45	34	29	30	26	20
OTHER CAUSES	3·38	1404	496	94	34	22	15	661	33	23	16	17	23	25	29	52	114	411

Deaths of Infants (under one) to 1000 Births - 140 | Marriages - 3,281 | Births - 13,856 | Annual Rate per 1000 living: Persons Married - 15·79; Births - - - 33·33

628.—BANGOR.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	20·96	—	—	—	—	—	52·25	7·88	4·38	7·55	10·24	10·40	11·81	14·76	26·62	55·81	152·68
Mean Pop. 1871–80	—	37,540	935	844	939	897	848	4463	4137	4088	3615	3087	5146	4167	3611	2787	1636	803
ALL CAUSES	20·96	7,867	1406	432	219	149	126	2332	326	179	273	316	535	492	533	742	913	1226
Small-pox	0·02	6	1	-	-	-	-	1	-	-	-	2	1	1	1	-	-	-
Measles	0·34	128	31	42	20	8	6	107	18	1	1	-	-	1	-	-	-	-
Scarlet Fever	0·60	226	14	28	31	25	32	130	66	18	3	4	3	2	-	-	-	-
Diphtheria	0·07	27	-	-	1	4	2	7	12	3	1	1	-	1	1	1	-	-
Whooping-cough	0·35	131	57	30	17	11	8	123	6	2	-	-	-	-	-	-	-	-
Typhus	0·06	23	-	-	-	-	1	1	1	2	5	2	4	3	2	2	-	1
Enteric Fever	0·25	95	-	6	1	3	1	11	12	7	11	11	8	13	8	7	4	3
Simple Cont. Fev.	0·14	51	1	-	1	3	1	6	4	3	11	2	4	9	3	6	1	2
Puerp. Fever	0·03	29	-	-	-	-	-	-	-	-	-	5	14	10	-	-	-	-
Diarr. and Dys.	0·22	83	23	9	2	-	2	36	1	1	1	-	2	2	1	12	9	18
Cholera	0·01	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Cancer	0·45	170	-	-	-	-	-	-	-	2	-	1	7	6	37	54	36	27
Scrofula	0·12	44	8	5	10	2	-	20	6	4	3	-	4	5	-	2	-	-
Tabes Mesent.	0·20	76	18	11	11	4	3	47	10	4	5	5	2	-	1	-	2	-
Phthisis	2·99	1122	9	4	3	3	3	22	22	50	136	196	291	188	136	63	17	1
Hydrocephalus	0·24	89	16	14	9	12	6	57	19	5	4	-	2	1	1	-	-	-
Diseases of: Nervous Syst.	4·13	1551	717	90	27	18	13	865	46	18	22	12	26	37	66	102	171	186
Circulatory ,,	0·77	289	1	-	3	-	-	4	1	9	12	8	20	32	27	74	69	33
Respiratory ,,	3·56	1335	175	129	46	31	18	399	36	11	8	12	40	51	82	164	279	253
Digestive ,,	1·09	411	18	2	2	2	6	30	5	5	6	15	23	35	65	98	90	34
Urinary ,,	0·36	135	-	-	1	-	-	1	3	3	3	2	8	18	18	28	35	16
Generative ,,	0·05	20	-	-	-	-	-	-	-	-	-	-	2	5	7	4	1	1
Childbirth	0·09	33	-	-	-	-	-	-	-	-	-	10	12	10	1	-	-	-
Suicide	0·03	11	-	-	-	-	-	-	-	-	2	-	1	-	3	3	2	-
Other Violence	0·55	208	4	3	9	6	3	25	10	9	14	14	28	23	23	21	17	24
OTHER CAUSES	4·19	1572	318	59	25	17	21	440	48	22	24	14	28	38	50	101	180	627

Deaths of Infants (under one) to 1000 Births - 130 | Marriages - 3,027 | Births - 10,816 | Annual Rate per 1000 living: Persons Married - 16·13; Births - - - 28·81

629.—CONWAY.

—	Annual Death Rate per '000.	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	19·98	—	—	—	—	—	45·69	7·06	4·15	5·94	8·13	10·21	11·98	14·51	27·88	58·87	166·46
Mean Pop. 1871-80	—	16,531	420	386	423	438	388	2055	1897	1806	1582	1341	2203	1886	1571	1191	671	328
ALL CAUSES	19·98	3,303	588	167	79	53	52	939	134	75	94	109	225	226	228	332	395	546
Small-pox	0·02	4	1	–	–	–	–	1	–	–	1	2	–	–	–	–	–	–
Measles	0·21	35	6	9	9	1	6	31	3	1	–	–	–	–	–	–	–	–
Scarlet Fever	0·58	96	7	14	15	10	12	58	23	4	7	3	1	–	–	–	–	–
Diphtheria	0·35	58	4	3	6	4	5	22	24	8	1	–	1	–	–	2	–	–
Whooping-cough	0·38	62	29	14	8	6	3	60	–	2	–	–	–	–	–	–	–	–
Typhus	0·03	8	–	–	–	–	–	–	1	–	3	1	2	1	–	–	–	–
Enteric Fever	0·14	23	–	–	2	2	–	4	2	1	5	–	2	3	1	4	1	–
Simple Cont. Fev.	0·15	25	–	–	–	–	1	1	2	2	1	–	1	2	1	3	7	5
Puerp. Fever	0·09	15	–	–	–	–	–	–	–	–	1	3	6	5	–	–	–	–
Diarr. and Dys.	0·46	76	50	5	–	–	1	56	1	–	2	–	–	2	2	2	6	5
Cholera	0·04	6	–	–	–	–	–	–	–	–	–	–	–	–	1	4	–	1
Cancer	0·58	96	–	–	–	–	–	–	–	–	1	1	–	8	19	29	26	12
Scrofula	0·10	17	5	1	1	–	–	7	2	1	2	–	2	1	1	–	–	1
Tabes Mesent.	0·16	26	9	4	3	2	3	21	1	1	–	–	2	–	1	–	–	–
Phthisis	2·72	448	8	5	–	–	1	14	13	13	40	61	109	73	57	37	21	10
Hydrocephalus	0·32	54	17	13	5	5	3	43	6	3	2	–	–	–	–	–	–	–
Diseases of: Nervous Syst.	3·87	639	300	43	9	7	7	366	14	12	5	9	15	10	28	51	83	43
Diseases of: Circulatory „	1·31	217	1	–	–	–	–	1	–	1	1	4	13	20	25	51	58	43
Diseases of: Respiratory „	2·40	397	41	30	4	5	1	81	8	5	3	9	9	32	19	64	73	94
Diseases of: Digestive „	1·24	205	14	3	3	2	2	24	4	5	4	2	8	10	37	40	37	25
Diseases of: Urinary „	0·39	65	1	2	–	–	–	3	1	1	2	4	7	9	7	5	10	16
Diseases of: Generative „	0·07	11	–	–	–	–	–	–	–	–	1	–	1	3	3	–	1	2
Childbirth	0·16	27	–	–	–	–	–	–	–	–	–	2	12	12	1	–	–	–
Suicide	0·04	7	–	–	–	–	–	–	–	–	2	–	3	–	1	–	1	–
Other Violence	0·60	100	3	1	4	2	2	12	5	6	5	3	20	10	8	7	12	12
OTHER CAUSES	3·53	586	92	20	10	7	5	134	24	9	5	5	11	16	16	33	59	274

Deaths of Infants (under one) to 1000 Births - 123 | Marriages - 1,125 | Births - 4,769 | Annual Rate per 1000 living: Persons Married - 13·61; Births - 28·85

630.—ANGLESEY.

—	Annual Death Rate per 1000	ALL AGES.	Under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
ANNUAL DEATH RATE PER 1000	—	20·64	—	—	—	—	—	43·44	6·91	5·01	8·24	11·53	11·15	10·54	14·53	23·91	51·20	145·02
Mean Pop. 1871-80	—	35,134	812	760	822	859	812	4065	3982	3733	3385	2689	4465	3709	3421	2873	1828	984
ALL CAUSES	20·64	7,253	1082	296	166	130	92	1766	275	187	279	310	498	391	497	687	936	1427
Small-pox	0·03	11	1	–	–	–	–	1	1	1	1	2	2	2	–	1	–	–
Measles	0·18	63	17	18	6	7	5	53	7	–	–	–	1	2	–	–	–	–
Scarlet Fever	0·59	209	7	17	24	23	24	95	68	26	10	3	4	2	–	1	–	–
Diphtheria	0·20	69	2	3	4	7	9	25	25	10	2	–	2	4	–	1	–	–
Whooping-cough	0·22	77	37	20	7	7	2	73	3	1	–	–	–	–	–	–	–	–
Typhus	0·09	32	–	–	–	–	–	–	–	3	4	4	5	4	3	6	2	1
Enteric Fever	0·17	60	2	–	4	2	–	8	5	7	5	2	13	7	8	3	2	–
Simple Cont. Fev.	0·13	47	–	1	1	–	–	2	5	3	6	3	3	4	2	8	7	4
Puerp. Fever	0·04	15	–	–	–	–	–	–	–	–	–	5	6	3	1	–	–	–
Diarr. and Dys.	0·17	61	17	7	3	–	–	27	–	–	–	1	2	2	2	7	9	11
Cholera	0·01	3	1	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–
Cancer	0·54	189	–	–	–	–	–	–	–	–	–	–	4	10	35	60	51	2
Scrofula	0·06	21	1	2	2	1	–	6	3	1	3	1	3	–	–	2	2	–
Tabes Mesent.	0·12	42	10	6	2	1	–	19	8	4	4	2	3	2	–	–	–	–
Phthisis	3·36	1179	3	4	4	7	4	22	21	60	153	204	278	136	134	104	66	1
Hydrocephalus	0·35	123	17	23	13	9	6	68	25	11	7	7	3	1	1	–	–	–
Diseases of: Nervous Syst.	3·77	1323	559	92	39	22	12	724	29	13	12	6	13	26	52	98	169	181
Diseases of: Circulatory „	0·78	273	–	–	1	1	1	3	3	2	9	6	17	24	35	55	73	46
Diseases of: Respiratory „	2·55	897	101	43	18	15	9	186	22	6	12	13	31	40	63	149	211	164
Diseases of: Digestive „	0·71	249	22	1	3	3	–	29	3	5	4	8	14	28	36	51	52	24
Diseases of: Urinary „	0·33	116	–	1	–	1	1	3	2	1	4	2	10	6	22	21	24	21
Diseases of: Generative „	0·03	11	–	–	–	–	–	–	–	–	–	1	–	1	3	3	1	2
Childbirth	0·08	29	–	–	–	–	–	–	–	–	3	7	8	10	1	–	–	–
Suicide	0·02	6	–	–	–	–	–	–	–	–	–	–	1	2	–	1	2	–
Other Violence	0·54	190	3	4	4	3	3	17	5	11	20	19	29	32	19	12	11	15
OTHER CAUSES	5·57	1958	282	54	21	21	16	404	40	22	20	19	46	43	80	103	253	988

Deaths of Infants (under one) to 1000 Births - 112 | Marriages - 2,271 | Births - 9,685 | Annual Rate per 1000 living: Persons Married - 12·93; Births - 27·57

Changes in the **Constitution** of **Registration Counties** and **Registration Districts** and **Sub-districts** during the **10** Years **1871–80.**

N.B.—(1) The Populations quoted in this Table are the Numbers enumerated at the Census of 1871.
(2) In all references the *old* numbers of Districts are used, *i.e.*, those in force during the 10 Years 1871–80.

No. of District.		Name of District.	Date of Change.	Nature of Change.
Old.	New.			
1	1	Kensington - -	1 Apr. 1875	The union of Fulham, consisting of the sub-districts of *St. Peter Hammersmith, St. Paul Hammersmith,* and *Fulham* (aggregate population 66,041), was separated from Kensington and created a Registration District named Fulham (1*a*).
1*a*	2	Fulham - - -	,,	For the constitution of this new Registration District, *see* Kensington (1).
4	5	Westminster - -	1 Apr. 1876	The sub-districts of *St. James's Square* and *Berwick Street* were united under the name of *Berwick Street* sub-district (population 20,759).
11	12	Strand - - -	1 Aug. 1878	The sub-districts of *Long Acre* and *Charing Cross* were united under the name of *St. Martin-in-the-Fields* sub-district (population 21,238).
13	14	London City - -	1 Jan. 1880	The sub-districts of *Castle Baynard* and *Christchurch* were united under the name of *Castle Baynard* sub-district (population 10,696).
,,	,,	,, - -	1 Oct. 1880	The sub-districts of *Castle Baynard* and *Queenhithe* were united under the name of *Castle Baynard* sub-district (population 15,449).
14	15	Shoreditch - -	1 July 1877	The sub-districts of *Haggerston West* and *Haggerston East* were united under the name of *Haggerston* sub-district (population 43,421).
16	17	Whitechapel - -	15 Feb. 1875	The sub-districts of *Artillery* and *Spitalfields* were united under the name of *Spitalfields* sub-district (population 22,499).
20	21	Poplar - - -	1 Jan. 1879	The parish of Bromley St. Leonard (population 41,710), was separated from the sub-district of *Bow,* and created a new sub-district named *Bromley.*
29	30	Epsom - - -	1 Jan. 1880	The parish of Headley (population 337) was transferred to the sub-district of *Epsom* from Reigate, *Reigate* (35 : 1).
35	36	Reigate - - -	,,	The parish of Headley (population 337) was transferred from the sub-district of *Reigate* to Epsom, *Epsom* (29 : 2).
73	74	East Grinstead -	1 Oct. 1880	The parish of Crawley (population 505) was transferred from the sub-district of *Worth* to Horsham, *North Horsham* (78 : 2).
78	79	Horsham - - -	,,	The parish of Crawley (population 505) was transferred to the sub-district of *North Horsham* from East Grinstead, *Worth* (73 : 3).
85	86	Westbourne - -	1 Feb. 1878	The sub-districts of *Funtington* and *Westbourne* were united under the name of *Westbourne* sub-district (population 7221).
107	108	Basingstoke - -	1 Jan. 1879	The tything of Beech Hill (population 272) was transferred from the sub-district of *Bramley* to Bradfield, *Mortimer* (117 : 2).*
,,	,,	,, - -	1 Nov. 1879	The tything of Mortimer West End (population 434) was transferred to the sub-district of *Bramley* from Bradfield, *Mortimer* (117 : 2).*

* The Registration Counties of Hampshire and Berkshire are affected by this change.

Changes in the **Constitution** of **Registration Counties** and **Registration Districts** and **Sub-districts** during the **10** Years **1871–80**—*cont.*

No. of District. Old.	No. of District. New.	Name of District.	Date of Change.	Nature of Change.
109	110	Andover - - -	1 Apr. 1880	The parishes of North Tidworth and Ludgershall (aggregate population 762) were transferred from the sub-district of *Ludgershall*, and the parishes of Chute and Chute Forest (aggregate population 707) from the sub-district of *Hurstbourne Tarrant* to Pewsey, *Pewsey* (252 : 2).*
114	115	Abingdon - - -	1 Oct. 1879	The liberty of Littlemore (population 1068) was transferred from the sub-district of *Nuneham Courtney* to Headington, *St. Clement* (148 : 2).†
117	118	Bradfield - -	1 Jan. 1879	The tything of Beech Hill (population 272) was transferred to the sub-district of *Mortimer* from Basingstoke, *Bramley* (107 : 2).‡
"	"	" - -	1 Nov. 1879	The tything of Mortimer West End (population 434) was transferred from the sub-district of *Mortimer* to Basingstoke, *Bramley* (107 : 2).†
148	149	Headington -	1 Oct. 1879	The liberty of Littlemore (population 1068) was transferred to the sub-district of *St. Clement* from Abingdon, *Nuneham Courtney* (114 : 4).
193	194	Maldon - - -	1 July 1880	The parishes of Great and Little Braxted (aggregate population 472) and the parishes of Ulting and Wickham Bishop's (aggregate population 782) were transferred to the sub-district of *St. Peter*, the first two from Witham, *Kelvedon* (197 : 1), and the others from Witham, *Witham* (197 : 2).
194	195	Tendring - - -	"	The parish of Brightlingsea (population 3075) was transferred to the sub-district of *Ardleigh* from Lexden, *Wivenhoe* (196 : 1).
"	"	" - - -	"	The parishes of Thorrington, Alresford, Frating, and Great Bentley (population 2009) were transferred from the sub-district of *St. Osyth* to that of *Ardleigh*.
"	"	" - - -	"	The parish of Great Oakley (population 1047) was transferred from the sub-district of *Thorpe* to that of *Manningtree*.
"	"	" - - -	"	The remaining parishes of the sub-districts of *St. Osyth* and *Thorpe* were amalgamated under the name of *Thorpe* sub-district (population 9280).
196	197	Lexden - - -	"	The parishes of Messing and Inworth (aggregate population 1492) were transferred to the sub-district of *Stanway* from Witham, *Kelvedon* (197 : 1).
"	"	" - - -	"	The parish of Brightlingsea (population 3075) was transferred from the sub-district of *Wivenhoe* to Tendring, *Ardleigh* (194 : 4).
197	—	Witham - - -	"	The District was abolished, and its parts distributed as follows:—The parishes of Messing and Inworth (aggregate population 1492), from the sub-district of *Kelvedon*, were added to Lexden, *Stanway* (196 : 3); the parishes of Great and Little Braxted (aggregate population 472) from the sub-district of *Kelvedon*, and the parishes of Wickham Bishop's and Ulting (aggregate population 782) from the sub-district of *Witham*, were added to Maldon, *St. Peter* (193 : 4); the remainder of the sub-district of *Kelvedon*, consisting of the parishes of Kelvedon and Rivenhall (aggregate population 2388) was constituted a new sub-district of Braintree, under the name of *Kelvedon* sub-district (199 : 4); the remainder of the sub-district of *Witham*, consisting of the parishes of Witham, Hatfield-Peverel, Terling, Fairsted, and Faulkbourn (aggregate population 6078) was constituted a new sub-district of Braintree under the name of *Witham* sub-district (199 : 5); and the whole of *Coggeshall* sub-district (population 4652) became a new sub-district of Braintree under the name of *Coggeshall* sub-district (199 : 3).

* The Registration Counties of Hampshire and Wiltshire are affected by this change.
† The Registration Counties of Berkshire and Oxfordshire are affected by this change.
‡ The Registration Counties of Berkshire and Hampshire are affected by this change.

Changes in the **Constitution** of **Registration Counties** and **Registration Districts** and **Sub-districts** during the **10** Years **1871–80**—*cont.*

No. of District.		Name of District.	Date of Change.	Nature of Change.
Old.	New.			
199	199	Braintree - -	1 July 1880	Three new sub-districts were formed: *Coggeshall* (population 4652), formerly a sub-district of Witham (197 : 3); *Kelvedon* (population 2388), consisting of the parishes of Kelvedon and Rivenhall from Witham, *Kelvedon* (197 : 1); and *Witham* (population 6078), consisting of the parishes of Witham, Hatfield-Peverel, Terling, Fairsted, and Faulkbourn, from Witham, *Witham* (197 : 2).
"	"	" - - -	"	The sub-districts of Braintree were numbered thus: 1. *Finchingfield.* 2. *Bocking.* 3. *Coggeshall.* 4. *Kelvedon.* 5. *Witham.* 6. *Braintree.*
214	214	Woodbridge - -	1 Jan. 1877	The sub-districts of *Carlford* and *Woodbridge out* were united under the name of *Carlford* sub-district (population 8761).
215	215	Plomesgate - -	1 Mar. 1876	The sub-districts of *Wickham Market* and *Orford* were united under the name of *Orford* sub-district (population 7438).
239	239	Swaffham - - -	1 Oct. 1879	The sub-districts of *Swaffham* and *Saham Tovey* were united under the name of *Swaffham* sub-district (population 13,608).
247	247	Devizes - - -	1 Jan. 1876	The sub-districts of *Bishop's Cannings* and *Devizes* were united under the name of *Devizes* sub-district (population 11,166), and numbered (1).
252	252	Pewsey - - -	1 April 1880	The Parishes of North Tidworth and Ludgershall (aggregate population 762), and the parishes of Chute and Chute Forest (aggregate population 707) were transferred to the sub-district of *Pewsey*, the first two from Andover, *Ludgershall* (109 : 2), and the others from Andover, *Hurstbourne-Tarrant* (109 : 4).*
"	"	" - - -	"	The parish of Pewsey (population 1930) was transferred from the sub-district of *Pewsey* to that of *Netheravon.*
"	"	" - - -	"	The sub-district of *Pewsey* was re-named *Collingbourne.*
266	266	Sherborne - -	1 July 1880	The parish of Castleton (population 69) was transferred from the sub-district of *Yetminster* to that of *Sherborne.*
267	267	Beaminster - -	1 Oct. 1880	The sub-district of *Misterton* was abolished, the parish of Cheddington (population 165) being added to *Evershot* sub-district, and the remainder (population 1305) to *Netherbury* sub-district.
271	271	St. Thomas - -	1 July 1878	The parish of St. Leonard, with the exception of the house, grounds, &c. known as "Larkbear," and the Topsham Artillery Barracks (population 1697) was transferred from the sub-district of *Heavitree* to Exeter, *St. Sidwell* (272 : 1). [*See* City of Exeter Extension Act, 1877, 40 & 41 Vic. cap. cxli.]
272	272	Exeter - - -	"	The parish of St. Leonard, with the exception of the house, grounds, &c., known as "Larkbear," and the Topsham Artillery Barracks (population 1697) was transferred to the sub-district of *St. Sidwell* from St. Thomas, *Heavitree* (271 : 6). [*See* City of Exeter Extension Act, 1877, 40 & 41 Vic. cap. cxli.]
"	"	" - - - -	"	The sub-district of *St. Sidwell* was re-named *Exeter Eastern*, and the sub-district of *St. David* was re-named *Exeter Western.*
279	279	Stoke Damerel -	1 July 1875	The sub-districts of *St. Aubyn* and *Clowance* were united under the name of *St. Aubyn* sub-district (population 17,058).

* The Registration Counties of Hampshire and Wiltshire are affected by this change.

Changes in the **Constitution** of **Registration Counties** and **Registration Districts** and **Sub-districts** during the **10** Years **1871–80**—*cont.*

No. of District. Old.	No. of District. New.	Name of District.	Date of Change.	Nature of Change.
280	280	Tavistock - -	1 Oct. 1880	The sub-district of *Buckland Monachorum* was abolished, and its parts distributed as follows:—The parish of Beerferris (population 2050), was constituted a part of the newly created sub-district of *Calstock*, and the remainder (population 5292) was transferred to *Tavistock* sub-district.
"	"	" - - -	"	The parish of Calstock (population 6587) separated from the sub-district of *Tavistock*, and the parish of Beerferris (population 2050) from the abolished sub-district of *Buckland Monachorum*, were created a new sub-district named *Calstock* and numbered (1).
313	313	Shepton Mallet -	1 Oct. 1877	The sub-districts of *Stoke Lane* and *Shepton Mallet* were united under the name of *Shepton Mallet* sub-district (population 11,193) and numbered (1).
"	"	" " -	1 Jan. 1880	The parish of West Bradley (population 176) was transferred to the sub-district of *Evercreech*, from Wells, *Glastonbury* (314 : 2).
314	314	Wells - - -	"	The parish of West Bradley (population 176) was transferred from the sub-district of *Glastonbury* to Shepton Mallet, *Evercreech* (313 : 2).
317	317	Bath - - - -	1 Oct. 1879	The sub-districts of *Abbey* and *Walcot* were united under the name of *Walcot* sub-district (population 21,679). The sub-district of *Lyncombe* was renumbered (3), the rest following in their previous order.
321	321	Clifton - - - / Barton Regis -	1 Apr. 1877	The name of this District was changed from Clifton to Barton Regis.
336	336	Tewkesbury - -	1 July 1878	The sub-districts of *Deerhurst* and *Tewkesbury* were united under the name of *Tewkesbury* sub-district (population 11,434), and numbered (1).
343	343	Kington - - -	1 July 1877	A new sub-district was added, under the name of *Kinsham* sub-district, consisting of the parishes of Knill, Upper Kinsham, Byton, and Lingen, and the township of Rodd, Nash, and Little Brampton, together with the townships of Combe, Lower Kinsham, Willey, and Stapleton (aggregate population 1262), which had previously formed part of Presteigne, *Presteigne* (607 : 1).*
351	351	Atcham - - -	1 Oct. 1871	The entire District of Shrewsbury (population 27,252), was incorporated with Atcham. No alterations were made in the sub-districts.
352	—	Shrewsbury - -	"	The entire District was incorporated with Atcham (351).
360	359	Stafford - - -	1 Oct. 1879	The sub-districts of *Stafford* and *Castle Church* were united under the name of *Stafford* sub-district (population 22,575).
371	370	Penkridge - - / Cannock - -	1 Apr. 1877	The name of this District was changed from Penkridge to Cannock.
387	386	Birmingham - -	1 Oct. 1876	The sub-districts of *St. Philip* and *St. Paul* were united under the name of *St. Philip* sub-district (population 15,173).
"	"	" - -	1 Nov. 1876	The sub-districts of *St. Martin* and *St. Peter* were united under the name of *St. Martin* sub-district (population 44,100).
"	"	" - -	1 July 1877	The sub-district of *St. Philip* was abolished. All that part of the sub-district (population 7394), which had previous to 1st October 1876 (see change of that date), formed the sub-district of *St. Paul*, was transferred to the sub-district of *All Saints*; and the remainder (population 7779), which previous to the same date had formed the sub-district of *St. Philip* was transferred to the sub-district of *St. Thomas*.

* The Registration Counties of Herefordshire and South Wales (Radnorshire) are affected by this change.

Changes in the **Constitution** of **Registration Counties** and **Registration Districts** and **Sub-districts** during the **10** Years **1871–80**—*cont.*

No. of District.		Name of District.	Date of Change.	Nature of Change.
Old.	New.			
387	386	Birmingham - -	1 July 1879	The sub-districts of *St. Mary* and *St. George* were united under the name of *St. George* sub-district (population 65,461).
396	395	Warwick - - -	1 July 1876	The sub-districts of *Budbrooke* and *Warwick* were united under the name of *Warwick* sub-district (population 15,547), and numbered (1).
431	430	Basford - - -	1 July 1878	Bestwood Park (population 180), a detached portion of the parish of Lenton, and created a separate parish 17th December 1877, was transferred to the sub-district of *Bulwell* from Radford, *Hyson Green* (432 : 3).
"	"	" - - -	1 July 1880	The parish of Standard Hill (population 1309), was transferred from the sub-district of *Basford* to Nottingham, *Park* (433 : 11).
432	—	Radford - - -	1 July 1878	Bestwood Park (population 180), a detached portion of the parish of Lenton, and created a separate parish 17th December 1877, was transferred from the sub-district of *Hyson Green* to Basford, *Bulwell* (431 : 4).
"	—	" - - -	1 July 1880	The entire District (population 33,609) was incorporated with Nottingham (433).
433	431	Nottingham - -	"	The entire District of Radford (population 33,609) was incorporated with Nottingham. No alterations were made in the sub-districts.
"	"	" - -	"	The parish of Standard Hill (population 1309) was transferred to the sub-district of *Park* from Basford, *Basford* (431 : 3).
438	436	Derby - - -	1 July 1877	The sub-districts of *St. Alkmund* and *St. Peter* were united under the name of *Derby* sub-district (population 62,333).
452	450	Chester - - -	1 Aug. 1871	The sub-district of *Great Boughton* was abolished, and its parts distributed as follows:—The townships of Ashton, Cotton Abbots, Cotton Edmunds, Hockenhull-Stapleford, Horton with Peele, Huntington, Kelsall, Mouldsworth, Rowton, and Tarvin with Oscroft, and the parishes of Pryors Hayes, Barrow, and Guilden-Sutton (aggregate population 3594) were added to *Tattenhall* sub-district; the townships of Christleton, Littleton, and Great Boughton, and the parish of Spital Boughton (aggregate population 2664) were added to *Chester Castle* sub-district; and the remainder of the sub-district, consisting of the townships of Bache, Backford, Blacon cum Crabhall, Capenhurst, Caughall, Chorlton by Backford, Croughton, Dunham on the Hill, Elton, Hapsford, Hoole, Lea, Great Mollington, Little Mollington, Mostou, Newton by Chester, Pickton, Great Stanney, Little Stanney, Stoke, Thornton-le-Moors, Bridge Trafford, Mickle Trafford, Wimbolds-Trafford, Upton, and Wervin, and the parishes of Ince and Stanlow (aggregate population 6577), was added to *Chester Cathedral* sub-district.
"	"	" - - -	"	The townships of Doddleston, Eaton, Eccleston, Lower Kinnerton, Marlston cum Leach, Poulton and Pulford, and the parish of Claverton (aggregate population 1369) were transferred to *Chester Castle* sub-district, and the townships of Great Saughall, Little Saughall, Shotwick, and Woodbank, and the parish of Shotwick Park (aggregate population 843) to *Chester Cathedral* sub-district, from the sub-district of *Hawarden*.
"	"	" - - -	"	The townships of Tryddyn, and Merford and Hoseley, and the parish of Hope (aggregate population 5772) were transferred to the sub-district of *Hawarden* from Wrexham, *Hope* (615 : 1).*

* The Registration Counties of Cheshire and North Wales (Denbighshire) are affected by this change.

Changes in the **Constitution** of **Registration Counties** and **Registration Districts** and **Sub-districts** during the **10** Years **1871–80**—*cont.*

No. of District. Old.	No. of District. New.	Name of District.	Date of Change.	Nature of Change.
456	455	West Derby - -	1 Jan. 1876	The township of Kirkdale (population 32,978) from the sub-district of *Everton* was created a separate sub-district named *Kirkdale* and numbered (3).
"	"	" - - -	1 Jan. 1880	The sub-district of *West Derby* was divided into two parts. That portion of the township of West Derby included within the municipal borough of Liverpool was created a new sub-district named *West Derby Municipal* (population 50,687); and the remainder of the township of West Derby together with the parish of Croxteth Park was created a new sub-district named *West Derby Rural* (population 27,313).
467	466	Manchester - -	1 Oct. 1874	The union of Prestwich consisting of the sub-districts of *Newton, Cheetham, Failsworth, Blackley,* and *Prestwich* (aggregate population 77,968) was separated from Manchester and created a Superintendent Registrar's District named Prestwich (467*a*).
"	"	" - - -	1 Nov. 1880	The sub-districts of *London Road* and *Market Street* were united under the name of *Market Street* sub-district (population 39,067).
467*a*	467	Prestwich - -	1 Oct. 1874	For the constitution of this new Superintendent Registrar's District, *see* Manchester (467).
470	470	Rochdale - -	1 Oct. 1872	The sub-district of *Castleton Without* was re-named *Castleton Further*, and the sub-district of *Castleton Within* was re-named *Castleton Nearer*.
476	476	Preston - - -	1 Jan. 1878	The sub-district of *Preston* was divided into three parts. The wards of Trinity and Fishwick were created a new sub-district named *Trinity* (population 29,235); the ward of St. Peter was created a new sub-district named *St. Peter* (population 27,740); and the remainder, consisting of the wards of St. John, Christchurch, and St. George, was created a new sub-district named *St. John* (population 28,452).
481	481	Ulverston - -	1 July 1876	The civil parish of Barrow-in-Furness, as extended by the Barrow-in-Furness Corporation Act, 1875, (population 18,774), was separated from the sub-district of *Dalton*, and created a Registration District named Barrow-in-Furness (481*a*).
481*a*	482	Barrow-in-Furness	"	For the constitution of this new Registration District, *see* Ulverston, *Dalton* (481 : 4).
494	495	Huddersfield -	1 July 1878	The sub-districts of *Meltham* and *Honley* were united under the name of *Honley* sub-district (population 13,090).
496	497	Bradford - - -	1 July 1877	The township of Bolton (population 1271) was transferred from the sub-district of *Idle* to that of *Bradford East End*.
532	533	Guisbrough - -	1 Oct. 1875	The township of Brotton (population 2672) was transferred from the sub-district of *Marske* to that of *Lofthouse*. The parishes of Kirk Leatham and Wilton (aggregate population 3058), were transferred from the sub-district of *Kirk Leatham* to that of *Marske*. The remainder of the sub-district of *Kirk Leatham*, consisting of the townships of Ormesby, Eston, and Normanby (aggregate population 11,938), was constituted a sub-district of the newly created Registration District of Middlesbrough (532*a*) under the name of *Ormesby* sub-district.

Changes in the **Constitution** of **Registration Counties** and **Registration Districts** and **Sub-districts** during the **10** Years **1871-80**—*cont.*

No. of District. Old.	No. of District. New.	Name of District.	Date of Change.	Nature of Change.
532*a*	534	MIDDLESBROUGH -	1 Oct. 1875	This Registration District, consisting of three sub-districts, was created from the Districts of Guisbrough, Stokesley, and Stockton. The sub-district of *Middlesbrough* (1) was formed of the parish of Marton (population 856) from STOKESLEY, *Stokesley* (533 : 1) and the townships of Acklam, Middlesbrough and Linthorpe (aggregate population 39,544), from STOCKTON, *Yarm* (541 : 1); the sub-district of *Ormesby* (2) was formed of the townships of Ormesby, Eston, and Normanby (aggregate population 11,938) from GUISBROUGH, *Kirk Leatham* (532 : 3); and the sub-district of *Thornaby* (3) was formed of the township of Hemlington (population 101), from STOKESLEY, *Stokesley* (533 : 1), the townships of Stainton, Maltby, and Ingleby Barwick (aggregate population 631), from STOCKTON, *Yarm* (541 : 1), and the township of Thornaby with South Stockton (population 6967) from STOCKTON, *Stockton* (541 : 2).*
533	535	STOKESLEY - -	"	The parish of Marton (population 856), and the township of Hemlington (population 101) were transferred from the sub-district of *Stokesley*, Marton to MIDDLESBROUGH, *Middlesbrough* (532*a* : 1), and Hemlington to MIDDLESBROUGH, *Thornaby* (532*a* : 3).
"	"	" - -	"	The townships of High Worsall, Low Worsall, Kirk Leavington, Castle Leavington and Pickton, and the parish of Yarm (aggregate population 2051), were transferred to the sub-district of *Stokesley* from STOCKTON, *Yarm* (541 : 1).*
541	543	STOCKTON - - -	"	The sub-district of *Yarm* was abolished, and its parts distributed as follows:—the townships of Egglescliffe, Aislaby, Newsham, Billingham, Cowpen-Bewley, Newton-Bewley and Wolviston (aggregate population 3478) were added to *Stockton* sub-district; the townships of High Worsall, Low Worsall, Kirk Leavington, Castle Leavington, and Pickton, and the parish of Yarm (aggregate population 2051), to STOKESLEY, *Stokesley* (533 : 1); the townships of Stainton, Maltby, and Ingleby Barwick (aggregate population 631) to MIDDLESBROUGH, *Thornaby* (532*a* : 3); and the remainder, consisting of the townships of Acklam, Middlesbrough and Linthorpe (aggregate population 39,544), to MIDDLESBROUGH, *Middlesbrough* (532*a* : 1).*
"	"	" - - -	"	The township of Thornaby with South Stockton (population 6967) was transferred from the sub-district of *Stockton* to MIDDLESBROUGH, *Thornaby* (532*a* : 3).*
546	548	LANCHESTER - -	1 Apr. 1875	For the constitution of this new Registration District, *see* DURHAM (546*a*).
546*a*	549	DURHAM - - -	"	The union of Lanchester consisting of the sub-districts of *Tanfield* and *Lanchester* (aggregate population 40,521), was separated from DURHAM and created a Registration District named LANCHESTER (546).
587	590	NEATH - - -	1 July 1875	The sub-district of *Ystradunglais* (population 12,433) and the parish of Killybebill and hamlet of Ynisymond (aggregate population 1995) from the sub-district of *Cadoxton* were transferred to the newly created Registration District of PONTARDAWE (587 *a*.)
"	"	" - - -	1 July 1876	The sub-district of *Llansamlet* (population 6128) was transferred to the District of SWANSEA (588).
587*a*	591	PONTARDAWE - -	1 July 1875	This Registration District (population 17,488) consisting of one sub-district named *Pontardawe*, was formed of the following places:—the entire sub-district of *Ystradunglais*, and the parish of Killybebill and hamlet of Ynisymond from the sub-district of *Cadoxton*, all of which had previously formed part of the District of NEATH (587); and the hamlets of Rhyndwyclydach and MAWR (aggregate population 3060) from SWANSEA, *Llandilotalybont* (588 : 1).

* The Registration Counties of DURHAM and YORKSHIRE (NORTH RIDING) are affected by this change.

Changes in the **Constitution** of **Registration Counties** and **Registration Districts** and **Sub-districts** during the **10** Years **1871–80**—*cont.*

No. of District.		Name of District.	Date of Change.	Nature of Change.
Old.	New.			
588	592	Swansea - - -	1 July 1875	The hamlets of Rhyndwyclydach and Mawr (aggregate population 3060) were transferred from the sub-district of *Llandilotalybont* to the newly created Registration District of Pontardawe (587 *a*).
"	"	" - - -	"	The division of Swansea Higher (population 3684) was transferred from the sub-district of *Llangafelach* to that of *Llandilotalybont.*
"	"	" - - -	1 July 1876	The sub-district of *Llansamlet* (population 6128) from the district of Neath (587) was made a sub-district of Swansea and numbered (4).
591	595	Llandovery - -	1 Apr. 1877	The sub-districts of *Myddfai* and *Llandingat* were united under the name of *Llandingat* sub-district (population 3343).
607	—	Presteigne - -	1 July 1877	The District was abolished, and its parts distributed as follows:—The parishes of Knill, Upper Kinsham, Byton, and Lingen, and the township of Rodd, Nash and Little Brampton, together with the townships of Combe, Lower Kinsham, Willey, and Stapleton (aggregate population 1262) were created a sub-district of Kington (343) and named *Kinsham* sub-district. The remainder of the District of Presteigne, consisting of the civil parish of Cascob, the parishes of Norton, Pilleth, and Whitton, and the townships of Discoed, Litton and Cascob, and Presteigne (aggregate population 2607) was created a sub-district of Knighton (608) and named *Presteigne* sub-district.*
608	611	Knighton - -	"	A new sub-district was added, under the name of *Presteigne* sub-district (numbered 1), consisting of the civil parish of Cascob, the parishes of Norton, Pilleth, and Whitton, and the townships of Discoed, Litton and Cascob, and Presteigne (aggregate population 2607), which had previously formed part of Presteigne, *Presteigne* (607 : 1).
615	618	Wrexham - -	1 Aug. 1871	The sub-district of *Hope* was abolished, and its parts distributed as follows:—The townships of Burton, Allington, and Gresford (aggregate population 2341) were added to *Holt* sub-district, and the townships of Llay, Gwersyllt, and Brymbo (aggregate population 5950) to *Wrexham* sub-district; and the remainder, consisting of the townships of Tryddyn, and Merford and Hoseley, and the parish of Hope (aggregate population 5772) was transferred to Chester, *Hawarden* (452 : 4).†
619	622	Corwen - -	1 Oct. 1880	The parishes of Corwen and Llansaintffraidglyndyfrdwy (aggregate population 2666) were transferred from the sub-district of *Corwen* to that of *Gwyddelwern.*
"	"	" - - -	"	The sub-district of *Gwyddelwern* was re-named *Corwen*, and the sub-district of *Corwen* was re-named *Llangollen.*

* The Registration Counties of Herefordshire and South Wales (Radnorshire) are affected by this change.

† The Registration Counties of Cheshire and North Wales (Denbighshire) are affected by this change.

INDEX OF REGISTRATION DISTRICTS.

The following Index furnishes a reference to the *Number* of each Registration District in the topographical arrangement adopted in the preceding Tables, the numbers running consecutively from 1 to 630.

In addition to other uses, this Index will enable the reader to refer to Tables, showing—

(1.) The comparative Density of Population, and the Annual Mortality of every *District*, during the Four Decennia beginning with 1841, 1851, 1861, and 1871, pp. lxviii–lxxxv.

(2.) The mean Population living at Sixteen Age periods in every *District*, and the Deaths at each of those Age periods from Twenty-five Causes or Groups of Causes, pp. 1–370.

A

Aberayron, 604.
Abergavenny, 582.
Aberystwith, 605.
Abingdon, 115.
Alcester, 397.
Alderbury (Salisbury), 254.
Alnwick, 563.
Alresford, 105.
Alston, 568.
Alton, 106.
Altrincham, 445.
Alverstoke, 89.
Amersham, 140.
Amesbury, 253.
Ampthill, 173.
Andover, 110.
Anglesey, 630.
Ashborne, 438.
Ashby-de-la-Zouch, 406.
Ashton-under-Lyne, 468.
Aston, 387.
Atcham (Shrewsbury), 351.
Atherstone, 389.
Auckland, 545.
Axbridge, 315.
Axminster, 269.
Aylesbury, 143.
Aylsham, 223.
Aysgarth, 539.

B

Bakewell, 440.
Bala, 623.
Banbury, 155.
Bangor, 628.
Barnet, 128.
Barnsley, 506.
Barnstaple, 285.
Barrow-in-Furness, 482.
Barrow-upon-Soar, 408.
Barton Regis (Clifton), 321.
Barton-upon-Irwell, 463.
Basford, 430.
Basingstoke, 108.
Bath, 317.
Battle, 69.
Beaminster, 267.
Bedale, 537.
Bedford, 171.
Bedminster, 319.
Bedwelty, 583.
Belford, 564.
Bellingham, 561.
Belper, 437.
Berkhampstead, 139.
Berwick, 565.
Bethnal Green, 16.
Beverley, 519.
Bicester, 151.
Bideford, 287.
Biggleswade, 172.
Billericay, 191.
Billesdon, 402.
Bingham, 434.
Birkenhead, 452.
Birmingham, 386.
Bishop Stortford, 131.
Blaby, 403.
Blackburn, 474.
Blandford, 260.
Blean, 58.
Blofield, 228.
Blything, 216.
Bodmin, 294.
Bolton, 461.
Bootle, 576.
Bosmere, 211.
Boston, 417.
Bourn, 414.
Brackley, 156.
Bradfield, 118.
Bradford-on-Avon, 249.
Bradford (Yorkshire), 497.
Braintree, 199.
Bramley, 500.
Brampton, 570.
Brecknock, 608.
Brentford, 126.
Bridge, 56.
Bridgend, 589.
Bridgnorth, 348.
Bridgwater, 307.
Bridlington, 525.
Bridport, 268.
Brighton, 77.
Bristol, 320.
Brixworth, 162.
Bromley, 41.
Bromsgrove, 384.
Bromyard, 341.
Buckingham, 146.
Builth, 607.
Burnley, 472.
Burton-upon-Trent, 367.
Bury, 462.
Bury St. Edmunds, 206.

C

Caistor, 424.
Calne, 245.
Camberwell, 26.
Cambridge, 179.
Camelford, 290.
Cannock (Penkridge), 370.
Canterbury, 57.
Cardiff, 586.
Cardigan, 601.
Carlisle, 572.
Carmarthen, 597.
Carnarvon, 627.
Castle Ward, 558.
Catherington, 103.
Caxton, 177.
Chapel-en-le-Frith, 441.
Chard, 309.
Cheadle, 365.
Chelmsford, 192.
Chelsea, 3.
Cheltenham, 335.
Chepstow, 580.
Chertsey, 31.
Chester, 450.
Chesterfield, 439.
Chester-le-Street, 552.
Chesterton, 178.
Chichester, 84.

Chippenham, 244.
Chipping Norton, 154.
Chipping Sodbury, 322.
Chorley, 475.
Chorlton, 464.
Christchurch, 93.
Church Stretton, 346.
Cirencester, 331.
Cleobury Mortimer, 347.
Clifton (*see* Barton Regis).
Clitheroe, 473.
Clun, 345.
Clutton, 316.
Cockermouth, 574.
Colchester, 196.
Congleton, 448.
Conway, 629.
Cookham, 121.
Corwen, 622.
Cosford, 204.
Coventry, 392.
Cranbrook, 52.
Crediton, 282.
Crickhowell, 609.
Cricklade, 242.
Croydon, 38.
Cuckfield, 75.

D

Darlington, 542.
Dartford, 42.
Daventry, 161.
Depwade, 230.
Derby, 436.
Devizes, 247.
Dewsbury, 502.
Docking, 235.
Dolgelly, 624.
Doncaster, 511.
Dorchester, 265.
Dorking, 35.
Dover, 64.
Downham, 238.
Driffield, 524.
Droitwich, 383.
Droxford, 102.
Dudley, 374.
Dulverton, 304.
Dunmow, 200.
Durham, 549.
Dursley, 324.

E

Easington, 550.
Easingwold, 528.
East Ashford, 55.
Eastbourne, 70.
East Grinstead, 74.
Easthampstead, 122.
East Preston (Worthing), 82.
East Retford, 427.
Eastry, 63.
East Stonehouse, 278.
East Ward, 577.
Ecclesall Bierlow, 508.
Edmonton, 129.
Elham, 65.
Ellesmere, 353.
Ely, 182.
Epping, 187.
Epsom, 30.
Erpingham, 222.
Eton, 141.
Evesham, 381.
Exeter, 272.

F

Falmouth, 298.
Fareham, 90.
Faringdon, 114.
Farnham, 33.
Faversham, 59.
Festiniog, 625.
Flegg, 220.
Foleshill, 391.
Forden (Montgomery), 615.
Fordingbridge, 95.
Forehoe, 226.
Freebridge Lynn, 236.
Frome, 312.
Fulham, 2.
Fylde, 477.

G

Gainsborough, 426.
Garstang, 478.
Gateshead, 555.
Glanford Brigg, 425.
Glendale, 566.
Gloucester, 327.
Godstone, 37.
Goole, 513.
Gower, 593.
Grantham, 419.
Gravesend, 43.
Great Ouseburn, 488.
Greenwich, 27.
Guildford, 32.
Guiltcross, 231.
Guisbrough, 533.

H

Hackney, 10.
Hailsham, 71.
Halifax, 496.
Halstead, 198.
Haltwhistle, 560.
Hambledon, 34.
Hampstead, 7.
Hardingstone, 159.
Hartismere, 209.
Hartlepool, 544.
Hartley Wintney, 107.
Hasliugden, 471.
Hastings, 68.
Hatfield, 135.
Havant, 87.
Haverfordwest, 600.
Hay, 610.
Hayfield, 442.
Headington, 149.
Helmsley, 530.
Helston, 299.
Hemel Hempstead, 138.
Hemsworth, 505.
Hendon, 127.
Henley, 147.
Henstead, 227.
Hereford, 339.
Hertford, 134.
Hexham, 559.
Highworth, 241.
Hinckley, 404.
Hitchin, 133.
Holbeach, 416.
Holbeck, 499.
Holborn, 13.
Hollingbourn, 51.
Holsworthy, 288.
Holywell, 617.
Honiton, 270.
Hoo, 45.
Horncastle, 421.
Horsham, 79.
Houghton-le-Spring, 551.
Howden, 518.
Hoxne, 210.
Huddersfield, 495.
Hull, 521.
Hungerford, 113.
Hunslet, 498.
Huntingdon, 168.

I

Ipswich, 213.
Isle of Wight, 91.
Islington, 9.

K

Keighley, 492.
Kendal, 579.
Kensington, 1.
Kettering, 164.
Keynsham, 318.
Kidderminster, 376.
Kingsbridge, 275.
Kingsclere, 111.
Kings Lynn, 237.
Kings Norton, 385.
Kingston, 39.
Kington, 343.
Knaresborough, 489.
Knighton, 611.

L

Lambeth, 24.
Lampeter, 603.
Lancaster, 479.
Lanchester, 548.
Langport, 308.
Launceston, 291.
Ledbury, 337.
Leeds, 501.
Leek, 364.
Leicester, 409.
Leigh, 460.
Leighton Buzzard, 175.
Leominster, 342.
Lewes, 76.
Lewisham, 28.
Lexden, 197.
Leyburn, 538.
Lichfield, 369.
Lincoln, 420.
Linton, 180.
Liskeard, 293.
Liverpool, 453.
Llandilofawr, 596.
Llandovery, 595.
Llanelly, 594.
Llanfylliu, 616.
Llanrwst, 621.
Loddon, 229.
London City, 14.
Longtown, 571.
Loughborough, 407.
Louth, 423.
Ludlow, 344.
Lunesdale, 480.
Luton, 176.
Lutterworth, 400.
Lymington, 92.

M

Macclesfield, 444.
Machynlleth, 613.
Madeley, 350.
Maidstone, 50.
Maldon, 194.
Malling, 47.
Malmsbury, 243.
Malton, 527.
Manchester, 466.
Mansfield, 429.
Market Bosworth, 405.
Market Drayton, 356.
Market Harborough, 401.
Marlborough, 246.
Martley, 378.
Marylebone, 6.
Medway, 46.
Melksham, 248.
Melton Mowbray, 410.
Mere, 257.
Meriden, 388.
Merthyr Tydfil, 588.
Middlesbrough, 534.
Midhurst, 85.
Mildenhall, 207.
Mile End Old Town, 20.
Milton, 60.
Mitford, 233.
Monmouth, 581.
Montgomery (*see* Forden).
Morpeth, 562.
Mutford, 218.

N

Nantwich, 449.
Narberth, 598.
Neath, 590.
Newark, 433.
Newbury, 112.
Newcastle-in-Emlyn, 602.
Newcastle-under-Lyme, 361.
Newcastle-upon-Tyne, 556.
Newent, 326.
New Forest, 96.
Newmarket, 181.
Newport (Monmouth), 585.
Newport (Salop), 358.
Newport Pagnell, 145.
Newton Abbot, 273.
Newtown, 614.
Northallerton, 536.
Northampton, 160.
North Aylesford, 44.
Northleach, 332.
Northwich, 447.
North Witchford, 183.
Norwich, 225.
Nottingham, 431.
Nuneaton, 390.

O

Oakham, 411.
Okehampton, 281.
Oldham, 469.
Ongar, 188.
Ormskirk, 457.
Orsett, 190.
Oswestry, 352.
Oundle, 166.
Oxford, 150.

P

Paddington (*see* Kensington).
Pancras, 8.
Pateley Bridge, 486.
Patrington, 522.
Pembroke, 599.
Penkridge (*see* Cannock).
Penrith, 569.
Penzance, 301.
Pershore, 382.
Peterborough, 167.
Petersfield, 104.
Petworth, 80.
Pewsey, 252.
Pickering, 531.
Plomesgate, 215.
Plymouth, 277.
Plympton St. Mary, 276.
Pocklington, 517.
Pontardawe, 591.
Pontefract, 504.
Pontypool, 584.
Pontypridd, 587.
Poole, 262.
Poplar, 21.
Portsea Island, 88.
Potterspury, 158.
Prescot, 456.
Preston, 476.
Prestwich, 467.
Pwllheli, 626.

R

Reading, 119.
Redruth, 300.
Reeth, 540.
Reigate, 36.
Rhayader, 612.
Richmond (Surrey), 40.
Richmond (Yorkshire), 541.
Ringwood, 94.
Ripon, 487.
Risbridge, 202.
Rochdale, 470.
Rochford, 193.
Romford, 189.
Romney Marsh, 66.
Romsey, 99.
Ross, 338.
Rothbury, 567.
Rotherham, 510.
Royston, 132.
Rugby, 393.
Runcorn, 446.
Ruthin, 619.
Rye, 67.

S

Saddleworth, 494.
Saffron Walden, 201.
St. Albans, 136.
St. Asaph, 620.
St. Austell, 296.
St. Columb, 295.
St. Faith's, 224.
St. George Hanover Sq., 4.
St. George-in-the-East, 18.
St. Germans, 292.
St. Giles, 11.
St. Ives, 169.
St. Neots, 170.
St. Olave, Southwark, 23.
St. Saviour, Southwark, 22.
St. Thomas, 271.
Salford, 465.
Salisbury (*see* Alderbury).
Samford, 212.
Scarborough, 526.
Scilly Islands, 302.
Sculcoates, 520.
Sedbergh, 483.

Selby, 514.
Settle, 484.
Sevenoaks, 48.
Shaftesbury, 258.
Shardlow, 435.
Sheffield, 509.
Sheppey, 61.
Shepton Mallet, 313.
Sherborne, 266.
Shiffnal, 349.
Shipston-on-Stour, 398.
Shoreditch, 15.
Shrewsbury (*see* Atcham).
Skipton, 485.
Skirlaugh, 523.
Sleaford, 418.
Smallburgh, 221.
Solihull, 394.
Southam, 399.
Southampton, 97.
South Molton, 284.
South Shields, 554.
South Stoneham, 98.
Southwell, 432.
Spalding, 415.
Spilsby, 422.
Stafford, 359.
Staines, 124.
Stamford, 413.
Stepney, 19.
Steyning, 78.
Stockbridge, 100.
Stockport, 443.
Stockton, 543.
Stoke Damerel, 279.
Stokesley, 535.
Stoke-upon-Trent, 363.
Stone, 360.
Stourbridge, 375.
Stow, 208.
Stow-on-the-Wold, 333.
Strand, 12.
Stratford-on-Avon, 396.
Stratton, 289.
Stroud, 329.
Sturminster, 259.
Sudbury, 203.
Sunderland, 553.
Swaffham, 239.
Swansea, 592.

T

Tadcaster, 515.
Tamworth, 368.
Taunton, 306.
Tavistock, 280.
Teesdale, 546.
Tenbury, 377.
Tendring, 195.
Tenterden, 53.
Tetbury, 330.
Tewkesbury, 336.
Thakeham, 81.
Thame, 148.
Thanet, 62.
Thetford, 240.
Thingoe, 205.
Thirsk, 529.
Thornbury, 323.
Thorne, 512.
Thrapston, 165.
Ticehurst, 72.
Tisbury, 256.
Tiverton, 283.
Todmorden, 493.
Torrington, 286.
Totnes, 274.
Towcester, 157.
Toxteth Park, 454.
Tregaron, 606.
Truro, 297.
Tunbridge, 49.
Tynemouth, 557.

U

Uckfield, 73.
Ulverston, 481.
Uppingham, 412.
Upton-on-Severn, 380.
Uttoxeter, 366.
Uxbridge, 125.

W

Wakefield, 503.
Wallingford, 117.
Walsall, 372.
Walsingham, 234.
Wandsworth, 25.
Wangford, 217.
Wantage, 116.
Ware, 130.
Wareham, 263.
Warminster, 251.
Warrington, 459.
Warwick, 395.
Watford, 137.
Wayland, 232.
Weardale, 547.
Wellingborough, 163.
Wellington (Salop), 357.
Wellington (Somerset), 305.
Wells, 314.
Wem, 354.
Weobly, 340.
West Ashford, 54.
Westbourne, 86.
West Bromwich, 373.
Westbury, 250.
Westbury-on-Severn, 325.
West Derby, 455.
West Ham, 186.
Westhampnett, 83.
Westminster, 5.
West Ward, 578.
Wetherby, 490.
Weymouth, 264.
Wharfedale, 491.
Wheatenhurst, 328.
Whitby, 532.
Whitchurch (Hants), 109.
Whitchurch (Salop), 355.
Whitechapel, 17.
Whitehaven, 575.
Whittlesey, 184.
Wigan, 458.
Wigton, 573.
Williton, 303.
Wilton, 255.
Wimborne, 261.
Wincanton, 311.
Winchcomb, 334.
Winchester, 101.
Windsor, 123.
Winslow, 144.
Wirral, 451.
Wisbech, 185.
Witney, 153.
Woburn, 174.
Wokingham, 120.
Wolstanton, 362.
Wolverhampton, 371.
Woodbridge, 214.
Woodstock, 152.
Woolwich, 29.
Worcester, 379.
Worksop, 428.
Worthing (*see* East Preston).
Wortley, 507.
Wrexham, 618.
Wycombe, 142.

Y

Yarmouth, 219.
Yeovil, 310.
York, 516.

INDEX OF CERTAIN TOWNS.

Towns of which the Names differ from those of the Registration Districts in which they are respectively situated.

Name of Town.	Number of District.
Aberdare	588
Abersychan	584
Accrington	471
Aldershot	33
Bacup	470 471
Balsall	385
Barton, &c.	463
Batley	502
Bedlingtonshire	562
Bilston	371
Blackpool	477
Bootle-cum-Linacre	455
Brandon	240
Brierley Hill	375
Burslem	362
Chatham	46
Claycross	439
Crewe	449
Darlaston	372
Deal	63
Dereham	233
Devonport	279
Dukinfield	468
Enfield	129
Farnworth	461
Fenton	363
Fleetwood	477
Folkestone	65
Glossop	442
Gorton	464
Gosport	89
Great Grimsby	424
Great Malvern	380
Guiseley	491
Hanley	363
Harrowgate	489
Heckmondwike	502
Heywood	462 470
Hindley	458
Hounslow	126
Hornsey	129
Hyde	443
Ince-in-Makerfield	458
Ironbridge	350
Jarrow	554
Leamington Priors	395
Llandudno	629
Llanidloes	614
Longton	363
Lowestoft	218
Margate	62
Middleton and Tonge	469
Mossley	468 494
New Brighton	452
Newton Heath	467
North Bierley	497
Oldbury	373
Openshaw	464
Oswaldtwisle	474
Presteigne	611
Radcliffe	462
Ramsgate	62
Redditch	384 397
Rochester	44 46
Rowley Regis	374
Runcorn	446
Ryde	91
St. Helens	456
Salisbury	254
Seaham Harbour	550
Sedgley	374
Sheerness	61
Shipley	497
Shrewsbury	351
Sidmouth	270
Slough	141
Smethwick	385
Southport	457
Southwold	216
Stalybridge	468
Staveley	439
Stretford	463
Swindon	241
Swinton and Pendlebury	463 465
Tipton	374
Torquay	273
Tottenham	129
Tranmere	452
Tredegar	583
Trowbridge	248
Tunstall	362
Twickenham	126
Tyldesley	460
Ventnor	91
Wallasey	452
Wednesbury	373
Welshpool	615
Weston-super-Mare	315
Widnes	456
Willenhall	371
Worthing	82

ALPHABETICAL INDEX

TO THE

SUPPLEMENT TO THE REGISTRAR GENERAL'S FORTY-FIFTH ANNUAL REPORT.

N.B.—The lettered Tables (A. to P.) in the following Index are interpolated in the Report on pages iii–lxiv, and the numbered Tables (1 to 6) on pages lxviii–cxxiii.

PAGES

ACCIDENTAL DEATHS amongst coal miners. (Table M.) liii

AGES; Expectation of life at different. (Table B.) . . . . vi–ix

Additional years lived by a Million Males and a Million Females at different age periods, under the new Life Table as compared with the old. (Table C.) x

Additional lifetime of Children subject to reduced death-rates of new Life Table. (Table D.) x

AGE AND SEX DISTRIBUTION; Effect of differences in, upon the general death-rate xvii

AGE DISTRIBUTION; Death-rates in Counties, 1871–80, corrected for (Table G.) xviii

of Population of England and Wales, mean of 1871–81. (Table H.) xix

AGGREGATION OF POPULATION in relation to Death-rates xx

Direct and indirect effects of xxi

AGRICULTURAL LABOURERS; Remarks upon Mortality among . . . xxxiv

Mortality Statistics of. (No. 8 in Tables J., K., L., and 6.)

AGRICULTURISTS; death-rates from Phthisis and Diseases of Respiratory Organs. (Table N.) lvii

AIR; Influence of Fresh or Foul lvii

ALCOHOLIC EXCESS; influence of lx

imperfectly measured by Mortality directly ascribed to it . . lx

conspicuous in certain occupations lx

ALCOHOLISM; Deaths ascribed to, an insufficient measure of drink excess . xv

Industries with highest Mortality from. (Table P.) lxi

most injurious in absence of muscular exercise lxii

ARCHITECTS; *see* ARTISTS.

ARTISTS; Remarks upon Mortality among xxix

Mortality Statistics of. (No. 5 in Tables J. and 6.)

ASCITES AND LIVER DISEASES; Mortality from, at successive age periods. (Table F.) xv

BAKERS; Remarks upon Mortality among . . . . . xxxix, lix

High Mortality among, probably due to heated atmosphere . . lix

Mortality Statistics of. (No. 35 in Tables J., K., L., O., P., and 6.)

PAGES

BARGEMEN; Remarks upon Mortality among xxxv
Mortality Statistics of. (No. 12 in Tables J. and 6.)

BARRISTERS; *see* LAWYERS.

BLACKSMITHS; Remarks upon Mortality among xlviii
Mortality Statistics of. (No. 80 in Tables J., K., L., P., and 6.)

BOILER-MAKERS; Remarks upon Mortality among xlviii
Mortality Statistics of. (No. 78 in Tables J. and 6.)

BOOKBINDERS; Remarks upon Mortality among xli
Mortality Statistics of. (No. 47 in Tables J., K., and 6.)

BOOKSELLERS, &c.; Mortality Statistics of. (No. 22 in Tables J., K., and 6.)

BRASSWORKERS; *see* COPPERWORKERS.

BREWERS, &c.; Remarks upon Mortality among xxxvi
Mortality Statistics of. (No. 16 in Tables J., K., L., P., and 6.)

BUILDING TRADES; Remarks upon Mortality among certain . . . xliv
Mortality Statistics of. (Nos. 61–64 in Tables J., K., L., P., and 6.)

BUTCHERS; Remarks upon Mortality among xxxviii
Mortality Statistics of. (No. 34 in Table J., K., L., P., and 6.)

CAB, OMNIBUS SERVICE; Remarks upon Mortality in xxxv
Mortality Statistics of. (No. 11 in Table J., K., L., P., and 6.)

CABINET-MAKERS; Remarks upon Mortality among. xlvi
Mortality Statistics of. (No. 65 in Table J. and 6.)

CANCER; Apparent increase of Mortality from. (Table E., p. xi.) . . xiv
Great fatality among Sweeps lvi
Annual Mortality from, of Persons, Males and Females, in Counties, in 1871–80. (Table 4.) . . . . . civ–cxi
Annual Mortality from, at All Ages and at Twelve Groups of Ages, in three Decennia. (Table 5.) cxiv
Mortality and Ages at Death from, in Counties and Registration Districts 1–370

CARPENTERS; Remarks upon Mortality among xlvi
Mortality Statistics of. (No. 66 in Tables J., K., L., O., P., and 6.)

CARPET MANUFACTURERS; Mortality Statistics of. (No. 56 in Tables J. and 6.)

CARRIERS; *see* CARTERS.

CARTERS; Remarks upon Mortality among xxxv
Mortality Statistics of. (No. 13 in Tables J. and 6.)

CAUSES OF DEATHS; Increase or decrease of Mortality from certain, 1861–70, 1871–80. (Table E.) xi
of Males, aged 25-65 years, in different industries, 1880-81-82. (Table K.) . . . . . xxx–xxxi
Comparative Mortality from all and several, of Males engaged in different industries. (Table L.) . . . . xxxii–xxxiii
Mortality from several, among children under 5 years of age, in Counties and Districts. (Table 2.) . . . . . lxxxvi–c
Rates from several, in Counties. (Table 4.) . . . . . civ–cxi
Rates from several, at All Ages, and at 12 Groups of Ages, among Persons, Males and Females, in Three Decennia. (Table 5.) . cxii–cxvi

CAUSES of the differences in the Death-rates xvii

PAGES

CHANGES in the Constitution of Registration Counties, Districts, and Sub-districts during the 10 years 1871–80 371–378

CHANGES in the Death-rates v
Probable Causes of iv
Have they been advantageous to the Community? . . . v
Balance of Loss and Gain from ix

CHEESEMONGERS, &c.; Mortality Statistics of. (No. 30 in Tables J. and 6.)

CHEMIST, &c.; Mortality Statistics of. (No. 23 in Tables J., K., and 6.)

CHILDBIRTH; Remarks on Mortality from xvi
Annual Mortality from, in Counties in 1871–80. (Table 4.) . civ–cxi
Annual Mortality from, at All Ages and at 12 Groups of Ages, in three Decennia. (Table 5.) cxiii
Mortality and Ages at Death from, in Counties and Registration Districts 1–370

CHILDREN UNDER FIVE YEARS OF AGE; Death-rates among from All Causes and from Several Causes. (Table 2.) . . . . lxxxvi–c

CHIMNEY SWEEPS; Excessive Mortality among lvi
Mortality Statistics of. (No. 97 in Tables J., K., and 6.)

CHOLERA; Annual Mortality from, of Persons, Males and Females, in Counties, in 1871–80. (Table 4.) . . . . . civ–cxi
Mortality and Ages at Death from, in Counties and Registration Districts 1–370

CIRCULATORY SYSTEM; Increase of Mortality from Diseases of . . . xv
Industries with highest Mortality from Diseases of. (Table P.) . lxi
Annual Mortality from Diseases of, of Persons, Males and Females, in Counties, in 1871–80. (Table 4.) . . . . . civ–cxi
Annual Mortality from Diseases of, at All Ages and at 12 Groups of Ages, in three Decennia. (Table 5.) cxv
Mortality, and Ages at Death from, in Counties and Registration Districts 1–370

CLERGY; Remarks upon Mortality among xxix
Mortality Statistics of. (No. 1 in Tables J. and 6.)

CLERKS, Law and Commercial; Remarks upon Mortality among . . xxxvii
Mortality Statistics of. (Nos. 20 and 21 in Tables J. and 6.)

COACH BUILDERS; Remarks upon Mortality among xlvi
Mortality Statistics of. (No. 69 in Tables J. and 6.)

COACHMAN; *See* GROOM.

COAL-DUST; Its alleged property of hindering the development of Tubercular Disease li
least Injurious of Inhaled Dusts lviii

COAL-HEAVER; Mortality Statistics of. (No. 96 in Tables J. and 6.)

COAL MERCHANT; Mortality Statistics of. (No. 28 in Tables J. and 6.)

COAL-MINERS; Mortality among, surprisingly low xlix
Less satisfactory condition of, in South Wales and Monmouthshire xlix–l
Their excessive liability to Diseases of the Respiratory Organs . l
Comparative immunity of, from Phthisis li
Low Mortality among, from Alcoholism lii
Varying Mortalities in different Areas lii
Mortality from Accident liii
Mortality Statistics of. (Nos. 85–91 in J., K., L., M., O., and 6.)

PAGES

COAL MINES; Deaths from Accidents in. (Table M.) liii

COMMERCIAL TRAVELLERS; Remarks upon Mortality among . . . xxxvi

Mortality Statistics of. (No. 15 in Tables J., K., L., P., and 6.)

COOPERS; Remarks upon Mortality among xlvi

Mortality Statistics of. (No. 68 in Tables J. and 6.)

COPPER-WORKERS; Remarks upon Mortality among xlviii

Mortality Statistics of. (No. 83 in Tables J. and 6.)

CORNISH MINERS; Excessive Mortality among, and probable cause . . liv

their character for Temperance lv

Mortality Statistics of. (No. 93 in Tables J., K., L., O., P., and 6.)

CORN MILLER; Mortality Statistics of. (No. 36 in Tables J. and 6.)

COSTERMONGERS; Apparent high Mortality among lvii

Mortality Statistics of. (No. 99 in Tables J., K., L., P., and 6.)

COTTON MANUFACTURERS; Mortality Statistics of. (No. 53 in Tables J., K., L., O., P., and 6.)

COUNTIES; Density of Population and Annual Mortality in Four Decennia. (Table 1.) . . . . . lxviii–lxix

Annual Death-rate among Children under Five Years from All Causes and Several Causes; and among Males and Females at All Ages from Phthisis and from Diseases of the Respiratory Organs. (Table 2.) . . . . . lxxxvi–lxxxvii

Annual Death-rate at All Ages, and at Eleven Groups of Ages Persons, Males and Females. (Table 3.) . . . . . ci–ciii

Annual Death-rate from All Causes and from Several Causes, 1871-80; Persons, Males and Females. (Table 4.) . . civ–cxi

Deaths from several Causes at successive Age Periods . . . 6–49

CURRIERS; Remarks upon Mortality among xl

Mortality Statistics of. (No. 42 in Tables J. and 6.)

CUTLERS; Excessive Mortality among xlvii

Mortality Statistics of. (Nos. 74, 76, in Tables J., K., L., O., P., and 6.)

DEATHS, Causes of, of Males aged 25–65 Years, in different Industries (Table K.) . . . . . xxx–xxxi

Comparative number of, of Males engaged in different industries, from all and several Causes. (Table L.) . . . xxxii–xxxiii

from Accident in Coal Mines, distinguishing Causes, 1871–80. (Table M.) liii

in the Three Years, 1880–81–82, at Successive Periods of Life, of Males engaged in various Occupations. (Table 6.) . cxvii–cxxiii

from Several Causes at successive Age Periods, in England, in London, and in Registration Counties 6–49

Ditto, in Districts 50–370

DEATH-RATES; Changes in iv

Decline of at early, and increase at later ages iv

of Males and Females in successive Decennia. (Table A.) . . iv

Probable Causes of the Changes in iv

as affected by Sanitation at different Ages . . . . . iv–v

among Adults, probable Causes of rise in v

Have the changes in, been advantageous to the community? . v

Balance of loss and gain from changes in ix

Increase or Decrease of, from Special Causes, 1861–70, 1871–80. (Table E.) xi

Differences in, in different parts of the country xvi

DEATH-RATES—*continued.* PAGES

Causes of the Differences in xvii

as affected by Differences in Age and Sex Distribution . . xvii

in Counties during 1871–80 as recorded and as corrected for Variations of Age Distribution. (Table G.) . . . xviii

Relation of Aggregation of Population to xx

in Groups of Districts, 1871–80. (Table I.) xx

among Males engaged in different Occupations xxi

of Males, 25–65 Years of Age, in different Occupations, in 1860–61–71, and in 1880–82. (Table J.) . . . . xxv–xxvi

of Males working in Air of different Degrees of Purity, from Phthisis and Diseases of the Respiratory Organs. (Table N.) lvii

from Lead Poisoning in certain Occupations lxiii

in Four Decennia, in Registration Divisions, Counties, and Districts. (Table 1.) . . . . . lxviii–lxxxv

among Children under Five Years of Age from all Causes and from several Causes, and among Males and Females at all Ages from Phthisis and from Diseases of the Respiratory Organs, in Counties and Districts. (Table 2.) . . . lxxxvi–c

at all Ages and at Eleven Groups of Ages, Persons, Males and Females, in Counties. (Table 3.) . . . . . ci–ciii

from several Causes in Counties. (Table 4.) . . . . . civ–cxi

from several Causes at all Ages, and at Twelve Groups of Ages, among Persons, Males and Females, in Three Decennia. (Table 5.) . . . . . cxii–cxvi

among all Males, Occupied Males, Unoccupied Males, and Males in Selected Healthy Districts, at successive Periods of Life. (Table 6.) cxvii

Mean Annual, in the Three Years 1880–81–82, at successive Periods of Life, of Males engaged in various Occupations. (Table 6.) cxvii–cxxiii

from several Causes, and at Groups of Ages, in England, in London, and in Registration Counties 2–49

ditto in Districts 50–370

DECENNIAL REPORTS; value of, as supplemental to Annual ditto . . iii

DENSITY OF POPULATION, in relation to Death-rates. (Table I.) . . xx

in Four Decennia, in Registration Divisions, Counties, and Districts. (Table 1.) . . . . . lxviii–lxxxv

DIARRHŒA AND DYSENTERY; Mortality from, affected by Meteorological Conditions xiii

Decline of Mortality from. (Table E, p. xi.) xiii

Annual Mortality from, among Children under Five Years, in Counties and Districts. (Table 2.) . . . . . lxxxvi–c

Annual Mortality from, of Persons, Males and Females, in Counties, in 1871–80. (Table 4.) . . . . . civ–cxi

Annual Mortality from, at all Ages and at Twelve Groups of Ages, in Three Decennia. (Table 5.) cxiv

Mortality and Ages at Death from, in Counties and Registration Districts 1–370

DIFFERENCES IN AGE AND SEX DISTRIBUTION; their effect upon the Death-rates xvii

DIFFERENCES IN THE DEATH-RATES in different parts of the Country . xvi

DIGESTIVE SYSTEM; Mortality from Diseases of xv

Annual Mortality from Diseases of, of Persons, Males and Females, in Counties, in 1871–80. (Table 4.) . . . . . civ–cxi

Annual Mortality from Diseases of, at all Ages and at Twelve Groups of Ages, in Three Decennia. (Table 5.) . . . cxvi

Mortality and Ages at Death from, in Counties and Registration Districts 1–370

PAGES

DIPHTHERIA; Decline of Mortality from. (Table E., p. xi.) . . . xiii

Annual Mortality from, of Persons, Males and Females, in Counties, in 1871–80. (Table 4.) . . . . . civ–cxi

Annual Mortality from, at All Ages, and at 12 Groups of Ages, in Three Decennia. (Table 5.) cxiii

DISTRICTS, REGISTRATION; Density of Population and Annual Mortality in Four Decennia. (Table 1.) . . . . . lxx–lxxxv

Annual Death-rate among Children under 5 Years of Age from All Causes and Several Causes, and among Males and Females at All Ages, from Phthisis and from Diseases of the Respiratory Organs. (Table 2.) . . . . . lxxxviii–c

Deaths from Several Causes at successive Age Periods . . 50–370

Changes in the Constitution of, during 1871–80 371–378

DIVISIONS, REGISTRATION; Density of Population and Annual Mortality in Four Decennia. (Table 1.) lxviii

DRAPERS, Mortality among, compared with that among Grocers. . . xxxviii

Mortality Statistics of. No. 26 in Tables J., K., L., N., and 6.)

DROPSY, &c.; Annual Mortality from, at All Ages, and at 12 Groups of Ages, in Three Decennia. (Table 5.) cxv

DUST, Influence of upon Health lviii

Effects of, differ according to quantity and character . . . lviii

DUST-INHALING OCCUPATIONS; Comparative Mortality from Phthisis and Diseases of Respiratory Organs, of Males engaged in certain (Table O.) lviii

DYERS, &c.; remarks upon Mortality among xliv

Mortality Statistics of. (No. 59 in Tables J. and 6.)

EARTHENWARE MAKERS; Remarks upon excessive Mortality among . . xlii

Mortality Statistics of. (No. 52 in Tables J., K., L., O., P., and 6.)

EFFECT OF DIFFERENCES in Age and Sex Distribution upon the general Death-rate xvii

EFFECTS OF EXPOSURE to Chronic Lead-poisoning lxii

ENGINE-MAKER, &c., Mortality Statistics of. (No. 77 in Tables J. and 6.)

ENGLAND AND WALES; Density of Population and Annual Mortality in Four Decennia. (Table 1.) lxviii

Annual Mortality among Children under 5 Years of Age from All Causes and from Several Causes, and among Males and Females, at All Ages, from Phthisis, and from Diseases of the Respiratory Organs. (Table 2.) lxxxvi

Annual Death-rates at All Ages and at Eleven Groups of Ages, Persons, Males and Females. (Table 3.) . . . . . ci–ciii

Annual Rate of Mortality from Several Causes, in 10 Years 1871–80. (Table 4.) civ

Deaths from Several Causes at successive Age Periods, Persons, Males and Females 2–4

FARMERS; Remarks upon Mortality among xxxiv

Mortality Statistics of. (No. 7. in Tables J., K., L., P., and 6.)

FEVER; Considerable decline of Mortality from. (Table E., p. xi.) . . xiii

Annual Mortality from Typhus, Enteric, and Simple Continued, of Persons, Males and Females, in Counties, in 1871–80. (Table 4.) . . . . . civ–cxi

FEVER—*continued.* PAGES

Annual Mortality from, at all Ages, and at 12 Groups of Ages in three Decennia. (Table 5.) cxiii

Mortality and Ages at Death from, in Counties and Registration Districts 1–370

FILE-MAKERS; Excessively high Mortality among, and causes thereof . xlvii

Mortality Statistics of. (No. 75 in Tables J., K., L., O., P., and 6.)

FISHERMEN; Remarks upon Mortality among xxxiv

Mortality Statistics of. (No. 10 in Tables J., K., L., N., O., P., and 6.)

FISHMONGERS; Mortality Statistics of. (No. 32 in Tables J. and 6.)

FRANCE; Death-rate in, compared with England, after correction for Age Distribution xix

GARDENERS; Remarks upon Mortality among xxxiv

Mortality Statistics of. (No. 9 in Tables J., K., L., and 6.)

GENERAL LABOURERS; Vague application of term xxiii

Mortality Statistics of, in London. (No. 100 in Tables J. and 6.)

GENERATIVE SYSTEM, DISEASES OF; Annual Mortality from, of Persons, Males and Females, in Counties, in 1871–80. (Table 4.) . civ–cxi

Mortality and Ages at Death from, in Counties and Registration Districts 1–370

GLASS MANUFACTURERS; Remarks upon Mortality among . . . xlii

Mortality Statistics of. (No. 51 in Tables J. and 6.)

GOUT; Industries with highest Mortality from. (Table P.) . . . lxi

GRAZIERS; *see* FARMERS.

GREENGROCERS, &c.; Mortality Statistics of. (No. 31 in Tables J. and 6.)

GROCERS; Mortality among, compared with that among Drapers . . xxxviii

Mortality, Statistics of. (No. 25 in Tables J., K., L., N., P., and 6.)

GROOMS, &c.; Remarks upon Mortality among xxxvi

Mortality, Statistics of. (No. 14 in Tables J. and 6.)

GUNSMITHS; High Mortality among xlvi

Mortality Statistics of. (No. 73 in Tables J. and 6.)

HAIRDRESSERS; Remarks upon Mortality among xl

Mortality Statistics of. (No. 38 in Tables J., K., and 6.)

HATTERS; Remarks upon mortality among xxxix

Mortality Statistics of. (No. 37 in Tables J., K., and 6.)

HOSIERY MANUFACTURERS; Mortality Statistics of. (No. 58 in Tables J., K., L., P., and 6.)

HYDROCEPHALUS; Annual Mortality from, of Persons, Males and Females, in Counties, in 1871–80. (Table 4.) . . . . . civ–cxi

Annual Mortality from, at All Ages and at 12 Groups of Ages, in three Decennia. (Table 5.) cxiv

Mortality and Ages at Death from, in Counties and Registration Districts 1–370

INDEX of Districts 379–382

of certain Towns 383

PAGES

INFLUENCE of Fresh or Foul Air upon the Mortality lvii
of Dust lviii
of Alcoholic Excess lx

INNKEEPERS; Remarks upon Mortality among xxxvi
Mortality Statistics of. (No. 17 in Tables J., K., L., P., and 6.)

INN SERVANTS; Mortality Statistics of. (No. 18 in Tables J. and 6.)

INSTRUMENT, PHILOSOPHICAL, Makers; Mortality Statistics of. (No. 49 in Tables J. and 6.)

IRON AND STEEL WORKERS; Remarks upon Mortality among . . xlviii
Mortality Statistics of. (No. 81 in Tables J. and 6.)

IRONMONGERS; Mortality Statistics of. (No. 27 in Tables J. and 6.)

IRONSTONE MINERS; Heavy Mortality among, from Accident and Disease of Respiratory Organs liii
Mortality Statistics of. (No. 92 in Tables J., K., L., and 6.)

LABOURERS, General, in London; High Mortality among . . . lvii
Agricultural; Mortality Statistics of. (No. 8 in Tables J., K., L., and 6.)

LACE MAKERS; Mortality Statistics of. (No. 57 in Tables J. and 6.)

LAWYERS; Remarks upon Mortality among xxix
Mortality Statistics of. (No. 2 in Tables J. and 6.)

LEAD-POISONING . . . . . xli, xlv, xlvii
Effects of exposure to chronic lxii
conducive to Renal disease, Gout and other diseases . . . lxii
Mortality from, in certain occupations lxiii

LEAD-WORKERS; Remarks upon Mortality among xlviii
Mortality Statistics of. (No. 83 in Tables J. and 6.)

LEATHER-WORKERS; Remarks upon Mortality among . . . . . xl–xli
Mortality Statistics of. (Nos. 41–43, Tables J. and 6.)

LICENSED VICTUALLERS; *see* INNKEEPERS.

LIFE TABLE; A new English; Male and Female. (Table B.) . . . vi-ix
Additional Years lived by a Million Males and a Million Females, at Different Ages, under the New as compared with the Old Life Table. (Table C.) x
Additional Lifetime of Children born annually, under new. (Table C.) x

LINEN; *see* COTTON MANUFACTURERS.

LIVER DISEASES AND ASCITES; Mortality from, at successive Age Periods. (Table F.) xv
Industries with highest Mortality from. (Table P.) . . . lxi

LOCKSMITHS; Remarks upon Mortality among xlvi
Mortality Statistics in. (No. 72, Tables J. and 6.)

LONDON; Deaths from Several Causes at Successive Age-periods . . 5
Mortality of General Labourers in. (No. 100, Tables J. and 6.)

MALIGNANT DISEASES; Apparent increased Mortality from, partly due to improved Diagnosis xiv
very fatal to Sweeps lvi

PAGES

MALTSTER; Mortality Statistics of. (No. 19 in Tables J. and 6.)

MEASLES; Decline of Mortality from. (Table E.) . . . . . xi–xii

Annual Mortality from, among Children under Five Years, in Counties and Districts. (Table 2.) . . . . . lxxxvi–c

Annual Mortality from, of Persons, Males and Females, in Counties; in 1871–80. (Table 4.) . . . . . civ–cxi

Annual Mortality from, at All Ages, and at 12 Groups of Ages in three Decennia. (Table 5.) cxii

Mortality and Ages at Death from, in Counties and Registration Districts 1–370

MEDICAL MEN; Remarks upon high Mortality among xxix

Mortality Statistics of. (No. 3 in Tables J. and 6.)

MESSENGERS; Apparent high Mortality among lvii

Mortality Statistics of. (No. 98 in Tables J. and 6.)

METALLIC DUSTS; Excessive Mortality from inspiration of . . . lix

METAL WORKERS; Mortality Statistics of. (No. 84 in Tables J. and 6.)

MILLERS; *see* CORN MILLERS.

MILLWRIGHTS; *see* ENGINE MAKERS.

MINERS; Specification of, by Coroners, very inadequate in Death Certificates xlviii

a body of picked Men xlix

Mortality Statistics of. (Nos. 85–93, in Tables J., K., L., O., P., and 6.)

MORTALITY; *see* DEATH-RATES.

MUSICIANS; Remarks upon Mortality among xxix

Mortality Statistics of. (No. 6 in Tables J. and 6.)

NERVOUS SYSTEM; Mortality from Diseases of xiv

Industries with highest Mortality from Diseases of. (Table P.) . lxi

Annual Mortality from Diseases of, of Persons, Males and Females, in Counties, in 1871–80. (Table 4.) . . . . . civ–cxi

Annual Mortality from Diseases of, at All Ages and at Twelve Groups of Ages, in Three Decennia. (Table 5.) . . . cxv

Mortality and Ages at Death from, in Counties and Registration Districts 1–370

NURSERYMEN; *see* GARDENERS.

OCCUPATIONS; Death-rates in different xxi

Inadequate descriptions of, in death-returns xxii

Death-rates of Males, 25-65 Years of Ages, engaged in different. (Table J.) . . . . . xxv–xxvi

Salubrity of, affected by locality xxviii

Causes of Death in different, of Males aged 25–65. (Table K.) . xxx–xxxi

Comparative Mortality of Males in different, from all and several Causes. (Table L.) . . . . . xxxii–xxxiii

Mean Annual Death-rates among Males engaged in various, in the Three Years 1880–81–82 at successive Periods of Life. (Table 6.) . . . . . cxvii–cxxiii

OMNIBUS; *see* CAB SERVICE.

PAINTERS; Remarks upon Mortality among xlv

Mortality Statistics of. (No. 64 in Tables J., K., L., P., and 6.)

PAGES

PAPER MANUFACTURERS; Remarks upon Mortality among . . . xlii
Mortality Statistics of. (No. 50 in Tables J. and 6.)

PHTHISIS; Marked diminution of Mortality from. (Table E., p. xi.) . . xiv
Excessive Mortality from, among Cornish Miners . . . liv
and Diseases of Respiratory Organs; Comparative Mortality from, of Males working in Air of different degrees of Purity. (Table N.) lvii
Comparative Mortality from, of Males engaged in certain Dust-inhaling Occupations. (Table O.) lviii
Death-rates from, of Males and Females at All Ages, in Counties and Districts. (Table 2.) . . . . . lxxxvi–c
Annual Mortality from, of Persons, Males, and Females, in Counties, in 1871–80. (Table 4.) . . . . . civ–cxi
Annual Mortality from, at All Ages and at Twelve Groups of Ages, in Three Decennia. (Table 5.) cxiv
Mortality and Ages at Death from, in Counties and Registration Districts 1–370

PLASTERERS; *see* BUILDING TRADES.

PLUMBERS; Remarks upon Mortality among xlv
See also PAINTERS.

POPULATION; of England and Wales, mean of, 1871–81, according to Age Distribution. (Table H.) xix
Aggregation of, in relation to Death-rates xx
in Groups of Districts, 1871–80. (Table I.) xx
Mean in 1871–80, at successive Age Periods, in England, in London, and in Registration Counties 1–49
ditto in Districts 50–370

PORTERS; Apparent high Mortality among lvii
See MESSENGER.

PRINTERS; Remarks upon Mortality among xli
Mortality Statistics of. (No. 46 in Tables J., K., L., N., and 6.)

PUERPERAL FEVER; *see* CHILDBIRTH.

QUARRYMEN; Mortality Statistics of. (No. 94 in Tables J., K., L., O., and 6.)

RAILWAY, Road, &c. Labourers; Remarks upon Mortality among . . lvi
Mortality Statistics of. (No. 95 in Tables J. and 6.)

RESPIRATORY ORGANS; Increase of Mortality from Diseases of. (Table E., p. xi.) xiv
affected by vitiated air lvii
Comparative Mortality from Diseases of, and Phthisis, of Males working in Air of Different degrees of Purity. (Table N.) . lvii
Comparative Mortality from Diseases of, of Males engaged in certain Dust-inhaling Occupations. (Table O.) . . . lviii
Death-rates from Diseases of, of Males and Females at All Ages, in Counties and Districts. (Table 2.) . . . . . lxxxvi–c
Annual Mortality from Diseases of, of Persons, Males and Females, in Counties, in 1871–80. (Table 4.) . . . . . civ–cxi
Annual Mortality from Diseases of, at All Ages, and at 12 Groups of Ages in three Decennia. (Table 5.) cxvi
Mortality and Ages at Death from, in Counties and Registration Districts 1–370

PAGES

ROPE MAKERS; Remarks upon Mortality among xliv
Mortality Statistics of. (No. 60 in Tables J. and 6.)

SADDLERS; Mortality Statistics of. (No. 43 in Tables J. and 6.)

SANITATION; Effects of, upon the death-rate at different ages . . . iv–v

SAWYERS; Remarks upon Mortality among xlvi
Mortality Statistics of. (No. 67 in Tables J. and 6.)

SCARLET FEVER; Decline of Mortality from. (Table E.) . . . xi–xii
Irregularity of epidemics of, determined by unascertained conditions xii
Annual Mortality from, among Children under five years, in Counties and Districts. (Table 2.) . . . . . lxxxvi–c
Annual Mortality from, of Persons, Males and Females, in Counties, 1871–80. (Table 4.) . . . . . civ–cxi
Annual Mortality from, at All Ages and at 12 Groups of Ages, in three Decennia. (Table 5.) cxii
Mortality and Ages at Death from, in Counties and Registration Districts 1–370

SCHOOLMASTERS; Remarks upon Mortality among xxix
Mortality Statistics of. (No. 4 in Tables J. and 6.)

SCROFULA; Annual Mortality from, of Persons, Males and Females, in Counties, in 1871–80. (Table 4.) . . . . . civ–cxi
Mortality and Ages at Death from, in Counties and Registration Districts 1–370

SEXES; Respective Changes in Death-rates of iv

SHIPBUILDERS; Remarks upon Mortality among xlvi
Mortality Statistics of. (No. 71 in Tables J. and 6.)

SHOEMAKERS; Remarks upon Mortality among xl
Mortality Statistics of. (No. 40 in Tables J., K., L., P., and 6.)

SHOPKEEPERS; Remarks upon Mortality among xxxvii
Mortality Statistics of. (Nos. 29, 22–32, in Tables J. and 6.)

SILK MANUFACTURERS; Mortality Statistics of. (No. 54 in Tables J. and 6.)

SLATE AND STONE QUARRIERS; *see* QUARRYMEN.

SLATERS; *see* BUILDING TRADES.

SMALL-POX; Increased Mortality from. (Table E.) xi
Effects of vaccination upon xii
Annual Mortality from, among Children under five years, in counties and Districts. (Table 2.) . . . . . lxxxvi–c
Annual Mortality from, of Persons, Males and Females, in Counties in 1871–80. (Table 4.) . . . . . civ–cxi
Annual Mortality from, at all Ages, and at all twelve groups of Ages in three Decennia. (Table 5.) cxii
Mortality and Ages at Death from, in Counties and Registration Districts 1–370

STONE-DUST; Effects of, upon the air-passages lix

SUICIDE; Industries with highest Mortality from. (Table P.) . . . lxi
Annual Mortality from, of Persons, Males and Females, in Counties in 1871–80. (Table 4.) . . . . . civ–cxi
Mortality and Ages at Death from, in Counties and Registration Districts 1–370

PAGES

TABES MESENTERICA; Annual Mortality from, of Persons, Males and Females, in Counties, in 1871–80. (Table 4.) . . . . . civ–cxi

Mortality and Ages at Death from, in Counties and Registration Districts 1–370

TAILORS; Remarks upon Mortality among xl

Mortality Statistics of. (No. 39 in Tables J., K., L., N., P., and 6.)

TALLOW CHANDLER, &c.; Mortality Statistics of. (Nos. 44, 45, in Tables J. and 6.)

TANNERS; Mortality Statistics of. (No. 41 in Table J. and 6.)

TEXTILE DUSTS; Remarks upon effects of, when inspired lix

TEXTILE MANUFACTURERS; Remarks upon Mortality among . . . xliii

Mortality Statistics of. (Nos. 53–58 in Tables J., K., L., O., P., and 6.)

TIN-WORKERS; Remarks upon Mortality among xlviii

Mortality Statistics of. (No. 82 in Tables J. and 6.)

TUBERCULAR DISEASES; Annual Mortality from, at All Ages and at Twelve Groups of Ages in Three Decennia. (Table 5.) . cxv

TUBERCULOSIS; Comparatively rare amongst Coal-miners. . . . li

TOBACCONISTS; Mortality Statistics of. (No. 24 in Tables J., K., and 6.)

TOOL-MAKERS; Remarks upon Mortality among xlvii

Mortality Statistics of. (No. 76 in Tables J. and 6.)

UPHOLSTERERS; Mortality Statistics of. (No. 65 in Tables J. and 6.)

URBAN AND RURAL DISTRICTS; Death-rates in, compared after correction for Age Distribution xix

URINARY SYSTEM; Apparent increase of Mortality from Diseases of . xvi

Industries with highest Mortality from Diseases of. (Table P.) . lxi

Annual Mortality from Diseases of, of Persons, Males and Females, in Counties, in 1871–80. (Table 4.) . . . . . civ–cxi

Annual Mortality from Diseases of, at All Ages, and at Twelve Groups of Ages, in three Decennia. (Table 5.) . . . cxvi

Mortality and Ages at Death from, in Counties and Registration Districts 1–370

VACCINATION; Protective Influence of, against Small-pox . . . xii

VIOLENCE; Deaths by xvi

Annual Mortality by, of Persons, Males and Females, in Counties, 1871–80. (Table 4.) . . . . . civ–cxi

Annual Mortality by, at All Ages and at Twelve Groups of Ages, in Three Decennia. (Table 5.) cxvi

Mortality and Ages at Death from, in Counties and Registration Districts 1–370

WATCH AND CLOCK-MAKERS; Remarks upon Mortality among . . xlii

Mortality Statistics of. (No. 48, 49, in Tables J. and 6.)

WHEELWRIGHTS; Remarks upon Mortality among xlvi

Mortality Statistics of. (No. 70 in Tables J. and 6.)

PAGES

WHOOPING-COUGH; Mortality from, stationary. (Table E., p. xi.) . . xiii

Annual Mortality from, among Children under Five Years, in Counties and Districts. (Table 2.) . . . . . lxxxvi–c

Annual Mortality from, of Persons, Males and Females, in Counties, in 1871–80. (Table 4.) . . . . . civ–cxi

Annual Mortality from, at All Ages and at Twelve Groups of Ages, in Three Decennia. (Table 5.) cxiii

Mortality and Ages at Death from, in Counties and Registration Districts 1–370

WOOD-DUST; apparently not very baneful when inspired lix

WOOD TURNERS; Remarks upon Mortality among xlvi

Mortality Statistics of. (No. 68 in Tables J. and 6.)

WOOL-MANUFACTURERS; Mortality Statistics of. (No. 55 in Tables J., K., L., O., P., and 6.)

WORKERS IN METALS; *see* METAL WORKERS.

ZINC-WORKERS; Remarks upon Mortality among xlviii

Mortality Statistics of. (No. 83 in Table J. and 6.)

ZYMOTIC DISEASES; Decline of Mortality from xi

Death-rates from certain, of children under Five Years of Age (Table 2.) . . . . . lxxxvi–c

Death-rates from, of Persons, Males, and Females, in Counties (Table 4.) . . . . . civ–cxi

Death-rates from certain, at All Ages and Twelve Groups of Ages, of Persons, Males, and Females, in Three Decennia (Table 5.) . . . . . cxii–cxiv